

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

2017-Q3 Catalogue



**5**  
— YEAR —  
**WARRANTY**

V-TAC introducing new range of  
LED Products with 5 years warranty  
using SAMSUNG LED Chip



# Who We Are?

V-TAC is a Premium LED Lighting Brand developed with Energy and Lighting Specialists.

We make it a point to design and distribute High Quality, Affordable and Sustainable LED Lighting Solutions.

Our products follow ERP guidelines and are tested and approved by accredited labs.



## What We Do?

We Import, Stock and Deliver a complete range of High Quality LED Products at **Market-Leading Prices** all across the EU

### OUR APPROVALS





in **2016** we reached the milestone that is

**100** Million \$  
Turnover

## WE BELIEVE IN GROWING TOGETHER

Our Success is built on  
Strong Partnerships and  
Distributor Loyalty

## OUR STORY

**2015**  
110 Employees  
6 Offices

**2014**  
75 Employees  
5 Offices  
\$ 75m Turnover

**2013**  
55 Employees  
4 Offices  
\$ 30m Turnover

**2012**  
25 Employees  
3 Offices  
\$ 18m Turnover

**2011**  
20 Employees  
3 Offices  
\$ 8m Turnover

**2010**  
11 Employees  
2 Offices  
\$ 1.50m Turnover



## STRENGTH IN NUMBERS

As our Market Size Grows,  
We make it a point to recruit Top Talent,  
and to establish a Strong Regional Presence.

Founded in 2009, V-TAC has grown from strength to strength and has established itself as a global brand providing energy efficient lighting solutions covering more than 70 countries throughout Europe, Asia Pacific, Africa, Middle East and the USA.

As a result of its relentless pursuit towards excellence, V-TAC has been listed in London Stock Exchange Group's 1000 Companies to Inspire Europe 2016.

V-TAC believes in offering high quality LED solutions with strong product guarantees, competitively priced and easy to install products certified with DEKRA, GS, TUV, CE/EMC, ROHS and UL certifications. With over 1500 value for money products in all categories continued investment in people, systems, and product innovations, V-TAC continues to explore uncharted territories.

Over the last eight years, V-TAC has replaced 50 million standard lights with energy saving LED Lights, resulting in total customer savings of over a £150 million per year, which has led to the reduction of over 150 thousand tons of Carbon Emissions.

With a vision to provide affordable LED Lighting solutions to Residential, Industrial and Commercial sectors, V-TAC surges forward on the foundation of its three pronged approach – Design, Develop and Distribute at lighting speed EVERYDAY!

## LED Bulbs 01



SAMSUNG Bulbs

02 - 13



Blister Packing

14 - 21



Plastic Bulbs

22 - 55



Amber Cover

56 - 70



White Cover

71 - 72



Frost Cover

73 - 80



Clear Glass

81 - 94

## LED Spotlights 95



GU10-MR16

96 - 103



G4-G9

104 - 106



Accessories

107 - 126

## LED Flood lights 127



Shiny White

128 - 128



Shiny Grey/Black

131 - 133



Sand Finish Black

134 - 137



Sand Finish Grey

138 - 143



I - Series

144 - 151



Stand & Italian Series

152 - 154



PIR Sensor Series

155 - 166



Big Power Series

167 - 174

## LED Panels 175



60x60 Panels

176 - 182



Big Panels

183 - 187



Accessories

188 - 194



Mini Panels

195 - 224

## LED PAR Bulbs 225



AR111

226 - 228



Accessories

229



PAR 38

230



Accessories

232

## LED Tubes 233



LED Tubes

234 - 240



Fixtures With LED

241 - 247



Batten Fittings

248



LED Waterproof Fittings

249 - 254

## LED HighBays **255**



UFO Highbays

**256 - 268**



Linear Highbays

**269 - 272**

## LED Street Lights **273**



LED Street Lights

**274 - 277**



LED Street Lights


**278 - 282**

## LED Strip Lights **283**



Strip Lights

**284 - 295**



Aluminum Profiles

**296 - 300**



SMD LED Modules

**301 - 302**



Power Supplies

**203 - 308**

## LED Track Lights **309**



Linear Lights

**310 - 312**



Track Lights

**313 - 332**

## LED Downlights **333**



LED Downlights

**334 - 340**



Step Lights

**341 - 348**

## LED Dome Lights **349**



Dome Light-bulkhead

**350 - 368**

## LED Emergency Lights **369**



Exit Lights

**370 - 372**



Bulkhead Lights

**373 - 374**

## LED Motion Sensor 375



Infrared Sensors

376 - 386

## LED Table Lamps 387



Desk Lamp

388 - 397



Floor Lamp

398 - 400

## LED Innovative Lights 401



Solar Lights

402 - 405



Smart Switches

406 - 408



Outdoor Fixtures

410 - 414

## Garden Lamps 415



Wall Lamps

416 - 424



Ceiling and Stand Lamp

425 - 430

## Wall Lights 433



LED Wall Lamps

434 - 462

## Display Screen 463



Outdoor / Indoor Display Screen

464 - 466

## LED / Decorative Pendants 467



Pendants

468 - 531



Holders

532 - 540



Designer Sleek

541 - 552



Chandeliers

553 - 562

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING



\***5 YEARS**  
**WARRANTY**



Introducing the new range of V-TAC's LED Products.  
Built using Samsung LED Chips, now with a 5-year warranty.



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

NEW

**A58 - E27 Bulb****9W** VT-209

156 - 3000K Warm White

157 - 4000K Day White


158 - 6400K White

EAN Code

3800157627696

3800157627702

3800157627719

BOX QTY.  
 **100****A+**

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>55W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>725lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A58</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>     | Dimension:  | <b>58mm x 106mm</b>  |
| CRI:               | <b>&gt;80</b>           | Life span:  | <b>30,000 Hours</b>  |



NEW

**A58 - E27 Bulb****11W** VT-211

177 - 3000K Warm White

178 - 4000K Day White


179 - 6400K White

EAN Code

3800157627900

3800157627917

3800157627924

BOX QTY.  
 **100****A+**

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>70W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>975lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A58</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>     | Dimension:  | <b>58mm x 106mm</b>  |
| CRI:               | <b>&gt;80</b>           | Life span:  | <b>30,000 Hours</b>  |



NEW

**A65 - E27 Bulb****15W** VT-215

159 - 3000K Warm White  
160 - 4000K Day White  
161 - 6400K White

EAN Code

3800157627726  
3800157627733  
3800157627740

BOX QTY.  
**100****A+**

|                    |                         |             |                       |
|--------------------|-------------------------|-------------|-----------------------|
| EQ. Watts:         | <b>85W</b>              | PF:         | <b>&gt;0.5</b>        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>           |
| Luminous Flux:     | <b>1250lm</b>           | Base:       | <b>E27</b>            |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>  |
| LED Type:          | <b>SAMSUNG Chip</b>     | Dimension:  | <b>66.5mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           | Life span:  | <b>30,000 Hours</b>   |



NEW

**A65 - E27 Bulb****17W** VT-217

162 - 3000K Warm White  
163 - 4000K Day White  
164 - 6400K White

EAN Code

3800157627757  
3800157627764  
3800157627771

BOX QTY.  
**100****A+**

|                    |                         |             |                        |
|--------------------|-------------------------|-------------|------------------------|
| EQ. Watts:         | <b>100W</b>             | PF:         | <b>&gt;0.5</b>         |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>            |
| Luminous Flux:     | <b>1521lm</b>           | Base:       | <b>E27</b>             |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>   |
| LED Type:          | <b>SAMSUNG Chip</b>     | Dimension:  | <b>66.5 mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           | Life span:  | <b>30,000 Hours</b>    |





NEW

**P45 - E14 Bulb****5.5W** VT-236

168 - 3000K Warm White

169 - 4000K Day White

170 - 6400K White


EAN Code

3800157627818

3800157627825

3800157627832

BOX QTY.

 **200**
 **A+**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>      | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>            | Life span:  | <b>30,000 Hours</b>  |

NEW

**G45 - E27 Bulb****5.5W** VT-246

174 - 3000K Warm White

175 - 4000K Day White

176 - 6400K White


EAN Code

3800157627870

3800157627887

3800157627894

BOX QTY.

 **200**
 **A+**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>      | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>            | Life span:  | <b>30,000 Hours</b>  |

NEW

**Candle - E14 Bulb****5.5W** VT-226


171 - 3000K Warm White  
172 - 4000K Day White  
173 - 6400K White

EAN Code

3800157627849  
3800157627856  
3800157627863

BOX QTY.

 **200**



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>             | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>       | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>             | Life span:  | <b>30,000 Hours</b>  |

**T37 - E27 Bulb****8W** VT-237


144 - 3000K Warm White  
145 - 4000K Day White  
146 - 6400K White

EAN Code

3800157627573  
3800157627580  
3800157627597

BOX QTY.

 **200**



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>55W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>230°</b>          |
| Luminous Flux:     | <b>725lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>T37</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>       | Dimension:  | <b>37mm x 115mm</b>  |
| CRI:               | <b>&gt;80</b>             | Life span:  | <b>30,000 Hours</b>  |

NEW

**GU 10 with Lens****6.5W** VT-277

165 - 3000K Warm White  
166 - 4000K Day White  
167 - 6400K White

EAN Code

3800157627788  
3800157627795  
3800157627801

BOX QTY.

 **200**



|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>38°</b>          |
| Luminous Flux:     | <b>480lm</b>              | Base:       | <b>GU10</b>         |
| LED Type:          | <b>SMD</b>                | Body Type:  | <b>Plastic</b>      |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>50mm x 55mm</b>  |
|                    |                           | Life span:  | <b>30,000 Hours</b> |


NEW

**R50 - E14 Bulb****6W** VT-250

138 - 3000K Warm White  
139 - 4000K Day White  
140 - 6400K White

EAN Code

3800157627511  
3800157627528  
3800157627535

**BOX QTY.**  
 **200**
**A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>R50</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>       | Dimension:  | <b>50mm x 86mm</b>   |
| CRI:               | <b>&gt;80</b>             | Life span:  | <b>30,000 Hours</b>  |


NEW

**R63 - E27 Bulb****8W** VT-263

141 - 3000K Warm White  
142 - 4000K Day White  
143 - 6400K White

EAN Code

3800157627542  
3800157627559  
3800157627566

**BOX QTY.**  
 **200**
**A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>570lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>R63</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>       | Dimension:  | <b>63mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>             | Life span:  | <b>30,000 Hours</b>  |


NEW

**R80 - E27 Bulb****10W** VT-280

135 - 3000K Warm White  
136 - 4000K Day White  
137 - 6400K White

EAN Code

3800157627481  
3800157627498  
3800157627504

**BOX QTY.**  
 **100**
**A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>800lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>R80</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>       | Dimension:  | <b>80mm x 114mm</b>  |
| CRI:               | <b>&gt;80</b>             | Life span:  | <b>30,000 Hours</b>  |


NEW

**PAR 20 - E27 Bulb****7W** VT-220

147 - 3000K Warm White  
148 - 4000K Day White  
149 - 6400K White

EAN Code

3800157627603  
3800157627610  
3800157627627

**BOX QTY.**  
 **100**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>65W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>40°</b>           |
| Luminous Flux:     | <b>495lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type :  | <b>PAR 20</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>      | Dimension:  | <b>63.5mm x 83mm</b> |
| CRI:               | <b>&gt;80</b>            | Life span:  | <b>30,000 Hours</b>  |

NEW

**PAR 30 - E27 Bulb****11W** VT-230

153 - 3000K Warm White  
154 - 4000K Day White  
155 - 6400K White

EAN Code

3800157627665  
3800157627672  
3800157627689

**BOX QTY.**  
 **30**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>95W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>40°</b>           |
| Luminous Flux:     | <b>825lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type :  | <b>PAR 30</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>      | Dimension:  | <b>95mm x 117mm</b>  |
| CRI:               | <b>&gt;80</b>            | Life span:  | <b>30,000 Hours</b>  |

NEW

**PAR 38 - E27 Bulb****14W** VT-238

150 - 3000K Warm White  
151 - 4000K Day White  
152 - 6400K White

EAN Code


3800157627634  
3800157627641  
3800157627658

**BOX QTY.**  
 **30**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>120W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>40°</b>           |
| Luminous Flux:     | <b>1100lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type :  | <b>PAR 38</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SAMSUNG Chip</b>      | Dimension:  | <b>120mm x 132mm</b> |
| CRI:               | <b>&gt;80</b>            | Life span:  | <b>30,000 Hours</b>  |




**NEW****E40 Bulb - Olive Bulb****100W** VT-299

EAN Code

187 - 4000K Day White  
188 - 6400K White3800157629461  
3800157629478

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| Voltage/Frequency: | <b>AC:175-265V,50Hz</b> | PF:         | <b>&gt;0.9</b>       |
| Luminous Flux:     | <b>8000lm</b>           | Beam Angle: | <b>300°</b>          |
| Commercial Type :  | <b>Olive Shape</b>      | Base:       | <b>E40</b>           |
| LED Type:          | <b>SAMSUNG Chip</b>     | Body Type:  | <b>Aluminum</b>      |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>102mm x 320mm</b> |
|                    |                         | Life span:  | <b>25,000 Hours</b>  |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at a different distance.

## 30W VT-30

403 - 3000K Warm White  
404 - 4000K Day White  
405 - 6400K White




EAN Code

3800157629201  
3800157629058  
3800157629065



|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 2400lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 178 x 152 x 28mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at a different distance.

## 50W VT-50

409 - 3000K Warm White  
410 - 4000K Day White  
411 - 6400K White




EAN Code

3800157629225  
3800157629096  
3800157629102



|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 4000lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 223 x 188 x 28mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.

100W VT-100

EAN Code






415 - 3000K Warm White  
416 - 4000K Day White  
417 - 6400K White

3800157629249  
3800157629133  
3800157629140



|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 8000lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 291 x 240 x 30mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

200W VT-200

EAN Code






420 - 4000K Day White  
421 - 6400K White

3800157629171  
3800157629188



|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:200-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 16000lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 439 x 346 x 56mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

## 30W VT-30

400 - 3000K Warm White  
401 - 4000K Day White  
402 - 6400K White

EAN Code




3800157629195  
3800157629034  
3800157629041



BOX QTY.  
10

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Black with grey glass |
| Luminous Flux:     | 2400lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 178 x 152 x 28mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

## 50W VT-50

406 - 3000K Warm White  
407 - 4000K Day White  
408 - 6400K White

EAN Code

3800157629218  
3800157629072  
3800157629089





BOX QTY.  
10

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Black with grey glass |
| Luminous Flux:     | 4000lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 223 x 188 x 28mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



100W VT-100

EAN Code



412 - 3000K Warm White  
413 - 4000K Day White  
414 - 6400K White

3800157629232  
3800157629119  
3800157629126



|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Black with grey glass |
| Luminous Flux:     | 8000lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 291 x 240 x 30mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



200W VT-200


EAN Code

418 - 4000K Day White  
419 - 6400K White

3800157629157  
3800157629164






|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:200-240V/50Hz | Color of Fixture: | Black with grey glass |
| Luminous Flux:     | 16000lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 439 x 346 x 56mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |



Note: The Curves Indicate the illuminated area and the average illumination when the luminaire is at different distance.

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

**300W VT-300**

422 - 4000K Day White  
423 - 6400K White

EAN Code

3800157629225  
3800157629232



|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Black with grey glass |
| Luminous Flux:     | 24000lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >80              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 529 x 415 x 55mm      |
| Beam Angle:        | 100°             | Life span:        | 30,000 Hours          |



**E40**  
HOLDER

**LED Low Bay**

**85W VT-85**

520 - 4000K Day White  
521 - 6400K White



EAN Code

3800157629249  
3800157629256

|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 110°         |
| Luminous Flux:     | 6800lm             | Body Type:  | Plastic      |
| LED Type:          | SMD                | IP Rating:  | IP20         |
| CRI:               | >80                | Dimension:  | ø260 x 307   |
| PF:                | 0.9                | Life span:  | 30,000 Hours |

## LED Bulbs Blister Packing

With a focus on the ever-evolving demands, we are engaged in supplying a wide range of LED Bulb Blister Packs.



NEW



## P45 - E14 Bulb

5.5W VT-2146

7355 - 2700K Warm White  
7356 - 4000K Day White


EAN Code

3800157628136  
3800157628143

BOX QTY.

50

A+



|                    |                   |             |               |
|--------------------|-------------------|-------------|---------------|
| EQ. Watts:         | 40W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 180°          |
| Luminous Flux:     | 470lm             | Base:       | E14           |
| Commercial Type:   | P45               | Body Type:  | Thermoplastic |
| LED Type:          | SMD               | Dimension:  | 45mm x 81mm   |
| CRI:               | >80               |             |               |

NEW



## G45 - E27 Bulb

5.5W VT-2166

7360 - 2700K Warm White  
7361 - 4000K Day White


EAN Code

3800157628181  
3800157628198

BOX QTY.

50

A+



|                    |                   |             |               |
|--------------------|-------------------|-------------|---------------|
| EQ. Watts:         | 40W               | PF:         | >0.4          |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 180°          |
| Luminous Flux:     | 470lm             | Base:       | E27           |
| Commercial Type:   | G45               | Body Type:  | Thermoplastic |
| LED Type:          | SMD               | Dimension:  | 45mm x 82mm   |
| CRI:               | >80               |             |               |

NEW



## Candle - E14 bulb

5.5W VT-2106

7291 - 2700K Warm White  
7292 - 4000K Day White  
7293 - 6400K White


EAN Code

3800157623810  
3800157623827  
3800157623834

BOX QTY.

50

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 40W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm            | Base:       | E14           |
| Commercial Type:   | Candle           | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 37mm x 100mm  |
| CRI:               | >80              |             |               |

NEW



## RGB Bulb Blister Pack

6W VT-2022


7324 RGB + 2700K Warm White  
 7325 RGB + 4000K Day White  
 7326 RGB + 6400K White

EAN Code

3800157624602  
 3800157624619  
 3800157624626

BOX QTY.  
40

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | E27           |
| Commercial Type:   | A60                | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 60mm x 112mm  |
| CRI:               | >80                |             |               |

NEW



## A60 - E27 Bulb

9W VT-2139


7294 - 2700K Warm White  
 7295 - 4000K Day White  
 7296 - 6400K White

EAN Code

3800157623841  
 3800157623858  
 3800157623865

BOX QTY.  
25

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 60W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm              | Base:       | E27           |
| Commercial Type:   | A60                | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 60mm x 112mm  |
| CRI:               | >80                |             |               |

NEW



## A60 - E27 Bulb

11W VT-2111


7297 - 2700K Warm White  
 7298 - 4000K Day White  
 7299 - 6400K White

EAN Code

3800157623872  
 3800157623889  
 3800157623896

BOX QTY.  
25

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 75W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 1055lm             | Base:       | E27           |
| Commercial Type:   | A60                | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 60mm x 120mm  |
| CRI:               | >80                |             |               |

NEW



## A60 With Sensor Light

9W VT-2109

EAN Code

7285 - 2700K Warm White

7286 - 4000K Day White

7287 - 6400K White


3800157623759

3800157623766

3800157623773

BOX QTY.  
25

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 122 mm |
| CRI:               | >80              |             |               |

NEW



## A60 - 3 Step Dimming

9W VT-2129

EAN Code

7288 - 2700K Warm White

7289 - 4000K Day White

7290 - 6400K White

3800157623780

3800157623797

3800157623803

3STEP  
DIMMINGBOX QTY.  
25

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 112 mm |
| CRI:               | >80              |             |               |

NEW



## A60 -Color Changing E27 Bulb

9W VT-2149

EAN Code

7309 - 3 IN 1 -Blister Pack

3800157623995

BOX QTY.  
25

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 112 mm |
| CRI:               | >80              |             |               |

NEW

**A65 - E27 Bulb****15W** VT-2117

7300 - 2700K Warm White  
 7301 - 4000K Day White  
 7302 - 6400K White

EAN Code

3800157623902  
 3800157623919  
 3800157623926

BOX QTY.  
**25****A+**

|                    |                         |             |                        |
|--------------------|-------------------------|-------------|------------------------|
| EQ. Watts:         | <b>100W</b>             | PF:         | <b>&gt;0.5</b>         |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>            |
| Luminous Flux:     | <b>1500lm</b>           | Base:       | <b>E27</b>             |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>   |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>66.5 mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                        |


NEW

**G45 - E27****Cross Filament Clear Glass****4W** VT-2194

7367 - 2700K Warm White

EAN Code

3800157628587

BOX QTY.  
**50****A+**

|                    |                           |             |                    |
|--------------------|---------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E27</b>         |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>45mm x 75mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                    |

NEW

**P45 - E14****Cross Filament Clear Glass****4W** VT-2184

7366 - 2700K Warm White

EAN Code

3800157628570

BOX QTY.  
**50****A+**

|                    |                           |             |                    |
|--------------------|---------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E14</b>         |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>45mm x 77mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                    |



NEW



### Blister Pack Candle E14 Clear Glass

4W VT-2174

7365 - 2700K Warm White


EAN Code

3800157628563

BOX QTY.

50

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 40W                | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm              | Base:       | E14          |
| Commercial Type:   | Candle             | Body Type:  | Glass        |
| LED Type:          | Filament           | Dimension:  | 35mm x 100mm |
| CRI:               | >80                |             |              |

NEW



Dimmable

### Dimmable Candle - E14 Cross Filament Clear Glass

4W VT-2134D

7284 - 2700K Warm White


EAN Code

3800157623742

BOX QTY.

50

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 30W                | Dimmable:   | Yes          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | PF:         | >0.5         |
| Luminous Flux:     | 350lm              | Beam Angle: | 300°         |
| Commercial Type:   | Candle             | Base:       | E14          |
| LED Type:          | Filament           | Body Type:  | Glass        |
| CRI:               | >80                | Dimension:  | 35mm x 100mm |

NEW



### Candle - E14 Cross Filament Clear Glass

4W VT-2104

7282 - 2700K Warm White


EAN Code

3800157623728

BOX QTY.

50

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 40W                | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm              | Base:       | E14          |
| Commercial Type:   | Candle             | Body Type:  | Glass        |
| LED Type:          | Filament           | Dimension:  | 35mm x 100mm |
| CRI:               | >80                |             |              |




NEW

**A60 - E27  
Cross Filament Clear Glass****4W** VT-2114

EAN Code

**7283 - 2700K Warm White**

3800157623735

**BOX QTY.**  
 **25****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                     |


NEW

**A60 - E27 Clear Glass****6W** VT-2186

EAN Code

**7368 - 2700K Warm White**

3800157628594

**BOX QTY.**  
 **20****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>55W</b>                | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>660lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                     |

NEW



## G9 Spotlight -Blister Pack

2W VT-2102

EAN Code


7340 - 3000K Warm White

3800157625630

BOX QTY.

200

A++



|                    |                      |             |                 |
|--------------------|----------------------|-------------|-----------------|
| EQ. Watts:         | 20W                  | PF:         | >0.4            |
| Voltage/Frequency: | AC: 200-240V,50/60Hz | Beam Angle: | 230°            |
| Luminous Flux:     | 230lm                | Base:       | G9              |
| LED Type:          | COB                  | Body Type:  | Glass           |
| CRI:               | >80                  | Dimension:  | 14.5mm x 43.5mm |

NEW



## LED Spotlight- GU10

6W VT-2107

EAN Code

7303 - 3000K Warm White

3800157623933

7304 - 4000K Day White

3800157623940

7305 - 6400K White

3800157623957

BOX QTY.

50

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 40W              | PF:         | >0.5        |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 110°        |
| Luminous Flux:     | 500lm            | Base:       | GU10        |
| LED Type:          | SMD              | Body Type:  | Plastic     |
| CRI:               | >80              | Dimension:  | 50mm x 57mm |

NEW



Dimmable

## Dimmable Spotlight- GU10

6.5W VT-2108D

EAN Code

7306 - 3000K Warm White

3800157623964

7307 - 4000K Day White

3800157623971


7308 - 6400K White

3800157623988

BOX QTY.

50

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 40W              | Dimmable:   | Yes         |
| Voltage/Frequency: | AC:220-240V,50Hz | PF:         | >0.5        |
| Luminous Flux:     | 450lm            | Beam Angle: | 38°         |
| LED Type:          | SMD              | Base:       | GU10        |
| CRI:               | >80              | Body Type:  | Plastic     |
|                    |                  | Dimension:  | 50mm x 57mm |



## **LED Thermoplastic Bulbs**

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders like E27, E14, B22, B15,G24 and R7S
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

## **Applications**

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

Turn lamp brighter

Turn lamp dimmer



Select light colour



Warm White: Select the light display on warm white

FLASH: Flash mode 7 colours change in sequence like Red, Blue, Green, Orange, Purple, Light Blue and White.

STROBE: Strobe mode 7 colours change in sequence like Red, Blue, Green, Orange, Purple, Light Blue and White.

FADE: Fast fade mode, light colour changes between Red, Blue and Green.

SMOOTH: Slow breath mode, light colour light colour changes between Red, Blue and Green.

Under these 4 modes you can choose the Brighter / Dimmer key on the controller to make the speed faster / slower.

## RGB Bulb

6W VT-2022

7121 RGB + 2700K Warm White

7150 RGB + 4000K Day White

7151 RGB + 6400K White

BOX QTY.  
100

EAN Code

3800157609975

3800157610711

3800157610728



A+



|                    |                   |             |               |
|--------------------|-------------------|-------------|---------------|
| EQ. Watts:         | 40W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm             | Base:       | E27           |
| Commercial Type:   | A60               | Body Type:  | Thermoplastic |
| LED Type:          | SMD               | Dimension:  | 60mm x 112mm  |
| CRI:               | >80               |             |               |

## A60 With Sensor Light

Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.



9W VT-2016


4459 - 2700K Warm White  
4460 - 4500K Day White  
4461 - 6000K White

EAN Code

3800157608237  
3800157608244  
3800157608251

BOX QTY.  
100

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 122 mm |
| CRI:               | >80              |             |               |

## DC24V

Ideal Use for marine, solar/wind systems, fishing, motor home/RV, buses, vehicles systems, etc.



9W VT-2059

7224 - 6400K White

EAN Code

3800157617543

BOX QTY.  
100

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 55W              | PF:         | >0.5          |
| Voltage/Frequency: | DC:24V           | Beam Angle: | 200°          |
| Luminous Flux:     | 720lm-At 100% ON | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 112 mm |
| CRI:               | >80              |             |               |

**A60 3-Step Dimming** | Smart Dimming Technology Without A Dimmer!

At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

**3** STEP  
DIMMING
**9W** VT-2011

4447 - 2700K Warm White  
4448 - 4000K Day White  
4449 - 6400K White

EAN Code

3800157607988  
3800157607995  
3800157608008

**BOX QTY.**  
100

**A+**


|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>60mm x 112 mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                      |

**NEW****HOW IT WORKS**

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

**A60 -Color Changing E27 Bulb****9W** VT-2119

EAN Code

7317 -3 IN 1 - Single Pack

3800157624497

**BOX QTY.**  
100

**A+**


|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>60mm x 112 mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                      |



**270**  
LUMENS

Red

**30W**  
EQUIVALENT

SKU Code EAN Code  
**7341 - RED** 3800157626033



**570**  
LUMENS

Yellow

**50W**  
EQUIVALENT

SKU Code EAN Code  
**7342 - YELLOW** 3800157626040



**310**  
LUMENS

Green

**30W**  
EQUIVALENT

SKU Code EAN Code  
**7343 - GREEN** 3800157626057



**120**  
LUMENS

Blue

**15W**  
EQUIVALENT

SKU Code EAN Code  
**7344 - BLUE** 3800157626064


**NEW**


### A60 -Color E27 Bulb

**9W** VT-2000

BOX QTY.  
**100**

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Commercial Type:   | <b>A60</b>              | Base:       | <b>E27</b>           |
| LED Type:          | <b>SMD</b>              | Body Type:  | <b>Thermoplastic</b> |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>60mm x 112 mm</b> |
| PF:                | <b>&gt;0.5</b>          |             |                      |



3 PIECES  
PACK**A55 - E27 Bulb****5W** VT-2055

7266 - 2700K Warm White

7267 - 4000K Day White

7268 - 6400K White

EAN Code

3800157622981

3800157622998

3800157623001

BOX QTY.  
**30**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>35W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>420lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A55</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>55mm x 106mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

3 PIECES  
PACK**A60 - B22 Bulb****9W** VT-2069

7246 - 2700K Warm White

EAN Code

3800157620192

BOX QTY.  
**20**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>              | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>60mm x 112mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |



NEW

3 PIECES  
PACK

## A60 - E27 Bulb

9W VT-1900

A+

7240 - 2700K Warm White

7241 - 4000K Day White

7242 - 6400K White

EAN Code

3800157620130

3800157620147

3800157620154

BOX QTY.  
20

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 112mm  |
| CRI:               | >80              |             |               |

NEW

3 PIECES  
PACK

## A60 - E27 Bulb

11W VT-2113

A+

7352 - 2700K Warm White

7353 - 4000K Day White

7354 - 6400K White

EAN Code

3800157627412

3800157627429

3800157627436

BOX QTY.  
120

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 75W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 1055lm           | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 120mm  |
| CRI:               | >80              |             |               |

NEW



## A60 - E27 Bulb

9W VT-2099

7260 - 2700K Warm White

7261 - 4000K Day White

7262 - 6400K White

EAN Code

3800157622110

3800157622127

3800157622134

BOX QTY.  
100

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 112 mm |
| CRI:               | >80              |             |               |



## A60 - E27 Bulb

10W VT-1853

4209 - 2700K Warm White

4226 - 4000K Day White

4227 - 6400K White

EAN Code

3800230623591

3800230626271

3800230626288

BOX QTY.  
100

A+



|                    |                   |             |               |
|--------------------|-------------------|-------------|---------------|
| EQ. Watts:         | 60W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm             | Base:       | E27           |
| Commercial Type:   | A60               | Body Type:  | Thermoplastic |
| LED Type:          | SMD               | Dimension:  | 60mm x 112mm  |
| CRI:               | >80               |             |               |

NEW



## A60 - E27 Bulb

11W VT-2112

7350 - 2700K Warm White

7349 - 4000K Day White

7351 - 6400K White

EAN Code

3800157627399

3800157627320

3800157627405

BOX QTY.  
100

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 75W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 1055lm           | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 120mm  |
| CRI:               | >80              |             |               |

**A60 - E27 Bulb****12W** VT-1864

4228 - 2700K Warm White  
 4229 - 4000K Day White  
 4230 - 6400K White

EAN Code

3800230626295  
 3800230626301  
 3800230626318

**BOX QTY.**  
**100**



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1055lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 120mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**Dimmable A60 - E27 Bulb****12W** VT-1864D

4275 - 2700K Warm White

EAN Code

3800230627872

**BOX QTY.**  
**100**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | Dimmable:   | <b>Yes</b>           |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | PF:         | <b>&gt;0.7</b>       |
| Luminous Flux:     | <b>1055lm</b>            | Beam Angle: | <b>200°</b>          |
| Commercial Type:   | <b>A60</b>               | Base:       | <b>E27</b>           |
| LED Type:          | <b>SMD</b>               | Body Type:  | <b>Thermoplastic</b> |
| CRI:               | <b>&gt;80</b>            | Dimension:  | <b>60mm x 120mm</b>  |

**A65 - E27 Bulb****15W** VT-2015

4453 - 2700K Warm White

4454 - 4000K Day White


4455 - 6400K White

EAN Code

3800157608091

3800157608107

3800157608114

BOX QTY.  
**100****A+**

|                    |                         |             |                       |
|--------------------|-------------------------|-------------|-----------------------|
| EQ. Watts:         | <b>100W</b>             | PF:         | <b>&gt;0.5</b>        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>           |
| Luminous Flux:     | <b>1500lm</b>           | Base:       | <b>E27</b>            |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>  |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>66.5mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                       |

**A65 - E27 Bulb****17W** VT-2017

4456 - 2700K Warm White

4457 - 4000K Day White


4458 - 6400K White

EAN Code

3800157608121

3800157608138


3800157608145

BOX QTY.  
**100****A+**

|                    |                         |             |                        |
|--------------------|-------------------------|-------------|------------------------|
| EQ. Watts:         | <b>130W</b>             | PF:         | <b>&gt;0.5</b>         |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>            |
| Luminous Flux:     | <b>1800lm</b>           | Base:       | <b>E27</b>             |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>   |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>66.5 mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                        |

**A60 - B22 Bulb****9W** VT-18537401 - 2700K Warm White  
7403 - 6400K White


EAN Code

3800157629263  
3800157629287BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>             | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 112mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**A60 - B22 Bulb****11W** VT-18647404 - 2700K Warm White  
7405 - 4000K Day White  
7406 - 6400K White

EAN Code

3800157629294  
3800157629300  
3800157629317BOX QTY.  
**100****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | PF:         | <b>&gt;0.7</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1055lm</b>            | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 120mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**A60 - B22 Bulb****10W** VT-1853

4442 - 2700K Warm White

4443 - 4000K Day White

4324 - 6400K White

EAN Code

3800157607681


3800157607698

3800157601061

BOX QTY.

200

A+



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>             | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 112mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**A60 - B22 Bulb****12W** VT-1864

7221 - 2700K Warm White

7222 - 4000K Day White

7223 - 6400K White

EAN Code

3800157617314


3800157617321

3800157617338

BOX QTY.

100

A+



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | PF:         | <b>&gt;0.7</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1055lm</b>            | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 120mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**A65 - B22 Bulb****15W** VT-2015

7229 - 2700K Warm White


EAN Code

3800157619554

BOX QTY.

100

A+




|                    |                         |             |                       |
|--------------------|-------------------------|-------------|-----------------------|
| EQ. Watts:         | <b>100W</b>             | PF:         | <b>&gt;0.5</b>        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>           |
| Luminous Flux:     | <b>1500lm</b>           | Base:       | <b>B22</b>            |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>  |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>65.5mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                       |

**G45 - B22 Bulb****3W** VT-2053**7232 - 2700K Warm White**  
**7233 - 6400K White**

EAN Code

3800157619776

3800157619783


**BOX QTY.**  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>                | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>250lm</b>              | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 75mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**G45 - B22 Bulb****6W** VT-1973**4441 - 2700K Warm White**

EAN Code

3800157607674

**BOX QTY.**  
**100****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 80mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |



## Candle - B22 Bulb

3W VT-2073

7230 - 2700K Warm White

7231 - 6400K White


EAN Code

3800157619578

3800157619585

BOX QTY.  
200

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 25W                | PF:         | >0.4          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 250lm              | Base:       | B22           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |

NEW



## Candle - B15 Bulb

6W VT-1857

4217 - 2700k Warm White

7348 - 6400k White


EAN Code

3800157627290

3800157627306

BOX QTY.  
200

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 180°          |
| Luminous Flux:     | 470lm              | Base:       | B15           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 102mm  |
| CRI:               | >80                |             |               |



## Candle - B22 Bulb

6W VT-1965

4440 - 2700K Warm White

7346 - 6400k White


EAN Code

3800157607667

3800157627283

BOX QTY.  
00

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | B22           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 102mm  |
| CRI:               | >80                |             |               |



**Candle - E14 Bulb****3W** VT-2033

7196 - 2700K Warm White

7197 - 4000K Day White


7198 - 6400K White

EAN Code

3800157615808

3800157615815

3800157615822

BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>250lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**Candle - E14 Bulb****4W** VT-1818

4216 - 2700K Warm White

4166 - 4000K Day White


4122 - 6400K White

EAN Code

3800230624796

3800230620675

3800230620668

BOX QTY.  
**200****A+**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>320lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**NEW****Candle - E14 Bulb****5.5W** VT-1855

42411 - 6400K White

EAN Code

3800157624411

BOX QTY.  
**00****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

NEW



## Candle - E14 Bulb

5.5W VT-2076

7263 - 2700K Warm White  
 7264 - 4000K Day White  
 7265 - 6400K White


EAN Code

3800157622950  
 3800157622967  
 3800157622974

BOX QTY.

60

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | E14           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |

NEW



## Candle - E27 Bulb

5.5W VT-1821

43421 - 2700K Warm White  
 43431 - 4000K Day White  
 43441 - 6400K White


EAN Code

3800157624381  
 3800157624398  
 3800157624404

BOX QTY.

200

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | E27           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |



## Candle - E27 Bulb

6W VT-1821

4342 - 2700K Warm White  
 4343 - 4000K Day White  
 4344 - 6400K White


EAN Code

3800157601733  
 3800157601740  
 3800157601757

BOX QTY.

200

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | E27           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |



### Candle - E14 Bulb

**6W** VT-1855

4215 - 2700K Warm White

4258 - 4000K Day White

4241 - 6400K White

EAN Code


3800230624789

3800230627155

3800230626790

BOX QTY.  
**200**

**A+**



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>             | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |



### Dimmable Candle - E14 Bulb

**6W** VT-1854D


4213 - 2700K Warm White

EAN Code

3800230624765

BOX QTY.  
**200**

**A+**



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | Dimmable:   | <b>Yes</b>           |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | PF:         | <b>&gt;0.5</b>       |
| Luminous Flux:     | <b>470lm</b>              | Beam Angle: | <b>200°</b>          |
| Commercial Type:   | <b>Candle</b>             | Base:       | <b>E14</b>           |
| LED Type:          | <b>SMD</b>                | Body Type:  | <b>Thermoplastic</b> |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>37mm x 100mm</b>  |

**NEW**



### Candle - E14 Bulb

**7W** VT-2097

7318 - 3000K Warm White

7319 - 4000K Day White

7320 - 6400K White

EAN Code


3800157624503

3800157624510

3800157624527

BOX QTY.  
**200**

**A+**



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>55W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>750lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>             | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**Candle Flame - E14 Bulb****4W** VT-1818 TP

EAN Code

**BOX QTY.**  
**200****4164 - 2700K Warm White**


3800230620743

**4156 - 4000K Day White**

3800230620736

**4354 - 6400K White**

3800157602457

**A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>320lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle Flame</b>      | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 124mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**Candle Flame -E14 Bulb****6W** VT-1855TP

EAN Code

**BOX QTY.**  
**200****4351 - 2700K Warm White**


3800157602426

**4352 - 4000K Day White**

3800157602433

**4353 - 6400K White**

3800157602440

**A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle Flame</b>      | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 124mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**ST26-E14****2W** VT-2032

7237 - 2700K Warm White

7238 - 4000K Day White


7239 - 6400K White

EAN Code

3800157620109

3800157620116

3800157620123

BOX QTY.  
**400****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>20W</b>                | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>150°</b>          |
| Luminous Flux:     | <b>180lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>ST26</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>25mm x 59mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**T37 - E14 Bulb****9W** VT-2029

7173 - 2700K Warm White

7174 - 4000K Day White


7175 - 6400K White

EAN Code

3800157615495

3800157615501

3800157615518

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>230°</b>          |
| Luminous Flux:     | <b>750lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>T37</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>37mm x 115mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**T37 - 27 Bulb****9W** VT-2089

7256 - 2700K Warm White

7257 - 4000K Day White


7258 - 6400K White

EAN Code

3800157621915

3800157621922

3800157621939

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>230°</b>          |
| Luminous Flux:     | <b>750lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>T37</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>37mm x 115mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**G45 - E27 Bulb****3W** VT-2053

7202 - 2700K Warm White

7203 - 4000K Day White


7204 - 6400K White

EAN Code

3800157615860

3800157615877

3800157615884

BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>250lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 76mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**G45 - E27 Bulb****4W** VT-1830

4160 - 2700K Warm White

4162 - 4000K Day White


4207 - 6400K White

EAN Code

3800230621047

3800230621054

3800230624611

BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>320lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 82mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

NEW

**G45 - E27 Bulb****5.5W** VT-2176

7362 - 2700K Warm White

7363 - 4000K Day White

7364 - 6400K White

EAN Code

3800230627018

3800230627025

3800230627032

BOX QTY.  
**180****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 82mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**G45 - E27 Bulb****6W** VT-1879

4247 - 2700K Warm White

4248 - 4000K Day White


4249 - 6400K White

EAN Code

3800230627018

3800230627025

3800230627032

BOX QTY.  
**200****A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 82mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**P45 - E14 Bulb****3W** VT-2043

7199 - 2700K Warm White  
7200 - 4000K Day White  
7201 - 6400K White

EAN Code

3800157615839  
3800157615846  
3800157615853

BOX QTY.  
**200****A+**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>250lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**P45 - E14 Bulb****4W** VT-1819

4123 - 2700K Warm White  
4174 - 4000K Day White  
4124 - 6400K White

EAN Code

3800230620996  
3800230621009  
3800230621016

BOX QTY.  
**200****A+**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>320lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**NEW****P45 - E14 Bulb****5.5W** VT-1880

42501 - 2700K Warm White  
42511 - 4000K Day White  
42521 - 6400K White

EAN Code

3800157624367  
3800157626408  
3800157624374

BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |




NEW

**P45 - E14 Bulb****5.5W** VT-2156

7357 - 2700K Warm White  
 7358 - 4000K Day White  
 7359 - 6400K White

EAN Code

3800157628150  
 3800157628167  
 3800157628174

BOX QTY.  
**180****A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**P45 - E14 Bulb****6W** VT-1880

4250 - 2700K Warm White  
 4251 - 4000K Day White  
 4252 - 6400K White

EAN Code

3800230627049  
 3800230627056  
 3800230627063

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |


NEW

**P45 - E14 Bulb****7W** VT-2098

7321 - 2700K Warm White  
 7322 - 4000K Day White  
 7323 - 6400K White

EAN Code

3800157624534  
 3800157624541  
 3800157624558

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>55W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>750lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**R7S Bulb****7W** VT-1917

7123 - 3000K Warm White

7124 - 4000K Day White


7125 - 6400K White

EAN Code

3800157610032

3800157610049

3800157610056

BOX QTY.  
**100****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>360°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>R7S</b>           |
| Commercial Type:   | <b>R7S</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>25mm x 118mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**R7S Bulb****10W** VT-1990

4369 - 3000K Warm White

4389 - 4000K Day White


4390 - 6400K White

EAN Code

3800157602952

3800157604130

3800157604147

BOX QTY.  
**100****A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>360°</b>          |
| Luminous Flux:     | <b>1000lm</b>             | Base:       | <b>R7S</b>           |
| Commercial Type:   | <b>R7S</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>25mm x 118mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**R39 - E14 Bulb****3W** VT-1861

4219 - 3000K Warm White  
4220 - 4000K Day White  
4242 - 6400K White

EAN Code

3800230625472  
3800230625489  
3800230626806

BOX QTY.  
**200****A+**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>210lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>R39</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>39mm x 67mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**R50 - E14 Bulb****6W** VT-1876

4243 - 3000K Warm White  
4138 - 4000K Day White  
4246 - 6400K White

EAN Code

3800230626813  
3800230620897  
3800230626967

BOX QTY.  
**100****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>R50</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>50mm x 86mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**R63 - E27 Bulb****8W** VT-1862

4221 - 3000K Warm White

4140 - 4000K Day White


4244 - 6400K White

EAN Code

3800230625496

3800230620903

3800230626820

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>500lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>R63</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>63mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**R80 - E27 Bulb****10W** VT-1894

4339 - 3000K Warm White

4340 - 4000K Day White


4341 - 6400K White

EAN Code

3800157601702

3800157601719

3800157601726

BOX QTY.  
**100****A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>800lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>R80</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>80mm x 114mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**PL - E27 Bulb****6W** VT-2046**7211 - 3000K Warm White**

EAN Code

3800157617031

BOX QTY.

 **50****A<sup>+</sup>**


|                    |                           |             |                           |
|--------------------|---------------------------|-------------|---------------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>            |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>               |
| Luminous Flux:     | <b>480lm</b>              | Base:       | <b>E27</b>                |
| Commercial Type:   | <b>PL</b>                 | Body Type:  | <b>Plastic + Aluminum</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>38mm x 145mm</b>       |
| CRI:               | <b>&gt;80</b>             |             |                           |

**PL - E27 Bulb****10W** VT-2050**7215 - 3000K Warm White**

EAN Code

3800157617079

BOX QTY.

 **50****A<sup>+</sup>**

|                    |                           |             |                           |
|--------------------|---------------------------|-------------|---------------------------|
| EQ. Watts:         | <b>85W</b>                | PF:         | <b>&gt;0.5</b>            |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>               |
| Luminous Flux:     | <b>820lm</b>              | Base:       | <b>E27</b>                |
| Commercial Type:   | <b>PL</b>                 | Body Type:  | <b>Plastic + Aluminum</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>38mm x 157mm</b>       |
| CRI:               | <b>&gt;80</b>             |             |                           |

**PL - G24 Bulb****6W** VT-2046

7210 - 3000K Warm White

7209 - 4000K Day White

7208 - 6400K White


EAN Code

3800157617024

3800157617017

3800157617000

BOX QTY.

**50**

|                    |                           |             |                           |
|--------------------|---------------------------|-------------|---------------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>            |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>               |
| Luminous Flux:     | <b>480lm</b>              | Base:       | <b>G24</b>                |
| Commercial Type:   | <b>PL</b>                 | Body Type:  | <b>Plastic + Aluminum</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>38mm x 145mm</b>       |
| CRI:               | <b>&gt;80</b>             |             |                           |

**PL - G24 Bulb****10W** VT-2050

7214 - 3000K Warm White

7213 - 4000K Day White

7212 - 6400K White


EAN Code

3800157617062

3800157617055

3800157617048

BOX QTY.

**50**

|                    |                           |             |                           |
|--------------------|---------------------------|-------------|---------------------------|
| EQ. Watts:         | <b>85W</b>                | PF:         | <b>&gt;0.5</b>            |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>               |
| Luminous Flux:     | <b>820lm</b>              | Base:       | <b>G24</b>                |
| Commercial Type:   | <b>PL</b>                 | Body Type:  | <b>Plastic + Aluminum</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>38mm x 157mm</b>       |
| CRI:               | <b>&gt;80</b>             |             |                           |

**G95 - E27 Globe Bulb****10W** VT-1893

4276 - 3000K Warm White

4277 - 4000K Day White


4278 - 6400K White

EAN Code

3800230627889

3800230627896

3800230627902

BOX QTY.  
 **12** **A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>810lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G95</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>95mm x 140mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**G120 - E27 Globe Bulb****13W** VT-1883

4253 - 3000K Warm White

4273 - 4000K Day White


4274 - 6400K White

EAN Code

3800230627094

3800230627858

3800230627865

BOX QTY.  
 **12** **A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>                | PF:         | <b>&gt;0.7</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1055lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G120</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>120mm x 164mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                      |

**Dimmable G120 - E27 Globe Bulb****13W** VT-1884D

EAN Code

4254 - 2700K Warm White

3800230627100

BOX QTY.  
**12**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | Dimmable:   | <b>Yes</b>           |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | PF:         | <b>&gt;0.7</b>       |
| Luminous Flux:     | <b>1055lm</b>            | Beam Angle: | <b>200°</b>          |
| Commercial Type:   | <b>G120</b>              | Base:       | <b>E27</b>           |
| LED Type:          | <b>SMD</b>               | Body Type:  | <b>Thermoplastic</b> |
| CRI:               | <b>&gt;80</b>            | Dimension:  | <b>120mm x 164mm</b> |

**G120 - E27 Globe Bulb****18W** VT-1899

EAN Code

4433 - 2700K Warm White


3800157606806

4434 - 4000K Day White

3800157606813

4435 - 6400K White


3800157606820

BOX QTY.  
**12**

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>130W</b>             | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1800lm</b>           | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G120</b>             | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>120mm x 164mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                      |



NEW

BOX QTY.  
60

## T80 - E27 LED Big Ripple Plastic Bulb

18W VT-2121

EAN Code

7272 - 3000K Warm White

3800157623629

7273 - 4000K Day White

3800157623636


7274 - 6400K White

3800157623643

A

|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 100W               | PF:         | >0.5         |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°         |
| Luminous Flux:     | 1400lm             | Base:       | E27          |
| Commercial Type:   | T80                | Body Type:  | Plastic      |
| LED Type:          | SMD                | Dimension:  | 80mm x 150mm |
| CRI:               | >80                |             |              |

NEW

BOX QTY.  
40

## T100 - E27 LED Big Ripple Plastic Bulb

24W VT-2125

EAN Code

7275 - 3000K Warm White

3800157623650

7276 - 4000K Day White

3800157623667


7277 - 6400K White

3800157623674

A+

|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 150W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 2080lm             | Base:       | E27           |
| Commercial Type:   | T100               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | 100mm x 174mm |
| CRI:               | >80                |             |               |

NEW

BOX QTY.  
20

## T120 - E27 LED Big Ripple Plastic Bulb

36W VT-2137

EAN Code

7278 - 4000K Day White

3800157623681

7279 - 6400K White

3800157623698



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 200W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 2680lm             | Base:       | E27           |
| Commercial Type:   | T120               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | 118mm x 204mm |
| CRI:               | >80                |             |               |

NEW

BOX QTY.  
16

## T140 - E27 LED Big Ripple Plastic Bulb

48W VT-2148

EAN Code

7280 - 4000K Day White

3800157623704

7281 - 6400K White

3800157623711



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 265W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 3570lm             | Base:       | E27           |
| Commercial Type:   | T140               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | 138mm x 230mm |
| CRI:               | >80                |             |               |

**ED-90 - E27 Bulb****40W** VT-1940

7132 - 3000K Warm White

7133 - 4000K Day White

7134 - 6500K White

EAN Code

3800157610285

3800157610292

3800157610308

BOX QTY.  
**30****A+**

|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>250W</b>             | PF:         | <b>&gt;0.9</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>265°</b>         |
| Luminous Flux:     | <b>3500lm</b>           | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>ED-90</b>            | Body Type:  | <b>Aluminum+PC</b>  |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>90mm x 220mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |

**NEW****T160 - E27  
LED Big Ripple Plastic Bulb****60W** VT-2060


7313 - 4000K Day White

7314 - 6400K White

EAN Code

3800157624459

3800157624466

BOX QTY.  
**00****A**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>310W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>4200lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>T160</b>               | Body Type:  | <b>Plastic</b>       |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>160mm x 282mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                      |

## UFO Ceiling Lamp- E27


15W VT-2116

EAN Code

BOX QTY.

20

A+



7158 - 3000K Warm White

7159 - 4000K Day White

7160 - 6400K White

3800157612494

3800157612500

3800157612517

|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 90W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 1350lm             | Base:       | E27           |
| Commercial Type:   | F150               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | ø150mm x 80mm |
| CRI:               | >80                |             |               |

## UFO Ceiling Lamp- E27


24W VT-2124

EAN Code

BOX QTY.

20

A+



7161 - 3000K Warm White

7162 - 4000K Day White

7163 - 6400K White

3800157612524

3800157612531

3800157612548

|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 160W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 2610lm             | Base:       | E27           |
| Commercial Type:   | F200               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | ø200mm x 80mm |
| CRI:               | >80                |             |               |

## UFO Ceiling Lamp- E27


36W VT-2136

EAN Code

BOX QTY.

20

A+



7164 - 3000K Warm White

7165 - 4000K Day White

7166 - 6400K White

3800157612555

3800157612562

3800157612579

|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 190W               | PF:         | >0.9          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 3240lm             | Base:       | E27           |
| Commercial Type:   | F250               | Body Type:  | Plastic       |
| LED Type:          | SMD2835            | Dimension:  | ø250mm x 80mm |
| CRI:               | >80                |             |               |




## LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Restaurants, Lobbies, Coffee shops, Hotels and Bars

NEW



### LED Spiral Filament Bulb E27 Amber Glass

4W VT-2154


EAN Code

7335 2200k Warm White

3800157625197

BOX QTY.  
50

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 40W              | PF:         | >0.4        |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 300°        |
| Luminous Flux:     | 400lm            | Base:       | E27         |
| Commercial Type:   | A60              | Body Type:  | Glass       |
| LED Type:          | COB              | Dimension:  | 60mm x 98mm |
| CRI:               | >80              |             |             |

NEW



### LED Spiral Filament Bulb E27 Clear Glass

4W VT-2164


EAN Code

7336 - 2700k Warm White

3800157625203

BOX QTY.  
50

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 40W              | PF:         | >0.4        |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 300°        |
| Luminous Flux:     | 400lm            | Base:       | E27         |
| Commercial Type:   | A60              | Body Type:  | Glass       |
| LED Type:          | COB              | Dimension:  | 60mm x 98mm |
| CRI:               | >80              |             |             |

NEW



### LED Filament Bulb ST60 - E27 Amber Glass

4W VT-2144


7327 - 2200K Warm White

EAN Code

3800157624718

BOX QTY.  
100

A+



|                    |                    |             |            |
|--------------------|--------------------|-------------|------------|
| EQ. Watts:         | 40W                | PF:         | >0.4       |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 300°       |
| Luminous Flux:     | 400lm              | Base:       | E27        |
| Commercial Type:   | ST60               | Body Type:  | Glass      |
| LED Type:          | Filament           | Dimension:  | 60mmx107mm |
| CRI:               | >80                |             |            |

NEW



### LED Double Filament Bulb G125 - E27 Amber Glass

6W VT-2126

7328 2200k Warm White

EAN Code

3800157624725

BOX QTY.  
12

A+



|                    |                       |             |               |
|--------------------|-----------------------|-------------|---------------|
| EQ. Watts:         | 55W                   | PF:         | > 0.5         |
| Voltage/Frequency: | AC: 220-240V, 50/60Hz | Beam Angle: | 300°          |
| Luminous Flux:     | 480lm                 | Base:       | E27           |
| Commercial Type:   | G125                  | Body Type:  | Glass         |
| LED Type:          | COB                   | Dimension:  | 125mm x 175mm |
| CRI:               | >70                   |             |               |



### Curve Filament A60 Amber Cover

3W VT-2063

7219 - 2200K Warm White

EAN Code


3800157617277

BOX QTY.  
100

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 20W                | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240v, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 150lm              | Base:       | E27          |
| Commercial Type:   | A60                | Body Type:  | Glass        |
| LED Type:          | Curve Filament     | Dimension:  | 64mm x 105mm |
| CRI:               | >80                |             |              |



### Curve Filament ST64 Amber Cover

5W VT-2066


7220 - 2200K Warm White

EAN Code


3800157617284

BOX QTY.  
100

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 30W                | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240v, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 300lm              | Base:       | E27          |
| Commercial Type:   | ST64               | Body Type:  | Glass        |
| LED Type:          | Curve Filament     | Dimension:  | 64mm x 140mm |
| CRI:               | >80                |             |              |



### Curve Filament ST64 Amber Cover

5W VT-2065


7218 - 2200K Warm White

EAN Code

3800157617260


BOX QTY.  
100

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 30W                | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240v, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 300lm              | Base:       | E27          |
| Commercial Type:   | ST64               | Body Type:  | Glass        |
| LED Type:          | Curve Filament     | Dimension:  | 64mm x 140mm |
| CRI:               | >80                |             |              |





**Curve Filament  
G95 Amber Cover**
**5W** VT-2075

**7217 - 2200K Warm White**


EAN Code

3800157617253

**BOX QTY.**
**50**
**A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>                | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240v, 50Hz</b> | Beam Angle: | <b>300°</b>          |
| Luminous Flux:     | <b>300lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G95</b>                | Body Type:  | <b>Glass</b>         |
| LED Type:          | <b>Curve Filament</b>     | Dimension:  | <b>95mm x 138 mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                      |


# Get the Vintage Look, Now in LED


**Curve Filament  
G125 Amber Cover**
**5W** VT-2085

**7216 - 2200K Warm White**

EAN Code

3800157617246

**BOX QTY.**
**20**
**A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>                | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240v, 50Hz</b> | Beam Angle: | <b>300°</b>          |
| Luminous Flux:     | <b>300lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G125</b>               | Body Type:  | <b>Glass</b>         |
| LED Type:          | <b>Curve Filament</b>     | Dimension:  | <b>125mm x 175mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                      |



**8 Filament  
G80 Amber Cover**

**4W** VT-2004

**7148 - 2200K Warm White**


EAN Code

3800157610636


BOX QTY.

**100**

**A+**



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>35W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>G80</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>80mm x 140mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |



**S-Shape Filament  
G95 Amber Cover**

**4W** VT-2024

**7146 - 2200K Warm White**


EAN Code

3800157610612

BOX QTY.

**50**

**A+**



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>35W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>G95</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>95mm x 140mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |



**Long Filament  
G95 Amber Cover**

**7W** VT-2027

**7147 - 2200K Warm White**


EAN Code

3800157610629

BOX QTY.

**50**

**A+**



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>700lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>G95</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>95mm x 140mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |




**16 Filament  
G95 Amber Cover**


**8W** VT-2019  
**7145 - 2200K Warm White**

EAN Code  
3800157610605

**BOX QTY.**  
**50**



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>65W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>800lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>G95</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>95mm x 140mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |




**Long Filament  
G125 Amber Cover**

**6W** VT-1956  
**4473 - 2200K Warm White**

EAN Code  
3800157609074

**BOX QTY.**  
**12**



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>55W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>          |
| Luminous Flux:     | <b>550lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G125</b>              | Body Type:  | <b>Glass</b>         |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>125mm x 165mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                      |



### T-30-Clear Glass

**2W** VT-2042


**7251 - 2700K Warm White**

EAN Code

3800157620826

BOX QTY.  
**100**

**A<sup>+</sup>**



|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>20W</b>              | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>200lm</b>            | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>T30</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>30mm x 136mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |



### T-30-Amber Cover

**2W** VT-2052


**7252 - 2200K Warm White**

EAN Code

3800157620833

BOX QTY.  
**100**

**A<sup>+</sup>**



|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>20W</b>              | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>200lm</b>            | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>T30</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>30mm x 136mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |



### T-30-300 Amber Cover

**5W** VT-2005


**7142 - 2200K Warm White**

EAN Code

3800157610575

BOX QTY.  
**100**

**A<sup>+</sup>**



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>45W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>500lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>T30-300</b>           | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>30mm x 300mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |



### T-30-185 Amber Cover

**6W** VT-2006


**7143 - 2200K Warm White**

EAN Code

3800157610582

BOX QTY.  
**100**

**A<sup>+</sup>**



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>50W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>600lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>T30-185</b>           | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>30mm x 185mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |



### T-30-300 Amber Cover

**7W** VT-2008


**7144 - 2200K Warm White**

EAN Code

3800157610599

BOX QTY.  
**100**

**A<sup>+</sup>**



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>700lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>T30-300</b>           | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>30mm x 300mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |



### Candle Filament E14 Amber Cover

4W VT-1955


EAN Code

7113 - 2200K Warm White

3800157609883

BOX QTY.  
100

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 40W               | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 350lm             | Base:       | E14          |
| Commercial Type:   | Candle            | Body Type:  | Glass        |
| LED Type:          | Filament          | Dimension:  | 35mm x 100mm |
| CRI:               | >80               |             |              |



### Candle Filament E14 Amber Cover

4W VT-1948


EAN Code

7115 - 2200K Warm White

3800157609906

BOX QTY.  
100

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 35W               | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 350lm             | Base:       | E14          |
| Commercial Type:   | Candle            | Body Type:  | Glass        |
| LED Type:          | Filament          | Dimension:  | 35mm x 100mm |
| CRI:               | >80               |             |              |



### Candle Flame Filament E14 Amber Cover

4W VT-1949


EAN Code

7114 - 2200K Warm White

3800157609890

BOX QTY.  
100

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 40W               | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 350lm             | Base:       | E14          |
| Commercial Type:   | Candle Flame      | Body Type:  | Glass        |
| LED Type:          | Filament          | Dimension:  | 35mm x 121mm |
| CRI:               | >80               |             |              |

**Candle Filament  
E14 Amber Cover****4W** VT-1947**7116 - 2200K Warm White**

BOX QTY.

**100**

EAN Code

3800157609913

**A<sup>+</sup>**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>35W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle Flame</b>      | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>35mm x 121mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**P45 Filament  
E14 Amber Cover****4W** VT-1953**4499 - 2200K Warm White**

BOX QTY.

**100**

EAN Code

3800157609746


**A<sup>+</sup>**

|                    |                          |             |                    |
|--------------------|--------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E14</b>         |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>45mm x 77mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                    |

**G45 Filament  
E27 Amber Cover****4W** VT-1957**7100 - 2200K Warm White****BOX QTY.**  
**100**

EAN Code

3800157609753


**A+**

|                    |                          |             |                    |
|--------------------|--------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E27</b>         |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>45mm x 75mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                    |

**G45 Cross Filament  
E27 Amber Cover****4W** VT-1957**71001 - 2200K Warm White****BOX QTY.**  
**100**

EAN Code

3800157628624

**A+**

|                    |                          |             |                    |
|--------------------|--------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E27</b>         |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>45mm x 75mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                    |




**A60**  
**E27 Amber Cover**
**4W** VT-1954  
**4498 - 2200K Warm White**

 EAN Code  
 3800157609739

 BOX QTY.  
**50**
**A+**



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>35W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |


**A67**  
**E27 Amber Cover**
**8W** VT-1958  
**4472 - 2200K Warm White**

 EAN Code  
 3800157609067

 BOX QTY.  
**50**
**A+**


|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>720lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A67</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>67mm x 123mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |


**A67**  
**E27 Amber Cover**
**10W** VT-2028  
**7157 - 2200K Warm White**

 EAN Code  
 3800157612227

 BOX QTY.  
**50**
**A+**


|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>65W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>900lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A67</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>67mm x 123mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |




### G95 E27 Amber Cover


**6W** VT-2026D  
7156 - 2200K Warm White

EAN Code  
3800157612210

BOX QTY.  
**12**



|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>50W</b>                | Dimmable:   | <b>Yes</b>          |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | PF:         | <b>&gt;0.5</b>      |
| Luminous Flux:     | <b>500lm</b>              | Beam Angle: | <b>300°</b>         |
| Commercial Type:   | <b>G95</b>                | Base:       | <b>E27</b>          |
| LED Type:          | <b>Filament</b>           | Body Type:  | <b>Glass</b>        |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>95mm x 135mm</b> |




### Dimmable G125 E27 Amber Cover

**8W** VT-2018D  
7155 - 2200K Warm White

EAN Code  
3800157612203

BOX QTY.  
**12**



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | Dimmable:   | <b>Yes</b>           |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | PF:         | <b>&gt;0.5</b>       |
| Luminous Flux:     | <b>700lm</b>              | Beam Angle: | <b>300°</b>          |
| Commercial Type:   | <b>G125</b>               | Base:       | <b>E27</b>           |
| LED Type:          | <b>Filament</b>           | Body Type:  | <b>Glass</b>         |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>125mm x 177mm</b> |




### Dimmable ST64 E27 Amber Cover


**4W** VT-1964D  
4368 - 2200K Warm White

EAN Code  
3800157602945

BOX QTY.  
**100**



|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>30W</b>                | Dimmable:   | <b>Yes</b>          |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | PF:         | <b>&gt;0.4</b>      |
| Luminous Flux:     | <b>300lm</b>              | Beam Angle: | <b>300°</b>         |
| Commercial Type:   | <b>ST64</b>               | Base:       | <b>E27</b>          |
| LED Type:          | <b>Filament</b>           | Body Type:  | <b>Glass</b>        |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>64mm x 138mm</b> |


**ST64**  
**E27 Amber Cover****4W** VT-1964**4361 - 2200K Warm White****BOX QTY.**  
**50**

EAN Code

3800157602747


**A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>ST64</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>64mm x 138mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |


**ST64**  
**E27 Amber Cover****6W** VT-1966**4362 - 2200K Warm White**

EAN Code

3800157602754


**BOX QTY.**  
**50****A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>45W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>500lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>ST64</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>64mm x 138mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**ST64**  
**E27 Amber Cover****8W** VT-1968**4421 - 2200K Warm White**

EAN Code

3800157606356

**BOX QTY.**  
**50****A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>700lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>ST64</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>64mm x 138mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**Candle - E14 White Cover****4W** VT-1924

EAN Code

BOX QTY.

**100**

7101 - 2700K Warm White


3800157609760

7102 - 4000K Day White

3800157609777

7103 - 6400K White

3800157609784

**A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>35W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>35mm x 100mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**NEW****Candle****E14 Cross Filament White Cover****4W** VT-1924

EAN Code

BOX QTY.

**100**

71011 - 2700K Warm White

3800157628617

71031 - 6400K White

3800157624244

**A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>35W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>35mm x 100mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**Candle Flame - E14 White Cover****4W** VT-1927

EAN Code

7104 - 2700K Warm White  
 7105 - 4000K Day White  
 7106 - 6400K White

3800157609791  
 3800157609807  
 3800157609814

BOX QTY.  
**100****A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>35mm x 121mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**NEW****Cross Filament Candle Flame E14 White Cover****4W** VT-1927

EAN Code

71041 - 2700K Warm White

3800157624299

BOX QTY.  
**100****A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>35mm x 121mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**A60 - E27 White Cover****4W** VT-1939

EAN Code

4489 - 2700K Warm White  
 4490 - 4000K Day White  
 4491 - 6400K White

3800157609647  
 3800157609654  
 3800157609661

BOX QTY.  
**50****A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>350lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**Candle - E14 Frost Cover****4W** VT-1936

EAN Code

BOX QTY.  
**100**

4474 - 2700K Warm White


3800157609081

4475 - 4000K Day White

3800157609098

4476 - 6400K White

3800157609104

**A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>35mm x 100mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**Candle Flame - E14 Frost Cover****4W** VT-1937

EAN Code

BOX QTY.  
**100**

4477 - 2700K Warm White


3800157609111

4478 - 4000K Day White

3800157609128

4479 - 6400K White

3800157609135

**A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle Flame</b>      | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>35mm x 121mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

NEW



## Candle - E14 Cross Filament Frost Cover

4W VT-1928

EAN Code

BOX QTY.  
100

71071 - 2700K Warm White

3800157624213

71081 - 4000K Day White

3800157624220

71091 - 6400K White

3800157624237

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 40W               | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm             | Base:       | E14          |
| Commercial Type:   | Candle            | Body Type:  | Glass        |
| LED Type:          | Filament          | Dimension:  | 35mm x 100mm |
| CRI:               | >80               |             |              |



## Candle - E14 Frost Cover

4W VT-1928

EAN Code

BOX QTY.  
100

7107 - 2700K Warm White

3800157609821


7108 - 4000K Day White

3800157609838

7109 - 6400K White

3800157609845

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 40W               | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm             | Base:       | E14          |
| Commercial Type:   | Candle            | Body Type:  | Glass        |
| LED Type:          | Filament          | Dimension:  | 35mm x 100mm |
| CRI:               | >80               |             |              |



Dimmable

### Dimmable Candle Flame E14 Frost Cover

4W VT-2056D

EAN Code

7177 - 2700K Warm White

3800157615532

BOX QTY.  
100

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 35W               | Dimmable:   | Yes          |
| Voltage/Frequency: | AC: 220-240V,50Hz | PF:         | >0.5         |
| Luminous Flux:     | 350lm             | Beam Angle: | 300°         |
| Commercial Type:   | Candle Flame      | Base:       | E14          |
| LED Type:          | Filament          | Body Type:  | Glass        |
| CRI:               | >80               | Dimension:  | 35mm x 121mm |



### Candle Flame - E14 Frost Cover

4W VT-1923

EAN Code

7110 - 2700K Warm White

3800157609852

7111 - 4000K Day White

3800157609869

7112 - 6400K White

3800157609876

BOX QTY.  
100

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 40W               | PF:         | >0.4         |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm             | Base:       | E14          |
| Commercial Type:   | Candle Flame      | Body Type:  | Glass        |
| LED Type:          | Filament          | Dimension:  | 35mm x 121mm |
| CRI:               | >80               |             |              |



Dimmable

### Dimmable Candle E14 Frost Cover

4W VT-2054D


EAN Code

7176 - 2700K Warm White

3800157615525

BOX QTY.  
50

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 35W               | Dimmable:   | Yes          |
| Voltage/Frequency: | AC: 220-240V,50Hz | PF:         | >0.4         |
| Luminous Flux:     | 350lm             | Beam Angle: | 300°         |
| Commercial Type:   | Candle            | Base:       | E14          |
| LED Type:          | Filament          | Body Type:  | Glass        |
| CRI:               | >80               | Dimension:  | 35mm x 100mm |



**P45 - E14 Frost Cover****4W** VT-1835

EAN Code

BOX QTY.  
**100**

4492 - 2700K Warm White

3800157609678

4493 - 4000K Day White

3800157609685

4494 - 6400K White

3800157609692

**A+**

|                    |                          |             |                    |
|--------------------|--------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E14</b>         |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>45mm x 77mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                    |

**NEW****P45 - E14  
Cross Filament Frost Cover****4W** VT-1835

EAN Code

BOX QTY.  
**100**

44921 - 2700K Warm White

3800157624268

44931 - 4000K Day White

3800157624275

44941 - 6400K White

3800157624282

**A+**

|                    |                          |             |                    |
|--------------------|--------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E14</b>         |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>45mm x 77mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                    |

**G45 - E27 Frost Cover****4W** VT-1974

EAN Code

BOX QTY.  
**50**

4495 - 2700K Warm White


3800157609708

4496 - 4000K Day White

3800157609715

4497 - 6400K White

3800157609722

**A+**

|                    |                          |             |                    |
|--------------------|--------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E27</b>         |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>45mm x 75mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                    |

**A60 - E27 Frost Cover****4W** VT-1934

EAN Code

BOX QTY.  
**50**

4486 - 2700K Warm White

3800157609616

4487 - 4000K Day White

3800157609623

4488 - 6400K White

3800157609630

**A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>                | PF          | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                     |

**A60 - E27 Frost Cover****5W** VT-2045

EAN Code

BOX QTY.  
**50**

7178 - 2700K Warm White

3800157615549

7179 - 4000K Day White

3800157615556

7180 - 6400K White

3800157615563

**A++**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>600lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                     |

**NEW****A60 - E27  
Cross Filament Frost Cover****6W** VT-1935

EAN Code

BOX QTY.  
**50**

44801 - 2700K Warm White

3800157624091

**A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>55W</b>                | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>660lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                     |

**A60 - E27 Frost Cover****6W** VT-1935

4480 - 2700K Warm White

4481 - 4000K Day White

4482 - 6400K White

EAN Code

3800157609142

3800157609159

3800157609166

BOX QTY.

50

A+



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>55W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>660lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**NEW****A60 - E27****Cross Filament Frost Cover****7W** VT-2047

7181 - 2700K Warm White

EAN Code

3800157624107

BOX QTY.

50

A++



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>840lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**A60 - E27 Frost Cover****7W** VT-2047

7181 - 2700K Warm White

7182 - 4000K Day White

7183 - 6400K White

EAN Code

3800157615570

3800157615587

3800157615594

BOX QTY.

50

A++



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>840lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**A67 - E27 Frost Cover****8W** VT-1938

4483 - 2700K Warm White

4484 - 4000K Day White

4485 - 6400K White

EAN Code

3800157609586


3800157609593

3800157609609

BOX QTY.

50

A+



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>800lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A67</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>67mm x 123mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**A67 - E27 Frost Cover****9W** VT-2049

7184 - 2700K Warm White

7185 - 4000K Day White

7186 - 6400K White

EAN Code

3800157615600

3800157615617

3800157615624

BOX QTY.

30

A++



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>80W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>1100lm</b>            | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A67</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>67mm x 123mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**A67 - E27 Frost Cover****10W** VT-2023

7152 - 2700K Warm White

7153 - 4000K Day White

7154 - 6400K White

EAN Code

3800157612173

3800157612180

3800157612197

BOX QTY.

30

A+



|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>75W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>1055lm</b>            | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A67</b>               | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>67mm x 123mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

**G125 - E27 Frost Cover****7W** VT-2067

**7189 - 2700K Warm White**  
**7190 - 6400K White**

EAN Code

3800157615655  
 3800157615662

BOX QTY.  
**12**

**A++**



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>          |
| Luminous Flux:     | <b>840lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G125</b>               | Body Type:  | <b>Glass</b>         |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>125mm x 177mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                      |

**Dimmable****G125 - E27 Frost Cover****7W** VT-2067D**7191 - 2700K Warm White**

EAN Code

3800157615679

BOX QTY.  
**12**

**A+**



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>55W</b>                | Dimmable:   | <b>Yes</b>           |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | PF:         | <b>&gt;0.5</b>       |
| Luminous Flux:     | <b>750lm</b>              | Beam Angle: | <b>300°</b>          |
| Commercial Type:   | <b>G125</b>               | Base:       | <b>E27</b>           |
| LED Type:          | <b>Filament</b>           | Body Type:  | <b>Glass</b>         |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>125mm x 177mm</b> |

**G95 - E27 Frost Cover****7W** VT-2057

**7187 - 2700K Warm White**  
**7188 - 6400K White**

EAN Code

3800157615631  
 3800157615648

BOX QTY.  
**12**

**A++**



|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>840lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>G95</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>95mm x 135mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                     |

**A60 - E27 Clear Glass****4W** VT-1885

EAN Code

**4259 - 2700K Warm White**

3800230627179

BOX QTY.

**50****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                     |

**Dimmable****Dimmable A60 - E27 Clear Glass****4W** VT-1885D

EAN Code

**4364 - 2700K Warm White**

3800157602907

BOX QTY.

**50****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>30W</b>                | Dimmable:   | <b>Yes</b>          |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | PF:         | <b>&gt; 0.5</b>     |
| Luminous Flux:     | <b>320lm</b>              | Beam Angle: | <b>300°</b>         |
| Commercial Type:   | <b>A60</b>                | Base:       | <b>E27</b>          |
| LED Type:          | <b>Filament</b>           | Body Type:  | <b>Glass</b>        |
| CRI:               | <b>&gt; 80</b>            | Dimension:  | <b>60mm x 107mm</b> |

**NEW****A60 - E27****Cross Filament Clear Glass****4W** VT-1885

EAN Code

**42591 - 2700K Warm White**

3800157624312

BOX QTY.

**50****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A60</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                     |

NEW



### Dimmable A60 - E27 Cross Filament Clear Glass

4W VT-1885D


EAN Code

43641 - 2200K Warm White

3800157624305

BOX QTY.  
50

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 30W                | Dimmable:   | Yes          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | PF:         | > 0.5        |
| Luminous Flux:     | 350lm              | Beam Angle: | 300°         |
| Commercial Type:   | A60                | Base:       | E27          |
| LED Type:          | Filament           | Body Type:  | Glass        |
| CRI:               | > 80               | Dimension:  | 60mm x 107mm |



### A60 - E27 Clear Glass

6W VT-1887

EAN Code

4272 - 2700K Warm White


3800230627667

4303 - 4000K Day White

3800157600064

BOX QTY.  
20

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 55W                | PF:         | > 0.5        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 660lm              | Base:       | E27          |
| Commercial Type:   | A60                | Body Type:  | Glass        |
| LED Type:          | Filament           | Dimension:  | 60mm x 107mm |
| CRI:               | > 80               |             |              |



### A60 - E27 Clear Glass

8W VT-1988

EAN Code

4363 - 2700K Warm White

3800157602891

BOX QTY.  
100

A++



|                    |                      |             |              |
|--------------------|----------------------|-------------|--------------|
| EQ. Watts:         | 75W                  | PF:         | >0.5         |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 1000lm               | Base:       | E27          |
| Commercial Type:   | A60                  | Body Type:  | Glass        |
| LED Type:          | Filament             | Dimension:  | 60mm x 105mm |
| CRI:               | >80                  |             |              |

**A67 - E27 Clear Glass****8W** VT-1989**4406 - 2700K Warm White**


EAN Code

3800157605342

BOX QTY.

50

A++



|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>75W</b>              | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>1000lm</b>           | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A67</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>67mm x 123mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |

**A67 - E27 Clear Glass****8W** VT-1978**4407 - 2700K Warm White****4408 - 4000K Day White****4409 - 6400K White**

EAN Code

3800157606165

3800157606172

3800157606189

BOX QTY.

100

A+



|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>              | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>800lm</b>            | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A67</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>67mm x 123mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |

**A67 - E27 Clear Glass****10W** VT-1981**4410 - 2700K Warm White****4411 - 4000K Day White****4412 - 6400K White**

EAN Code

3800157606196

3800157606202

3800157606219

BOX QTY.

50

A+



|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>75W</b>              | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>1055lm</b>           | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>A67</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>67mm x 123mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |




**Candle - B22 Clear Glass****4W** VT-2064

EAN Code

**7225 - 2700K Warm White**

3800157617550

BOX QTY.  
**100****A+**


|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>              | PF:         | <b>&gt;0.4</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>            | Base:       | <b>B22</b>          |
| Commercial Type:   | <b>Candle</b>           | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>35mm x 100mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |

**G45 - B22 Clear Glass****4W** VT-2074

EAN Code

**7226 - 2700K Warm White**

3800157617567

BOX QTY.  
**100****A+**


|                    |                           |             |                    |
|--------------------|---------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>    |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>B22</b>         |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>45mm x 75mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                    |

**A60 - B22 Clear Glass****5W** VT-2035

EAN Code

**7170 - 2700K Warm White**

3800157615464

BOX QTY.  
**50****A++**

|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>50W</b>              | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>600lm</b>            | Base:       | <b>B22</b>          |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>60mm x 107mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |

**ST26 - E14 Clear Glass****2W** VT-1952

EAN Code

BOX QTY.

**100**

4444 - 2700K Warm White


3800157607858

4445 - 4000K Day White

3800157607865

4446 - 6400K White

3800157607872

**A+**

|                    |                         |             |                    |
|--------------------|-------------------------|-------------|--------------------|
| EQ. Watts:         | <b>20W</b>              | PF:         | <b>&gt; 0.4</b>    |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>180lm</b>            | Base:       | <b>E14</b>         |
| Commercial Type:   | <b>ST 26</b>            | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>26mm x 58mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                    |

**Dimmable****Dimmable Candle - E14 Clear Glass****4W** VT-1986D


EAN Code

BOX QTY.

**100**

4365 - 2700K Warm White

3800157602914

**A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>30W</b>               | Dimmable:   | <b>Yes</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | PF:         | <b>&gt;0.5</b>      |
| Luminous Flux:     | <b>350lm</b>             | Beam Angle: | <b>300°</b>         |
| Commercial Type:   | <b>Candle</b>            | Base:       | <b>E14</b>          |
| LED Type:          | <b>Filament</b>          | Body Type:  | <b>Glass</b>        |
| CRI:               | <b>&gt;80</b>            | Dimension:  | <b>37mm x 100mm</b> |

**Dimmable****ST64 - E27 Clear Glass****4W** VT-2105D

EAN Code

BOX QTY.

**50**

7414 - 2700K Warm White

3800157630320

**A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>45W</b>               | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>490lm</b>             | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>ST64</b>              | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>          | Dimension:  | <b>64mm x 145mm</b> |
| CRI:               | <b>&gt;80</b>            |             |                     |

NEW



### Candle - E14 Cross Filament Clear Glass

4W VT-1986


EAN Code

43011 - 2700K Warm White  
44141 - 6400K White

3800157624114  
3800157624121

BOX QTY.  
100

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 40W                | PF:         | > 0.4        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm              | Base:       | E14          |
| Commercial Type:   | Candle             | Body Type:  | Glass        |
| LED Type:          | Filament           | Dimension:  | 35mm x 100mm |
| CRI:               | > 80               |             |              |

NEW



### Dimmable Candle - E14 Cross Filament Clear Glass

4W VT-1986D

EAN Code

43651 - 2700K Warm White

3800157624176

BOX QTY.  
100

A+



|                    |                   |             |              |
|--------------------|-------------------|-------------|--------------|
| EQ. Watts:         | 30W               | Dimmable:   | Yes          |
| Voltage/Frequency: | AC:220-240V, 50Hz | PF:         | >0.5         |
| Luminous Flux:     | 350lm             | Beam Angle: | 300°         |
| Commercial Type:   | Candle            | Base:       | E14          |
| LED Type:          | Filament          | Body Type:  | Glass        |
| CRI:               | >80               | Dimension:  | 35mm x 100mm |



### Candle - E14 Clear Glass

4W VT-1986


EAN Code

4301 - 2700K Warm White  
4413 - 4000K Day White  
4414 - 6400K White

3800230629951  
3800157606226  
3800157606233

BOX QTY.  
100

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 40W                | PF:         | > 0.4        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm              | Base:       | E14          |
| Commercial Type:   | Candle             | Body Type:  | Glass        |
| LED Type:          | Filament           | Dimension:  | 35mm x 100mm |
| CRI:               | > 80               |             |              |

NEW



### Candle - E14 Cross Filament Clear Glass

4W VT-1985


EAN Code

43071 - 2700K Warm White

3800157624183

BOX QTY.  
100

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 40W                | PF:         | > 0.4        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm              | Base:       | E14          |
| Commercial Type:   | Candle Flame       | Body Type:  | Glass        |
| LED Type:          | Filament           | Dimension:  | 35mm x 100mm |
| CRI:               | > 80               |             |              |



### Candle - E14 Clear Glass

4W VT-1985


EAN Code

4307 - 2700K Warm White

3800157600347

BOX QTY.  
100

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 40W                | PF:         | > 0.4        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 300°         |
| Luminous Flux:     | 400lm              | Base:       | E14          |
| Commercial Type:   | Candle             | Body Type:  | Glass        |
| LED Type:          | Filament           | Dimension:  | 35mm x 100mm |
| CRI:               | > 80               |             |              |



Dimmable

### Dimmable Candle - E14 Clear Glass

4W VT-1985D


EAN Code

4367 - 2700K Warm White

3800157602938

BOX QTY.  
100

A+



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 30W                | Dimmable:   | Yes          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | PF:         | > 0.5        |
| Luminous Flux:     | 320lm              | Beam Angle: | 300°         |
| Commercial Type:   | Candle             | Base:       | E14          |
| LED Type:          | Filament           | Body Type:  | Glass        |
| CRI:               | > 80               | Dimension:  | 35mm x 100mm |

**Candle Flame - E14 Clear Glass****4W** VT-1995

EAN Code

4308 - 2700K Warm White

3800157600354

4431 - 4000K Day White

3800157606455

4432 - 6400K White

3800157606462

BOX QTY.  
**100****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle Flame</b>       | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>35mm x 121mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                     |

**Dimmable****Dimmable Candle Flame  
E14 Clear Glass****4W** VT-1995D

EAN Code

4388 - 2700K Warm White

3800157603973

BOX QTY.  
**100****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>30W</b>                | Dimmable:   | <b>Yes</b>          |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | PF:         | <b>&gt; 0.5</b>     |
| Luminous Flux:     | <b>320lm</b>              | Beam Angle: | <b>300°</b>         |
| Commercial Type:   | <b>Candle Flame</b>       | Base:       | <b>E14</b>          |
| LED Type:          | <b>Filament</b>           | Body Type:  | <b>Glass</b>        |
| CRI:               | <b>&gt; 80</b>            | Dimension:  | <b>35mm x 121mm</b> |

**NEW****Dimmable****Dimmable Candle Flame  
E14 Cross Filament Clear Glass****4W** VT-1995D

EAN Code

43881 - 2700K Warm White

3800157624251

BOX QTY.  
**100****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>30W</b>                | Dimmable:   | <b>Yes</b>          |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | PF:         | <b>&gt; 0.5</b>     |
| Luminous Flux:     | <b>350lm</b>              | Beam Angle: | <b>300°</b>         |
| Commercial Type:   | <b>Candle Flame</b>       | Base:       | <b>E14</b>          |
| LED Type:          | <b>Filament</b>           | Body Type:  | <b>Glass</b>        |
| CRI:               | <b>&gt; 80</b>            | Dimension:  | <b>35mm x 121mm</b> |

**Candle Flame - E14 Clear Glass****4W** VT-1997

EAN Code

4302 - 2700K Warm White

3800230629968

4429 - 4000K Day White

3800157606431

4430 - 6400K White

3800157606448

BOX QTY.  
**100****A+**

|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle Flame</b>       | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>35mm x 121mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                     |

**NEW****Candle Flame  
E14 Cross Filament Clear Glass****4W** VT-1997

EAN Code

44291 - 4000K Day White

3800157624190

44301 - 6400K White

3800157624206

BOX QTY.  
**100****A+**


|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>     |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E14</b>          |
| Commercial Type:   | <b>Candle Flame</b>       | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>35mm x 121mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                     |

**Dimmable****Dimmable Candle Flame  
E14 Clear Glass****4W** VT-1997D

EAN Code

4366 - 2700K Warm White

3800157602921

BOX QTY.  
**100****A+**

|                    |                          |             |                     |
|--------------------|--------------------------|-------------|---------------------|
| EQ. Watts:         | <b>30W</b>               | Dimmable:   | <b>Yes</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | PF:         | <b>&gt;0.5</b>      |
| Luminous Flux:     | <b>400lm</b>             | Beam Angle: | <b>300°</b>         |
| Commercial Type:   | <b>Candle Flame</b>      | Base:       | <b>E14</b>          |
| LED Type:          | <b>Filament</b>          | Body Type:  | <b>Glass</b>        |
| CRI:               | <b>&gt;80</b>            | Dimension:  | <b>35mm x 121mm</b> |


NEW

**G45 - E27**  
**Cross Filament Clear Glass****4W** VT-1980

EAN Code

**43061 - 2700K Warm White**

3800157624329

BOX QTY.  
**100****A<sup>+</sup>**

|                    |                           |             |                    |
|--------------------|---------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>    |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E27</b>         |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>45mm x 75mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                    |

**G45 - E27 Clear Glass****4W** VT-1980

EAN Code

**4306 - 2700K Warm White**

3800157600330

**4427 - 4000K Day White**

3800157606417

**4428 - 6400K White**

3800157606424

BOX QTY.  
**100****A<sup>+</sup>**

|                    |                           |             |                    |
|--------------------|---------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>    |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E27</b>         |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>45mm x 75mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                    |



PINK



Green

SKU Code    EAN Code  
**7410 - PINK**    3800157630269

SKU Code    EAN Code  
**7411 - Green**    3800157630276



BLUE



RED

SKU Code    EAN Code  
**7412 - Blue**    3800157630283

SKU Code    EAN Code  
**7413 - RED**    3800157630290


NEW

## G45 -Color E27 Bulb

2W VT-2132

A<sup>+</sup>BOX QTY.  
100

|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 10W              | PF:         | > 0.4       |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 300°        |
| Luminous Flux:     | 60lm             | Base:       | E27         |
| Commercial Type:   | G45              | Body Type:  | Glass       |
| LED Type:          | Filament         | Dimension:  | 45mm x 75mm |
| CRI:               | >80              |             |             |





**P45 - E14 Clear Glass****4W** VT-1996

4300 - 2700K Warm White

4425 - 4000K Day White

4426 - 6400K White

EAN Code

3800230629944

3800157606394

3800157606400

BOX QTY.  
**100****A+**

|                    |                           |             |                    |
|--------------------|---------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>    |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E14</b>         |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>45mm x 77mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                    |

**NEW****P45 - E14****Cross Filament Clear Glass****4W** VT-1996

43001 - 2700K Warm White

44251 - 4000K Day White

EAN Code

3800157624138

3800157628600

BOX QTY.  
**100****A+**

|                    |                           |             |                    |
|--------------------|---------------------------|-------------|--------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt; 0.4</b>    |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>400lm</b>              | Base:       | <b>E14</b>         |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Glass</b>       |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>45mm x 75mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                    |

**Dimmable P45- E14 Clear Glass****4W** VT-1996D

4394 - 2700K Warm White

EAN Code

3800157604314

BOX QTY.  
**100****A+**

|                    |                         |             |                    |
|--------------------|-------------------------|-------------|--------------------|
| EQ. Watts:         | <b>30W</b>              | Dimmable:   | <b>Yes</b>         |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | PF          | <b>&gt;0.5</b>     |
| Luminous Flux:     | <b>320lm</b>            | Beam Angle: | <b>300°</b>        |
| Commercial Type:   | <b>P45</b>              | Base:       | <b>E14</b>         |
| LED Type:          | <b>Filament</b>         | Body Type:  | <b>Glass</b>       |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>45mm x 77mm</b> |

**Dimmable G125 - E27 Clear Glass****4W** VT-1994D

EAN Code

4399 - 2700K Warm White

3800157605021




|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>              | Dimmable:   | <b>Yes</b>           |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | PF:         | <b>&gt;0.5</b>       |
| Luminous Flux:     | <b>320lm</b>            | Beam Angle: | <b>300°</b>          |
| Commercial Type:   | <b>G125</b>             | Base:       | <b>E27</b>           |
| LED Type:          | <b>Filament</b>         | Body Type:  | <b>Glass</b>         |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>125mm x 177mm</b> |

**G125 - E27 Clear Glass****6W** VT-1983

EAN Code

4304 - 2700K Warm White

3800157600316



|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt; 0.5</b>      |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>          |
| Luminous Flux:     | <b>660lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G125</b>               | Body Type:  | <b>Glass</b>         |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>125mm x 177mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                      |

**G95- E27 Clear Glass****6W** VT-1993

EAN Code

4305 - 2700K Warm White

3800157600323



|                    |                           |             |                     |
|--------------------|---------------------------|-------------|---------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt; 0.5</b>     |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>300°</b>         |
| Luminous Flux:     | <b>550lm</b>              | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>G95</b>                | Body Type:  | <b>Glass</b>        |
| LED Type:          | <b>Filament</b>           | Dimension:  | <b>95mm x 135mm</b> |
| CRI:               | <b>&gt; 80</b>            |             |                     |

**G125 - E27 Clear Glass****10W** VT-1979

4422 - 2700K Warm White

4423 - 4500K Day White

4424 - 6000K White

EAN Code

3800157606363

3800157606370

3800157606387

BOX QTY.

50

A+



|                    |                         |             |                       |
|--------------------|-------------------------|-------------|-----------------------|
| EQ. Watts:         | <b>75W</b>              | PF:         | <b>&gt;0.5</b>        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>           |
| Luminous Flux:     | <b>1055lm</b>           | Base:       | <b>E27</b>            |
| Commercial Type:   | <b>G125</b>             | Body Type:  | <b>Glass</b>          |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>125mm x 177 mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                       |

## Converter Holder For LED Bulbs

**B22-E14 Converter**SKU Code **3420**

BOX QTY.

250

**LED String Light With Euro Plug And WP Socket**

VT-713

SKU Code **3673**

BOX QTY.

04

**15 Meter Long String****15 Holders With 1 Meter Distance**

# LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)



## Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver
- Broad Range of holders like GU10, MR16, G9 and G4
- Wide Voltage Range from AC: 180 - 240 V , 50/60 Hz & 12 v options
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

**GU 10 with Lens****7W** VT-2666

1657 - 3000K Warm White  
 1658 - 4000K Day White  
 1659 - 6400K White

EAN Code

3800157601641  
 3800157601658  
 3800157601665

BOX QTY.

200

A+



|                    |                         |             |                    |
|--------------------|-------------------------|-------------|--------------------|
| EQ. Watts:         | <b>50W</b>              | PF:         | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>38°</b>         |
| Luminous Flux:     | <b>550lm</b>            | Base:       | <b>GU10</b>        |
| LED Type:          | <b>SMD</b>              | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>50mm x 57mm</b> |

**Dimmable****Dimmable GU 10 with Lens****7W** VT-2886D

1666 - 3000K Warm White  
 1667 - 4000K Day White  
 1668 - 6400K White

EAN Code

3800157602075  
 3800157602082  
 3800157602099

BOX QTY.

200

A+



|                    |                         |             |                    |
|--------------------|-------------------------|-------------|--------------------|
| EQ. Watts:         | <b>50W</b>              | PF:         | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>38°</b>         |
| Luminous Flux:     | <b>550lm</b>            | Base:       | <b>GU10</b>        |
| LED Type:          | <b>SMD</b>              | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>50mm x 57mm</b> |
| Dimmable:          | <b>Yes</b>              |             |                    |

**GU 10 with Lens****7W** VT-2778

1672 - 3000K Warm White  
 1673 - 4000K Day White  
 1674 - 6400K White

EAN Code

3800157602136  
 3800157602143  
 3800157602150

BOX QTY.

200

A+



|                    |                          |             |                    |
|--------------------|--------------------------|-------------|--------------------|
| EQ. Watts:         | <b>45W</b>               | PF:         | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>110°</b>        |
| Luminous Flux:     | <b>500lm</b>             | Base:       | <b>GU10</b>        |
| LED Type:          | <b>SMD</b>               | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt; 80</b>           | Dimension:  | <b>50mm x 57mm</b> |

**MR 16 with Lens****7W** VT-1967

1663 - 3000K Warm White

1664 - 4000K Day White


1665 - 6400K White

EAN Code

3800157602044

3800157602051

3800157602068

BOX QTY.  
**200****A+**

|                    |                        |             |                    |
|--------------------|------------------------|-------------|--------------------|
| EQ. Watts:         | <b>50W</b>             | PF:         | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC/DC: 12V,50Hz</b> | Beam Angle: | <b>38°</b>         |
| Luminous Flux:     | <b>550lm</b>           | Base:       | <b>GU5.3</b>       |
| LED Type:          | <b>SMD</b>             | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt;80</b>          | Dimension:  | <b>50mm x 50mm</b> |

**GU 10 with Lens****8W** VT-2889

1693 - 3000K Warm White

1694 - 4000K Day White

1695 - 6400K White

EAN Code


3800157608947

3800157608954

3800157608961

BOX QTY.  
**200****A+**

|                    |                          |             |                    |
|--------------------|--------------------------|-------------|--------------------|
| EQ. Watts:         | <b>80W</b>               | PF:         | <b>&gt; 0.5</b>    |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>38°</b>         |
| Luminous Flux:     | <b>750lm</b>             | Base:       | <b>GU10</b>        |
| LED Type:          | <b>SMD</b>               | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt; 80</b>           | Dimension:  | <b>50mm x 55mm</b> |




**Milky Cover GU10****7W** VT-2779

1682 - 3000K Warm White  
 1683 - 4000K Day White  
 1684 - 6400K White

EAN Code

3800157605359  
 3800157605366  
 3800157605373

**BOX QTY.**  
**200**
**A+**



|                    |                         |             |                    |
|--------------------|-------------------------|-------------|--------------------|
| EQ. Watts:         | <b>45W</b>              | PF:         | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>110°</b>        |
| Luminous Flux:     | <b>500lm</b>            | Base:       | <b>GU10</b>        |
| LED Type:          | <b>SMD</b>              | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>50mm x 57mm</b> |

**Dimmable****Dimmable Milky Cover GU10****7W** VT-2887D

1669 - 3000K Warm White  
 1670 - 4000K Day White  
 1671 - 6400K White

EAN Code

3800157602105  
 3800157602112  
 3800157602129

**BOX QTY.**  
**200**
**A+**



|                    |                         |             |                    |
|--------------------|-------------------------|-------------|--------------------|
| EQ. Watts:         | <b>45W</b>              | PF:         | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>110°</b>        |
| Luminous Flux:     | <b>500lm</b>            | Base:       | <b>GU10</b>        |
| LED Type:          | <b>SMD</b>              | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>50mm x 57mm</b> |
| Dimmable:          | <b>Yes</b>              |             |                    |

**Milky Cover MR16****7W** VT-1977

1688 - 3000K Warm White  
 1689 - 4000K Day White  
 1690 - 6400K White

EAN Code

3800157606950  
 3800157606967  
 3800157606974

**BOX QTY.**  
**200**
**A+**


|                    |                        |             |                    |
|--------------------|------------------------|-------------|--------------------|
| EQ. Watts:         | <b>45W</b>             | PF:         | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC/DC: 12V,50Hz</b> | Beam Angle: | <b>110°</b>        |
| Luminous Flux:     | <b>500lm</b>           | Base:       | <b>GU5.3</b>       |
| LED Type:          | <b>SMD</b>             | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt;80</b>          | Dimension:  | <b>50mm x 50mm</b> |

NEW



## Dimmable Spotlight- GU10

6.5W VT-2108D

EAN Code

7306 - 3000K Warm White

3800157623964

7307 - 4000K Day White

3800157623971


7308 - 6400K White

3800157623988

BOX QTY.  
50

Dimmable

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 40W              | Dimmable:   | Yes         |
| Voltage/Frequency: | AC:220-240V,50Hz | PF:         | > 0.5       |
| Luminous Flux:     | 450lm            | Beam Angle: | 38°         |
| LED Type:          | SMD              | Base:       | GU10        |
| CRI:               | > 80             | Body Type:  | Plastic     |
|                    |                  | Dimension:  | 50mm x 57mm |

NEW



## LED Spotlight- GU10

6W VT-2107

EAN Code

7303 - 3000K Warm White

3800157623933

7304 - 4000K Day White


3800157623940

7305 - 6400K White

3800157623957

BOX QTY.  
50

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 40W              | PF:         | > 0.5       |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 110°        |
| Luminous Flux:     | 500lm            | Base:       | GU10        |
| LED Type:          | SMD              | Body Type:  | Plastic     |
| CRI:               | > 80             | Dimension:  | 50mm x 57mm |



NEW



## Milky Cover GU10

6W VT-2096


7310 - 3000K Warm White  
 7311 - 4000K Day White  
 7312 - 6400K White

EAN Code

3800157624435  
 3800157624459  
 3800157624442

BOX QTY.  
200

A+



|                    |                    |             |             |
|--------------------|--------------------|-------------|-------------|
| EQ. Watts:         | 45W                | PF:         | >0.5        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 110°        |
| Luminous Flux:     | 500LM              | Base:       | GU10        |
| LED Type:          | SMD                | Body Type:  | Plastic     |
| CRI:               | >80                | Dimension:  | 50mm x 57mm |

NEW



## Milky Cover GU10

5W VT-2095

EAN Code

7269 - 3000K Warm White  
 7270 - 4000K Day White  
 7271 - 6400K White

3800157623018  
 3800157623025  
 3800157623032

BOX QTY.  
60

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 35W              | PF:         | >0.4        |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 110°        |
| Luminous Flux:     | 400lm            | Base:       | GU10        |
| LED Type:          | SMD              | Body Type:  | Plastic     |
| CRI:               | >80              | Dimension:  | 50mm x 57mm |

## Milky Cover GU10

5W VT-1975


1685 - 3000K Warm White  
1686 - 4000K Day White  
1687 - 6400K White

EAN Code

3800157606240  
3800157606257  
3800157606264

BOX QTY.  
200

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 40W              | PF:         | >0.4        |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 110°        |
| Luminous Flux:     | 320lm            | Base:       | GU10        |
| LED Type:          | SMD              | Body Type:  | Plastic     |
| CRI:               | >80              | Dimension:  | 50mm x 57mm |

## Milky Cover GU10

3W VT-1933


7126 - 3000K Warm White  
7127 - 4000K Day White  
7128 - 6400K White

EAN Code

3800157610148  
3800157610155  
3800157610162

BOX QTY.  
200

A+



|                    |                  |             |             |
|--------------------|------------------|-------------|-------------|
| EQ. Watts:         | 25W              | PF:         | >0.4        |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 110°        |
| Luminous Flux:     | 210lm            | Base:       | GU10        |
| LED Type:          | SMD              | Body Type:  | Plastic     |
| CRI:               | >80              | Dimension:  | 50mm x 57mm |

## GU10 Spotlight

2W VT-2002

7167 - 3000K Warm White  
 7168 - 4000K Day White  
 7169 - 6400K White

EAN Code

3800157612807  
 3800157612814  
 3800157612821

BOX QTY.  
200

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 15W              | PF:         | >0.4          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 38°           |
| Luminous Flux:     | 180lm            | Base:       | GU10          |
| LED Type:          | SMD              | Body Type:  | Plastic       |
| CRI:               | >80              | Dimension:  | 35mm x 46.5mm |

## MR 11 Spot light

2W VT-1992


1679 - 3000K Warm White  
 1680 - 4000K Day White  
 1681 - 6400K White

EAN Code

3800157605038  
 3800157605045  
 3800157605052

BOX QTY.  
200

A+



|                    |                   |             |             |
|--------------------|-------------------|-------------|-------------|
| EQ. Watts:         | 15W               | PF:         | >0.4        |
| Voltage/Frequency: | AC/DC:12V,50/60Hz | Beam Angle: | 38°         |
| Luminous Flux:     | 140lm             | Base:       | GU4         |
| LED Type:          | SMD               | Body Type:  | Plastic     |
| CRI:               | >80               | Dimension:  | 35mm x 39mm |

NEW



## LED Spotlight-Square

5W VT-1100

7332 - 3000K Warm White

7333 - 4000K Day White

7334 - 6400K White

BOX QTY.


50

EAN Code

3800157624855

3800157624862

3800157624879



A+

|                    |                     |               |                |
|--------------------|---------------------|---------------|----------------|
| EQ. Watts:         | 35W                 | PF:           | >0.9           |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle:   | 68°            |
| Luminous Flux:     | 350lm               | Body Type:    | PC+ABS         |
| LED Type:          | SMD                 | Dimension:    | 90 x 90 x 45mm |
| CRI:               | >80                 | Cutting Size: | Ø75mm          |

NEW



## LED Spotlight-Round

5W VT-1100

7329 - 3000K Warm White

7330 - 4000K Day White

7331 - 6400K White

BOX QTY.


50

EAN Code

3800157624824

3800157624831

3800157624848




A+

|                    |                     |               |              |
|--------------------|---------------------|---------------|--------------|
| EQ. Watts:         | 35W                 | PF:           | >0.9         |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle:   | 68°          |
| Luminous Flux:     | 350lm               | Body Type:    | PC+ABS       |
| LED Type:          | SMD                 | Dimension:    | Ø90mm x 45mm |
| CRI:               | >80                 | Cutting Size: | Ø75mm        |



BOX QTY.  
100



### Recessed GX53

7W VT-1969

A+

EQ. Watts: 45W

3800157607032  
3800157607049  
3800157607056

4437 - 3000K Warm White  
4438 - 4000K Day White  
4439 - 6400K White

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 45W              | PF:         | > 0.5         |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 110°          |
| Luminous Flux:     | 550lm            | Base:       | Recessed GX53 |
| Commercial Type:   | GX53             | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 75mmx 29mm    |
| CRI:               | > 80             |             |               |

### G4 Spot light 1pc Pack

1.5W VT-1942


EQ. Watts: 15W

4463 - 3000K Warm White  
4464 - 4000K Day White  
4465 - 6400K White

3800157608978  
3800157608985  
3800157608992

BOX QTY.  
400

A+



|                    |           |             |               |
|--------------------|-----------|-------------|---------------|
| EQ. Watts:         | 15W       | PF:         | >0.4          |
| Voltage/Frequency: | AC/DC:12V | Beam Angle: | 300°          |
| Luminous Flux:     | 100lm     | Base:       | G4            |
| LED Type:          | SMD       | Body Type:  | Plastic       |
| CRI:               | > 80      | Dimension:  | 12mm x 38.5mm |



NEW


**G9 Spotlight****2W** VT-2102**7337 - 3000K Warm White****7338 - 4000K Day White****7339 - 6000K White**BOX QTY.  
**400**

EAN Code

3800157625210

3800157625227

3800157625234

**A++**


|                    |                             |             |                        |
|--------------------|-----------------------------|-------------|------------------------|
| EQ. Watts:         | <b>20W</b>                  | PF:         | <b>&gt;0.4</b>         |
| Voltage/Frequency: | <b>AC: 200-240V,50/60Hz</b> | Beam Angle: | <b>230°</b>            |
| Luminous Flux:     | <b>230lm</b>                | Base:       | <b>G9</b>              |
| LED Type:          | <b>COB</b>                  | Body Type:  | <b>GLASS</b>           |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>14.5mm x 43.5mm</b> |

NEW


**G9 Spotlight -Blister Pack****2W** VT-2102**7340 - 3000K Warm White**

EAN Code

3800157625630

BOX QTY.  
**200****A++**

|                    |                             |             |                        |
|--------------------|-----------------------------|-------------|------------------------|
| EQ. Watts:         | <b>20W</b>                  | PF:         | <b>&gt;0.4</b>         |
| Voltage/Frequency: | <b>AC: 200-240V,50/60Hz</b> | Beam Angle: | <b>230°</b>            |
| Luminous Flux:     | <b>230lm</b>                | Base:       | <b>G9</b>              |
| LED Type:          | <b>COB</b>                  | Body Type:  | <b>GLASS</b>           |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>14.5mm x 43.5mm</b> |



BOX QTY.  
**400**

BOX QTY.  
**100**

### G9 Spot light

**2.5W** VT-1946

**1pc Pack**

EAN Code

**7205 - 3000K Warm White** 3800157616317  
**7206 - 4000K Day White** 3800157616324  
**7207 - 6400K White** 3800157616331

**3pc Blister Pack** EAN Code

**4358 - 3000K Warm White** 3800157602716  
**4359 - 4000K Day White** 3800157602723  
**4360 - 6400K White** 3800157602730

|                    |                          |             |                        |
|--------------------|--------------------------|-------------|------------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>         |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>300°</b>            |
| Luminous Flux:     | <b>200lm</b>             | Base:       | <b>G9</b>              |
| LED Type:          | <b>SMD</b>               | Body Type:  | <b>Plastic</b>         |
| CRI:               | <b>&gt;80</b>            | Dimension:  | <b>16.5mm x 48.7mm</b> |

**A+**

### G9 Spot light


**3W** VT-2003

EAN Code

BOX QTY.  
**500**

**7243 - 2700K Warm White** 3800157620161  
**7244 - 4000K Day White** 3800157620178  
**7245 - 6400K White** 3800157620185

**A+**



|                    |                         |             |                    |
|--------------------|-------------------------|-------------|--------------------|
| EQ. Watts:         | <b>30W</b>              | PF:         | <b>&gt;0.4</b>     |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>        |
| Luminous Flux:     | <b>300lm</b>            | Base:       | <b>G9</b>          |
| LED Type:          | <b>SMD</b>              | Body Type:  | <b>Plastic</b>     |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>17mm x 49mm</b> |



### Dimmable Milky Cover-G9

**3W** VT-2083D

EAN Code

BOX QTY.  
**500**

**7253 - 2700K Warm White** 3800157621656  
**7254 - 4000K Day White** 3800157621663  
**7255 - 6400K White** 3800157621670

**A+**



|                    |                         |             |                        |
|--------------------|-------------------------|-------------|------------------------|
| EQ. Watts:         | <b>30W</b>              | PF:         | <b>&gt;0.4</b>         |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>360°</b>            |
| Luminous Flux:     | <b>225lm</b>            | Base:       | <b>G9</b>              |
| LED Type:          | <b>SMD</b>              | Body Type:  | <b>Plastic</b>         |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>18.5mm x 55.5mm</b> |
| Dimmable:          | <b>Yes</b>              |             |                        |



A modern interior space featuring a dark wood dining table and chairs. The ceiling is white with three cylindrical surface-mounted GU10 fittings. The walls are covered in horizontal wood panels, and a dark wood pillar is visible in the background. The floor is made of light-colored wood planks.

**SURFACE MOUNTED  
GU10 FITTINGS**

Easy Installation  
*Elegant Design*







**GU10 SOCKET**  
■ NOT INCLUDED ■

## GU10 Fittings Surface Mounted

BOX QTY.  
**50**

|            |                    |
|------------|--------------------|
| Model No   | VT-797             |
| Colour:    | White              |
| SKU Code:  | 3630               |
| Holder:    | GU10               |
| Material:  | Ferrum             |
| Dimension: | 142 x 100 x 100 mm |
| EAN Code:  | 3800157612074      |





**GU10 SOCKET**  
■ NOT INCLUDED ■

## GU10 Fittings Surface Mounted

BOX QTY.  
**50**

|            |                    |
|------------|--------------------|
| Model No   | VT-797             |
| Colour:    | Black              |
| SKU Code:  | 3631               |
| Holder:    | GU10               |
| Material:  | Ferrum             |
| Dimension: | 142 x 100 x 100 mm |
| EAN Code:  | 3800157612081      |





**GU10 SOCKET**  
■ NOT INCLUDED ■

## GU10 Fittings Surface Mounted

BOX QTY.  
**50**

|            |                    |
|------------|--------------------|
| Model No   | VT-797             |
| Colour:    | Satin Nickel       |
| SKU Code:  | 3632               |
| Holder:    | GU10               |
| Material:  | Ferrum             |
| Dimension: | 142 x 100 x 100 mm |
| EAN Code:  | 3800157612098      |






**GU10 SOCKET**  
■ NOT INCLUDED ■


**GU10 Fittings**  
Surface Mounted

BOX QTY.  
 **50**

|            |               |
|------------|---------------|
| Model No   | VT-796        |
| Colour:    | White         |
| SKU Code:  | 3627          |
| Holder:    | GU10          |
| Material:  | Ferrum        |
| Dimension: | 142 x 100 mm  |
| EAN Code:  | 3800157612043 |



Ø100 mm




**GU10 SOCKET**  
■ NOT INCLUDED ■


**GU10 Fittings**  
Surface Mounted

BOX QTY.  
 **50**

|            |               |
|------------|---------------|
| Model No   | VT-796        |
| Colour:    | Black         |
| SKU Code:  | 3628          |
| Holder:    | GU10          |
| Material:  | Ferrum        |
| Dimension: | 142 x 100 mm  |
| EAN Code:  | 3800157612050 |



Ø100 mm




**GU10 SOCKET**  
■ NOT INCLUDED ■


**GU10 Fittings**  
Surface Mounted

BOX QTY.  
 **50**

|            |               |
|------------|---------------|
| Model No   | VT-796        |
| Colour:    | Satin Nickle  |
| SKU Code:  | 3629          |
| Holder:    | GU10          |
| Material:  | Ferrum        |
| Dimension: | 142 x 100 mm  |
| EAN Code:  | 3800157612067 |



Ø100 mm




NEW



## Satin Nickel - GU10 Fixed Fire Rated Downlight Fitting

|                   |               |
|-------------------|---------------|
| Model No          | VT-701        |
| SKU Code:         | 3680          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | Satin Nickel  |
| Dimension:        | 80 x 115mm    |
| Cutting Size:     | 65mm          |
| EAN Code:         | 3800157626859 |
| IP Rating:        | IP20          |




NEW



## White - GU10 Fixed Fire Rated Downlight Fitting

|                   |               |
|-------------------|---------------|
| Model No          | VT-701        |
| SKU Code:         | 3681          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | White         |
| Dimension:        | 80 x 115mm    |
| Cutting Size:     | 65mm          |
| EAN Code:         | 3800157626866 |
| IP Rating:        | IP20          |




NEW



## Chrome - GU10 Fixed Fire Rated Downlight Fitting


|                   |               |
|-------------------|---------------|
| Model No          | VT-701        |
| SKU Code:         | 3682          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | Chrome        |
| Dimension:        | 80 x 115mm    |
| Cutting Size:     | 65mm          |
| EAN Code:         | 3800157626873 |
| IP Rating:        | IP20          |





## Satin Nickel - GU10 Shower Fire Rated Downlight Fitting

|                   |               |
|-------------------|---------------|
| Model No          | VT-702        |
| SKU Code:         | 3683          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | Satin Nickel  |
| Dimension:        | 86 x 115mm    |
| Cutting Size:     | 65mm          |
| EAN Code:         | 3800157626880 |
| IP Rating:        | IP65          |



90min


BOX QTY.  
40

NEW



## White - GU10 Fixed Fire Rated Downlight Fitting

|                   |               |
|-------------------|---------------|
| Model No          | VT-702        |
| SKU Code:         | 3684          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | White         |
| Dimension:        | 86 x 115mm    |
| Cutting Size:     | 65mm          |
| EAN Code:         | 3800157626897 |
| IP Rating:        | IP65          |



90min


BOX QTY.  
40

NEW



## Chrome - GU10 Fixed Fire Rated Downlight Fitting

|                   |               |
|-------------------|---------------|
| Model No          | VT-702        |
| SKU Code:         | 3685          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | Chrome        |
| Dimension:        | 86 x 115mm    |
| Cutting Size:     | 65mm          |
| EAN Code:         | 3800157626903 |
| IP Rating:        | IP65          |



90min

BOX QTY.  
40

NEW

NEW




90min

BOX QTY.  
40

## Satin Nickel - GU10 Tilt Fire Rated Downlight Fitting

|                   |               |
|-------------------|---------------|
| Model No          | VT-703        |
| SKU Code:         | 3686          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | Satin Nickel  |
| Dimension:        | 82 x 130mm    |
| Cutting Size:     | 68mm          |
| EAN Code:         | 3800157626910 |
| IP Rating:        | IP20          |



NEW




90min

BOX QTY.  
40

## White - GU10 Tilt Fire Rated Downlight Fitting

|                   |               |
|-------------------|---------------|
| Model No          | VT-703        |
| SKU Code:         | 3687          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | White         |
| Dimension:        | 82 x 130mm    |
| Cutting Size:     | 68mm          |
| EAN Code:         | 3800157626927 |
| IP Rating:        | IP20          |



NEW




90min


BOX QTY.  
40

## Chrome - GU10 Tilt Fire Rated Downlight Fitting

|                   |               |
|-------------------|---------------|
| Model No          | VT-703        |
| SKU Code:         | 3688          |
| Base              | GU10          |
| Material:         | Steel         |
| Shape:            | Round         |
| Color of Fixture: | Chrome        |
| Dimension:        | 82 x 130mm    |
| Cutting Size:     | 68mm          |
| EAN Code:         | 3800157626934 |
| IP Rating:        | IP20          |




NEW

BOX QTY.  
50

## Gx53 Fittings

|                   |               |
|-------------------|---------------|
| Model No          | VT-715        |
| SKU Code:         | 3675          |
| Base              | Gx53          |
| Material:         | Iron          |
| Shape:            | Round         |
| Color of Fixture: | White         |
| Dimension:        | Φ105mm X 40mm |
| Cutting Size:     | Φ90mm         |
| EAN Code:         | 3800157625241 |


NEW

BOX QTY.  
50

## Gx53 Fittings

|                   |               |
|-------------------|---------------|
| Model No          | VT-715        |
| SKU Code:         | 3676          |
| Base              | Gx53          |
| Material:         | Iron          |
| Shape:            | Round         |
| Color of Fixture: | Gold          |
| Dimension:        | Φ105mm X 40mm |
| Cutting Size:     | Φ90mm         |
| EAN Code:         | 3800157625258 |

NEW


BOX QTY.  
50

## Gx53 Fittings

|                   |               |
|-------------------|---------------|
| Model No          | VT-715        |
| SKU Code:         | 3677          |
| Base              | Gx53          |
| Material:         | Iron          |
| Shape:            | Round         |
| Color of Fixture: | Chrome        |
| Dimension:        | Φ105mm X 40mm |
| Cutting Size:     | Φ90mm         |
| EAN Code:         | 3800157625265 |

## GU10 SOCKET

■ NOT INCLUDED ■



NEW

## Gypsum Fitting

BOX QTY.

36


BOX QTY.

36

|                   |                |               |
|-------------------|----------------|---------------|
| Model No:         | VT-716         | VT-716        |
| SKU Code:         | 3666           | 3667          |
| Base:             | 1XGU10         | 1XGU10        |
| Material:         | Gypsum         | Gypsum        |
| Shape:            | Square         | Round         |
| Color of Fixture: | White          | White         |
| Dimension:        | 75 x 75 x 75mm | Ø70 x 75mm    |
| EAN Code:         | 3800157624732  | 3800157624749 |

## GU10 SOCKET

■ NOT INCLUDED ■



NEW

## Gypsum Fitting

BOX QTY.

36




BOX QTY.

36

|                   |                |               |
|-------------------|----------------|---------------|
| Model No:         | VT-727         | VT-727        |
| SKU Code:         | 3664           | 3665          |
| Base:             | GU10           | GU10          |
| Material:         | Gypsum         | Gypsum        |
| Shape:            | Square         | Round         |
| Color of Fixture: | White          | White         |
| Dimension:        | 70 x 70 x 75mm | Ø70 x 75mm    |
| EAN Code:         | 3800157624589  | 3800157624596 |

## GU10 SOCKET

■ NOT INCLUDED ■



## Gypsum Fitting

Model No:

VT-762 BOX QTY.

VT-763 BOX QTY.

VT-764 BOX QTY.

SKU Code:

3648 20

3649 24

3650 20

Base:

GU10

GU10

GU10

Material:

Gypsum

Gypsum

Gypsum

Shape:

Square

Square

Round

Color of Fixture:

White

White

White

Dimension:

290 x 140 x 80mm

190 x 140 x 80mm

Φ140 x 40mm

Cutting Size:

215 x 120mm

120 x 120mm

Φ100mm

EAN Code:




3800157618588

3800157618595

3800157618601

## GU10 SOCKET

■ NOT INCLUDED ■



## Gypsum Fitting

Model No:

VT-765 BOX QTY.

VT-771 BOX QTY.

VT-772 BOX QTY.

SKU Code:

3651 30

3652 20

3653 20

Base:

GU10

GU10

GU10

Material:

Gypsum

Gypsum

Gypsum

Shape:

Square

Round

Square

Color of Fixture:

White

White

White

Dimension:

170 x 120 x 35mm

Φ140 x 140 x 45mm

190 x 140 x 80mm

Cutting Size:

100 x 100mm

Φ103mm

121 x 121mm

EAN Code:

3800157618618


3800157618625

3800157618632

IP Rating:



**GU10 SOCKET**  
■ NOT INCLUDED ■



**Gypsum Fitting**

|                   |               |               |                  |
|-------------------|---------------|---------------|------------------|
| Model No:         | VT-773        | VT-776        | VT-776           |
| SKU Code:         | 3654          | 3640          | 3641             |
| Base:             | GU10          | GU10          | GU10             |
| Material:         | Gypsum        | Gypsum        | Gypsum           |
| Shape:            | Round         | Round         | Square           |
| Color of Fixture: | White         | White         | White            |
| Dimension:        | Φ130 x 70mm   | Φ120 x 40mm   | 190 x 140 x 60mm |
| Cutting Size:     | Φ132mm        | Φ50mm         | 120x 50mm        |
| EAN Code:         | 3800157618649 | 3800157616348 | 3800157616355    |

**GU10 SOCKET**  
■ NOT INCLUDED ■





**Gypsum Fitting**

|                   |                  |               |                  |
|-------------------|------------------|---------------|------------------|
| Model No:         | VT-714           | VT-801        | VT-801           |
| SKU Code:         | 3674             | 3692          | 3691             |
| Base:             | GU10             | GU10          | GU10             |
| Material:         | Gypsum           | Gypsum        | Gypsum           |
| Shape:            | Square           | Round         | Square           |
| Color of Fixture: | White            | White         | White            |
| Dimension:        | 120 x 120 x 45mm | Φ120mm        | 120 x 120 x 60mm |
| Cutting Size:     |                  |               |                  |
| EAN Code:         | 3800157625180    | 3800157628945 | 3800157628938    |

## GU10 SOCKET

■ NOT INCLUDED ■




BOX QTY.  
**100**BOX QTY.  
**100**

## Ferrum Fitting

|                   |               |               |
|-------------------|---------------|---------------|
| Model No:         | VT-780        | VT-780        |
| SKU Code:         | 3593          | 3594          |
| Base:             | GU10          | GU10          |
| Material:         | Ferrum        | Ferrum        |
| Shape:            | Round         | Round         |
| Color of Fixture: | White         | Satin Nickel  |
| Dimension:        | Φ100 x 45mm   | Φ100 x 45mm   |
| Cutting Size:     | Φ90mm         | Φ90mm         |
| EAN Code:         | 3800157607223 | 3800157607230 |
| IP Rating:        |               |               |

## GU10 SOCKET

■ NOT INCLUDED ■



BOX QTY.  
**200**BOX QTY.  
**200**BOX QTY.  
**200**

## Ferrum Fitting

|                   |               |               |               |
|-------------------|---------------|---------------|---------------|
| Model No:         | VT-778        | VT-778        | VT-778        |
| SKU Code:         | 3584          | 3585          | 3586          |
| Base:             | GU10          | GU10          | GU10          |
| Material:         | Ferrum        | Ferrum        | Ferrum        |
| Shape:            | Round         | Round         | Round         |
| Color of Fixture: | White         | Satin Nickel  | Chrome        |
| Dimension:        | Φ80 x 30mm    | Φ80 x 30mm    | Φ80 x 30mm    |
| Cutting Size:     | Φ65mm         | Φ65mm         | Φ65mm         |
| EAN Code:         | 3800157607131 | 3800157607148 | 3800157607155 |

## GU10 SOCKET



■ NOT INCLUDED ■



|                   |               |               |               |
|-------------------|---------------|---------------|---------------|
| Model No:         | VT-774        | VT-774        | VT-774        |
| SKU Code:         | 3642          | 3643          | 3644          |
| Base:             | GU10          | GU10          | GU10          |
| Material:         | Aluminium     | Aluminium     | Aluminium     |
| Shape:            | Round         | Round         | Round         |
| Color of Fixture: | White         | Satin Nickel  | Metallic Grey |
| Dimension:        | Ø81 x 34mm    | Ø81 x 34mm    | Ø81 x 34mm    |
| Cutting Size:     | Ø73mm         | Ø73mm         | Ø73mm         |
| EAN Code:         | 3800157617086 | 3800157617093 | 3800157617109 |


## GU10 SOCKET

■ NOT INCLUDED ■




|                   |               |               |               |
|-------------------|---------------|---------------|---------------|
| Model No:         | VT-775        | VT-775        | VT-775        |
| SKU Code:         | 3645          | 3646          | 3647          |
| Base:             | GU10          | GU10          | GU10          |
| Material:         | Aluminium     | Aluminium     | Aluminium     |
| Shape:            | Round         | Round         | Round         |
| Color of Fixture: | White         | Satin Nickel  | Metallic Grey |
| Dimension:        | Ø95 x 32mm    | Ø95 x 32mm    | Ø95 x 32mm    |
| Cutting Size:     | Ø85mm         | Ø85mm         | Ø85mm         |
| EAN Code:         | 3800157617116 | 3800157617123 | 3800157617130 |

**GU10 SOCKET**  
■ NOT INCLUDED ■




BOX QTY.

**100**



BOX QTY.

**50**




BOX QTY.

**50**

Aluminium Fitting


|                   |               |                 |               |
|-------------------|---------------|-----------------|---------------|
| Model No:         | VT-782        | VT-783          | VT-784        |
| SKU Code:         | 3599          | 3601            | 3603          |
| Base:             | GU10          | GU10            | GU10          |
| Material:         | Aluminum      | Aluminum        | Aluminum      |
| Shape:            | Round         | Round           | Round         |
| Color of Fixture: | White         | White           | White         |
| Dimension:        | Ø91 x 25mm    | 173 x 91 x 25mm | 255 x 91 x 25 |
| Cutting Size:     | Ø75mm         | 155 x 75mm      | 235 x 75      |
| EAN Code:         | 3800157607285 | 3800157607308   | 3800157607322 |

**GU10 SOCKET**  
■ NOT INCLUDED ■




BOX QTY.

**100**



BOX QTY.

**50**




BOX QTY.

**50**

Aluminium Fitting


|                   |                |                 |                 |
|-------------------|----------------|-----------------|-----------------|
| Model No:         | VT-782         | VT-783          | VT-784          |
| SKU Code:         | 3600           | 3602            | 3604            |
| Base:             | GU10           | GU10            | GU10            |
| Material:         | Aluminum       | Aluminum        | Aluminum        |
| Shape:            | Round          | Round           | Round           |
| Color of Fixture: | Aluminum Brush | Aluminum Brush  | Aluminum Brush  |
| Dimension:        | Ø91 x 25mm     | 173 x 91 x 25mm | 255 x 91 x 25mm |
| Cutting Size:     | Ø75mm          | 155 x 75mm      | 235 x 75mm      |
| EAN Code:         | 3800157607292  | 3800157607315   | 3800157607339   |

**GU10 SOCKET**  
■ NOT INCLUDED ■




BOX QTY.

**100**



BOX QTY.

**50**




BOX QTY.

**50**

Aluminium Fitting


|                   |                |                 |                 |
|-------------------|----------------|-----------------|-----------------|
| Model No:         | VT-782         | VT-783          | VT-784          |
| SKU Code:         | 3605           | 3607            | 3609            |
| Base:             | GU10           | GU10            | GU10            |
| Material:         | Aluminum       | Aluminum        | Aluminum        |
| Shape:            | Square         | Square          | Square          |
| Color of Fixture: | White          | White           | White           |
| Dimension:        | 91 x 91 x 25mm | 173 x 91 x 25mm | 255 x 91 x 25mm |
| Cutting Size:     | 75mm           | 155 x 75mm      | 235 x 75mm      |
| EAN Code:         | 3800157607346  | 3800157607360   | 3800157607384   |

**GU10 SOCKET**  
■ NOT INCLUDED ■




BOX QTY.

**100**



BOX QTY.

**50**



BOX QTY.



**50**

Aluminium Fitting

|                   |                |                 |                 |
|-------------------|----------------|-----------------|-----------------|
| Model No:         | VT-782         | VT-783          | VT-784          |
| SKU Code:         | 3606           | 3608            | 3610            |
| Base:             | GU10           | GU10            | GU10            |
| Material:         | Aluminum       | Aluminum        | Aluminum        |
| Shape:            | Square         | Square          | Square          |
| Color of Fixture: | Aluminum Brush | Aluminum Brush  | Aluminum Brush  |
| Dimension:        | 91 x 91 x 25mm | 173 x 91 x 25mm | 255 x 91 x 25mm |
| Cutting Size:     | 75mm           | 155 x 75mm      | 235 x 75mm      |
| EAN Code:         | 3800157607353  | 3800157607377   | 3800157607391   |

## GU10 SOCKET

■ NOT INCLUDED ■




BOX QTY.  
100BOX QTY.  
100

## Aluminium Fitting

|                   |               |               |
|-------------------|---------------|---------------|
| Model No:         | VT-785        | VT-786        |
| SKU Code:         | 3611          | 3612          |
| Base:             | GU10          | GU10          |
| Material:         | Aluminum      | Aluminum      |
| Shape:            | Round         | Round         |
| Color of Fixture: | White         | White         |
| Dimension:        | Ø88 x 38mm    | Ø88 x 38mm    |
| Cutting Size:     | Ø75mm         | Ø75mm         |
| EAN Code:         | 3800157607407 | 3800157607414 |

## GU10 SOCKET

■ NOT INCLUDED ■


BOX QTY.  
100BOX QTY.  
100BOX QTY.  
100

## Aluminium Fitting


|                   |               |               |                 |
|-------------------|---------------|---------------|-----------------|
| Model No:         | VT-7227       | VT-7227       | VT-7227         |
| SKU Code:         | 3469          | 3470          | 3471            |
| Base:             | GU10          | GU10          | GU10            |
| Material:         | Ferrum        | Ferrum        | Ferrum          |
| Shape:            | Round         | Round         | Round           |
| Color of Fixture: | White         | Satin Nickel  | Stainless Steel |
| Dimension:        | Ø82 x 25mm    | Ø82 x 25mm    | Ø82 x 25mm      |
| Cutting Size:     | Ø74mm         | Ø74mm         | Ø74mm           |
| EAN Code:         | 3800157605885 | 3800157605892 | 3800157605908   |

## GU10 SOCKET


■ NOT INCLUDED ■



BOX QTY.  
100



BOX QTY.  
100




BOX QTY.  
100


### Aluminium Fitting

|               |               |               |                 |
|---------------|---------------|---------------|-----------------|
| Model No:     | VT-7227       | VT-7227       | VT-7227         |
| SKU Code:     | 3472          | 3473          | 3474            |
| Holder:       | GU10          | GU10          | GU10            |
| Material:     | Ferrum        | Ferrum        | Ferrum          |
| Based:        | Recessed      | Recessed      | Recessed        |
| Body Color:   | White         | Satin Nickel  | Stainless Steel |
| Shape:        | Square        | Square        | Square          |
| Dimension:    | 82 x 82 x22mm | 82 x 82 x22mm | 82 x 82 x22mm   |
| Cutting Size: | 74 x74mm      | 74 x74mm      | 74 x74mm        |
| EAN Code:     | 3800157605915 | 3800157605922 | 3800157605939   |

## ZOOM FITTINGS




## ZOOM FITTINGS



## IP54 RATED

BOX QTY.  
50



## GU10 SOCKET

■ NOT INCLUDED ■

## NEW

### Aluminium Fitting

|                   |               |               |               |
|-------------------|---------------|---------------|---------------|
| Model No:         | VT-700        | VT-700        | VT-711        |
| SKU Code:         | 3689          | 3690          | 3669          |
| Base:             | GU10          | GU10          | GU10          |
| Material:         | Aluminum      | Aluminum      | Aluminum      |
| Shape:            | Round         | Round         | Round         |
| Color of Fixture: | White         | Satin Nickel  | White         |
| Dimension:        | 102 x 46mm    | 102 x 46mm    | 82 x 101mm    |
| Cutting Size:     | 93mm          | 93mm          | N/A           |
| EAN Code:         | 3800157628501 | 3800157628518 | 3800157625135 |
| IP Rating:        | IP20          | IP20          | IP54          |

**GU10 SOCKET**  
■ NOT INCLUDED ■



Aluminium Fitting

|                   |                          |                          |
|-------------------|--------------------------|--------------------------|
| Model No:         | VT-787                   | VT-787                   |
| SKU Code:         | 3615                     | 3616                     |
| Base:             | GU10                     | GU10                     |
| Material:         | Zinc alloy+Ferrum +Glass | Zinc alloy+Ferrum +Glass |
| Shape:            | Square                   | Square                   |
| Color of Fixture: | White                    | Satin Nickel             |
| Dimension:        | 84 x 84 x 38mm           | 84 x 84 x 38mm           |
| Cutting Size:     | Φ75mm                    | Φ75mm                    |
| EAN Code:         | 3800157607445            | 3800157607452            |
| IP Rating:        | IP54                     | IP54                     |

**GU10 SOCKET**  
■ NOT INCLUDED ■



Aluminium Fitting

|                   |                          |                          |
|-------------------|--------------------------|--------------------------|
| Model No:         | VT-787                   | VT-787                   |
| SKU Code:         | 3613                     | 3614                     |
| Base:             | GU10                     | GU10                     |
| Material:         | Zinc alloy+Ferrum +Glass | Zinc alloy+Ferrum +Glass |
| Shape:            | Round                    | Round                    |
| Color of Fixture: | White                    | Satin Nickel             |
| Dimension:        | Φ84 x 38mm               | Φ84 x 38mm               |
| Cutting Size:     | Φ75                      | Φ75mm                    |
| EAN Code:         | 3800157607421            | 3800157607438            |
| IP Rating:        | IP54                     | IP54                     |



## GU10 SOCKET

■ NOT INCLUDED ■



Φ100 mm

BOX QTY.  
100

## Aluminum+Ferrum Fitting

Model No:

VT-781

SKU Code:

3595

Base:

GU10

Material:

Aluminum+Ferrum

Shape:

Round

Color of Fixture:

White

Dimension:


Φ100 x 45mm

Cutting Size:

Φ90mm

EAN Code:

3800157607247



Φ100 mm

BOX QTY.  
100

45 mm

VT-781

3596

GU10

Aluminum+Ferrum

Round

Satin Nickel


Φ100 x 38mm

Φ90mm

3800157607254

## GU10 SOCKET

■ NOT INCLUDED ■



100 mm

BOX QTY.  
100

## Aluminum+Ferrum Fitting

Model No:

VT-781

SKU Code:

3597

Base:

GU10

Material:

Aluminum+Ferrum

Shape:

Square

Color of Fixture:

White

Dimension:

100 x 100 x 38mm

Cutting Size:

90 x 90mm

EAN Code:

3800157607261



100 mm

BOX QTY.  
100

38 mm

VT-781

3598

GU10

Aluminum+Ferrum

Square

Satin Nickel




100 x 100 x 38mm

90 x 90mm

3800157607278

## GU10 SOCKET

■ NOT INCLUDED ■




BOX QTY.  
100BOX QTY.  
100BOX QTY.  
100

## Zinc Alloy Fitting

|                   |               |               |               |
|-------------------|---------------|---------------|---------------|
| Model No:         | VT-779        | VT-779        | VT-779        |
| SKU Code:         | 3590          | 3591          | 3592          |
| Base:             | GU10          | GU10          | GU10          |
| Material:         | Zinc alloy    | Zinc alloy    | Zinc alloy    |
| Shape:            | Square        | Square        | Square        |
| Color of Fixture: | White         | Satin Nickel  | Chrome        |
| Dimension:        | 82 x 82 x25mm | 82 x 82 x25mm | 82 x 82 x25mm |
| Cutting Size:     | Φ74mm         | Φ74mm         | Φ74mm         |
| EAN Code:         | 3800157607193 | 3800157607209 | 3800157607216 |


## GU10 SOCKET

■ NOT INCLUDED ■

BOX QTY.  
100BOX QTY.  
100BOX QTY.  
100

## Zinc Alloy Fitting

|                   |               |               |               |
|-------------------|---------------|---------------|---------------|
| Model No:         | VT-779        | VT-779        | VT-779        |
| SKU Code:         | 3587          | 3588          | 3589          |
| Base:             | GU10          | GU10          | GU10          |
| Material:         | Zinc Alloy    | Zinc alloy    | Zinc alloy    |
| Shape:            | Round         | Round         | Round         |
| Color of Fixture: | White         | Satin Nickel  | Chrome        |
| Dimension:        | Φ82 x 25mm    | Φ82 x 25mm    | Φ82 x 25mm    |
| Cutting Size:     | Φ74mm         | Φ74mm         | Φ74mm         |
| EAN Code:         | 3800157607162 | 3800157607179 | 3800157607186 |

**GU10**Ceiling/wall **Fitting**

BOX QTY.

**20**

BOX QTY.

**20**

BOX QTY.

**10**

SKU CODE

**3617****3618****3619**

DESCRIPTION

**1 x GU10 Track Fitting White****2 x GU10 Track Fitting White****3 x GU10 Track Fitting White**

EAN CODE

**3800157607469****3800157607476****3800157607483**

BOX QTY.

**500****GU10 Lamp Holder**  
With PVC Cable**5****PCS PACK**  
AVAILABLE

SKU-34235

**GU10 Lamp Holder**  
With PVC Cable

BOX QTY.

**500**

SKU Code

**3423**

Material

**Ceramic**

Wire Length

**150mm**

EAN Code

**3800157607827**

ModelNo.

**VT-791**

SKU Code

**3620**

Material

**Ceramic**

Wire Length

**158mm**

EAN Code

**3800157607704****MR16 Lamp Holder**  
With PVC Cable**5****PCS PACK**

BOX QTY.

**100**

ModelNo.

**VT-7889**

SKU Code

**36265**

Material

**Ceramic**

Wire Length

**150mm**

EAN Code

**3800157609999**

# LED Floodlights

V-TAC's LED Floodlights are ideal for lighting Driveways, Gardens and Buildings. These energy efficient lights emit Bright, Vibrant Light and make an eco-friendly alternative for traditional Halogen Floodlights and Metal Halide fixtures.





## Product Features

- Available in White , Warm White, Day White and RGB light output option
- Available from 10W up to 1000W
- Premium Quality Aluminium Alloy body
- Fascia glass sealed with SILICONE RUBBER ensuring superior waterproof / airtight performance
- High Power LED chip
- Built in constant current driver
- Built in Power supply, No external ballast required


## Applications

Widely used for Lighting Driveways, Gardens & Buildings, Commercial Bill Boards & Hoardings, Sports Grounds & Parking Lots

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicates the illuminated area and the average illumination when the luminaire is at different distance.



## 20W VT-4922

5789 - 3000K Warm White  
5790 - 4000K Day White  
5791 - 6400K White



EAN Code

3800157614634  
3800157614641  
3800157614658


BOX QTY.  
20

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 1600lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 148x181x34mm          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicates the illuminated area and the average illumination when the luminaire is at different distance.



## 30W VT-4933

5808 - 4000K Day White  
5809 - 6400K White



EAN Code

3800157614825  
3800157614832


BOX QTY.  
20

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 2550lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 217 x 174 x 35mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



## 50W VT-4955

5825 - 3000K Warm White  
5826 - 4000K Day White  
5827 - 6400K White



EAN Code

3800157614993  
3800157615006  
3800157615013


BOX QTY.  
**10**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 4250lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 237 x 194 x 38mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



## 100W VT-49100

5843 - 3000K Warm White  
5844 - 4000K Day White  
5845 - 6400K White




EAN Code

3800157615174  
3800157615181  
3800157615198

BOX QTY.  
**04**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 8500lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 293 x 41 x 231mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

## 150W VT-49150

5855 - 3000K Warm White  
5857 - 6400K White


EAN Code

3800157615297  
3800157615310


BOX QTY.  
**02**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 12750lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 411 x 313 x 51mm      |

NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 100W VT-49101

5970 - 3000K Warm White  
5971 - 4000K Day White  
5972 - 6400K White



EAN Code

3800157626231  
3800157626248  
3800157626255


BOX QTY.  
**04**

|                    |                  |                   |                    |
|--------------------|------------------|-------------------|--------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°               |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | White              |
| Luminous Flux:     | 8500lm           | Body Type:        | Aluminium Die Cast |
| CRI:               | >70              | IP Rating:        | IP65               |
| PF:                | >0.9             | Dimension:        | 291x 240 x 30mm    |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



200W VT-49200

EAN Code



5909 - 4000K Day White  
5910 - 6400K White

3800157619431  
3800157619448


BOX QTY.  
02

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240V/50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 17000lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 454 x 340 x 56mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



10W VT-4911

EAN Code

5776 - 6400K White



3800157614504

BOX QTY.  
20


|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey / Black          |
| Luminous Flux:     | 800lm            | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 136 x 113 x 28mm      |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.





**30W** VT-4933  
5811 - 4000K Day White

EAN Code  
3800157614856


BOX QTY.  
**20**

|                    |                         |                   |                              |
|--------------------|-------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>              | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:220-240V/50Hz</b> | Color of Fixture: | <b>Grey / Black</b>          |
| Luminous Flux:     | <b>2550lm</b>           | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>           | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>          | Dimension:        | <b>217 x 174 x 35mm</b>      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.





**50W** VT-4955  
5830 - 6400K White

EAN Code  
3800157615044

BOX QTY.  
**10**

|                    |                         |                   |                              |
|--------------------|-------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>              | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:220-240V/50Hz</b> | Color of Fixture: | <b>Grey / Black</b>          |
| Luminous Flux:     | <b>4250lm</b>           | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>           | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>          | Dimension:        | <b>237 x 194 x 38mm</b>      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 100W VT-49100


EAN Code

5846 - 3000K Warm White  
5847 - 4000K Day White  
5848 - 6400K White


3800157615204  
3800157615211  
3800157615228

BOX QTY.  
**04**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey / Black          |
| Luminous Flux:     | 8500lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 293 x 231 x 41mm      |



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



## 150W VT-49150


EAN Code

5858 - 3000K Warm White  
5859 - 4000K Day White  
5860 - 6400K White

3800157615327  
3800157615334  
3800157615341



BOX QTY.  
**02**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey / Black          |
| Luminous Flux:     | 12750lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 411x313 x 51mm        |




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.





**10W** VT-4911  
5779 - 6400K White

EAN Code  
3800157614535


BOX QTY.  
 **20**

|                    |                         |                   |                              |
|--------------------|-------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>              | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:220-240V/50Hz</b> | Color of Fixture: | <b>Black</b>                 |
| Luminous Flux:     | <b>800lm</b>            | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>           | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>          | Dimension:        | <b>136x211x8mm</b>           |

## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.






**20W** VT-4922  
5796 - 4000K Day White  
5797 - 6400K White

EAN Code  
3800157614702  
3800157614719

BOX QTY.  
 **20**

|                    |                         |                   |                              |
|--------------------|-------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>              | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:220-240V/50Hz</b> | Color of Fixture: | <b>Black</b>                 |
| Luminous Flux:     | <b>1600lm</b>           | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>           | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>          | Dimension:        | <b>181x148x34mm</b>          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at a different distance.

## 30W VT-4933

5813 - 3000K Warm White  
5814 - 4000K Day White  
5815 - 6400K White




EAN Code

3800157614870  
3800157614887  
3800157614894

BOX QTY.  
**20**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 2550lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 217 x 174 x 35mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at a different distance.

## 50W VT-4955

5832 - 4000K Day White  
5833 - 6400K White



EAN Code

3800157615068  
3800157615075

BOX QTY.  
**10**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 4250lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 237 x 194 x 38mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 100W VT-49100

EAN Code

5849 - 3000K Warm White

3800157615235

5850 - 4000K Day White


3800157615242

5851 - 6400K White


3800157615259

BOX QTY.  
**02**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 8500lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 293 x 231 x 41mm      |



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



## 150W VT-49150

EAN Code

5861 - 3000K Warm White

3800157615358

5862 - 4000K Day White


3800157615365

5863 - 6400K White

3800157615372

BOX QTY.  
**02**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 12750lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 411x 313 x 51mm       |



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



200W VT-49200

EAN Code



5911 - 4000K Day White  
5912 - 6400K White

3800157619455  
3800157619462


BOX QTY.  
02

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240V/50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 17000lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 454 x 340 x 56mm      |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires are at different distances.



## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



10W VT-4911

5782 - 6400K White


EAN Code

3800157614566

BOX QTY.



20

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey                  |
| Luminous Flux:     | 800lm            | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 136 x 113 x 28mm      |



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



20W VT-4922

5799 - 4000K Day White  
5800 - 6400K White

EAN Code



3800157614733  
3800157614740

BOX QTY.


20

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey                  |
| Luminous Flux:     | 1600lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 181x148x34mm          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



## 30W VT-4933

5816 - 3000K Warm White  
5817 - 4000K Day White  
5818 - 6400K White



EAN Code

3800157614900  
3800157614917  
3800157614924


BOX QTY.  
**20**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey                  |
| Luminous Flux:     | 2550lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 217 x 174 x 35mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



## 50W VT-4955

5834 - 3000K Warm White  
5835 - 4000K Day White  
5836 - 6400K White

EAN Code



3800157615082  
3800157615099  
3800157615105

BOX QTY.  
**20**

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey                  |
| Luminous Flux:     | 4250lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 237 x 194 x 38mm      |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 100W VT-49100


5852 - 3000K Warm White  
5853 - 4000K Day White  
5854 - 6400K White

EAN Code

3800157615266  
3800157615273  
3800157615280



BOX QTY.  
02

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey                  |
| Luminous Flux:     | 8500lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 293 x 231x 41mm       |



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 150W VT-49150


5864 - 3000K Warm White  
5866 - 6400K White

EAN Code

3800157615389  
3800157615402

BOX QTY.  
02

|                    |                  |                   |                       |
|--------------------|------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V/50Hz | Color of Fixture: | Grey                  |
| Luminous Flux:     | 12750lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70              | IP Rating:        | IP65                  |
| PF:                | >0.9             | Dimension:        | 411x 313 x 51mm       |



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



**200W** VT-49200

5913 - 4000K Day White  
5914 - 6400K White



EAN Code

3800157619479  
3800157619486


BOX QTY.  
**02**

|                    |                         |                   |                              |
|--------------------|-------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>              | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240V/50Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>17000lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>           | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>          | Dimension:        | <b>340 x 454x 56mm</b>       |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



20W VT-4820


EAN Code

**Green LED**

5760 / 5718 - Green



3800157611725 / 3800157604970

|                    |                     |                   |                       |
|--------------------|---------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                 | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Grey & Black          |
| Luminous Flux:     | 1600lm              | Body Type:        | Die casting Aluminium |
| CRI:               | >70                 | IP Rating:        | IP65                  |
| PF:                | >0.95               | Dimension:        | 182 x 142 x 36mm      |



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM  
Luminous Intensity Distribution Curve



100W VT-48100-1


EAN Code

5766 / 5713 - 4500K Day White

3800157611787 / 3800157604543

BOX QTY.  
**04**

|                    |                     |                   |                       |
|--------------------|---------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                 | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Grey & Black          |
| Luminous Flux:     | 8000lm              | Body Type:        | Die casting Aluminium |
| CRI:               | >70                 | IP Rating:        | IP65                  |
| PF:                | >0.9                | Dimension:        | 353 x 268 x 46mm      |



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



**300W** VT-48302

5731 - 4500K Day White  
5732 - 6000K White


EAN Code

3800157606141  
3800157606158


BOX QTY.  
 **02**

|                    |                            |                   |                              |
|--------------------|----------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>                 | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:220-240V,50/60Hz</b> | Color of Fixture: | <b>Grey &amp; Black</b>      |
| Luminous Flux:     | <b>24000lm</b>             | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>              | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>             | Dimension:        | <b>532 x 443 x 70 mm</b>     |


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




The Average Illuminance Effective Figure



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.






## 10W VT-4611

5898 - 3000K Warm White  
5899 - 4500K Day White  
5900 - 6000K White


BOX QTY.  
 **50**

EAN Code

3800157619219  
3800157619226  
3800157619233



|                    |                        |                   |                         |
|--------------------|------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>             | Beam Angle:       | <b>110°</b>             |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>White</b>            |
| Luminous Flux:     | <b>850lm</b>           | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP65</b>             |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>122 x 105 x 30mm</b> |




## 10W VT-4611

5875 - 3000K Warm White  
5876 - 4500K Day White  
5877 - 6000K White


BOX QTY.  
 **20**

EAN Code

3800157615976  
3800157615983  
3800157615990



|                    |                        |                   |                         |
|--------------------|------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>             | Beam Angle:       | <b>110°</b>             |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Black</b>            |
| Luminous Flux:     | <b>850lm</b>           | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP65</b>             |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>122 x 105 x 30mm</b> |




## 20W VT-4621

5878 - 3000K Warm White  
5879 - 4500K Day White  
5880 - 6000K White


BOX QTY.  
 **20**

EAN Code

3800157616003  
3800157616010  
3800157616027



|                    |                        |                   |                         |
|--------------------|------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>             | Beam Angle:       | <b>110°</b>             |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Black</b>            |
| Luminous Flux:     | <b>1700lm</b>          | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP65</b>             |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>168 x 135 x 30mm</b> |




## 30W VT-4631

5881 - 3000K Warm White  
5882 - 4500K Day White  
5883 - 6000K White


BOX QTY.  
20

EAN Code

3800157616034  
3800157616041  
3800157616058



|                    |                 |                   |                |
|--------------------|-----------------|-------------------|----------------|
| Sensor Compatible: | Yes             | Beam Angle:       | 110°           |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | Black          |
| Luminous Flux:     | 2550lm          | Body Type:        | Aluminium      |
| CRI:               | >70             | IP Rating:        | IP65           |
| PF:                | >0.9            | Dimension:        | 213 x 168 x 32 |




## 50W VT-4651

5884 - 3000K Warm White  
5885 - 4500K Day White  
5886 - 6000K White


BOX QTY.  
10

EAN Code

3800157616065  
3800157616072  
3800157616089



|                    |                 |                   |                  |
|--------------------|-----------------|-------------------|------------------|
| Sensor Compatible: | Yes             | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | Black            |
| Luminous Flux:     | 4250lm          | Body Type:        | Aluminium        |
| CRI:               | >70             | IP Rating:        | IP65             |
| PF:                | >0.9            | Dimension:        | 255 x 196 x 36mm |




## 50W VT-4651

5904 - 3000K Warm White  
5905 - 4500K Day White  
5906 - 6000K White

BOX QTY.  
10



EAN Code

3800157619370  
3800157619387  
3800157619394



|                    |                 |                   |                |
|--------------------|-----------------|-------------------|----------------|
| Sensor Compatible: | Yes             | Beam Angle:       | 110°           |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | White          |
| Luminous Flux:     | 4250            | Body Type:        | Aluminium      |
| CRI:               | >70             | IP Rating:        | IP65           |
| PF:                | >0.9            | Dimension:        | 255 x 196 x 36 |

NEW



## 100W VT-46100

EAN Code

5887 - 3000K Warm White

3800157616096

5888 - 4500K Day White

3800157616102

5889 - 6000K White


3800157616119

BOX QTY.

10

|                    |                     |                   |                  |
|--------------------|---------------------|-------------------|------------------|
| Sensor Compatible: | Yes                 | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black            |
| Luminous Flux:     | 8500lm              | Body Type:        | Aluminium        |
| CRI:               | >70                 | IP Rating:        | IP65             |
| PF:                | >0.9                | Dimension:        | 345 x 265 x 45mm |

NEW



## 150W VT-46150

EAN Code

5890 - 4500K Day White

3800157616126

5891 - 6000K White



3800157616133

BOX QTY.

05

|                    |                     |                   |                  |
|--------------------|---------------------|-------------------|------------------|
| Sensor Compatible: | Yes                 | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black            |
| Luminous Flux:     | 12750lm             | Body Type:        | Aluminium        |
| CRI:               | >70                 | IP Rating:        | IP65             |
| PF:                | >0.9                | Dimension:        | 375 x 292 x 45mm |

**NEW**



**200W VT-46200**

**5892 - 4500K Day White**  
**5893 - 6000K White**



EAN Code

3800157616140  
3800157616157

**BOX QTY.**  
**05**

|                    |                            |                   |                         |
|--------------------|----------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>                 | Beam Angle:       | <b>110°</b>             |
| Voltage/Frequency: | <b>AC:220-240V,50/60Hz</b> | Color of Fixture: | <b>Black</b>            |
| Luminous Flux:     | <b>17000lm</b>             | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt;70</b>              | IP Rating:        | <b>IP65</b>             |
| PF:                | <b>&gt;0.9</b>             | Dimension:        | <b>415 x 332 x 45mm</b> |

**NEW**



**200W VT-46200**

**5907 - 4500K Day White**  
**5908 - 6000K White**

EAN Code


3800157619400  
3800157619417

**BOX QTY.**  
**05**

|                    |                            |                   |                         |
|--------------------|----------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>                 | Beam Angle:       | <b>110°</b>             |
| Voltage/Frequency: | <b>AC:220-240V,50/60Hz</b> | Color of Fixture: | <b>White</b>            |
| Luminous Flux:     | <b>17000lm</b>             | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt;70</b>              | IP Rating:        | <b>IP65</b>             |
| PF:                | <b>&gt;0.9</b>             | Dimension:        | <b>415 x 332 x 45mm</b> |



**NEW**



## 10W VT-4011


5943 - 3000K Warm White  
5944 - 4000K Day White  
5945 - 6500K White

BOX QTY.

**40**


EAN Code

3800157625364  
3800157625371  
3800157625388



|                    |                         |                   |                         |
|--------------------|-------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>              | Beam Angle:       | <b>110°</b>             |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Color of Fixture: | <b>White</b>            |
| Luminous Flux:     | <b>850lm</b>            | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt;70</b>           | IP Rating:        | <b>IP65</b>             |
| PF:                | <b>&gt;0.9</b>          | Dimension:        | <b>110 x 112 x 22mm</b> |

**NEW**



## 20W VT-4021


5949 - 3000K Warm White  
5950 - 4000K Day White  
5951 - 6500K White

BOX QTY.

**20**


EAN Code

3800157625425  
3800157625432  
3800157625449



|                    |                         |                   |                         |
|--------------------|-------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>              | Beam Angle:       | <b>110°</b>             |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Color of Fixture: | <b>White</b>            |
| Luminous Flux:     | <b>1700lm</b>           | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt;70</b>           | IP Rating:        | <b>IP65</b>             |
| PF:                | <b>&gt;0.9</b>          | Dimension:        | <b>150 x 143 x 26mm</b> |

**NEW**



## 30W VT-4031


5955 - 3000K Warm White  
5956 - 4000K Day White  
5957 - 6500K White

BOX QTY.

**20**


EAN Code

3800157625487  
3800157625494  
3800157625500



|                    |                         |                   |                         |
|--------------------|-------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>              | Beam Angle:       | <b>110°</b>             |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Color of Fixture: | <b>White</b>            |
| Luminous Flux:     | <b>2550lm</b>           | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt;70</b>           | IP Rating:        | <b>IP65</b>             |
| PF:                | <b>&gt;0.9</b>          | Dimension:        | <b>185 x 163 x 26mm</b> |

NEW




## 50W VT-4051

EAN Code

5961 - 3000K Warm White  
5962 - 4000K Day White  
5963 - 6500K White


3800157625548  
3800157625555  
3800157625562

BOX QTY.  
10



|                    |                  |                   |                  |
|--------------------|------------------|-------------------|------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50Hz | Color of Fixture: | White            |
| Luminous Flux:     | 4250lm           | Body Type:        | Aluminium        |
| CRI:               | >70              | IP Rating:        | IP65             |
| PF:                | >0.9             | Dimension:        | 245 x 192 x 28mm |

NEW




## 100W VT-40101

EAN Code

5967 - 3000K Warm White  
5968 - 4000K Day White  
5969 - 6500K White


3800157625609  
3800157625616  
3800157625623

BOX QTY.  
05



|                    |                  |                   |                  |
|--------------------|------------------|-------------------|------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50Hz | Color of Fixture: | White            |
| Luminous Flux:     | 8500lm           | Body Type:        | Aluminium        |
| CRI:               | >70              | IP Rating:        | IP65             |
| PF:                | >0.9             | Dimension:        | 330 x 271 x 33mm |

NEW



## 10W VT-4011

5940 - 3000K Warm White

5941 - 4000K Day White

5942 - 6500K White

BOX QTY.


40

EAN Code

3800157625333


3800157625340

3800157625357



|                    |                  |                   |                  |
|--------------------|------------------|-------------------|------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50Hz | Color of Fixture: | Black            |
| Luminous Flux:     | 850lm            | Body Type:        | Aluminium        |
| CRI:               | >70              | IP Rating:        | IP65             |
| PF:                | >0.9             | Dimension:        | 110 x 112 x 22mm |

NEW



## 20W VT-4021

5946 - 3000K Warm White

5947 - 4000K Day White

5948 - 6500K White

BOX QTY.


20

EAN Code

3800157625395


3800157625401

3800157625418



|                    |                  |                   |                  |
|--------------------|------------------|-------------------|------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50Hz | Color of Fixture: | Black            |
| Luminous Flux:     | 1700lm           | Body Type:        | Aluminium        |
| CRI:               | >70              | IP Rating:        | IP65             |
| PF:                | >0.9             | Dimension:        | 150 x 143 x 26mm |

NEW



## 30W VT-4031

5952 - 3000K Warm White

5953 - 4000K Day White

5954 - 6500K White

BOX QTY.


20

EAN Code

3800157625456


3800157625463

3800157625470



|                    |                  |                   |                  |
|--------------------|------------------|-------------------|------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50Hz | Color of Fixture: | Black            |
| Luminous Flux:     | 2550lm           | Body Type:        | Aluminium        |
| CRI:               | >70              | IP Rating:        | IP65             |
| PF:                | >0.9             | Dimension:        | 185 x 163 x 26mm |

NEW




## 50W VT-4051

EAN Code

5958 - 3000K Warm White  
5959 - 4000K Day White  
5960 - 6500K White


3800157625517  
3800157625524  
3800157625531

BOX QTY.  
**10**



|                    |                  |                   |                  |
|--------------------|------------------|-------------------|------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50Hz | Color of Fixture: | Black            |
| Luminous Flux:     | 4250lm           | Body Type:        | Aluminium        |
| CRI:               | >70              | IP Rating:        | IP65             |
| PF:                | >0.9             | Dimension:        | 245 x 192 x 28mm |

NEW




## 100W VT-40101

EAN Code

5964 - 3000K Warm White  
5965 - 4000K Day White  
5966 - 6500K White

3800157625579  
3800157625586  
3800157625593

BOX QTY.  
**05**





|                    |                  |                   |                  |
|--------------------|------------------|-------------------|------------------|
| Sensor Compatible: | Yes              | Beam Angle:       | 110°             |
| Voltage/Frequency: | AC:220-240V,50Hz | Color of Fixture: | Black            |
| Luminous Flux:     | 8500lm           | Body Type:        | Aluminium        |
| CRI:               | >70              | IP Rating:        | IP65             |
| PF:                | >0.9             | Dimension:        | 330 x 271 x 33mm |

NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### 3 METER WIRE WITH EU PLUG

30W VT-4230

EAN Code

5927 - 4000K Day White  
5928 - 6400K White

3800157622837  
3800157622844



BOX QTY.  
10

|                    |                    |                   |                    |
|--------------------|--------------------|-------------------|--------------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 100°               |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Color of Fixture: | Black              |
| Luminous Flux:     | 2550lm             | Body Type:        | Aluminium Die Cast |
| CRI:               | >70                | IP Rating:        | IP65               |
| PF:                | >0.9               | Dimension:        | 243x 275x 184mm    |

NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### 3 METER WIRE WITH EU PLUG

50W VT-4250

EAN Code

5929 - 4000K Day White  
5930 - 6400K White

3800157622851  
3800157622868



BOX QTY.  
10

|                    |                    |                   |                    |
|--------------------|--------------------|-------------------|--------------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 100°               |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Color of Fixture: | Black              |
| Luminous Flux:     | 4250lm             | Body Type:        | Aluminium Die Cast |
| CRI:               | >70                | IP Rating:        | IP65               |
| PF:                | >0.9               | Dimension:        | 278 x 313 x 183mm  |

NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### 3 METER WIRE WITH BS PLUG

50W VT-4251

EAN Code

5933 - 6400K White

3800157622899

BOX QTY.



10

|                    |                     |                   |                    |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes                 | Beam Angle:       | 100°               |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black              |
| Luminous Flux:     | 4250lm              | Body Type:        | Aluminium Die Cast |
| CRI:               | >70                 | IP Rating:        | IP65               |
| PF:                | >0.9                | Dimension:        | 278x 313x 183mm    |

NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### 3 METER WIRE WITH EU PLUG

100W VT-42100

EAN Code

5931 - 4000K Day White  
5932 - 6400K White3800157622875  
3800157622882

BOX QTY.

04

|                    |                    |                   |                    |
|--------------------|--------------------|-------------------|--------------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 100°               |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Color of Fixture: | Black              |
| Luminous Flux:     | 8500lm             | Body Type:        | Aluminium Die Cast |
| CRI:               | >70                | IP Rating:        | IP65               |
| PF:                | >0.9               | Dimension:        | 354 x 378 x 184mm  |

**30W** VT-4734

5661 - 3000K Warm White

5662 - 4500K Day White

5663 - 6000K White


BOX QTY.  
**12**

## EAN Code

3800157603089

3800157603096

3800157603102



|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>             | Beam Angle:       | <b>90°</b>                   |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>2400lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>274 x 188 x 73mm</b>      |

**50W** VT-4754

5664 - 3000K Warm White

5665 - 4500K Day White

5666 - 6000K White


BOX QTY.  
**05**

## EAN Code

3800157603119

3800157603126

3800157603133



|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>4000lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>335 x 239 x 120mm</b>     |

**100W** VT-47104

5667 - 3000K Warm White

5668 - 4500K Day White

5669 - 6000K White


BOX QTY.  
**05**

## EAN Code

3800157603140

3800157603157

3800157603164



|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>8000lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>405 x 288 x 130mm</b>     |


## LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.



The advanced motion sensor PIR detects movement within a range of 2 - 8 meter and can also be adjusted to 3 different functions.



### Colour Temperatures



### Salient Features




- Available in two refined body colour options (black and white)
- ⚡ Available from 10W up to 50W
- 📦 Premium Quality Aluminium Alloy body
- 🛡️ Corrosion Resistant
- ⚙️ High Power LED chip
- 🔧 Built in driver - no external power supply required
- 👤 High quality Fresnel lens for excellent coverage area
- 🔌 Integrated circuit designed for instant start-up on Detection

Elevated level of Energy saving with LED + PIR





### LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

10W VT-4911

EAN Code

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

5786 - 3000K Warm White

3800157614603

5787 - 4000K Day White

3800157614610




5788 - 6400K White

3800157614627

BOX QTY.  
20

|                    |                 |                   |                       |
|--------------------|-----------------|-------------------|-----------------------|
| Watts:             | 10W             | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 800lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70             | IP Rating:        | IP44                  |
| PF:                | >0.9            | Dimension:        | 113 x 178 x 47mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

20W VT-4922

EAN Code

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

**5804 - 3000K Warm White**

3800157614788

5805 - 4000K Day White

3800157614795




5806 - 6400K White

3800157614801

BOX QTY.  
20

|                    |                 |                   |                       |
|--------------------|-----------------|-------------------|-----------------------|
| Watts:             | 20W             | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 1600lm          | Body Type:        | Die casting Aluminium |
| GRI:               | >70             | IP Rating:        | IP44                  |
| PF:                | >0.9            | Dimension:        | 181 x 205 x 57mm      |

### LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

## 30W VT-4933

5822 - 3000K Warm White  
5823 - 4000K Day White  
5824 - 6400K White

EAN Code




3800157614962  
3800157614979  
3800157614986

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

BOX QTY.  
20

|                    |                 |                   |                       |
|--------------------|-----------------|-------------------|-----------------------|
| Watts:             | 30W             | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 2550lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70             | IP Rating:        | IP44                  |
| PF:                | >0.9            | Dimension:        | 217 x 231 x59mm       |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

## 50W VT-4955

5840 - 3000K Warm White  
5841 - 4000K Day White  
5842 - 6400K White

EAN Code



3800157615143  
3800157615150  
3800157615167

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

BOX QTY.  
10

|                    |                 |                   |                       |
|--------------------|-----------------|-------------------|-----------------------|
| Watts:             | 50W             | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 4250lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70             | IP Rating:        | IP44                  |
| PF:                | >0.9            | Dimension:        | 237 x251x 62mm        |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 10W VT-4911


EAN Code

5783 - 3000K Warm White  
5784 - 4000K Day White  
5785 - 6400K White

3800157614573  
3800157614580  
3800157614597

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**



BOX QTY.  
**20**



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

|                    |                 |                   |                       |
|--------------------|-----------------|-------------------|-----------------------|
| Watts:             | 10W             | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 800lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70             | IP Rating:        | IP44                  |
| PF:                | >0.9            | Dimension:        | 113 x 178 x 47mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 20W VT-4922


EAN Code

5801 - 3000K Warm White  
5802 - 4000K Day White  
5803 - 6400K White

3800157614757  
3800157614764  
3800157614771

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**



BOX QTY.  
**20**



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

|                    |                 |                   |                       |
|--------------------|-----------------|-------------------|-----------------------|
| Watts:             | 20W             | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 1600lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70             | IP Rating:        | IP44                  |
| PF:                | >0.9            | Dimension:        | 181 x 205 x 57mm      |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 30W VT-4933


EAN Code

5819 - 3000K Warm White  
5820 - 4000K Day White  
5821 - 6400K White

3800157614931  
3800157614948  
3800157614955

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**



BOX QTY.  
**20**



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

|                    |                 |                   |                       |
|--------------------|-----------------|-------------------|-----------------------|
| Watts:             | 30W             | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 2550lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70             | IP Rating:        | IP44                  |
| PF:                | >0.9            | Dimension:        | 217 x 231 x59mm       |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## 50W VT-4955


EAN Code

5837 - 3000K Warm White  
5838 - 4000K Day White  
5839 - 6400K White

3800157615112  
3800157615129  
3800157615136

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**


BOX QTY.  
**10**



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

|                    |                 |                   |                       |
|--------------------|-----------------|-------------------|-----------------------|
| Watts:             | 50W             | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:200-240,50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 4250lm          | Body Type:        | Die casting Aluminium |
| CRI:               | >70             | IP Rating:        | IP44                  |
| PF:                | >0.9            | Dimension:        | 237 x251x 62mm        |


## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### The average illuminance effective figure

|       |                 |       |                 |
|-------|-----------------|-------|-----------------|
| 1.0m  | 18.0lx / 18.0lx | 1.0m  | 18.0lx / 18.0lx |
| 2.0m  | 4.5lx / 4.5lx   | 2.0m  | 4.5lx / 4.5lx   |
| 3.0m  | 2.0lx / 2.0lx   | 3.0m  | 2.0lx / 2.0lx   |
| 4.0m  | 1.1lx / 1.1lx   | 4.0m  | 1.1lx / 1.1lx   |
| 5.0m  | 0.7lx / 0.7lx   | 5.0m  | 0.7lx / 0.7lx   |
| 6.0m  | 0.5lx / 0.5lx   | 6.0m  | 0.5lx / 0.5lx   |
| 7.0m  | 0.4lx / 0.4lx   | 7.0m  | 0.4lx / 0.4lx   |
| 8.0m  | 0.3lx / 0.3lx   | 8.0m  | 0.3lx / 0.3lx   |
| 9.0m  | 0.2lx / 0.2lx   | 9.0m  | 0.2lx / 0.2lx   |
| 10.0m | 0.1lx / 0.1lx   | 10.0m | 0.1lx / 0.1lx   |

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



## 10W VT-4810-1 PIR

5746 - 3000K Warm White  
5747 - 4500K Day White

EAN Code


3800157608206  
3800157608213

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

**BOX QTY.**  
**20**

|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Watts:             | <b>10W</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>White</b>                 |
| Luminous Flux:     | <b>800lm</b>           | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP44</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>133x178x47mm</b>          |


## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### The average illuminance effective figure

|       |                 |       |                 |
|-------|-----------------|-------|-----------------|
| 1.0m  | 18.0lx / 18.0lx | 1.0m  | 18.0lx / 18.0lx |
| 2.0m  | 4.5lx / 4.5lx   | 2.0m  | 4.5lx / 4.5lx   |
| 3.0m  | 2.0lx / 2.0lx   | 3.0m  | 2.0lx / 2.0lx   |
| 4.0m  | 1.1lx / 1.1lx   | 4.0m  | 1.1lx / 1.1lx   |
| 5.0m  | 0.7lx / 0.7lx   | 5.0m  | 0.7lx / 0.7lx   |
| 6.0m  | 0.5lx / 0.5lx   | 6.0m  | 0.5lx / 0.5lx   |
| 7.0m  | 0.4lx / 0.4lx   | 7.0m  | 0.4lx / 0.4lx   |
| 8.0m  | 0.3lx / 0.3lx   | 8.0m  | 0.3lx / 0.3lx   |
| 9.0m  | 0.2lx / 0.2lx   | 9.0m  | 0.2lx / 0.2lx   |
| 10.0m | 0.1lx / 0.1lx   | 10.0m | 0.1lx / 0.1lx   |

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



## 20W VT-4820-1 PIR

5756 - 3000K Warm White  
5749 - 4500K Day White  
5750 - 6000K White

EAN Code


3800157611688  
3800157608862  
3800157608879

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**


**BOX QTY.**  
**15**

|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Watts:             | <b>20W</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>White</b>                 |
| Luminous Flux:     | <b>1600lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP44</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>185x211x50mm</b>          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



MOTION  
PIR  
SENSOR



The average illuminance effective figure



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

**30W** VT-4830-1 PIR

EAN Code


**5752 - 6000K White**

3800157608893


BOX QTY.  
**10**

|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Watts:             | <b>30W</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>White</b>                 |
| Luminous Flux:     | <b>2400lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP44</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>237x255x51mm</b>          |


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



MOTION  
PIR  
SENSOR



The average illuminance effective figure



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

**50W** VT-4850-1 PIR

EAN Code

**5758 - 3000K Warm White**

3800157611701

**5753 - 4500K Day White**

3800157608909


**5754 - 6000K White**

3800157608916

BOX QTY.  
**10**

|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Watts:             | <b>50W</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>White</b>                 |
| Luminous Flux:     | <b>4000lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP44</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>237x255x51mm</b>          |


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average illuminance effective figure

|       |       |          |       |       |         |
|-------|-------|----------|-------|-------|---------|
| 1.0m  | 18.0m | 445.00lx | 1.0m  | 18.0m | 19.44lx |
| 2.0m  | 18.0m | 222.00lx | 4.0m  | 18.0m | 4.86lx  |
| 3.0m  | 18.0m | 148.00lx | 6.0m  | 18.0m | 3.24lx  |
| 4.0m  | 18.0m | 112.00lx | 8.0m  | 18.0m | 2.25lx  |
| 5.0m  | 18.0m | 90.00lx  | 10.0m | 18.0m | 1.78lx  |
| 6.0m  | 18.0m | 75.00lx  | 12.0m | 18.0m | 1.50lx  |
| 7.0m  | 18.0m | 63.00lx  | 14.0m | 18.0m | 1.28lx  |
| 8.0m  | 18.0m | 54.00lx  | 16.0m | 18.0m | 1.12lx  |
| 9.0m  | 18.0m | 47.00lx  | 18.0m | 18.0m | 1.00lx  |
| 10.0m | 18.0m | 41.00lx  | 20.0m | 18.0m | 0.89lx  |
| 12.0m | 18.0m | 33.00lx  | 24.0m | 18.0m | 0.61lx  |
| 14.0m | 18.0m | 28.00lx  | 28.0m | 18.0m | 0.49lx  |
| 16.0m | 18.0m | 24.00lx  | 32.0m | 18.0m | 0.41lx  |
| 18.0m | 18.0m | 21.00lx  | 36.0m | 18.0m | 0.35lx  |
| 20.0m | 18.0m | 18.00lx  | 40.0m | 18.0m | 0.30lx  |

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MOTION  
(PIR)  
SENSOR

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**


**10W** VT-4810 PIR  
**5723 - 3000K Warm White**

EAN Code  
3800157605724

BOX QTY.  
**15**

|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Watts:             | <b>10W</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Black</b>                 |
| Luminous Flux:     | <b>800lm</b>           | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP44</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>133x178x47mm</b>          |


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average illuminance effective figure

|       |       |          |       |       |         |
|-------|-------|----------|-------|-------|---------|
| 1.0m  | 18.0m | 445.00lx | 1.0m  | 18.0m | 19.44lx |
| 2.0m  | 18.0m | 222.00lx | 4.0m  | 18.0m | 4.86lx  |
| 3.0m  | 18.0m | 148.00lx | 6.0m  | 18.0m | 3.24lx  |
| 4.0m  | 18.0m | 112.00lx | 8.0m  | 18.0m | 2.25lx  |
| 5.0m  | 18.0m | 90.00lx  | 10.0m | 18.0m | 1.78lx  |
| 6.0m  | 18.0m | 75.00lx  | 12.0m | 18.0m | 1.50lx  |
| 7.0m  | 18.0m | 63.00lx  | 14.0m | 18.0m | 1.28lx  |
| 8.0m  | 18.0m | 54.00lx  | 16.0m | 18.0m | 1.12lx  |
| 9.0m  | 18.0m | 47.00lx  | 18.0m | 18.0m | 1.00lx  |
| 10.0m | 18.0m | 41.00lx  | 20.0m | 18.0m | 0.89lx  |
| 12.0m | 18.0m | 33.00lx  | 24.0m | 18.0m | 0.61lx  |
| 14.0m | 18.0m | 28.00lx  | 28.0m | 18.0m | 0.49lx  |
| 16.0m | 18.0m | 24.00lx  | 32.0m | 18.0m | 0.41lx  |
| 18.0m | 18.0m | 21.00lx  | 36.0m | 18.0m | 0.35lx  |
| 20.0m | 18.0m | 18.00lx  | 40.0m | 18.0m | 0.30lx  |

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MOTION  
(PIR)  
SENSOR

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

**20W** VT-4820 PIR  
**5697 - 3000K Warm White**  
**5698 - 4500K Day White**  
**5715 - 6000K White**


EAN Code  
3800157604338  
3800157604345  
3800157604949

BOX QTY.  
**15**


|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Watts:             | <b>20W</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Black</b>                 |
| Luminous Flux:     | <b>1600lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP44</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>185x211x50mm</b>          |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



MOTION  
PIR  
SENSOR



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

**30W VT-4830 PIR**

5699 - 3000K Warm White  
5700 - 4500K Day White  
5716 - 6000K White

EAN Code


3800157604352  
3800157604369  
3800157604956

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**



BOX QTY.  
**10**

|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Watts:             | <b>30W</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Black</b>                 |
| Luminous Flux:     | <b>2400lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP44</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>237x255x51mm</b>          |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



MOTION  
PIR  
SENSOR



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

**50W VT-4850 PIR**

5701 - 3000K Warm White  
5702 - 4500K Day White  
5717 - 6000K White

EAN Code

3800157604376  
3800157604383  
3800157604963

Detection Angle: **120°**  
Detection Distance: **2-8 Meters**

BOX QTY.  
**10**

|                    |                        |                   |                              |
|--------------------|------------------------|-------------------|------------------------------|
| Watts:             | <b>50W</b>             | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50Hz</b> | Color of Fixture: | <b>Black</b>                 |
| Luminous Flux:     | <b>4000lm</b>          | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>          | IP Rating:        | <b>IP44</b>                  |
| PF:                | <b>&gt;0.9</b>         | Dimension:        | <b>237x255x51mm</b>          |



**RF**

Remote Control


**10W** VT-4711

RGB 5894

EAN Code

3800157617512

BOX QTY.

**20**


|                    |                           |                   |                              |
|--------------------|---------------------------|-------------------|------------------------------|
| Watts:             | <b>10W</b>                | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50/60Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>800lm</b>              | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt; 80</b>            | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>            | Dimension:        | <b>115x87x85mm</b>           |

**Infrared**

Remote Control


**10W** VT-4711

RGB 5895

EAN Code

3800157617529

BOX QTY.

**20**


|                    |                           |                   |                              |
|--------------------|---------------------------|-------------------|------------------------------|
| Watts:             | <b>10W</b>                | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:200-240,50/60Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>800lm</b>              | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt; 80</b>            | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.95</b>           | Dimension:        | <b>115x87x85mm</b>           |


**RF**

Remote Control

**30W** VT-4732**RGB 5755****BOX QTY.****06**

EAN Code

3800157609517



|                    |                             |                   |                              |
|--------------------|-----------------------------|-------------------|------------------------------|
| Watts:             | <b>30W</b>                  | Beam Angle:       | <b>120°</b>                  |
| Voltage/Frequency: | <b>AC: 90-240V, 50/60Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>2400lm</b>               | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt; 80</b>              | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.95</b>             | Dimension:        | <b>230x136x206mm</b>         |


**RF**

Remote Control

**50W** VT-4752**RGB 5691****BOX QTY.****06**

EAN Code

3800157603508



|                    |                            |                   |                              |
|--------------------|----------------------------|-------------------|------------------------------|
| Watts:             | <b>50W</b>                 | Beam Angle:       | <b>120°</b>                  |
| Voltage/Frequency: | <b>AC:100-240V,50/60Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>4000lm</b>              | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt; 80</b>             | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.95</b>            | Dimension:        | <b>230x136x206mm</b>         |

**Rechargeable**

Portable

**20W** VT-4822**5692 - 4500K Day White**  
**5735 - 6000K White****BOX QTY.****10**

EAN Code

3800157603515

3800157606929

|                    |                            |                   |                            |
|--------------------|----------------------------|-------------------|----------------------------|
| Watts:             | <b>20W</b>                 | Beam Angle:       | <b>100°</b>                |
| Voltage/Frequency: | <b>AC:100-240V,50/60Hz</b> | Color of Fixture: | <b>Green</b>               |
| Luminous Flux:     | <b>1600lm</b>              | Body Type:        | <b>Plastic + Aluminium</b> |
| CRI:               | <b>/</b>                   | IP Rating:        | <b>IP44</b>                |
| PF:                | <b>&gt;0.7</b>             | Dimension:        | <b>208 x 204 x 355mm</b>   |



## 3-in-1 Floodlight






18W VT-4818

5745 - 6000K White

EAN Code

3800157608268

BOX QTY.  
04

|                  |            |                       |                                |
|------------------|------------|-----------------------|--------------------------------|
| Power:           | AC100-240V | Material:             | ABS +Die casting Aluminium     |
| Output:          | 18W        | Image sensor:         | 1/4 " 1Megapixel CMOS          |
| Detection Range: | 0-12M      | Video Compression:    | H.264 /MJPEG dual video stream |
| Detect Angle:    | 180°       | Max Image Resolution: | 1280*720                       |
| Delay Time:      | 0-30S      | Pixels:               | 1 million pixels               |
| LED:             | 42PCS 0.2W | Size:                 | 248x 162x 181mm                |
| Luminous Flux:   | 600lm      | Color of Fixture:     | White                          |



## 3-in-1 Floodlight






18W VT-4818

5917 - 6000K White

EAN Code

3800157620925

BOX QTY.  
04

|                  |            |                       |                                |
|------------------|------------|-----------------------|--------------------------------|
| Power:           | AC100-240V | Material:             | ABS +Die casting Aluminium     |
| Output:          | 18W        | Image sensor:         | 1/4 " 1Megapixel CMOS          |
| Detection Range: | 0-12M      | Video Compression:    | H.264 /MJPEG dual video stream |
| Detect Angle:    | 180°       | Max Image Resolution: | 1280*720                       |
| Delay Time:      | 0-30S      | Pixels:               | 1 million pixels               |
| LED:             | 42PCS 0.2W | Size:                 | 248x 162x 181mm                |
| Luminous Flux:   | 600lm      | Color of Fixture:     | Black                          |





# LED **Big Power** Series




*Your Reliable Power Partner*

**120<sup>++</sup>**  
**HIGH LUMENS**

## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



**500W** VT-47500

5696 - 6000K White



EAN Code

3800157603812


BOX QTY.  
**01**

|                    |                     |                   |                       |
|--------------------|---------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                 | Beam Angle:       | 120°                  |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 40000lm             | Body Type:        | Die casting Aluminium |
| CRI:               | >70                 | IP Rating:        | IP65                  |
| PF:                | >0.9                | Dimension:        | 555 x 540 x 179mm     |

## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



**600W** VT-47600

5726 - 4500K Day White

EAN Code

3800157605854

BOX QTY.  
**01**

|                    |                     |                   |                       |
|--------------------|---------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                 | Beam Angle:       | 120°                  |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 48000lm             | Body Type:        | Die casting Aluminium |
| CRI:               | >70                 | IP Rating:        | IP65                  |
| PF:                | >0.9                | Dimension:        | 540 x 625 x 179mm     |

NEW





500W VT-49500

EAN Code

5934 - 4500K Day White  
5935 - 6000K White3800157623605  
3800157623612BOX QTY.  
01

|                    |                   |                   |                       |
|--------------------|-------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes               | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC: 200-240, 50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 60000lm           | Body Type:        | Die casting Aluminium |
| CRI:               | >70               | IP Rating:        | IP65                  |
| PF:                | >0.9              | Dimension:        | 658 x 537 x 154mm     |

Luminous Intensity Distribution Curve(cd/klm)



NEW



WITH  
LENS

500W VT-49501

EAN Code

5936 - 4000K Day White  
5937 - 6000K White3800157624985  
3800157624992

|                    |                      |                   |                       |
|--------------------|----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 60°                   |
| Voltage/Frequency: | AC:100-240V, 50/60Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 60000lm              | Body Type:        | Die casting Aluminium |
| CRI:               | >70                  | IP Rating:        | IP65                  |
| PF:                | >0.9                 | Dimension:        | 658 x 537 x 154mm     |



NEW

WITH  
LENS
**MW**  
**MEAN WELL**  
*Your Reliable Power Partner*
**V-TAC®**  
**PRO**
**5 YEARS**  
**WARRANTY**

1000W VT-491001

EAN Code



5938 - 4000K Day White

5939 - 6000K White

3800157625005

3800157625012

BOX QTY.

**01**
Sensor Compatible: **Yes**Beam Angle: **60°**Voltage/Frequency: **AC:100-240V, 50/60Hz**Color of Fixture: **Black**Luminous Flux: **120000lm**Body Type: **Die casting Aluminium**CRI: **>70**IP Rating: **IP65**PF: **>0.9**Dimension: **748 x 762 x 154mm**





**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

**1000W** VT-491000

EAN Code

5915 - 4500K Day White

3800157619752


5916 - 6400K White

3800157619769


**BOX QTY:**  
**01**

|                    |                              |                   |                              |
|--------------------|------------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>                   | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC: 100-240, 50/60HzV</b> | Color of Fixture: | <b>Black</b>                 |
| Luminous Flux:     | <b>120000lm</b>              | Body Type:        | <b>Die casting Aluminium</b> |
| CRI:               | <b>&gt;70</b>                | IP Rating:        | <b>IP65</b>                  |
| PF:                | <b>&gt;0.9</b>               | Dimension:        | <b>748 x 762 x 154mm</b>     |


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The Average Illuminance Effective Figure




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



**Tripod Stand for Flood Lights (Yellow)****BOX QTY.**  
 **08**

|          |               |
|----------|---------------|
| Model No | VT-41150      |
| SKU Code | 9104          |
| EAN Code | 3800230626202 |

**Tripod Stand for Flood Lights (Black)****BOX QTY.**  
 **08**

|          |               |
|----------|---------------|
| Model No | VT-41150      |
| SKU Code | 9546          |
| EAN Code | 3800157604925 |

## Waterproof Box Terminal Block



RESISTANT



Wire range:0.5-2.5mm² Inside Terminal Block

|           |                           |
|-----------|---------------------------|
| Model No: | <b>VT-7224</b>            |
| SKU Code: | <b>3578</b>               |
| EAN Code: | <b>3800157605335</b>      |
| Voltage:  | <b>250V Max</b>           |
| Material: | <b>Polypropylene (PP)</b> |
| Size:     | <b>123x46x33mm</b>        |



|          |                      |
|----------|----------------------|
| Model No | <b>VT-792</b>        |
| SKU Code | <b>3621</b>          |
| EAN Code | <b>3800157607735</b> |



Wire range:4-6.5mm



RESISTANT



Wire range:0.5-2.5mm² Inside Terminal Block

|           |                           |
|-----------|---------------------------|
| Model No: | <b>VT-7224</b>            |
| SKU Code: | <b>5897</b>               |
| EAN Code: | <b>3800157619202</b>      |
| Voltage:  | <b>250V Max</b>           |
| Material: | <b>Polypropylene (PP)</b> |
| Size:     | <b>123x46x33mm</b>        |



|          |                      |
|----------|----------------------|
| Model No | <b>VT-792</b>        |
| SKU Code | <b>5896</b>          |
| EAN Code | <b>3800157619196</b> |




Wire range:4-6.5mm

Billboard Stand  
For Flood Lights

|          |                      |
|----------|----------------------|
| Model No | <b>VT-794</b>        |
| SKU Code | <b>3623</b>          |
| EAN Code | <b>3800157607810</b> |

**85cm** Suitable For:  
**10w - 20w - 30w - 50w**



|          |                      |
|----------|----------------------|
| Model No | <b>VT-793</b>        |
| SKU Code | <b>3622</b>          |
| EAN Code | <b>3800157607803</b> |

**87cm** Suitable For:  
**70w - 100w - 120w - 150w - 200w**



# LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.




## Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or Mercury content hence environment friendly
- Dimmable options available in selected models

## Applications

Offices, Conference Room, Hospitals, Hotels, Shopping Malls, Showroom, Kitchen and Domestic Lighting etc.



NEW

## 60 x 60 LED Panel

45W VT-6165

6419 3000K Warm White  
6420 4000K Day White  
6421 6400K White

EAN Code

3800157626828  
3800157626835  
3800157626842


6  
Pack

BOX QTY.

06

V-TAC<sup>®</sup>  
PRO\*5 YEARS  
WARRANTY

|                    |                      |             |                 |
|--------------------|----------------------|-------------|-----------------|
| Emergency Pack:    | Available            | PF:         | > 0.9           |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°            |
| Luminous Flux:     | 3600lm               | Body Type:  | Aluminium+PMMA  |
| LED Type:          | SMD                  | Shape:      | Square          |
| CRI:               | >80                  | Dimension:  | 595 x 595 x14mm |




## Drivers for Panels (EMC Approved)

SKU: 6269

Type: Dimmable

Power: 45W

EAN Code: 3800157614429



60 x 60 LED Panel

45W VT-6060


EAN Code

6 Pack

BOX QTY. 06

|                          |               |
|--------------------------|---------------|
| 60286 - 3000K Warm White | 3800230624482 |
| 60246 - 4000K Day White  | 3800230623652 |
| 60256 - 6400K White      | 3800230623584 |

|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Emergency Pack:    | Available            | PF:         | > 0.9             |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 3600lm               | Body Type:  | Aluminium+PMMA+PP |
| LED Type:          | SMD                  | Shape:      | Square            |
| CRI:               | >80                  | Dimension:  | 595 x 595 x14mm   |



Drivers for Panels (EMC Approved)

|           |               |          |                   |
|-----------|---------------|----------|-------------------|
| SKU:      | 6019          | 6029     | } Compatible with |
| Type:     | Dimmable      | Tridonic |                   |
| Power:    | 45W           | 45W      |                   |
| EAN Code: | 3800157604017 | N/A      |                   |
|           |               |          | 60286 / 62206     |
|           |               |          | 60246 / 6218 6    |
|           |               |          | 60256 / 62196     |

**60 x 60 LED Panel****45W** VT-6068

EAN Code

**62206 - 3000K Warm White**


3800157619516

**62186 - 4000K Day White**

3800157609265

**62196 - 6400K White**

3800157609272



|                    |                             |             |                          |
|--------------------|-----------------------------|-------------|--------------------------|
| Emergency Pack:    | <b>45W</b>                  | PF:         | <b>&gt; 0.9</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>              |
| Luminous Flux:     | <b>3600lm</b>               | Body Type:  | <b>Aluminium+PMMA+PP</b> |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Square</b>            |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>595 x 595 x14mm</b>   |

**62 x 62 LED Panel****45W** VT-6069

EAN Code

**6222 - 3000K Warm White**


3800157604918

**6217 - 4000K Day White**

3800157604857

**6221 - 6400K White**


3800157604901



|                    |                             |             |                          |
|--------------------|-----------------------------|-------------|--------------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>              |
| Luminous Flux:     | <b>3600lm</b>               | Body Type:  | <b>Aluminium+PMMA+PP</b> |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Square</b>            |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>620 x 620 x14mm</b>   |

**Drivers for Panels (EMC Approved)**

|           |                      |                 |                       |                 |
|-----------|----------------------|-----------------|-----------------------|-----------------|
| SKU:      | <b>6019</b>          | <b>6029</b>     | } Compatible with     | Compatible with |
| Type:     | <b>Dimmable</b>      | <b>Tridonic</b> |                       |                 |
| Power:    | <b>45W</b>           | <b>45W</b>      |                       |                 |
| EAN Code: | <b>3800157604017</b> | <b>N/A</b>      |                       |                 |
|           |                      |                 | <b>60286 / 62206</b>  | <b>6222</b>     |
|           |                      |                 | <b>60246 / 6218 6</b> | <b>6217</b>     |
|           |                      |                 | <b>60256 / 62196</b>  | <b>6221</b>     |

**60 x 60 LED Panel****29W** VT-6129

62406 / 6240 - 3000K Warm White  
 62416 / 6241 - 4000K Day White  
 62426 / 6242 - 6400K White

BOX QTY.


06

EAN Code

**120<sup>++</sup>**  
 LM/W  
**HIGH LUMENS**

3800157619608 / 3800157608169  
 3800157609289 / 3800157608176  
 3800157609296 / 3800157608183

|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Emergency Pack:    | Available            | PF:         | >0.9              |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 3600lm               | Body Type:  | Aluminium+PMMA+PC |
| LED Type:          | SMD                  | Shape:      | Square            |
| CRI:               | >80                  | Dimension:  | 595 x 595 x14mm   |

**60 x 60 LED Panel****45W** VT-6145

63776 - 3000K Warm White  
 62366 / 6236 - 4000K Day White  
 62376 / 6237 - 6400K White

BOX QTY.

06

EAN Code

**120<sup>++</sup>**  
 LM/W  
**HIGH LUMENS**

3800157622158  
 3800157615723 / 3800157607612  
 3800157615730 / 3800157607629


|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Emergency Pack:    | Available            | PF:         | >0.9              |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 5400lm               | Body Type:  | Aluminium+PMMA+PP |
| LED Type:          | SMD                  | Shape:      | Square            |
| CRI:               | >80                  | Dimension:  | 595 x 595 x13mm   |

**Drivers for Panels (EMC Approved)**SKU: **6269**Type: **Dimmable**Power: **45W**EAN Code: **3800157614429**

BOX QTY.

50



**60 x 60 LED Panel****36W** VT-6136

6376 - 3000K Warm White

6238 - 4000K Day White

6239 - 6400K White

BOX QTY.  
**06**

EAN Code


3800157622141

3800157607636

3800157607643

**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Emergency Pack:    | Available            | PF:         | >0.9              |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 4320lm               | Body Type:  | Aluminium+PMMA+PC |
| LED Type:          | SMD                  | Shape:      | Square            |
| CRI:               | >80                  | Dimension:  | 595 x 595 x13mm   |

**62 x 62 LED Panel****36W** VT-6137

63786 - 3000K Warm White

62436 - 4000K Day White

63796 - 6400K White

BOX QTY.  
**06**

EAN Code

3800157622165

3800157608190

3800157622172

**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Emergency Pack:    | Available            | PF:         | >0.9              |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 4320lm               | Body Type:  | Aluminium+PMMA+PC |
| LED Type:          | SMD                  | Shape:      | Square            |
| CRI:               | >80                  | Dimension:  | 620 x 620 x13mm   |

**Drivers for Panels (EMC Approved)**

SKU: **6019**  
 Type: **Dimmable**  
 Power: **45W**  
 EAN Code: **3800157604017**



120<sup>++</sup>  
LM/W  
**HIGH LUMENS**



**60 x 60 LED Panel**


**40W** VT-6140

**6331 - 4000K Day White**  
**6330 - 6400K White**

EAN Code

3800157620093  
3800157620086

**BOX QTY.**  
 **06**



|                    |                         |             |                        |
|--------------------|-------------------------|-------------|------------------------|
| Emergency Pack:    | <b>Available</b>        | PF:         | <b>&gt; 0.9</b>        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>120°</b>            |
| Luminous Flux:     | <b>4960lm</b>           | Body Type:  | <b>Aluminium</b>       |
| LED Type:          | <b>SMD</b>              | Shape:      | <b>Square</b>          |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>595 x 595 x14mm</b> |

**2IN1**  
RECESSED OR SURFACE



**NEW**

### 60 x 60 LED Panel


**36W** VT-6139

6380 - 4000K Day White  
6381 - 6400K White

EAN Code

3800157624008  
3800157624015

BOX QTY.  
**04**



|                    |                             |             |                          |
|--------------------|-----------------------------|-------------|--------------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt; 0.9</b>          |
| Voltage/Frequency: | <b>AC:200-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>              |
| Luminous Flux:     | <b>2880lm</b>               | Body Type:  | <b>Aluminium+PMMA+PP</b> |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Square</b>            |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>595 x 595 x14mm</b>   |



## Drivers for Panels (EMC Approved)

|           |                      |                 |
|-----------|----------------------|-----------------|
| SKU:      | <b>6019</b>          | <b>6029</b>     |
| Type:     | <b>Dimmable</b>      | <b>Tridonic</b> |
| Power:    | <b>45W</b>           | <b>45W</b>      |
| EAN Code: | <b>3800157604017</b> | <b>N/A</b>      |


**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

## 30 x 120 LED Panel

**29W** VT-12031 EAN Code

|                                |               |
|--------------------------------|---------------|
| <b>6256 - 3000K Warm White</b> | 3800157610414 |
| <b>6257 - 4000K Day White</b>  | 3800157610421 |
| <b>6258 - 6400K White</b>      | 3800157610438 |

**BOX QTY.**  
**06**



|                    |                             |             |                          |
|--------------------|-----------------------------|-------------|--------------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:200-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>              |
| Luminous Flux:     | <b>3600lm</b>               | Body Type:  | <b>Aluminium+PMMA+PS</b> |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Rectangle</b>         |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>1195 x 295 x14mm</b>  |

**NEW**



## Drivers for Panels (EMC Approved)

|           |                     |
|-----------|---------------------|
| SKU:      | <b>6386</b>         |
| Type:     | <b>Non-Dimmable</b> |
| Power:    | <b>45W</b>          |
| EAN Code: |                     |


**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

## 30 x 120 LED Panel

**45W** VT-12046 EAN Code

|                               |               |
|-------------------------------|---------------|
| <b>6384 - 4000K Day White</b> | 3800157624770 |
| <b>6385 - 6400K White</b>     | 3800157624787 |

**BOX QTY.**  
**06**



|                    |                             |             |                          |
|--------------------|-----------------------------|-------------|--------------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:200-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>              |
| Luminous Flux:     | <b>5400lm</b>               | Body Type:  | <b>Aluminium+PMMA+PS</b> |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Rectangle</b>         |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>1195 x 295 x14mm</b>  |



**30 x 120 LED Panel**

**45W** VT-12030

**60696 - 3000K Warm White**  
**60266 / 6026 - 4000K Day White**  
**60276 - 6400K White**


EAN Code

3800157609326  
3800157609302 / 3800230623638  
3800157609319

BOX QTY.



**06**



|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Emergency Pack:    | Available            | PF:         | > 0.9             |
| Voltage/Frequency: | AC:200-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 3600lm               | Body Type:  | Aluminium+PMMA+PS |
| LED Type:          | SMD                  | Shape:      | Rectangle         |
| CRI:               | >80                  | Dimension:  | 1195 x 295 x14mm  |



**30 x 120 LED Panel**

**45W** VT-12032

**6329 - 4000K Day White**




EAN Code

3800157619615

BOX QTY.



**06**



|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Emergency Pack:    | Available            | PF:         | > 0.9             |
| Voltage/Frequency: | AC:200-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 3600lm               | Body Type:  | Aluminium+PMMA+PS |
| LED Type:          | SMD                  | Shape:      | Rectangle         |
| CRI:               | >80                  | Dimension:  | 1195 x 295 x14mm  |


**Drivers for Panels (EMC Approved)**

|           |                      |                 |
|-----------|----------------------|-----------------|
| SKU:      | <b>6019</b>          | <b>6029</b>     |
| Type:     | <b>Dimmable</b>      | <b>Tridonic</b> |
| Power:    | <b>45W</b>           | <b>45W</b>      |
| EAN Code: | <b>3800157604017</b> | <b>N/A</b>      |

BOX QTY.



**01**




120<sup>++</sup>  
LM/W  
HIGH LUMENS

NEW

## 60 x 120 LED Panel

45W VT-12047

EAN Code


BOX QTY.  
026425 4000K Day White  
6426 6400K White3800157626972  
3800157626989

|                    |                      |             |                  |
|--------------------|----------------------|-------------|------------------|
| Emergency Pack:    | Available            | PF:         | >0.9             |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°             |
| Luminous Flux:     | 5400lm               | Body Type:  | Aluminium+PMMA   |
| LED Type:          | SMD                  | Shape:      | Rectangle        |
| CRI:               | >80                  | Dimension:  | 1195 x 595 x14mm |

## Drivers for Panels (EMC Approved)

SKU: 6427  
Type: Non -Dimmable  
Power: 45W  
EAN Code: 3800157626996

BOX QTY.  
01



120<sup>++</sup>  
LM/W  
HIGH LUMENS

**60 x 120 LED Panel**

BOX QTY.

**02****45W** VT-12045


EAN Code

**6332 - 4000K Day White**

3800157620321

**6333 - 6400K White**

3800157620338



|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Emergency Pack:    | Available            | PF:         | >0.9              |
| Voltage/Frequency: | AC:200-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 5400lm               | Body Type:  | Aluminium+PMMA+PS |
| LED Type:          | SMD                  | Shape:      | Rectangle         |
| CRI:               | >80                  | Dimension:  | 1195 x 595 x 14mm |

**Drivers for Panels (EMC Approved)**SKU: **6386**Type: **Non -Dimmable**EAN Code: **3800157624886**

BOX QTY.

**20****LED Surface Panel**

BOX QTY.

**10****48W** VT-6148


EAN Code

**6261 - 3000K Warm White**

3800157612111

**6260 - 6400K White**

3800157612104



|                    |                      |             |             |
|--------------------|----------------------|-------------|-------------|
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 110°        |
| Luminous Flux:     | 3850lm               | Body Type:  | Aluminium   |
| LED Type:          | SMD                  | Shape:      | Round       |
| CRI:               | >80                  | Dimension:  | Ø600 x 40mm |
| PF:                | >0.9                 |             |             |

NEW



BOX QTY.

 10

## LED Suspended Panel

40W VT-6141 EAN Code  
6432 - 4000K Day White 3800157628112

|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Emergency Pack:    | Available           | PF:         | >0.9               |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 3200lm              | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | Shape:      | Round              |
| CRI:               | >80                 | Dimension:  | Ø400mm             |

NEW



BOX QTY.

 10

## LED Suspended Panel

40W VT-6141 EAN Code  
6433 - 4000K Day White 3800157628129

|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Emergency Pack:    | Available           | PF:         | >0.9               |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 3200lm              | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | Shape:      | Round              |
| CRI:               | >80                 | Dimension:  | Ø400mm             |






In order to make the slim panels more compatible, V-TAC has developed accessories so that the products can be installed in different types of option. This allows all our panels to be installed in three different types as required by the clients. They are :

- Recessed type
- Suspended mounted
- Surface mounted

Below are the accessories which support in making this type of installation possible:



## Hanging Wires Fittings Kit

### for Suspended Panels

PRODUCT SKU : 6018

EAN CODE: 3800230623669

**Adjustable height from 0.3 to 1m**

BOX QTY.  
 00

This product can be used for all sizes of panels , that is

- 300 x 300
- 600 x 600
- 1200 x 300
- 1200 x 600

## Case for External mounting for panels



### Mounting for 1200x 600

Product SKU: 9989

BOX QTY.  
 02



### Mounting for 1200 x 300

Product SKU : 9969

EAN Code: 3800230623683

BOX QTY.  
 06



## Case for External mounting for panels

We provide mounting cases with variety of sizes to fit our panels. Convert the recessed panel to surface panel and install it easily on solid surfaces.



Mounting for 300 x 300

Product SKU: 9970

EAN Code: 3800230623690

BOX QTY.  
 05



Mounting for 600 x 600

Product SKU : 9999

EAN Code: 3800230623676

BOX QTY.  
 05



Mounting for 620 x 620

Product SKU: 9997

BOX QTY.  
 05



Extension Frame for 625 x 625

Product SKU : 9968

EAN Code: 3800230623706

BOX QTY.  
 13

## Mounting for 600 x 600

Product SKU : 3678  
EAN Code: 3800157625272

**Plain sides,  
No visible screws**



BOX QTY.  
**25**



## Mounting for 600 x 600

Product SKU : 6327  
EAN Code: 3800157619424

BOX QTY.  
**20**



## Mounting for 295 x 1195

Product SKU : 3679  
EAN Code: 3800157625289

BOX QTY.  
**12**




## DIY DO IT YOURSELF

### Installation Instruction for the Surface Mounted fixture of led Panel light


Here shows two installation methods, it should be installed differently according to your brought installation accessories.

#### Ceiling Mounted Type




**1**

1. Install and fix the 3 pieces of Aluminium profile into together in screws




**2**

2. Install the fixed fixture with 3 sides on the ceiling



**3**

3. place the led panel into the fixture.



**4**

4. Install the last L shape Aluminium profile to the fixed fixtures with 3 sides, installation is finish turn on the power and light the luminaire



**DALI**

**Constant Current Dimming Driver**

**BOX QTY.**  
**50**



**DALI**

**Multi-current Driver**

**BOX QTY.**  
**50**




**DALI**

**Master**

**BOX QTY.**  
**05**

|                 |                      |                       |                      |
|-----------------|----------------------|-----------------------|----------------------|
| Model No:       | <b>VT-24030</b>      | <b>VT-24045</b>       | <b>VT-24050</b>      |
| SKU Code:       | <b>3110</b>          | <b>3106</b>           | <b>3107</b>          |
| Voltage:        | <b>AC:220V</b>       | <b>20-39V -1050mp</b> | <b>N/A</b>           |
| Emergency Pack: | <b>Max 30</b>        | <b>40W/45W</b>        | <b>&lt;10W</b>       |
| EAN Code:       | <b>3800157622103</b> | <b>3800157606868</b>  | <b>3800157606844</b> |



**DALI**

**Touch Panel Controller**

**BOX QTY.**  
**20**





**DALI**

**Bus Power Supply**

**BOX QTY.**  
**50**

|                 |                      |                 |
|-----------------|----------------------|-----------------|
| Model No:       | <b>VT-24049</b>      | <b>VT-24048</b> |
| SKU Code:       | <b>3108</b>          | <b>3109</b>     |
| Emergency Pack: | <b>0.1W</b>          | <b>4W</b>       |
| EAN Code:       | <b>3800157606851</b> |                 |



## Driver for LED Panels

|                 |                                                                                   |                                                                                   |                                                                                   |
|-----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|                 |  |  |  |
|                 | 45W                                                                               | 45W                                                                               | 29W                                                                               |
| SKU Code:       | 6270                                                                              | 6427                                                                              | 6271                                                                              |
| Type:           | Non-Dimmable                                                                      | Non-Dimmable                                                                      | Non-Dimmable                                                                      |
| Voltage:        | 200-240V                                                                          | 200-240V                                                                          | 200-240V                                                                          |
| Emergency Pack: | 45W                                                                               | 45W                                                                               | 29W                                                                               |
| EAN Code:       | 3800157614436                                                                     | 3800157626996                                                                     | 3800157614443                                                                     |

## Drivers for LED Panels

|          |                                                                                    |                                                                                    |                                                                                    |
|----------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
|          |  |  |  |
|          | 29W                                                                                | 45W                                                                                | 70W                                                                                |
| SKU Code | 6268                                                                               | 6269                                                                               | 6328                                                                               |
| Type     | Dimmable                                                                           | Dimmable                                                                           | Dimmable                                                                           |
| Voltage  | 200-240V                                                                           | 200-240V                                                                           | 200-240V                                                                           |
| Watts    | 29W                                                                                | 45W                                                                                | 70W                                                                                |
| EAN Code | 3800157614412                                                                      | 3800157614429                                                                      | 3800157619592                                                                      |



120<sup>++</sup>  
LM/W  
HIGH LUMENS



120<sup>++</sup>  
LM/W  
HIGH LUMENS



## Emergency Pack SLIM &amp; SLEEK

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



VT-518

EAN Code

BOX QTY.

SKU Code 60303

3800157617451



Suitable for 29W to 45W LED Panels

|                     |                      |                           |                        |
|---------------------|----------------------|---------------------------|------------------------|
| Voltage:            | AC:220-240V, 50/60Hz | Battery:                  | NI-CD, 7,12V, 4000 mAh |
| Led output power:   | 10W Max              | Color of Fixture:         | Silver                 |
| Panel output power: | 45W                  | Body Type:                | Aluminium              |
| Charging time:      | ≤ 36 hours           | Size:                     | 465 x52 x 33mm         |
| Working time:       | 3 hours              | Emergency switch on time: | <1 Second              |



VT-525

EAN Code

BOX QTY.

SKU Code 8275

Suitable for 6W to 24W LED Panels



|                     |                      |                           |                        |
|---------------------|----------------------|---------------------------|------------------------|
| Voltage:            | AC:220-240V, 50/60Hz | Battery:                  | NI-CD, 7,12V, 4000 mAh |
| Led output power:   | 4W Max               | Color of Fixture:         | Silver                 |
| Panel output power: | 24W                  | Body Type:                | Aluminium              |
| Charging time:      | ≤ 36 hours           | Size:                     | 465 x52 x 33mm         |
| Working time:       | 3 hours              | Emergency switch on time: | <1 Second              |

# LED Mini Panels

The innovation of SMD lighting brought about the creation of the slim panels – a game changing answer to traditional downlight fixtures! Classy as it is, a mini panel fixture with built in LEDs also amounts to less than the old fittings.

Mini panels transform every setting into an ambiance with a modern touch to it with its systematic radiance and uniform lighting.

V-TAC offers the widest range in this product category. We also stock all three colour outputs from white to warm white and day light .They all come in retrofit cut out sizes from 4 inches, 6 inches and 8 inches.



## Salient Features



Ultra Slim Design



Contemporary & Elegant Design



Higher Light Transmission Rate



Exterior robust shell



Easy to install - Plug and play version



NEW



## LED Liner Light

10W VT-10001

6401 - 3000K Warm White

6402 - 4000K Day White

6403 - 6400K White

BOX QTY.

20

EAN Code

3800157626620

3800157626637

3800157626644

|                    |                     |              |                 |
|--------------------|---------------------|--------------|-----------------|
| Emergency Pack:    | Available           | PF:          | >0.5            |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle:  | 120°            |
| Luminous Flux:     | 750lm               | Body Type:   | Aluminium       |
| LED Type:          | EPISTAR             | Dimension:   | 160 x 45 x 65mm |
| CRI:               | >80                 | Cuting Size: | 138 x 32mm      |

NEW



## LED Liner Light

20W VT-20001

6404 - 3000K Warm White

6405 - 4000K Day White

6406 - 6400K White

BOX QTY.

20

EAN Code

3800157626651

3800157626668

3800157626675

|                    |                     |              |                 |
|--------------------|---------------------|--------------|-----------------|
| Emergency Pack:    | Available           | PF:          | >0.5            |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle:  | 120°            |
| Luminous Flux:     | 1600lm              | Body Type:   | Aluminium       |
| LED Type:          | EPISTAR             | Dimension:   | 290 x 45 x 65mm |
| CRI:               | >80                 | Cuting Size: | 170 x 32mm      |

NEW



## LED Liner Light

30W VT-30001

6407 - 3000K Warm White

6408 - 4000K Day White

6409 - 6000K White

BOX QTY.

20

EAN Code

3800157626682

3800157626699

3800157626705

|                    |                     |              |                 |
|--------------------|---------------------|--------------|-----------------|
| Emergency Pack:    | Available           | PF:          | >0.5            |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle:  | 120°            |
| Luminous Flux:     | 2400lm              | Body Type:   | Aluminium       |
| LED Type:          | EPISTAR             | Dimension:   | 430 x 45 x 65mm |
| CRI:               | >80                 | Cuting Size: | 405 x 32mm      |

NEW



## LED Liner Light

10W VT-10002

6410 - 3000K Warm White

6411 - 4000K Day White

6412 - 6000K White

BOX QTY.



20

EAN Code

3800157626712

3800157626729

3800157626736

|                    |                     |              |                 |
|--------------------|---------------------|--------------|-----------------|
| Emergency Pack:    | Available           | PF:          | >0.5            |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle:  | 120°            |
| Luminous Flux:     | 700lm               | Body Type:   | Aluminium       |
| LED Type:          | EPISTAR             | Dimension:   | 160 x 45 x 72mm |
| CRI:               | >80                 | Cuting Size: | 138 x 32mm      |

NEW



## LED Liner Light

20W VT-20002

6413 - 3000K Warm White

6414 - 4000K Day White

6415 - 6000K White

BOX QTY.



20

EAN Code

3800157626743

3800157626750

3800157626767

|                    |                     |              |                 |
|--------------------|---------------------|--------------|-----------------|
| Emergency Pack:    | Available           | PF:          | >0.5            |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle:  | 120°            |
| Luminous Flux:     | 1400lm              | Body Type:   | Aluminium       |
| LED Type:          | EPISTAR             | Dimension:   | 290 x 45 x 72mm |
| CRI:               | >80                 | Cuting Size: | 170 x 32mm      |

NEW



## LED Liner Light

30W VT-30002

6416 - 000K Warm White

6417 - 4000K Day White

6418 - 6000K White

BOX QTY.



20

EAN Code

3800157626774

3800157626781

3800157626798

|                    |                     |              |                 |
|--------------------|---------------------|--------------|-----------------|
| Emergency Pack:    | Available           | PF:          | >0.9            |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle:  | 120°            |
| Luminous Flux:     | 2100lm              | Body Type:   | Aluminium       |
| LED Type:          | EPISTAR             | Dimension:   | 430 x 45 x 72mm |
| CRI:               | >80                 | Cuting Size: | 405 x 32mm      |


**LED Panel****3W** VT-307 RD

6292 - 3000K Warm White  
 6293 - 4000K Day White  
 6294 - 6400K White

**BOX QTY.****40**

EAN Code

3800157616751  
 3800157616768  
 3800157616775



|                    |                             |               |                     |
|--------------------|-----------------------------|---------------|---------------------|
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Beam Angle:   | <b>120°</b>         |
| Luminous Flux:     | <b>210lm</b>                | Body Type:    | <b>Aluminium</b>    |
| LED Type:          | <b>SMD</b>                  | Shape:        | <b>Round</b>        |
| CRI:               | <b>&gt;80</b>               | Dimension:    | <b>Ø84mm x 12mm</b> |
| PF:                | <b>&gt; 0.5</b>             | Cutting Size: | <b>Ø73mm</b>        |


**LED Panel****6W** VT-607 RD

4854 - 3000K Warm White  
 4855 - 4000K Daywhit  
 4856 - 6400K White

**BOX QTY.****40**

EAN Code

3800230629753  
 3800230629760  
 3800230629777

**Driver for Panel**SKU: **8120**EAN Code: **3800157627337**

|                    |                             |               |                      |
|--------------------|-----------------------------|---------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>     |
| Luminous Flux:     | <b>420lm</b>                | Shape:        | <b>Round</b>         |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø120mm x 12mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø105mm</b>        |
| PF:                | <b>&gt; 0.5</b>             |               |                      |


**LED Panel****12W** VT-1207 RD

4857 - 3000K Warm White  
 4858 - 4000K Day White  
 4859 - 6400K White

**BOX QTY.****20**

EAN Code

3800230629784  
 3800230629791  
 3800230629807

**Driver for Panel**SKU: **8121**EAN Code: **3800157627344****BOX QTY.****350**


|                    |                             |               |                      |
|--------------------|-----------------------------|---------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>     |
| Luminous Flux:     | <b>1000lm</b>               | Shape:        | <b>Round</b>         |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø170mm x 12mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø155mm</b>        |
| PF:                | <b>&gt; 0.6</b>             |               |                      |

**LED Panel**
**BOX QTY.**  
**20**
**18W** VT-1807 RD

4860 - 3000K Warm White  
 4861 - 4000K Day White  
 4862 - 6400K White

EAN Code

3800230629814  
 3800230629821  
 3800230629838

**Driver for Panel**SKU: **8122**EAN Code: **3800157627351**
**BOX QTY.**  
**220**


|                    |                             |               |                      |
|--------------------|-----------------------------|---------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>     |
| Luminous Flux:     | <b>1500lm</b>               | Shape:        | <b>Round</b>         |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø225mm x 12mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø205mm</b>        |
| PF:                | <b>&gt; 0.6</b>             |               |                      |

**LED Panel**
**BOX QTY.**  
**10**
**22W** VT-2207 RD

6422 3000K Warm White  
 6423 4000K Day White  
 6424 6400K White

EAN Code

3800157626941  
 3800157626951  
 3800157626965




|                    |                             |               |                      |
|--------------------|-----------------------------|---------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>     |
| Luminous Flux:     | <b>1800LM</b>               | Shape:        | <b>Round</b>         |
| LED Type:          | <b>SMD 2835</b>             | Dimension:    | <b>Ø240mm x 12mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø220mm</b>        |
| PF:                | <b>&gt;0.9</b>              |               |                      |

**LED Panel**
**BOX QTY.**  
**10**
**24W** VT-2407 RD

4872 - 3000K Warm White  
 4873 - 4000K Day White  
 4874 - 6400K White

EAN Code

3800157601559  
 3800157601566  
 3800157601573

**Driver for Panel**SKU: **8123**EAN Code: **3800157627368**
**BOX QTY.**  
**220**

|                    |                             |               |                      |
|--------------------|-----------------------------|---------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>     |
| Luminous Flux:     | <b>2000lm</b>               | Shape:        | <b>Round</b>         |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø300mm x 12mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø285mm</b>        |
| PF:                | <b>&gt;0.9</b>              |               |                      |

**LED Panel****3W** VT-307 SQ

6295 - 3000K Warm White

6296 - 4000K Day White

6297 - 6400K White

BOX QTY.


40

EAN Code

3800157616782

3800157616799

3800157616805



|                    |                             |               |                       |
|--------------------|-----------------------------|---------------|-----------------------|
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Beam Angle:   | <b>120°</b>           |
| Luminous Flux:     | <b>210lm</b>                | Body Type:    | <b>Aluminium</b>      |
| LED Type:          | <b>SMD</b>                  | Shape:        | <b>Square</b>         |
| CRI:               | <b>&gt;80</b>               | Dimension:    | <b>84 x 84 x 12mm</b> |
| PF:                | <b>&gt; 0.5</b>             | Cutting Size: | <b>73 x 73mm</b>      |

**LED Panel****6W** VT-607 SQ

4863 - 3000K Warm White

4864 - 4000K Day White

4865 - 6400K White

BOX QTY.


40

EAN Code

3800230629845

3800230629852

3800230629869

**Driver for Panel**SKU: **8120**EAN Code: **3800157627337**

|                    |                             |               |                        |
|--------------------|-----------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>       |
| Luminous Flux:     | <b>420lm</b>                | Shape:        | <b>Square</b>          |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>120 x120 x 12mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>105mm x105mm</b>    |
| PF:                | <b>&gt; 0.5</b>             |               |                        |

**LED Panel****12W** VT-1207 SQ

4866 - 3000K Warm White

4867 - 4000K Day White

4868 - 6400K White

BOX QTY.


20

EAN Code


3800230629876

3800230629883

3800230629890

**Driver for Panel**SKU: **8121**EAN Code: **3800157627344**

|                    |                              |               |                        |
|--------------------|------------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>             | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 200-240V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>       |
| Luminous Flux:     | <b>1000lm</b>                | Shape:        | <b>Square</b>          |
| LED Type:          | <b>SMD</b>                   | Dimension:    | <b>170 x170 x 12mm</b> |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>155mm x155mm</b>    |
| PF:                | <b>&gt; 0.6</b>              |               |                        |

**Driver for Panel**SKU: **8122**EAN Code: **3800157627351****LED Panel****18W** VT-1807 SQ**4869 - 3000K Warm White****4870 - 4000K Day White****4871 - 6400K White**

EAN Code

3800230629906


3800230629913

3800230629920

BOX QTY.

 **20**

|                    |                             |               |                         |
|--------------------|-----------------------------|---------------|-------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>             |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>        |
| Luminous Flux:     | <b>1500lm</b>               | Shape:        | <b>Square</b>           |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>225 x 225 x 12mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>205mm x205mm</b>     |
| PF:                | <b>&gt; 0.6</b>             |               |                         |

**Driver for Panel**SKU: **8123**EAN Code: **3800157627368****LED Panel****24W** VT-2407 SQ**4887 - 3000K Warm White****4888 - 4000K Day White****4889 - 6400K White**

EAN Code

3800157602198

3800157602204


3800157602211

BOX QTY.

 **10**

|                    |                             |               |                        |
|--------------------|-----------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>       |
| Luminous Flux:     | <b>2000lm</b>               | Shape:        | <b>Square</b>          |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>300 x300 x 12mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>285mm x285mm</b>    |
| PF:                | <b>&gt;0.9</b>              |               |                        |

NEW



## LED Panel

30W VT-3107

6428 - 4000K Day White

6429 - 6400K White

EAN Code

3800157628075

3800157628082


BOX QTY.



10

|                    |                     |               |               |
|--------------------|---------------------|---------------|---------------|
| Emergency Pack:    | Available           | Beam Angle:   | 120°          |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Body Type:    | Aluminium     |
| Luminous Flux:     | 2400lm              | Shape:        | Round         |
| LED Type:          | SMD                 | Dimension:    | Ø300mm x 12mm |
| CRI:               | >80                 | Cutting Size: | Ø280          |
| PF:                | >0.9                |               |               |

NEW



## LED Panel

30W VT-3107

6430 - 4000K Day White

6431 - 6400K White

EAN Code

3800157628099

3800157628105

BOX QTY.



10

|                    |                     |               |                  |
|--------------------|---------------------|---------------|------------------|
| Emergency Pack:    | Available           | Beam Angle:   | 120°             |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Body Type:    | Aluminium        |
| Luminous Flux:     | 2900lm              | Shape:        | Square           |
| LED Type:          | SMD                 | Dimension:    | 300 x 300 x 12mm |
| CRI:               | >80                 | Cutting Size: | 280mm x 280mm    |
| PF:                | >0.9                |               |                  |

### Dimmable Drivers for Premium Panels



BOX QTY.  
**200**

SKU Code: **8073**  
Emergency Pack: **6W**  
Description: **LED Driver Dimmable**  
EAN Code: **3800157605823**  
Size: **110x42xH26mm**

#### Compatible with

48549 /48559 /48569/ 48639 /48649/ 48659



BOX QTY.  
**200**

SKU Code: **8074**  
Emergency Pack: **12W**  
Description: **LED Driver Dimmable**  
EAN Code: **3800157605830**  
Size: **110x42xH26mm**

#### Compatible with

48579 /48589 /48599/ 48669 /48679/  
48689



BOX QTY.  
**200**

SKU Code: **8075**  
Emergency Pack: **18W**  
Description: **LED Driver Dimmable**  
EAN Code: **3800157605847**  
Size: **110x42xH26mm**

#### Compatible with

48609 /48619 /48629/ 48699 /48709/  
48719



BOX QTY.  
**200**

SKU Code: **8076**  
Emergency Pack: **24W**  
Description: **LED Driver Dimmable**  
EAN Code: **3800157605946**  
Size: **132x45xH26mm**

#### Compatible with

48729 /48739 /48749/ 48879 /48889/ 48899




BOX QTY.  
**50**

SKU Code: **8070**  
Emergency Pack: **18w +24W**  
Description: **LED Driver Dimmable**  
EAN Code: **3800157616836**  
Size: **132x45xH26mm**

#### Compatible with

4860 /4861 /4862 /4872 /4873 /4874  
4869 /4870 /4871 /4887 /4888 /4889



**LED Panel****8W** VT-800 RD

4823 - 3000K Warm White

4822 - 4000K Day White

4821 - 6400K White

BOX QTY.

20

EAN Code


3800230622594

3800230624963

3800230622587

**100<sup>++</sup>**  
 LM/W  
**HIGH LUMENS**

|                    |                             |               |                       |
|--------------------|-----------------------------|---------------|-----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>           |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium(PKW)</b> |
| Luminous Flux:     | <b>800lm</b>                | Shape:        | <b>Round</b>          |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø120mm x 20mm</b>  |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø105mm</b>         |
| PF:                | <b>&gt;0.9</b>              |               |                       |

**LED Panel****8W** VT-800 SQ

4820 - 3000K Warm White

4819 - 4000K Day White

4818 - 6400K White

BOX QTY.

20

EAN Code

3800230622570

3800230624970

3800230622563

**100<sup>++</sup>**  
 LM/W  
**HIGH LUMENS**

|                    |                             |               |                        |
|--------------------|-----------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium(PKW)</b>  |
| Luminous Flux:     | <b>800lm</b>                | Shape:        | <b>Square</b>          |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>145 x145 x 20mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>125 x125mm</b>      |
| PF:                | <b>&gt;0.9</b>              |               |                        |


**Drivers for Panels (EMC Approved)**SKU: **8036**Type: **Non-dimmable**Power: **8W**EAN Code: **3800230625519**SKU: **8058**Type: **Dimmable**Power: **8W**EAN Code: **3800230625540**

BOX QTY.

200

BOX QTY.

80

**LED Panel****15W** VT-1500 RD

4829 - 3000K Warm White

4828 - 4000K Day White

4827 - 6400K White

BOX QTY.

**20**

EAN Code


3800230622631

3800230624987

3800230622624

**100<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                             |               |                       |
|--------------------|-----------------------------|---------------|-----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>           |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium(PKW)</b> |
| Luminous Flux:     | <b>1500lm</b>               | Shape:        | <b>Round</b>          |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø180mm x 20mm</b>  |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø160mm</b>         |
| PF:                | <b>&gt;0.9</b>              |               |                       |

**LED Panel****15W** VT-1500 SQ

4826 - 3000K Warm White

4825 - 4000K Day White

4824 - 6400K White

BOX QTY.

**20**

EAN Code

3800230622617

3800230624994

3800230622600

**100<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                             |               |                         |
|--------------------|-----------------------------|---------------|-------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>             |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium(PKW)</b>   |
| Luminous Flux:     | <b>1500lm</b>               | Shape:        | <b>Square</b>           |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>160 x 160 x 20mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>140 x 140mm</b>      |
| PF:                | <b>&gt;0.9</b>              |               |                         |

**Drivers for Panels (EMC Approved)**


|           |                      |                      |
|-----------|----------------------|----------------------|
| SKU:      | <b>8037</b>          | <b>8059</b>          |
| Type:     | <b>Non-dimmable</b>  | <b>Dimmable</b>      |
| Power:    | <b>15W</b>           | <b>15W</b>           |
| EAN Code: | <b>3800230625526</b> | <b>3800230625557</b> |

BOX QTY.

**50**

BOX QTY.

**80**

**LED Panel****22W** VT-2200 RD

4835 - 3000K Warm White

4834 - 4000K Day White

4833 - 6400K White

BOX QTY.

**20**

EAN Code


3800230622679

3800230625007

3800230622662

**100<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                             |               |                        |
|--------------------|-----------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium (PKW)</b> |
| Luminous Flux:     | <b>2200lm</b>               | Shape:        | <b>Round</b>           |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø240mm x 20mm</b>   |
| CRI:               | <b>&gt; 80</b>              | Cutting Size: | <b>Ø220mm</b>          |
| PF:                | <b>&gt; 0.9</b>             |               |                        |

**LED Panel****22W** VT-2200 SQ

4832 - 3000K Warm White

4831 - 4000K Day White

4830 - 6400K White

BOX QTY.

**20**

EAN Code

3800230622655

3800230625014

3800230622648

**100<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                             |               |                        |
|--------------------|-----------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium(PKW)</b>  |
| Luminous Flux:     | <b>2200lm</b>               | Shape:        | <b>Square</b>          |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>220 x220 x 20mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>195 x195mm</b>      |
| PF:                | <b>&gt; 0.9</b>             |               |                        |

**Drivers for Panels (EMC Approved)**



|           |                      |                        |
|-----------|----------------------|------------------------|
| SKU:      | <b>8038</b>          | <b>8060</b>            |
| Type:     | <b>Non-Dimmable</b>  | <b>Dimmable Driver</b> |
| Power:    | <b>22W</b>           | <b>22W</b>             |
| EAN Code: | <b>3800230625533</b> | <b>3800230625564</b>   |

BOX QTY.

**80**

BOX QTY.

**80**

**LED Panel****8W** VT-888 RD


4931 - 3000K Warm White  
4932 - 4000K Day White  
4933 - 6400K White

**BOX QTY.**  
**100**

EAN Code

3800157606479  
3800157606486  
3800157606493

|                    |                      |               |               |
|--------------------|----------------------|---------------|---------------|
| Emergency Pack:    | Available            | Beam Angle:   | 110°          |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminium     |
| Luminous Flux:     | 800lm                | Shape:        | Round         |
| LED Type:          | SMD                  | Dimension:    | Ø100mm x 27mm |
| CRI:               | >80                  | Cutting Size: | Ø90mm         |
| PF:                | >0.9                 |               |               |

**LED Panel****15W** VT-1515 RD

4934 - 3000K Warm White  
4935 - 4000K Day White  
4936 - 6400K White

**BOX QTY.**  
**40**

EAN Code

3800157606509  
3800157606516  
3800157606523

|                    |                      |               |               |
|--------------------|----------------------|---------------|---------------|
| Emergency Pack:    | Available            | Beam Angle:   | 110°          |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminium     |
| Luminous Flux:     | 1500lm               | Shape:        | Round         |
| LED Type:          | SMD                  | Dimension:    | Ø146mm x 28mm |
| CRI:               | >80                  | Cutting Size: | Ø130mm        |
| PF:                | >0.9                 |               |               |


**LED Panel****22W** VT-2222 RD

4937 - 3000K Warm White  
4938 - 4000K Day White  
4939 - 6400K White

**BOX QTY.**  
**40**

EAN Code

3800157606530  
3800157606547  
3800157606554



|                    |                             |               |                      |
|--------------------|-----------------------------|---------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>110°</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>     |
| Luminous Flux:     | <b>2200lm</b>               | Shape:        | <b>Round</b>         |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø170mm x 28mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø155mm</b>        |
| PF:                | <b>&gt;0.9</b>              |               |                      |


**LED Panel****29W** VT-2929 RD

4940 - 3000K Warm White  
4941 - 4000K Day White  
4942 - 6400K White


**BOX QTY.**  
**20**

EAN Code

3800157606561  
3800157606578  
3800157606585



|                    |                             |               |                      |
|--------------------|-----------------------------|---------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>110°</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>     |
| Luminous Flux:     | <b>2800lm</b>               | Shape:        | <b>Round</b>         |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø220mm x 30mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø195mm</b>        |
| PF:                | <b>&gt;0.9</b>              |               |                      |

**LED Panel****8W** VT-888 SQ

4943 - 3000K Warm White

4944 - 4000K Day White

4945 - 6400K White


BOX QTY.  
**100**

EAN Code

3800157606592

3800157606608

3800157606615



|                    |                             |               |                       |
|--------------------|-----------------------------|---------------|-----------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>110°</b>           |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>      |
| Luminous Flux:     | <b>800lm</b>                | Shape:        | <b>Square</b>         |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>90 x 90 x 25mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>75mm x 75mm</b>    |
| PF:                | <b>&gt;0.9</b>              |               |                       |

**LED Panel****15W** VT-1515 SQ

4946 - 3000K Warm White

4947 - 4000K Day White

4948 - 6400K White


BOX QTY.  
**40**

EAN Code

3800157606622

3800157606639

3800157606646



|                    |                             |               |                         |
|--------------------|-----------------------------|---------------|-------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>110°</b>             |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium</b>        |
| Luminous Flux:     | <b>1500lm</b>               | Shape:        | <b>Square</b>           |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>146 x 146 x 28mm</b> |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>130mm x 130mm</b>    |
| PF:                | <b>&gt;0.9</b>              |               |                         |

**LED Panel****22W** VT-2222 SQ

4949 - 3000K Warm White

4797 - 4000K Day White

4798 - 6400K White

BOX QTY.


 **40**

EAN Code

3800157606653

3800157606660

3800157606677



|                    |                      |               |                  |
|--------------------|----------------------|---------------|------------------|
| Emergency Pack:    | Available            | Beam Angle:   | 110°             |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminium        |
| Luminous Flux:     | 2200lm               | Shape:        | Square           |
| LED Type:          | SMD                  | Dimension:    | 170 x 170 x 28mm |
| CRI:               | >80                  | Cutting Size: | 155mm x 155mm    |
| PF:                | >0.9                 |               |                  |

**LED Panel****29W** VT-2929 SQ

5031 - 3000K Warm White

5032 - 4000K Day White

5033 - 6400K White

BOX QTY.


 **40**

EAN Code


3800157606684

3800157606691

3800157606707



|                    |                      |               |                  |
|--------------------|----------------------|---------------|------------------|
| Emergency Pack:    | Available            | Beam Angle:   | 110°             |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminium        |
| Luminous Flux:     | 2800lm               | Shape:        | Square           |
| LED Type:          | SMD                  | Dimension:    | 200 x 200 x 30mm |
| CRI:               | >80                  | Cutting Size: | 185mm x 185mm    |
| PF:                | >0.9                 |               |                  |

**LED SurfacePanel****6W** VT-605 RD

4904 - 3000K Warm White

4905 - 4000K Day White

4906 - 6400K White

BOX QTY.

40


EAN Code

3800157605380

3800157605397

3800157605403

|                    |                     |             |              |
|--------------------|---------------------|-------------|--------------|
| Emergency Pack:    | Available           | PF:         | >0.5         |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°         |
| Luminous Flux:     | 420lm               | Body Type:  | Aluminium    |
| LED Type:          | SMD                 | Shape:      | Round        |
| CRI:               | >80                 | Dimension:  | Ø90mm x 24mm |

**LED SurfacePanel****12W** VT-1205 RD

4910 - 3000K Warm White

4911 - 4000K Day White

4912 - 6400K White

BOX QTY.

40


EAN Code

3800157605441

3800157605458

3800157605465

|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Emergency Pack:    | Available           | PF:         | >0.6          |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 900lm               | Body Type:  | Aluminium     |
| LED Type:          | SMD                 | Shape:      | Round         |
| CRI:               | >80                 | Dimension:  | Ø140mm x 24mm |

**LED SurfacePanel****18W** VT-1805 RD

4916 - 3000K Warm White

4917 - 4000K Day White

4918 - 6400K White

BOX QTY.

20

EAN Code


3800157605502

3800157605519

3800157605526

|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Emergency Pack:    | Available           | PF:         | >0.6          |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 1440lm              | Body Type:  | Aluminium     |
| LED Type:          | SMD                 | Shape:      | Round         |
| CRI:               | >80                 | Dimension:  | Ø190mm x 24mm |



**LED SurfacePanel****6W** VT-605 SQ

4907 - 3000K Warm White

4908 - 4000K Day White

4909 - 6400K White

BOX QTY.

**40**


EAN Code

3800157605410

3800157605427

3800157605434

|                    |                     |             |                |
|--------------------|---------------------|-------------|----------------|
| Emergency Pack:    | Available           | PF:         | >0.5           |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°           |
| Luminous Flux:     | 420lm               | Body Type:  | Aluminium      |
| LED Type:          | SMD                 | Shape:      | Square         |
| CRI:               | >80                 | Dimension:  | 90 x 90 x 24mm |

**LED SurfacePanel****12W** VT-1205 SQ

4913 - 3000K Warm White

4914 - 4000K Day White

4915 - 6400K White

BOX QTY.

**40**


EAN Code

3800157605472

3800157605489

3800157605496

|                    |                     |             |                  |
|--------------------|---------------------|-------------|------------------|
| Emergency Pack:    | Available           | PF:         | >0.6             |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°             |
| Luminous Flux:     | 900lm               | Body Type:  | Aluminium        |
| LED Type:          | SMD                 | Shape:      | Square           |
| CRI:               | >80                 | Dimension:  | 140 x 140 x 24mm |

**LED SurfacePanel****18W** VT-1805 SQ

4919 - 3000K Warm White

4920 - 4000K Day White

4921 - 6400K White

BOX QTY.

**20**

EAN Code

3800157605533

3800157605540

3800157605557

|                    |                     |             |                  |
|--------------------|---------------------|-------------|------------------|
| Emergency Pack:    | Available           | PF:         | >0.6             |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°             |
| Luminous Flux:     | 1440lm              | Body Type:  | Aluminium        |
| LED Type:          | SMD                 | Shape:      | Square           |
| CRI:               | >80                 | Dimension:  | 190 x 190 x 24mm |



100<sup>++</sup>  
lm/w  
HIGH LUMENS

Surface

## LED Panel

8W VT-1408 RD

4805 - 3000K Warm White

4804 - 4000K Day White

4803 - 6400K White


BOX QTY.  
20

EAN Code

3800230622730

3800230622723

3800230622716



|                    |                      |             |               |
|--------------------|----------------------|-------------|---------------|
| Emergency Pack:    | Available            | PF:         | > 0.9         |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 800lm                | Body Type:  | Aluminium     |
| LED Type:          | SMD                  | Shape:      | Round         |
| CRI:               | >80                  | Dimension:  | Ø110mm x 35mm |



100<sup>++</sup>  
lm/w  
HIGH LUMENS

Surface

## LED Panel

15W VT-1415 RD

4811 - 3000K Warm White

4810 - 4000K Day White

4809 - 6400K White


BOX QTY.  
20

EAN Code

3800230622792

3800230622785

3800230622778



|                    |                      |             |               |
|--------------------|----------------------|-------------|---------------|
| Emergency Pack:    | Available            | PF:         | >0.9          |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 1500lm               | Body Type:  | Aluminium     |
| LED Type:          | SMD                  | Shape:      | Round         |
| CRI:               | >80                  | Dimension:  | Ø160mm x 35mm |



100<sup>++</sup>  
lm/w  
HIGH LUMENS

Surface

## LED Panel

22W VT-1422 RD

4817 - 3000K Warm White

4816 - 4000K Day White

4815 - 6400K White


BOX QTY.  
20

EAN Code

3800230622853

3800230622846

3800230622839



|                    |                      |             |               |
|--------------------|----------------------|-------------|---------------|
| Emergency Pack:    | Available            | PF:         | > 0.9         |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 2200lm               | Body Type:  | Aluminium     |
| LED Type:          | SMD 5630             | Shape:      | Round         |
| CRI:               | > 80                 | Dimension:  | Ø205mm x 35mm |



100<sup>++</sup>  
LM/W  
HIGH LUMENS

Surface

## LED Panel


8W VT-1408 SQ

4802 - 3000K Warm White  
4801 - 4000K Day White  
4800 - 6400K White

BOX QTY.  
20

EAN Code

3800230622709  
3800230622693  
3800230622686



|                    |                      |             |                  |
|--------------------|----------------------|-------------|------------------|
| Emergency Pack:    | Available            | PF:         | > 0.9            |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Beam Angle: | 120°             |
| Luminous Flux:     | 800lm                | Body Type:  | Aluminium        |
| LED Type:          | SMD 5630             | Shape:      | Square           |
| CRI:               | >80                  | Dimension:  | 107 x 107 x 35mm |



100<sup>++</sup>  
LM/W  
HIGH LUMENS

Surface

## LED Panel


15W VT-1415 SQ

4808 - 3000K Warm White  
4807 - 4000K Day White  
4806 - 6400K White

BOX QTY.  
20

EAN Code

3800230622761  
3800230622754  
3800230622747



|                    |                      |             |                  |
|--------------------|----------------------|-------------|------------------|
| Emergency Pack:    | Available            | PF:         | > 0.9            |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Beam Angle: | 120°             |
| Luminous Flux:     | 1500lm               | Body Type:  | Aluminium        |
| LED Type:          | SMD 5630             | Shape:      | Square           |
| CRI:               | >80                  | Dimension:  | 155 x 155 x 35mm |



100<sup>++</sup>  
LM/W  
HIGH LUMENS

Surface

## LED Panel


22W VT-1422 SQ

4814 - 3000K Warm White  
4813 - 4000K Day White  
4812 - 6400K White

BOX QTY.  
20

EAN Code

3800230622822  
3800230622815  
3800230622808



|                    |                      |             |                  |
|--------------------|----------------------|-------------|------------------|
| Emergency Pack:    | Available            | PF:         | > 0.9            |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Beam Angle: | 120°             |
| Luminous Flux:     | 2200lm               | Body Type:  | Aluminium        |
| LED Type:          | SMD 5630             | Shape:      | Square           |
| CRI:               | > 80                 | Dimension:  | 205 x 205 x 35mm |

**Round Chrome****6W** VT-607CH

6334 - 3000K Warm White

6335 - 4000K Day White

6336 - 6400K White

BOX QTY:


 **40**

EAN Code

3800157621182

3800157621199

3800157621205



|                    |                      |               |                  |
|--------------------|----------------------|---------------|------------------|
| Emergency Pack:    | Available            | Beam Angle:   | 120°             |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminium+Chrome |
| Luminous Flux:     | 420lm                | Shape:        | Round            |
| LED Type:          | SMD                  | Dimension:    | Ø120mm x 25mm    |
| CRI:               | >80                  | Cutting Size: | Ø105mm           |
| PF:                | > 0.5                |               |                  |

**Round Chrome****12W** VT-1207CH

6340 - 3000K Warm White

6341 - 4000K Day White

6342 - 6400K White

BOX QTY:


 **20**

EAN Code

3800157621243

3800157621250

3800157621267



|                    |                      |               |                  |
|--------------------|----------------------|---------------|------------------|
| Emergency Pack:    | Available            | Beam Angle:   | 120°             |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminium+Chrome |
| Luminous Flux:     | 1000lm               | Shape:        | Round            |
| LED Type:          | SMD                  | Dimension:    | Ø170mm x 25mm    |
| CRI:               | >80                  | Cutting Size: | Ø155mm           |
| PF:                | > 0.6                |               |                  |

**Round Chrome****18W** VT-1807CH


6346 - 3000K Warm White  
6347 - 4000K Day White  
6348 - 6400K White

BOX QTY.

**20**

EAN Code

3800157621304  
3800157621311  
3800157621328



|                    |                             |               |                         |
|--------------------|-----------------------------|---------------|-------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>             |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium+Chrome</b> |
| Luminous Flux:     | <b>1500lm</b>               | Shape:        | <b>Round</b>            |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø225mm x 25mm</b>    |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø205mm</b>           |
| PF:                | <b>&gt; 0.6</b>             |               |                         |

**Round Chrome****24W** VT-2407CH


6352 - 3000K Warm White  
6353 - 4000K Day White  
6354 - 6400K White

BOX QTY.


**10**

EAN Code

3800157621366  
3800157621373  
3800157621380



|                    |                             |               |                         |
|--------------------|-----------------------------|---------------|-------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>             |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium+Chrome</b> |
| Luminous Flux:     | <b>2000lm</b>               | Shape:        | <b>Round</b>            |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø300mm x 25mm</b>    |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø285mm</b>           |
| PF:                | <b>&gt;0.9</b>              |               |                         |

**Round-Satin Nickel****6W** VT-607SN

6337 - 3000K Warm White

6338 - 4000K Day White

6339 - 6400K White

**BOX QTY.** **40**


EAN Code

3800157621212

3800157621229

3800157621236

|                    |                             |               |                               |
|--------------------|-----------------------------|---------------|-------------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>                   |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium+Satin Nickel</b> |
| Luminous Flux:     | <b>420lm</b>                | Shape:        | <b>Round</b>                  |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø120mm x 25mm</b>          |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø105mm</b>                 |
| PF:                | <b>&gt; 0.5</b>             |               |                               |

**Round-Satin Nickel****12W** VT-1207SN

6343 - 3000K Warm White

6344 - 4000K Day White

6345 - 6400K White

**BOX QTY.** **40**

EAN Code

3800157621274

3800157621281

3800157621298

|                    |                             |               |                               |
|--------------------|-----------------------------|---------------|-------------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>                   |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium+Satin Nickel</b> |
| Luminous Flux:     | <b>1000lm</b>               | Shape:        | <b>Round</b>                  |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø170mm x 25mm</b>          |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø155mm</b>                 |
| PF:                | <b>&gt; 0.6</b>             |               |                               |


**Round-Satin Nickel****18W** VT-1807SN

6349 - 3000K Warm White  
6350 - 4000K Day White  
6351 - 6400K White

**BOX QTY:** **20**

EAN Code

3800157621335  
3800157621342  
3800157621359



|                    |                             |               |                               |
|--------------------|-----------------------------|---------------|-------------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>                   |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium+Satin Nickel</b> |
| Luminous Flux:     | <b>1500lm</b>               | Shape:        | <b>Round</b>                  |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø225mm x 25mm</b>          |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø205mm</b>                 |
| PF:                | <b>&gt; 0.6</b>             |               |                               |


**Round-Satin Nickel****24W** VT-2407SN

6355 - 3000K Warm White  
6356 - 4000K Day White  
6357 - 6400K White

**BOX QTY:** **10**

EAN Code

3800157621397  
3800157621403  
3800157621410



|                    |                             |               |                               |
|--------------------|-----------------------------|---------------|-------------------------------|
| Emergency Pack:    | <b>Available</b>            | Beam Angle:   | <b>120°</b>                   |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Body Type:    | <b>Aluminium+Satin Nickel</b> |
| Luminous Flux:     | <b>2000lm</b>               | Shape:        | <b>Round</b>                  |
| LED Type:          | <b>SMD</b>                  | Dimension:    | <b>Ø300mm x 25mm</b>          |
| CRI:               | <b>&gt;80</b>               | Cutting Size: | <b>Ø285mm</b>                 |
| PF:                | <b>&gt;0.7</b>              |               |                               |

**Round Chrome****6W** VT-605CH

6358 - 3000K Warm White

6359 - 4000K Day White

6360 - 6400K White

BOX QTY.


 **40**

EAN Code

3800157621427

3800157621434

3800157621441



|                    |                            |             |                     |
|--------------------|----------------------------|-------------|---------------------|
| Emergency Pack:    | <b>Available</b>           | PF:         | <b>&gt;0.5</b>      |
| Voltage/Frequency: | <b>AC:85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>         |
| Luminous Flux:     | <b>420lm</b>               | Body Type:  | <b>Aluminium</b>    |
| LED Type:          | <b>SMD</b>                 | Shape:      | <b>Round</b>        |
| CRI:               | <b>&gt;80</b>              | Dimension:  | <b>Ø90mm x 24mm</b> |

**Round Chrome****12W** VT-1205CH

6364 - 3000K Warm White

6365 - 4000K Day White

6366 - 6400K White

BOX QTY.


 **40**

EAN Code

3800157621489

3800157621496

3800157621502



|                    |                            |             |                      |
|--------------------|----------------------------|-------------|----------------------|
| Emergency Pack:    | <b>Available</b>           | PF:         | <b>&gt;0.6</b>       |
| Voltage/Frequency: | <b>AC:85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>1000lm</b>              | Body Type:  | <b>Aluminium</b>     |
| LED Type:          | <b>SMD</b>                 | Shape:      | <b>Round</b>         |
| CRI:               | <b>&gt;80</b>              | Dimension:  | <b>Ø140mm x 24mm</b> |

**Round Chrome****18W** VT-1805CH

6370 - 3000K Warm White

6371 - 4000K Day White

6372 - 6400K White

BOX QTY.


 **20**

EAN Code

3800230629876

3800230629883

3800230629890



|                    |                            |             |                      |
|--------------------|----------------------------|-------------|----------------------|
| Emergency Pack:    | <b>Available</b>           | PF:         | <b>&gt;0.6</b>       |
| Voltage/Frequency: | <b>AC:85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>1500lm</b>              | Body Type:  | <b>Aluminium</b>     |
| LED Type:          | <b>SMD</b>                 | Shape:      | <b>Round</b>         |
| CRI:               | <b>&gt;80</b>              | Dimension:  | <b>Ø190mm x 24mm</b> |





Round-Satin Nickel

6W VT-605SN


- 6361 - 3000K Warm White
- 6362 - 4000K Day White
- 6363 - 6400K White

BOX QTY.

40

EAN Code

- 3800157621458
- 3800157621465
- 3800157621472



|                    |                     |             |              |
|--------------------|---------------------|-------------|--------------|
| Emergency Pack:    | Available           | PF:         | >0.5         |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°         |
| Luminous Flux:     | 420lm               | Body Type:  | Aluminium    |
| LED Type:          | SMD                 | Shape:      | Round        |
| CRI:               | >80                 | Dimension:  | Ø90mm x 24mm |



Round-Satin Nickel

12W VT-1205SN


- 6367 - 3000K Warm White
- 6368 - 4000K Day White
- 6369 - 6400K White

BOX QTY.

40

EAN Code

- 3800157621519
- 3800157621526
- 3800157621533



|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Emergency Pack:    | Available           | PF:         | >0.6          |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 1000lm              | Body Type:  | Aluminium     |
| LED Type:          | SMD                 | Shape:      | Round         |
| CRI:               | >80                 | Dimension:  | Ø140mm x 24mm |



Round-Satin Nickel

18W VT-1805SN


- 6373 - 3000K Warm White
- 6374 - 4000K Day White
- 6375 - 6400K White

BOX QTY.

20

EAN Code

- 3800157621571
- 3800157621588
- 3800157621595



|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Emergency Pack:    | Available           | PF:         | >0.6          |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 1500lm              | Body Type:  | Aluminium     |
| LED Type:          | SMD                 | Shape:      | Round         |
| CRI:               | >80                 | Dimension:  | Ø190mm x 24mm |

**LED Panel****8W** VT-809 SQ

4922 - 3000K Warm White

4923 - 4000K Day White

4924 - 6400K White


**BOX QTY.****20**

EAN Code


3800157605564

3800157605571

3800157605588

**Surface**  
Mounted

|                    |                             |             |                         |
|--------------------|-----------------------------|-------------|-------------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>             |
| Luminous Flux:     | <b>800lm</b>                | Body Type:  | <b>Aluminium</b>        |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Square</b>           |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>142 x 142 x 40mm</b> |

**LED Panel****15W** VT-1509 SQ

4925 - 3000K Warm White

4926 - 4000K Day White

4927 - 6400K White


**BOX QTY.****20**

EAN Code


3800157605595

3800157605601

3800157605618

**Surface**  
Mounted

|                    |                             |             |                         |
|--------------------|-----------------------------|-------------|-------------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>             |
| Luminous Flux:     | <b>1500lm</b>               | Body Type:  | <b>Aluminium</b>        |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Square</b>           |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>192 x 192 x 40mm</b> |

**LED Panel****22W** VT-2209 SQ

4928 - 3000K Warm White

4929 - 4000K Day White

4930 - 6400K White


**BOX QTY.****20**

EAN Code

3800157605625

3800157605632

3800157605649

**Surface**  
Mounted

|                    |                             |             |                         |
|--------------------|-----------------------------|-------------|-------------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>          |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>             |
| Luminous Flux:     | <b>2200lm</b>               | Body Type:  | <b>Aluminium</b>        |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Square</b>           |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>240 x 240 x 40mm</b> |


**LED Panel****8W** VT-809

4890 - 3000K Warm White  
4891 - 4000K Day White  
4892 - 6400K White

**BOX QTY.**  
**20**

EAN Code

3800157602594  
3800157602600  
3800157602617



|                    |                             |             |                      |
|--------------------|-----------------------------|-------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>       |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>800lm</b>                | Body Type:  | <b>Aluminium</b>     |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Round</b>         |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>Ø142mm x 40mm</b> |


**LED Panel****15W** VT-1509

4893 - 3000K Warm White  
4894 - 4000K Day White  
4895 - 6400K White

**BOX QTY.**  
**20**

EAN Code

3800157602624  
3800157602631  
3800157602648



|                    |                             |             |                      |
|--------------------|-----------------------------|-------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>       |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>1500lm</b>               | Body Type:  | <b>Aluminium</b>     |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Round</b>         |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>Ø192mm x 40mm</b> |


**LED Panel****22W** VT-2209

4896 - 3000K Warm White  
4897 - 4000K Day White  
4898 - 6400K White

**BOX QTY.**  
**20**

EAN Code

3800157602655  
3800157602662  
3800157602679



|                    |                             |             |                      |
|--------------------|-----------------------------|-------------|----------------------|
| Emergency Pack:    | <b>Available</b>            | PF:         | <b>&gt;0.9</b>       |
| Voltage/Frequency: | <b>AC: 85-265V, 50/60Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>2200lm</b>               | Body Type:  | <b>Aluminium</b>     |
| LED Type:          | <b>SMD</b>                  | Shape:      | <b>Round</b>         |
| CRI:               | <b>&gt;80</b>               | Dimension:  | <b>Ø240mm x 40mm</b> |


**LED Panel****6W** VT-602G RD

4740 - 3000K Warm White  
 6277 - 4000K Day White  
 4739 - 6400K White

**BOX QTY.**  
**40**

EAN Code

3800230622891  
 3800157615754  
 3800230622884



|                    |                              |               |                        |
|--------------------|------------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>             | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Body Type:    | <b>Glass+Aluminium</b> |
| Luminous Flux:     | <b>420lm</b>                 | Shape:        | <b>Round</b>           |
| LED Type:          | <b>SMD</b>                   | Dimension:    | <b>Ø100mm x40mm</b>    |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>Ø75mm</b>           |
| PF:                | <b>&gt;0.5</b>               |               |                        |


**LED Panel****12W** VT-1202G RD

4744 - 3000K Warm White  
 6279 - 4000K Day White  
 4743 - 6400K White

**BOX QTY.**  
**20**

EAN Code

3800230622938  
 3800157615778  
 3800230622921



|                    |                              |               |                        |
|--------------------|------------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>             | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Body Type:    | <b>Glass+Aluminium</b> |
| Luminous Flux:     | <b>840lm</b>                 | Shape:        | <b>Round</b>           |
| LED Type:          | <b>SMD</b>                   | Dimension:    | <b>Ø160mm x40mm</b>    |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>Ø120mm</b>          |
| PF:                | <b>&gt; 0.5</b>              |               |                        |


**LED Panel****18W** VT-1881G RD

4760 - 3000K Warm White  
 6281 - 4000K Day White  
 4759 - 6400K White

**BOX QTY.**  
**20**

EAN Code

3800230622976  
 3800157615792  
 3800230622969



|                    |                              |               |                        |
|--------------------|------------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>             | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Body Type:    | <b>Glass+Aluminium</b> |
| Luminous Flux:     | <b>1260lm</b>                | Shape:        | <b>Round</b>           |
| LED Type:          | <b>SMD</b>                   | Dimension:    | <b>Ø198mm x40mm</b>    |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>Ø145mm</b>          |
| PF:                | <b>&gt; 0.5</b>              |               |                        |


**LED Panel****6W** VT-602G SQ

4738 - 3000K Warm White  
 6276 - 4000K Day White  
 4737 - 6400K White

**BOX QTY.**  
**40**

EAN Code

3800230622877  
 3800157615747  
 3800230622860



|                    |                              |               |                         |
|--------------------|------------------------------|---------------|-------------------------|
| Emergency Pack:    | <b>Available</b>             | Beam Angle:   | <b>120°</b>             |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Body Type:    | <b>Glass+Aluminium</b>  |
| Luminous Flux:     | <b>420lm</b>                 | Shape:        | <b>Round</b>            |
| LED Type:          | <b>SMD</b>                   | Dimension:    | <b>100 x 100 x 40mm</b> |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>75mm x 75mm</b>      |
| PF:                | <b>&gt;0.5</b>               |               |                         |


**LED Panel****12W** VT-1202G SQ

4742 - 3000K Warm White  
 6278 - 4000K Day White  
 4741 - 6400K White

**BOX QTY.**  
**20**

EAN Code

3800230622914  
 3800157615761  
 3800230622907



|                    |                              |               |                         |
|--------------------|------------------------------|---------------|-------------------------|
| Emergency Pack:    | <b>Available</b>             | Beam Angle:   | <b>120°</b>             |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Body Type:    | <b>Glass+Aluminium</b>  |
| Luminous Flux:     | <b>840lm</b>                 | Shape:        | <b>Round</b>            |
| LED Type:          | <b>SMD</b>                   | Dimension:    | <b>160 x 160 x 40mm</b> |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>120mm x 120mm</b>    |
| PF:                | <b>&gt; 0.5</b>              |               |                         |


**LED Panel****18W** VT-1881G SQ

4746 - 3000K Warm White  
 6280 - 4000K Day White  
 4745 - 6400K White

**BOX QTY.**  
**20**

EAN Code

3800230622952  
 3800157615785  
 3800230622945



|                    |                              |               |                        |
|--------------------|------------------------------|---------------|------------------------|
| Emergency Pack:    | <b>Available</b>             | Beam Angle:   | <b>120°</b>            |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Body Type:    | <b>Glass+Aluminium</b> |
| Luminous Flux:     | <b>1260lm</b>                | Shape:        | <b>Round</b>           |
| LED Type:          | <b>SMD</b>                   | Dimension:    | <b>198x 198 x 40mm</b> |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>145mm x 145mm</b>   |
| PF:                | <b>&gt; 0.5</b>              |               |                        |

# LED PAR Lamps & AR111

: V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.



## Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Each lamp is a direct retrofit for a comparable Halogen Par Lamp e.g. AR111, PAR 30 & PAR 38
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

## Applications

Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting



## AR111 with Driver

20W VT-1120

1243 - 3000K Warm White

1244 - 4500K Day White

1245 - 6000K White

EAN Code

3800157606004


3800157606011

3800157606028

BOX QTY.



50



|                    |                       |             |                   |
|--------------------|-----------------------|-------------|-------------------|
| EQ. Watts:         | 100W                  | PF:         | > 0.7             |
| Voltage/Frequency: | AC: 220-240V, 50/60Hz | Beam Angle: | 20°               |
| Luminous Flux:     | 1800lm                | Body Type:  | Aluminum Die Cast |
| Commercial Type:   | AR111                 | Life span:  | 20,000 Hours      |
| LED Type:          | COB                   | Dimension:  | Ø97mm x 53mm      |
| CRI:               | > 80                  |             |                   |

## AR111 with Driver

20W VT-1120

1246 - 3000K Warm White

1247 - 4500K Day White

1248 - 6000K White

EAN Code

3800157606035


3800157606042

3800157606059

BOX QTY.



50



|                    |                       |             |                   |
|--------------------|-----------------------|-------------|-------------------|
| EQ. Watts:         | 100W                  | PF:         | > 0.7             |
| Voltage/Frequency: | AC: 220-240V, 50/60Hz | Beam Angle: | 40°               |
| Luminous Flux:     | 1800lm                | Body Type:  | Aluminum Die Cast |
| Commercial Type:   | AR111                 | Life span:  | 20,000 Hours      |
| LED Type:          | COB                   | Dimension:  | Ø97mm x 53mm      |
| CRI:               | > 80                  |             |                   |



Dimmable



Driver included in Set



94,5 x 45,5 x 28mm

**Dimmable G53 AR111****15W** VT-1110 D

4099 - 3000K Warm White

4106 - 4000K Day White

4086 - 6400K White


EAN Code

3800230620088

3800230620071

3800230626486

BOX QTY.

**60**


|                    |                       |             |                              |
|--------------------|-----------------------|-------------|------------------------------|
| EQ. Watts:         | <b>75W</b>            | Dimmable:   | <b>Yes</b>                   |
| Voltage/Frequency: | <b>AC: 220V, 50Hz</b> | PF:         | <b>&gt; 0.9</b>              |
| Luminous Flux:     | <b>780lm</b>          | Beam Angle: | <b>20°</b>                   |
| Commercial Type:   | <b>AR111</b>          | Base:       | <b>G53</b>                   |
| LED Type:          | <b>COB</b>            | Body Type:  | <b>Plastic Clad Aluminum</b> |
| CRI:               | <b>&gt; 80</b>        | Dimension:  | <b>111mm x 86mm</b>          |

**G53 AR111****15W** VT-1110

4257 - 3000K Warm White

4256 - 4000K Day White

4255 - 6400K White


EAN Code

3800230628664

3800230628657

3800230628640

BOX QTY.

**60**


|                    |                      |             |                              |
|--------------------|----------------------|-------------|------------------------------|
| EQ. Watts:         | <b>75W</b>           | PF:         | <b>&gt; 0.9</b>              |
| Voltage/Frequency: | <b>AC: 12V, 50Hz</b> | Beam Angle: | <b>40°</b>                   |
| Luminous Flux:     | <b>780lm</b>         | Base:       | <b>G53</b>                   |
| Commercial Type:   | <b>AR111</b>         | Body Type:  | <b>Plastic Clad Aluminum</b> |
| LED Type:          | <b>COB</b>           | Dimension:  | <b>111mm x 86mm</b>          |
| CRI:               | <b>&gt; 80</b>       |             |                              |

**G53 AR111****15W** VT-1110

4084 - 3000K Warm White

4062 - 4000K Day White

4061 - 6400K White


EAN Code

3800230620064

3800230620057

3800230620040

BOX QTY.

**60**


|                    |                      |             |                              |
|--------------------|----------------------|-------------|------------------------------|
| EQ. Watts:         | <b>75W</b>           | PF:         | <b>&gt;0.5</b>               |
| Voltage/Frequency: | <b>AC: 12V, 50Hz</b> | Beam Angle: | <b>20°</b>                   |
| Luminous Flux:     | <b>780lm</b>         | Base:       | <b>G53</b>                   |
| Commercial Type:   | <b>AR111</b>         | Body Type:  | <b>Plastic Clad Aluminum</b> |
| LED Type:          | <b>COB</b>           | Dimension:  | <b>111mm x 86mm</b>          |
| CRI:               | <b>&gt; 80</b>       |             |                              |




**GU10 AR111****12W** VT-1112**4224 - 2700K Warm White****4223 - 4000K Day White****4225 - 6400K White**

EAN Code

3800230626257

3800230626219

3800230626264

**BOX QTY.**  
 **60**


|                    |                           |             |                              |
|--------------------|---------------------------|-------------|------------------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt; 0.9</b>              |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>40°</b>                   |
| Luminous Flux:     | <b>650lm</b>              | Base:       | <b>GU10</b>                  |
| Commercial Type:   | <b>AR111</b>              | Body Type:  | <b>Plastic Clad Aluminum</b> |
| LED Type:          | <b>COB</b>                | Dimension:  | <b>111mm x 91mm</b>          |
| CRI:               | <b>&gt; 80</b>            |             |                              |


**Dimmable****Dimmable GU10 AR111****12W** VT-1112D**7234 - 2700K Warm White****7235 - 4000K Day White****7236 - 6400K White**

EAN Code



3800157620055

3800157620062

3800157620079



**BOX QTY.**  
 **60**


|                    |                           |             |                              |
|--------------------|---------------------------|-------------|------------------------------|
| EQ. Watts:         | <b>60W</b>                | Dimmable:   | <b>Yes</b>                   |
| Voltage/Frequency: | <b>AC: 200-240V, 50Hz</b> | PF:         | <b>&gt; 0.9</b>              |
| Luminous Flux:     | <b>650lm</b>              | Beam Angle: | <b>40°</b>                   |
| Commercial Type:   | <b>AR111</b>              | Base:       | <b>GU10</b>                  |
| LED Type:          | <b>COB</b>                | Body Type:  | <b>Plastic Clad Aluminum</b> |
| CRI:               | <b>&gt; 80</b>            | Dimension:  | <b>111mm x 91mm</b>          |

BOX QTY.  
24BOX QTY.  
12BOX QTY.  
12


## Aluminum Fitting

|                |                      |                      |                      |
|----------------|----------------------|----------------------|----------------------|
| Model No. :    | <b>VT-7221</b>       | <b>VT-7222</b>       | <b>VT-7223</b>       |
| SKU Code :     | <b>3575</b>          | <b>3576</b>          | <b>3577</b>          |
| Color :        | <b>White</b>         | <b>White</b>         | <b>White</b>         |
| Holder :       | <b>1xAR111</b>       | <b>2xAR111</b>       | <b>3xAR111</b>       |
| Body Type :    | <b>Aluminum</b>      | <b>Aluminum</b>      | <b>Aluminum</b>      |
| Dimension :    | <b>174 x 174 mm</b>  | <b>325 x 174 mm</b>  | <b>475 x 174 mm</b>  |
| Cutting Size : | <b>168 x 155mm</b>   | <b>305 x 168 mm</b>  | <b>455 x 168 mm</b>  |
| EAN Code :     | <b>3800157604765</b> | <b>3800157604772</b> | <b>3800157604789</b> |

BOX QTY.  
24BOX QTY.  
12BOX QTY.  
12

## Aluminum Fitting

|                |                      |                      |                      |
|----------------|----------------------|----------------------|----------------------|
| Model No. :    | <b>VT-7221</b>       | <b>VT-7222</b>       | <b>VT-7223</b>       |
| SKU Code :     | <b>3581</b>          | <b>3582</b>          | <b>3583</b>          |
| Color :        | <b>Black</b>         | <b>Black</b>         | <b>Black</b>         |
| Holder :       | <b>1xAR111</b>       | <b>2xAR111</b>       | <b>3xAR111</b>       |
| Body Type :    | <b>Aluminum</b>      | <b>Aluminum</b>      | <b>Aluminum</b>      |
| Dimension :    | <b>174 x 174 mm</b>  | <b>325 x 174 mm</b>  | <b>475 x 174 mm</b>  |
| Cutting Size : | <b>168x155mm</b>     | <b>305 x 168 mm</b>  | <b>455 x 168 mm</b>  |
| EAN Code :     | <b>3800157607063</b> | <b>3800157607070</b> | <b>3800157607087</b> |

**PAR 38 - E27****15W** VT-1215

4415 - 3000K Warm White

4416 - 4000K Day White

4417 - 6400K White




EAN Code

3800157606271

3800157606288

3800157606295

**BOX QTY.**  
**30**


|                    |                           |             |                                |
|--------------------|---------------------------|-------------|--------------------------------|
| EQ. Watts:         | <b>100W</b>               | PF:         | <b>&gt; 0.5</b>                |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>40°</b>                     |
| Luminous Flux:     | <b>1000lm</b>             | Base:       | <b>E27</b>                     |
| LED Type:          | <b>SMD</b>                | Body Type:  | <b>Plastic Coated Aluminum</b> |
| Commercial Type :  | <b>PAR38</b>              | IP Rating:  | <b>IP65</b>                    |
| CRI:               | <b>&gt; 80</b>            | Dimension:  | <b>Φ120 x 132mm</b>            |




Green



Red



Blue

**PAR 38 - E27****15W** VT-1125

4418 Green

4419 Red

4420 Blue




EAN Code

3800157606301

3800157606318

3800157606325

**BOX QTY.**  
**30**


|                    |                              |             |                                |
|--------------------|------------------------------|-------------|--------------------------------|
| EQ. Watts:         | <b>100W</b>                  | PF:         | <b>&gt; 0.5</b>                |
| Voltage/Frequency: | <b>AC: 180-240V, 50/60Hz</b> | Beam Angle: | <b>30°</b>                     |
| Luminous Flux:     | <b>1200lm</b>                | Base:       | <b>E27</b>                     |
| LED Type:          | <b>SMD</b>                   | Body Type:  | <b>Plastic Coated Aluminum</b> |
| Commercial Type :  | <b>PAR38</b>                 | IP Rating:  | <b>IP65</b>                    |
| CRI:               | <b>&gt; 80</b>               | Dimension:  | <b>Φ120 x 133mm</b>            |




### Garden Spike Single Head

VT-728 EAN Code  
7044 3800157606332

BOX QTY.  
12

|           |              |             |            |
|-----------|--------------|-------------|------------|
| Type:     | Outdoor      | Compatible: | PAR 38     |
| Suitable: | VT-1125 Bulb | Color:      | Black      |
| Holder:   | E27          | IP Rating:  | IP44       |
| Material: | ABS          | Dimension:  | 450 x 27mm |




### Garden Spike Double Head

VT-729 EAN Code  
7045 3800157606349


BOX QTY.  
12

|           |              |             |              |
|-----------|--------------|-------------|--------------|
| Type:     | Outdoor      | Compatible: | PAR 38       |
| Suitable: | VT-1125 Bulb | Color:      | Black        |
| Holder:   | E27          | IP Rating:  | IP44         |
| Material: | ABS          | Dimension:  | 450 x 205 mm |



# LED Nano Plastic Tubes

## A revolutionary LED Lighting Solution



High Lumen  
**SMD**

### A clear nine point advantage over any conventional glass LED tube!



Nano plastic tube has better light transmittance



This product is almost unbreakable



Light emitted is softer



Light emitted is even across the angle and hence diffuses the glare



The luminous efficiency of the light can reach up to 92%



The bending endurance is twice better than the normal polycarbonate lens



The thickness of a Nano plastic tube is just 0.4 to 0.5 mm



This new material has super thermal conductivity



The internal convection holes can release a great amount of heat from the tube light

# LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.



## Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or Mercury content hence Environment friendly
- No Ultraviolet or Infrared rays
- Long Lifespan, Low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm
- Ballast or Starter NOT REQUIRED - DIRECT AC POWER

## Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

**T8 - Nano Plastic****10W** VT-6072


6229 - 3000K Warm White  
 6230 - 4000K Day White  
 6231 - 6400K White

EAN Code

3800157605212  
 3800157605229  
 3800157605236

BOX QTY.  
**25****A+**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>18W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>850lm</b>             | Body Type:      | <b>Nano-Plastic</b>     | Life span:    | <b>30,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>27.9mm x 600mm</b>   | Gross weight: | <b>125 g</b>        |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |



Dummy Starter  
**Included**

**NON-ROTATABLE****T8 - Nano Plastic****10W** VT-6072


6392 - 3000K Warm White  
 6393 - 4000K Day White  
 6394 - 6400K White

EAN Code

3800157625296  
 3800157625302  
 3800157625319

BOX QTY.  
**25****A+**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>18W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>850lm</b>             | Body Type:      | <b>Nano-Plastic</b>     | Life span:    | <b>30,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>27.9mm x 600mm</b>   | Gross weight: | <b>125 g</b>        |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |




Dummy Starter  
**Included**

**T8 - Nano Plastic****14W** VT-90776272 - 4000K Day White  
6262 - 6400K White**Dummy Starter  
Included****BOX QTY.****25**

EAN Code

3800157615419

3800157612128

**A+**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>25W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>1200lm</b>            | Body Type:      | <b>Nano-Plastic</b>     | Life span:    | <b>30,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>27.9mm x 900mm</b>   | Gross weight: | <b>145.6 g</b>      |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |


**T8 - Nano Plastic****18W** VT-12776263 - 3000K Warm White  
6273 - 4000K Day White  
6264 - 6400K White**Dummy Starter  
Included****BOX QTY.****25**

EAN Code

3800157612135

3800157615426

3800157612142

**A+**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>36W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>1700lm</b>            | Body Type:      | <b>Nano-Plastic</b>     | Life span:    | <b>30,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>27.9mm x 1200mm</b>  | Gross weight: | <b>200 g</b>        |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |


**T8 - Nano Plastic****22W** VT-15776265 - 3000K Warm White  
6309 - 4000K Day White  
6310 - 6400K White**Dummy Starter  
Included****BOX QTY.****25**

EAN Code

3800157612159

3800157617437

3800157617444

**A+**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>58W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>2000lm</b>            | Body Type:      | <b>Nano-Plastic</b>     | Life span:    | <b>30,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>27.9mm x1500mm</b>   | Gross weight: | <b>283.4 g</b>      |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |



# LED Tube Lights | Nano Plastic High Lumens



www.v-tac.eu | www.vtacexports.com



**60CM**  
**9W** VT-6085

6299 - 3000K Warm White  
6301 - 4000K Day White  
6302 - 6400K White




Dummy Starter  
Included

BOX QTY.

**25**

EAN Code

3800157617345  
3800157617352  
3800157617369



**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>25W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>1100lm</b>            | Body Type:      | <b>Nano-Plastic</b>     | Life span:    | <b>30,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>27.9mm x 600mm</b>   | Gross weight: | <b>125 g</b>        |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |



**120CM**  
**18W** VT-1285

6303 - 3000K Warm White  
6304 - 4000K Day White  
6305 - 6400K White




Dummy Starter  
Included

BOX QTY.

**25**

EAN Code

3800157617376  
3800157617383  
3800157617390



**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>45W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>2250lm</b>            | Body Type:      | <b>Nano-Plastic</b>     | Life span:    | <b>30,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>27.9mm x 1200mm</b>  | Gross weight: | <b>200 g</b>        |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |



**150CM**  
**22W** VT-1585

6306 - 3000K Warm White  
6307 - 4000K Day White  
6308 - 6400K White




Dummy Starter  
Included

BOX QTY.

**25**


EAN Code

3800157617406  
3800157617413  
3800157617420



**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>75W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>3000lm</b>            | Body Type:      | <b>Nano-Plastic</b>     | Life span:    | <b>30,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>27.9mm x1500mm</b>   | Gross weight: | <b>283.4 g</b>      |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |



**T8 - Shoplite Nano Plastic**

**18W** VT-6077

6313 - 4000K Day White  
6314 - 6400K White

EAN Code


3800157618656  
3800157618663

BOX QTY.  
**10**

**A++**

**120<sup>++</sup>** LM/W  
**HIGH LUMENS**

|                    |                              |                 |                         |               |                     |
|--------------------|------------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>36W</b>                   | PF:             | <b>&gt;0.9</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC: 200-240V, 50/60Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>2500lm</b>                | Body Type:      | <b>Nano Plastic</b>     | Life span:    | <b>20,000 Hours</b> |
| LED Type:          | <b>SMD</b>                   | Dimension:      | <b>18.5mm x 549mm</b>   | Gross weight: | <b>250 g</b>        |
| CRI:               | <b>&gt;80</b>                | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |



**T8 - Shoplite Nano Plastic**

**36W** VT-12077

6315 - 4000K Day White  
6316 - 6400K White

EAN Code

3800157618670  
3800157618687

BOX QTY.  
**10**


**A++**

**120<sup>++</sup>** LM/W  
**HIGH LUMENS**

|                    |                              |                 |                         |               |                     |
|--------------------|------------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>72W</b>                   | PF:             | <b>&gt;0.9</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC: 200-240V, 50/60Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>4500lm</b>                | Body Type:      | <b>Nano Plastic</b>     | Life span:    | <b>20,000 Hours</b> |
| LED Type:          | <b>SMD</b>                   | Dimension:      | <b>18.5mm x 1149mm</b>  | Gross weight: | <b>400 g</b>        |
| CRI:               | <b>&gt;80</b>                | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

**T5 - Glass with PET****8W** VT-60056318 - 4000K Day White  
6319 - 6400K WhiteBOX QTY.  
**25**


EAN Code

3800157619271  
3800157619288

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>14W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G5</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>800lm</b>             | Body Type:      | <b>Glass with PET</b>   | Life span:    | <b>20,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>18.4mm x 549mm</b>   | Gross weight: | <b>128 g</b>        |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

**T5 - Glass with PET****16W** VT-12256320 - 4000K Day White  
6321 - 6400K WhiteBOX QTY.  
**25**


EAN Code

3800157619295  
3800157619301

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>28W</b>               | PF:             | <b>&gt;0.5</b>          | Holder:       | <b>G5</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>1600lm</b>            | Body Type:      | <b>Glass with PET</b>   | Life span:    | <b>20,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>18.4mm x 1149mm</b>  | Gross weight: | <b>213 g</b>        |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

**T8 - Aluminum Body****40W** VT-18406251 - 4500K Day White  
6250 - 6000K WhiteBOX QTY.  
**25**

EAN Code

3800157607841  
3800157607834

|                    |                            |                 |                         |               |                     |
|--------------------|----------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>80W</b>                 | PF:             | <b>&gt;0.9</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:85-265V, 50/60Hz</b> | Beam Angle:     | <b>120°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>3800lm</b>              | Body Type:      | <b>Aluminum+PC</b>      | Life span:    | <b>20,000 Hours</b> |
| LED Type:          | <b>SMD</b>                 | Dimension:      | <b>28mm x 1800mm</b>    | Gross weight: | <b>700g</b>         |
| CRI:               | <b>&gt;80</b>              | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |



## T8 - Glass Bakery Tube


18W VT-1228

SKU 6322

BOX QTY.  
25

EAN Code

3800157619318



|                    |                   |                 |                |               |              |
|--------------------|-------------------|-----------------|----------------|---------------|--------------|
| EQ. Watts:         | 36W               | PF:             | >0.9           | Holder:       | G13          |
| Voltage/Frequency: | AC:180-240V, 50Hz | Beam Angle:     | 160°           | On/Off:       | >15000       |
| Luminous Flux:     | 990lm             | Body Type:      | Glass with PET | Life span:    | 20,000 Hours |
| LED Type:          | SMD               | Dimension:      | 26mm x 1200mm  | Gross weight: | 380 g        |
| CRI:               | >95               | Instant start : | 0-100% in <1s  |               |              |



## T8 - Glass Meat Tube


18W VT-1228

SKU 6323

BOX QTY.  
25

EAN Code

3800157619325



|                    |                   |                 |                |               |              |
|--------------------|-------------------|-----------------|----------------|---------------|--------------|
| EQ. Watts:         | 36W               | PF:             | >0.9           | Holder:       | G13          |
| Voltage/Frequency: | AC:180-240V, 50Hz | Beam Angle:     | 160°           | On/Off:       | >15000       |
| Luminous Flux:     | 1530lm            | Body Type:      | Glass with PET | Life span:    | 20,000 Hours |
| LED Type:          | SMD               | Dimension:      | 26mm x 1200mm  | Gross weight: | 380 g        |
| CRI:               | >95               | Instant start : | 0-100% in <1s  |               |              |



## T8 - Glass Vegetable


18W VT-1228

SKU 6324


BOX QTY.  
25

EAN Code

3800157619332



|                    |                   |                 |                |               |              |
|--------------------|-------------------|-----------------|----------------|---------------|--------------|
| EQ. Watts:         | 36W               | PF:             | >0.9           | Holder:       | G13          |
| Voltage/Frequency: | AC:180-240V, 50Hz | Beam Angle:     | 160°           | On/Off:       | >15000       |
| Luminous Flux:     | 990lm             | Body Type:      | Glass with PET | Life span:    | 20,000 Hours |
| LED Type:          | SMD               | Dimension:      | 26mm x 1200mm  | Gross weight: | 380 g        |
| CRI:               | >95               | Instant start : | 0-100% in <1s  |               |              |

**T8 - Glass Seafood Tube****18W** VT-1228

SKU 6325


EAN Code

3800157619349

BOX QTY.

**25**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>36W</b>               | PF:             | <b>&gt;0.9</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:180-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>1530lm</b>            | Body Type:      | <b>Glass with PET</b>   | Life span:    | <b>20,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>26mm x 1200mm</b>    | Gross weight: | <b>380 g</b>        |
| CRI:               | <b>&gt;95</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

**T8 - Glass Plant Growing Tube****18W** VT-1228

SKU 6326

EAN Code

3800157619356

BOX QTY.

**25**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| EQ. Watts:         | <b>36W</b>               | PF:             | <b>&gt;0.9</b>          | Holder:       | <b>G13</b>          |
| Voltage/Frequency: | <b>AC:180-240V, 50Hz</b> | Beam Angle:     | <b>160°</b>             | On/Off:       | <b>&gt;15000</b>    |
| Luminous Flux:     | <b>860lm</b>             | Body Type:      | <b>Glass with PET</b>   | Life span:    | <b>20,000 Hours</b> |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>26mm x 1200mm</b>    | Gross weight: | <b>380 g</b>        |
| CRI:               | <b>&gt;95</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

NEW

**120CM - Linkable LED Batten Fitting****40W** VT-80404

6389 - 3000K Warm White

6390 - 4000K Day White

6391 - 6400K White

EAN Code

3800157625104

3800157625111

3800157625128

BOX QTY.


10

A+



|                    |                      |             |                  |               |              |
|--------------------|----------------------|-------------|------------------|---------------|--------------|
| Sensor Compatible: | Yes                  | PF:         | >0.9             | On/Off:       | >15,000      |
| Voltage/Frequency: | AC:100-240V, 50/60Hz | Beam Angle: | 120°             | Life span:    | 30,000 hours |
| Luminous Flux:     | 3200lm               | Body Type:  | Aluminum+Plastic | Gross weight: | 500 g        |
| LED Type:          | SMD                  | IP Rating:  | IP20             |               |              |
| CRI:               | >80                  | Dimension:  | 1200 x 75 x 26mm |               |              |

NEW

**180CM - LED Batten Fitting****60W** VT-8065

6434 - 4000K Day White

6435 - 6400K White

EAN Code

3800157628235

3800157628242

BOX QTY.

10

A+

|                    |                      |             |                  |               |              |
|--------------------|----------------------|-------------|------------------|---------------|--------------|
| Sensor Compatible: | Yes                  | PF:         | >0.9             | On/Off:       | >15,000      |
| Voltage/Frequency: | AC:100-240V, 50/60Hz | Beam Angle: | 110°             | Life span:    | 30,000 hours |
| Luminous Flux:     | 7200lm               | Body Type:  | Aluminum+Plastic | Gross weight: | 500 g        |
| LED Type:          | SMD                  | IP Rating:  | IP20             |               |              |
| CRI:               | >80                  | Dimension:  | 1800 x 75 x 23mm |               |              |

# Prismatic Fittings

Providing comparatively better light levels to current linear fluorescent systems, V-TAC's Prismatic fittings are available in three colour options and sizes as mentioned below.



**30CM**

10w | 800 lm

**A<sup>+</sup>**

**60CM**

20w | 1600 lm

**A<sup>+</sup>**

**120CM**

40w | 3200 lm

**A<sup>+</sup>**

**150CM**

50w | 4000 lm

**A<sup>+</sup>**

**180CM**

60w | 4800 lm

**A<sup>+</sup>**

## Salient Features

- ❖ Stable SMD technology which makes the product more reliable and long-lasting.
- ⚡ 50% less power consumption compared to traditional grill fitting lighting
- 🌀 Sturdy Aluminium body of the fitting controls heat transmittance
- ☀️ PC diffuser allows for even light distribution
- 📏 Stylish shapes present opportunities to install anywhere
- 🌊 Soft light emission
- 📏 Variety of sizes to choose from

**30CM - Prismatic****10W** VT-8013

4987 - 3000K Warm White

4988 - 4000K Day White

4989 - 6000K White

BOX QTY.


10

EAN Code

3800157601955

3800157601962

3800157601979

**A+**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| Sensor Compatible: | <b>Yes</b>               | PF:             | <b>&gt; 0.5</b>         | On/Off:       | <b>&gt;15000</b>    |
| Voltage/Frequency: | <b>AC:100-240V, 50Hz</b> | Beam Angle:     | <b>110°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>900lm</b>             | Body Type:      | <b>Aluminum+Plastic</b> | Gross weight: | <b>260 g</b>        |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>300 x 75 x 25mm</b>  |               |                     |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

**60CM - Prismatic****20W** VT-8020

4990 - 3000K Warm White

4991 - 4000K Day White

4992 - 6000K White

BOX QTY.


10

EAN Code

3800157601986

3800157601993

3800157602006

**A+**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| Sensor Compatible: | <b>Yes</b>               | PF:             | <b>&gt; 0.5</b>         | On/Off:       | <b>&gt;15000</b>    |
| Voltage/Frequency: | <b>AC:100-240V, 50Hz</b> | Beam Angle:     | <b>110°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>1800lm</b>            | Body Type:      | <b>Aluminum+Plastic</b> | Gross weight: | <b>420 g</b>        |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>600 x 75 x 25mm</b>  |               |                     |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

**120CM - Prismatic****40W** VT-8040

4993 - 3000K Warm White

4994 - 4000K Day White

4995 - 6000K White

BOX QTY.


10

EAN Code

3800157602013

3800157602020

3800157602037


**A+**

|                    |                          |                 |                         |               |                     |
|--------------------|--------------------------|-----------------|-------------------------|---------------|---------------------|
| Sensor Compatible: | <b>Yes</b>               | PF:             | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;15000</b>    |
| Voltage/Frequency: | <b>AC:100-240V, 50Hz</b> | Beam Angle:     | <b>110°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>3600lm</b>            | Body Type:      | <b>Aluminum+Plastic</b> | Gross weight: | <b>840 g</b>        |
| LED Type:          | <b>SMD</b>               | Dimension:      | <b>1200 x 75 x 25mm</b> |               |                     |
| CRI:               | <b>&gt;80</b>            | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |



**150CM - Prismatic****50W** VT-80506254 - 4000K Day White  
6253 - 6000K WhiteBOX QTY.  
**20**


EAN Code

3800157609579  
3800157609562**A+**


|                    |                           |                 |                         |               |                     |
|--------------------|---------------------------|-----------------|-------------------------|---------------|---------------------|
| Sensor Compatible: | <b>Yes</b>                | PF:             | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC: 100-240V, 50Hz</b> | Beam Angle:     | <b>110°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>4000 lm</b>            | Body Type:      | <b>Aluminum+Plastic</b> | Gross weight: | <b>1000g</b>        |
| LED Type:          | <b>SMD</b>                | Dimension:      | <b>1500 x 75 x 25mm</b> |               |                     |
| CRI:               | <b>&gt;80</b>             | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

**180CM - Prismatic****60W** VT-80606311 - 4000K Day White  
6312 - 6000K WhiteBOX QTY.  
**20**

EAN Code

3800157617574  
3800157617581**A+**

|                    |                           |                 |                         |               |                     |
|--------------------|---------------------------|-----------------|-------------------------|---------------|---------------------|
| Sensor Compatible: | <b>Yes</b>                | PF:             | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC: 100-240V, 50Hz</b> | Beam Angle:     | <b>110°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>4800lm</b>             | Body Type:      | <b>Aluminum+Plastic</b> | Gross weight: | <b>1200g</b>        |
| LED Type:          | <b>SMD</b>                | Dimension:      | <b>1800 x 75 x 25mm</b> |               |                     |
| CRI:               | <b>&gt;80</b>             | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |

**120CM - Linear Light****36W** VT-120426202 - 4500K Day White  
6203 - 6000K White8071 Wire  
8072 Joint

EAN Code


3800157604024  
3800157604031


BOX QTY.

12

A+

|                    |                           |                 |                         |               |                     |
|--------------------|---------------------------|-----------------|-------------------------|---------------|---------------------|
| Sensor Compatible: | <b>Yes</b>                | PF:             | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;15000</b>    |
| Voltage/Frequency: | <b>AC:85-265V/50-60Hz</b> | Beam Angle:     | <b>120°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>2900lm</b>             | Body Type:      | <b>IRON+PC</b>          | Gross weight: | <b>700 g</b>        |
| LED Type:          | <b>SMD</b>                | Dimension:      | <b>1187 x 54 x 36mm</b> |               |                     |
| CRI:               | <b>&gt;80</b>             | Instant start : | <b>0-100% in &lt;1s</b> |               |                     |






## 30CM T5 Complete Fixture 4W VT-3033

6166 - 3000K Warm White  
6167 - 4500K Day White  
6168 - 6000K White


BOX QTY.  
50

EAN Code  
3800230629159  
3800230629166  
3800230629173



A+

|                    |                      |                 |                 |               |              |
|--------------------|----------------------|-----------------|-----------------|---------------|--------------|
| Sensor Compatible: | Yes                  | PF:             | > 0.5           | On/Off:       | >10000       |
| Voltage/Frequency: | AC:200-240V, 50/60Hz | Beam Angle:     | 120°            | Life span:    | 20,000 Hours |
| Luminous Flux:     | 360lm                | Body Type:      | Plastic         | Gross weight: | 140 g        |
| LED Type:          | SMD                  | Dimension:      | 300 x 22 x 33mm |               |              |
| CRI:               | >80                  | Instant start : | 0-100% in <1s   |               |              |




## 60CM T5 Complete Fixture 7W VT-6073

6169 - 3000K Warm White  
6170 - 4500K Day White  
6171 - 6000K White

BOX QTY.  
50

EAN Code  
3800230629180  
3800230629197  
3800230629203



A+

|                    |                      |                 |                 |               |              |
|--------------------|----------------------|-----------------|-----------------|---------------|--------------|
| Sensor Compatible: | Yes                  | PF:             | > 0.5           | On/Off:       | >10000       |
| Voltage/Frequency: | AC:200-240V, 50/60Hz | Beam Angle:     | 120°            | Life span:    | 20,000 Hours |
| Luminous Flux:     | 630lm                | Body Type:      | Plastic         | Gross weight: | 210 g        |
| LED Type:          | SMD                  | Dimension:      | 600 x 22 x 33mm |               |              |
| CRI:               | >80                  | Instant start : | 0-100% in <1s   |               |              |




## 120CM - T5 Tube With Fitting

14W VT-1273

6172 - 3000K Warm White  
6173 - 4500K Day White  
6174 - 6000K White

BOX QTY.  
50

EAN Code  
3800230629210  
3800230629227  
3800230629234



A+

|                    |                      |                 |                 |               |              |
|--------------------|----------------------|-----------------|-----------------|---------------|--------------|
| Sensor Compatible: | Yes                  | PF:             | > 0.5           | On/Off:       | >10000       |
| Voltage/Frequency: | AC:200-240V, 50/60Hz | Beam Angle:     | 120°            | Life span:    | 20,000 Hours |
| Luminous Flux:     | 1260lm               | Body Type:      | Plastic         | Gross weight: | 300 g        |
| LED Type:          | SMD                  | Dimension:      | 1200x 22 x 33mm |               |              |
| CRI:               | >80                  | Instant start : | 0-100% in <1s   |               |              |



## Cabinet Light

10W VT-8112


5068 - 3000K Warm White  
5069 - 4500K Day White  
5070 - 6000K White

BOX QTY.

12

EAN Code

3800157606714  
3800157606721  
3800157606738



A+

|                    |                      |                 |                                 |               |              |
|--------------------|----------------------|-----------------|---------------------------------|---------------|--------------|
| Sensor Compatible: | Yes                  | PF:             | > 0.5                           | On/Off:       | >15000       |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:     | 110°                            | Life span:    | 20,000 Hours |
| Luminous Flux:     | 800lm                | Body Type:      | Aluminum Body, Plastic Diffuser | Gross weight: | 600 g        |
| LED Type:          | SMD                  | Dimension:      | 579 x 78 x 35mm                 |               |              |
| CRI:               | >80                  | Instant start : | 0-100% in <1s                   |               |              |



## Wall Fitting

10W VT-8111


5071 - 3000K Warm White  
5072 - 4500K Day White  
5073 - 6000K White

BOX QTY.

25

EAN Code

3800157606745  
3800157606752  
3800157606769



A+

|                    |                     |                 |                 |               |              |
|--------------------|---------------------|-----------------|-----------------|---------------|--------------|
| Sensor Compatible: | Yes                 | PF:             | > 0.6           | On/Off:       | >15000       |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle:     | 120°            | Life span:    | 20,000 Hours |
| Luminous Flux:     | 900lm               | Body Type:      | Aluminum+PC     | Gross weight: | 240 g        |
| LED Type:          | SMD                 | Dimension:      | 600 x 32 x 25mm |               |              |
| CRI:               | >80                 | Instant start : | 0-100% in <1s   |               |              |



## Wall Fitting

20W VT-8121


5074 - 3000K Warm White  
5075 - 4500K Day White  
5076 - 6000K White

BOX QTY.

25

EAN Code

3800157606776  
3800157606783  
3800157606790



A+

|                    |                     |                 |                 |               |              |
|--------------------|---------------------|-----------------|-----------------|---------------|--------------|
| Sensor Compatible: | Yes                 | PF:             | > 0.6           | On/Off:       | >15000       |
| Voltage/Frequency: | AC:85-265V, 50/60Hz | Beam Angle:     | 120°            | Life span:    | 20,000 Hours |
| Luminous Flux:     | 1800lm              | Body Type:      | Aluminum+PC     | Gross weight: | 370 g        |
| LED Type:          | SMD                 | Dimension:      | 1200x 32 x 25mm |               |              |
| CRI:               | >80                 | Instant start : | 0-100% in <1s   |               |              |

BOX QTY.  
20BOX QTY.  
20BOX QTY.  
20BOX QTY.  
20

| MODEL No. | VT-16010        | VT-12020         | VT-15020         | VT-18011         |
|-----------|-----------------|------------------|------------------|------------------|
| SKU Code  | 6052            | 6054             | 6056             | 6151             |
| Body Type | Aluminum        | Aluminum         | Aluminum         | Aluminum         |
| IP Rating | IP20            | IP20             | IP20             | IP20             |
| Size      | 635 x 45 x 80mm | 1235 x 45 x 80mm | 1530 x 45 x 80mm | 1830 x 45 x 80mm |
| EAN Code  | 3800230624642   | 3800230624666    | 3800230624680    | 3800230627926    |

BOX QTY.  
20BOX QTY.  
12BOX QTY.  
12

| MODEL No. | VT-16011         | VT-12021          | VT-15021          |
|-----------|------------------|-------------------|-------------------|
| SKU Code  | 6053             | 6055              | 6057              |
| Body Type | Aluminum         | Aluminum          | Aluminum          |
| IP Rating | IP20             | IP20              | IP20              |
| Size      | 635 x 110 x 80mm | 1235 x 110 x 80mm | 1530 x 110 x 80mm |
| EAN Code  | 3800230624659    | 3800230624673     | 3800230624697     |

Batten Fixtures for our T8 LED Tubes so they can be used in a variety of different applications such as public areas like hotels, restaurants or hospitals.

# LED Waterproof Fittings

Introducing our IP65 Ingress Protection Waterproof tubes, built dust-tight allowing it to resist rain and jets of water.



## Product Features

- Luminous efficacy up to 120lm/W and 80lm/W
- Easy to install
- IP65, free from water and dirt
- Without opening the lampshade for direct wiring
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

## Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

NEW

2 LED TUBES  
INCLUDED

120CM x 2 - Fitting

BOX QTY.  
10IP65  
RATED

2 x 18W VT-12023

6387 - 4000K Day White  
6399 - 6400K White

EAN Code

3800157625036  
3800157626385

A+



|                    |                      |               |                   |
|--------------------|----------------------|---------------|-------------------|
| Watts:             | 2 x 18W              | On/Off:       | >15000            |
| Voltage/Frequency: | AC:200-240V, 50/60Hz | Life span:    | 20,000 Hours      |
| Luminous Flux:     | 3400lm               | Body Type:    | ABS+PC            |
| LED Type:          | SMD                  | IP Rating:    | IP65              |
| CRI:               | >80                  | Dimension:    | 1260 x 112 x 63mm |
| PF:                | >0.9                 | Gross weight: | 1330 g            |
| Beam Angle:        | 120°                 |               |                   |

NEW

2 LED TUBES  
INCLUDED

150CM x 2 - Fitting

BOX QTY.  
10IP65  
RATED

2 x 22W VT-15022

6388 - 4000K Day White  
6400 - 6400K White

EAN Code

3800157625043  
3800157626392

A+



|                    |                      |               |                   |
|--------------------|----------------------|---------------|-------------------|
| Watts:             | 2 x 22W              | On/Off:       | >15000            |
| Voltage/Frequency: | AC:200-240V, 50/60Hz | Life span:    | 20,000 Hours      |
| Luminous Flux:     | 4000lm               | Body Type:    | ABS+PC            |
| LED Type:          | SMD                  | IP Rating:    | IP65              |
| CRI:               | >80                  | Dimension:    | 1560 x 112 x 63mm |
| PF:                | >0.9                 | Gross weight: | 1650 g            |
| Beam Angle:        | 120°                 |               |                   |

NEW

**120CM - Fitting****36W** VT-12386395 - 4000K Day White  
6396 - 6400K White


EAN Code

3800157625999  
3800157626002

BOX QTY.

20

A+

IP65  
RATED

|                    |                             |             |                         |               |                     |
|--------------------|-----------------------------|-------------|-------------------------|---------------|---------------------|
| Watts:             | <b>36W</b>                  | PF:         | <b>&gt;0.6</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:200-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>             | Life span:    | <b>30,000 Hours</b> |
| Luminous Flux:     | <b>3200lm</b>               | Body Type:  | <b>PC</b>               | Gross weight: | <b>350 g</b>        |
| LED Type:          | <b>SMD</b>                  | IP Rating:  | <b>IP65</b>             |               |                     |
| CRI:               | <b>&gt;70</b>               | Dimension:  | <b>1260 x 43 x 23mm</b> |               |                     |

NEW

**150CM - Fitting****45W** VT-15456397 - 4000K Day White  
6398 - 6400K White

EAN Code

3800157626019  
3800157626026

BOX QTY.

20

A+

IP65  
RATED

|                    |                             |             |                         |               |                     |
|--------------------|-----------------------------|-------------|-------------------------|---------------|---------------------|
| Watts:             | <b>45W</b>                  | PF:         | <b>&gt;0.6</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:200-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>             | Life span:    | <b>30,000 Hours</b> |
| Luminous Flux:     |                             | Body Type:  | <b>PC</b>               | Gross weight: | <b>390 g</b>        |
| LED Type:          | <b>4100lm</b>               | IP Rating:  | <b>IP65</b>             |               |                     |
| CRI:               | <b>SMD</b>                  | Dimension:  | <b>1560 x 43 x 23mm</b> |               |                     |

&gt;70




**60CM - Fitting****18W** VT-60766283 - 4000K Day White  
6282 - 6400K White

BOX QTY.

12

EAN Code

3800157616478  
3800157616461


|                    |                         |             |                        |               |                     |
|--------------------|-------------------------|-------------|------------------------|---------------|---------------------|
| Watts:             | <b>18W</b>              | PF:         | <b>&gt;0.5</b>         | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>120°</b>            | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>1440lm</b>           | Body Type:  | <b>ABS+PC</b>          | Gross weight: | <b>560 g</b>        |
| LED Type:          | <b>SMD</b>              | IP Rating:  | <b>IP65</b>            |               |                     |
| CRI:               | <b>&gt;70</b>           | Dimension:  | <b>600 x 65 x 58mm</b> |               |                     |

**120CM - Fitting****36W** VT-12496285 - 4000K Day White  
6284 - 6400K White

BOX QTY.

12

EAN Code

3800157616492  
3800157616485


|                    |                         |             |                         |               |                     |
|--------------------|-------------------------|-------------|-------------------------|---------------|---------------------|
| Watts:             | <b>36W</b>              | PF:         | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>120°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>2880lm</b>           | Body Type:  | <b>ABS+PC</b>           | Gross weight: | <b>916 g</b>        |
| LED Type:          | <b>SMD</b>              | IP Rating:  | <b>IP65</b>             |               |                     |
| CRI:               | <b>&gt;70</b>           | Dimension:  | <b>1200 x 65 x 58mm</b> |               |                     |

**150CM - Fitting****48W** VT-15746287 - 4000K Day White  
6286 - 6400K White

BOX QTY.

12

EAN Code

3800157616515  
3800157616508

|                    |                         |             |                         |               |                     |
|--------------------|-------------------------|-------------|-------------------------|---------------|---------------------|
| Watts:             | <b>48W</b>              | PF:         | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>120°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>3840lm</b>           | Body Type:  | <b>ABS+PC</b>           | Gross weight: | <b>1150 g</b>       |
| LED Type:          | <b>SMD</b>              | IP Rating:  | <b>IP65</b>             |               |                     |
| CRI:               | <b>&gt;70</b>           | Dimension:  | <b>1500 x 65 x 58mm</b> |               |                     |


**60CM - Fitting****18W** VT-6048

EAN Code

3800157603256

3800157603263

BOX QTY.

**12****A+****6198 - 4500K Day White****6199 - 6000K White**

|                    |                         |             |                         |               |                     |
|--------------------|-------------------------|-------------|-------------------------|---------------|---------------------|
| Watts:             | <b>18W</b>              | PF:         | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:200-240V,50Hz</b> | Beam Angle: | <b>120°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>1400lm</b>           | Body Type:  | <b>Plastic</b>          | Gross weight: | <b>800 g</b>        |
| LED Type:          | <b>SMD</b>              | IP Rating:  | <b>IP65</b>             |               |                     |
| CRI:               | <b>&gt;70</b>           | Dimension:  | <b>600 x 76 x 66 mm</b> |               |                     |


**120CM - Fitting****36W** VT-1248

EAN Code

3800157603270

3800157603287

BOX QTY.

**12****A+****6200 - 4500K Day White****6201 - 6000K White**

|                    |                         |             |                         |               |                     |
|--------------------|-------------------------|-------------|-------------------------|---------------|---------------------|
| Watts:             | <b>36W</b>              | PF:         | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:200-240V,50Hz</b> | Beam Angle: | <b>120°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>2880lm</b>           | Body Type:  | <b>Plastic</b>          | Gross weight: | <b>1450 g</b>       |
| LED Type:          | <b>SMD</b>              | IP Rating:  | <b>IP65</b>             |               |                     |
| CRI:               | <b>&gt;70</b>           | Dimension:  | <b>1200 x 76 x 66mm</b> |               |                     |


**150CM - Fitting****48W** VT-1548

EAN Code

3800157602389

3800157602396

BOX QTY.

**12****A+****6184 - 4500K Day White****6185 - 6000K White**

|                    |                         |                 |                         |               |                     |
|--------------------|-------------------------|-----------------|-------------------------|---------------|---------------------|
| Watts:             | <b>48W</b>              | PF:             | <b>&gt;0.9</b>          | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:200-240V,50Hz</b> | Beam Angle:     | <b>120°</b>             | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>3920lm</b>           | Body Type:      | <b>Plastic</b>          | Gross weight: | <b>1800 g</b>       |
| LED Type:          | <b>SMD</b>              | Dimension:      | <b>IP65</b>             |               |                     |
| CRI:               | <b>&gt;70</b>           | Instant start : | <b>1480 x 76 x 66mm</b> |               |                     |

**120CM - Fitting****60W** VT-1260 SMD

EAN Code

BOX QTY.

09

6179 - 4000K Day White

6062 - 6000K White


3800157601610

3800230625212

A++

120<sup>++</sup>  
LM/W  
HIGH LUMENSIP65  
RATED

|                    |                           |             |                            |               |                     |
|--------------------|---------------------------|-------------|----------------------------|---------------|---------------------|
| Watts:             | <b>60W</b>                | PF:         | <b>&gt; 0.9</b>            | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC: 200-240V, 50Hz</b> | Beam Angle: | <b>120°</b>                | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>7200lm</b>             | Body Type:  | <b>Plastic + Aluminium</b> | Gross weight: | <b>2100 g</b>       |
| LED Type:          | <b>SMD</b>                | IP Rating:  | <b>IP65</b>                |               |                     |
| CRI:               | <b>&gt;70</b>             | Dimension:  | <b>1200 x 86 x 70mm</b>    |               |                     |

**150CM - Fitting****70W** VT-1573

EAN Code

BOX QTY.

06

6266 - 4000K Day White

6267 - 6000K White


3800157612586

3800157612593

A++

120<sup>++</sup>  
LM/W  
HIGH LUMENSIP65  
RATED

|                    |                             |             |                            |               |                     |
|--------------------|-----------------------------|-------------|----------------------------|---------------|---------------------|
| Watts:             | <b>70W</b>                  | PF:         | <b>&gt; 0.9</b>            | On/Off:       | <b>&gt;10000</b>    |
| Voltage/Frequency: | <b>AC:200~240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>                | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>8400lm</b>               | Body Type:  | <b>Plastic + Aluminium</b> | Gross weight: | <b>2750 g</b>       |
| LED Type:          | <b>SMD</b>                  | IP Rating:  | <b>IP65</b>                |               |                     |
| CRI:               | <b>&gt;70</b>               | Dimension:  | <b>1500x 86 x70mm</b>      |               |                     |



# LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.



## Product Features

- Powerful LED light source with a unique design
- Extensive Options can replace all types of Standard MH Highbays
- Aluminium Diffuser with multiple Beam Angle's to choose from 45°D / 90°D / 120°D
- Shatter Proof Perspex Lens
- High Thermal Conductivity, Low Luminous Decay, Pure Colours & No Heavy Shade
- The unique design of Radiator fuses with the Lamp Box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

## Applications

Perfect fit for Industrial Usage, Warehouse & Super Markets, Workshops, Factories, Warehouses, Highway, toll Stations, Gas Stations, Malls, Exhibition Halls, Stadiums & other vast areas.

---



### UFO Highbay With Mean Well Driver


100W VT-9120

5550 - 4500K Day White  
5551 - 6400K White


BOX QTY.  
01

EAN Code

3800157619714  
3800157619721



Luminous Intensity Distribution Curve



|                    |                  |             |                       |
|--------------------|------------------|-------------|-----------------------|
| Sensor Compatible: | Yes              | PF:         | >0.9                  |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 12000lm          | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD              | IP Rating:  | IP65                  |
| CRI:               | >70              | Dimension:  | 280 x 162 mm          |



### UFO Highbay With Mean Well Driver


150W VT-9170

5552 - 4500K Day White


BOX QTY.  
01

EAN Code

3800157619738



Luminous Intensity Distribution Curve




|                    |                  |             |                       |
|--------------------|------------------|-------------|-----------------------|
| Sensor Compatible: | Yes              | PF:         | >0.9                  |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 18000lm          | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD              | IP Rating:  | IP65                  |
| CRI:               | >70              | Dimension:  | 360 x 168 mm          |

NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM

1-10V  
DIMMABLE120<sup>++</sup> LM/W  
HIGH LUMENS90°  
BEAM ANGLE


### UFO Highbay

With Mean Well Driver

BOX QTY.  
04

100W VT-9107

EAN Code

5587 - 4000K Day White  
5588 - 6400K White3800157622295  
3800157622301

ø280mm


|                    |                     |             |                       |
|--------------------|---------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9                  |
| Voltage/Frequency: | AC:100-240V 50/60Hz | Beam Angle: | 90°                   |
| Luminous Flux:     | 13000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44                  |
| CRI:               | >70                 | Dimension:  | ø280 x 165mm          |



NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM

1-10V  
DIMMABLE120<sup>++</sup> LM/W  
HIGH LUMENS120°  
BEAM ANGLE


### UFO Highbay

With Mean Well Driver

BOX QTY.  
04

100W VT-9117

EAN Code

5585 - 4000K Day White  
5586 - 6400K White3800157622271  
3800157622288

ø280mm

|                    |                     |             |                       |
|--------------------|---------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9                  |
| Voltage/Frequency: | AC:100-240V 50/60Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 13000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44                  |
| CRI:               | >70                 | Dimension:  | ø280 x 165mm          |

NEW

1-10V  
DIMMABLE120<sup>++</sup> LM/W  
HIGH LUMENS90°  
BEAM ANGLE


### UFO Highbay

With Mean Well Driver


BOX QTY.  
02

150W VT-9167

EAN Code

5591 - 4000K Day White  
5592 - 6400K White3800157622332  
3800157622349

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                     |             |                       |
|--------------------|---------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9                  |
| Voltage/Frequency: | AC:100-240V 50/60Hz | Beam Angle: | 90°                   |
| Luminous Flux:     | 19500lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44                  |
| CRI:               | >70                 | Dimension:  | 340 x 171mm           |



NEW

1-10V  
DIMMABLE120<sup>++</sup> LM/W  
HIGH LUMENS120°  
BEAM ANGLE


### UFO Highbay

With Mean Well Driver


BOX QTY.  
02

150W VT-9177

EAN Code

5589 - 4000K Day White  
5590 - 6400K White3800157622318  
3800157622325

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




|                    |                     |             |                       |
|--------------------|---------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9                  |
| Voltage/Frequency: | AC:100-240V 50/60Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 19500lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44                  |
| CRI:               | >70                 | Dimension:  | 340 x 171mm           |



NEW



INHOUS INTENSITY DISTRIBUTION DIAGRAM

1-10V  
DIMMABLE120<sup>++</sup> LM/W  
HIGH LUMENS90°  
BEAM ANGLE


### UFO Highbay

With Mean Well Driver

BOX QTY.  
02

200W VT-9207

EAN Code

5595 - 4000K Day White  
5596 - 6400K White3800157622370  
3800157622387


|                    |                     |             |                       |
|--------------------|---------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9                  |
| Voltage/Frequency: | AC:100-240V 50/60Hz | Beam Angle: | 90°                   |
| Luminous Flux:     | 26000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44                  |
| CRI:               | >70                 | Dimension:  | ø400 x 187mm          |



NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM

1-10V  
DIMMABLE120<sup>++</sup> LM/W  
HIGH LUMENS120°  
BEAM ANGLE


### UFO Highbay

With Mean Well Driver

BOX QTY.  
02

200W VT-9217

EAN Code

5593 - 4000K Day White  
5594 - 6400K White3800157622356  
3800157622363

|                    |                     |             |                       |
|--------------------|---------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9                  |
| Voltage/Frequency: | AC:100-240V 50/60Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 26000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44                  |
| CRI:               | >70                 | Dimension:  | ø400 x 187mm          |



**NEW**

**1-10V**  
DIMMABLE



**IP65**  
**RATED**

120<sup>++</sup> LM/W  
HIGH LUMENS



**UFO Highbay**  
With Mean Well Driver  
**500W** VT-9500

5607 - 4000K Day White  
5608 - 6000K White

BOX QTY.

 01

EAN Code




3800157625050

3800157625067



**\*5 YEARS WARRANTY**

|                    |                |             |                       |
|--------------------|----------------|-------------|-----------------------|
| Sensor Compatible: | Yes            | PF:         | >0.9                  |
| Voltage/Frequency: | AC:90-295,50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 65000lm        | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD            | IP Rating:  | IP65                  |
| CRI:               | >80            | Dimension:  | Ø360                  |







120<sup>++</sup>  
lm/W  
HIGH LUMENS

120°  
BEAM ANGLE

90°  
BEAM ANGLE

## LED Highbay

BOX QTY.  
01

100W VT-9104


EAN Code

5534 - 4500K Day White


3800157608725

5532 - 6000K White

3800157607780



Luminous Intensity Distribution Curve



|                    |                       |             |                                     |
|--------------------|-----------------------|-------------|-------------------------------------|
| Sensor Compatible: | Yes                   | PF:         | > 0.9                               |
| Voltage/Frequency: | AC: 100-265V, 50/60Hz | Beam Angle: | 90°/120°                            |
| Luminous Flux:     | 12000lm               | Body Type:  | Die casting Aluminium               |
| LED Type:          | SMD                   | IP Rating:  | IP44                                |
| CRI:               | > 70                  | Dimension:  | 90°: 428x 345mm<br>120°: 535x 306mm |



120<sup>++</sup>  
lm/W  
HIGH LUMENS

120°  
BEAM ANGLE

90°  
BEAM ANGLE

## LED Highbay

BOX QTY.  
01

150W VT-9155


EAN Code

5537 - 4500K Day White


3800157608848

5538 - 6000K White

3800157608855



Luminous Intensity Distribution Curve



|                    |                       |             |                                       |
|--------------------|-----------------------|-------------|---------------------------------------|
| Sensor Compatible: | Yes                   | PF:         | >0.9                                  |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Beam Angle: | 90°/120°                              |
| Luminous Flux:     | 18600lm               | Body Type:  | Die casting Aluminium                 |
| LED Type:          | SMD                   | IP Rating:  | IP44                                  |
| CRI:               | >70                   | Dimension:  | 90°: 428 x 345mm<br>120°: 535 x 306mm |

**UFO Highbay****50W** VT-9053

5554 - 4500K Day White

5555 - 6400K White


BOX QTY.

04

EAN Code

3800157620895

3800157620901



|                    |                         |             |                              |
|--------------------|-------------------------|-------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>              | PF:         | <b>&gt;0.9</b>               |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>120°</b>                  |
| Luminous Flux:     | <b>4000lm</b>           | Body Type:  | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD</b>              | IP Rating:  | <b>IP44</b>                  |
| CRI:               | <b>&gt;70</b>           | Dimension:  | <b>ø221x 85 mm</b>           |

**UFO Highbay****100W** VT-9106


5546 - 4500K Day White

BOX QTY.

01

EAN Code

3800157619677



|                    |                         |             |                              |
|--------------------|-------------------------|-------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>              | PF:         | <b>&gt;0.9</b>               |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>120°</b>                  |
| Luminous Flux:     | <b>8000lm</b>           | Body Type:  | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD</b>              | IP Rating:  | <b>IP44</b>                  |
| CRI:               | <b>&gt;70</b>           | Dimension:  | <b>ø280 x 91 mm</b>          |

**UFO Highbay****150W** VT-9156

5548 - 4500K Day White

5549 - 6400K White


BOX QTY.

01

EAN Code

3800157619691

3800157619707



|                    |                         |             |                              |
|--------------------|-------------------------|-------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>              | PF:         | <b>&gt;0.9</b>               |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>120°</b>                  |
| Luminous Flux:     | <b>12000lm</b>          | Body Type:  | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD</b>              | IP Rating:  | <b>IP44</b>                  |
| CRI:               | <b>&gt;70</b>           | Dimension:  | <b>ø360 x 98 mm</b>          |

NEW



## LED Highbay

50W VT-9065

5609 - 3000K Warm White

5610 - 4000K Day White

5611 - 6400K White

**120°**  
 BEAM ANGLE


 BOX QTY.  
**08**

EAN Code


3800157626507

3800157626514

3800157626521



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 4000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | 220 x 114mm           |

NEW



## LED Highbay

100W VT-9115

5612 - 3000K Warm White

5613 - 4000K Day White

5614 - 6400K White

**120°**  
 BEAM ANGLE


 BOX QTY.  
**04**

EAN Code


3800157626538

3800157626545

3800157626552



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 8000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | 280 x 131mm           |

NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




90°  
BEAM ANGLE

BOX QTY.  
08

EAN Code

3800157621960

3800157621977



## LED Highbay

50W VT-9055

5559 - 4000K Day White


5560 - 6400K White

|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 90°                   |
| Luminous Flux:     | 4000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | ø220 x 114mm          |

NEW



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




120°  
BEAM ANGLE

BOX QTY.  
08

EAN Code

3800157621946

3800157621953



## LED Highbay

50W VT-9065

5557 - 4000K Day White

5558 - 6400K White

|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 4000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | ø220 x 114mm          |



NEW




## LED Highbay


100W VT-9105

5575 - 4000K Day White  
5576 - 6400K White90°  
BEAM ANGLEBOX QTY.  
04

EAN Code

3800157622004  
3800157622011

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 90°                   |
| Luminous Flux:     | 8000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | ø280 x 131mm          |

NEW




## LED Highbay


100W VT-9115

5573 - 4000K Day White  
5574 - 6400K White120°  
BEAM ANGLEBOX QTY.  
04

EAN Code

3800157621984  
3800157621991

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 8000lm             | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | ø280 x 131mm          |

NEW



## LED Highbay


150W VT-9165

5579 - 4000K Day White  
5580 - 6400K White


**90°**  
BEAM ANGLE


**BOX QTY.**  
**02**

EAN Code

3800157622042  
3800157622059

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 90°                   |
| Luminous Flux:     | 12000lm            | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | 340 x 138mm           |

NEW



## LED Highbay


150W VT-9175

5577 - 4000K Day White  
5578 - 6400K White


**120°**  
BEAM ANGLE


**BOX QTY.**  
**02**

EAN Code

3800157622028  
3800157622035

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 12000lm            | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | 340 x 138mm           |



NEW



## LED Highbay

200W VT-9205

5583 - 4000K Day White  
5584 - 6400K White


**90°**  
BEAM ANGLE


**BOX QTY:**  
**02**


EAN Code

3800157622080

3800157622097



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 90°                   |
| Luminous Flux:     | 16000lm            | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | 400 x 115mm           |

NEW



## LED Highbay

200W VT-9215

5581 - 4000K Day White  
5582 - 6400K White


**120°**  
BEAM ANGLE


**BOX QTY:**  
**02**


EAN Code

3800157622066

3800157622073



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




|                    |                    |             |                       |
|--------------------|--------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                | PF:         | >0.9                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 16000lm            | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                | IP Rating:  | IP44                  |
| CRI:               | >70                | Dimension:  | 400 x 115mm           |

# NEW **LINEAR** HIGHBAY

Narrow distribution fixtures are ideal for aisles or higher ceilings. Placing fixtures parallel to aisles is approximately 50% more efficient than a perpendicular alignment and decreases eye strain. This layout is also easier to control with motion sensors. Wide distribution fixtures are better suited for open areas.



NEW



## Linear Highbay

100W VT-9108


5599 - 4000K Day White  
5600 - 6000K White

EAN Code

3800157624909  
3800157624916BOX QTY.  
01120°  
BEAM ANGLE

|                    |                      |             |                       |
|--------------------|----------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                  | PF:         | >0.9                  |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 10000lm              | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                  | IP Rating:  | IP44                  |
| CRI:               | >70                  | Dimension:  | 625 x 110 x 115mm     |

NEW



## Linear Highbay

150W VT-9158



5601 - 4000K Day White  
5602 - 6000K White

EAN Code

3800157624923  
3800157624930BOX QTY.  
01120°  
BEAM ANGLE

|                    |                      |             |                       |
|--------------------|----------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                  | PF:         | >0.9                  |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 15000lm              | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                  | IP Rating:  | IP44                  |
| CRI:               | >70                  | Dimension:  | 898 x 110 x 115mm     |

NEW

**Linear Highbay****200W VT-9208**5603 - 4000K Day White  
5604 - 6000K White

BOX QTY.



01

EAN Code

3800157624947  
3800157624954120°  
BEAM ANGLE

|                    |                      |             |                       |
|--------------------|----------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                  | PF:         | >0.9                  |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 20000lm              | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                  | IP Rating:  | IP44                  |
| CRI:               | >70                  | Dimension:  | 1170 x 110 x 115mm    |

NEW

**Linear Highbay****300W VT-9308**5605 - 4000K Day White  
5606 - 6000K White

BOX QTY.

01

EAN Code

3800157624961  
3800157624978120°  
BEAM ANGLE

|                    |                      |             |                       |
|--------------------|----------------------|-------------|-----------------------|
| Sensor Compatible: | Yes                  | PF:         | >0.9                  |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 120°                  |
| Luminous Flux:     | 30000lm              | Body Type:  | Die casting Aluminium |
| LED Type:          | SMD                  | IP Rating:  | IP44                  |
| CRI:               | >70                  | Dimension:  | 1717 x 110 x 115mm    |

NEW



LED Low Bay

85W VT-9186

5597 - 4000K Day White  
5598 - 6400K White

EAN Code

3800157624565  
3800157624572

BOX QTY.  
04

E40  
HOLDER

|                    |                    |             |            |
|--------------------|--------------------|-------------|------------|
| Sensor Compatible: | Yes                | PF:         | 0.9        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 110°       |
| Luminous Flux:     | 6800lm             | Body Type:  | Plastic    |
| LED Type:          | SMD                | IP Rating:  | IP20       |
| CRI:               | >80                | Dimension:  | ø260 x 307 |

# LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.



## Product Features

- Perfect replacement for traditional lights
- Saves 80% Electricity cost, Better Efficiency and Longer Life Span
- Dedicated IP65 Sealed Optical Cavities
- Optically Optimized Glass Lenses
- Uniformity in Light Distribution - Maximizes Efficiency
- Fully Operational in Extreme Weather up to -25° Celsius
- Low maintenance & Low Power consumption
- Reduced CO<sup>2</sup> emissions


## Applications

Out Door Applications like Streets, Projects, Cross Roads, Tunnels, Car Parks, Industrial Facilities etc.

**NEW**



**IP65  
RATED**




**30W VT-15030ST**

**5487 - 4000K Day White**  
**5488 - 6400K White**

**EAN Code**

3800157623469  
3800157623476

**BOX QTY.**  
**01**



|                    |                              |                   |                              |
|--------------------|------------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>                   | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC: 190-240V, 50/60Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>2400lm</b>                | Body Type:        | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD2835</b>               | IP Rating:        | <b>IP65</b>                  |
| CRI:               | <b>&gt;70</b>                | Dimension:        | <b>175 x 373 x 52mm</b>      |
| PF:                | <b>&gt;0.9</b>               |                   |                              |


**NEW**



**PHOTOCELL SENSOR**  
Auto Turns On At Night  
Auto Turns Off At Day Time



**IP65  
RATED**




**30W VT-15031ST**

**5489 - 4000K Day White**  
**5490 - 6400K White**

**EAN Code**


3800157623483  
3800157623490

**BOX QTY.**  
**01**



|                    |                              |                   |                              |
|--------------------|------------------------------|-------------------|------------------------------|
| Sensor Included:   | <b>Yes</b>                   | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC: 190-240V, 50/60Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>2400lm</b>                | Body Type:        | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD2835</b>               | IP Rating:        | <b>IP65</b>                  |
| CRI:               | <b>&gt;70</b>                | Dimension:        | <b>175 x 373 x 52mm</b>      |
| PF:                | <b>&gt;0.9</b>               |                   |                              |

**NEW**




**50W VT-15051ST**

**5491 - 4000K Day White**  
**5492 - 6400K White**

**EAN Code**

3800157623506  
3800157623513

**BOX QTY.**  
**01**




|                    |                          |                   |                              |
|--------------------|--------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>               | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:100-240V, 50Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>4000lm</b>            | Body Type:        | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD2835</b>           | IP Rating:        | <b>IP65</b>                  |
| CRI:               | <b>&gt;70</b>            | Dimension:        | <b>213.5 x 460 x 62mm</b>    |
| PF:                | <b>&gt;0.9</b>           |                   |                              |

**NEW**



**PHOTOCELL SENSOR**  
Auto Turns On At Night  
Auto Turns Off At Day Time




**50W VT-15052ST**

**5493 - 4000K Day White**  
**5494 - 6400K White**

**EAN Code**

3800157623520  
3800157623537

**BOX QTY.**  
**01**




|                    |                          |                   |                              |
|--------------------|--------------------------|-------------------|------------------------------|
| Sensor Included:   | <b>Yes</b>               | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:100-240V, 50Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>4000lm</b>            | Body Type:        | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD2835</b>           | IP Rating:        | <b>IP65</b>                  |
| CRI:               | <b>&gt;70</b>            | Dimension:        | <b>213.5 x 460 x 62mm</b>    |
| PF:                | <b>&gt;0.9</b>           |                   |                              |



**NEW**



**IP65  
RATED**




**100W VT-15101ST**

**5495 - 4000K Day White**  
**5496 - 6400K White**

EAN Code

3800157623544  
3800157623551

**BOX QTY.**  
**01**




|                    |                          |                   |                              |
|--------------------|--------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>               | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:100-240V, 50Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>8000lm</b>            | Body Type:        | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD</b>               | IP Rating:        | <b>IP65</b>                  |
| CRI:               | <b>&gt;70</b>            | Dimension:        | <b>264 x 538 x 68mm</b>      |
| PF:                | <b>&gt;0.9</b>           |                   |                              |

**NEW**



**IP65  
RATED**




**120W VT-15123ST**

**5497 - 4000K Day White**  
**5498 - 6400K White**

EAN Code

3800157623568  
3800157623575


**BOX QTY.**  
**01**



|                    |                          |                   |                              |
|--------------------|--------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>               | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:100-240V, 50Hz</b> | Color of Fixture: | <b>Grey</b>                  |
| Luminous Flux:     | <b>9600lm</b>            | Body Type:        | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD</b>               | IP Rating:        | <b>IP65</b>                  |
| CRI:               | <b>&gt;70</b>            | Dimension:        | <b>264 x 538 x 68mm</b>      |
| PF:                | <b>&gt;0.9</b>           |                   |                              |



NEW



150W VT-15156ST


EAN Code

5499 - 4000K Day White  
5500 - 6400K White

3800157623582  
3800157623599

BOX QTY.  
01

|                    |                   |                   |                       |
|--------------------|-------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes               | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:100-240V, 50Hz | Color of Fixture: | Grey                  |
| Luminous Flux:     | 12000lm           | Body Type:        | Die casting Aluminium |
| LED Type:          | SMD               | IP Rating:        | IP65                  |
| CRI:               | >70               | Dimension:        | 316 x 635 x 80mm      |
| PF:                | >0.9              |                   |                       |








120<sup>++</sup>  
LM/W  
HIGH LUMENS

BOX QTY:  
**01**

**50W** VT-15165ST  
**5482 - 6400K White**

EAN Code  
3800157616188



|                    |                             |                   |                              |
|--------------------|-----------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>                  | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:100-240V, 50/60Hz</b> | Color of Fixture: | <b>Black/Grey</b>            |
| Luminous Flux:     | <b>6200lm</b>               | Body Type:        | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD</b>                  | IP Rating:        | <b>IP65</b>                  |
| CRI:               | <b>&gt;70</b>               | Dimension:        | <b>477 x 220 x 55mm</b>      |
| PF:                | <b>&gt;0.95</b>             |                   |                              |




120<sup>++</sup>  
LM/W  
HIGH LUMENS

BOX QTY:  
**01**

**100W** VT-15115ST  
**5481 - 6400K White**

EAN Code  
3800157616171



|                    |                             |                   |                              |
|--------------------|-----------------------------|-------------------|------------------------------|
| Sensor Compatible: | <b>Yes</b>                  | Beam Angle:       | <b>100°</b>                  |
| Voltage/Frequency: | <b>AC:100-240V, 50/60Hz</b> | Color of Fixture: | <b>Black/Grey</b>            |
| Luminous Flux:     | <b>12400lm</b>              | Body Type:        | <b>Die casting Aluminium</b> |
| LED Type:          | <b>SMD</b>                  | IP Rating:        | <b>IP65</b>                  |
| CRI:               | <b>&gt;70</b>               | Dimension:        | <b>566 x 268 x 62mm</b>      |
| PF:                | <b>&gt;0.95</b>             |                   |                              |




120<sup>++</sup>  
lm/w  
HIGH LUMENS

BOX QTY.  
01

30W VT-15131ST  
5472 - 4500K Day White

EAN Code  
3800157608749



|                    |                      |                   |                       |
|--------------------|----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:100-240V, 50/60Hz | Color of Fixture: | Black/Grey            |
| Luminous Flux:     | 3720lm               | Body Type:        | Die casting Aluminium |
| LED Type:          | SMD                  | IP Rating:        | IP65                  |
| CRI:               | >70                  | Dimension:        | 400 x 180 x 55mm      |
| PF:                | >0.95                |                   |                       |




120<sup>++</sup>  
lm/w  
HIGH LUMENS

BOX QTY.  
01

50W VT-15151ST  
5475 - 4500K Day White  
5476 - 6000K White

EAN Code  
3800157608770  
3800157608787




|                    |                      |                   |                       |
|--------------------|----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:100-240V, 50/60Hz | Color of Fixture: | Black/Grey            |
| Luminous Flux:     | 6200lm               | Body Type:        | Die casting Aluminium |
| LED Type:          | SMD                  | IP Rating:        | IP65                  |
| CRI:               | >70                  | Dimension:        | 477 x 216 x 55mm      |
| PF:                | >0.95                |                   |                       |



100W VT-15104 ST  
5468 - 6000K White

EAN Code  
3800157607797




|                    |                    |                   |                   |
|--------------------|--------------------|-------------------|-------------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 100°              |
| Voltage/Frequency: | AC:85-265V,50/60Hz | Color of Fixture: | Black/Grey        |
| Luminous Flux:     | 12000lm            | Body Type:        | Die Cast Aluminum |
| LED Type:          | SMD                | IP Rating:        | IP65              |
| CRI:               | >70                | Dimension:        | 703 x 297 x 70mm  |
| PF:                | >0.95              | PoleSize:         | Ø60mm             |



120W VT-15121ST  
5479 - 6000K White

EAN Code  
3800157608817



|                    |                      |                   |                       |
|--------------------|----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 100°                  |
| Voltage/Frequency: | AC:100-240V, 50/60Hz | Color of Fixture: | Black/Grey            |
| Luminous Flux:     | 14880lm              | Body Type:        | Die casting Aluminium |
| LED Type:          | SMD                  | IP Rating:        | IP65                  |
| CRI:               | >70                  | Dimension:        | 566 x 268 x 62mm      |
| PF:                | >0.95                | PoleSize:         | Ø60mm                 |



**LED Street Light****Adapter**

VT-795

**3624**Color: **Dark grey**Body: **Diecast Aluminium****BOX QTY.****10**

EAN Code

3800157608152

**Adjustable Angle Bracket**

Compatible with **100W, 120W and 150W** models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

**LED Street Light****Adapter**

VT-795

**3668**Color: **Dark grey**Body: **Diecast Aluminium****BOX QTY.****12**

EAN Code

3800157625029



Compatible with **30W and 50W** models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



# LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.



## Product Features

- LED strip is a low Voltage flexible Ribbon available in DC:12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades
- Available in DC:12V and 220V with different color range from Warm White to RGB
- Available in IP20 and IP65 rating
- Available in 8mm or 10mm width
- Available in 1 or 1.5 meter rigid bar options with different options of Aluminium Profiles

## Applications

Ideal for illuminating Borders, Edges, Cabinets, Bars and any area with limited space for installation.





**NEW**

**LED Bedlight With Sensor-Single Bed**

VT-8067

2548 - 3000K Warm White  
2549 - 4500K Day White

EAN Code

3800157628433  
3800157628440

**BOX QTY.**  
**25**

|                  |                       |
|------------------|-----------------------|
| Watts:           | 3W                    |
| Voltage:         | DC 12 V               |
| LED/M:           | 30                    |
| Strips length:   | 1.2 m x1              |
| Sensor Distance: | 2-5 m                 |
| Delay time:      | 30sec, 130sec, 380sec |

**NEW**

**LED Bedlight With Sensor-Double Bed**

VT-8068

2550 - 3000K Warm White  
2551 - 4500K Day White

EAN Code

3800157628457  
3800157628464

**BOX QTY.**  
**18**

|                  |                       |
|------------------|-----------------------|
| Watts:           | 6W                    |
| Voltage:         | DC 12 V               |
| LED/M:           | 30                    |
| Strips length:   | 1.2 m x 2             |
| Sensor Distance: | 2-5 m                 |
| Delay time:      | 30sec, 130sec, 380sec |



**NEW**

**BS PLUG**



- ✓ 5 Meter Roll
- ✓ Power Supply

VT-5050 60

2545 - 3000K Warm White  
2546 - 6000K White

EAN Code

3800157626804  
3800157626811

BOX QTY.



**20**

**BS PLUG**



- ✓ 5 Meter Roll
- ✓ Power Supply
- ✓ RGB Remote Control With Battery

VT-5050 60

2544 - RGB

EAN Code

3800157625975

BOX QTY.



**20**

|            |                              |             |                |
|------------|------------------------------|-------------|----------------|
| LED Type:  | <b>SMD 5050</b>              | lm/M:       | <b>1000lm</b>  |
| Watt/M:    | <b>10W</b>                   | lm/LED:     | <b>9-11 lm</b> |
| Current/M: | <b>1.5A</b>                  | Beam Angle: | <b>120°</b>    |
| Voltage:   | <b>AC: 100-265V, 50/60Hz</b> | IP Rating:  | <b>IP20</b>    |
| LED Qty    | <b>60</b>                    | Width:      | <b>8mm</b>     |



3000lm/m  
HIGH LUMENS

CRI >80

240  
LED/M

IP20  
RATED

BOX QTY.  
400

5M ROLL

2835-NON WP | 240 LED/M

18W 2835-NON WP

EAN Code

2164 - 3000K Warm White  
2165 - 4500K Day White  
2166 - 6000K White

3800157610117  
3800157610124  
3800157610131

|            |        |             |          |
|------------|--------|-------------|----------|
| LED Type:  | 2835   | lm/M:       | 3000lm   |
| Watt/M:    | 18W    | lm/LED:     | 20-22 lm |
| Current/M: | 1.5A   | Beam Angle: | 120°     |
| Voltage:   | DC:12V | IP Rating:  | IP20     |
| LED Qty:   | 240    | Width:      | 10mm     |



CRI >80

204  
LED/M

IP20  
RATED

5M ROLL

BOX QTY.  
400

2835-NON WP | 204 LED/M

18W 2835-NON WP

EAN Code

2461 - 3000K Warm White  
2462 - 4500K Day White  
2463 - 6000K White

3800157612234  
3800157612241  
3800157612258

|            |        |             |         |
|------------|--------|-------------|---------|
| LED Type:  | 2835   | lm/M:       | 1700lm  |
| Watt/M:    | 18W    | lm/LED:     | 9-11 lm |
| Current/M: | 1.5A   | Beam Angle: | 120°    |
| Voltage:   | DC:12V | IP Rating:  | IP20    |
| LED Qty:   | 204    | Width:      | 8mm     |



3000lm/m  
HIGH LUMENS

CRI >95

120  
LED/M

IP20  
RATED

5M ROLL

BOX QTY.  
400

5730-NON WP | 120 LED/M

18W 5730-NON WP

- 2162 - 3000K Warm White
- 2163 - 4500K Day White
- 2161 - 6000K White

EAN Code  
3800157610094  
3800157610100  
3800157610087

|            |        |             |          |
|------------|--------|-------------|----------|
| LED Type:  | 5730   | lm/M:       | 3000lm   |
| Watt/M:    | 18W    | lm/LED:     | 20-22 lm |
| Current/M: | 1.5A   | Beam Angle: | 120°     |
| Voltage:   | DC:12V | IP Rating:  | IP20     |
| LED Qty:   | 120    | Width:      | 8mm      |



BOX QTY.  
400



30 LED/M  
4.8W 5050 - WP

500  
lm/M

IP65  
RATED



|             |          |            |           |               |
|-------------|----------|------------|-----------|---------------|
| LED Type:   | 5050     | Color:     | SKU Code: | EAN Code:     |
| Watt/M:     | 4.8W     | White      | 2144      | 3800230621399 |
| Current/M:  | 0.4A     | Warm White | 2145      | 3800230621412 |
| Voltage:    | DC:12V   | Day White  | 2460      | 3800157612166 |
| LED Qty:    | 30       | Red        | 2118      | 3800230621528 |
| lm/LED:     | 14 -16lm | RGB        |           |               |
| Beam Angle: | 120°     |            |           |               |
| IP Rating:  | IP65     |            |           |               |
| Width:      | 10mm     |            |           |               |



BOX QTY.  
400



30 LED/M  
4.8W 5050 - NON WP

500  
lm/M

IP20  
RATED



|             |          |            |           |               |
|-------------|----------|------------|-----------|---------------|
| LED Type:   | 5050     | Color:     | SKU Code: | EAN Code:     |
| Watt/M:     | 4.8W     | White      | 2133      | 3800230621382 |
| Current/M:  | 4A       | Warm White | 2135      | 3800230621405 |
| Voltage:    | DC:12V   | RGB        | 2124      | 3800230621535 |
| LED Qty:    | 30       |            |           |               |
| lm/LED:     | 14 -16lm |            |           |               |
| Beam Angle: | 120°     |            |           |               |
| IP Rating:  | IP20     |            |           |               |
| Width:      | 10mm     |            |           |               |

**60 LED/M****10.8W** 5050 - WP**1000**  
lm/M**IP65**  
RATEDBOX QTY.  
**400**

| LED Type:   | 5050     | Color:     | SKU Code: | EAN Code:     |
|-------------|----------|------------|-----------|---------------|
| Watt/M:     | 10.8W    | White      | 2148      | 3800230621498 |
| Current/M:  | 0.8A     | Warm White | 2149      | 3800230621511 |
| Voltage:    | DC:12V   | Day White  | 2150      | 3800230621474 |
| LED Qty:    | 60       | Red        | 2152      | 3800230624775 |
| lm/LED:     | 14 -16lm | Green      | 2153      | 3800230621450 |
| Beam Angle: | 120°     | Blue       | 2151      | 3800230621436 |
| IP Rating:  | IP65     | RGB        | 2155      | 3800230621559 |
| Width:      | 10mm     |            |           |               |

**60 LED/M****10.8W** 5050 - NON WP**1000**  
lm/M**IP20**  
RATEDBOX QTY.  
**400**

| LED Type:   | 5050     | Color:     | SKU Code: | EAN Code:     |
|-------------|----------|------------|-----------|---------------|
| Watt/M:     | 10.8W    | White      | 2126      | 3800230621481 |
| Current/M:  | 0.8A     | Warm White | 2122      | 3800230621504 |
| Voltage:    | DC:12V   | Day White  | 2143      | 3800230621467 |
| LED Qty:    | 60       | Red        | 2128      | 3800230624468 |
| lm/LED:     | 14 -16lm | Green      | 2138      | 3800230621443 |
| Beam Angle: | 120°     | Blue       | 2137      | 3800230621429 |
| IP Rating:  | IP20     | Yellow     | 2156      | 3800230628824 |
| Width:      | 10mm     | RGB        | 2120      | 3800230621542 |

**60 LED/M****3.6W** 3528 - WP
**BOX QTY.**  
**400**


| LED Type:   | 3528   | Color:     | SKU Code: | EAN Code:     |
|-------------|--------|------------|-----------|---------------|
| Watt/M:     | 3.6W   | White      | 2031      | 3800230621146 |
| Current/M:  | 0.3A   | Warm White | 2032      | 3800230621177 |
| Voltage:    | DC:12V | Day White  | 2043      | 3800230621191 |
| LED Qty:    | 60     | Red        | 2036      | 3800230621276 |
| lm/LED:     | 5 -6lm | Green      | 2034      | 3800230621238 |
| Beam Angle: | 120°   | Blue       | 2035      | 3800230621245 |
| IP Rating:  | IP65   | Yellow     |           |               |
| Width:      | 8mm    |            |           |               |

**60 LED/M****3.6W** 3528 - NON WP
**BOX QTY.**  
**400**


| LED Type:   | 3528   | Color:     | SKU Code: | EAN Code:     |
|-------------|--------|------------|-----------|---------------|
| Watt/M:     | 3.6W   | White      | 2005      | 3800230621153 |
| Current/M:  | 0.3A   | Warm White | 2016      | 3800230621160 |
| Voltage:    | DC:12V | Day White  | 2041      | 3800230621184 |
| LED Qty:    | 60     | Red        | 2015      | 3800230621269 |
| lm/LED:     | 5 -6lm | Green      | 2011      | 3800230621221 |
| Beam Angle: | 120°   | Blue       | 2013      | 3800230621252 |
| IP Rating:  | IP20   | Yellow     | 2009      | 3800230621214 |
| Width:      | 8mm    |            |           |               |



BOX QTY.  
400



120 LED/M  
7.2W 3528 - WP



|             |        |            |           |               |
|-------------|--------|------------|-----------|---------------|
| LED Type:   | 3528   | Color:     | SKU Code: | EAN Code:     |
| Watt/M:     | 7.2W   | White      | 2037      | 3800230621290 |
| Current/M:  | 0.6A   | Warm White | 2038      | 3800230621313 |
| Voltage:    | DC:12V | Day White  | 2044      | 3800230621337 |
| LED Qty:    | 120    | Red        | 2039      | 3800230621375 |
| lm/LED:     | 5 -6lm | Blue       | 2027      | 3800230621351 |
| Beam Angle: | 120°   |            |           |               |
| IP Rating:  | IP65   |            |           |               |
| Width:      | 8mm    |            |           |               |



BOX QTY.  
400



120 LED/M  
7.2W 3528 - NON WP



|             |        |            |           |               |
|-------------|--------|------------|-----------|---------------|
| LED Type:   | 3528   | Color:     | SKU Code: | EAN Code:     |
| Watt/M:     | 7.2W   | White      | 2002      | 3800230621283 |
| Current/M:  | 0.6A   | Warm White | 2025      | 3800230621306 |
| Voltage:    | DC:12V | Day White  | 2042      | 3800230621320 |
| LED Qty:    | 120    | Red        | 2030      | 3800230621368 |
| lm/LED:     | 5 -6lm |            |           |               |
| Beam Angle: | 120°   |            |           |               |
| IP Rating:  | IP20   |            |           |               |
| Width:      | 8mm    |            |           |               |





## 204 LED/M

18W 3014 - NON WP

1700  
lm/M



BOX QTY.  
400



|             |        |            |           |               |
|-------------|--------|------------|-----------|---------------|
| LED Type:   | 3014   | Color:     | SKU Code: | EAN Code:     |
| Watt/M:     | 18W    | White      | 2403      | 3800230628053 |
| Current/M:  | 1.5A   | Warm White | 2404      | 3800230628060 |
| Voltage:    | DC:12V | Day White  | 2405      | 3800157600309 |
| LED Qty:    | 204    |            |           |               |
| lm/LED:     | 9-11lm |            |           |               |
| Beam Angle: | 120°   |            |           |               |
| IP Rating:  | IP20   |            |           |               |
| Width:      | 10mm   |            |           |               |



## 60 LED/M RGB + W

10.8W 5050 - NON WP

900  
lm/M



BOX QTY.  
400



|             |        |                  |           |               |
|-------------|--------|------------------|-----------|---------------|
| LED Type:   | 5050   | Color:           | SKU Code: | EAN Code:     |
| Watt/M:     | 10.8W  | RGB + White      | 2159      | 3800230629623 |
| Current/M:  | 1.2A   | RGB + Day White  | 2552      | 3800157630306 |
| Voltage:    | DC:12V | RGB + Warm White | 2553      | 3800157630313 |
| LED Qty:    | 30:30  |                  |           |               |
| lm/LED:     | 15lm   |                  |           |               |
| Beam Angle: | 120°   |                  |           |               |
| IP Rating:  | IP20   |                  |           |               |
| Width:      | 10mm   |                  |           |               |



DC:24V  
Voltage



## 60 LED/M

9W 5050 - NON WP



600  
LED/M




BOX QTY.  
200




|             |          |            |           |               |
|-------------|----------|------------|-----------|---------------|
| LED Type:   | 5050     | Color:     | SKU Code: | EAN Code:     |
| Watt/M:     | 9W       | White      | 2430      | 3800230621566 |
| Current/M:  | 0.3A     | Warm White | 2431      | 3800230621573 |
| Voltage:    | DC:24V   | Day White  | 2459      | 3800157612036 |
| LED Qty:    | 60       |            |           |               |
| lm/LED:     | 14 -16lm |            |           |               |
| Beam Angle: | 120°     |            |           |               |
| IP Rating:  | IP20     |            |           |               |
| Width:      | 10mm     |            |           |               |



|                    |               |               |               |
|--------------------|---------------|---------------|---------------|
| Model No:          | VT-555        | VT-555        | VT-555        |
| SKU Code:          | 2512          | 2513          | 2514          |
| Color/Temperature: | White         | Warm White    | Day White     |
| Lumen lm/M:        | 320±5%        | 320±5%        | 320±5%        |
| FPC Width MM:      | 7.5           | 7.5           | 7.5           |
| Power W/M:         | 8-10W         | 8-10W         | 8-10W         |
| Jacket Dia:        | 9 x16.5 mm    | 9 x16.5 mm    | 9 x16.5 mm    |
| EAN Code:          | 3800157605656 | 3800157605663 | 3800157605670 |



|                    |               |               |               |
|--------------------|---------------|---------------|---------------|
| Model No:          | VT-555        | VT-555        | VT-555        |
| SKU Code:          | 2515          | 2516          | 2517          |
| Color/Temperature: | Blue          | RED           | Green         |
| Lumen lm/M:        | 320±5%        | 320±5%        | 320±5%        |
| FPC Width MM:      | 7.5           | 7.5           | 7.5           |
| Power W/M:         | 8-10          | 8-10          | 8-10          |
| Jacket Dia:        | 9 x16.5 mm    | 9 x16.5 mm    | 9 x16.5 mm    |
| EAN Code:          | 3800157605687 | 3800157605694 | 3800157605700 |



|                    |               |               |               |
|--------------------|---------------|---------------|---------------|
| Model No:          | VT-555        | VT-555        | VT-555        |
| SKU Code:          | 2518          | 2529          | 2531          |
| Color/Temperature: | Yellow        | Pink          | Violet        |
| Lumen lm/M:        | 320±5%        | 320±5%        | 320±5%        |
| FPC Width MM:      | 7.5           | 7.5           | 7.5           |
| Power W/M:         | 8-10          | 8-10          | 8-10          |
| Jacket Dia:        | 9 x16.5 mm    | 9 x16.5 mm    | 9 x16.5 mm    |
| EAN Code:          | 3800157605717 | 3800157619523 | 3800157619547 |



|           |               |
|-----------|---------------|
| Item:     | Profile       |
| SKU Code: | 2527          |
| EAN Code: | 3800157608404 |



|           |                         |               |               |
|-----------|-------------------------|---------------|---------------|
| Item:     | Power cord without plug | Pin           | End safe cap  |
| SKU Code: | 3331                    | 3333          | 3334          |
| EAN Code: | 3800157608268           | 3800157607889 | 3800157607896 |

## LED Strip Sets

### PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll








| SKU Code: | Description:                             | EAN Code:     | BOX Qty: |
|-----------|------------------------------------------|---------------|----------|
| 2351      | LED Strip Set SMD3528 60 LEDs 4500K IP20 | 3800230621634 | 48       |
| 2350      | LED Strip Set SMD5050 30 LEDs RGB IP20   | 3800230621641 | 48       |
| 2352      | LED Strip Set SMD5050 30 LEDs RGB IP65   | 3800230621658 | 50       |
| 2353      | LED Strip Set SMD5050 60 LEDs RGB IP20   | 3800230621665 | 50       |
| 2354      | LED Strip Set SMD5050 60 LEDs RGB IP65   | 3800230621672 | 48       |
| 2355      | LED Strip Set SMD5050 60 LEDs White IP20 | 3800230621689 | 48       |
| 2356      | LED Strip Set SMD5050 60 LEDs White IP65 | 3800230621696 | 48       |

## LED Strip ACCESSORIES



| SKU Code: | Description:                                  | EAN Code:     | BOX Qty: |
|-----------|-----------------------------------------------|---------------|----------|
| 3500      | Flexible Connector - LED Strip 3528           | 3800230622051 | 100      |
| 3501      | Flexible Connector - LED Strip 5050           | 3800230622068 | 5000     |
| 3502      | Flexible Connector - LED Strip 5050 RGB       | 3800230622075 | 100      |
| 3503      | Connector - LED Strip 3528                    | 3800230622082 | 10000    |
| 3504      | Connector - LED Strip 5050                    | 3800230622099 | 5000     |
| 3505      | Connector - LED Strip 5050 RGB                | 3800230622105 | 1000     |
| 3507      | Flexible Connector - LED Strip 3528 DC Female | 3800230622112 | 100      |
| 3508      | Flexible Connector - LED Strip 5050 DC Female | N/A           | 5000     |
| 3509      | Connector - LED Strip 3528 Cross Type         | N/A           | 100      |
| 3510      | Connector - LED Strip 5050 Cross Type         | N/A           | 200      |
| 3511      | Connector - LED Strip 5050 L Type             | N/A           | 250      |
| 3512      | Connector - LED Strip DC Female               | N/A           | 100      |



## Aluminum Profiles

Model No:

VT-7101

VT-7101

VT-7102

SKU Code:

9981

9982

9983

Dimension:

16.76 x 10.3 x 1000 mm

16.76 x 10.3 x 1000 mm

16.9 x 12.48 x 1000 mm

Color of Fixture:

Transparent

Matt

Transparent

EAN Code:

3800230622129

3800230622136

3800230622143

BOX QTY.





100

BOX QTY.

100

BOX QTY.

140



## Aluminum Profiles

Model No:

VT-7102

VT-7103

VT-7104

SKU Code:

9984

Transparent: 9985 / Matt : 9986

9987

Dimension:

16.9 x 12.48 x 1000 mm

26.5 x 9 x 1000 mm

19 x 19 x 1000 mm

Color of Fixture:

Matt

Transparent / Matt

Matt

EAN Code:

3800230622150

Transparent : 3800230622167

3800230622181

BOX QTY.






140

BOX QTY.

90





BOX QTY.

80



## Aluminum Profiles

|                   |                              |                              |                      |
|-------------------|------------------------------|------------------------------|----------------------|
| Model No:         | <b>VT-7105</b>               | <b>VT-7105</b>               | <b>VT-7109</b>       |
| SKU Code:         | <b>9990</b>                  | <b>9991</b>                  | <b>9947</b>          |
| Dimension:        | <b>24.6 x 7.85 x 1000 mm</b> | <b>24.6 x 7.85 x 2000 mm</b> | <b>22x17x1000mm</b>  |
| Color of Fixture: | <b>Milky</b>                 | <b>Milky</b>                 | <b>Milky</b>         |
| EAN Code:         | <b>3800230628077</b>         | <b>3800230628794</b>         | <b>3800157617208</b> |
|                   | <b>BOX QTY.</b>              | <b>BOX QTY.</b>              | <b>BOX QTY.</b>      |
|                   | <b>150</b>                   | <b>50</b>                    | <b>150</b>           |



## Aluminum Profiles

|                   |                                                                |                            |                         |
|-------------------|----------------------------------------------------------------|----------------------------|-------------------------|
| Model No:         | <b>VT-7106</b>                                                 | <b>VT-7107</b>             | <b>VT-7108</b>          |
| SKU Code:         | <b>1000mm:9992 / 2000mm: 9993</b>                              | <b>9994</b>                | <b>9995</b>             |
| Dimension:        | <b>17.5 x 7.8 x1000 / 2000 mm</b>                              | <b>60 x 35.1 x 1000 mm</b> | <b>ø20.54 x 1000 mm</b> |
| Color of Fixture: | <b>Milky / Milky</b>                                           | <b>Milky</b>               | <b>Milky</b>            |
| EAN Code:         | <b>1000mm : 3800230628800</b><br><b>2000mm : 3800230628817</b> | <b>3800157601399</b>       | <b>3800157601405</b>    |
|                   | <b>BOX QTY.</b>                                                | <b>BOX QTY.</b>            | <b>BOX QTY.</b>         |
|                   | <b>150 /70</b>                                                 | <b>16</b>                  | <b>56</b>               |

NEW

2PCS  
PACKBOX QTY.  
250

## LED Bar - NON WP

18W VT-4014 144

1700  
lm/MIP20  
RATED

| Power:      | 18W         | Color:     | SKU Code: | EAN Code:     |
|-------------|-------------|------------|-----------|---------------|
| Current:    | 1.5A        | Warm White | 2535      | 3800157625883 |
| Voltage:    | 12V         | Day White  | 2536      | 3800157625890 |
| Lumens/LED: | 20-24lm/LED | White      | 2537      | 3800157625906 |
| LM/M:       | 1700lm      |            |           |               |
| Size:       | 1.0M        |            |           |               |
| LED Type:   | SMD 4014    |            |           |               |
| IP Rating:  | IP20        |            |           |               |

NEW

10PCS  
PACKBOX QTY.  
500

## LED Bar - NON WP

18W VT-4014 144

1700  
lm/MIP20  
RATED

| Power:      | 18W         | Color:     | SKU Code: | EAN Code:     |
|-------------|-------------|------------|-----------|---------------|
| Current:    | 1.5A        | Warm White | 2538      | 3800157625913 |
| Voltage:    | 12V         | Day White  | 2539      | 3800157625920 |
| Lumens/LED: | 20-24lm/LED | White      | 2540      | 3800157625937 |
| LM/M:       | 1700lm      |            |           |               |
| Size:       | 1.0M        |            |           |               |
| LED Type:   | SMD 4014    |            |           |               |
| IP Rating:  | IP20        |            |           |               |

NEW

## LED BAR Profile Complete Set

18W VT-4014 144

1700  
lm/MIP20  
RATEDBOX QTY.  
100

| LED Type:  | 18W         | Color:     | SKU Code: | EAN Code:     |
|------------|-------------|------------|-----------|---------------|
| Watt/M:    | 1.5A        | Warm White | 2541      | 3800157625944 |
| Current/M: | 12V         | Day White  | 2542      | 3800157625951 |
| Voltage:   | 20-24lm/LED | White      | 2543      | 3800157625968 |
| LM/M:      | 1700lm      |            |           |               |
| Size:      | 1.0M        |            |           |               |
| LED Type:  | SMD 4014    |            |           |               |
| Width:     | 12mm        |            |           |               |
| IP Rating: | IP20        |            |           |               |



## Strip Controllers

|                    |                                          |                                                |                                                    |
|--------------------|------------------------------------------|------------------------------------------------|----------------------------------------------------|
| SKU Code:          | 3300                                     | 3303                                           | 3304                                               |
| Model No:          | VT-2402                                  | VT-2404                                        | VT-2401                                            |
| Description:       | Dimmer for LED Strip with Remote Control | Radio Controller with Remote Control 4 Buttons | Infrared Controller with Remote Control 24 Buttons |
| Max Current /Watt: | 8A, 96W                                  | 12A, 144W                                      | 6A, 72W                                            |
| Input Voltage:     | DC 12/24 V                               | DC 12/24 V                                     | DC 12/24 V                                         |
| Size:              | 115 x 55 x 35 mm                         | 105 x 65 x 20 mm                               | 65 x 35 x 22 mm                                    |
| EAN Code:          | 3800230622198                            | 3800230622204                                  | 3800230622211                                      |



## Strip Controllers

|                    |                    |                                            |                                                    |
|--------------------|--------------------|--------------------------------------------|----------------------------------------------------|
| SKU Code:          | 3307               | 3312                                       | 3317                                               |
| Model No:          | VT-DMX 512         | VT-2405                                    | VT-2401                                            |
| Description:       | DMX 512 Controller | Radio Controller with Touch Remote Control | Infrared Controller with Remote Control 44 Buttons |
| Max Current /Watt: | 4A x3, 360W        | 3A x4, 144W                                | 6A, 72W                                            |
| Input Voltage:     | DC:12V             | DC 12/24 V                                 | DC 12/24 V                                         |
| Size:              | 165 x 75 x 25 mm   | 130 x 65 x 25 mm                           | 125 x 56 x 7 mm                                    |
| EAN Code:          | 3800230622266      | 3800230622273                              | 3800230622228                                      |



## Strip Controllers

|                    |                                                    |                                      |                    |
|--------------------|----------------------------------------------------|--------------------------------------|--------------------|
| SKU Code:          | 3625                                               | 3318                                 | 3320               |
| Model No:          | VT-2472                                            | N/A                                  | N/A                |
| Description:       | Infrared Controller with Remote Control 24 Buttons | Radio Controller with Remote Control | Mini RF Controller |
| Max Current /Watt: | 6A, 72W                                            | 500W                                 | N/A                |
| Input Voltage:     | DC 12/24 V                                         | DC:12V                               | DC:12V             |
| Size:              | N/A                                                | 120 x 75 x 25 mm                     | N/A                |
| EAN Code:          | 3800157609920                                      | 3800230622235                        | 3800230628022      |



BOX QTY.  
500



BOX QTY.  
50



BOX QTY.  
100



## Strip Controllers

|                    |                     |                         |                         |
|--------------------|---------------------|-------------------------|-------------------------|
| SKU Code:          | 3319                | 3321                    | 3663                    |
| Model No:          | N/A                 | N/A                     | VT-2410                 |
| Description:       | 24B Mini Controller | Wi-Fi Single Controller | Wi-Fi Single Controller |
| Max Current /Watt: | N/A                 | N/A                     | 6A 216W/432W            |
| Input Voltage:     | DC:12V              | DC:12V                  | DC 12/24 V              |
| EAN Code:          | 3800230628015       | 3800230628039           | 3800157619509           |

BOX QTY.  
50



BOX QTY.  
100



BOX QTY.  
100



## Strip Controllers

|                |                      |                                 |                 |
|----------------|----------------------|---------------------------------|-----------------|
| SKU Code:      | 3322                 | 3326                            | 3327            |
| Description:   | Wi-Fi RGB Controller | 5050 60 RGB with LED Controller | RGB+W Amplifier |
| Input Voltage: | DC:12V               | DC:12V                          | DC:12V          |
| EAN Code:      | 3800230628046        | 3800230629630                   | 3800157601047   |

BOX QTY.  
100



BOX QTY.  
100



BOX QTY.  
1000



## Strip Controllers

|                |                    |                          |                               |
|----------------|--------------------|--------------------------|-------------------------------|
| SKU Code:      | 3328               | 3009                     | 3018                          |
| Description:   | 360W RF Controller | 5050 RGB Strip Amplifier | 5050 RGB Strip Mini-Amplifier |
| Input Voltage: | DC:12V             | DC:12V                   | DC:12V                        |
| EAN Code:      | 3800157601054      | 3800230622259            | 3800230622242                 |



### Complete range of modules for SIGNAGE INDUSTRY

|                    |                 |
|--------------------|-----------------|
| Model No:          | VT-50503        |
| Watts:             | 0.72W/PC        |
| Lumens:            | 66lm/PC         |
| Beam Angle:        | 160°            |
| CRI:               | 75              |
| Voltage/Frequency: | DC:12V          |
| Unit Size:         | 67 x 15 x 8.5mm |
| IP Rating:         | IP67            |
| Material:          | ABS + PCB       |

| SKU Code:   | EAN Code:     | Box Qty: |
|-------------|---------------|----------|
| WHITE: 5116 | 3800157610209 | 2000     |
| RED: 5117   | 3800157610216 | 2500     |
| BLUE: 5118  | 3800157610223 | 2000     |
| BLACK: 5119 | 3800157610230 | 2000     |



|                    |                    |
|--------------------|--------------------|
| Model No:          | VT-28353           |
| Watts:             | 1W/PC              |
| Lumens:            | 100lm/PC           |
| Beam Angle:        | 120°               |
| CRI:               | 75                 |
| Voltage/Frequency: | DC:12V             |
| Unit Size:         | 53x12x4.6mm        |
| IP Rating:         | IP67               |
| Material:          | ABS+Aluminum Plate |

| SKU Code:   | EAN Code:     | Box Qty: |
|-------------|---------------|----------|
| WHITE: 5120 | 3800157610247 | 5000     |
| RED: 5121   | 3800157610254 | 3000     |
| BLUE: 5122  | 3800157610261 |          |
| GREEN: 5123 | 3800157610278 | 5000     |





|                    |                       |
|--------------------|-----------------------|
| Model No:          | <b>VT-28356</b>       |
| Watts:             | <b>1.5</b>            |
| Voltage/Frequency: | <b>DC 12V</b>         |
| Luminous Flux:     | <b>120-150lm</b>      |
| LED Type:          | <b>SMD2835</b>        |
| CRI:               | <b>&gt;75</b>         |
| Beam Angle:        | <b>120°</b>           |
| Color of Fixture:  | <b>White</b>          |
| Body Type:         | <b>ABS+Aluminium</b>  |
| Dimension:         | <b>87 x 15 x 10mm</b> |
| IP Rating:         | <b>IP67</b>           |

| SKU Code:               | EAN Code:     | Box Qty:    |
|-------------------------|---------------|-------------|
| <b>WARM WHITE: 5124</b> | 3800157621687 | <b>2000</b> |
| <b>WHITE: 5125</b>      | 3800157621694 | <b>2000</b> |
| <b>RED: 5126</b>        | 3800157621700 | <b>2000</b> |
| <b>BLUE: 5127</b>       | 3800157621717 | <b>2000</b> |
| <b>GREEN: 5128</b>      | 3800157621724 | <b>2000</b> |



|                    |                       |
|--------------------|-----------------------|
| Model No:          | <b>VT-28358</b>       |
| Watts:             | <b>1.44</b>           |
| Voltage/Frequency: | <b>DC 12V</b>         |
| Luminous Flux:     | <b>120-135lm</b>      |
| LED Type:          | <b>SMD2835</b>        |
| CRI:               | <b>&gt;75</b>         |
| Beam Angle:        | <b>160°</b>           |
| Color of Fixture:  | <b>White</b>          |
| Body Type:         | <b>ABS+Aluminum</b>   |
| Dimension:         | <b>37x 37 x 6.8mm</b> |
| IP Rating:         | <b>IP68</b>           |

| SKU Code:               | EAN Code:     | Box Qty:   |
|-------------------------|---------------|------------|
| <b>WARM WHITE: 5129</b> | 3800157621731 | <b>100</b> |
| <b>WHITE: 5130</b>      | 3800157621748 | <b>100</b> |
| <b>RED: 5131</b>        | 3800157621755 | <b>200</b> |
| <b>BLUE: 5132</b>       | 3800157621762 | <b>100</b> |
| <b>GREEN: 5133</b>      | 3800157621779 | <b>100</b> |



|                    |                 |
|--------------------|-----------------|
| Model No:          | <b>VT-50501</b> |
| Watts:             | <b>0.24</b>     |
| Voltage/Frequency: | <b>DC 12V</b>   |
| Luminous Flux:     | <b>20-22lm</b>  |
| LED Type:          | <b>SMD5050</b>  |
| CRI:               | <b>&gt;75</b>   |
| Beam Angle:        | <b>120°</b>     |
| Body Type:         | <b>PVC</b>      |
| IP Rating:         | <b>IP68</b>     |

| SKU Code:               | EAN Code:     | Box Qty:    |
|-------------------------|---------------|-------------|
| <b>WARM WHITE: 5135</b> | 3800157621793 | <b>5000</b> |
| <b>WHITE: 5136</b>      | 3800157621809 | <b>5000</b> |
| <b>RED: 5137</b>        | 3800157621816 | <b>5000</b> |
| <b>YELLOW: 5138</b>     | 3800157621823 | <b>5000</b> |
| <b>BLUE: 5139</b>       | 3800157621830 | <b>5000</b> |
| <b>GREEN: 5140</b>      | 3800157621847 | <b>5000</b> |



|                    |                          |
|--------------------|--------------------------|
| Model No:          | <b>VT-50506</b>          |
| Watts:             | <b>0.72</b>              |
| Voltage/Frequency: | <b>DC 12V</b>            |
| Luminous Flux:     | <b>20-22lm</b>           |
| LED Type:          | <b>SMD5050</b>           |
| CRI:               | <b>&gt;75</b>            |
| Beam Angle:        | <b>120°</b>              |
| Body Type:         | <b>ABS + PCB</b>         |
| Dimension:         | <b>68 x 19.5 x 5.7mm</b> |
| IP Rating:         | <b>IP67</b>              |

| SKU Code:        | EAN Code:     |
|------------------|---------------|
| <b>RGB: 5134</b> | 3800157621786 |


# Power Supply For **LED** Strip Lights



## LED Strip Power Supply

### Product Features:

- Switching Metal Power Supply for all types of strip lights, LED lighting, LED display, etc
- With short circuit protection, over load protection, stable output voltage
- Built in EMI Filter
- High efficiency, low temperature
- 100% load tested
- Protection Rating : IP20
- CE, ROHS, EMC approved



|                   |                      |                      |
|-------------------|----------------------|----------------------|
| Model No:         | <b>VT-20062</b>      | <b>VT-20077</b>      |
| SKU Code:         | <b>3246</b>          | <b>3247</b>          |
| Watts:            | <b>60W</b>           | <b>75W</b>           |
| Current Capacity: | <b>5A</b>            | <b>6A</b>            |
| Output:           | <b>DC:12V</b>        | <b>DC:12V</b>        |
| Unit Size:        | <b>130 x 50 x 31</b> | <b>130 x 50 x 31</b> |
| Box Qty:          | <b>36</b>            | <b>60</b>            |
| EAN Code:         | <b>3800157628549</b> | <b>3800157628556</b> |



|                   |                         |                         |
|-------------------|-------------------------|-------------------------|
| Model No:         | <b>VT-20122</b>         | <b>VT-20152</b>         |
| SKU Code:         | <b>3243</b>             | <b>3244</b>             |
| Watts:            | <b>120W</b>             | <b>150W</b>             |
| Current Capacity: | <b>10A</b>              | <b>12.5A</b>            |
| Output:           | <b>DC:12V</b>           | <b>DC:12V</b>           |
| Unit Size:        | <b>190 x 50 x 31 mm</b> | <b>200 x 62 x 31 mm</b> |
| Box Qty:          | <b>36</b>               | <b>36</b>               |
| EAN Code:         | <b>3800157628525</b>    | <b>3800157628532</b>    |



|                   |                          |
|-------------------|--------------------------|
| Model No:         | <b>VT-20250</b>          |
| SKU Code:         | <b>3056</b>              |
| Watts:            | <b>250W</b>              |
| Current Capacity: | <b>20A</b>               |
| Output:           | <b>DC:12V</b>            |
| Unit Size:        | <b>200 x 110 x 50 mm</b> |
| Box Qty:          | <b>24</b>                |
| EAN Code:         | <b>3800230621788</b>     |



|                   |                          |
|-------------------|--------------------------|
| Model No:         | <b>VT-20350</b>          |
| SKU Code:         | <b>3057</b>              |
| Watts:            | <b>350W</b>              |
| Current Capacity: | <b>30A</b>               |
| Output:           | <b>DC:12V</b>            |
| Unit Size:        | <b>215 x 115 x 50 mm</b> |
| Box Qty:          | <b>20</b>                |
| EAN Code:         | <b>3800230621795</b>     |



|                   |                        |
|-------------------|------------------------|
| Model No:         | <b>VT-20026</b>        |
| SKU Code:         | <b>3228</b>            |
| Watts:            | <b>25W</b>             |
| Current Capacity: | <b>2.1A</b>            |
| Output:           | <b>DC:12V</b>          |
| Unit Size:        | <b>140 x 33 x 27mm</b> |
| Box Qty:          | <b>100</b>             |
| EAN Code:         | <b>3800157622929</b>   |



|                   |                        |
|-------------------|------------------------|
| Model No:         | <b>VT-20061</b>        |
| SKU Code:         | <b>3229</b>            |
| Watts:            | <b>60W</b>             |
| Current Capacity: | <b>5A</b>              |
| Output:           | <b>DC:12V</b>          |
| Unit Size:        | <b>160 x 40 x 32mm</b> |
| Box Qty:          | <b>100</b>             |
| EAN Code:         | <b>3800157622936</b>   |



|                   |                        |
|-------------------|------------------------|
| Model No:         | <b>VT-20076</b>        |
| SKU Code:         | <b>3230</b>            |
| Watts:            | <b>75W</b>             |
| Current Capacity: | <b>6A</b>              |
| Output:           | <b>DC:12V</b>          |
| Unit Size:        | <b>188 x 47 x 35mm</b> |
| Box Qty:          | <b>60</b>              |
| EAN Code:         | <b>3800157622943</b>   |



|                   |                        |
|-------------------|------------------------|
| Model No:         | <b>VT-20121</b>        |
| SKU Code:         | <b>3226</b>            |
| Watts:            | <b>120W</b>            |
| Current Capacity: | <b>10A</b>             |
| Output:           | <b>DC:12V</b>          |
| Unit Size:        | <b>188 x 47 x 35mm</b> |
| Box Qty:          | <b>36</b>              |
| EAN Code:         | <b>3800157622905</b>   |



|                   |                        |
|-------------------|------------------------|
| Model No:         | <b>VT-20151</b>        |
| SKU Code:         | <b>3227</b>            |
| Watts:            | <b>150W</b>            |
| Current Capacity: | <b>12.5A</b>           |
| Output:           | <b>DC:12V</b>          |
| Unit Size:        | <b>200 x 58 x 40mm</b> |
| Box Qty:          | <b>50</b>              |
| EAN Code:         | <b>3800157622912</b>   |

## LED Strip Power Supply

### Rainproof Power Supply Series

#### Product Features:

- RAIN PROOF DRIVER for all types of STRIP LIGHTS, LED LIGHTING, LED DISPLAY, etc
- Industrial specifications and standards
- With short circuit protection, over load protection and stable output voltage
- Built in EMI Filter
- High efficiency and low temperature
- 100% load tested
- Protection Rating: IP45
- CE, ROHS and EMC approved



| Model No. | SKU Code | Watts | Current Capacity | Output | Unit Size        | EAN Code:     | Box Qty |
|-----------|----------|-------|------------------|--------|------------------|---------------|---------|
| VT-21151  | 3231     | 150W  | 12.5A            | DC:12V | 207 x 74 x 42mm  | 3800157627979 | 18      |
| VT-21251  | 3232     | 250W  | 20.0A            | DC:12V | 218 x 95 x 50mm  | 3800157627986 | 10      |
| VT-21401  | 3233     | 400W  | 33.33A           | DC:12V | 223 x 118 x 50mm | 3800157627993 | 10      |

## LED Strip Power Supply

### Waterproof Power Supply Series

#### Product Features:

- WATERPROOF DRIVER for all types of STRIP LIGHTS, LED LIGHTING, LED DISPLAY, etc.
- Industrial specifications and standards
- With short circuit protection, over load protection and stable output voltage
- Built in EMI Filter
- High efficiency and low temperature
- 100% load tested
- Protection Rating: IP67
- CE, EMC approved



| Model No. | SKU Code | Watts | Current Capacity | Output | Unit Size       | EAN Code      | Box Qty |
|-----------|----------|-------|------------------|--------|-----------------|---------------|---------|
| VT-22061  | 3234     | 60W   | 5.0A             | DC:12V | 166 x 43 x 33mm | 3800157628006 | 20      |
| VT-22075  | 3235     | 75W   | 6.0A             | DC:12V | 166 x 43 x 33mm | 3800157628013 | 20      |
| VT-22101  | 3236     | 100W  | 8.0A             | DC:12V | 192 x 52 x 37mm | 3800157628020 | 15      |
| VT-22153  | 3248     | 150W  | 8.0A             | DC:12V | 192 x 52 x 37mm | 3800157629362 | 15      |

## 24V

|          |      |      |       |        |                    |               |    |
|----------|------|------|-------|--------|--------------------|---------------|----|
| VT-22020 | 3214 | 20W  | 0.83A | DC:24V | 201 x 30.5 x 20 mm | 3800230621962 | 80 |
| VT-22030 | 3215 | 30W  | 1.25A | DC:24V | 201 x 30.5 x 20 mm | 3800230629562 | 15 |
| VT-22045 | 3095 | 45W  | 1.88A | DC:24V | 250 x 40 x 23 mm   | 3800230621979 | 50 |
| VT-22101 | 3101 | 100W | 4.2A  | DC:24V | 201 x 30.5 x 20 mm | 3800157605991 | 20 |
| VT-22150 | 3096 | 150W | 6.25A | DC:24V | 253 x 72 x 45 mm   | 3800230621986 | 20 |
| VT-22200 | 3097 | 200W | 8.3A  | DC:24V | 231 x 120 x 53 mm  | 3800230621993 | 5  |



## LED STRIP POWER SUPPLY

### Plastic Adaptor Series

#### Product Features:

- Plastic DRIVER for all types of STRIP LIGHTS, LED LIGHTING, LED DISPLAY, etc.
- With specifications and Industrial standards
- With short circuit protection, over load protection and stable output voltage
- Built in EMI Filter
- High efficiency and low temperature
- 100% full load burn-in tested
- Protection Rating: IP 44
- CE, EMC approved



VT-23019



VT-23031 - VT-23061 - VT-23079

| Model No. | SKU Code | Watts | Current Capacity | Output | Unit Size     | EAN Code      | Box Qty |
|-----------|----------|-------|------------------|--------|---------------|---------------|---------|
| VT-23019  | 3237     | 18W   | 1.5A             | DC:12V | 73 x 27x 43   | 3800230622006 | 120     |
| VT-23031  | 3238     | 30W   | 2.5A             | DC:12V | 119 x 52 x 32 | 3800230625298 | 50      |
| VT-23043  | 3249     | 30W   | 5.0A             | DC:12V | 119 x 52 x 32 | 3800157629379 | 50      |
| VT-23061  | 3239     | 60W   | 5.0A             | DC:12V | 119 x 52 x 32 | 3800230622013 | 50      |
| VT-23079  | 3240     | 78W   | 6.5A             | DC:12V | 119 x 52 x 32 | 3800230622020 | 40      |

\* With UK Standard, BS plug



## LED Linear Lights

V-TAC LED Linear Trunking System is an energy-efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial and light assembly applications. It is the optimal solution for conventional lighting systems and also excellent for new installations due to its low installation cost.

### High lumen output

output: 160 lm/W to meet different requirements

**160<sup>++</sup>**  
LM/W  
**HIGH LUMENS**


### Flexible Beam angle


90°, 120°, double-asymmetric



### Modular system

Continuous row system, seamless connection, max 3500W /row






**90°**  
LENS




**120°**  
LENS



**Double  
Asymmetric  
LENS**


### LED Linear Master Trunking 90° Lens

SKU Code: **1360 - 4000K Day White**  
EAN Code: 3800157625647




### LED Linear Master Trunking 120° Lens

SKU Code: **1361 - 4000K Day White**  
EAN Code: 3800157625654



### LED Linear Master Trunking Double Asymmetric Lens

SKU Code: **1362 - 4000K Day White**  
EAN Code: 3800157625661



**NEW**

**50W** VT-4551D

BOX QTY.  
**02**



**V-TAC®**  
**PRO**

**5 YEARS**  
WARRANTY

|                    |                             |                   |                        |
|--------------------|-----------------------------|-------------------|------------------------|
| Sensor Compatible: | <b>Yes</b>                  | Color of Fixture: | <b>White</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Body Type:        | <b>Steel</b>           |
| Luminous Flux:     | <b>8000lm</b>               | Dimension:        | <b>1500mm</b>          |
| LED Type:          | <b>SMD</b>                  | ON/OFF Time:      | <b>&gt;15000 Times</b> |
| CRI:               | <b>&gt;80</b>               | Life Span:        | <b>50000 Hours</b>     |
| PF:                | <b>&gt;0.9</b>              |                   |                        |


**160++**  
LM/W  
**HIGH LUMENS**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




### LED Linear Follow Trunking 90° Lens

SKU Code: **1363 - 4000K Day White**  
EAN Code: 3800157625678




### LED Linear Follow Trunking 120° Lens

SKU Code: **1364 - 4000K Day White**  
EAN Code: 3800157625685



### LED Linear Follow Trunking Double Asymmetric Lens

SKU Code: **1365 - 4000K Day White**  
EAN Code: 3800157625692



**NEW**

**50W** VT-4550D

BOX QTY.  
**01**

**V-TAC®**  
**PRO**

**5 YEARS**  
WARRANTY

|                    |                             |                   |                        |
|--------------------|-----------------------------|-------------------|------------------------|
| Sensor Compatible: | <b>Yes</b>                  | Color of Fixture: | <b>White</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Body Type:        | <b>Steel</b>           |
| Luminous Flux:     | <b>8000lm</b>               | Dimension:        | <b>1500mm</b>          |
| LED Type:          | <b>SMD</b>                  | ON/OFF Time:      | <b>&gt;15000 Times</b> |
| CRI:               | <b>&gt;80</b>               | Life Span:        | <b>50000 Hours</b>     |
| PF:                | <b>&gt;0.9</b>              |                   |                        |

**160<sup>++</sup>**  
**LM/W**  
**HIGH LUMENS**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

NEW



VT-4549

SKU Code:

1382

Description:

LED Linear Trunking Tracklight Module

EAN Code:

3800157626415

NEW



BOX QTY.  
100

SKU Code:

1366

Description:

End Cap-white

EAN Code:

3800157625708



BOX QTY.  
100

1367

Suspended Cord-steel

3800157625715



BOX QTY.  
200

1368

Feed-in Male Connector 5 Wires

3800157625722

NEW



SKU Code:

1383

Description:

L Node Connector, 8 Wires

EAN Code:

3800157626422

1384

T Node Connector, 8 Wires

3800157626439

1385

X Node Connector, 8 Wires

3800157626446

# LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.



## Product Features

- Available from 10W up to 45W
- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.



## Applications

Perfect choice for Exhibition Stands, Hotels, Bars, Commercial & Residential Lighting.

NEW



15-60 Degree Beam Angle  
Adjustable by Rotating



V-TAC®  
PRO

5 YEARS  
WARRANTY

## COB Series

35W VT-4735

1357 - 3000K Warm White

1358 - 4000K Day White

1359 - 6400K White

EAN Code

3800157625074

3800157625081

3800157625098

BOX QTY.

20

|                    |                      |                   |                      |
|--------------------|----------------------|-------------------|----------------------|
| Sensor Compatible: | Yes                  | PF:               | >0.9                 |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 15°-60° (Adjustable) |
| Luminous Flux:     | 2800lm               | Color of Fixture: | White                |
| LED Type:          | CREE COB             | Body Type:        | Aluminium            |
| CRI:               | >80                  | Dimension:        | 178.4 x 197.7 x 95mm |
| *30,000 Hours      |                      |                   |                      |



# ALL IN ONE TRACKLIGHT



CCT Adjustable  
2800K/4000K/6000K



Lens Angle Adjustable  
20°~60°

- Ra95, 80lm/W, PF: 0.9
- Triac dimmable
- 4 line track adapter
- Lens angle adjustable 20°~60°
- CE/EMC, RoHS, LVD Certified





NEW



## COB Series

18W VT-4718  
1410

EAN Code  
3800157629324



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.9          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 20° ~ 60°     |
| Luminous Flux:     | 1440lm               | Color of Fixture: | White         |
| LED Type:          | COB                  | Body Type:        | Aluminum      |
| CRI:               | >95                  | Life span:        | *30,000 Hours |




CCT Adjustable  
2800K/4000K/6000K



Lens Angle Adjustable  
20°~60°



Triac Dimmable



NEW



## COB Series

18W VT-4718  
1411

EAN Code  
3800157629331



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.9          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 20° ~ 60°     |
| Luminous Flux:     | 1440lm               | Color of Fixture: | Black         |
| LED Type:          | COB                  | Body Type:        | Aluminum      |
| CRI:               | >95                  | Life span:        | *30,000 Hours |




CCT Adjustable  
2800K/4000K/6000K



Lens Angle Adjustable  
20°~60°



Triac Dimmable



NEW



## COB Series

45W VT-4745

1412

EAN Code

3800157629348



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.9          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 20° ~ 60°     |
| Luminous Flux:     | 3600lm               | Color of Fixture: | White         |
| LED Type:          | COB                  | Body Type:        | Aluminum      |
| CRI:               | >95                  | Life span:        | *30,000 Hours |




CCT Adjustable  
2800K/4000K/6000K



Lens Angle Adjustable  
20° ~ 60°



Triac Dimmable



NEW



## COB Series

45W VT-4745

1413

EAN Code

3800157629355



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.9          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 20° ~ 60°     |
| Luminous Flux:     | 3600lm               | Color of Fixture: | Black         |
| LED Type:          | COB                  | Body Type:        | Aluminum      |
| CRI:               | >95                  | Life span:        | *30,000 Hours |




CCT Adjustable  
2800K/4000K/6000K



Lens Angle Adjustable  
20° ~ 60°



Triac Dimmable



## COB Series

10W VT-4512

EAN Code

BOX QTY.  
40

1332 - 3000K Warm White


3800157620604

1333 - 4000K Day White


3800157620611

1334 - 6400K White

3800157620628



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.9          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 24°           |
| Luminous Flux:     | 800lm                | Color of Fixture: | Black + White |
| LED Type:          | COB                  | Body Type:        | Aluminum      |
| CRI:               | >80                  |                   |               |



Dimension=mm



## COB Series

25W VT-4528

EAN Code

BOX QTY.  
20

1335 - 3000K Warm White


3800157620635

1336 - 4000K Day White


3800157620642



1337 - 6400K White

3800157620659



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.9          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 24°           |
| Luminous Flux:     | 2100lm               | Color of Fixture: | Black + White |
| LED Type:          | COB                  | Body Type:        | Aluminum      |
| CRI:               | >80                  | Life span:        |               |





## COB Series

35W VT-4537

1338 - 3000K Warm White

1339 - 4000K Day White

1340 - 6400K White



EAN Code

3800157620666

3800157620673

3800157620680



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.9          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 24°           |
| Luminous Flux:     | 2850lm               | Color of Fixture: | Black + White |
| LED Type:          | COB                  | Body Type:        | Aluminum      |
| CRI:               | >80                  | Life span:        |               |



**COB Series****15W** VT-4615

1298 - 3000K Warm White

1299 - 4000K Day White

1300 - 6400K White


EAN Code

3800157619851

3800157619868


3800157619875

BOX QTY.

**20**


|                    |                             |                   |                         |
|--------------------|-----------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.9</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>24°</b>              |
| Luminous Flux:     | <b>1350lm</b>               | Color of Fixture: | <b>White</b>            |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>Aluminum</b>         |
| CRI:               | <b>&gt;95</b>               | Dimension:        | <b>180 x 97 x 155mm</b> |

Life span:

**COB Series****15W** VT-4615

1301 - 3000K Warm White

1302 - 4000K Day White

1303 - 6400K White


EAN Code

3800157619882

3800157619899


3800157619905

BOX QTY.

**20**


|                    |                             |                   |                         |
|--------------------|-----------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.9</b>          |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>24°</b>              |
| Luminous Flux:     | <b>1350lm</b>               | Color of Fixture: | <b>Black</b>            |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>Aluminum</b>         |
| CRI:               | <b>&gt;95</b>               | Dimension:        | <b>180 x 97 x 155mm</b> |

Life span:



**COB Series****30W** VT-4635

1292 - 3000K Warm White

1293 - 4000K Day White

1294 - 6400K White

EAN Code

3800157619790

3800157619806



3800157619813

BOX QTY.

**20**

|                    |                             |                   |                          |
|--------------------|-----------------------------|-------------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>24°</b>               |
| Luminous Flux:     | <b>2700lm</b>               | Color of Fixture: | <b>White</b>             |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>Aluminum</b>          |
| CRI:               | <b>&gt;95</b>               | Dimension:        | <b>180 x 140 x 215mm</b> |

Life span:

**COB Series****30W** VT-4635

1295 - 3000K Warm White

1296 - 4000K Day White

1297 - 6400K White

EAN Code

3800157619820

3800157619837



3800157619844

BOX QTY.

**20**

|                    |                             |                   |                          |
|--------------------|-----------------------------|-------------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>24°</b>               |
| Luminous Flux:     | <b>2700lm</b>               | Color of Fixture: | <b>Black</b>             |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>Aluminum</b>          |
| CRI:               | <b>&gt;95</b>               | Dimension:        | <b>180 x 140 x 215mm</b> |


Life span:







LUMINOUS INTENSITY DISTRIBUTION



## SUITABLE FOR 4-LINE TRACKS

FITS INTO ANY EUROPEAN STANDARD 3-PHASE TRACK

### 4-Line Tracks

33W VT-4535

1233 - 3000K Warm White

1234 - 4000K Day White


1235 - 5000K White

EAN Code

3800157603720

3800157603737

3800157603744




BOX QTY.

08

|                    |                       |                   |                   |
|--------------------|-----------------------|-------------------|-------------------|
| Sensor Compatible: | Yes                   | PF:               | > 0.9             |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Beam Angle:       | 25°               |
| Luminous Flux:     | 1800lm                | Color of Fixture: | Black             |
| LED Type:          | SMD                   | Body Type:        | Die Cast Aluminum |
| CRI:               | > 95                  | Dimension:        | 112 x 165 x 205mm |



LUMINOUS INTENSITY DISTRIBUTION



## SUITABLE FOR 4-LINE TRACKS

FITS INTO ANY EUROPEAN STANDARD 3-PHASE TRACK

### 4-Line Tracks

45W VT-4545

1236 - 3000K Warm White

1237 - 4000K Day White


1238 - 5000K White

EAN Code

3800157603751

3800157603768

3800157603775



BOX QTY.

08

|                    |                       |                   |                   |
|--------------------|-----------------------|-------------------|-------------------|
| Sensor Compatible: | Yes                   | PF                | >0.9              |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Beam Angle:       | 25°               |
| Luminous Flux:     | 2300lm                | Color of Fixture: | Black             |
| LED Type:          | COB                   | Body Type:        | Die Cast Aluminum |
| CRI:               | >95                   | Dimension:        | 112 x 165 x 218mm |




**4-LINE TRACK****20W** VT-4521T**1202 - 5000K White**

BOX QTY.

08

EAN Code

3800157600187



|                    |                             |                   |                          |
|--------------------|-----------------------------|-------------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:100-240V, 50/60Hz</b> | Beam Angle:       | <b>46°</b>               |
| Luminous Flux:     | <b>1500lm</b>               | Color of Fixture: | <b>Black</b>             |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>Die Cast Aluminum</b> |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>80 x 185mm</b>        |

**4-LINE TRACK****40W** VT-4540T**1191 - 3000K Warm White****1192 - 4000K Day White**


BOX QTY.

08

EAN Code

3800230629548

3800230629555



|                    |                             |                   |                          |
|--------------------|-----------------------------|-------------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>22°</b>               |
| Luminous Flux:     | <b>2600lm</b>               | Color of Fixture: | <b>Black</b>             |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>Aluminum</b>          |
| CRI:               | <b>&gt;70</b>               | Dimension:        | <b>225 x 185 x 138mm</b> |

**4-LINE TRACK****33W** VT-4534**1242 - 3000K Warm White****1231 - 4000K Day White****1232 - 5000K White**

EAN Code



3800157604000

3800157602525

3800157602532

BOX QTY.  
**08**

|                    |                             |                   |                          |
|--------------------|-----------------------------|-------------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>22°</b>               |
| Luminous Flux:     | <b>2300lm</b>               | Color of Fixture: | <b>Black</b>             |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>Die Cast Aluminum</b> |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>106 x 208 x 206mm</b> |

**LUMINOUS INTENSITY DISTRIBUTION****4-LINE TRACK****33W** VT-4534**1241 - 3000K Warm White****1229 - 4000K Day White****1230 - 5000K White**

EAN Code



3800157603997

3800157602501

3800157602518

BOX QTY.  
**08**

|                    |                             |                   |                          |
|--------------------|-----------------------------|-------------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.9</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>22°</b>               |
| Luminous Flux:     | <b>2300lm</b>               | Color of Fixture: | <b>White</b>             |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>Die Cast Aluminum</b> |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>106 x 208 x 206mm</b> |

**LUMINOUS INTENSITY DISTRIBUTION**

**4-LINE TRACK****45W** VT-4546**1249 - 3000K Warm White****1250 - 4500K Day White****1251 - 6000K White**

EAN Code

3800157607490



3800157607505

3800157607513

BOX QTY.  
**08**

|                    |                             |                   |                      |
|--------------------|-----------------------------|-------------------|----------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.95</b>      |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>20°</b>           |
| Luminous Flux:     | <b>3250lm</b>               | Color of Fixture: | <b>White</b>         |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>PC + Aluminum</b> |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>110 x 255mm</b>   |

LUMINOUS INTENSITY DISTRIBUTION

**4-LINE TRACK****45W** VT-4546**1252 - 3000K Warm White****1253 - 4500K Day White****1254 - 6000K White**

EAN Code

3800157607520



3800157607537

3800157607544

BOX QTY.  
**08**

|                    |                             |                   |                      |
|--------------------|-----------------------------|-------------------|----------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.95</b>      |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle:       | <b>20°</b>           |
| Luminous Flux:     | <b>3250lm</b>               | Color of Fixture: | <b>White</b>         |
| LED Type:          | <b>COB</b>                  | Body Type:        | <b>PC + Aluminum</b> |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>110 x 255mm</b>   |

LUMINOUS INTENSITY DISTRIBUTION





**4-LINE TRACK****35W** VT-4536**1255 - 3000K Warm White****1256 - 4500K Day White****1257 - 6000K White**

EAN Code

3800157607551

3800157607568

3800157607575



**BOX QTY.****20****LUMINOUS INTENSITY DISTRIBUTION****4-LINE TRACK****35W** VT-4536**1285 - 3000K Warm White****1286 - 4000K Day White****1287 - 6000K White**

EAN Code

3800157618694

3800157618700

3800157618717

**BOX QTY.****20****LUMINOUS INTENSITY DISTRIBUTION**



BOX QTY.  
18



BOX QTY.  
18



BOX QTY.  
18

## Track Fittings

|              |                    |                    |                    |
|--------------|--------------------|--------------------|--------------------|
| SKU code:    | 3556               | 3555               | 3569               |
| Description: | E27- PAR20 Fitting | E27- PAR20 Fitting | E27- PAR38 Fitting |
| Track Line:  | 2 Line White       | 2 Line Black       | 2 Line White       |
| EAN code:    | 3800230628411      | 3800230628404      | 3800157604246      |



BOX QTY.  
24



BOX QTY.  
24



BOX QTY.  
18

## Track Fittings

|              |               |               |                   |
|--------------|---------------|---------------|-------------------|
| SKU code:    | 3544          | 3543          | 3554              |
| Description: | GU10 Fitting  | GU10 Fitting  | E27-PAR20 Fitting |
| Track Line:  | 4 Line White  | 4 Line Black  | 4 Line White      |
| EAN code:    | 3800230628299 | 3800230628282 | 3800230628398     |



BOX QTY.  
18



BOX QTY.  
24



BOX QTY.  
24

## Track Fittings

|              |                    |                     |                    |
|--------------|--------------------|---------------------|--------------------|
| SKU code:    | 3553               | 3548                | 3547               |
| Description: | E27- PAR20 Fitting | E27- PAR 30 Fitting | E27- PAR30 Fitting |
| Track Line:  | 4 Line Black       | 4 Line White        | 4 Line Black       |
| EAN code:    | 3800230628381      | 3800230628336       | 3800230628329      |



BOX QTY.  
18

PAR 20-30-38  
Compatible



BOX QTY.  
50

PAR 20-30-38  
Compatible



BOX QTY.  
50

## Track Fittings

|              |                    |               |               |
|--------------|--------------------|---------------|---------------|
| SKU code:    | 3570               | 3567          | 3574          |
| Description: | E27- PAR38 Fitting | E27 Fitting   | E27 Fitting   |
| Track Line:  | 4 Line White       | 4 Line White  | 4 Line Black  |
| EAN code:    | 3800157604252      | 3800157602402 | 3800157604291 |

BOX QTY.  
100BOX QTY.  
100

SKU code:

3656

Description:

4I Track Light Accessory Mini Black

EAN code:

3800157619110

3655

4I Track Light Accessory Mini White

3800157619103

BOX QTY.  
50BOX QTY.  
50

SKU code:

3522

Description:

4I Track Light Accessory White

EAN code:

3800230623232

3523

4I Track Light Accessory Black

3800230623195

BOX QTY.  
25BOX QTY.  
25BOX QTY.  
10

SKU code:

3524

Description:

4T Track Light Accessory Black

EAN code:

3800230623201

3525

4T Track Light Accessory White

3800230623249

3526

4X Track Light Accessory Black

3800230623218

BOX QTY.



10



SKU code:

3527

Description:

4X Track Light Accessory White

EAN code:

3800230623256

BOX QTY.



25



3528

4L Track Light Accessory Black

3800230623225

BOX QTY.



25



3529

4L Track Light Accessory White

3800230623263

BOX QTY.



20



SKU code:

3559

Description:

Flexible Joint 4 Line Black

EAN code:

3800230628442

BOX QTY.



20



3560

Flexible Joint 4 Line White

3800230628459

BOX QTY.



100



SKU code:

3565

Description:

Hanging Track Line Kit 1m Black

EAN code:

3800157600019

BOX QTY.



100




3566

Hanging Track Line Kit 1m White

3800157600026





EU Standard

BOX QTY.  
10

SKU code:

9944

Description:

1 Meter Black 4 Core Track

EAN code:

3800230623133

BOX QTY.  
10

9945

1 Meter White 4 Core Track



3800230623164

BOX QTY.  
10

9952

1.5 Meters Black 4 Core Track

3800230623140



EU Standard

BOX QTY.  
10

SKU code:

9953

Description:

1.5 Meters White 4 Core Track

EAN code:

3800230623171

BOX QTY.  
10

9954

2 Meters Black 4 Core Track

3800230623157

BOX QTY.  
10

9955

2 Meters White 4 Core Track

3800230623188

# LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long- lasting energy efficiency and instant brightness. Choose from a wide range of 3W to 40W



## Product Features

- Innumerable styles & Elegant appearance
- Non - Flickering
- Best Quality LED Chips from companies like CREE & SAMSUNG
- Premium Quality Power Driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast Aluminium body
- Low Maintenance
- All down lights come with premium quality power

## Applications

Residences, Showrooms, Hotels & Boutiques etc.

---



**Reflector Downlight****10W** VT-26101**1270 - 3000K Warm White****1271 - 4000K Day White****1272 - 6400K White****BOX QTY.****27**

EAN Code

3800157611923

3800157611930

3800157611947

**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS****LUMINOUS INTENSITY DISTRIBUTION DIAGRAM**

|                    |                              |               |                       |
|--------------------|------------------------------|---------------|-----------------------|
| Sensor Compatible: | <b>Yes</b>                   | Beam Angle:   | <b>120°</b>           |
| Voltage/Frequency: | <b>AC: 100-277V, 50/60Hz</b> | Body Type:    | <b>PKW ( White)</b>   |
| Luminous Flux:     | <b>1200lm</b>                | Shape:        | <b>Round</b>          |
| LED Type:          | <b>COB</b>                   | Dimension:    | <b>Ø 135mm x 71mm</b> |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>Ø120mm</b>         |
| PF                 | <b>&gt;0.5</b>               |               |                       |



**Reflector Downlight****20W** VT-26201**1273 - 3000K Warm White****1274 - 4000K Day White****1275 - 6400K White****BOX QTY.****18**

EAN Code

3800157611954

3800157611961

3800157611978

**120<sup>++</sup>**  
LM/W  
**HIGH LUMENS****LUMINOUS INTENSITY DISTRIBUTION DIAGRAM**

|                    |                              |               |                       |
|--------------------|------------------------------|---------------|-----------------------|
| Sensor Compatible: | <b>Yes</b>                   | Beam Angle:   | <b>120°</b>           |
| Voltage/Frequency: | <b>AC: 100-277V, 50/60Hz</b> | Body Type:    | <b>PKW ( White)</b>   |
| Luminous Flux:     | <b>2400lm</b>                | Shape:        | <b>Round</b>          |
| LED Type:          | <b>COB</b>                   | Dimension:    | <b>Ø 180mm x 83mm</b> |
| CRI:               | <b>&gt;80</b>                | Cutting Size: | <b>Ø167mm</b>         |
| PF                 | <b>&gt;0.5</b>               |               |                       |



Reflector Downlight


30W VT-26301

1276 - 3000K Warm White  
1277 - 4000K Day White  
1278 - 6400K White

BOX QTY.  
12


EAN Code

3800157611985  
3800157611992  
3800157612005



120<sup>++</sup>  
LM/W  
HIGH LUMENS

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                       |               |                 |
|--------------------|-----------------------|---------------|-----------------|
| Sensor Compatible: | Yes                   | Beam Angle:   | 120°            |
| Voltage/Frequency: | AC: 100-277V, 50/60Hz | Body Type:    | PKW ( White)    |
| Luminous Flux:     | 3600lm                | Shape:        | Round           |
| LED Type:          | COB                   | Dimension:    | Ø 220mm x 103mm |
| CRI:               | >80                   | Cutting Size: | Ø207mm          |
| PF                 | >0.9                  |               |                 |



Reflector Downlight


40W VT-26451

1279 - 4000K Day White

BOX QTY.  
12


EAN Code

3800157612012



120<sup>++</sup>  
LM/W  
HIGH LUMENS

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                       |               |                 |
|--------------------|-----------------------|---------------|-----------------|
| Sensor Compatible: | Yes                   | Beam Angle:   | 120°            |
| Voltage/Frequency: | AC: 100-277V, 50/60Hz | Body Type:    | PKW ( White)    |
| Luminous Flux:     | 4800lm                | Shape:        | Round           |
| LED Type:          | COB                   | Dimension:    | Ø 220mm x 103mm |
| CRI:               | >80                   | Cutting Size: | Ø207mm          |
| PF                 | >0.9                  |               |                 |



Reflector Downlight


10W VT-2610

1100 - 6400K White


BOX QTY.  
27

EAN Code

3800230622372



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |               |                |
|--------------------|--------------------|---------------|----------------|
| Sensor Compatible: | Yes                | Beam Angle:   | 120°           |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:    | PKW ( White)   |
| Luminous Flux:     | 730lm              | Shape:        | Round          |
| LED Type:          | COB                | Dimension:    | Ø 135mm x 71mm |
| CRI:               | >80                | Cutting Size: | Ø105mm         |
| PF                 | >0.5               |               |                |



Reflector Downlight


20W VT-2620

1103 - 6400K White


BOX QTY.  
18

EAN Code

3800230622402



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |               |                |
|--------------------|--------------------|---------------|----------------|
| Sensor Compatible: | Yes                | Beam Angle:   | 120°           |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:    | PKW ( White)   |
| Luminous Flux:     | 1500lm             | Shape:        | Round          |
| LED Type:          | COB                | Dimension:    | Ø 182mm x 90mm |
| CRI:               | >80                | Cutting Size: | Ø160mm         |
| PF                 | >0.5               |               |                |



Reflector Downlight

30W VT-2630


1106 - 4000K Day White

BOX QTY.


12

EAN Code

3800230622433



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |               |                 |
|--------------------|--------------------|---------------|-----------------|
| Sensor Compatible: | Yes                | Beam Angle:   | 120°            |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:    | PKW ( White)    |
| Luminous Flux:     | 2400lm             | Shape:        | Round           |
| LED Type:          | COB                | Dimension:    | Ø 222mm x 111mm |
| CRI:               | >80                | Cutting Size: | Ø205mm          |
| PF                 | > 0.9              |               |                 |



Reflector Downlight

40W VT-2645


1165 - 6400K White

BOX QTY.


12

EAN Code

3800230627308



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                    |               |                 |
|--------------------|--------------------|---------------|-----------------|
| Sensor Compatible: | Yes                | Beam Angle:   | 120°            |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:    | PKW ( White)    |
| Luminous Flux:     | 3200lm             | Shape:        | Round           |
| LED Type:          | COB                | Dimension:    | Ø 222mm x 111mm |
| CRI:               | ≥80                | Cutting Size: | Ø205mm          |
| PF                 | > 0.9              |               |                 |



## COB Downlight

3W VT-1123 RD

EAN Code

5098 - 3000K Warm White

3800157609401

5099 - 4500K Day White

3800157609418

5107 - 6000K White

3800157609425

BOX QTY.  
100

|                    |                      |               |            |
|--------------------|----------------------|---------------|------------|
| Sensor Compatible: | Yes                  | Beam Angle:   | 60°        |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminum   |
| Luminous Flux:     | 200lm                | Shape:        | Round      |
| LED Type:          | COB                  | Dimension:    | Ø45 x 35mm |
| CRI:               | >80                  | Cutting Size: | Ø36mm      |
| PF                 | >0.5                 |               |            |



## COB Downlight

3W VT-1123 SQ

EAN Code

5108 - 3000K Warm White

3800157609432

5109 - 4500K Day White

3800157609449

5110 - 6000K White

3800157609456

BOX QTY.  
100

|                    |                      |               |                |
|--------------------|----------------------|---------------|----------------|
| Sensor Compatible: | Yes                  | Beam Angle:   | 60°            |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminum       |
| Luminous Flux:     | 200lm                | Shape:        | Square         |
| LED Type:          | COB                  | Dimension:    | 45 x 45 x 35mm |
| CRI:               | >80                  | Cutting Size: | 36 x 36 mm     |
| PF                 | >0.5                 |               |                |



## COB Downlight

3W VT-1133 RD

EAN Code

5092 - 3000K Warm White

3800157609340

5093 - 4500K Day White


3800157609357

5094 - 6000K White

3800157609364

BOX QTY.  
100

|                    |                      |               |            |
|--------------------|----------------------|---------------|------------|
| Sensor Compatible: | Yes                  | Beam Angle:   | 60°        |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminum   |
| Luminous Flux:     | 200lm                | Shape:        | Round      |
| LED Type:          | COB                  | Dimension:    | Ø55 x 42mm |
| CRI:               | >80                  | Cutting Size: | Ø45mm      |
| PF                 | >0.5                 |               |            |

**COB Downlight****3W** VT-1133 SQ

EAN Code

5095 - 3000K Warm White

3800157609371

5096 - 4500K Day White

3800157609388

5097 - 6000K White

3800157609395

BOX QTY.

50

|                    |                      |               |                |
|--------------------|----------------------|---------------|----------------|
| Sensor Compatible: | Yes                  | Beam Angle:   | 60°            |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Body Type:    | Aluminum       |
| Luminous Flux:     | 200lm                | Shape:        | Square         |
| LED Type:          | COB                  | Dimension:    | 55 x 55 x 42mm |
| CRI:               | >80                  | Cutting Size: | 45 x 45mm      |
| PF                 | >0.5                 |               |                |

**COB Downlight****8W** VT-2908 RD

EAN Code

1118 - 6000K White

380023062516



BOX QTY.

50

|                    |                       |               |                         |
|--------------------|-----------------------|---------------|-------------------------|
| Sensor Compatible: | Yes                   | Beam Angle:   | 24°                     |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Body Type:    | Powder Coating Die cast |
| Luminous Flux:     | 550lm                 | Shape:        | Round                   |
| LED Type:          | COB                   | Dimension:    | Ø103 x 75mm             |
| CRI:               | >80                   | Cutting Size: | Ø90mm                   |
| PF                 | >0.5                  |               |                         |

**COB Downlight****8W** VT-2908 SQ

EAN Code

1113 - 3000K Warm White

3800230625175

1115 - 6000K White

3800230625199



BOX QTY.

50

|                    |                       |               |                         |
|--------------------|-----------------------|---------------|-------------------------|
| Sensor Compatible: | Yes                   | Beam Angle:   | 24°                     |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Body Type:    | Powder Coating Die cast |
| Luminous Flux:     | 550lm                 | Shape:        | Square                  |
| LED Type:          | COB                   | Dimension:    | 103 x 103 x 75mm        |
| CRI:               | >80                   | Cutting Size: | 90 x 90mm               |
| PF                 | >0.5                  |               |                         |





## Zoom Light

30W VT-2930

1306 - 3000K Warm White

1307 - 4500K Day White

1289 - 6000K White

BOX QTY.



12

EAN Code

3800157619936

3800157619943

3800157619646



|                    |                    |               |                      |
|--------------------|--------------------|---------------|----------------------|
| Sensor Compatible: | Yes                | Beam Angle:   | 99°                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:    | Die Casting Aluminum |
| Luminous Flux:     | 2450lm             | Shape:        | Rectangle            |
| LED Type:          | COB                | Dimension:    | 235 x 146 x 139mm    |
| CRI:               | ≥80                | Cutting Size: | 220 x 132mm          |
| PF:                | > 0.9              |               |                      |



## Zoom Light

33W VT-2933

1304 - 3000K Warm White

1305 - 4500K Day White

1288 - 6000K White

BOX QTY.



20

EAN Code

3800157619912


3800157619929

3800157619639



|                    |                    |               |                      |
|--------------------|--------------------|---------------|----------------------|
| Sensor Compatible: | Yes                | Beam Angle:   | 24°                  |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:    | Die Casting Aluminum |
| Luminous Flux:     | 2650lm             | Shape:        | Round                |
| LED Type:          | COB                | Dimension:    | Ø 165x140mm          |
| CRI:               | ≥80                | Cutting Size: | Ø 155                |
| PF:                | > 0.9              |               |                      |





**Step Light****3W** VT-1162
**1327 - 3000K Warm White**  
**1326 - 4000K Day White**

BOX QTY.

 **50**  
 EAN Code

 3800157620550  
 3800157620543


|                    |                             |                   |                        |
|--------------------|-----------------------------|-------------------|------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>         |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>             |
| Luminous Flux:     | <b>110lm</b>                | Color of Fixture: | <b>White</b>           |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Rectangle</b>       |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>230 x 80 x 28mm</b> |


**Step Light****3W** VT-1162
**1329 - 3000K Warm White**  
**1328 - 4000K Day White**

BOX QTY.

 **50**  
 EAN Code

 3800157620574  
 3800157620567


|                    |                             |                   |                        |
|--------------------|-----------------------------|-------------------|------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>         |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>             |
| Luminous Flux:     | <b>110lm</b>                | Color of Fixture: | <b>White</b>           |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Rectangle</b>       |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>230 x 80 x 28mm</b> |

**Step Light****3W** VT-1162
**1331 - 3000K Warm White**  
**1330 - 4000K Day White**

BOX QTY.

 **50**  
 EAN Code

 3800157620598  
 3800157620581



|                    |                             |                   |                        |
|--------------------|-----------------------------|-------------------|------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>         |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>             |
| Luminous Flux:     | <b>110lm</b>                | Color of Fixture: | <b>White</b>           |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Rectangle</b>       |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>230 x 80 x 28mm</b> |

**Step Light****2W** VT-1142**1315 - 3000K Warm White****1314 - 4000K Day White**
**BOX QTY.**  
**50**

EAN Code

3800157620437

3800157620420



Ø150mm

27mm


|                    |                             |                   |                    |
|--------------------|-----------------------------|-------------------|--------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>         |
| Luminous Flux:     | <b>60lm</b>                 | Color of Fixture: | <b>White</b>       |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Round</b>       |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>ø150 x 27mm</b> |

**Step Light****2W** VT-1142**1317 - 3000K Warm White****1316 - 4000K Day White**
**BOX QTY.**  
**50**

EAN Code

3800157620451

3800157620444



Ø150mm

27mm


|                    |                             |                   |                    |
|--------------------|-----------------------------|-------------------|--------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>         |
| Luminous Flux:     | <b>60lm</b>                 | Color of Fixture: | <b>Black</b>       |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Round</b>       |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>ø150 x 27mm</b> |

**Step Light****2W** VT-1142**1319 - 3000K Warm White****1318 - 4000K Day White**
**BOX QTY.**  
**50**

EAN Code

3800157620475

3800157620468



Ø150mm

27mm


|                    |                             |                   |                    |
|--------------------|-----------------------------|-------------------|--------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>     |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>         |
| Luminous Flux:     | <b>60lm</b>                 | Color of Fixture: | <b>Grey</b>        |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Round</b>       |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>ø150 x 27mm</b> |

**Step Light****2W** VT-1152**1321 - 3000K Warm White****1320 - 4000K Day White****BOX QTY.****50**

EAN Code

3800157620499

3800157620482




|                    |                             |                   |                         |
|--------------------|-----------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>          |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>              |
| Luminous Flux:     | <b>60lm</b>                 | Color of Fixture: | <b>White</b>            |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Square</b>           |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>124 x 124 x 27mm</b> |

**Step Light****2W** VT-1152**1323 - 3000K Warm White****1322 - 4000K Day White****BOX QTY.****50**

EAN Code

3800157620512

3800157620505




|                    |                             |                   |                         |
|--------------------|-----------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>          |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>              |
| Luminous Flux:     | <b>60lm</b>                 | Color of Fixture: | <b>Black</b>            |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Square</b>           |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>124 x 124 x 27mm</b> |

**Step Light****2W** VT-1152**1325 - 3000K Warm White****1324 - 4000K Day White****BOX QTY.****50**

EAN Code

3800157620536

3800157620529



|                    |                             |                   |                         |
|--------------------|-----------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:               | <b>&gt;0.5</b>          |
| Voltage/Frequency: | <b>AC100-240V, 50/60 Hz</b> | Beam Angle:       | <b>55°</b>              |
| Luminous Flux:     | <b>60lm</b>                 | Color of Fixture: | <b>Grey</b>             |
| Body Type:         | <b>PC</b>                   | Shape:            | <b>Square</b>           |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>124 x 124 x 27mm</b> |

NEW



## Step Light

3W VT-1172

1398 - 3000K Warm White  
1399 - 4000K Day White

EAN Code

3800157628310  
3800157628327

BOX QTY.

20



|                    |                     |                   |                  |
|--------------------|---------------------|-------------------|------------------|
| Sensor Compatible: | Yes                 | PF:               | >0.5             |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle:       | 90°              |
| Luminous Flux:     | 210lm               | Color of Fixture: | Black            |
| Body Type:         | PC                  | Shape:            | Square           |
| CRI:               | >80                 | Dimension:        | 151 x 72 x 154mm |

NEW



## Step Light

3W VT-1172

1400 - 3000K Warm White  
1401 - 4000K Day White

EAN Code

3800157628334  
3800157628341

BOX QTY.

20



|                    |                     |                   |                  |
|--------------------|---------------------|-------------------|------------------|
| Sensor Compatible: | Yes                 | PF:               | >0.5             |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle:       | 90°              |
| Luminous Flux:     | 210lm               | Color of Fixture: | Grey             |
| Body Type:         | PC                  | Shape:            | Square           |
| CRI:               | >80                 | Dimension:        | 151 x 72 x 154mm |

NEW



## Step Light

3W VT-1172

1402 - 3000K Warm White  
1403 - 4000K Day White

EAN Code

3800157628358  
3800157628365

BOX QTY.

20



|                    |                     |                   |                  |
|--------------------|---------------------|-------------------|------------------|
| Sensor Compatible: | Yes                 | PF:               | >0.5             |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle:       | 90°              |
| Luminous Flux:     | 210lm               | Color of Fixture: | White            |
| Body Type:         | PC                  | Shape:            | Square           |
| CRI:               | >80                 | Dimension:        | 151 x 72 x 154mm |

NEW



## Step Light

3W VT-1182

1404 - 3000K Warm White  
1405 - 4000K Day White

EAN Code

3800157628372  
3800157628389

BOX QTY.

20



|                    |                      |                   |             |
|--------------------|----------------------|-------------------|-------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5        |
| Voltage/Frequency: | AC100-240V, 50/60 Hz | Beam Angle:       | 90°         |
| Luminous Flux:     | 210lm                | Color of Fixture: | Black       |
| Body Type:         | PC                   | Shape:            | Round       |
| CRI:               | >80                  | Dimension:        | Ø166 x 94mm |

NEW



## Step Light

3W VT-1182

1406 - 3000K Warm White  
1407 - 4000K Day White

EAN Code

3800157628396  
3800157628402

BOX QTY.

20



|                    |                      |                   |             |
|--------------------|----------------------|-------------------|-------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5        |
| Voltage/Frequency: | AC100-240V, 50/60 Hz | Beam Angle:       | 90°         |
| Luminous Flux:     | 210lm                | Color of Fixture: | Grey        |
| Body Type:         | PC                   | Shape:            | Round       |
| CRI:               | >80                  | Dimension:        | Ø166 x 94mm |

NEW



## Step Light

3W VT-1182

1408 - 3000K Warm White  
1409 - 4000K Day White

EAN Code

3800157628419  
3800157628426

BOX QTY.

20



|                    |                      |                   |             |
|--------------------|----------------------|-------------------|-------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5        |
| Voltage/Frequency: | AC100-240V, 50/60 Hz | Beam Angle:       | 90°         |
| Luminous Flux:     | 210lm                | Color of Fixture: | White       |
| Body Type:         | PC                   | Shape:            | Round       |
| CRI:               | >80                  | Dimension:        | Ø166 x 94mm |



**Step Light**

**3W** VT-1109 RD

**1207 - 3000K Warm White**


**1208 - 4200K Day White**

**BOX QTY.**  
**100**


**EAN Code**

3800157600231

3800157600248



**LUMINOUS INTENSITY DISTRIBUTION**



|                    |                              |                   |                    |
|--------------------|------------------------------|-------------------|--------------------|
| Sensor Compatible: | <b>Yes</b>                   | Beam Angle:       | <b>15°</b>         |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Color of Fixture: | <b>PKW (White)</b> |
| Luminous Flux:     | <b>120lm</b>                 | Shape:            | <b>Round</b>       |
| Body Type:         | <b>Aluminum</b>              | Dimension:        | <b>Ø80 x 51mm</b>  |
| CRI:               | <b>&gt;80</b>                | Cutting Size:     | <b>Ø62mm</b>       |
| PF:                | <b>&gt;0.5</b>               |                   |                    |



**Step Light**

**3W** VT-1109 SQ

**1209 - 3000K Warm White**

**1210 - 4200K Day White**

**1223 - 6000K White**


**BOX QTY.**  
**100**

**EAN Code**


3800157600255

3800157600262

3800157601504



**LUMINOUS INTENSITY DISTRIBUTION**



|                    |                              |                   |                       |
|--------------------|------------------------------|-------------------|-----------------------|
| Sensor Compatible: | <b>Yes</b>                   | Beam Angle:       | <b>15°</b>            |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Color of Fixture: | <b>PKW ( White)</b>   |
| Luminous Flux:     | <b>120lm</b>                 | Shape:            | <b>Square</b>         |
| Body Type:         | <b>Aluminum</b>              | Dimension:        | <b>80 x 80 x 51mm</b> |
| CRI:               | <b>&gt;80</b>                | Cutting Size:     | <b>62 x 62mm</b>      |
| PF:                | <b>&gt;0.5</b>               |                   |                       |





Step Light with Sensor

BOX QTY.


100

3W VT-8035

EAN Code

5570 - 4000K Day White

3800157617291



|                    |                      |                   |                |
|--------------------|----------------------|-------------------|----------------|
| Sensor Included:   | Yes                  | PF:               | >0.5           |
| Voltage/Frequency: | AC:100-240V, 50/60Hz | Beam Angle:       | 45°            |
| Luminous Flux:     | 100lm                | Color of Fixture: | Plastic        |
| Body Type:         | Die cast Aluminum    | Shape:            | Square         |
| CRI:               | >80                  | Dimension:        | 85 x 85 x 42mm |



Step Light

BOX QTY.


100

3W VT-1143

EAN Code

1284 - 4000K Day White

3800157617307



|                    |                      |                   |                |
|--------------------|----------------------|-------------------|----------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 83°            |
| Voltage/Frequency: | AC: 85-265V, 50/60Hz | Color of Fixture: | PKW ( White)   |
| Luminous Flux:     | 100lm                | Shape:            | Square         |
| Body Type:         | Die cast Aluminum    | Dimension:        | 84 x 84 x 43mm |
| CRI:               | >80                  | Cutting Size:     | 72 x 72mm      |
| PF:                | >0.5                 |                   |                |

# LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These Compact and Easy to install lights make a perfect replacement for traditional Dome Lights.




## Product Features

- 80% Electricity savings as compared to traditional Incandescent Bulbs
- Non - Flickering
- No UV Radiation
- Easy Installation
- Premium Quality LED Chip
- Premium Quality Power Driver
- Instant start 0-100% in 0.01 seconds
- Extreme Weather toleration (-20 to + 45 Degrees Centigrade)

## Applications

Mostly used in Parking Lots, Passage's in big areas, Exterior Walls of Prestigious Buildings for ambience, Airports, Ports and Malls.



## LED Oval Dome Light

8W VT-8038

1308 - 3000K Warm White

1309 - 4000K Day White

1310 - 6400K White

BOX QTY.



20

EAN Code

3800157620260

3800157620277

3800157620284



|                    |                       |                   |                  |
|--------------------|-----------------------|-------------------|------------------|
| Sensor Compatible: | Yes                   | Beam Angle:       | 120°             |
| Voltage/Frequency: | AC: 220-240V, 50/60Hz | Body Type:        | PC               |
| Luminous Flux:     | 560lm                 | Shape:            | Rectangle        |
| LED Type:          | SMD                   | IP Rating:        | IP54             |
| CRI:               | >70                   | Color of Fixture: | Black            |
| PF:                | >0.5                  | Dimension:        | 190 x 100 x 55mm |



## LED Oval Dome Light

8W VT-8038

1311 - 3000K Warm White

1312 - 4000K Day White

1313 - 6400K White

BOX QTY.



20

EAN Code

3800157620291

3800157620307

3800157620314



|                    |                       |                   |                  |
|--------------------|-----------------------|-------------------|------------------|
| Sensor Compatible: | Yes                   | Beam Angle:       | 120°             |
| Voltage/Frequency: | AC: 220-240V, 50/60Hz | Body Type:        | PC               |
| Luminous Flux:     | 560lm                 | Shape:            | Rectangle        |
| LED Type:          | SMD                   | IP Rating:        | IP54             |
| CRI:               | >70                   | Color of Fixture: | White            |
| PF:                | >0.5                  | Dimension:        | 190 x 100 x 55mm |



## LED Dome Light

15W VT-8033

1388 - 3000K Warm White

5566 - 4000K Day White

1389 - 6000K White

BOX QTY.


10

EAN Code

3800157626453

3800157610353

3800157626460



|                    |                    |             |                  |
|--------------------|--------------------|-------------|------------------|
| Sensor Compatible: | Yes                | Beam Angle: | 120°             |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:  | PC               |
| Luminous Flux:     | 1250lm             | Shape:      | Round            |
| LED Type:          | SMD                | IP Rating:  | IP44             |
| CRI:               | >80                | Dimension:  | Ø 220mm x 47.5mm |
| PF:                | >0.6               |             |                  |

EASY TO USE  
PLUG AND PLAY

Luxurious Finish  
SURFACE MOUNTED

TRIMLESS



## LED Dome Light

15W VT-8033

1390 - 3000K Warm White

5567 - 4000K Day White

1391 - 6000K White

BOX QTY.


10

EAN Code

3800157626477

3800157610360

3800157626484



|                    |                    |             |                    |
|--------------------|--------------------|-------------|--------------------|
| Sensor Compatible: | Yes                | Beam Angle: | 120°               |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:  | PC                 |
| Luminous Flux:     | 1250lm             | Shape:      | Square             |
| LED Type:          | SMD                | IP Rating:  | IP44               |
| CRI:               | >80                | Dimension:  | 200 x 200 x 47.5mm |
| PF:                | >0.6               |             |                    |

**NEW**



## LED Dome Light

**25W** VT-8066

1392 - 3000K Warm White

1393 - 4000K Day White

1394 - 6400K White

BOX QTY.

**10**

EAN Code

3800157628259

3800157628266

3800157628273



|                    |                       |             |                |
|--------------------|-----------------------|-------------|----------------|
| Sensor Compatible: | Yes                   | Beam Angle: | 110°           |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Body Type:  | PC             |
| Luminous Flux:     | 2000lm                | Shape:      | Round          |
| LED Type:          | SMD                   | IP Rating:  | IP44           |
| CRI:               | >80                   | Dimension:  | Ø 300mm x 50mm |
| PF:                | >0.9                  |             |                |

**EASY TO USE  
PLUG AND PLAY**

**Luxurious Finish  
SURFACE MOUNTED**

**TRIMLESS**

**NEW**



## LED Dome Light

**25W** VT-8066

1395 - 3000K Warm White

1396 - 4000K Day White

1397 - 6400K White

BOX QTY.


**10**

EAN Code

3800157628280

3800157628297

3800157628303



|                    |                       |             |                  |
|--------------------|-----------------------|-------------|------------------|
| Sensor Compatible: | Yes                   | Beam Angle: | 110°             |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Body Type:  | PC               |
| Luminous Flux:     | 2000lm                | Shape:      | Square           |
| LED Type:          | SMD                   | IP Rating:  | IP44             |
| CRI:               | >80                   | Dimension:  | 300 x 300 x 50mm |
| PF:                | >0.9                  |             |                  |




### Led Dome Light

**12W** VT-8031

1414 - 3000K Warm White  
5563 - 4000K Day White  
5562 - 6500K White

BOX QTY.  
 **16**

EAN Code  
3800157610322  
3800157610315



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| Sensor Compatible: | Yes                | Beam Angle: | 120°         |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:  | Metal + PMMA |
| Luminous Flux:     | 800lm              | Shape:      | Round        |
| LED Type:          | SMD                | IP Rating:  | IP20         |
| CRI:               | >80                | Dimension:  | Ø 250 x 80mm |
| PF:                | >0.6               |             |              |



## MAXIMUM LIGHT OUTPUT AND ENERGY EFFICIENT




### Led Dome Light

**24W** VT-8032

1415 - 3000K Warm White  
5565 - 4000K Day White  
5564 - 6500K White

BOX QTY.  
 **10**

EAN Code  
3800157610339  
3800157610346



|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| Sensor Compatible: | Yes                | Beam Angle: | 120°         |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Body Type:  | Metal + PMMA |
| Luminous Flux:     | 1700lm             | Shape:      | Round        |
| LED Type:          | SMD                | IP Rating:  | IP20         |
| CRI:               | >80                | Dimension:  | Ø 320 x 95mm |
| PF:                | >0.6               |             |              |

Built In **LED****Led Dome Light****16W** VT-8001C

1281 - 3000K Warm White

4965 - 4500K Day White

1282 - 6000K White


**BOX QTY.****05**

EAN Code

3800157612678

3800230625809

3800157612685

*\*Can be customized*

|                  |                             |                     |                          |
|------------------|-----------------------------|---------------------|--------------------------|
| Sensor Type:     | <b>Microwave</b>            | Detection Distance: | <b>*1-8m (radius)</b>    |
| Color:           | <b>White</b>                | Time Delay:         | <b>*10 sec to 12 min</b> |
| Detection Range: | <b>360°</b>                 | Luminous Flux:      | <b>1300lm</b>            |
| Voltage:         | <b>AC:220-240V, 50/60Hz</b> | Body Type:          | <b>PC Cover</b>          |
| Rated Load:      | <b>16W</b>                  | IP Rating:          | <b>IP54</b>              |
| Watts:           | <b>16W</b>                  | Dimension:          | <b>Ø296 x 96mm</b>       |


**Led Dome Light****Max. 60W** VT-8002C

4966

**BOX QTY.****05**

EAN Code

3800230625816

*\*Can be customized*

|                  |                             |                     |                          |
|------------------|-----------------------------|---------------------|--------------------------|
| Sensor Type:     | <b>Microwave</b>            | Detection Distance: | <b>*1-8m (radius)</b>    |
| Color:           | <b>White</b>                | Time Delay:         | <b>*10 sec to 12 min</b> |
| Detection Range: | <b>360°</b>                 | Body Type:          | <b>ABS+Plastic+PC</b>    |
| Voltage:         | <b>AC:220-240V, 50/60Hz</b> | IP Rating:          | <b>IP44</b>              |
| Rated Load:      | <b>Uses Max. 60W(E27)</b>   | Dimension:          | <b>Ø296 x 96mm</b>       |
| Watts:           | <b>As per E27 bulb</b>      |                     |                          |



## Led Dome Light


**12W** VT-8017

5057 - 3000K Warm White  
5058 - 4000K Day White  
5059 - 6400K White

BOX QTY.  
 **10**

EAN Code

3800157605250  
3800157605267  
3800157605274



|                     |                           |
|---------------------|---------------------------|
| Sensor Type:        | <b>PIR Sensor</b>         |
| Color:              | <b>White</b>              |
| Detection Range:    | <b>360°</b>               |
| Voltage:            | <b>AC: 110-240V, 50Hz</b> |
| Rated Load:         | <b>12W (24PCS LED)</b>    |
| Detection Distance: | <b>max.6m(&lt;24°C)</b>   |
| Time Delay:         | <b>*10 sec to 3 min</b>   |
| Luminous Flux:      | <b>800lm</b>              |
| Body Type:          | <b>ABS+Plastic+PMMA</b>   |
| IP Rating:          | <b>IP20</b>               |
| Dimension:          | <b>Ø290 x 60mm</b>        |



*\*Can be customized*





Led Dome Light

8W VT-8014

1267 - 3000K Warm White

1266 - 4500K Day White

1268 - 6000K White


BOX QTY.  
10

EAN Code

3800157611893

3800157611886

3800157611909



|                    |                      |                   |                       |
|--------------------|----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 110°                  |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 560lm                | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP54                 | Shape:            | Full Oval             |
| CRI:               | >70                  | Dimension:        | 126 x 187 x 76mm      |
| PF:                | >0.5                 |                   |                       |



Led Dome Light

12W VT-8016

5056 - 4500K Day White


5055 - 6000K White

BOX QTY.  
10

EAN Code

3800157603980

3800157603348



|                    |                      |                   |                       |
|--------------------|----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 120°                  |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 840lm                | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP54                 | Shape:            | Full Oval             |
| CRI:               | >70                  | Dimension:        | 245 x 165 x 96mm      |
| PF:                | >0.5                 |                   |                       |



## Led Dome Light

**8W** VT-8014

1264 - 3000K Warm White

1263 - 4500K Day White

1265 - 6000K White


BOX QTY.  
 **10**

EAN Code

3800157611862

3800157611855

3800157611879



|                    |                      |                   |                       |
|--------------------|----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 110°                  |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 560lm                | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP54                 | Shape:            | Full Oval             |
| CRI:               | >70                  | Dimension:        | 126 x 187 x 76mm      |
| PF:                | >0.5                 |                   |                       |



## Led Dome Light

**12W** VT-8016

5054 - 4500K Day White


5053 - 6000K White

BOX QTY.  
 **10**

EAN Code

3800157603331

3800157603324



|                    |                      |                   |                       |
|--------------------|----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                  | Beam Angle:       | 120°                  |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 840lm                | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP54                 | Shape:            | Full Oval             |
| CRI:               | >70                  | Dimension:        | 245 x 165 x 96mm      |
| PF:                | >0.5                 |                   |                       |

NEW



## Led Dome Light

12W VT-8015

4998 - 3000K Warm White

5050 - 4500K Day White

4996 - 6000K White

BOX QTY.


10

EAN Code

3800157602549

3800157603294

3800157602228



|                    |                    |                   |                       |
|--------------------|--------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 120°                  |
| Voltage/Frequency: | AC: 200-240V, 50Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 840lm              | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP54               | Shape:            | Round                 |
| CRI:               | >70                | Dimension:        | Ø220 x 105mm          |
| PF:                | >0.5               |                   |                       |

NEW



## Led Dome Light

12W VT-8015

1349 - 3000K Warm White

5052 - 4500K Day White

5051 - 6000K White

BOX QTY.


10

EAN Code

3800157624046

3800157603317

3800157603300




|                    |                    |                   |                       |
|--------------------|--------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 120°                  |
| Voltage/Frequency: | AC: 200-240V, 50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 840lm              | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP54               | Shape:            | Round                 |
| CRI:               | >70                | Dimension:        | Ø220 x 105mm          |
| PF:                | >0.5               |                   |                       |



**IP65  
RATED**  
**Led Dome Light**  
**12W VT-8008**  
**4980 - 6000K White**

**BOX QTY.**  
**06**

**EAN Code**  
3800230629579



*\*Can be customized*

|                    |                             |                     |                            |
|--------------------|-----------------------------|---------------------|----------------------------|
| Sensor Type:       | Microwave                   | Detection Distance: | *10%/50%/100%              |
| Color:             | Black                       | Time Delay:         | *10s/1min/5min/10min/30min |
| Detection Range:   | Max.(0 x H): 10m x 4m, 360° | Luminous Flux:      | 840lm                      |
| Voltage:           | AC: 200-240V, 50/60Hz       | Body Type:          | ABS+Plastic+PMMA           |
| Rated Load:        | 12W                         | IP Rating:          | IP65                       |
| Sensor Compatible: | 12W                         | Dimension:          | Ø300 x 100mm               |


**IP66  
RATED**



**Led Dome Light**  
**12W VT-8010**  
**1351 - 3000K Warm White**  
**1352 - 4000K Day White**  
**1353 - 6400K White**

**BOX QTY.**  
**10**

**EAN Code**  
3800157624060  
3800157624077  
3800157624084



|                    |                       |                   |                       |
|--------------------|-----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                   | Beam Angle:       | 110°                  |
| Voltage/Frequency: | AC: 200-240V, 50/60Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 840lm                 | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP66                  | Shape:            | Full Oval             |
| CRI:               | >70                   | Dimension:        | 242 x 165 x 96mm      |
| PF:                | >0.9                  |                   |                       |


**IP66  
RATED**



**Led Dome Light**  
**12W VT-8010**  
**1350 - 3000K Warm White**  
**4973 - 4000K Day White**  
**1269 - 6400K White**

**BOX QTY.**  
**10**

**EAN Code**  
3800157624053  
3800230629050  
3800157611916



|                    |                       |                   |                       |
|--------------------|-----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                   | Beam Angle:       | 110°                  |
| Voltage/Frequency: | AC: 200-240V, 50/60Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 840lm                 | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP66                  | Shape:            | Full Oval             |
| CRI:               | >70                   | Dimension:        | 242 x 165 x 96mm      |
| PF:                | >0.9                  |                   |                       |



## Led Dome Light

**8W** VT-8014

4999 - 3000K Warm White

1259 - 4500K Day White

4997 - 6000K White


BOX QTY.  
 **10**

EAN Code

3800157602556

3800157611817

3800157602259



|                    |                       |                   |                       |
|--------------------|-----------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                   | Beam Angle:       | 120°                  |
| Voltage/Frequency: | AC: 200-240V, 50/60Hz | Color of Fixture: | White                 |
| Luminous Flux:     | 560lm                 | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP54                  | Shape:            | Round                 |
| CRI:               | >70                   | Dimension:        | Ø180 x 82mm           |
| PF:                | >0.5                  |                   |                       |



## Led Dome Light

**8W** VT-8014

1261 - 3000K Warm White

1260 - 4500K Day White

1262 - 6000K White


BOX QTY.  
 **10**

EAN Code

3800157611831

3800157611824

3800157611848



|                    |                    |                   |                       |
|--------------------|--------------------|-------------------|-----------------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 120°                  |
| Voltage/Frequency: | AC: 200-240V, 50Hz | Color of Fixture: | Black                 |
| Luminous Flux:     | 560lm              | Body Type:        | Plastic Clad Aluminum |
| IP Rating:         | IP54               | Shape:            | Round                 |
| CRI:               | >70                | Dimension:        | Ø180 x 82mm           |
| PF:                | >0.5               |                   |                       |



**NEW**



## LED Ceiling Dome Light Bling Star Cover

**8W** VT-8061

1370 - 3000K Warm White

1371 - 4000K Day White

1372 - 6400K White

BOX QTY.


**20**

EAN Code

3800157626262

3800157626279

3800157626286



|                    |                    |                   |             |
|--------------------|--------------------|-------------------|-------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 120°        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Color of Fixture: | White       |
| Luminous Flux:     | 560lm              | Body Type:        | Iron+PMMA   |
| IP Rating:         | IP20               | Shape:            | Round       |
| CRI:               | >80                | Dimension:        | Ø215 x 78mm |
| PF:                | >0.5               |                   |             |

**NEW**



## LED Ceiling Dome Light Bling Star Cover

**12W** VT-8062

1373 - 3000K Warm White

1374 - 4000K Day White

1375 - 6400K White

BOX QTY.


**10**

EAN Code

3800157626293

3800157626309

3800157626316



|                    |                    |                   |             |
|--------------------|--------------------|-------------------|-------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 120°        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Color of Fixture: | White       |
| Luminous Flux:     | 840lm              | Body Type:        | Iron+PMMA   |
| IP Rating:         | IP20               | Shape:            | Round       |
| CRI:               | >80                | Dimension:        | Ø260 x 92mm |
| PF:                | >0.5               |                   |             |

NEW



LED Ceiling Dome Light  
Bling Star Cover


18W VT-8063

1376 - 3000K Warm White  
1377 - 4000K Day White  
1378 - 6400K White

BOX QTY.  
10

EAN Code

3800157626323  
3800157626330  
3800157626347



|                    |                    |                   |             |
|--------------------|--------------------|-------------------|-------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 120°        |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Color of Fixture: | White       |
| Luminous Flux:     | 1260lm             | Body Type:        | Iron+PMMA   |
| IP Rating:         | IP20               | Shape:            | Round       |
| CRI:               | >80                | Dimension:        | Ø290 x 92mm |
| PF:                | >0.5               |                   |             |

NEW



LED Ceiling Dome Light  
Bling Star Cover


24W VT-8064

1379 - 3000K Warm White  
1380 - 4000K Day White  
1381 - 6400K White

BOX QTY.  
10

EAN Code

3800157626354  
3800157626361  
3800157626378



|                    |                    |                   |              |
|--------------------|--------------------|-------------------|--------------|
| Sensor Compatible: | Yes                | Beam Angle:       | 120°         |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Color of Fixture: | White        |
| Luminous Flux:     | 1680lm             | Body Type:        | Iron+PMMA    |
| IP Rating:         | IP20               | Shape:            | Round        |
| CRI:               | >80                | Dimension:        | Ø330 x 102mm |
| PF:                | >0.5               |                   |              |



# Applications

Mostly used in Parking Lots, Corridors, Exterior Walls, Airports, and Malls.



## Sleek Design & Durability

Lightweight and energy efficient. Specially designed anti-glare diffuser.



2D LED Bulkhead



2D LED Bulkhead  
Emergency Battery Back Up



360°  
Detection Angle

2D LED Bulkhead  
with Microwave Sensor



360°  
Detection Angle

3<sup>1</sup>N 1  
2D LED Bulkhead  
Built In Emergency Battery  
Back Up & Microwave Sensor

NEW


## 2D LED Bulkhead

8W VT-8039

1345 4000K Day White

EAN Code

3800157623087

BOX QTY.  
10IP65  
RATEDV-TAC®  
PRO5 YEARS  
WARRANTY

|                    |                       |
|--------------------|-----------------------|
| Watts:             | 8W                    |
| Lumens:            | 720lm                 |
| No. Of Led:        | 40                    |
| Beam Angle:        | 120°                  |
| Voltage/Frequency: | AC: 200-240V, 50/60Hz |
| On/Off Time:       | <0.5s                 |
| Life Span:         | 30,000 Hours          |
| Unit Size:         | Ø 260 x 90mm          |
| IP Rating:         | IP65                  |
| Body Type          | Full PC               |

NEW

## 2D LED Bulkhead


with Microwave Sensor

8W VT-8041

1346 4000K Day White

EAN Code

3800157623094


BOX QTY.  
10IP65  
RATEDWARRANTY  
3  
YEARS

|                         |                                           |
|-------------------------|-------------------------------------------|
| Watts:                  | 8W                                        |
| Lumens:                 | 720lm                                     |
| Voltage/Frequency:      | AC: 200-240V, 50/60Hz                     |
| On/Off Time:            | <0.5s                                     |
| Life Span:              | 30,000 Hours                              |
| Unit Size:              | Ø 260 x 90mm                              |
| IP Rating:              | IP65                                      |
| Body Type               | Full PC                                   |
| Detection Angle:        | 360° ceiling mounting ,120° wall mounting |
| Detection Distance:     | 3M, 5M, 8M, 10M optional                  |
| Detection Range:        | Max D10M x 4M                             |
| Hold Time:              | 10Sec, 1min, 5min, 10min customized       |
| Day light Sensor:       | Day, 10LUX, 30LUX, 50LUX optional         |
| Dimmable Function:      | Yes, 0,10%, 20%, 30% optional             |
| Detection Motion Speed: | 0.5~3m/s                                  |

NEW

**2<sub>1N1</sub>****2D LED Bulkhead  
Emergency Battery Backup****10W** VT-8042

1347 4000K Day White

EAN Code  
3800157623100BOX QTY.  
**10**IP65  
RATED


|                              |                       |
|------------------------------|-----------------------|
| Watts:                       | 10W                   |
| Lumens:                      | 720lm                 |
| Voltage/Frequency:           | AC: 200-240V, 50/60Hz |
| On/Off Time:                 | <0.5s                 |
| Life Span:                   | 30,000 Hours          |
| Unit Size:                   | Ø 260 x 100mm         |
| IP Rating:                   | IP65                  |
| Body Type:                   | Full PC               |
| Emergency Operation time:    | >3 Hours              |
| Emergency Standby Watts:     | >1.2 Watts            |
| Battery Charging Current:    | 60mA                  |
| Battery Discharging Current: | 200mA                 |
| Battery Type:                | Ni-CDAA, 7.2V 1.0Ah   |
| Charging indicate:           | Green LED             |

Including battery protection circuit &amp; inhibiting mode

NEW

**3<sub>1N1</sub>****2D LED Bulkhead  
Built In Emergency Battery  
Back Up & Microwave Sensor****10W** VT-8043

1348 4000K Day White

EAN Code  
3800157623117BOX QTY.  
**10**IP65  
RATED

|                              |                                           |
|------------------------------|-------------------------------------------|
| Watts:                       | 10W                                       |
| Lumens:                      | 720lm                                     |
| Detection Angle:             | 360° ceiling mounting ,120° wall mounting |
| Detection Distance:          | 3M, 5M, 8M, 10M optional                  |
| Detection Range:             | Max D10M x 4M                             |
| Hold Time:                   | 10S, 1min, 5min, 10min customized         |
| Day light Sensor:            | Day, 10LUX, 30LUX, 50LUX optional         |
| Dimmable Function:           | Yes, 0,10%, 20%, 30% optional             |
| Detection Motion Speed:      | 0.5~3m/s                                  |
| IP Rating:                   | IP65                                      |
| Body Type:                   | Full PC                                   |
| Emergency Operation time:    | >3 Hours                                  |
| Emergency Standby Watts:     | >1.2 Watts                                |
| Battery Charging Current:    | 60mA                                      |
| Battery Discharging Current: | 200mA                                     |
| Battery Type:                | Ni-CDAA, 7.2V 1.0Ah                       |
| Charging indicate:           | Green LED                                 |


Including battery protection circuit &amp; inhibiting mode

NEW

## 2D LED Bulkhead

15W VT-8044

1341 4000K Day White

EAN Code  
3800157623049BOX QTY.  
10

|                    |                       |
|--------------------|-----------------------|
| Watts:             | 15W                   |
| Lumens:            | 1400lm                |
| No. Of Led:        | 72                    |
| Beam Angle:        | 120°                  |
| Voltage/Frequency: | AC: 200-240V, 50/60Hz |
| On/Off Time:       | <0.5s                 |
| Life Span:         | 30,000 Hours          |
| Unit Size:         | Ø 320 x 100mm         |
| IP Rating:         | IP65                  |
| Body Type:         | Full PC               |

NEW


2D LED Bulkhead  
with Microwave Sensor

15W VT-8045

1342 4000K Day White

EAN Code  
3800157623056BOX QTY.  
10

|                         |                                           |
|-------------------------|-------------------------------------------|
| Watts:                  | 15W                                       |
| Lumens:                 | 1400lm                                    |
| Voltage/Frequency:      | AC: 200-240V, 50/60Hz                     |
| On/Off Time:            | <0.5s                                     |
| Life Span:              | 30,000 Hours                              |
| Unit Size:              | Ø 320 x 100mm                             |
| IP Rating:              | IP65                                      |
| Body Type:              | Full PC                                   |
| Detection Angle:        | 360° ceiling mounting ,120° wall mounting |
| Detection Distance:     | 3M, 5M, 8M, 10M optional                  |
| Detection Range:        | Max D10M x 4M                             |
| Hold Time:              | 105, 1min, 5min, 10min customized         |
| Day light Sensor:       | Day, 10LUX, 30LUX, 50LUX optional         |
| Dimmable Function:      | Yes, 0,10%, 20%, 30% optional             |
| Detection Motion Speed: | 0.5~3m/s                                  |




NEW

**2<sub>IN</sub>1****2D LED Bulkhead****Emergency Battery Backup****17W** VT-8046**1343 4000K Day White**

EAN Code

3800157623063

BOX QTY.

**10**

|                              |                              |
|------------------------------|------------------------------|
| Watts:                       | <b>17W</b>                   |
| Lumens:                      | <b>1400lm</b>                |
| Voltage/Frequency:           | <b>AC: 200-240V, 50/60Hz</b> |
| On/Off Time:                 | <b>&lt;0.5s</b>              |
| Life Span:                   | <b>30,000 Hours</b>          |
| Unit Size:                   | <b>Ø 320 x 90mm</b>          |
| IP Rating:                   | <b>IP65</b>                  |
| Body Type:                   | <b>Full PC</b>               |
| Emergency Operation time:    | <b>&gt;3 Hours</b>           |
| Emergency Standby Watts:     | <b>&gt;1.2 Watts</b>         |
| Battery Charging Current:    | <b>60mA</b>                  |
| Battery Discharging Current: | <b>200mA</b>                 |
| Battery Type:                | <b>Ni-CDAA, 7.2V 1.0Ah</b>   |
| Charging indicate:           | <b>Green LED</b>             |

**Including battery protection circuit & inhibiting mode**


NEW

**3<sub>IN</sub>1****2D LED Bulkhead****Built In Emergency Battery  
Back Up & Microwave Sensor****17W** VT-8047**1344 4000K Day White**

EAN Code

3800157623070

BOX QTY.

**10**

|                              |                                                  |
|------------------------------|--------------------------------------------------|
| Watts:                       | <b>17W</b>                                       |
| Lumens:                      | <b>1400lm</b>                                    |
| Detection Angle:             | <b>360° ceiling mounting ,120° wall mounting</b> |
| Detection Distance:          | <b>3M, 5M, 8M, 10M optional</b>                  |
| Detection Range:             | <b>Max D10M x 4M</b>                             |
| Hold Time:                   | <b>105, 1min, 5min, 10min customized</b>         |
| Day light Sensor:            | <b>Day, 10LUX, 30LUX, 50LUX optional</b>         |
| Dimmable Function:           | <b>Yes, 0,10%, 20%, 30% optional</b>             |
| Detection Motion Speed:      | <b>0.5~3m/s</b>                                  |
| IP Rating:                   | <b>IP65</b>                                      |
| Body Type:                   | <b>Full PC</b>                                   |
| Emergency Operation time:    | <b>&gt;3 Hours</b>                               |
| Emergency Standby Watts:     | <b>&gt;1.2 Watts</b>                             |
| Battery Charging Current:    | <b>60mA</b>                                      |
| Battery Discharging Current: | <b>200mA</b>                                     |
| Battery Type:                | <b>Ni-CDAA, 7.2V 1.0Ah</b>                       |
| Charging indicate:           | <b>Green LED</b>                                 |

**Including battery protection circuit & inhibiting mode**

# LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.



**Walls/Surface Mount**  
2w | 120 lm



**Walls/Surface Hanging**  
2w | 120 lm



**Recessed Hanging**  
2w | 120 lm



**Recessed Fixed**  
2w | 120 lm



**Bulkhead**  
3w | 140 lm



**Bulkhead**  
4w | 190 lm



**Wall Mounted**  
7w | 600 lm

## Salient Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⌚ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- ⚡ Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours

### Emergency LED Exit Sign Walls/Surface Mount

2W VT-519

EAN Code


SKU 8099

3800157623155



BOX QTY.

10



|                           |                                    |
|---------------------------|------------------------------------|
| Lamp Type:                | 16 SMD Leds                        |
| Colour:                   | White - 6000K                      |
| Lumens:                   | 160lm(AC)/140lm(DC)                |
| Input Voltage:            | AC: 220-240V, 50/60Hz              |
| Protection Rating:        | IP20                               |
| Material :                | 100% PC                            |
| Exit Lamp Type:           | Surface/Ceiling Mounted            |
| Viewing Distance:         | 22 meters from both side           |
| Emergency Operation Time: | > 3Hours                           |
| Battery:                  | Ni-Cd 4.8V, 600mAh                 |
| Recharging Time:          | 24 hours (initial charge 36 hours) |
| Test Button:              | Green light indicator test button  |
| Stickers:                 | 4 Stickers include                 |
| Legends:                  | 4 Ways legends available           |

### Emergency LED Exit Sign Walls/Surface Hanging

2W VT-520

EAN Code


SKU 8100

3800157623162



BOX QTY.

10




|                           |                                    |
|---------------------------|------------------------------------|
| Lamp Type:                | 16 SMD Leds                        |
| Colour:                   | White - 6000K                      |
| Lumens:                   | 160lm(AC)/140lm(DC)                |
| Input Voltage:            | AC: 220-240V, 50/60Hz              |
| Protection Rating:        | IP20                               |
| Viewing Distance:         | 22 meters from both side           |
| Exit Lamp Type:           | Surface/Ceiling Mounted            |
| Emergency Operation Time: | > 3Hours                           |
| Battery:                  | Ni-CD 3.6V, 600mAh                 |
| Recharging Time:          | 24 hours (initial charge 36 hours) |
| Test Button:              | Green light indicator test button  |
| Legends:                  | 4 Ways legends available           |
| Material:                 | 100% PC                            |
| Stickers:                 | 4 Stickers include                 |

**Emergency LED Exit Sign  
Recessed Hanging****2W** VT-521**SKU 8200**

EAN Code

3800157623179


**BOX QTY.****10**

|                           |                                           |
|---------------------------|-------------------------------------------|
| Lamp Type:                | <b>16 SMD Leds</b>                        |
| Colour:                   | <b>White - 6000K</b>                      |
| Lumens:                   | <b>160lm(AC)/140lm(DC)</b>                |
| Input Voltage:            | <b>AC: 220-240V, 50/60Hz</b>              |
| Protection Rating:        | <b>IP20</b>                               |
| Viewing Distance:         | <b>22 meters from both side</b>           |
| Emergency Operation Time: | <b>&gt; 3Hours</b>                        |
| Battery:                  | <b>Ni-CD 3.6V,600mAh</b>                  |
| Recharging Time:          | <b>24 hours (initial charge 36 hours)</b> |
| Test Button:              | <b>Green light indicator test button</b>  |
| Legends:                  | <b>4 Way legends available</b>            |
| Material:                 | <b>100% PC</b>                            |

**Emergency LED Exit Sign  
Recessed Fixed****2W** VT-522**SKU 8201**


EAN Code

3800157623186

**BOX QTY.****10**

|                           |                                           |
|---------------------------|-------------------------------------------|
| Lamp Type:                | <b>16 SMD Leds</b>                        |
| Colour:                   | <b>White - 6000K</b>                      |
| Lumens:                   | <b>160lm(AC)/140lm(DC)</b>                |
| Input Voltage:            | <b>AC: 220-240V, 50/60Hz</b>              |
| Protection Rating:        | <b>IP20</b>                               |
| Viewing Distance:         | <b>22 meters from both side</b>           |
| Emergency Operation Time: | <b>&gt; 3Hours</b>                        |
| Battery:                  | <b>Ni-CD 4.8V,600mAh</b>                  |
| Recharging Time:          | <b>24 hours (initial charge 36 hours)</b> |
| Test Button:              | <b>Green light indicator test button</b>  |
| Legends:                  | <b>4 Way legends available</b>            |
| Material:                 | <b>100% PC</b>                            |





## LED Emergency Downlight

3W VT-503

EAN Code


BOX QTY.

8274 - 5600K White

3800157627269

20

|                           |                                      |                      |                            |
|---------------------------|--------------------------------------|----------------------|----------------------------|
| Material:                 | Poly Carbonate & Aluminum            | Charging Current:    | 90ma                       |
| Moured:                   | Ceiling Recessed                     | Convert Voltage:     | 155v : AC                  |
| Life Time Of Battery:     | 2 Years                              | Discharging Current: | 300ma                      |
| Light Output (Emergency): | 140lm                                | Discharge Duration:  | 3 Hours                    |
| Lamp Protection:          | Over Charge And Discharge Protection | Spec Of Battery:     | 3.6v 1800mah Ni-cd Battery |
| Led Indicator:            | Green Indicator                      | Packing:             | 38.5 X 22 X 25cm           |
| Charging Current:         | 90ma                                 | IP Rating:           | IP20                       |



Reflector With Base

## LED Emergency Light

3.8W VT-511

EAN Code

BOX QTY.

8249 - 6400K White

3800157626491

10

Recessed Box

|                 |                      |                      |                                  |
|-----------------|----------------------|----------------------|----------------------------------|
| Watts:          | 3.8W                 | Charging Current:    | 200mA                            |
| Lumens:         | 85lm                 | Discharging Current: | 280mA                            |
| Input:          | AC:220-240V, 50-60Hz | Battery:             | 4V2.0AH Lead Acid battery        |
| IP Rating:      | IP20                 | Material:            | ABS+PC                           |
| Lamp Type:      | SMD 2835 20PCS       | Dimension:           | 292 x 79 x 102mm                 |
| Exit Lamp Type: | Bulkhead             |                      | With recessed-292 x 93.7 x 102mm |
| Operation Time: | >3 Hours             | Legends:             | 4 Ways legends available         |


**LED Emergency Light  
Bulkhead****3W** VT-523

EAN Code

3800157623124

SKU 8096

BOX QTY.

 **12**

|                           |                                           |
|---------------------------|-------------------------------------------|
| Lamp Type:                | <b>16 SMD Leds</b>                        |
| Colour:                   | <b>White - 6000K</b>                      |
| Lumens :                  | <b>140lm</b>                              |
| Input Voltage:            | <b>AC: 220-240V, 50/60Hz</b>              |
| Protection Rating:        | <b>IP65</b>                               |
| Exit Lamp Type:           | <b>Wall - Bulkhead</b>                    |
| Viewing Distance:         | <b>22 meters from one side</b>            |
| Emergency Operation Time: | <b>&gt; 3Hours</b>                        |
| Battery:                  | <b>Ni-Cd 3.6V, 1500mAh</b>                |
| Recharging Time:          | <b>24 hours (initial charge 36 hours)</b> |
| Test Button:              | <b>Green light indicator test button</b>  |
| Legends:                  | <b>4 Ways legends available</b>           |
| Material:                 | <b>100% PC</b>                            |

**LED Emergency Light  
Bulkhead****4W** VT-524

EAN Code

3800157623131

SKU 8097

BOX QTY.

 **12**

|                           |                                           |
|---------------------------|-------------------------------------------|
| Lamp Type:                | <b>30 SMD Leds</b>                        |
| Colour:                   | <b>White - 6000K</b>                      |
| Lumens:                   | <b>190lm</b>                              |
| Input Voltage:            | <b>AC: 220-240V, 50/60Hz</b>              |
| Protection Rating:        | <b>IP65</b>                               |
| Exit Lamp Type:           | <b>Wall - Bulkhead</b>                    |
| Viewing Distance:         | <b>22 meters from one side</b>            |
| Emergency Operation Time: | <b>&gt; 3Hours</b>                        |
| Battery:                  | <b>Ni-Cd 4.8V, 900mAh</b>                 |
| Recharging Time:          | <b>24 hours (initial charge 36 hours)</b> |
| Test Button:              | <b>Green light indicator test button</b>  |
| Legends:                  | <b>4 Ways legends available</b>           |
| Material:                 | <b>100% PC</b>                            |

**Emergency Twin Spot Light**  
**Wall Mounted****7W** VT-526

EAN Code

3800157623148

**BOX QTY.**  
 **05****SKU 8098**

|                           |                                    |
|---------------------------|------------------------------------|
| Lamp Type:                | 2 x 15 SMD Leds                    |
| Colour:                   | White - 6000K                      |
| Lumens:                   | 600lm                              |
| Input Voltage:            | AC: 220-240V, 50/60Hz              |
| Protection Rating:        | IP65                               |
| Exit Lamp Type:           | Wall mounted                       |
| Emergency Operation Time: | > 3Hours                           |
| Battery:                  | Ni-Cd 9.6V, 2200mAh                |
| Recharging Time:          | 24 hours (initial charge 36 hours) |
| Indicator:                | Green light indicator              |
| Material :                | 100% PC                            |

 **IP65**  
**RATED**

# Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.



## Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

## Applications

- Outdoor Areas like parking garages, Gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.




Infrared Sensor

Max1000W VT-8027 EAN Code

5086

BOX QTY.  
50

3800157609173



|                     |                      |                |                        |
|---------------------|----------------------|----------------|------------------------|
| Sensor Type:        | Infrared             | Time Delay:    | *10sec±3sec-15min±2min |
| Colour:             | White                | Ambient Light: | *<3-2000LUX            |
| Detection Range:    | 360°                 | Body Type:     | PC                     |
| Voltage:            | AC: 220-240V,50/60Hz | Detector:      | One                    |
| Rated Load:         | Max.1000W(LED)       | IP Rating:     | IP20                   |
| Detection Distance: | Max.6m (<24° C)      | Dimension:     | 115x25mm               |




Infrared Sensor

Max1000W VT-8027 EAN Code

5087

BOX QTY.  
50

3800157609180



|                     |                      |                |                        |
|---------------------|----------------------|----------------|------------------------|
| Sensor Type:        | Infrared             | Time Delay:    | *10sec±3sec-15min±2min |
| Colour:             | Black                | Ambient Light: | *<3-2000LUX            |
| Detection Range:    | 360°                 | Body Type:     | PC                     |
| Voltage:            | AC: 220-240V,50/60Hz | Detector:      | One                    |
| Rated Load:         | Max.1000W(LED)       | IP Rating:     | IP20                   |
| Detection Distance: | Max.6m (<24° C)      | Dimension:     | 115x25mm               |

\*Adjustable

**IP44**  
RATED



### Infrared Sensor

Max. **400W** VT-8028  
**5088**

BOX QTY.

**50**

EAN Code

3800157609197



|                     |                             |                |                               |
|---------------------|-----------------------------|----------------|-------------------------------|
| Sensor Type:        | <b>Infrared</b>             | Time Delay:    | <b>*10sec±3sec-15min±2min</b> |
| Colour:             | <b>White</b>                | Ambient Light: | <b>*&lt;3-2000LUX</b>         |
| Detection Range:    | <b>180°</b>                 | Body Type:     | <b>PC</b>                     |
| Voltage:            | <b>AC: 220-240V,50/60Hz</b> | IP Rating:     | <b>IP44</b>                   |
| Rated Load:         | <b>Max.400W(LED)</b>        | Dimension:     | <b>80x55x70mm</b>             |
| Detection Distance: | <b>Max.12m (&lt;24° C)</b>  |                |                               |

**IP44**  
RATED



### Infrared Sensor

Max. **400W** VT-8028  
**5089**

BOX QTY.

**50**

EAN Code

3800157609203



|                     |                             |                |                               |
|---------------------|-----------------------------|----------------|-------------------------------|
| Sensor Type:        | <b>Infrared</b>             | Time Delay:    | <b>*10sec±3sec-15min±2min</b> |
| Colour:             | <b>Black</b>                | Ambient Light: | <b>*&lt;3-2000LUX</b>         |
| Detection Range:    | <b>180°</b>                 | Body Type:     | <b>PC</b>                     |
| Voltage:            | <b>AC: 220-240V,50/60Hz</b> | IP Rating:     | <b>IP44</b>                   |
| Rated Load:         | <b>Max.400W(LED)</b>        | Dimension:     | <b>80x55x70mm</b>             |
| Detection Distance: | <b>Max.12m (&lt;24° C)</b>  |                |                               |

*\*Adjustable*

### Infrared Sensor

PIR Sensor Moving Head

BOX QTY.


**50**

Max. **400W** VT-8030

EAN Code

**5091**

3800157609227



|                     |                             |                |                               |
|---------------------|-----------------------------|----------------|-------------------------------|
| Sensor Type:        | <b>Infrared</b>             | Time Delay:    | <b>*10sec±3sec-15min±2min</b> |
| Colour:             | <b>White</b>                | Ambient Light: | <b>*&lt;3-2000LUX</b>         |
| Detection Range:    | <b>360°</b>                 | Body Type:     | <b>PC</b>                     |
| Voltage:            | <b>AC: 220-240V,50/60Hz</b> | IP Rating:     | <b>IP20</b>                   |
| Rated Load:         | <b>Max.400W(LED)</b>        | Dimension:     | <b>80 x 63 x 71mm</b>         |
| Detection Distance: | <b>Max.8m (&lt;24° C)</b>   |                |                               |

### Infrared Sensor

Max. **300W** VT-8029


BOX QTY.

**50**

EAN Code

**5090**

3800157609210



|                     |                             |                |                               |
|---------------------|-----------------------------|----------------|-------------------------------|
| Sensor Type:        | <b>Infrared</b>             | Time Delay:    | <b>*10sec±3sec-15min±2min</b> |
| Colour:             | <b>White</b>                | Ambient Light: | <b>*&lt;3-2000LUX</b>         |
| Detection Range:    | <b>360°</b>                 | Body Type:     | <b>PC</b>                     |
| Voltage:            | <b>AC: 220-240V,50/60Hz</b> | IP Rating:     | <b>IP20</b>                   |
| Rated Load:         | <b>Max.300W(LED)</b>        | Dimension:     | <b>76 x 75.6mm</b>            |
| Detection Distance: | <b>Max.6m (&lt;24° C)</b>   |                |                               |

**IP44**  
RATED



## Infrared Sensor

Max. **300W** VT-8003  
**4967**

BOX QTY.

**50**

EAN Code

3800230625823



|                     |                              |                |                              |
|---------------------|------------------------------|----------------|------------------------------|
| Sensor Type:        | <b>Infrared</b>              | Time Delay:    | <b>*10sec±3sec-7min±2min</b> |
| Colour:             | <b>White</b>                 | Ambient Light: | <b>*&lt;3-2000LUX</b>        |
| Detection Range:    | <b>180°</b>                  | Body Type:     | <b>PC</b>                    |
| Voltage:            | <b>AC: 220-240V,50/60 Hz</b> | Detector:      | <b>One</b>                   |
| Rated Load:         | <b>Max.300W(LED)</b>         | IP Rating:     | <b>IP44</b>                  |
| Detection Distance: | <b>Max.12m (&lt;24° C)</b>   | Dimension:     | <b>86.4 x 60.4 x 98mm</b>    |

**IP44**  
RATED



## Infrared Sensor

Max. **300W** VT-8003  
**5077**

BOX QTY.

**50**

EAN Code

3800157606875



|                     |                              |                |                              |
|---------------------|------------------------------|----------------|------------------------------|
| Sensor Type:        | <b>Infrared</b>              | Time Delay:    | <b>*10sec±3sec-7min±2min</b> |
| Colour:             | <b>Black</b>                 | Ambient Light: | <b>*&lt;3-2000LUX</b>        |
| Detection Range:    | <b>180°</b>                  | Body Type:     | <b>PC</b>                    |
| Voltage:            | <b>AC: 220-240V,50/60 Hz</b> | Detector:      | <b>One</b>                   |
| Rated Load:         | <b>Max.300W(LED)</b>         | IP Rating:     | <b>IP44</b>                  |
| Detection Distance: | <b>Max.12m (&lt;24° C)</b>   | Dimension:     | <b>86.4 x 60.4 x 98mm</b>    |

*\*Adjustable*






### Infrared Sensor

Max. **60W** VT-8005  
**4982**

BOX QTY.

**50**

EAN Code  
3800157600071



|                     |                              |                |                              |
|---------------------|------------------------------|----------------|------------------------------|
| Sensor Type:        | <b>Infrared</b>              | Time Delay:    | <b>*10sec±3sec-5min±1min</b> |
| Colour:             | <b>White</b>                 | Ambient Light: | <b>*&lt;3-2000LUX</b>        |
| Detection Range:    | <b>360°</b>                  | Body Type:     | <b>PC</b>                    |
| Voltage:            | <b>AC: 110-240V, 50/60Hz</b> | IP Rating:     | <b>IP20</b>                  |
| Rated Load:         | <b>Max.60W(E27)</b>          | Dimension:     | <b>Ø55.5 x 116.5mm</b>       |
| Detection Distance: | <b>Max.6m (&lt;24° C)</b>    |                |                              |


### Infrared Sensor

Max. **300W** VT-8004  
**4968**

BOX QTY.

**50**

EAN Code  
3800230625830



|                     |                              |                |                               |
|---------------------|------------------------------|----------------|-------------------------------|
| Sensor Type:        | <b>Infrared</b>              | Time Delay:    | <b>*10sec±3sec-15min±2min</b> |
| Colour:             | <b>White</b>                 | Ambient Light: | <b>*&lt;3-2000LUX</b>         |
| Detection Range:    | <b>360°</b>                  | Body Type:     | <b>PC</b>                     |
| Voltage:            | <b>AC: 220-240V, 50/60Hz</b> | Detector:      | <b>Three</b>                  |
| Rated Load:         | <b>Max.300W(LED)</b>         | IP Rating:     | <b>IP20</b>                   |
| Detection Distance: | <b>Max.12m (&lt;24° C)</b>   | Dimension:     | <b>88 x 55mm</b>              |

*\*Adjustable*

NEW

## Infrared Sensor

Max1200W VT-8048 EAN Code

1354

BOX QTY.  
50

3800157624794



|                     |                     |                |                    |
|---------------------|---------------------|----------------|--------------------|
| Sensor Type:        | Infrared            | Time Delay:    | *Min.10sec±3sec-   |
| Colour:             | White               |                | Max 7min±2min      |
| Detection Range:    | 180°                | Ambient Light: | *<3-2000LUX        |
| Voltage:            | AC:220-240V,50/60Hz | Body Type:     | PC                 |
| Rated Load:         | Max 1200w           | IP Rating:     | IP44               |
| Detection Distance: | 12m (<24° C)        | Dimension:     | 86.4 x 60.4 x 98mm |

## MANUAL OVERRIDE FUNCTION:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality)
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode(Possible when the outside light reaches 100Lux)

NEW


## Infrared Sensor

Max1200W VT-8049 EAN Code

1355

BOX QTY.  
50

3800157624800



|                     |                     |                |                  |
|---------------------|---------------------|----------------|------------------|
| Sensor Type:        | Infrared            | Time Delay:    | *Min.10sec±3sec- |
| Colour:             | White               |                | Max 15min±2min   |
| Detection Range:    | 360°                | Ambient Light: | *<3-2000LUX      |
| Voltage:            | AC:220-240V,50/60Hz | Body Type:     | PC               |
| Rated Load:         | Max 1200w           | IP Rating:     | IP20             |
| Detection Distance: | 12m                 | Dimension:     | Ø 88 x 55mm      |

## MANUAL OVERRIDE FUNCTION:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality)
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode(Possible when the outside light reaches 100Lux)

**NEW**



### Infrared Sensor

**Max300W** VT-8051


1356

BOX QTY.

**50**

EAN Code

3800157624817



|                     |                            |                |                         |
|---------------------|----------------------------|----------------|-------------------------|
| Sensor Type:        | <b>Infrared</b>            | Time Delay:    | <b>*Min.10sec±3sec-</b> |
| Colour:             | <b>White</b>               |                | <b>Max 15min±2min</b>   |
| Detection Range:    | <b>Max 6m(&lt;24° C)</b>   | Ambient Light: | <b>*&lt;3-2000LUX</b>   |
| Voltage:            | <b>AC:220-240V,50/60Hz</b> | Body Type:     | <b>PC</b>               |
| Rated Load:         | <b>Max 300w(LED)</b>       | IP Rating:     | <b>IP20</b>             |
| Detection Distance: | <b>12m</b>                 | Dimension:     | <b>Ø 76 x 75.6mm</b>    |

### MANUAL OVERRIDE FUNCTION:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality)
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode(Possible when the outside light reaches 100Lux)

**NEW**



### Daylight Sensor

VT-8059

1369

EAN Code


3800157625982

BOX QTY.

**100**


|                  |                  |
|------------------|------------------|
| Colour:          | <b>white</b>     |
| Detection Range: | <b>360°</b>      |
| Dimming Range:   | <b>1% - 100%</b> |
| Voltage:         | <b>1-10V DC</b>  |
| Body Type:       | <b>plastic</b>   |
| IP Rating:       | <b>IP20</b>      |

Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver. The illuminations level of lamps will get darker when ambient light gets brighter. When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.





On/Off via moving hand



Motion Sensor

Max. **200W** VT-8025  
**5084**


EAN Code  
3800157608046

BOX QTY.  
**100**

|                  |                       |                     |                      |
|------------------|-----------------------|---------------------|----------------------|
| Sensor Type:     | Infrared              | Detection Distance: | 5-6cm (<24°C)        |
| Colour:          | White                 | Body Type:          | Plastic              |
| Detection Range: | 30°                   | Detector:           | One                  |
| Voltage:         | AC: 110-240V, 50/60Hz | IP Rating:          | IP20                 |
| Rated Load:      | Max.200W(LED)         | Dimension:          | 35.5 x 78.2 x 20.6mm |



On/Off via the opening  
and closing of the door




Motion Sensor

Max. **200W** VT-8026  
**5085**

EAN Code  
3800157608053

BOX QTY.  
**100**

|                  |                       |                     |                      |
|------------------|-----------------------|---------------------|----------------------|
| Sensor Type:     | Infrared              | Detection Distance: | 5-6cm (<24°C)        |
| Colour:          | White                 | Body Type:          | Plastic              |
| Detection Range: | 30°                   | Detector:           | One                  |
| Voltage:         | AC: 110-240V, 50/60Hz | IP Rating:          | IP20                 |
| Rated Load:      | Max.200W(LED)         | Dimension:          | 35.5 x 78.2 x 18.7mm |




Microwave Sensor

Max. **200W** VT-8036  
**5571**

EAN Code **BOX QTY.**  
3800157620246 **100**

|                     |                      |                |                        |
|---------------------|----------------------|----------------|------------------------|
| Sensor Type:        | Microwave            | Time Delay:    | *5sec±90sec-3min±20min |
| Colour:             | White                | Ambient Light: | *<25-2000LUX           |
| Detection Range:    | 180°                 | Body Type:     | PC                     |
| Voltage:            | AC: 220-240V,50/60Hz | IP Rating:     | IP65                   |
| Rated Load:         | Max.200W             | Dimension:     | 115 x 35 x25mm         |
| Detection Distance: | 5m /10m              |                |                        |



Microwave Sensor

Max. **200W** VT-8036  
**5572**

EAN Code **BOX QTY.**  
3800157620253 **100**

|                     |                      |                |                        |
|---------------------|----------------------|----------------|------------------------|
| Sensor Type:        | Microwave            | Time Delay:    | *5sec±90sec-3min±20min |
| Colour:             | Black                | Ambient Light: | *<25-2000LUX           |
| Detection Range:    | 180°                 | Body Type:     | PC                     |
| Voltage:            | AC: 220-240V,50/60Hz | IP Rating:     | IP65                   |
| Rated Load:         | Max.200W             | Dimension:     | 115 x 35 x25mm         |
| Detection Distance: | 5m /10m              |                |                        |

\*Adjustable




### Housing for Microwave Sensor

VT-8021  
5079

EAN Code  
3800157606899


BOX QTY.  
**50**



|              |                      |
|--------------|----------------------|
| Sensor Type: | <b>Microwave</b>     |
| Colour:      | <b>White</b>         |
| IP Rating:   | <b>IP65</b>          |
| Dimension:   | <b>Ø134 x 66.5mm</b> |



VT-8021




VT-8018

### Microwave Sensor

Max. **300W** VT-8018  
5078

BOX QTY.  
**100**

EAN Code  
3800157606882



|                     |                              |                |                               |
|---------------------|------------------------------|----------------|-------------------------------|
| Sensor Type:        | <b>Microwave</b>             | Time Delay:    | <b>*10sec±3sec-12min±1min</b> |
| Colour:             | <b>White</b>                 | Ambient Light: | <b>*&lt;3-2000LUX</b>         |
| Detection Range:    | <b>180/360°</b>              | Body Type:     | <b>Plastic</b>                |
| Voltage:            | <b>AC: 220-240V, 50/60Hz</b> | Detector:      | <b>One</b>                    |
| Rated Load:         | <b>Max.300W (LED)</b>        | IP Rating:     | <b>IP20</b>                   |
| Detection Distance: | <b>*1-8m (radius)</b>        | Dimension:     | <b>61.5 x 37x 25 mm</b>       |

*\*Adjustable*



## Photocell Sensor

VT-8019

5081

BOX QTY.  
**100**

EAN Code

3800157608015



|                  |                              |                |                           |
|------------------|------------------------------|----------------|---------------------------|
| Sensor Type:     | <b>Photocell</b>             | Ambient Light: | <b>*&lt;5-15LUX</b>       |
| Colour:          | <b>White</b>                 | Body Type:     | <b>Plastic</b>            |
| Detection Range: | <b>360°</b>                  | Detector:      | <b>One</b>                |
| Voltage:         | <b>AC: 220-240V, 50/60Hz</b> | IP Rating:     | <b>IP44</b>               |
| Rated Current:   | <b>6A</b>                    | Dimension:     | <b>35.5 x 46 x 44.1mm</b> |

**IP44**  
RATED



## Infrared Sensor


Max. **800W** VT-8022

5082

BOX QTY.  
**100**

EAN Code

3800157608022



|                     |                                 |                |                             |
|---------------------|---------------------------------|----------------|-----------------------------|
| Sensor Type:        | <b>Infrared</b>                 | Time Delay:    | <b>*5 sec to 8 min</b>      |
| Colour:             | <b>White</b>                    | Ambient Light: | <b>*10 Lux/2000 Lux</b>     |
| Detection Range:    | <b>120/360°</b>                 | Body Type:     | <b>PC</b>                   |
| Voltage:            | <b>AC: 220-240V , 50Hz</b>      | Detector:      | <b>Three</b>                |
| Rated Load:         | <b>Max.500/800W</b>             | IP Rating:     | <b>IP44</b>                 |
| Detection Distance: | <b>3m/6m(choice) (&lt;24°C)</b> | Dimension:     | <b>36.8 x 25.5 x 55.4mm</b> |



## Microwave Sensor


Max. **1200W** VT-8023

5083

BOX QTY.  
**100**

EAN Code

3800157608039



|                     |                              |                |                                  |
|---------------------|------------------------------|----------------|----------------------------------|
| Sensor Type:        | <b>Microwave</b>             | Time Delay:    | <b>*10Sec+3Sec to 12min+1min</b> |
| Colour:             | <b>White</b>                 | Ambient Light: | <b>*&lt;3-2000LUX</b>            |
| Detection Range:    | <b>180°</b>                  | Body Type:     | <b>Plastic</b>                   |
| Voltage:            | <b>AC: 220-240V, 50/60Hz</b> | Detector:      | <b>One</b>                       |
| Rated Load:         | <b>Max.1200W</b>             | IP Rating:     | <b>IP20</b>                      |
| Detection Distance: | <b>*5m - 15m</b>             | Dimension:     | <b>80 x 80 x 32mm</b>            |

*\*Adjustable*

# LED Table Lamps

Most cozy and favorite corners, always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver very smooth lighting with suitable functions to set the right mood and ambiance.



## Product Features

- Energy efficient ways of keeping it that way.
- Adjustable direction.
- Multiple functions like dimming, color changing.
- With USB charging functionality.
- Sleek and modern design.

## Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. It is also a good accessory to be a part of the office decor.




**Silver****4W** VT-1014

**7098** {  
 3000K Warm White  
 4000K Day White  
 5000K White

**BOX QTY.****25**

EAN Code

3800157616980



|                    |                              |             |                            |
|--------------------|------------------------------|-------------|----------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>                |
| Luminous Flux:     | <b>120lm</b>                 | Color:      | <b>White + Silver</b>      |
| IP Rating:         | <b>IP20</b>                  | Body Type:  | <b>ABS + PC + Aluminum</b> |
| CRI:               | <b>&gt; 80</b>               | Dimension:  | <b>200 x 50 x 263mm</b>    |
| PF:                | <b>&gt;0.45</b>              |             |                            |


**Gold****4W** VT-1014

**7099** {  
 3000K Warm White  
 4000K Day White  
 5000K White

**BOX QTY.****25**

EAN Code

3800157616997



|                    |                              |             |                            |
|--------------------|------------------------------|-------------|----------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>                |
| Luminous Flux:     | <b>120lm</b>                 | Color:      | <b>White + Gold</b>        |
| IP Rating:         | <b>IP20</b>                  | Body Type:  | <b>ABS + PC + Aluminum</b> |
| CRI:               | <b>&gt; 80</b>               | Dimension:  | <b>200 x 50 x 263mm</b>    |
| PF:                | <b>&gt;0.45</b>              |             |                            |


**Black****4W** VT-1014

**8500** {  
 3000K Warm White  
 4000K Day White  
 5000K White

**BOX QTY.****25**

EAN Code

3800157617215




|                    |                              |             |                            |
|--------------------|------------------------------|-------------|----------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>                |
| Luminous Flux:     | <b>120lm</b>                 | Color:      | <b>Black</b>               |
| IP Rating:         | <b>IP20</b>                  | Body Type:  | <b>ABS + PC + Aluminum</b> |
| CRI:               | <b>&gt; 80</b>               | Dimension:  | <b>200 x 50 x 263mm</b>    |
| PF:                | <b>&gt;0.45</b>              |             |                            |

**Grey****7W** VT-1007D**7034 - 5000K White**

EAN Code

3800157603836


**BOX QTY.**  
**08**

|                    |                              |             |                          |
|--------------------|------------------------------|-------------|--------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | PF:         | <b>&gt;0.45</b>          |
| Luminous Flux:     | <b>400lm</b>                 | Beam Angle: | <b>120°</b>              |
| IP Rating:         | <b>IP20</b>                  | Color:      | <b>Grey</b>              |
| CRI:               | <b>&gt; 80</b>               | Body Type:  | <b>ABS</b>               |
|                    |                              | Dimension:  | <b>330 x 130 x 380mm</b> |

**Pink****7W** VT-1007D**7042 - 5000K White**

EAN Code

3800157605311


**BOX QTY.**  
**08**

|                    |                              |             |                          |
|--------------------|------------------------------|-------------|--------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | PF:         | <b>&gt;0.45</b>          |
| Luminous Flux:     | <b>400lm</b>                 | Beam Angle: | <b>120°</b>              |
| IP Rating:         | <b>IP20</b>                  | Color:      | <b>Pink</b>              |
| CRI:               | <b>&gt; 80</b>               | Body Type:  | <b>ABS</b>               |
|                    |                              | Dimension:  | <b>330 x 130 x 380mm</b> |

**Blue****7W** VT-1007D**7043 - 5000K White**

EAN Code

3800157605328

**BOX QTY.**  
**08**

|                    |                              |             |                          |
|--------------------|------------------------------|-------------|--------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | PF:         | <b>&gt;0.45</b>          |
| Luminous Flux:     | <b>400lm</b>                 | Beam Angle: | <b>120°</b>              |
| IP Rating:         | <b>IP20</b>                  | Color:      | <b>Blue</b>              |
| CRI:               | <b>&gt; 80</b>               | Body Type:  | <b>ABS</b>               |
|                    |                              | Dimension:  | <b>330 x 130 x 380mm</b> |

**White****7W** VT-1009D

**7039** { 3000K Warm White  
4000K Day White  
5000K White

**BOX QTY.**  
**09**

EAN Code  
3800157605281



**270°**  
**ROTATING HEAD**

|                    |                              |             |                          |
|--------------------|------------------------------|-------------|--------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>              |
| Luminous Flux:     | <b>650lm</b>                 | Color:      | <b>Grey</b>              |
| IP Rating:         | <b>IP20</b>                  | Body Type:  | <b>ABS + Aluminum</b>    |
| CRI:               | <b>&gt; 80</b>               | Dimension:  | <b>240 x 396 x 180mm</b> |
| PF:                | <b>&gt;0.45</b>              |             |                          |

**Black and White****7W** VT-1009D

**7040** { 3000K Warm White  
4000K Day White  
5000K White

**BOX QTY.**  
**09**

EAN Code  
3800157605298



**270°**  
**ROTATING HEAD**

|                    |                              |             |                          |
|--------------------|------------------------------|-------------|--------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>              |
| Luminous Flux:     | <b>650lm</b>                 | Color:      | <b>Black + White</b>     |
| IP Rating:         | <b>IP20</b>                  | Body Type:  | <b>ABS + Aluminum</b>    |
| CRI:               | <b>&gt; 80</b>               | Dimension:  | <b>240 x 396 x 180mm</b> |
| PF:                | <b>&gt;0.45</b>              |             |                          |

**White with Silver****10W** VT-1010D

**7033** { 3000K Warm White  
4000K Day White  
5000K White

**BOX QTY.**  
**12**

EAN Code  
3800157603829

|                    |                              |             |                          |
|--------------------|------------------------------|-------------|--------------------------|
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Beam Angle: | <b>120°</b>              |
| Luminous Flux:     | <b>700lm</b>                 | Color:      | <b>White with Silver</b> |
| IP Rating:         | <b>IP20</b>                  | Body Type:  | <b>ABS + Aluminum</b>    |
| CRI:               | <b>&gt; 80</b>               | Dimension:  | <b>325 x 425 x 205mm</b> |
| PF:                | <b>&gt;0.45</b>              |             |                          |





Dimmable

White

7W VT-1008D

7035 - 5000K White

BOX QTY.

16

EAN Code

3800157603843

|                    |                       |             |                   |
|--------------------|-----------------------|-------------|-------------------|
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | PF:         | >0.45             |
| Luminous Flux:     | 400lm                 | Beam Angle: | 120°              |
| IP Rating:         | IP20                  | Color:      | White             |
| CRI:               | > 80                  | Body Type:  | ABS               |
|                    |                       | Dimension:  | 170 x 352 x 113mm |



TOUCH DIMMING

White

5W VT-1015


7051 - 4000K Day White

BOX QTY.

06

EAN Code

3800157610650



|                    |                       |             |                  |
|--------------------|-----------------------|-------------|------------------|
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | PF:         | >0.45            |
| Luminous Flux:     | 360lm                 | Beam Angle: | 90°              |
| IP Rating:         | IP20                  | Color:      | White            |
| CRI:               | > 80                  | Body Type:  | ABS + Metal      |
|                    |                       | Dimension:  | 210 x 136 x 32mm |



TOUCH DIMMING

Black

5W VT-1015


7052 - 4000K Day White

BOX QTY.

06

EAN Code

3800157610667



|                    |                       |             |                  |
|--------------------|-----------------------|-------------|------------------|
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | PF:         | >0.45            |
| Luminous Flux:     | 360lm                 | Beam Angle: | 90°              |
| IP Rating:         | IP20                  | Color:      | Black            |
| CRI:               | > 80                  | Body Type:  | ABS + Metal      |
|                    |                       | Dimension:  | 210 x 136 x 32mm |

NEW




White

5.5W VT-1046

8514 - 3000K Warm White  
8515 - 4000K WhiteBOX QTY.  
50

EAN Code

3800157627245  
3800157627252

|                    |                      |             |                     |
|--------------------|----------------------|-------------|---------------------|
| Voltage/Frequency: | AC:100-240V, 50/60Hz | Beam Angle: | 110°                |
| Luminous Flux:     | 420lm                | Color:      | White and Black     |
| IP Rating:         | IP20                 | Body Type:  | Plastic + Metal     |
| CRI:               | > 80                 | Dimension:  | 142 x 101.8 x 310mm |
| PF:                | >0.5                 |             |                     |



White

7W VT-1017

7053 - 4000K Day White

BOX QTY.  
12

EAN Code

3800157610674



|                    |                       |             |                   |
|--------------------|-----------------------|-------------|-------------------|
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 420lm                 | Color:      | White             |
| IP Rating:         | IP20                  | Body Type:  | ABS + Metal       |
| CRI:               | > 80                  | Dimension:  | 376 x 166 x 270mm |
| PF:                | >0.45                 |             |                   |



Black

7W VT-1017

7054 - 4000K Day White

BOX QTY.  
12

EAN Code

3800157610681



|                    |                     |             |                   |
|--------------------|---------------------|-------------|-------------------|
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 120°              |
| Luminous Flux:     | 420lm               | Color:      | Black             |
| IP Rating:         | IP20                | Body Type:  | ABS + Metal       |
| CRI:               | >80                 | Dimension:  | 376 x 166 x 270mm |
| PF:                | >0.45               |             |                   |

NEW

**Green Glass Cover**


VT-7151

EAN Code

3912

3800157626071

Material: Glass + Metal

BOX QTY.  
 06

NEW

**Blue Glass Cover**


VT-7151

EAN Code

3913

3800157626088

Material: Glass + Metal

BOX QTY.  
 06

NEW

**Gold Glass Cover**


VT-7151

EAN Code

3914

3800157626095

Material: Glass + Metal


BOX QTY.  
 06



**VT-7160**

**SKU:** 3851  
**EAN Code:** 3800157619004  
**Material:** Concrete  
**Size:** 160 x 150 x 2000mm


**BOX QTY.**  
**04**



**VT-7171**

**SKU:** 3852  
**EAN Code:** 3800157619011  
**Material:** Concrete  
**Size:** 180 x 130 x 2000mm

**BOX QTY.**  
**08**



RECHARGEABLE



TOUCH DIMMING



USB



**Matt White**

**6W** VT-1012

**7050**

**BOX QTY.**  
**30**

**EAN Code**  
 3800157610469



|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 360°          |
| Luminous Flux:     | 230lm               | Color:      | Matt White    |
| IP Rating:         | IP20                | Body Type:  | ACRYLIC + ABS |
| CRI:               | >80                 | Dimension:  | Ø110 x 173mm  |
| PF:                | >0.45               |             |               |



Purple

5W VT-1035

8501 4000K

BOX QTY.  
06

EAN Code

3800157620345



|                    |                     |             |                 |
|--------------------|---------------------|-------------|-----------------|
| Watts:             | 5W                  | PF:         | >0.4            |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 90°             |
| Luminous Flux:     | 300lm               | Color:      | Chrome + Purple |
| IP Rating:         | IP20                | Body Type:  | PC + Metal      |
| CRI:               | >80                 | Dimension:  | Ø150 x233mm     |



Purple Wall Lamp

7W VT-1036

8504 4000K

BOX QTY.  
09

EAN Code

3800157620376



|                    |                     |             |                   |
|--------------------|---------------------|-------------|-------------------|
| Watts:             | 7W                  | PF:         | >0.4              |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 90°               |
| Luminous Flux:     | 360lm               | Color:      | Chrome + Purple   |
| IP Rating:         | IP20                | Body Type:  | PC + Metal        |
| CRI:               | >80                 | Dimension:  | Ø150 x151 x1241mm |





White

5W VT-1035

8502 4000K

BOX QTY.

06

EAN Code

3800157620352



TOUCH DIMMING



|                    |                     |             |                |
|--------------------|---------------------|-------------|----------------|
| Watts:             | 5W                  | PF:         | >0.4           |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 90°            |
| Luminous Flux:     | 300lm               | Color:      | Chrome + White |
| IP Rating:         | IP20                | Body Type:  | PC + Metal     |
| CRI:               | >80                 | Dimension:  | Ø150 x233mm    |



White Wall Lamp

7W VT-1036

8505 4000K

BOX QTY.

09

EAN Code

3800157620383



|                    |                     |             |                   |
|--------------------|---------------------|-------------|-------------------|
| Watts:             | 7W                  | PF:         | >0.4              |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 90°               |
| Luminous Flux:     | 360lm               | Color:      | Chrome + White    |
| IP Rating:         | IP20                | Body Type:  | PC + Metal        |
| CRI:               | >80                 | Dimension:  | Ø150 x151 x1241mm |



**BLUE**

**5W** VT-1035

**8503 4000K**

BOX QTY.  
**06**

EAN Code

3800157620369



|                    |                            |             |                      |
|--------------------|----------------------------|-------------|----------------------|
| Watts:             | <b>5W</b>                  | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC:100-240V,50/60Hz</b> | Beam Angle: | <b>90°</b>           |
| Luminous Flux:     | <b>300lm</b>               | Color:      | <b>Chrome + Blue</b> |
| IP Rating:         | <b>IP20</b>                | Body Type:  | <b>PC + Metal</b>    |
| CRI:               | <b>&gt;80</b>              | Dimension:  | <b>Ø150 x233mm</b>   |



**BLUE Wall Lamp**

**7W** VT-1036

**8506 4000K**

BOX QTY.  
**09**

EAN Code

3800157620390



|                    |                            |             |                          |
|--------------------|----------------------------|-------------|--------------------------|
| Watts:             | <b>7W</b>                  | PF:         | <b>&gt;0.4</b>           |
| Voltage/Frequency: | <b>AC:100-240V,50/60Hz</b> | Beam Angle: | <b>90°</b>               |
| Luminous Flux:     | <b>360lm</b>               | Color:      | <b>Chrome + Blue</b>     |
| IP Rating:         | <b>IP20</b>                | Body Type:  | <b>PC + Metal</b>        |
| CRI:               | <b>&gt;80</b>              | Dimension:  | <b>Ø150 x151 x1241mm</b> |

**Silver**Max. **60W** VT-7500**7056**

BOX QTY.

 **04**

EAN Code

3800157610704



|                    |                         |            |                       |
|--------------------|-------------------------|------------|-----------------------|
| Max. Watts:        | <b>60W</b>              | Color:     | <b>White</b>          |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Body Type: | <b>ABS + Metal</b>    |
| Holder:            | <b>E27</b>              | Dimension: | <b>Ø250 x H1800mm</b> |
| IP Rating:         | <b>IP20</b>             |            |                       |

**Black**Max. **60W** VT-7500**7055**

BOX QTY.

 **04**

EAN Code

3800157610698



|                    |                         |            |                       |
|--------------------|-------------------------|------------|-----------------------|
| Max. Watts:        | <b>60W</b>              | Color:     | <b>Black</b>          |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Body Type: | <b>ABS + Metal</b>    |
| Holder:            | <b>E27</b>              | Dimension: | <b>Ø250 x H1800mm</b> |
| IP Rating:         | <b>IP20</b>             |            |                       |

**White**Max. **60W** VT-7600**3704 Floor Lamp**


BOX QTY.

 **04**

EAN Code

3800157610773

|                    |                         |
|--------------------|-------------------------|
| Max. Watts:        | <b>60W</b>              |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> |
| Holder:            | <b>E27</b>              |
| IP Rating:         | <b>IP20</b>             |
| Color:             | <b>White</b>            |
| Body Type:         | <b>Aluminum + Glass</b> |

**Black**Max. **60W** VT-7600**3703 Floor Lamp**


BOX QTY.

 **04**

EAN Code

3800157610766

|                    |                         |
|--------------------|-------------------------|
| Max. Watts:        | <b>60W</b>              |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> |
| Holder:            | <b>E27</b>              |
| IP Rating:         | <b>IP20</b>             |
| Color:             | <b>Matt Black</b>       |
| Body Type:         | <b>Aluminum + Glass</b> |




**White****7W** VT-7700**8507 - 4000K Day White****Built In LED****BOX QTY.**  
 **03**

EAN Code

3800157620406


|                    |                              |
|--------------------|------------------------------|
| Watts:             | <b>7W</b>                    |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> |
| Luminous Flux:     | <b>420lm</b>                 |
| IP Rating:         | <b>IP20</b>                  |
| CRI:               | <b>&gt; 80</b>               |
| PF:                | <b>&gt;0.5</b>               |
| Beam Angle:        | <b>120°</b>                  |
| Color:             | <b>White</b>                 |
| Body Type:         | <b>ABS + Metal</b>           |

**Black****7W** VT-7700**8508 - 4000K Day White****Built In LED****BOX QTY.**  
 **03**

EAN Code

3800157620413

|                    |                            |
|--------------------|----------------------------|
| Watts:             | <b>7W</b>                  |
| Voltage/Frequency: | <b>AC:100-240V,50/60Hz</b> |
| Luminous Flux:     | <b>420lm</b>               |
| IP Rating:         | <b>IP20</b>                |
| CRI:               | <b>&gt;80</b>              |
| PF:                | <b>&gt;0.5</b>             |
| Beam Angle:        | <b>120°</b>                |
| Color:             | <b>Black</b>               |
| Body Type:         | <b>ABS + Metal</b>         |



# LED Innovative Lights

An Innovative and sustainable way of lighting up your outdoors.V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day.Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.



## Product Features

 ZERO Electricity Cost

 PIR Detective

 Outdoor

 Solar Powered

 Light on/off automatically

 Cordless

## Applications

Suitable for Outdoor and Indoor Lighting


**White**

**1.5W** VT-767

3000K Warm White } 7096  
4000K Day White }

BOX QTY.  
**20**

EAN Code  
3800157616966



**IP65**  
RATED

|                  |                                       |                    |                                          |
|------------------|---------------------------------------|--------------------|------------------------------------------|
| Watts:           | <b>1.5W</b>                           | Sensing Range:     | <b>2-6 mtrs</b>                          |
| Voltage:         | <b>3.7V Lithium Battery 1200mA</b>    | Charging Time:     | <b>6-7 hrs Sunlight Charging</b>         |
| Lumens:          | <b>200lm</b>                          | Working Time:      | <b>Min 8 hrs and Max 24 hrs</b>          |
| Color:           | <b>4000K + 3000K</b>                  | Protection Rating: | <b>IP65</b>                              |
| No. of LED:      | <b>10pcs (Front 8pcs, Back 2 pcs)</b> | Material:          | <b>High quality Mono crystal Silicon</b> |
| Detecting Angle: | <b>120°</b>                           | Dimension:         | <b>152 x 96 x 83.8mm</b>                 |




**Black**

**1.5W** VT-767

3000K Warm White } 7097  
4000K Day White }

BOX QTY.  
**20**

EAN Code  
3800157616973




**IP65**  
RATED

|                  |                                       |                    |                                          |
|------------------|---------------------------------------|--------------------|------------------------------------------|
| Watts:           | <b>1.5W</b>                           | Sensing Range:     | <b>2-6 mtrs</b>                          |
| Voltage:         | <b>3.7V Lithium Battery 1200mA</b>    | Charging Time:     | <b>6-7 hrs Sunlight Charging</b>         |
| Lumens:          | <b>200lm</b>                          | Working Time:      | <b>Min 8 hrs and Max 24 hrs</b>          |
| Color:           | <b>4000K + 3000K</b>                  | Protection Rating: | <b>IP65</b>                              |
| No. of LED:      | <b>10pcs (Front 8pcs, Back 2 pcs)</b> | Material:          | <b>High quality Mono crystal Silicon</b> |
| Detecting Angle: | <b>120°</b>                           | Dimension:         | <b>152 x 96 x 83.8mm</b>                 |

**White**  
**1.5W** VT-767-2  
 8276 - 4000K Day White

**BOX QTY.**  
 **20**  
 EAN Code  
 3800157627931




 **IP65**  
 RATED

|                  |                                        |                    |                                   |
|------------------|----------------------------------------|--------------------|-----------------------------------|
| Watts:           | <b>1.5W</b>                            | Sensing Range:     | <b>2-6 mtrs</b>                   |
| Voltage:         | <b>3.7V Lithium Battery 1200mA</b>     | Charging Time:     | <b>6-7 hrs Sunlight Charging</b>  |
| Lumens:          | <b>220lm</b>                           | Working Time:      | <b>Min 5-8 hrs and Max 24 hrs</b> |
| Color:           | <b>4000K</b>                           | Protection Rating: | <b>IP65</b>                       |
| No. of LED:      | <b>14pcs (Front 12pcs, Back 2 pcs)</b> | Material:          | <b>ABS+PC</b>                     |
| Detecting Angle: | <b>120°</b>                            | Dimension:         | <b>144.5 x 96 x 79 mm</b>         |



**Black**  
**1.5W** VT-767-2  
 8277 - 4000K Day White

**BOX QTY.**  
 **20**  
 EAN Code  
 3800157627948



 **IP65**  
 RATED

|                  |                                        |                    |                                   |
|------------------|----------------------------------------|--------------------|-----------------------------------|
| Watts:           | <b>1.5W</b>                            | Sensing Range:     | <b>2-6 mtrs</b>                   |
| Voltage:         | <b>3.7V Lithium Battery 1200mA</b>     | Charging Time:     | <b>6-7 hrs Sunlight Charging</b>  |
| Lumens:          | <b>220lm</b>                           | Working Time:      | <b>Min 5-8 hrs and Max 24 hrs</b> |
| Color:           | <b>4000K</b>                           | Protection Rating: | <b>IP65</b>                       |
| No. of LED:      | <b>14pcs (Front 12pcs, Back 2 pcs)</b> | Material:          | <b>ABS+PC</b>                     |
| Detecting Angle: | <b>120°</b>                            | Dimension:         | <b>144.5 x 96 x 79 mm</b>         |



## White & Grey

**2W** VT-718

9853 - 3000K Warm White

9854 - 4000K Day White

9852 - 6000K White

BOX QTY.


**12**

EAN Code

3800157622806

3800157622813

3800157622790



|                  |                                      |                    |                                   |
|------------------|--------------------------------------|--------------------|-----------------------------------|
| Watts:           | <b>2W</b>                            | Charging Time:     | <b>6-7 hrs Sunlight Charging</b>  |
| Lumens:          | <b>200lm</b>                         | Working Time:      | <b>Min 5-8 hrs and Max 24 hrs</b> |
| Color:           | <b>3000K , 4000K , 6000K</b>         | Protection Rating: | <b>IP65</b>                       |
| No. of LED:      | <b>18pcs (SMD 2835)</b>              | Material:          | <b>ABS + PC</b>                   |
| Voltage:         | <b>3.7V Lithium Battery 1200 mAh</b> | Size:              | <b>152 x 158.5x 123.5mm</b>       |
| Detecting Angle: | <b>120°</b>                          | Housing color:     | <b>White + Grey</b>               |
| Sensing Range:   | <b>2-6 mtrs</b>                      |                    |                                   |



## White & Black

**3W** VT-768

3000K Warm White } 7523


4000K Day White }

BOX QTY.

**20**

EAN Code

3800157619363



|                  |                                        |                    |                                   |
|------------------|----------------------------------------|--------------------|-----------------------------------|
| Watts:           | <b>3W</b>                              | Sensing Range:     | <b>2-6 mtrs</b>                   |
| Voltage:         | <b>3.7V Lithium Battery 2000mA</b>     | Charging Time:     | <b>6-7 hrs Sunlight Charging</b>  |
| Lumens:          | <b>400lm</b>                           | Working Time:      | <b>Min 5-8 hrs and Max 24 hrs</b> |
| Color:           | <b>4000K + 3000K</b>                   | Protection Rating: | <b>IP65</b>                       |
| No. of LED:      | <b>30pcs (Front 28pcs, Back 2 pcs)</b> | Material:          | <b>ABS + PC</b>                   |
| Detecting Angle: | <b>60°</b>                             | Dimension:         | <b>140 x 212 x 109.2</b>          |

**White & Black**

**6.8W** VT-767-7


**8278 - 4000K Day White**

**BOX QTY.**

**20**

**EAN Code**

3800157627955



**IP65**  
RATED

|                  |                                        |                    |                                            |
|------------------|----------------------------------------|--------------------|--------------------------------------------|
| Watts:           | <b>6.8W</b>                            | Sensing Range::    | <b>2-6 mtrs</b>                            |
| Voltage:         | <b>3.7V Lithium Battery 1200mA</b>     | Charging Time:     | <b>6-7 hrs Sunlight Charging</b>           |
| Lumens:          | <b>800lm</b>                           | Working Time:      | <b>Mode A: 5 hours, Mode B: 2~3 nights</b> |
| Color:           | <b>4000K</b>                           |                    | <b>Mode C: 3~4 nights</b>                  |
| No. of LED:      | <b>60pcs (Front 56pcs, Back 4 pcs)</b> | Protection Rating: | <b>IP65</b>                                |
| Detecting Angle: | <b>120°</b>                            | Material:          | <b>ABS+PC</b>                              |
|                  |                                        | Dimension:         | <b>270 x 221 x 109.2 mm</b>                |



**Black**

**6.8W** VT-767-7


**8279 - 4000K Day White**

**BOX QTY.**

**20**

**EAN Code**

3800157627962



**IP65**  
RATED

|                  |                                        |                    |                                            |
|------------------|----------------------------------------|--------------------|--------------------------------------------|
| Watts:           | <b>6.8W</b>                            | Sensing Range:     | <b>2-6 mtrs</b>                            |
| Voltage:         | <b>3.7V Lithium Battery 1200mA</b>     | Charging Time:     | <b>6-7 hrs Sunlight Charging</b>           |
| Lumens:          | <b>800lm</b>                           | Working Time:      | <b>Mode A: 5 hours, Mode B: 2~3 nights</b> |
| Color:           | <b>4000K</b>                           |                    | <b>Mode C: 3~4 nights</b>                  |
| No. of LED:      | <b>60pcs (Front 56pcs, Back 4 pcs)</b> | Protection Rating: | <b>IP65</b>                                |
| Detecting Angle: | <b>120°</b>                            | Material:          | <b>ABS+PC</b>                              |
|                  |                                        | Dimension:         | <b>270 x 221 x 109.2 mm</b>                |

# Wireless Lights Switch Kit

Introducing the next generation self powered wireless switch, functions using RF receiver making it a hassle free experience. Offering a push button feature and a control distance up to 30 meters.




No Wiring



Wireless



Battery Free



### Battery Free Wireless One Gang Switch Set

VT-541

EAN Code

8229

3800157624336

**BOX QTY.**  
**50**

### Switch

|                   |                        |
|-------------------|------------------------|
| Working Type:     | <b>Push -Button</b>    |
| Power Mode:       | <b>Self Powered</b>    |
| Control Distance: | <b>Up to 30 meters</b> |
| Switch Lifetime:  | <b>&gt;200,000</b>     |
| Operating Temp:   | <b>-5~40°C</b>         |
| Humidity:         | <b>0-95%RH</b>         |
| Dimensions:       | <b>Ø70X15.5mm</b>      |
| IP Rating:        | <b>IP20</b>            |

### Receiver

|                |                            |
|----------------|----------------------------|
| Input Voltage: | <b>AC:200-265V,50/60Hz</b> |
| Load Power:    | <b>Max 200W</b>            |
| Controller:    | <b>RF Receiver</b>         |
| Dimensions:    | <b>D:48x25mm</b>           |

### Switch Mounting Base

VT-540

EAN Code

8231

3800157624336

Dimensions: **86 x 86 x 11mm****BOX QTY.**  
**200**

No Wiring



Wireless



Battery Free



### Battery Free Wireless Two Gang Switch Set

VT-542

EAN Code

BOX QTY.

8230

3800157624343

20

### Switch

|                   |                        |
|-------------------|------------------------|
| Working Type:     | <b>Push -Button</b>    |
| Power Mode:       | <b>Self Powered</b>    |
| Control Distance: | <b>Up to 30 meters</b> |
| Switch Lifetime:  | <b>&gt;200,000</b>     |
| Operating Temp:   | <b>-5~40°C</b>         |
| Humidity:         | <b>0-95%RH</b>         |
| Dimensions:       | <b>Ø70X15.5mm</b>      |
| IP Rating:        | <b>IP20</b>            |

### Receiver

|                |                            |
|----------------|----------------------------|
| Input Voltage: | <b>AC:200-265V,50/60Hz</b> |
| Load Power:    | <b>Max 200W</b>            |
| Controller:    | <b>RF Receiver</b>         |
| Dimensions:    | <b>D:48x25mm</b>           |

### Switch Mounting Base

VT-540

EAN Code

BOX QTY.

8231

3800157624336

200

Dimensions: **86 x 86 x 11mm**

# LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.



## Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from  $-20^{\circ}$  to  $+45^{\circ}$  without any adverse effects
- Specifically designed for Outdoor use
- IP65/67 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

## Applications

Used for Gardens, Outdoor Residential Areas, Walkways & Passages, Driveways, Fountains, Lawns, Entrance, Patio or Terrace and similar environments

MOTION  
PIR  
SENSOR

BOX QTY.

24

UP  
AND  
DOWN

LIGHTS

MOTION  
PIR  
SENSOR

BOX QTY.

12

## Wall Fixtures

|                   |                       |                       |
|-------------------|-----------------------|-----------------------|
| Model No:         | VT-7621 PIR Sensor    | VT-7622 PIR Sensor    |
| SKU:              | 7502                  | 7503                  |
| Type:             | Wall                  | Wall                  |
| Holder:           | GU10                  | 2 x GU10              |
| Material:         | Stainless Steel       | Stainless Steel       |
| Color of Fixture: | Stainless Steel Brush | Stainless Steel Brush |
| IP Rating:        | IP44                  | IP44                  |
| Dimension:        | Ø110 x 67 x 163mm     | Ø110 x 67 x 220mm     |
| EAN Code:         | 3800157617611         | 3800157617628         |



BOX QTY.

24

UP  
AND  
DOWN


LIGHTS

BOX QTY.

16


## Wall Fixtures

|                   |                       |                       |
|-------------------|-----------------------|-----------------------|
| Model No:         | VT-7621               | VT-7622               |
| SKU:              | 7501                  | 7500                  |
| Type:             | Wall                  | Wall                  |
| Holder:           | GU10                  | 2 x GU10              |
| Material:         | Stainless Steel       | Stainless Steel       |
| Color of Fixture: | Stainless Steel Brush | Stainless Steel Brush |
| IP Rating:        | IP44                  | IP44                  |
| Dimension:        | Ø93 x 85 x 118mm      | Ø93 x 85 x 163mm      |
| EAN Code:         | 3800157617604         | 3800157617598         |



## Wall Fixtures

|                   |                       |                       |
|-------------------|-----------------------|-----------------------|
| Model No:         | VT-7632               | VT-7631               |
| SKU:              | 7504                  | 7505                  |
| Type:             | Wall                  | Wall                  |
| Holder:           | 2 x GU10              | GU10                  |
| Material:         | Stainless Steel       | Stainless Steel       |
| Color of Fixture: | Stainless Steel Brush | Stainless Steel Brush |
| IP Rating:        | IP44                  | IP44                  |
| Dimension:        | Ø110 x 60 x 178mm     | Ø110 x 60 x 125mm     |
| EAN Code:         | 3800157617635         | 3800157617642         |



## Wall Fixtures

|                   |                       |                       |
|-------------------|-----------------------|-----------------------|
| Model No:         | VT-7641               | VT-7642               |
| SKU:              | 7506                  | 7507                  |
| Type:             | Wall                  | Wall                  |
| Holder:           | GU10                  | 2 x GU10              |
| Material:         | Stainless Steel       | Stainless Steel       |
| Color of Fixture: | Stainless Steel Brush | Stainless Steel Brush |
| IP Rating:        | IP44                  | IP44                  |
| Dimension:        | Ø105 x 76 x 118mm     | Ø105 x 76 x 207mm     |
| EAN Code:         | 3800157617659         | 3800157617666         |







BOX QTY.  
24



BOX QTY.  
24

### Wall Fixtures

|                   |                 |                 |
|-------------------|-----------------|-----------------|
| Model No:         | VT-7651         | VT-7651         |
| SKU:              | 7508            | 7510            |
| Type:             | Wall            | Wall            |
| Holder:           | GU10            | GU10            |
| Material:         | Aluminium       | Aluminium       |
| Color of Fixture: | Black           | Black           |
| IP Rating:        | IP44            | IP44            |
| Dimension:        | Ø92 x 68 x 80mm | Ø92 x 68 x 80mm |
| EAN Code:         | 3800157617673   | 3800157617697   |



LIGHTS



BOX QTY.  
16



LIGHTS



BOX QTY.  
16



LIGHTS



BOX QTY.  
12

### Wall Fixtures

|                   |                  |                  |                 |
|-------------------|------------------|------------------|-----------------|
| Model No:         | VT-7652          | VT-7652          | VT-7662         |
| SKU:              | 7509             | 7511             | 7512            |
| Type:             | Wall             | Wall             | Wall            |
| Holder:           | 2 x GU10         | 2 x GU10         | 2 x GU10        |
| Material:         | Aluminium        | Aluminium        | Stainless Steel |
| Color of Fixture: | Black            | Black            | Black           |
| IP Rating:        | IP44             | IP44             | IP44            |
| Dimension:        | Ø92 x 68 x 150mm | Ø92 x 68 x 150mm | 85 x 87 x 250mm |
| EAN Code:         | 3800157617680    | 3800157617703    | 3800157617710   |



BOX QTY.  
20



BOX QTY.  
24



BOX QTY.  
24

### Underground Fixtures

|                   |                        |                    |                   |
|-------------------|------------------------|--------------------|-------------------|
| Model No:         | VT-721 UG              | VT-7677            | VT-7677           |
| SKU:              | 4791                   | 7515               | 7516              |
| Type:             | Underground            | Underground        | Underground       |
| Holder:           | GU10                   | GU10               | GU10              |
| Material:         | Aluminum, 304SS, Glass | Stainless Steel    | Stainless Steel   |
| Color of Fixture: | Black Lamp Body        | Black              | Black             |
| IP Rating:        | IP65                   | IP65               | IP65              |
| Dimension:        | 101 x 109 x 145mm      | Ø110 x 110 x 120mm | 110 x 110 x 120mm |
| EAN Code:         | 3800230625267          | 3800157617741      | 3800157617758     |



BOX QTY.  
12



BOX QTY.  
08

### Garden Spikes

|                   |                 |                 |
|-------------------|-----------------|-----------------|
| Model No:         | VT-769          | VT-770          |
| SKU:              | 7517            | 7518            |
| Type:             | Garden Spike    | Garden Spike    |
| Holder:           | GU10            | GU10            |
| Material:         | Aluminium       | Stainless Steel |
| Color of Fixture: | Black           | Silver          |
| IP Rating:        | IP44            | IP44            |
| Dimension:        | 95 x 95 x 335mm | 60 x 60 x 420mm |
| EAN Code:         | 3800157617765   | 3800157617772   |

# Garden Lamps

V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.



## Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Waterproof Lamps available in series of IP rating from IP 44 to IP 66
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

## Applications

Suitable for Outdoor Lighting





Wall Lamp

VT-745  
7064

EAN Code  
3800157614399

BOX QTY.  
12

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP54              |
| Holder:           | E27               |
| Color of Fixture: | Matt Black        |
| Body Type:        | Aluminium + Glass |
| Size:             | 145 x 265mm       |




Wall Lamp

VT-745  
7065

EAN Code  
3800157614405

BOX QTY.  
12

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP54              |
| Holder:           | E27               |
| Color of Fixture: | Dark Grey         |
| Body Type:        | Aluminium + Glass |
| Size:             | 145 x 265mm       |






Wall Lamp

VT-754  
7077

EAN Code  
3800157616300

BOX QTY.  
10

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | White             |
| Body Type:        | Aluminium + Glass |
| Size:             | 245 x 180 x 93mm  |




Wall Lamp

VT-754  
7076

EAN Code  
3800157616294

BOX QTY.  
10

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Black             |
| Body Type:        | Aluminium + Glass |
| Size:             | 245 x 180 x 93mm  |



Wall Lamp




VT-7670  
7513

EAN Code  
3800157617727

BOX QTY.  
 12

|                   |                      |
|-------------------|----------------------|
| Voltage:          | AC: 220-240V         |
| Max.Watts:        | 14W                  |
| IP Rating:        | IP44                 |
| Holder:           | E27                  |
| Color of Fixture: | White                |
| Body Type:        | Stainless Steel + PC |
| Size:             | 250 x 90 x 100mm     |



Wall Lamp




VT-7680  
7514

EAN Code  
3800157617734

BOX QTY.  
 12

|                   |                      |
|-------------------|----------------------|
| Voltage:          | AC: 220-240V         |
| Max.Watts:        | 14W                  |
| IP Rating:        | IP44                 |
| Holder:           | E27                  |
| Color of Fixture: | White                |
| Body Type:        | Stainless Steel + PC |
| Size:             | 250 x 90 x 100mm     |



## Wall Lamp




VT-730

EAN Code

7046

3800157610391

|                   |                  |
|-------------------|------------------|
| Voltage:          | AC: 220-240V     |
| Max.Watts:        | 40W              |
| IP Rating:        | IP44             |
| Holder:           | E27              |
| Color of Fixture: | Black            |
| Body Type:        | Aluminum + Glass |
| Size:             | 200 x 238mm      |



## Wall Lamp




VT-731

EAN Code

7047

3800157610407

|                   |                  |
|-------------------|------------------|
| Voltage:          | AC: 220-240V     |
| Max.Watts:        | 40W              |
| IP Rating:        | IP44             |
| Holder:           | E27              |
| Color of Fixture: | Black            |
| Body Type:        | Aluminum + Glass |
| Size:             | 200 x 238mm      |





NEW



## Wall Lamp

VT-852

EAN Code


BOX QTY.

7531

3800157630078

 06

|                   |                    |
|-------------------|--------------------|
| Voltage:          | AC: 220-240V       |
| Max.Watts:        | 60W                |
| IP Rating:        | IP44               |
| Holder:           | E27                |
| Color of Fixture: | Matt Black         |
| Body Type:        | Aluminum + PC      |
| Size:             | 290 x 250 x 525 mm |



NEW



## Wall Lamp

VT-731

EAN Code


BOX QTY.

7532

3800157630085

 06

|                   |                    |
|-------------------|--------------------|
| Voltage:          | AC: 220-240V       |
| Max.Watts:        | 60W                |
| IP Rating:        | IP44               |
| Holder:           | E27                |
| Color of Fixture: | Matt Black         |
| Body Type:        | Aluminum + PC      |
| Size:             | 290 x 250 x 525 mm |





## Wall Lamp

VT-751

7070


EAN Code

3800157616232

BOX QTY.

10

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Black             |
| Body Type:        | Aluminium + Glass |
| Size:             | 215 x375 x 170mm  |



## Wall Lamp

VT-751

7071


EAN Code

3800157616249

BOX QTY.

10

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | White             |
| Body Type:        | Aluminium + Glass |
| Size:             | 215 x375 x 170mm  |



Wall Lamp




VT-749  
7066

EAN Code  
3800157616195

BOX QTY.  
10

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Black             |
| Body Type:        | Aluminium + Glass |
| Size:             | 208 x 360 x170 mm |



Wall Lamp




VT-749  
7067

EAN Code  
3800157616201

BOX QTY.  
10

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | White             |
| Body Type:        | Aluminium + Glass |
| Size:             | 208 x 360 x170 mm |






**Wall Lamp**

VT-750  
7068

EAN Code  
3800157616218

**BOX QTY.**  
 **10**

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Black             |
| Body Type:        | Aluminium + Glass |
| Size:             | 208 x 360 x170 mm |




**Wall Lamp**

VT-750  
7069

EAN Code  
3800157616225

**BOX QTY.**  
 **10**

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | White             |
| Body Type:        | Aluminium + Glass |
| Size:             | 208 x 360 x170 mm |






Wall Lamp - Short up

VT-760 EAN Code  
7519 3800157617789

BOX QTY.  
12

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 60W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Matt Black        |
| Body Type:        | Aluminium + Glass |
| Size:             | 225 x 400 x 148mm |




Wall Lamp - Short up

VT-760 EAN Code  
7520 3800157617796

BOX QTY.  
12

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 60W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Matt White        |
| Body Type:        | Aluminium + Glass |
| Size:             | 225 x 400 x 148mm |



**Wall Lamp - Long up**

VT-761

EAN Code


BOX QTY.

7521

3800157617802

 **08**

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 60W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Matt Black        |
| Body Type:        | Aluminium + Glass |
| Size:             | 245 x 445 x 185mm |

**Wall Lamp - Long up**

VT-761

EAN Code


BOX QTY.

7522

3800157617819

 **08**

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 60W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Matt White        |
| Body Type:        | Aluminium + Glass |
| Size:             | 245 x 445 x 185mm |





## Ceiling Lamp

VT-752

EAN Code


**BOX QTY.**

7072

3800157616256

**10**

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Black             |
| Body Type:        | Aluminium + Glass |
| Size:             | 170 x 170 x 840mm |



## Ceiling Lamp

VT-752

EAN Code


**BOX QTY.**

7073

3800157616263

**10**

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | White             |
| Body Type:        | Aluminium + Glass |
| Size:             | 170 x 170 x 840mm |





## Ceiling Lamp

VT-735

EAN Code


BOX QTY.

7058

3800157612616



|                   |                  |
|-------------------|------------------|
| Voltage:          | AC: 220-240V     |
| Max. Watts:       | 60W              |
| IP Rating:        | IP44             |
| Holder:           | E27              |
| Color of Fixture: | Black            |
| Body Type:        | Aluminum + Glass |
| Size:             | 170 x 720mm      |



## Stand Lamp

VT-736

EAN Code


BOX QTY.

7059

3800157612623



|                   |                  |
|-------------------|------------------|
| Voltage:          | AC: 220-240V     |
| Max. Watts:       | 60W              |
| IP Rating:        | IP44             |
| Holder:           | E27              |
| Color of Fixture: | Black            |
| Body Type:        | Aluminum + Glass |
| Size:             | 170 x 600mm      |






NEW



## Ceiling Lamp

VT-850 EAN Code  
7529 3800157630054

|                   |                    |
|-------------------|--------------------|
| Voltage:          | AC: 220-240V       |
| Max. Watts:       | 60W                |
| IP Rating:        | IP44               |
| Holder:           | E27                |
| Color of Fixture: | Matt Black         |
| Body Type:        | Aluminum + PC      |
| Size:             | 250 x 250 x 890 mm |




NEW



## Stand Lamp

VT-851 EAN Code  
7530 3800157630061

|                   |                     |
|-------------------|---------------------|
| Voltage:          | AC: 220-240V        |
| Max. Watts:       | 60W                 |
| IP Rating:        | IP44                |
| Holder:           | E27                 |
| Color of Fixture: | Matt Black          |
| Body Type:        | Aluminum + PC       |
| Size:             | 250 x 250 x 1110 mm |





## Stand Lamp

VT-753

7074

EAN Code

3800157616270

BOX QTY.

**10**

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | Black             |
| Body Type:        | Aluminium + Glass |
| Size:             | 170 x 170 x 403mm |



## Stand Lamp

VT-753

7075


EAN Code

3800157616287

BOX QTY.

**10**

|                   |                   |
|-------------------|-------------------|
| Voltage:          | AC: 220-240V      |
| Max.Watts:        | 40W               |
| IP Rating:        | IP44              |
| Holder:           | E27               |
| Color of Fixture: | White             |
| Body Type:        | Aluminium + Glass |
| Size:             | 170 x 170 x 403mm |



## Stand Lamp

VT-734

7057

EAN Code


3800157612609

BOX QTY.

**10**



|                   |                  |
|-------------------|------------------|
| Voltage:          | AC: 220-240V     |
| Max.Watts:        | 60W              |
| IP Rating:        | IP65             |
| Holder:           | E27              |
| Color of Fixture: | Black            |
| Body Type:        | Aluminum + Glass |
| Size:             | 170 x 290mm      |





### Stand Lamp

VT-737

EAN Code


7060

3800157612630

BOX QTY.

 01

|                   |                  |
|-------------------|------------------|
| Voltage:          | AC: 220-240V     |
| Max.Watts:        | 60W              |
| IP Rating:        | IP44             |
| Holder:           | E27              |
| Color of Fixture: | Black            |
| Body Type:        | Aluminum + Glass |
| Size:             | 345 x 1365mm     |



### Stand Lamp

VT-738

EAN Code


7061

3800157612647

BOX QTY.

 01

|                   |                  |
|-------------------|------------------|
| Voltage:          | AC: 220-240V     |
| Max.Watts:        | 60W x 2          |
| IP Rating:        | IP44             |
| Holder:           | E27              |
| Color of Fixture: | Black            |
| Body Type:        | Aluminum + Glass |
| Size:             | 480 x 1410mm     |





**Stand Lamp**

VT-739

EAN Code


**BOX QTY.**

**7062**

3800157612654

 **01**

|                   |                         |
|-------------------|-------------------------|
| Voltage:          | <b>AC: 220-240V</b>     |
| Max.Watts:        | <b>60W x 2</b>          |
| IP Rating:        | <b>IP44</b>             |
| Holder:           | <b>E27</b>              |
| Color of Fixture: | <b>Black</b>            |
| Body Type:        | <b>Aluminum + Glass</b> |
| Size:             | <b>500 x 1990mm</b>     |



**Stand Lamp**

VT-740

EAN Code


**BOX QTY.**

**7063**

3800157612661

 **01**

|                   |                         |
|-------------------|-------------------------|
| Voltage:          | <b>AC: 220-240V</b>     |
| Max.Watts:        | <b>60W x 3</b>          |
| IP Rating:        | <b>IP44</b>             |
| Holder:           | <b>E27</b>              |
| Color of Fixture: | <b>Black</b>            |
| Body Type:        | <b>Aluminum + Glass</b> |
| Size:             | <b>500 x 1990mm</b>     |





# LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these Wall Lamps.



## Product Features

- Modern Wall lights available in sleek and stylish designs.
- Adjustable Beam Angle.
- Available in Black, Grey & White Colors
- Easy installation
- Perfect for Halls, Pathways, Bedroom, Kitchen & Terrace

## Applications

Suitable for Residential lighting, Hotels, Restaurants, Resorts, Residential Lighting and similar environment

NEW

**Black**

8211 - 3000K Warm White  
8212 - 4000K Day White

3800157623285  
3800157623292


**White**

8209 - 3000K Warm White  
8210 - 4000K Day White

3800157623261  
3800157623278

**LED Wall Light****4W** VT-704**BOX QTY.**  
**20****IP65**  
**RATED**

|                    |                     |             |                   |
|--------------------|---------------------|-------------|-------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.5              |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 360°              |
| Luminous Flux:     | 440lm               | Body Type:  | Aluminium+Acrylic |
| IP Rating:         | IP65                | Dimension:  | 150 x 150 x 50mm  |
| CRI:               | >80                 |             |                   |



NEW

**Black**

8215 - 3000K Warm White  
8216 - 4000K Day White

3800157623322  
3800157623339


**White**

8213 - 3000K Warm White  
8214 - 4000K Day White

3800157623308  
3800157623315

**LED Wall Light****4W** VT-706**BOX QTY.**  
 **20** **IP65**  
RATED

|                    |                            |             |                          |
|--------------------|----------------------------|-------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                 | PF:         | <b>&gt;0.5</b>           |
| Voltage/Frequency: | <b>AC:220-240V,50/60Hz</b> | Beam Angle: | <b>360°</b>              |
| Luminous Flux:     | <b>440lm</b>               | Body Type:  | <b>Aluminium+Acrylic</b> |
| IP Rating:         | <b>IP65</b>                | Dimension:  | <b>Ø150 x 50mm</b>       |
| CRI:               | <b>&gt;80</b>              |             |                          |





**NEW**

## White

8280 - 3000K Warm White  
8281 - 4000K Day White

3800157629744  
3800157629751

## Black

8282 - 3000K Warm White  
8283 - 4000K Day White

3800157629768  
3800157629775

## Grey


8284 - 3000K Warm White 3800157629782  
8285 - 4000K Day White 3800157629799

**5W** VT-825

**BOX QTY.**  
**20**

**IP65**  
**RATED**

|                    |                             |             |                         |
|--------------------|-----------------------------|-------------|-------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:         | <b>0.5</b>              |
| Voltage/Frequency: | <b>AC220-240V, 50/60 Hz</b> | Beam Angle: | <b>120°</b>             |
| Luminous Flux:     | <b>550lm</b>                | Shape:      | <b>Aluminium</b>        |
| IP Rating:         | <b>IP65</b>                 | Dimension:  | <b>170 x 170 x 75mm</b> |
| CRI:               | <b>&gt;80</b>               |             |                         |



**NEW**



## White

8295 - 3000K Warm White  
8296 - 4000K Day White

3800157629744  
3800157629751



## Black

8297 - 3000K Warm White  
8298 - 4000K Day White

3800157629768  
3800157629775



## Grey

8299 - 3000K Warm White  
8300 - 4000K Day White


3800157629782  
3800157629799

**6W** VT-826

**BOX QTY.**  
**20**

**IP65**  
**RATED**

|                    |                             |             |                       |
|--------------------|-----------------------------|-------------|-----------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:         | <b>0.5</b>            |
| Voltage/Frequency: | <b>AC220-240V, 50/60 Hz</b> | Beam Angle: | <b>15°/120°</b>       |
| Luminous Flux:     | <b>660lm</b>                | Body Type:  | <b>Aluminium</b>      |
| IP Rating:         | <b>IP65</b>                 | Dimension:  | <b>90x 200 x90 mm</b> |
| CRI:               | <b>&gt;80</b>               |             |                       |



NEW

**White**

8286 - 3000K Warm White  
8287 - 4000K Day White

3800157629744  
3800157629751

**Black**

8288 - 3000K Warm White  
8289 - 4000K Day White


3800157629768  
3800157629775

**Grey**

8290 - 3000K Warm White  
8291 - 4000K Day White

3800157629782  
3800157629799


## ROTATABLE

**LED Wall Light****Rotatable****6W** VT-816

BOX QTY.  
**20**

**IP65**  
RATED

|                    |                             |             |                          |
|--------------------|-----------------------------|-------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:         | <b>0.5</b>               |
| Voltage/Frequency: | <b>AC220-240V, 50/60 Hz</b> | Beam Angle: | <b>350° Rotatable</b>    |
| Luminous Flux:     | <b>660lm</b>                | Body Type:  | <b>Aluminium</b>         |
| IP Rating:         | <b>IP65</b>                 | Dimension:  | <b>110 x 54 x 96.5mm</b> |
| CRI:               | <b>&gt;80</b>               |             |                          |







## Black

7078 - 3000K Warm White  
7087 - 4000K Day White

3800157616379  
3800157616874



## White

7079 - 3000K Warm White  
7088 - 4000K Day White

3800157616386  
3800157616881



## Grey

7080 - 3000K Warm White  
7089 - 4000K Day White

3800157616393  
3800157616898

## LED Wall Light


### Adjustable Beam Angle

**6W** VT-759

BOX QTY.  
**20**

**IP65**  
RATED

|                    |                       |             |                   |
|--------------------|-----------------------|-------------|-------------------|
| Sensor Compatible: | Yes                   | PF:         | >0.45             |
| Voltage/Frequency: | AC: 110-240V, 50/60Hz | Beam Angle: | 10~120°           |
| Luminous Flux:     | 660lm                 | Body Type:  | Aluminium         |
| IP Rating:         | IP65                  | Dimension:  | 100 x 100 x 100mm |
| CRI:               | > 80                  |             |                   |





## Black

7081 - 3000K Warm White  
7090 - 4000K Day White

3800157616409  
3800157616904



## White

7082 - 3000K Warm White  
7091 - 4000K Day White

3800157616416  
3800157616911



## Grey

7083 - 3000K Warm White  
7092 - 4000K Day White

3800157616423  
3800157616928

## LED Wall Light


### Adjustable Beam Angle

6W VT-756

BOX QTY.  
**20**

**IP65**  
RATED

|                    |                       |             |                   |
|--------------------|-----------------------|-------------|-------------------|
| Sensor Compatible: | Yes                   | PF:         | >0.45             |
| Voltage/Frequency: | AC: 110-240V, 50/60Hz | Beam Angle: | 10~120°           |
| Luminous Flux:     | 660lm                 | Body Type:  | Aluminium         |
| IP Rating:         | IP65                  | Dimension:  | 140 x 100 x 115mm |
| CRI:               | > 80                  |             |                   |





**NEW**

## Grey

8305 - 3000K Warm White  
8306 - 4000K Day White

3800157629997  
3800157630009

## Black

8303 - 3000K Warm White  
8304 - 4000K Day White

3800157629973  
3800157629980

## White

8301 - 3000K Warm White  
8302 - 4000K Day White

3800157629959  
3800157629966


## LED Wall Light

**6W** VT-836

BOX QTY.  
**20**

**IP65**  
RATED

|                    |                              |             |                  |
|--------------------|------------------------------|-------------|------------------|
| Sensor Compatible: | <b>Yes</b>                   | PF:         | <b>&gt;0.5</b>   |
| Voltage/Frequency: | <b>AC: 110-240V, 50/60Hz</b> | Beam Angle: | <b>90°</b>       |
| Luminous Flux:     | <b>660lm</b>                 | Body Type:  | <b>Aluminium</b> |
| IP Rating:         | <b>IP65</b>                  | Dimension:  | <b>Ø112 mm</b>   |
| CRI:               | <b>&gt; 80</b>               |             |                  |





NEW

Black

8219 - 3000K Warm White  
8220 - 4000K Day White

3800157623360  
3800157623377

White

8217 - 3000K Warm White  
8218 - 4000K Day White

3800157623346  
3800157623353


LED Wall Light

7W VT-707

BOX QTY.  
20

IP65  
RATED

|                    |                      |             |                   |
|--------------------|----------------------|-------------|-------------------|
| Sensor Compatible: | Yes                  | PF:         | >0.5              |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 360°              |
| Luminous Flux:     | 770lm                | Body Type:  | Aluminium         |
| IP Rating:         | IP65                 | Dimension:  | 110 x 120 x 170mm |
| CRI:               | >80                  |             |                   |




**Wall Lamp****6W** VT-741**7524 - 3000K Warm White****7525 - 4000K Day White**

EAN Code

3800157620017

3800157620024

**BOX QTY.**  
**20****IP65**  
RATED


|                    |                             |                   |                          |
|--------------------|-----------------------------|-------------------|--------------------------|
| Sensor Compatible: | <b>6W</b>                   | PF:               | <b>0.55</b>              |
| Voltage/Frequency: | <b>AC220-240V, 50/60 Hz</b> | Beam Angle:       | <b>360°</b>              |
| Luminous Flux:     | <b>660lm</b>                | Color of Fixture: | <b>White</b>             |
| IP Rating:         | <b>IP65</b>                 | Shape:            | <b>Die-cast Aluminum</b> |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>Ø135 mm</b>           |

**Wall Lamp****9W** VT-743**7526 - 3000K Warm White****7527 - 4000K Day White****IP65**  
RATED

EAN Code


3800157620031

3800157620048

**BOX QTY.**  
**20**

|                    |                             |                   |                          |
|--------------------|-----------------------------|-------------------|--------------------------|
| Sensor Compatible: | <b>9W</b>                   | PF:               | <b>0.55</b>              |
| Voltage/Frequency: | <b>AC220-240V, 50/60 Hz</b> | Beam Angle:       | <b>360°</b>              |
| Luminous Flux:     | <b>990lm</b>                | Color of Fixture: | <b>White</b>             |
| IP Rating:         | <b>IP65</b>                 | Shape:            | <b>Die-cast Aluminum</b> |
| CRI:               | <b>&gt;80</b>               | Dimension:        | <b>Ø180 mm</b>           |

NEW



## LED Up/down Outdoor Soft Light

9W VT-8056

EAN Code

8239 - 3000K Warm White

3800157625791

8240 - 4000K White

3800157625807


8241 - 6400K White

3800157625814

BOX QTY.  
20

|                    |                       |                   |             |
|--------------------|-----------------------|-------------------|-------------|
| Sensor Compatible: | 9W                    | PF:               | >0.9        |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Beam Angle:       | 90°         |
| Luminous Flux:     | 400lm                 | Color of Fixture: | Grey        |
| IP Rating:         | IP65                  | Body Type:        | PC          |
| CRI:               | >80                   | Dimension:        | 173X81X46mm |

NEW



## LED Up/down Outdoor Soft Light

12W VT-8057

EAN Code

8242 - 3000K Warm White

3800157625821

8243 - 4000K Day White

3800157625838

8244 - 6400K White

3800157625845

BOX QTY.  
20

|                    |                       |                   |                  |
|--------------------|-----------------------|-------------------|------------------|
| Sensor Compatible: | 12W                   | PF:               | >0.9             |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Beam Angle:       | 92°              |
| Luminous Flux:     | 600lm                 | Color of Fixture: | Grey             |
| Body Type:         | IP65                  | Body Type:        | PC               |
| CRI:               | >80                   | Dimension:        | 230 x 100 x 90mm |

**NEW**



**Grey**

**8294 - 3000K Warm White**

3800157629881

**Black**

**8293 - 3000K Warm White**

3800157629874



**White**

**8292 - 3000K Warm White**

3800157629867

**ROTATABLE**



## LED Wall Light


Adjustable Beam Angle

**12W VT-814**

**BOX QTY.**  
**20**

**IP65**  
**RATED**

|                    |                              |             |                        |
|--------------------|------------------------------|-------------|------------------------|
| Sensor Compatible: | <b>Yes</b>                   | PF:         | <b>&gt;0.5</b>         |
| Voltage/Frequency: | <b>AC: 110-240V, 50/60Hz</b> | Beam Angle: | <b>350°Rotatable</b>   |
| Luminous Flux:     | <b>1320lm</b>                | Body Type:  | <b>Aluminium</b>       |
| IP Rating:         | <b>IP65</b>                  | Dimension:  | <b>230 x 54 x 97mm</b> |
| CRI:               | <b>&gt; 80</b>               |             |                        |



**LED Bulkhead with Soft Light****12W** VT-8058

EAN Code

8245 - 3000K Warm White


3800157625852

8246 - 4000K Day White

3800157625869

8247 - 6000K White

3800157625876

**BOX QTY.**  
**20**

|                    |                              |                   |                         |
|--------------------|------------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>12W</b>                   | PF:               | <b>&gt;0.9</b>          |
| Voltage/Frequency: | <b>AC: 100-240V, 50/60Hz</b> | Beam Angle:       | <b>130°</b>             |
| Luminous Flux:     | <b>500lm</b>                 | Color of Fixture: | <b>Grey</b>             |
| IP Rating:         | <b>IP65</b>                  | Body Type:        | <b>PC</b>               |
| CRI:               | <b>&gt;80</b>                | Dimension:        | <b>230 x 110 x 76mm</b> |

**NEW**

NEW



## LED Landscape Outdoor Soft Light

12W VT-8054

EAN Code

8233 - 3000K Warm White


3800157625739

8234 - 4000K Day White

3800157625746

8235 - 6400K White

3800157625753

BOX QTY.  
20

|                    |                       |                   |                  |
|--------------------|-----------------------|-------------------|------------------|
| Sensor Compatible: | 12W                   | PF:               | >0.9             |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Beam Angle:       | 110°             |
| Luminous Flux:     | 600lm                 | Color of Fixture: | Grey             |
| IP Rating:         | IP65                  | Body Type:        | PC               |
| CRI:               | >80                   | Dimension:        | 265 x 120 x 81mm |



NEW



## LED Landscape Outdoor Soft Light

20W VT-8055

EAN Code

8236 - 3000K Warm White


3800157625760

8237 - 4000K Day White

3800157625777

8238 - 6400K White

3800157625784

BOX QTY.  
20

|                    |                       |                   |                   |
|--------------------|-----------------------|-------------------|-------------------|
| Sensor Compatible: | 20W                   | PF:               | >0.9              |
| Voltage/Frequency: | AC: 100-240V, 50/60Hz | Beam Angle:       | 110°              |
| Luminous Flux:     | 1000lm                | Color of Fixture: | Grey              |
| IP Rating:         | IP65                  | Shape:            | PC                |
| CRI:               | >80                   | Dimension:        | 319 x 170 x 114mm |

# INDOOR WALL LIGHTS



NEW

## LED Wall Light

5W VT-705


8208 - 3000K Warm White  
8232 - 4000K Day White

EAN Code

3800157623254  
3800157624756

BOX QTY.  
20

|                    |                     |                   |                 |
|--------------------|---------------------|-------------------|-----------------|
| Sensor Compatible: | 5W                  | PF:               | >0.5            |
| Voltage/Frequency: | AC:220-240V/50/60Hz | Beam Angle:       | 150°            |
| Luminous Flux:     | 550lm               | Color of Fixture: | White           |
| IP Rating:         | IP20                | Body Type:        | Aluminium       |
| CRI:               | >80                 | Dimension:        | 175 x 80 x 96mm |




**Wall Light-Rotatable****5W VT-757**

7086 - 3000K Warm White  
7093 - 4000K Day White

**EAN Code**

3800157616454  
3800157616935

**BOX QTY.**
 **20**



|                    |                              |                   |                                                 |
|--------------------|------------------------------|-------------------|-------------------------------------------------|
| Sensor Compatible: | <b>5W</b>                    | PF:               | <b>&gt;0.45</b>                                 |
| Voltage/Frequency: | <b>AC: 110-240V, 50/60Hz</b> | Beam Angle:       | <b>10-360°</b>                                  |
| Luminous Flux:     | <b>560lm</b>                 | Color of Fixture: | <b>White</b>                                    |
| IP Rating:         | <b>IP20</b>                  | Body Type:        | <b>Aluminium</b>                                |
| CRI:               | <b>&gt; 80</b>               | Dimension:        | <b>D:140 x 65mm-close<br/>Ø140 x 105mm-open</b> |

**Black Wall Light****5W VT-758**

7084 - 3000K Warm White  
7094 - 4000K Day White

**EAN Code**

3800157616430  
3800157616942

**BOX QTY.**
 **20**



|                    |                              |                   |                         |
|--------------------|------------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>5W</b>                    | PF:               | <b>&gt;0.45</b>         |
| Voltage/Frequency: | <b>AC: 110-240V, 50/60Hz</b> | Beam Angle:       | <b>120°</b>             |
| Luminous Flux:     | <b>560lm</b>                 | Color of Fixture: | <b>Black</b>            |
| Body Type:         | <b>IP20</b>                  | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt; 80</b>               | Dimension:        | <b>100 x 80 x 100mm</b> |

**UP AND DOWN LIGHTS****White Wall Light****5W VT-758**

7085 - 3000K Warm White  
7095 - 4000K Day White

**EAN Code**

3800157616447  
3800157616959

**BOX QTY.**
 **20**


|                    |                              |                   |                         |
|--------------------|------------------------------|-------------------|-------------------------|
| Sensor Compatible: | <b>5W</b>                    | PF:               | <b>&gt;0.45</b>         |
| Voltage/Frequency: | <b>AC: 110-240V, 50/60Hz</b> | Beam Angle:       | <b>120°</b>             |
| Luminous Flux:     | <b>560lm</b>                 | Color of Fixture: | <b>White</b>            |
| IP Rating:         | <b>IP20</b>                  | Body Type:        | <b>Aluminium</b>        |
| CRI:               | <b>&gt; 80</b>               | Dimension:        | <b>100 x 80 x 100mm</b> |

**UP AND DOWN LIGHTS**



**White**

8225 - 3000K Warm White  
8226 - 4000K Day White

3800157623421  
3800157623438


**Black**

8227 - 3000K Warm White  
8228 - 4000K Day White

3800157623445  
3800157623452

**LED Wall Light****9W** VT-710**BOX QTY.**  
 **20**

|                    |                             |             |                          |
|--------------------|-----------------------------|-------------|--------------------------|
| Sensor Compatible: | <b>Yes</b>                  | PF:         | <b>&gt;0.5</b>           |
| Voltage/Frequency: | <b>AC:220-240V, 50/60Hz</b> | Beam Angle: | <b>360°</b>              |
| Luminous Flux:     | <b>990lm</b>                | Body Type:  | <b>Aluminium+Acrylic</b> |
| IP Rating:         | <b>IP20</b>                 | Dimension:  | <b>Ø210 x 80mm</b>       |
| CRI:               | <b>&gt;80</b>               |             |                          |






### White

8221 - 3000K Warm White  
8222 - 4000K Day White

3800157623384  
3800157623391



### Black

8223 - 3000K Warm White  
8224 - 4000K Day White


3800157623407  
3800157623414

## LED Wall Light

9W VT-709

BOX QTY.  
 20

|                    |                      |             |                  |
|--------------------|----------------------|-------------|------------------|
| Sensor Compatible: | Yes                  | PF:         | >0.5             |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle: | 360°             |
| Luminous Flux:     | 990lm                | Body Type:  | Aluminium        |
| IP Rating:         | IP20                 | Dimension:  | 440 x 335 x 75mm |
| CRI:               | >80                  |             |                  |



NEW



White

8307 - 3000K Warm White  
8308 - 4000K Day White

3800157630016  
3800157630023



Black


8309 - 3000K Warm White  
8310 - 4000K Day White

3800157630030  
3800157630047

10W VT-811

BOX QTY.  
20

|                    |                       |             |                  |
|--------------------|-----------------------|-------------|------------------|
| Sensor Compatible: | Yes                   | PF:         | >0.45            |
| Voltage/Frequency: | AC: 110-240V, 50/60Hz | Beam Angle: | 360°             |
| Luminous Flux:     | 1100lm                | Body Type:  | Aluminium        |
| IP Rating:         | IP65                  | Dimension:  | 300 x 215 x 60mm |
| CRI:               | > 80                  |             |                  |



**Grey**

8206 - 3000K Warm White  
8207 - 4000K Day White

3800157623230  
3800157623247

**White**

8202 - 3000K Warm White  
8203 - 4000K Day White

3800157623193  
3800157623209

**Black**

8204 - 3000K Warm White  
8205 - 4000K Day White


3800157623216  
3800157623223

**LED Wall Light**

12W VT-712

BOX QTY.  
 **20**

|                    |                     |             |                   |
|--------------------|---------------------|-------------|-------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.5              |
| Voltage/Frequency: | AC:100-240V/50/60Hz | Beam Angle: | 360°              |
| Luminous Flux:     | 1100lm              | Body Type:  | Aluminium+Acrylic |
| IP Rating:         | IP20                | Dimension:  | 260 x 125 x 55mm  |
| CRI:               | >80                 |             |                   |



NEW



## LED WallLight

4.5W VT-805

EAN Code

8262 - 3000K Warm White


3800157627122

8264 - 4000K Day White

3800157627146

BOX QTY.

12



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 360lm                | Color of Fixture: | White         |
| IP Rating:         | IP20                 | Body Type:        | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight

4.5W VT-805

EAN Code

8263 - 3000K Warm White


3800157627139

8265 - 4000K Day White

3800157627153


BOX QTY.

12



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 360lm                | Color of Fixture: | Black         |
| IP Rating:         | IP20                 | Shape:            | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight

9W VT-810


8266 - 3000K Warm White  
8268 - 4000K Day White

EAN Code

3800157627160  
3800157627184BOX QTY.  
 12

|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 720lm                | Color of Fixture: | White         |
| IP Rating:         | IP20                 | Body Type:        | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight

9W VT-810

8267 - 3000K Warm White  
8269 - 4000K Day White

EAN Code

3800157627177  
3800157627191BOX QTY.  
 12

|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 720lm                | Color of Fixture: | Black         |
| IP Rating:         | IP20                 | Shape:            | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight

13.5W VT-813

8270 - 3000K Warm White

8272 - 4000K Day White


BOX QTY.

12

EAN Code

3800157627207

3800157627221



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 1080lm               | Color of Fixture: | White         |
| IP Rating:         | IP20                 | Body Type:        | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight

13.5W VT-813

8271 - 3000K Warm White

8273 - 4000K Day White


BOX QTY.

12

EAN Code

3800157627214

3800157627238



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 1080lm               | Color of Fixture: | Black         |
| IP Rating:         | IP20                 | Shape:            | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight

6W VT-806


EAN Code

8250 - 3000K Warm White

3800157627009

8252 - 4000K Day White

3800157627023

BOX QTY.  
24

|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 480lm                | Color of Fixture: | White         |
| IP Rating:         | IP20                 | Body Type:        | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight

6W VT-806


EAN Code

8251 - 3000K Warm White

3800157627016

8253 - 4000K Day White

3800157627030

BOX QTY.  
24

|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 480lm                | Color of Fixture: | Black         |
| IP Rating:         | IP20                 | Shape:            | Plastic+Metal |
| CRI:               | >80                  |                   |               |



NEW



## LED WallLight


12W VT-812

8254 - 3000K Warm White  
8256 - 4000K Day White

EAN Code

3800157627047

3800157627061

BOX QTY.  
12

|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 960lm                | Color of Fixture: | White         |
| IP Rating:         | IP20                 | Body Type:        | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight


12W VT-812

8255 - 3000K Warm White  
8257 - 4000K Day White

EAN Code

3800157627054

3800157627078

BOX QTY.  
12

|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 960lm                | Color of Fixture: | Black         |
| IP Rating:         | IP20                 | Shape:            | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight


18W VT-818

EAN Code

8258 - 3000K Warm White  
8260 - 4000K Day White

3800157627085  
3800157627108

BOX QTY.  
 12



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 1440lm               | Color of Fixture: | White         |
| IP Rating:         | IP20                 | Body Type:        | Plastic+Metal |
| CRI:               | >80                  |                   |               |

NEW



## LED WallLight


18W VT-818

EAN Code

8259 - 3000K Warm White  
8261 - 4000K Day White

3800157627092  
3800157627115

BOX QTY.  
 12



|                    |                      |                   |               |
|--------------------|----------------------|-------------------|---------------|
| Sensor Compatible: | Yes                  | PF:               | >0.5          |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Beam Angle:       | 100°          |
| Luminous Flux:     | 1440lm               | Color of Fixture: | Black         |
| IP Rating:         | IP20                 | Shape:            | Plastic+Metal |
| CRI:               | >80                  |                   |               |



# LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.



## Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

## Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



### Indoor Display Screen

#### P5 Indoor LED Finished Cabinet

SKU

11077

EAN Code

3800157617468

A++

BOX QTY.

06



### Screen Parameter

|                           |                                |
|---------------------------|--------------------------------|
| Pixel Density             | 40000dots/sqm                  |
| Brightness                | 1800nits                       |
| Optimum View Distance     | more than 5m                   |
| Gray Scale                | 16bits                         |
| Display Color             | 281 trillions(synchronized)    |
| Operation Power           | 220V-240V                      |
| Max Power Consumption     | 750W/sqm                       |
| Control Mode              | Synchronized                   |
| Refresh Frequency         | 400-700HZ                      |
| Fram Frequency            | 60HZ                           |
| Surport Signal Input      | S-Video,RGBHV,YUV etc.         |
| Control Distance          | UTP140M,SINGLE MODE FIBER 15KM |
| Life Span(50% Brightness) | 100000hrs                      |
| IP(Front/rear)            | IP20                           |

### LED Cabinet Parameter

|                              |              |
|------------------------------|--------------|
| Cabinet Size(L*h*d)          | 640*640mm    |
| Cabinet Resolution           | 128*128      |
| Module Quantity Each Cabinet | 2*4=8        |
| Average Power Consumption    | 300w/cabinet |
| Cabinet Material             | Iron         |
| Cabinet Size                 | 8kg/cabinet  |

### LED Module Parameter

|                   |                            |
|-------------------|----------------------------|
| Pixel Pitch       | 5mm                        |
| Led Specification | SMD3528                    |
| Led Configuration | SMD 3 in 1                 |
| Module Size       | 320*160mm                  |
| Module Resolution | 64*32=2048dot              |
| Drive Method      | 1/16 scan constant current |
| Drive IC          | SM16106                    |



### Indoor Display Screen

#### P4 Indoor LED Display Screen

SKU

11079

EAN Code

3800157619493

A++

BOX QTY.

06

**Plug & Play****Ideal For Renting Purpose****Portable Moving For Events**

#### Screen Parameter

|                           |                                                                  |
|---------------------------|------------------------------------------------------------------|
| Pixel Density             | 62500dots/sqm                                                    |
| Brightness                | 1100nits                                                         |
| Optimum View Distance     | more than 5m                                                     |
| Gray Scale                | 16bits                                                           |
| Display Color             | 281 trillions(synchronized)                                      |
| Operation Power           | AC 220V-240V/ 50/60Hz                                            |
| Power Consumption         | 300W/cabinet                                                     |
| Control Mode              | Synchronized                                                     |
| Refresh Frequency         | 400-700HZ                                                        |
| Surport Signal Input      | S-Video,RGBHV,YUV etc.                                           |
| Control Distance          | UTP140M,SINGLE MODE FIBER 15KM                                   |
| Life Span(50% Brightness) | 100000hrs                                                        |
| IP(Front)                 | IP40                                                             |
| Control System            | PCTV nonlinearity card, DVI display card<br>Linsn control system |

#### LED Cabinet Parameter

|                              |              |
|------------------------------|--------------|
| Cabinet Size(L*h*d)          | 512*512*85mm |
| Cabinet Resolution           | 128*128      |
| Module Quantity Each Cabinet | 2*4=8        |
| Power Consumption            | 300w/cabinet |
| Cabinet Material             | Iron         |
| Cabinet Weight               | 8kg/cabinet  |

#### LED Module Parameter

|                   |                            |
|-------------------|----------------------------|
| Pixel Pitch       | 4mm                        |
| Led Specification | SMD2121                    |
| Led Configuration | SMD 3 in 1                 |
| Module Size       | 256*128mm                  |
| Module Resolution | 64*32=2048dot              |
| Drive Method      | 1/16 scan constant current |
| Drive IC          | SM16106                    |
| Power Consumption | 25-30W                     |

Windows 10



DUAL DISPLAY  
TOUCH SCREEN



**Media Player**    SKU **11088**    EAN Code **3800157622820**    **BOX QTY.** **04**

## Features:

- |                                                 |                       |
|-------------------------------------------------|-----------------------|
| ✓ LED Display Player with Industrial PC         | ✓ Input - AC:120-260V |
| ✓ One TS802 sending card inside                 | ✓ 1 x Audio In        |
| ✓ Dual Display - Supports Max 1280*800          | ✓ 1 x Audio Out       |
| ✓ Supports SD Memory Card/USB/HDMI Out/Internet | ✓ 1 x DVI In          |
| ✓ USB and SD Card Memory Playing                | ✓ 1 x HDMI Out        |
| ✓ Compact and Easy to Install                   | ✓ 4 USB Interface     |
| ✓ 7" Touch Screen with windows 10 Inside        |                       |
| ✓ Size - 320*180*50mm                           |                       |

## Accessories:



**Sending Box**    **BOX QTY.** **20**  
SKU **500082**



**Sending Card 802**    **BOX QTY.** **20**  
SKU **500081**

The background of the entire page is a photograph of a modern interior. Two spherical pendant lights with a warm, orange-glowing filament bulb inside are suspended from the ceiling. The background wall is dark with horizontal lines. To the left, a potted plant is visible. The floor is made of light-colored wood planks. A dark, curved object, possibly a chair or ottoman, is in the foreground on the right.

# Stylish Pendants

---

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

## Product Features

- Stylish pendant lamps available in various shapes, material and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.
- Applicable with E14 & E27 base.
- Pendant holders available in Bottle Shape, Chrome, Wooden, Concrete, Metal & Porcelain series.

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.

---






**VT-7350**

**Huge Transparent**

**SKU:** 3879  
**EAN Code:** 3800157620970  
**Material:** Glass + Metal  
**Size:** 330 x 260 x 1000mm

**BOX QTY.**  
 **08**




**VT-7350**

**Huge Black**

**SKU:** 3880  
**EAN Code:** 3800157620987  
**Material:** Glass + Metal  
**Size:** 330 x 260 x 1000mm

**BOX QTY.**  
 **08**





**VT-7306**

**Transparent chrome**

**3 wire suspension**

**SKU:** 3883

**EAN Code:** 3800157621014


**Material:** Glass

**Size:** Ø300 x 265 x 1000mm

**BOX QTY.**



**08**






**VT-7292**

**Gun Grey- 3 wire suspension**

**SKU:** 3887  
**EAN Code:** 3800157621052  
**Material:** Glass  
**Size:** Ø300 x 265 x 1000mm

**BOX QTY.**  
 **08**




**VT-7380**

**Gun Grey- 3 wire suspension**

**SKU:** 3888  
**EAN Code:** 3800157621069  
**Material:** Glass  
**Size:** Ø380 x 330 x 1000mm

**BOX QTY.**  
 **08**





**VT-7303**  
**Amber Globe Shape**

**SKU:** 3866  
**EAN Code:** 3800157620765  
**Material:** Glass + Metal  
**Size:** 300 x 280 x 1000mm

**BOX QTY.**

 **08**






**VT-7302**

**Transparent Globe Glass**

**SKU:** 3865  
**EAN Code:** 3800157620758  
**Material:** Glass + Metal  
**Size:** 300 x 280 x 1000mm

**BOX QTY.**  
 **12**




**VT-7229**

**Transparent Artistic Shape**

**SKU:** 3867  
**EAN Code:** 3800157620772  
**Material:** Glass + Metal  
**Size:** 265 x 190 x 1000mm

**BOX QTY.**  
 **12**






#### VT-7304

##### Double Glass- Amber + White

**SKU:** 3875  
**EAN Code:** 3800157620932  
**Material:** Glass + Metal  
**Size:** 250 x 420 x 1000mm

**BOX QTY.**  
 **08**




#### VT-7181

##### Double Glass- Amber + White

**SKU:** 3878  
**EAN Code:** 3800157620963  
**Material:** Glass + Metal  
**Size:** 180 x 350 x 1000mm

**BOX QTY.**  
 **09**






**VT-7304**

**Double Glass- Gungrey+White**

**SKU:** 3876  
**EAN Code:** 3800157620949  
**Material:** Glass + Metal  
**Size:** 250 x 420 x 1000mm

**BOX QTY.**  
 **08**




**VT-7181**

**Double Glass- Gungrey+White**

**SKU:** 3877  
**EAN Code:** 3800157620956  
**Material:** Glass + Metal  
**Size:** 180 x 350 x 1000mm

**BOX QTY.**  
 **09**






**VT-7281**  
**White Glass**

**SKU:** 3884  
**EAN Code:** 3800157621021  
**Material:** Glass + Metal  
**Size:** 285 x440 x1000mm


**BOX QTY.**  
 **04**



**VT-7281**  
**Black Glass**

**SKU:** 3885  
**EAN Code:** 3800157621038  
**Material:** Glass + Metal  
**Size:** 285 x440 x1000mm


**BOX QTY.**  
 **04**



**VT-7281**  
**Amber Glass**

**SKU:** 3886  
**EAN Code:** 3800157621045  
**Material:** Glass + Metal  
**Size:** 285 x440 x1000mm

**BOX QTY.**  
 **04**







VT-7210

Transparent Glass

BOX QTY.


08

SKU: 3730

EAN Code: 3800157611039

Material: Glass + Metal

Size: 245 x 230 x 1100mm



VT-7140

Amber Glass

BOX QTY.


12

SKU: 3736

EAN Code: 3800157611091

Material: Glass + Metal

Size: 140 x 240 x 1130mm






#### VT-7140

##### Transparent Glass

**SKU:** 3735  
**EAN Code:** 3800157611084  
**Material:** Glass + Metal  
**Size:** 140 x 240 x1130mm

BOX QTY.  
 08




#### VT-7185

##### Transparent Glass

**SKU:** 3738  
**EAN Code:** 3800157611114  
**Material:** Glass + Metal  
**Size:** 180 x 230 x1110mm

BOX QTY.  
 12






**VT-7250**  
**Transparent Glass**

**SKU:** 3739  
**EAN Code:** 3800157611121  
**Material:** Glass + Metal  
**Size:** 250 x 330 x 1220mm


BOX QTY.  
**08**



**VT-7290**  
**Amber Glass**

**SKU:** 3741  
**EAN Code:** 3800157611145  
**Material:** Glass + Metal  
**Size:** 260 x 260 x 1150mm

BOX QTY.  
**08**






### VT-7300

#### Transparent Glass

**SKU:** 3737  
**EAN Code:** 3800157611107  
**Material:** Glass + Metal  
**Size:** 300 x 250 x 1150mm

**BOX QTY.**  
 **08**




### VT-7320

#### Amber Glass

**SKU:** 3740  
**EAN Code:** 3800157611138  
**Material:** Glass + Metal  
**Size:** 250 x 280 x 1180mm

**BOX QTY.**  
 **08**






**VT-7150**  
**Amber Glass**

**SKU:** 3732  
**EAN Code:** 3800157611053  
**Material:** Glass + Metal  
**Size:** 145 x 160 x 1050mm


**BOX QTY.**  
 **12**



**VT-7150**  
**Green Glass**

**SKU:** 3734  
**EAN Code:** 3800157611077  
**Material:** Glass + Metal  
**Size:** 145 x 160 x 1050mm

**BOX QTY.**  
 **12**






**VT-7150**  
**Red Glass**

**SKU:** 3731  
**EAN Code:** 3800157611046  
**Material:** Glass + Metal  
**Size:** 145 x 160 x 1050mm

**BOX QTY.**  
**12**



**VT-7150**  
**Clear Glass**

**SKU:** 3733  
**EAN Code:** 3800157611060  
**Material:** Glass + Metal  
**Size:** 145 x 160 x 1050mm

**BOX QTY.**  
**12**





**VT-7220**  
**Transparent Glass**

**SKU:** 3727  
**EAN Code:** 3800157611008  
**Material:** Glass + Metal  
**Size:** 220 x 280 x 1150mm


**BOX QTY.**  
 **08**



**VT-7220**  
**Amber Glass**

**SKU:** 3726  
**EAN Code:** 3800157610995  
**Material:** Glass + Metal  
**Size:** 220 x 280 x 1150mm

**BOX QTY.**  
 **08**






**VT-7130**  
**Transparent Glass**

**SKU:** 3818  
**EAN Code:** 3800157615433  
**Material:** Glass + Wood  
**Size:** 135 x 240 x 1150mm

BOX QTY.

08




**VT-7170**  
**Transparent Glass**

**SKU:** 3819  
**EAN Code:** 3800157615440  
**Material:** Glass + Wood  
**Size:** 165 x 220 x 1100mm

BOX QTY.

08





**NEW**



**VT-7307**

**Amber Glass**

**SKU:** 3926

**EAN Code:** 3800157626217


**Material:** Glass + Wood

**Size:** 300 x 1300mm

**BOX QTY.**



**04**






3D Glass

VT-7015

Glass

**SKU:** 3830  
**EAN Code:** 3800157616652  
**Material:** Glass  
**Size:** 150 x 140 x 1200mm

BOX QTY.  
10




VT-7240

Transparent Glass

**SKU:** 3820  
**EAN Code:** 3800157615457  
**Material:** Glass + Wood  
**Size:** 235 x 140 x 1050mm

BOX QTY.  
08






VT-7422  
Black

**SKU:** 3728  
**EAN Code:** 3800157611015  
**Material:** Aluminum  
**Size:** 230 x 310x 1150mm


BOX QTY.  
08



VT-7422  
White

**SKU:** 3729  
**EAN Code:** 3800157611022  
**Material:** Aluminum  
**Size:** 230 x 310x 1150mm

BOX QTY.  
08






**VT-7180**  
**Transparent V Shape**

**SKU:** 3863  
**EAN Code:** 3800157620734  
**Material:** Glass + Metal  
**Size:** Ø250 x 90mm

**BOX QTY.**

**08**




**VT-7226**  
**Transparent Globe Shape**

**SKU:** 3864  
**EAN Code:** 3800157620741  
**Material:** Glass + Metal  
**Size:** Ø250 x 230mm

**BOX QTY.**

**08**





#### VT-7142


##### Transparent Cone Shape

**SKU:** 3861  
**EAN Code:** 3800157620710  
**Material:** Glass + Metal  
**Size:** 140 x 160mm

**BOX QTY.**



**08**



#### VT-7143


##### Transparent V Shape

**SKU:** 3862  
**EAN Code:** 3800157620727  
**Material:** Glass + Metal  
**Size:** 185 x 140 mm

**BOX QTY.**



**08**






**VT-7400**  
**Modern 6 Bulb Chandelier -Movable**

**SKU:** 3889  
**EAN Code:** 3800157621076  
**Material:** Metal

**BOX QTY.**  
 **04**






**VT-7200**  
**Matt Grey**

**SKU:** 3822  
**EAN Code:** 3800157616577  
**Material:** Metal  
**Size:** 200 x 270 x 1300mm

**BOX QTY.**  
 **08**





**VT-7200**  
**Champagne Gold**

**SKU:** 3821  
**EAN Code:** 3800157616560  
**Material:** Metal  
**Size:** 200 x 270 x 1300mm


**BOX QTY.**  
 **08**



**VT-7200**  
**Matt White**

**SKU:** 3823  
**EAN Code:** 3800157616584  
**Material:** Metal  
**Size:** 200 x 270 x 1300mm

**BOX QTY.**  
 **08**








**VT-7131**  
**Champagne Gold**

**SKU:** 3824  
**EAN Code:** 3800157616591  
**Material:** Metal  
**Size:** 130 x 250 x 1300mm


**BOX QTY.**  
 **10**



**VT-7131**  
**Matt Black**

**SKU:** 3825  
**EAN Code:** 3800157616607  
**Material:** Metal  
**Size:** 130 x 250 x 1300mm


**BOX QTY.**  
 **10**






**VT-7131**  
**Matt White**

**SKU:** 3826  
**EAN Code:** 3800157616614  
**Material:** Metal  
**Size:** 130 x 250 x 1300mm



**VT-7132**  
**Champagne Gold**

**SKU:** 3827  
**EAN Code:** 3800157616621  
**Material:** Metal  
**Size:** 130 x 220 x 1300mm






VT-7132  
Matt Black

**SKU:** 3828  
**EAN Code:** 3800157616638  
**Material:** Metal  
**Size:** 130 x 220 x 1300mm


BOX QTY.  
10



VT-7132  
Matt White

**SKU:** 3829  
**EAN Code:** 3800157616645  
**Material:** Metal  
**Size:** 130 x 220 x 1300mm

BOX QTY.  
10






**VT-7332**  
**Black Metal Globe Mesh**

**SKU:** 3859  
**EAN Code:** 3800157620697  
**Material:** Metal  
**Size:** Ø290 x 440 x 1000mm


**BOX QTY.**  
 **08**



**VT-7252**  
**Black Metal V Shape**

**SKU:** 3860  
**EAN Code:** 3800157620703  
**Material:** Metal  
**Size:** Ø285 x 170 x 1000mm

**BOX QTY.**  
 **12**





**VT-8300**  
**Rose Gold**

**SKU:** 3710  
**EAN Code:** 3800157610834  
**Material:** Iron with Electric  
Copper Paint  
**Size:** Ø300mm

**BOX QTY.**  
 **04**





**VT-8150**  
**Rose Gold**

**SKU:** 3713  
**EAN Code:** 3800157610865  
**Material:** Iron with Electric Copper Paint  
**Size:** Ø150mm

**BOX QTY.**  
**10**




**VT-8220**  
**Rose Gold**

**SKU:** 3711  
**EAN Code:** 3800157610841  
**Material:** Iron with Electric Copper Paint  
**Size:** Ø220mm

**BOX QTY.**  
**04**





**VT-8150**

**Chrome**

**SKU:** 3712

**EAN Code:** 3800157610865

**Material:** Iron with Electric  
Copper Paint  
Ø150mm

**Size:** Ø150mm

**BOX QTY.**

**10**



**VT-8255**

**Rose Gold**

**SKU:** 3709

**EAN Code:** 3800157610827

**Material:** Iron with Electric  
Copper Paint  
Ø250mm

**Size:** Ø250mm

**BOX QTY.**

**04**





VT-8180

Chrome

**SKU:** 3707  
**EAN Code:** 3800157610803  
**Material:** Iron with Electric  
 Copper Paint  
**Size:** Ø180mm

**BOX QTY.**  
 04



VT-8180

Rose Gold

**SKU:** 3708  
**EAN Code:** 3800157610810  
**Material:** Iron with Electric  
 Copper Paint  
**Size:** Ø180mm

**BOX QTY.**  
 08







**VT-8170**  
**Rose Gold**

**SKU:** 3714  
**EAN Code:** 3800157610872  
**Material:** Iron with Electric Copper Paint  
**Size:** Ø170mm

**BOX QTY:**  
 **08**



**VT-8230**  
**Rose Gold**

**SKU:** 3715  
**EAN Code:** 3800157610889  
**Material:** Iron with Electric Copper Paint  
**Size:** Ø230mm

**BOX QTY:**  
 **04**





**VT-8175**

**Chrome**

**SKU:** 3705

**EAN Code:** 3800157610780

**Material:** Iron with Electric  
Copper Paint

**Size:** Ø170mm

**BOX QTY.**

**04**



**VT-8175**

**Rose Gold**

**SKU:** 3706

**EAN Code:** 3800157610797

**Material:** Iron with Electric  
Copper Paint

**Size:** Ø170mm

**BOX QTY.**

**08**





**VT-8200**  
**Rose Gold**

**SKU:** 3716  
**EAN Code:** 3800157610896  
**Material:** Iron with Electric  
Copper Paint  
**Size:** Ø200mm

**BOX QTY.**  
**04**



**VT-8250**  
**Rose Gold**

**SKU:** 3717  
**EAN Code:** 3800157610902  
**Material:** Iron with Electric  
Copper Paint  
**Size:** Ø250mm






**VT-7205**

**White Glass**

|                  |                    |
|------------------|--------------------|
| <b>SKU:</b>      | 3759               |
| <b>EAN Code:</b> | 3800157611329      |
| <b>Material:</b> | Glass + Wood       |
| <b>Size:</b>     | 190 x 320 x 1120mm |

**BOX QTY.**  
 **08**






**VT-7175**  
**White Glass**

**SKU:** 3758  
**EAN Code:** 3800157611312  
**Material:** Glass + Wood  
**Size:** 170 x 320 x 1120mm


**BOX QTY.**  
 **08**



**VT-7177**  
**Clear Glass**

**SKU:** 3760  
**EAN Code:** 3800157611336  
**Material:** Glass + Wood  
**Size:** 170 x 320 x 1120mm

**BOX QTY.**  
 **08**






**VT-7162**

**White**

**SKU:** 3868  
**EAN Code:** 3800157620789  
**Material:** Aluminum  
**Size:** Ø160 x350 x600mm

**BOX QTY.**  
 **20**




**VT-7162**

**Black**

**SKU:** 3869  
**EAN Code:** 3800157620796  
**Material:** Aluminum  
**Size:** Ø160 x350 x600mm

**BOX QTY.**  
 **20**






**VT-7330**

**SKU:** 3849  
**EAN Code:** 3800157618984  
**Material:** Concrete and Iron  
**Size:** 400 x 250 x 1100mm

**BOX QTY.**  
 **04**






### VT-7253


**SKU:** 3848  
**EAN Code:** 3800157618977  
**Material:** Concrete and Iron  
**Size:** 250 x 310 x 1200mm

**BOX QTY.**  
 **04**



### VT-7121

**SKU:** 3847  
**EAN Code:** 3800157618960  
**Material:** Concrete and Iron  
**Size:** 120 x 380 x 1300mm








#### VT-7155

**SKU:** 3850  
**EAN Code:** 3800157618991  
**Material:** Concrete  
**Size:** 160 x 290 x 1250mm

BOX QTY.  
 **06**






VT-7202

**SKU:** 3853  
**EAN Code:** 3800157619028  
**Material:** Concrete  
**Size:** 180 x 160 x 1100mm


BOX QTY.  
04



VT-7291

**SKU:** 3854  
**EAN Code:** 3800157619035  
**Material:** Concrete with Wood  
**Size:** 265 x 260 x 1050mm

BOX QTY.  
04






**VT-7301**

**White**

**SKU:** 3858  
**EAN Code:** 3800157619073  
**Material:** Concrete with Wood  
**Size:** 290 x 250 x 1150mm

**BOX QTY.**  
 **04**




**VT-7125**

**Grey**

**SKU:** 3855  
**EAN Code:** 3800157619042  
**Material:** Concrete with Wood  
**Size:** 120 x 210 x 1080mm

**BOX QTY.**  
 **08**






#### VT-7125

Green

**SKU:** 3856  
**EAN Code:** 3800157619059  
**Material:** Concrete with Wood  
**Size:** 120 x 210 x 1080mm

**BOX QTY.**  
 **08**




#### VT-7125

Red

**SKU:** 3857  
**EAN Code:** 3800157619066  
**Material:** Concrete with Wood  
**Size:** 120 x 210 x 1080mm

**BOX QTY.**  
 **08**






**VT-7160**

**SKU:** 3851  
**EAN Code:** 3800157619004  
**Material:** Concrete  
**Size:** 160 x 150 x 2000mm


**BOX QTY.**  
 **04**



**VT-7171**

**SKU:** 3852  
**EAN Code:** 3800157619011  
**Material:** Concrete  
**Size:** 180 x 130 x 2000mm

**BOX QTY.**  
 **08**






**VT-7141**  
**Champagne Gold**

**SKU:** 3831  
**EAN Code:** 3800157616669  
**Material:** Metal  
**Size:** 250 x 190 x 1250mm


**BOX QTY.**  
 **08**



**VT-7141**  
**Matt Black**

**SKU:** 3832  
**EAN Code:** 3800157616676  
**Material:** Metal  
**Size:** 250 x 190 x 1250mm

**BOX QTY.**  
 **08**






**VT-7161**  
**Champagne Gold**

**SKU:** 3833  
**EAN Code:** 3800157616683  
**Material:** Metal  
**Size:** 225 x 225x 1250mm


**BOX QTY.**  
 **10**



**VT-7161**  
**Matt Black**

**SKU:** 3834  
**EAN Code:** 3800157616690  
**Material:** Metal  
**Size:** 225 x 225x 1250mm

**BOX QTY.**  
 **10**



NEW



VT-7144

Matt Black - 3PC SET

SKU: 3927

EAN Code: 3800157626224


Material: Metal

Size: 300 x1300mm

BOX QTY.



04








VT-7322  
Champagne Gold

SKU: 3835  
EAN Code: 3800157616706  
Material: Metal  
Size: 320 x 320x 1350mm


BOX QTY.  
10



VT-7322  
Matt Black

SKU: 3836  
EAN Code: 3800157616713  
Material: Metal  
Size: 320 x 320x 1350mm


BOX QTY.  
10






**VT-7321**  
**Champagne Gold**

**SKU:** 3837  
**EAN Code:** 3800157616720  
**Material:** Metal  
**Size:** 320 x 320x 1350mm



**VT-7321**  
**Matt Black**

**SKU:** 3838  
**EAN Code:** 3800157616737  
**Material:** Metal  
**Size:** 320 x 320x 1350mm






**VT-7225**  
**Red Bronze**

**SKU:** 3816  
**EAN Code:** 3800157612760  
**Material:** Aluminum+ Sand finish  
**Size:** 260 x 330 x 1100 mm


**BOX QTY.**  
 **08**



**VT-7340**  
**Red Bronze**

**SKU:** 3817  
**EAN Code:** 3800157612777  
**Material:** Aluminum+ Sand finish  
**Size:** 360 x 420 x 1200 mm

**BOX QTY.**  
 **04**






**VT-7520**

**Sand Black**

|                  |                        |
|------------------|------------------------|
| <b>SKU:</b>      | 3700                   |
| <b>EAN Code:</b> | 3800157610735          |
| <b>Material:</b> | Aluminum + Sand finish |
| <b>Size:</b>     | 220 x 310 x 1375mm     |






**VT-7520**  
**Sand Grey**

**SKU:** 3701  
**EAN Code:** 3800157610742  
**Material:** Aluminum + Sand finish  
**Size:** 220 x 310 x 1375mm


**BOX QTY.**  
**04**



**VT-7520**  
**Sand White**

**SKU:** 3702  
**EAN Code:** 3800157610759  
**Material:** Aluminum + Sand finish  
**Size:** 220 x 310 x 1375mm

**BOX QTY.**  
**04**






### VT-7425

White

**SKU:** 3756  
**EAN Code:** 3800157611299  
**Material:** Aluminum + Wooden Top  
**Size:** 250 x 200x 1100mm

**BOX QTY.**  
 **08**




### VT-7425

Black

**SKU:** 3757  
**EAN Code:** 3800157611305  
**Material:** Aluminum + Wooden Top  
**Size:** 250 x 200x 1100mm

**BOX QTY.**  
 **08**






**VT-7525**

**White**

**SKU:** 3761  
**EAN Code:** 3800157611343  
**Material:** Iron + Wooden Top  
**Size:** 250 x 400x 1200mm

**BOX QTY.**  
 **08**




**VT-7525**

**Black**

**SKU:** 3762  
**EAN Code:** 3800157611350  
**Material:** Iron + Wooden Top  
**Size:** 250 x 400x 1200mm

**BOX QTY.**  
 **08**






**VT-7535**

**White**

**SKU:** 3763  
**EAN Code:** 3800157611367  
**Material:** Iron + Wooden Top  
**Size:** 350 x 300x 1100mm

**BOX QTY.**  
 **08**




**VT-7535**

**Black**

**SKU:** 3764  
**EAN Code:** 3800157611374  
**Material:** Iron + Wooden Top  
**Size:** 350 x 300x 1100mm

**BOX QTY.**  
 **08**







VT-7545

White


BOX QTY.  
08

SKU: 3765

EAN Code: 3800157611381

Material: Iron + Wooden Top

Size: 350 x 300 x 1100mm



VT-7545

Black


BOX QTY.  
08

SKU: 3766

EAN Code: 3800157611398

Material: Iron + Wooden Top

Size: 350 x 300 x 1100mm



**NEW**



**VT-7100**  
**White**

**BOX QTY.**  
 **12**

**SKU:** 3920  
**EAN Code:** 3800157626156  
**Material:** Metal Finish  
**Size:** Ø180 x 100x 1200mm



**VT-7100**  
**Black**

**BOX QTY.**  
 **12**


**SKU:** 3921  
**EAN Code:** 3800157626163  
**Material:** Metal Finish  
**Size:** Ø180 x 100x 1200mm



**VT-7100**  
**Gray**

**BOX QTY.**  
 **12**

**SKU:** 3922  
**EAN Code:** 3800157626170  
**Material:** Metal Finish  
**Size:** Ø180 x 100x 1200mm



### MOVABLE COVER



NEW



VT-7100

Pink

BOX QTY.



12

SKU: 3923

EAN Code: 3800157626187

Material: Metal Finish

Size: Ø180 x 100x 1200mm



VT-7100

Red

BOX QTY.



12

SKU: 3924

EAN Code: 3800157626194

Material: Metal Finish

Size: Ø180 x 100x 1200mm



VT-7100

Blue

BOX QTY.




12

SKU: 3925

EAN Code: 3800157626200

Material: Metal Finish

Size: Ø180 x 100x 1200mm



MOVABLE COVER






**VT-7777**

**Rose Gold**

**SKU:** 3751  
**EAN Code:** 3800157611244  
**Material:** Metal  
**Size:** 300 x 90x 1000mm

**BOX QTY.**  
 **20**




**VT-7777**

**Matt Gold**

**SKU:** 3752  
**EAN Code:** 3800157611251  
**Material:** Metal  
**Size:** 300 x 90x 1000mm

**BOX QTY.**  
 **20**






**VT-7424**

**Black**

**SKU:** 3753  
**EAN Code:** 3800157611268  
**Material:** Metal  
**Size:** 260 x 170 x 1080mm

**BOX QTY.**  
 **12**




**Adjustable  
Height**

**VT-7201**

**Black**

**SKU:** 3845  
**EAN Code:** 3800157617192  
**Material:** Metal  
**Size:** 220 x 140x 600-1600mm






**VT-7251**  
**Globe Pendant**

**SKU:** 3839  
**EAN Code:** 3800157616744  
**Material:** Acrylic glass  
**Size:** 250 x 250x 1300mm


**BOX QTY.**  
 **04**



**VT-7118**  
**Rope**

**SKU:** 3754  
**EAN Code:** 3800157611275  
**Material:** Rope  
**Size:** 45x 57x 1500mm

**BOX QTY.**  
 **18**





**VT-7558**  
**Green**

BOX QTY.  
25

**SKU:** 3767  
**EAN Code:** 3800157611404  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm



**VT-7558**  
**Blue**

BOX QTY.  
25

**SKU:** 3768  
**EAN Code:** 3800157611411  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm



**VT-7558**  
**Red**

BOX QTY.  
25

**SKU:** 3769  
**EAN Code:** 3800157611428  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm




BOX QTY.  
25

**VT-7558**  
**Amber**

BOX QTY.  
25

**SKU:** 3770  
**EAN Code:** 3800157611435  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm



BOX QTY.  
25

**VT-7558**  
**Transparent**

BOX QTY.  
25

**SKU:** 3771  
**EAN Code:** 3800157611442  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm



**VT-7558**  
**Pink**

**BOX QTY.**  
 **25**

**SKU:** 3772  
**EAN Code:** 3800157611459  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm



**VT-7558**  
**Yellow**

**BOX QTY.**  
 **25**

**SKU:** 3773  
**EAN Code:** 3800157611466  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm



**VT-7558**  
**Rose**

**BOX QTY.**  
 **25**


**SKU:** 3774  
**EAN Code:** 3800157611473  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm



**VT-7558**  
**Grey**

**BOX QTY.**  
 **25**

**SKU:** 3775  
**EAN Code:** 3800157611480  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm



**VT-7558**  
**Brown**

**BOX QTY.**  
 **25**

**SKU:** 3776  
**EAN Code:** 3800157611497  
**Material:** Glass  
**Size:** Ø72 x 280x 1150mm





**VT-7778**  
**White Wire**

**BOX QTY.**  
 **50**

**SKU:** 3720  
**EAN Code:** 3800157610933  
**Material:** Wooden  
**Size:** Ø73 x 102x 1000mm



**VT-7778**  
**Black Wire**

**BOX QTY.**  
 **50**

**SKU:** 3721  
**EAN Code:** 3800157610940  
**Material:** Wooden  
**Size:** Ø73 x 102x 1000mm



**VT-7778**  
**Blue Wire**

**BOX QTY.**  
 **50**

**SKU:** 3722  
**EAN Code:** 3800157610957  
**Material:** Wooden  
**Size:** Ø73 x 102x 1000mm



**VT-7778**  
**Red Wire**

**BOX QTY.**  
 **50**


**SKU:** 3723  
**EAN Code:** 3800157610964  
**Material:** Wooden  
**Size:** Ø73 x 102x 1000mm



**VT-7778**  
**Purple Wire**

**BOX QTY.**  
 **50**

**SKU:** 3724  
**EAN Code:** 3800157610971  
**Material:** Wooden  
**Size:** Ø73 x 102x 1000mm



**VT-7778**  
**Green Wire**

**BOX QTY.**  
 **50**

**SKU:** 3725  
**EAN Code:** 3800157610988  
**Material:** Wooden  
**Size:** Ø73 x 102x 1000mm



**VT-7555**  
**Red Bronze**

BOX QTY.  
30

**SKU:** 3840  
**EAN Code:** 3800157617147  
**Base:** E27  
**Size:** Ø50x90x900mm



**VT-7555**  
**Brown Bronze**

BOX QTY.  
30

**SKU:** 3841  
**EAN Code:** 3800157617154  
**Base:** E27  
**Size:** Ø50x90x900mm



**VT-7555**  
**Brass Bronze**

BOX QTY.  
30

**SKU:** 3842  
**EAN Code:** 3800157617161  
**Base:** E27  
**Size:** Ø50x90x900mm



**VT-7555**  
**Bronze**

BOX QTY.  
30


**SKU:** 3843  
**EAN Code:** 3800157617178  
**Base:** E27  
**Size:** Ø50x90x900mm




**VT-7555**  
**Gold**

BOX QTY.  
30

**SKU:** 3844  
**EAN Code:** 3800157617185  
**Base:** E27  
**Size:** Ø50x90x900mm





**VT-7999**

**Gold Aluminum**


**BOX QTY.**  
**60**

**SKU:** 3811

**EAN Code:** 3800157612425

**Base:** E27

**Size:** Ø50 x 100mm



**VT-7999**

**Gold Aluminum**


**BOX QTY.**  
**60**

**SKU:** 3812

**EAN Code:** 3800157612432

**Base:** E27

**Size:** Ø50 x 100mm



**VT-7999**

**Bronze Aluminum**

**BOX QTY.**  
**60**

**SKU:** 3813


**EAN Code:** 3800157612449

**Base:** E27

**Size:** Ø50 x 100mm



**Adjustable  
Canopy**



**VT-7999**

**Bronze Aluminum**


**BOX QTY.**  
**60**

**SKU:** 3814

**EAN Code:** 3800157612456

**Base:** E27

**Size:** Ø50 x 100mm



**VT-7999**

**Rose Gold Aluminum**

**BOX QTY.**  
**60**

**SKU:** 3815

**EAN Code:** 3800157612463

**Base:** E27

**Size:** Ø50 x 100mm





VT-7998

White

BOX QTY.

60

SKU: 3803

EAN Code: 3800157612340

Base: E27

Size: Ø47x64x680mm



VT-7998

Black

BOX QTY.

60

SKU: 3804

EAN Code: 3800157612357

Base: E27

Size: Ø47x64x680mm



VT-7998

Green

BOX QTY.

60

SKU: 3805

EAN Code: 3800157612364

Base: E27

Size: Ø47x64x680mm



VT-7998

Blue

BOX QTY.

60

SKU: 3806

EAN Code: 3800157612371

Base: E27

Size: Ø47x64x680mm



VT-7998

Red

BOX QTY.

60

SKU: 3807

EAN Code: 3800157612388

Base: E27

Size: Ø47x64x680mm



VT-7998

Grey

BOX QTY.

60

SKU: 3808

EAN Code: 3800157612395

Base: E27

Size: Ø47x64x680mm



VT-7998

Yellow

BOX QTY.


60

SKU: 3809

EAN Code: 3800157612401

Base: E27

Size: Ø47x64x680mm



VT-7998

Brown

BOX QTY.

60

SKU: 3810

EAN Code: 3800157612418

Base: E27

Size: Ø47x64x680mm



**VT-799**  
**White**

**BOX QTY.**  
**100**

**SKU:** 3795  
**EAN Code:** 3800157612265  
**Base:** E27  
**Size:** Ø47x64mm



**VT-799**  
**Black**

**BOX QTY.**  
**100**

**SKU:** 3796  
**EAN Code:** 3800157612272  
**Base:** E27  
**Size:** Ø47x64mm



**VT-799**  
**Green**

**BOX QTY.**  
**100**

**SKU:** 3797  
**EAN Code:** 3800157612289  
**Base:** E27  
**Size:** Ø47x64mm



**VT-799**  
**Blue**

**BOX QTY.**  
**100**

**SKU:** 3798  
**EAN Code:** 3800157612296  
**Base:** E27  
**Size:** Ø47x64mm



**VT-799**  
**Red**

**BOX QTY.**  
**100**

**SKU:** 3799  
**EAN Code:** 3800157612302  
**Base:** E27  
**Size:** Ø47x64mm



**VT-799**  
**Grey**

**BOX QTY.**  
**100**


**SKU:** 3800  
**EAN Code:** 3800157612319  
**Base:** E27  
**Size:** Ø47x64mm



**VT-799**  
**Yellow**

**BOX QTY.**  
**100**

**SKU:** 3801  
**EAN Code:** 3800157612326  
**Base:** E27  
**Size:** Ø47x64mm



**VT-799**  
**Brown**

**BOX QTY.**  
**100**

**SKU:** 3802  
**EAN Code:** 3800157612333  
**Base:** E27  
**Size:** Ø47x64mm

BOX QTY.

40

VT-7668

Green



SKU: 3742

EAN Code: 3800157611152

Base: E27

Size: Ø50x95x1050mm

BOX QTY.

40

VT-7668

Red



SKU: 3743

EAN Code: 3800157611169

Base: E27

Size: Ø50x95x1050mm

BOX QTY.

40

VT-7668

Blue



SKU: 3744

EAN Code: 3800157611176

Base: E27

Size: Ø50x95x1050mm

BOX QTY.

40

VT-7668

Yellow



SKU: 3745

EAN Code: 3800157611183

Base: E27

Size: Ø50x95x1050mm

BOX QTY.

40

VT-7668

White



SKU: 3746

EAN Code: 3800157611190

Base: E27

Size: Ø50x95x1050mm

BOX QTY.

40

VT-7668

Black



SKU: 3747

EAN Code: 3800157611206

Base: E27

Size: Ø50x95x1050mm

BOX QTY.

40

VT-7668

Grey



SKU: 3748

EAN Code: 3800157611213

Base: E27

Size: Ø50x95x1050mm

BOX QTY.

40

VT-7668

Brown



SKU: 3749

EAN Code: 3800157611220

Base: E27

Size: Ø50x95x1050mm

BOX QTY.

40

VT-7668

Beige




SKU: 3750

EAN Code: 3800157611237

Base: E27

Size: Ø50x95x1050mm



## VT-7338

**Base:** E27

**Size:** Ø39x 60mm

**BOX QTY.**

**40**



**White**

**SKU:** 3755

**EAN Code:**

3800157611282



**Black**

**SKU:** 3782

**EAN Code:**

3800157611558




**Blue**

**SKU:** 3783

**EAN Code:**

3800157611565



**Brown**

**SKU:** 3784

**EAN Code:**

3800157611572




**Green**

**SKU :** 3785

**EAN Code:**

3800157611589



**Grey**

**SKU:** 3786

**EAN Code:**

3800157611596

**VT-7448**

**Rose Gold Set**

**SKU:** 3777

**EAN Code:** 3800157611503

**Base:** E27

**Size:** Ø39x 60mm



**Light Blue**

**SKU:** 3787

**EAN Code:**

3800157611602



**Orange**

**SKU:** 3788

**EAN Code:**

3800157611619



**Pink**

**SKU:** 3789

**EAN Code:**

3800157611626



**Purple**

**SKU:** 3790

**EAN Code:**

3800157611633



**Red**

**SKU:** 3791

**EAN Code:**

3800157611640



**Rose Red**

**SKU:** 3792

**EAN Code:**

3800157611657




**Yellow**

**SKU:** 3793

**EAN Code:**

3800157611664



**Beige**

**SKU:** 3794

**EAN Code:**

3800157611671



## VT-7228

**Base:**

**E27**

**BOX QTY.**

**Length:**

**1000mm**

**100**



**Brown**

**SKU: 3475**

**EAN Code:**

3800157607919



**Blue**

**SKU: 3476**

**EAN Code:**

3800157607926



**White**

**SKU: 3477**

**EAN Code:**

3800157607933



**Black**

**SKU: 3478**

**EAN Code:**

3800157607940



**Pink**

**SKU: 3479**

**EAN Code:**

3800157607957



**Red**

**SKU: 3480**

**EAN Code:**

3800157607964



**Grey**

**SKU: 3481**

**EAN Code:**

3800157607971



**Light Blue**

**SKU: 3482**

**EAN Code:**

3800157609463



**Purple**

**SKU: 3483**

**EAN Code:**

3800157609470



**Orange**

**SKU: 3484**

**EAN Code:**

3800157609487



**Yellow**

**SKU: 3485**

**EAN Code:**

3800157609494



**Green**

**SKU: 3486**

**EAN Code:**

3800157609500

### String Light With Euro Plug And WP Socket



**VT-713**

**SKU Code 3673**

**BOX QTY.**

**04**

**15 Meter Long String**

**15 Holders With 1 Meter Distance**



Designer Sleek


# LED Pendants

---



Chrome Finish

18W VT-7018

SKU  
3890 - 4000K Day WhiteEAN Code  
3800157621083BOX QTY.  
12

|                    |                |             |                               |
|--------------------|----------------|-------------|-------------------------------|
| Watts:             | 18W            | Beam Angle: | 120°                          |
| Voltage/Frequency: | 220-240V, 50Hz | No. of LED: | 90                            |
| Luminous Flux:     | 1350lm         | Material :  | Stainless steel + Metal +PMMA |
| LED Type:          | SMD            | Unit GW :   | 1.38KG                        |
| CRI:               | >80            | Life Span:  | 20,000h                       |
| PF:                | ≥0.8           | Size :      | 940 x 55 x 800mm              |



Chrome Finish

24W VT-7024

SKU

3891 - 4000K Day White


EAN Code

3800157621090

BOX QTY.

 12

Built In LED



|                    |                  |             |                            |
|--------------------|------------------|-------------|----------------------------|
| Watts:             | 24W              | Beam Angle: | 120°                       |
| Voltage/Frequency: | AC:220-240V,50Hz | No. of LED: | 120                        |
| Luminous Flux:     | 1800lm           | Material :  | Stainless steel+metal+PMMA |
| LED Type:          | SMD              | Unit GW :   | 1.59KG                     |
| CRI:               | >80              | Life Span:  | 20,000h                    |
| PF:                | ≥0.8             | Size :      | 1220 x 55 x 800mm          |



Chrome Finish

36W VT-7036

SKU

3892 - 4000K Day White


EAN Code

3800157621106


BOX QTY.



12



|                    |                         |             |                                   |
|--------------------|-------------------------|-------------|-----------------------------------|
| Watts:             | <b>36W</b>              | Beam Angle: | <b>120°</b>                       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | No. of LED: | <b>180</b>                        |
| Luminous Flux:     | <b>2700lm</b>           | Material :  | <b>Stainless steel+metal+PMMA</b> |
| LED Type:          | <b>SMD</b>              | Unit GW :   | <b>1.82KG</b>                     |
| CRI:               | <b>&gt;80</b>           | Life Span:  | <b>20,000h</b>                    |
| PF:                | <b>≥0.8</b>             | Size :      | <b>1820 x 55 x 800mm</b>          |

**Chrome Finish****36W** VT-7037

SKU

3893 - 4000K Day White

BOX QTY.

 **06**

EAN Code

3800157621113

|                    |                         |             |                                   |
|--------------------|-------------------------|-------------|-----------------------------------|
| Watts:             | <b>36W</b>              | Beam Angle: | <b>120°</b>                       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | No. of LED: | <b>180</b>                        |
| Luminous Flux:     | <b>2700lm</b>           | Material :  | <b>Stainless steel+metal+PMMA</b> |
| LED Type:          | <b>SMD</b>              | Unit GW :   | <b>2.24KG</b>                     |
| CRI:               | <b>&gt;80</b>           | Life Span:  | <b>20,000h</b>                    |
| PF:                | <b>≥0.8</b>             | Size :      | <b>940 x 120 x 60mm</b>           |



## Chrome Finish

8W VT-7008


SKU

3894 - 4000K Day White

EAN Code

3800157621120

BOX QTY.

 12

|                    |                  |             |                  |
|--------------------|------------------|-------------|------------------|
| Watts:             | 8W               | Beam Angle: | 120°             |
| Voltage/Frequency: | AC:220-240V,50Hz | No. of LED: | 40               |
| Luminous Flux:     | 600              | Material :  | metal+PMMA       |
| LED Type:          | SMD              | Unit GW :   | 0.72KG           |
| CRI:               | >80              | Life Span:  | 20,000H          |
| PF:                | ≥0.5             | Size :      | 500 x 55 x 185mm |



## Chrome Finish

12W VT-7012


SKU

3895 - 4000K Day White


EAN Code

3800157621137

BOX QTY.


 12

|                    |                  |             |                  |
|--------------------|------------------|-------------|------------------|
| Watts:             | 12W              | Beam Angle: | 120°             |
| Voltage/Frequency: | AC:220-240V,50Hz | No. of LED: | 60               |
| Luminous Flux:     | 900lm            | Material :  | metal+PMMA       |
| LED Type:          | SMD              | Unit GW :   | 0.82KG           |
| CRI:               | >80              | Life Span:  | 20,000h          |
| PF:                | ≥0.5             | Size :      | 640 x 55 x 185mm |


BOX QTY.  
 11SKU  
3900 - 4000K Day White

Chrome Finish

8W VT-7009CH


EAN Code  
3800157621854

|                    |                  |             |                               |
|--------------------|------------------|-------------|-------------------------------|
| Watts:             | 8W               | Beam Angle: | 120°                          |
| Voltage/Frequency: | AC:220-240V,50Hz | No. of LED: | 40                            |
| Luminous Flux:     | 600lm            | Material :  | Stainless steel+aluminum+PMMA |
| LED Type:          | SMD              | Unit GW :   | 0.8KG                         |
| CRI:               | >80              | Life Span:  | 20,000h                       |
| PF:                | ≥0.8             | Size :      | 455 x 45 x 190mm              |

BOX QTY.  
 11SKU  
3901 - 4000K Day White

Gold Finish

8W VT-7009

EAN Code  
3800157621861

|                    |                  |             |                               |
|--------------------|------------------|-------------|-------------------------------|
| Watts:             | 8W               | Beam Angle: | 120°                          |
| Voltage/Frequency: | AC:220-240V,50Hz | No. of LED: | 40                            |
| Luminous Flux:     | 600lm            | Material :  | Stainless steel+aluminum+PMMA |
| LED Type:          | SMD              | Unit GW :   | 0.8KG                         |
| CRI:               | >80              | Life Span:  | 20,000h                       |
| PF:                | ≥0.8             | Size :      | 455 x 45 x 190mm              |



NEW




## Chorme Cap

10W VT-7010

SKU

3916 - 4000K Day White  
3917 - 6400K WhiteBOX QTY.  
10

EAN Code

3800157626118  
3800157626125

|                    |                      |             |                     |
|--------------------|----------------------|-------------|---------------------|
| Watts:             | 10W                  | Beam Angle: | 150°                |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Material :  | Aluminium + PC      |
| Luminous Flux:     | 950lm                | Unit GW :   | 6.80KG/CTN          |
| LED Type:          | SMD                  | Life Span:  | 30,000 Hours        |
| CRI:               | >80                  | Size :      | 605 x 53.6 x 64.6mm |
| PF:                | 0.5                  |             |                     |



NEW


## White Cap

10W VT-7010


SKU

3918 - 4000K Day White  
3919 - 6400K WhiteBOX QTY.  
10

EAN Code

3800157626132  
3800157626149

|                    |                      |             |                     |
|--------------------|----------------------|-------------|---------------------|
| Watts:             | 10W                  | Beam Angle: | 150°                |
| Voltage/Frequency: | AC:220-240V, 50/60Hz | Material :  | Aluminium + PC      |
| Luminous Flux:     | 950lm                | Unit GW :   | 6.80KG/CTN          |
| LED Type:          | SMD                  | Life Span:  | 30,000 Hours        |
| CRI:               | >80                  | Size :      | 605 x 53.6 x 64.6mm |
| PF:                | 0.5                  |             |                     |


**Chrome Finish  
Ceiling Lamp****12W** VT-7014

SKU

**3902 - 4000K Day White**

EAN Code

3800157621878


**BOX QTY.**  
**12**Watts: **12W**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **900lm**LED Type: **SMD**CRI: **>80**PF: **≥0.8**Beam Angle: **120°**No. of LED: **60**Material : **Stainless steel+metal+ PMMA**Unit GW : **1.08**Life Span: **20,000H**Size : **640 x 65 x65mm****Chrome Finish  
Ceiling Lamp****18W** VT-7021

SKU

**3903 - 4000K Day White**

EAN Code

3800157621885

**BOX QTY.**  
**12**Watts: **18W**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **1350lm**LED Type: **SMD**CRI: **>80**PF: **≥0.8**Beam Angle: **120°**No. of LED: **90**Material : **Stainless steel + metal + PMMA**Unit GW : **1.28**Life Span: **20,000h**Size : **940 x 65 x65mm**


BOX QTY.  
 **06****Glass Wall Fixture****12W** VT-7013

SKU

**3896 - 4000K Day White**

EAN Code

3800157621144



|                    |                         |             |                                    |
|--------------------|-------------------------|-------------|------------------------------------|
| Watts:             | <b>12W</b>              | Beam Angle: | <b>120°</b>                        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | No. of LED: | <b>60</b>                          |
| Luminous Flux:     | <b>900lm</b>            | Material :  | <b>Stainless steel+metal+glass</b> |
| LED Type:          | <b>SMD</b>              | Unit GW :   | <b>1.01KG</b>                      |
| CRI:               | <b>&gt;80</b>           | Life Span:  | <b>20,000H</b>                     |
| PF:                | <b>≥0.8</b>             | Size :      | <b>685 x 55 x 65mm</b>             |


BOX QTY.  
 **06****Glass Wall Fixture****18W** VT-7019

SKU

**3897 - 4000K Day White**

EAN Code

3800157621151




|                    |                         |             |                                    |
|--------------------|-------------------------|-------------|------------------------------------|
| Watts:             | <b>18W</b>              | Beam Angle: | <b>120°</b>                        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | No. of LED: | <b>90</b>                          |
| Luminous Flux:     | <b>1350lm</b>           | Material :  | <b>Stainless steel+metal+glass</b> |
| LED Type:          | <b>SMD</b>              | Unit GW :   | <b>1.50KG</b>                      |
| CRI:               | <b>&gt;80</b>           | Life Span:  | <b>20,000h</b>                     |
| PF:                | <b>≥0.8</b>             | Size :      | <b>985 x 55 x 65mm</b>             |



BOX QTY.  
 **06**

SKU  
**3898 - 4000K Day White**


EAN Code  
3800157621168



**Glass Hanging Pendant**

**18W** VT-7020

|                    |                         |             |                                    |
|--------------------|-------------------------|-------------|------------------------------------|
| Watts:             | <b>18W</b>              | Beam Angle: | <b>120°</b>                        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | No. of LED: | <b>90</b>                          |
| Luminous Flux:     | <b>1350lm</b>           | Material :  | <b>Stainless steel+metal+glass</b> |
| LED Type:          | <b>SMD</b>              | Unit GW :   | <b>1.98KG</b>                      |
| CRI:               | <b>&gt;80</b>           | Life Span:  | <b>20,000h</b>                     |
| PF:                | <b>≥0.8</b>             | Size :      | <b>985 x 55 x 800mm</b>            |



BOX QTY.

 06

SKU


3899 - 4000K Day White

## Glass Ceiling Surface

36W VT-7038

EAN Code

3800157621175



|                    |                  |             |                             |
|--------------------|------------------|-------------|-----------------------------|
| Watts:             | 36W              | Beam Angle: | 120°                        |
| Voltage/Frequency: | AC:220-240V,50Hz | No. of LED: | 180                         |
| Luminous Flux:     | 2700lm           | Material :  | Stainless steel+metal+glass |
| LED Type:          | SMD              | Unit GW :   | 3.53KG                      |
| CRI:               | >80              | Life Span:  | 20,000h                     |
| PF:                | ≥0.8             | Size :      | 985 x 120 x75mm             |





Modern Circular

# Chandeliers & Pendants

With Built in LED lights

---

**NEW****Gold Lampshade****7W** VT-7333

BOX QTY.

 **12**

SKU

**3934 - 3000k Warm White****3928 - 4000K Day White**

EAN Code

3800157628952

3800157626569

**White Lampshade****7W** VT-7333

BOX QTY.

 **12**

SKU


**3935 - 3000k Warm White****3929 - 4000K Day White**

EAN Code

3800157628969

3800157626576

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| Watts:             | <b>7W</b>               | Beam Angle: | <b>120°</b>          |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | No. of LED: | <b>14</b>            |
| Luminous Flux:     | <b>400lm</b>            | Material :  | <b>Iron+Acrylic</b>  |
| LED Type:          | <b>SMD</b>              | Unit GW :   | <b>1.4KG</b>         |
| CRI:               | <b>&gt;80</b>           | Life Span:  | <b>30,000h</b>       |
| PF:                | <b>≥0.5</b>             | Size :      | <b>Ø120 x H190mm</b> |



NEW

## Gold Lampshade

7W VT-7444

SKU

3936 - 3000k Warm White  
3930 - 4000K Day WhiteBOX QTY.  
08

EAN Code

3800157628976

3800157626583

## White Lampshade

7W VT-7444

SKU

3937 - 3000k Warm White  
3931 - 4000K Day WhiteBOX QTY.  
08



EAN Code

3800157628983

3800157626590

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| Watts:             | 7W               | Beam Angle: | 120°          |
| Voltage/Frequency: | AC:220-240V,50Hz | No. of LED: | 14            |
| Luminous Flux:     | 400lm            | Material :  | Iron+Acrylic  |
| LED Type:          | SMD              | Unit GW :   | 1.9KG         |
| CRI:               | >80              | Life Span:  | 30,000h       |
| PF:                | ≥0.5             | Size :      | ø250 x H190mm |



**NEW****Gold Lampshade****7W** VT-7666**BOX QTY.**  
**04**

SKU

3938 - 3000K Warm White

3932 - 4000K Day White

EAN Code

3800157628990

3800157626606

**White Lampshade****7W** VT-7666**BOX QTY.**  
**04**

SKU

3939 - 3000K Warm White


3933 - 4000K Day White

EAN Code

3800157629003

3800157626613

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| Watts:             | <b>7W</b>               | Beam Angle: | <b>120°</b>          |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | No. of LED: | <b>14</b>            |
| Luminous Flux:     | <b>400lm</b>            | Material :  | <b>Iron+Acrylic</b>  |
| LED Type:          | <b>SMD</b>              | Unit GW :   | <b>2.4KG</b>         |
| CRI:               | <b>&gt;80</b>           | Life Span:  | <b>30,000h</b>       |
| PF:                | <b>≥0.5</b>             | Size :      | <b>ø340 x H190mm</b> |



Soft Light Chandelier


40W VT-40-1

SKU  
3874 - 3000K Warm White

EAN Code  
3800157620888

BOX QTY.  
02


|                    |                 |             |          |
|--------------------|-----------------|-------------|----------|
| Watts:             | 40W             | Beam Angle: | 120°     |
| Voltage/Frequency: | AC100-240V/50HZ | No. of LED: | 240pcs   |
| Luminous Flux:     | 2800lm          | Material :  | Steel+PC |
| LED Type:          | SMD-2835        | Unit GW :   | 3.90kgs  |
| CRI:               | >80             | Life Span:  | 20,000h  |
| PF:                | >0.9            |             |          |



BOX QTY.  
02

SKU  
3872 - 3000K Warm White

EAN Code  
3800157620864



Soft Light Chandelier (Slim 2 Step)

60W VT-60-2

|                    |                 |             |                        |
|--------------------|-----------------|-------------|------------------------|
| Watts:             | 60W             | Beam Angle: | 120°                   |
| Voltage/Frequency: | AC100-240V/50HZ | No. of LED: | 340pcs                 |
| Luminous Flux:     | 4200lm          | Material :  | Acrylic+Aluminum+Steel |
| LED Type:          | SMD-2835        | Unit GW :   | 5.8kgs                 |
| CRI:               | >80             | Life Span:  | 20,000h                |
| PF:                | >0.9            |             |                        |

**NEW****TRIAC Dimmable****Soft Light Chandelier (Slim 3 Step)****70W** VT-70-3D3904 - 3000K Warm White  
3905 - 4000K Day White


EAN Code

3800157624633  
3800157624640**70W** VT-70-3


3873 - 3000K Warm White

EAN Code

3800157620871

**BOX QTY.**  
 **02**


|                    |                        |             |                         |
|--------------------|------------------------|-------------|-------------------------|
| Watts:             | <b>70W</b>             | Beam Angle: | <b>120°</b>             |
| Voltage/Frequency: | <b>AC100-240V/50HZ</b> | No. of LED: | <b>360pcs</b>           |
| Luminous Flux:     | <b>4900lm</b>          | Material :  | <b>Acrylic+Aluminum</b> |
| LED Type:          | <b>SMD-2835</b>        | Unit GW :   | <b>3.50 kgs</b>         |
| CRI:               | <b>&gt;80</b>          | Life Span:  | <b>20,000h</b>          |
| PF:                | <b>&gt;0.9</b>         |             |                         |



BOX QTY.  
02

SKU  
3870 - 3000K Warm White


EAN Code  
3800157620840



Soft Light Chandelier (2 Step)

70W VT-70-2

|                    |                  |             |                  |
|--------------------|------------------|-------------|------------------|
| Watts:             | 70W              | Beam Angle: | 120°             |
| Voltage/Frequency: | AC:100-240V/50HZ | No. of LED: | 420pcs           |
| Luminous Flux:     | 4900lm           | Material :  | Acrylic+Aluminum |
| LED Type:          | SMD              | Unit GW :   | 3.50 kgs         |
| CRI:               | >80              | Life Span:  | 20,000h          |
| PF:                | >0.9             |             |                  |



NEW

TRIAC Dimmable

## Soft Light Chandelier (3 Step)

80W VT-80-3D

3906 - 3000K Warm White

3907 - 4000K Day White

EAN Code

3800157624657


3800157624664

80W VT-80-3

3871 - 3000K Warm White

EAN Code

3800157620857

BOX QTY.  
02

|                    |                  |             |                  |
|--------------------|------------------|-------------|------------------|
| Watts:             | 80W              | Beam Angle: | 120°             |
| Voltage/Frequency: | AC:100-240V/50HZ | No. of LED: | 510pcs           |
| Luminous Flux:     | 5600lm           | Material :  | Acrylic+Aluminum |
| LED Type:          | SMD              | Unit GW :   | 4.7kgs           |
| CRI:               | >80              | Life Span:  | 20,000h          |
| PF:                | >0.9             |             |                  |



NEW

TRIAC Dimmable

## Soft Light Chandelier (3 Step)

## SURFACE

85W VT-85-3D

3910 - 3000K Warm White

3911 - 4000K Day White

EAN Code

3800157624695

3800157624701

BOX QTY.

 02

|                    |                  |             |                  |
|--------------------|------------------|-------------|------------------|
| Watts:             | 85W              | Beam Angle: | 120°             |
| Voltage/Frequency: | AC:100-240V/50HZ | No. of LED: | 510pcs           |
| Luminous Flux:     | 5900lm           | Material :  | Acrylic+Aluminum |
| LED Type:          | SMD              | Unit GW :   | 5.5kgs           |
| CRI:               | >80              | Life Span:  | 30,000h          |
| PF:                | >0.9             |             |                  |

| SKU | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|-----|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 135 | 6     | 178  | 2     | 1210 | 347   | 1273 | 334   | 1320 | 344   | 1363 | 311   |
| 136 | 6     | 179  | 2     | 1223 | 347   | 1274 | 334   | 1321 | 344   | 1364 | 311   |
| 137 | 6     | 187  | 8     | 1229 | 325   | 1275 | 334   | 1322 | 344   | 1365 | 311   |
| 138 | 6     | 188  | 8     | 1230 | 325   | 1276 | 335   | 1323 | 344   | 1366 | 312   |
| 139 | 6     | 400  | 11    | 1231 | 325   | 1277 | 335   | 1324 | 344   | 1367 | 312   |
| 140 | 6     | 401  | 11    | 1232 | 325   | 1278 | 335   | 1325 | 344   | 1368 | 312   |
| 141 | 6     | 402  | 11    | 1233 | 323   | 1279 | 335   | 1326 | 342   | 1369 | 382   |
| 142 | 6     | 403  | 9     | 1234 | 323   | 1281 | 354   | 1327 | 342   | 1370 | 362   |
| 143 | 6     | 404  | 9     | 1235 | 323   | 1282 | 354   | 1328 | 342   | 1371 | 362   |
| 144 | 5     | 405  | 9     | 1236 | 323   | 1284 | 348   | 1329 | 342   | 1372 | 362   |
| 145 | 5     | 406  | 11    | 1237 | 323   | 1285 | 327   | 1330 | 342   | 1373 | 362   |
| 146 | 5     | 407  | 11    | 1238 | 323   | 1286 | 327   | 1331 | 342   | 1374 | 362   |
| 147 | 7     | 408  | 11    | 1241 | 325   | 1287 | 327   | 1332 | 318   | 1375 | 362   |
| 148 | 7     | 409  | 9     | 1242 | 325   | 1288 | 340   | 1333 | 318   | 1376 | 363   |
| 149 | 7     | 410  | 9     | 1243 | 226   | 1289 | 340   | 1334 | 318   | 1377 | 363   |
| 150 | 7     | 411  | 9     | 1244 | 226   | 1292 | 322   | 1335 | 318   | 1378 | 363   |
| 151 | 7     | 412  | 12    | 1245 | 226   | 1293 | 322   | 1336 | 318   | 1379 | 363   |
| 152 | 7     | 413  | 12    | 1246 | 226   | 1294 | 322   | 1337 | 318   | 1380 | 363   |
| 153 | 7     | 414  | 12    | 1247 | 226   | 1295 | 322   | 1338 | 319   | 1381 | 363   |
| 154 | 7     | 415  | 10    | 1248 | 226   | 1296 | 322   | 1339 | 319   | 1382 | 312   |
| 155 | 7     | 416  | 10    | 1249 | 326   | 1297 | 322   | 1340 | 319   | 1383 | 312   |
| 156 | 2     | 417  | 10    | 1250 | 326   | 1298 | 321   | 1341 | 367   | 1384 | 312   |
| 157 | 2     | 418  | 12    | 1251 | 326   | 1299 | 321   | 1342 | 367   | 1385 | 312   |
| 158 | 2     | 419  | 12    | 1252 | 326   | 1300 | 321   | 1343 | 368   | 1388 | 351   |
| 159 | 3     | 420  | 10    | 1253 | 326   | 1301 | 321   | 1344 | 368   | 1389 | 351   |
| 160 | 3     | 421  | 10    | 1254 | 326   | 1302 | 321   | 1345 | 365   | 1390 | 351   |
| 161 | 3     | 422  | 13    | 1255 | 327   | 1303 | 321   | 1346 | 365   | 1391 | 351   |
| 162 | 3     | 423  | 13    | 1256 | 327   | 1304 | 340   | 1347 | 366   | 1392 | 352   |
| 163 | 3     | 520  | 13    | 1257 | 327   | 1305 | 340   | 1348 | 366   | 1393 | 352   |
| 164 | 3     | 521  | 13    | 1259 | 360   | 1306 | 340   | 1349 | 358   | 1394 | 352   |
| 165 | 5     | 1100 | 336   | 1260 | 360   | 1307 | 340   | 1350 | 359   | 1395 | 352   |
| 166 | 5     | 1103 | 336   | 1261 | 360   | 1308 | 350   | 1351 | 359   | 1396 | 352   |
| 167 | 5     | 1106 | 337   | 1262 | 360   | 1309 | 350   | 1352 | 359   | 1397 | 352   |
| 168 | 4     | 1113 | 339   | 1263 | 357   | 1310 | 350   | 1353 | 359   | 1398 | 345   |
| 169 | 4     | 1115 | 339   | 1264 | 357   | 1311 | 350   | 1354 | 381   | 1399 | 345   |
| 170 | 4     | 1118 | 339   | 1265 | 357   | 1312 | 350   | 1355 | 381   | 1400 | 345   |
| 171 | 5     | 1165 | 337   | 1266 | 356   | 1313 | 350   | 1356 | 382   | 1401 | 345   |
| 172 | 5     | 1191 | 324   | 1267 | 356   | 1314 | 343   | 1357 | 314   | 1402 | 345   |
| 173 | 5     | 1192 | 324   | 1268 | 356   | 1315 | 343   | 1358 | 314   | 1403 | 345   |
| 174 | 4     | 1202 | 324   | 1269 | 359   | 1316 | 343   | 1359 | 314   | 1404 | 346   |
| 175 | 4     | 1207 | 347   | 1270 | 334   | 1317 | 343   | 1360 | 310   | 1405 | 346   |
| 176 | 4     | 1208 | 347   | 1271 | 334   | 1318 | 343   | 1361 | 310   | 1406 | 346   |
| 177 | 2     | 1209 | 347   | 1272 | 334   | 1319 | 343   | 1362 | 310   | 1407 | 346   |



| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 1408 | 346   | 2015 | 290   | 2165 | 286   | 2550 | 284   | 3307 | 299   | 3510 | 295   |
| 1409 | 346   | 2016 | 290   | 2166 | 286   | 2551 | 284   | 3312 | 299   | 3511 | 295   |
| 1410 | 316   | 2025 | 291   | 2350 | 295   | 2552 | 292   | 3317 | 299   | 3512 | 295   |
| 1411 | 316   | 2027 | 291   | 2351 | 295   | 2553 | 292   | 3318 | 299   | 3522 | 330   |
| 1412 | 317   | 2030 | 291   | 2352 | 295   | 3009 | 300   | 3319 | 300   | 3523 | 330   |
| 1413 | 317   | 2031 | 290   | 2353 | 295   | 3018 | 300   | 3320 | 299   | 3524 | 330   |
| 1414 | 353   | 2032 | 290   | 2354 | 295   | 3056 | 305   | 3321 | 300   | 3525 | 330   |
| 1415 | 353   | 2034 | 290   | 2355 | 295   | 3057 | 305   | 3322 | 300   | 3526 | 330   |
| 1657 | 96    | 2035 | 290   | 2356 | 295   | 3095 | 307   | 3326 | 300   | 3527 | 331   |
| 1658 | 96    | 2036 | 290   | 2403 | 292   | 3096 | 307   | 3327 | 300   | 3528 | 331   |
| 1659 | 96    | 2037 | 291   | 2404 | 292   | 3097 | 307   | 3328 | 300   | 3529 | 331   |
| 1663 | 97    | 2038 | 291   | 2405 | 292   | 3101 | 307   | 3331 | 294   | 3543 | 328   |
| 1664 | 97    | 2039 | 291   | 2430 | 292   | 3106 | 192   | 3333 | 294   | 3544 | 328   |
| 1665 | 97    | 2041 | 290   | 2431 | 292   | 3107 | 192   | 3334 | 294   | 3547 | 329   |
| 1666 | 96    | 2042 | 291   | 2459 | 292   | 3108 | 192   | 3420 | 94    | 3548 | 329   |
| 1667 | 96    | 2043 | 290   | 2460 | 288   | 3109 | 192   | 3423 | 126   | 3553 | 329   |
| 1668 | 96    | 2044 | 291   | 2461 | 286   | 3110 | 192   | 3469 | 121   | 3554 | 328   |
| 1669 | 98    | 2118 | 288   | 2462 | 286   | 3214 | 307   | 3470 | 121   | 3555 | 328   |
| 1670 | 98    | 2120 | 289   | 2463 | 286   | 3215 | 307   | 3471 | 121   | 3556 | 328   |
| 1671 | 98    | 2122 | 289   | 2512 | 293   | 3226 | 305   | 3472 | 122   | 3559 | 331   |
| 1672 | 96    | 2124 | 288   | 2513 | 293   | 3227 | 305   | 3473 | 122   | 3560 | 331   |
| 1673 | 96    | 2126 | 289   | 2514 | 293   | 3228 | 305   | 3474 | 122   | 3565 | 331   |
| 1674 | 96    | 2128 | 289   | 2515 | 293   | 3229 | 305   | 3475 | 540   | 3566 | 331   |
| 1679 | 102   | 2133 | 288   | 2516 | 293   | 3230 | 305   | 3476 | 540   | 3567 | 329   |
| 1680 | 102   | 2135 | 288   | 2517 | 293   | 3231 | 306   | 3477 | 540   | 3569 | 328   |
| 1681 | 102   | 2137 | 289   | 2518 | 294   | 3232 | 306   | 3478 | 540   | 3570 | 329   |
| 1682 | 98    | 2138 | 289   | 2527 | 294   | 3233 | 306   | 3479 | 540   | 3574 | 329   |
| 1683 | 98    | 2143 | 289   | 2529 | 294   | 3234 | 307   | 3480 | 540   | 3575 | 229   |
| 1684 | 98    | 2144 | 288   | 2531 | 294   | 3235 | 307   | 3481 | 540   | 3576 | 229   |
| 1685 | 101   | 2145 | 288   | 2535 | 298   | 3236 | 307   | 3482 | 540   | 3577 | 229   |
| 1686 | 101   | 2148 | 289   | 2536 | 298   | 3237 | 308   | 3483 | 540   | 3578 | 174   |
| 1687 | 101   | 2149 | 289   | 2537 | 298   | 3238 | 308   | 3484 | 540   | 3581 | 229   |
| 1688 | 98    | 2150 | 289   | 2538 | 298   | 3239 | 308   | 3485 | 540   | 3582 | 229   |
| 1689 | 98    | 2151 | 289   | 2539 | 298   | 3240 | 308   | 3486 | 540   | 3583 | 229   |
| 1690 | 98    | 2152 | 289   | 2540 | 298   | 3243 | 304   | 3500 | 295   | 3584 | 117   |
| 1693 | 97    | 2153 | 289   | 2541 | 298   | 3244 | 304   | 3501 | 295   | 3585 | 117   |
| 1694 | 97    | 2155 | 289   | 2542 | 298   | 3246 | 304   | 3502 | 295   | 3586 | 117   |
| 1695 | 97    | 2156 | 289   | 2543 | 298   | 3247 | 304   | 3503 | 295   | 3587 | 125   |
| 2002 | 291   | 2159 | 292   | 2544 | 285   | 3248 | 307   | 3504 | 295   | 3588 | 125   |
| 2005 | 290   | 2161 | 287   | 2545 | 285   | 3249 | 308   | 3505 | 295   | 3589 | 125   |
| 2009 | 290   | 2162 | 287   | 2546 | 285   | 3300 | 299   | 3507 | 295   | 3590 | 125   |
| 2011 | 290   | 2163 | 287   | 2548 | 284   | 3303 | 299   | 3508 | 295   | 3591 | 125   |
| 2013 | 290   | 2164 | 286   | 2549 | 284   | 3304 | 299   | 3509 | 295   | 3592 | 125   |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 3593 | 117   | 3644 | 118   | 3702 | 520   | 3747 | 538   | 3794 | 539   | 3837 | 517   |
| 3594 | 117   | 3645 | 118   | 3703 | 399   | 3748 | 538   | 3795 | 537   | 3838 | 517   |
| 3595 | 124   | 3646 | 118   | 3704 | 399   | 3749 | 538   | 3796 | 537   | 3839 | 529   |
| 3596 | 124   | 3647 | 118   | 3705 | 501   | 3750 | 538   | 3797 | 537   | 3840 | 533   |
| 3597 | 124   | 3648 | 115   | 3706 | 501   | 3751 | 527   | 3798 | 537   | 3841 | 533   |
| 3598 | 124   | 3649 | 115   | 3707 | 499   | 3752 | 527   | 3799 | 537   | 3842 | 533   |
| 3599 | 119   | 3650 | 115   | 3708 | 499   | 3753 | 528   | 3800 | 537   | 3843 | 533   |
| 3600 | 119   | 3651 | 115   | 3709 | 498   | 3754 | 529   | 3801 | 537   | 3844 | 533   |
| 3601 | 119   | 3652 | 115   | 3710 | 496   | 3755 | 539   | 3802 | 537   | 3845 | 528   |
| 3602 | 119   | 3653 | 115   | 3711 | 497   | 3756 | 521   | 3803 | 536   | 3847 | 507   |
| 3603 | 119   | 3654 | 116   | 3712 | 498   | 3757 | 521   | 3804 | 536   | 3848 | 507   |
| 3604 | 119   | 3655 | 330   | 3713 | 497   | 3758 | 504   | 3805 | 536   | 3849 | 506   |
| 3605 | 120   | 3656 | 330   | 3714 | 500   | 3759 | 503   | 3806 | 536   | 3850 | 508   |
| 3606 | 120   | 3663 | 300   | 3715 | 500   | 3760 | 504   | 3807 | 536   | 3851 | 394   |
| 3607 | 120   | 3664 | 114   | 3716 | 502   | 3761 | 522   | 3808 | 536   | 3851 | 512   |
| 3608 | 120   | 3665 | 114   | 3717 | 502   | 3762 | 522   | 3809 | 536   | 3852 | 394   |
| 3609 | 120   | 3666 | 114   | 3720 | 532   | 3763 | 523   | 3810 | 536   | 3852 | 512   |
| 3610 | 120   | 3667 | 114   | 3721 | 532   | 3764 | 523   | 3811 | 534   | 3853 | 509   |
| 3611 | 121   | 3668 | 282   | 3722 | 532   | 3765 | 524   | 3812 | 534   | 3854 | 509   |
| 3612 | 121   | 3669 | 122   | 3723 | 532   | 3766 | 524   | 3813 | 534   | 3855 | 510   |
| 3613 | 123   | 3673 | 94    | 3724 | 532   | 3767 | 530   | 3814 | 535   | 3856 | 511   |
| 3614 | 123   | 3673 | 540   | 3725 | 532   | 3768 | 530   | 3815 | 535   | 3857 | 511   |
| 3615 | 123   | 3674 | 116   | 3726 | 482   | 3769 | 530   | 3816 | 518   | 3858 | 510   |
| 3616 | 123   | 3675 | 113   | 3727 | 482   | 3770 | 530   | 3817 | 518   | 3859 | 495   |
| 3617 | 126   | 3676 | 113   | 3728 | 486   | 3771 | 530   | 3818 | 483   | 3860 | 495   |
| 3618 | 126   | 3677 | 113   | 3729 | 486   | 3772 | 531   | 3819 | 483   | 3861 | 488   |
| 3619 | 126   | 3678 | 191   | 3730 | 476   | 3773 | 531   | 3820 | 485   | 3862 | 488   |
| 3620 | 126   | 3679 | 191   | 3731 | 481   | 3774 | 531   | 3821 | 491   | 3863 | 487   |
| 3621 | 174   | 3680 | 110   | 3732 | 480   | 3775 | 531   | 3822 | 490   | 3864 | 487   |
| 3622 | 174   | 3681 | 110   | 3733 | 481   | 3776 | 531   | 3823 | 491   | 3865 | 472   |
| 3623 | 174   | 3682 | 110   | 3734 | 480   | 3777 | 539   | 3824 | 492   | 3866 | 471   |
| 3624 | 282   | 3683 | 111   | 3735 | 477   | 3782 | 539   | 3825 | 492   | 3867 | 472   |
| 3625 | 299   | 3684 | 111   | 3736 | 476   | 3783 | 539   | 3826 | 493   | 3868 | 505   |
| 3627 | 109   | 3685 | 111   | 3737 | 479   | 3784 | 539   | 3827 | 493   | 3869 | 505   |
| 3628 | 109   | 3686 | 112   | 3738 | 477   | 3785 | 539   | 3828 | 494   | 3870 | 560   |
| 3629 | 109   | 3687 | 112   | 3739 | 478   | 3786 | 539   | 3829 | 494   | 3871 | 561   |
| 3630 | 108   | 3688 | 112   | 3740 | 479   | 3787 | 539   | 3830 | 485   | 3872 | 558   |
| 3631 | 108   | 3689 | 122   | 3741 | 478   | 3788 | 539   | 3831 | 513   | 3873 | 559   |
| 3632 | 108   | 3690 | 122   | 3742 | 538   | 3789 | 539   | 3832 | 513   | 3874 | 557   |
| 3640 | 116   | 3691 | 116   | 3743 | 538   | 3790 | 539   | 3833 | 514   | 3875 | 473   |
| 3641 | 116   | 3692 | 116   | 3744 | 538   | 3791 | 539   | 3834 | 514   | 3876 | 474   |
| 3642 | 118   | 3700 | 519   | 3745 | 538   | 3792 | 539   | 3835 | 516   | 3877 | 474   |
| 3643 | 118   | 3701 | 520   | 3746 | 538   | 3793 | 539   | 3836 | 516   | 3878 | 473   |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 3879 | 468   | 3927 | 515   | 4227 | 29    | 4343 | 37    | 4429 | 89    | 4483 | 79    |
| 3880 | 468   | 3928 | 554   | 4228 | 30    | 4344 | 37    | 4430 | 89    | 4484 | 79    |
| 3883 | 469   | 3929 | 554   | 4229 | 30    | 4351 | 39    | 4431 | 88    | 4485 | 79    |
| 3884 | 475   | 3930 | 555   | 4230 | 30    | 4352 | 39    | 4432 | 88    | 4486 | 77    |
| 3885 | 475   | 3931 | 555   | 4241 | 38    | 4353 | 39    | 4433 | 51    | 4487 | 77    |
| 3886 | 475   | 3932 | 556   | 4242 | 46    | 4354 | 39    | 4434 | 51    | 4488 | 77    |
| 3887 | 470   | 3933 | 556   | 4243 | 46    | 4361 | 70    | 4435 | 51    | 4489 | 72    |
| 3888 | 470   | 3934 | 554   | 4244 | 47    | 4362 | 70    | 4437 | 104   | 4490 | 72    |
| 3889 | 489   | 3935 | 554   | 4246 | 46    | 4363 | 82    | 4438 | 104   | 4491 | 72    |
| 3890 | 542   | 3936 | 555   | 4247 | 42    | 4364 | 81    | 4439 | 104   | 4492 | 76    |
| 3891 | 543   | 3937 | 555   | 4248 | 42    | 4365 | 85    | 4440 | 35    | 4493 | 76    |
| 3892 | 544   | 3938 | 556   | 4249 | 42    | 4366 | 89    | 4441 | 34    | 4494 | 76    |
| 3893 | 545   | 3939 | 556   | 4250 | 44    | 4367 | 87    | 4442 | 33    | 4495 | 76    |
| 3894 | 546   | 4061 | 227   | 4251 | 44    | 4368 | 69    | 4443 | 33    | 4496 | 76    |
| 3895 | 546   | 4062 | 227   | 4252 | 44    | 4369 | 45    | 4444 | 85    | 4497 | 76    |
| 3896 | 550   | 4084 | 227   | 4253 | 50    | 4388 | 88    | 4445 | 85    | 4498 | 68    |
| 3897 | 550   | 4086 | 227   | 4254 | 51    | 4389 | 45    | 4446 | 85    | 4499 | 66    |
| 3898 | 551   | 4099 | 227   | 4255 | 227   | 4390 | 45    | 4447 | 25    | 4737 | 224   |
| 3899 | 552   | 4106 | 227   | 4256 | 227   | 4394 | 92    | 4448 | 25    | 4738 | 224   |
| 3900 | 547   | 4122 | 36    | 4257 | 227   | 4399 | 93    | 4449 | 25    | 4739 | 223   |
| 3901 | 547   | 4123 | 43    | 4258 | 38    | 4406 | 83    | 4453 | 31    | 4740 | 223   |
| 3902 | 549   | 4124 | 43    | 4259 | 81    | 4407 | 83    | 4454 | 31    | 4741 | 224   |
| 3903 | 549   | 4138 | 46    | 4272 | 82    | 4408 | 83    | 4455 | 31    | 4742 | 224   |
| 3904 | 559   | 4140 | 47    | 4273 | 50    | 4409 | 83    | 4456 | 31    | 4743 | 223   |
| 3905 | 559   | 4156 | 39    | 4274 | 50    | 4410 | 83    | 4457 | 31    | 4744 | 223   |
| 3906 | 561   | 4160 | 41    | 4275 | 30    | 4411 | 83    | 4458 | 31    | 4745 | 224   |
| 3907 | 561   | 4162 | 41    | 4276 | 50    | 4412 | 83    | 4459 | 24    | 4746 | 224   |
| 3910 | 562   | 4164 | 39    | 4277 | 50    | 4413 | 86    | 4460 | 24    | 4759 | 223   |
| 3911 | 562   | 4166 | 36    | 4278 | 50    | 4414 | 86    | 4461 | 24    | 4760 | 223   |
| 3912 | 393   | 4174 | 43    | 4300 | 92    | 4415 | 230   | 4463 | 104   | 4791 | 414   |
| 3913 | 393   | 4207 | 41    | 4301 | 86    | 4416 | 230   | 4464 | 104   | 4797 | 210   |
| 3914 | 393   | 4209 | 29    | 4302 | 89    | 4417 | 230   | 4465 | 104   | 4798 | 210   |
| 3916 | 548   | 4213 | 38    | 4303 | 82    | 4418 | 230   | 4472 | 68    | 4800 | 214   |
| 3917 | 548   | 4215 | 38    | 4304 | 93    | 4419 | 230   | 4473 | 62    | 4801 | 214   |
| 3918 | 548   | 4216 | 36    | 4305 | 93    | 4420 | 230   | 4474 | 73    | 4802 | 214   |
| 3919 | 548   | 4217 | 35    | 4306 | 90    | 4421 | 70    | 4475 | 73    | 4803 | 213   |
| 3920 | 525   | 4219 | 46    | 4307 | 87    | 4422 | 94    | 4476 | 73    | 4804 | 213   |
| 3921 | 525   | 4220 | 46    | 4308 | 88    | 4423 | 94    | 4477 | 73    | 4805 | 213   |
| 3922 | 525   | 4221 | 47    | 4324 | 33    | 4424 | 94    | 4478 | 73    | 4806 | 214   |
| 3923 | 526   | 4223 | 228   | 4339 | 47    | 4425 | 92    | 4479 | 73    | 4807 | 214   |
| 3924 | 526   | 4224 | 228   | 4340 | 47    | 4426 | 92    | 4480 | 78    | 4808 | 214   |
| 3925 | 526   | 4225 | 228   | 4341 | 47    | 4427 | 90    | 4481 | 78    | 4809 | 213   |
| 3926 | 484   | 4226 | 29    | 4342 | 37    | 4428 | 90    | 4482 | 78    | 4810 | 213   |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 4811 | 213   | 4872 | 199   | 4932 | 207   | 5052 | 358   | 5116 | 301   | 5498 | 276   |
| 4812 | 214   | 4873 | 199   | 4933 | 207   | 5053 | 357   | 5117 | 301   | 5499 | 277   |
| 4813 | 214   | 4874 | 199   | 4934 | 207   | 5054 | 357   | 5118 | 301   | 5500 | 277   |
| 4814 | 214   | 4887 | 201   | 4935 | 207   | 5055 | 356   | 5119 | 301   | 5532 | 262   |
| 4815 | 213   | 4888 | 201   | 4936 | 207   | 5056 | 356   | 5120 | 301   | 5534 | 262   |
| 4816 | 213   | 4889 | 201   | 4937 | 208   | 5057 | 355   | 5121 | 301   | 5537 | 262   |
| 4817 | 213   | 4890 | 222   | 4938 | 208   | 5058 | 355   | 5122 | 301   | 5538 | 262   |
| 4818 | 204   | 4891 | 222   | 4939 | 208   | 5059 | 355   | 5123 | 301   | 5546 | 263   |
| 4819 | 204   | 4892 | 222   | 4940 | 208   | 5068 | 247   | 5124 | 302   | 5548 | 263   |
| 4820 | 204   | 4893 | 222   | 4941 | 208   | 5069 | 247   | 5125 | 302   | 5549 | 263   |
| 4821 | 204   | 4894 | 222   | 4942 | 208   | 5070 | 247   | 5126 | 302   | 5550 | 256   |
| 4822 | 204   | 4895 | 222   | 4943 | 209   | 5071 | 247   | 5127 | 302   | 5551 | 256   |
| 4823 | 204   | 4896 | 222   | 4944 | 209   | 5072 | 247   | 5128 | 302   | 5552 | 256   |
| 4824 | 205   | 4897 | 222   | 4945 | 209   | 5073 | 247   | 5129 | 302   | 5554 | 263   |
| 4825 | 205   | 4898 | 222   | 4946 | 209   | 5074 | 247   | 5130 | 302   | 5555 | 263   |
| 4826 | 205   | 4904 | 211   | 4947 | 209   | 5075 | 247   | 5131 | 302   | 5557 | 265   |
| 4827 | 205   | 4905 | 211   | 4948 | 209   | 5076 | 247   | 5132 | 302   | 5558 | 265   |
| 4828 | 205   | 4906 | 211   | 4949 | 210   | 5077 | 379   | 5133 | 302   | 5559 | 265   |
| 4829 | 205   | 4907 | 212   | 4965 | 354   | 5078 | 385   | 5134 | 302   | 5560 | 265   |
| 4830 | 206   | 4908 | 212   | 4966 | 354   | 5079 | 385   | 5135 | 302   | 5562 | 353   |
| 4831 | 206   | 4909 | 212   | 4967 | 379   | 5081 | 386   | 5136 | 302   | 5563 | 353   |
| 4832 | 206   | 4910 | 211   | 4968 | 380   | 5082 | 386   | 5137 | 302   | 5564 | 353   |
| 4833 | 206   | 4911 | 211   | 4973 | 359   | 5083 | 386   | 5138 | 302   | 5565 | 353   |
| 4834 | 206   | 4912 | 211   | 4980 | 359   | 5084 | 383   | 5139 | 302   | 5566 | 351   |
| 4835 | 206   | 4913 | 212   | 4982 | 380   | 5085 | 383   | 5140 | 302   | 5567 | 351   |
| 4854 | 198   | 4914 | 212   | 4987 | 243   | 5086 | 376   | 5468 | 281   | 5570 | 348   |
| 4855 | 198   | 4915 | 212   | 4988 | 243   | 5087 | 376   | 5472 | 280   | 5571 | 384   |
| 4856 | 198   | 4916 | 211   | 4989 | 243   | 5088 | 377   | 5475 | 280   | 5572 | 384   |
| 4857 | 198   | 4917 | 211   | 4990 | 243   | 5089 | 377   | 5476 | 280   | 5573 | 266   |
| 4858 | 198   | 4918 | 211   | 4991 | 243   | 5090 | 378   | 5479 | 281   | 5574 | 266   |
| 4859 | 198   | 4919 | 212   | 4992 | 243   | 5091 | 378   | 5481 | 279   | 5575 | 266   |
| 4860 | 199   | 4920 | 212   | 4993 | 243   | 5092 | 338   | 5482 | 279   | 5576 | 266   |
| 4861 | 199   | 4921 | 212   | 4994 | 243   | 5093 | 338   | 5487 | 274   | 5577 | 267   |
| 4862 | 199   | 4922 | 221   | 4995 | 243   | 5094 | 338   | 5488 | 274   | 5578 | 267   |
| 4863 | 200   | 4923 | 221   | 4996 | 358   | 5095 | 339   | 5489 | 274   | 5579 | 267   |
| 4864 | 200   | 4924 | 221   | 4997 | 360   | 5096 | 339   | 5490 | 274   | 5580 | 267   |
| 4865 | 200   | 4925 | 221   | 4998 | 358   | 5097 | 339   | 5491 | 275   | 5581 | 268   |
| 4866 | 200   | 4926 | 221   | 4999 | 360   | 5098 | 338   | 5492 | 275   | 5582 | 268   |
| 4867 | 200   | 4927 | 221   | 5031 | 210   | 5099 | 338   | 5493 | 275   | 5583 | 268   |
| 4868 | 200   | 4928 | 221   | 5032 | 210   | 5107 | 338   | 5494 | 275   | 5584 | 268   |
| 4869 | 201   | 4929 | 221   | 5033 | 210   | 5108 | 338   | 5495 | 276   | 5585 | 257   |
| 4870 | 201   | 4930 | 221   | 5050 | 358   | 5109 | 338   | 5496 | 276   | 5586 | 257   |
| 4871 | 201   | 4931 | 207   | 5051 | 358   | 5110 | 338   | 5497 | 276   | 5587 | 257   |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 5588 | 257   | 5701 | 163   | 5803 | 158   | 5852 | 140   | 5908 | 147   | 5960 | 151   |
| 5589 | 258   | 5702 | 163   | 5804 | 156   | 5853 | 140   | 5909 | 131   | 5961 | 149   |
| 5590 | 258   | 5713 | 142   | 5805 | 156   | 5854 | 140   | 5910 | 131   | 5962 | 149   |
| 5591 | 258   | 5715 | 162   | 5806 | 156   | 5855 | 130   | 5911 | 137   | 5963 | 149   |
| 5592 | 258   | 5716 | 163   | 5808 | 128   | 5857 | 130   | 5912 | 137   | 5964 | 151   |
| 5593 | 259   | 5717 | 163   | 5809 | 128   | 5858 | 133   | 5913 | 141   | 5965 | 151   |
| 5594 | 259   | 5718 | 142   | 5811 | 132   | 5859 | 133   | 5914 | 141   | 5966 | 151   |
| 5595 | 259   | 5723 | 162   | 5813 | 135   | 5860 | 133   | 5915 | 172   | 5967 | 149   |
| 5596 | 259   | 5726 | 168   | 5814 | 135   | 5861 | 136   | 5916 | 172   | 5968 | 149   |
| 5597 | 272   | 5731 | 143   | 5815 | 135   | 5862 | 136   | 5917 | 166   | 5969 | 149   |
| 5598 | 272   | 5732 | 143   | 5816 | 139   | 5863 | 136   | 5927 | 152   | 5970 | 130   |
| 5599 | 270   | 5735 | 165   | 5817 | 139   | 5864 | 140   | 5928 | 152   | 5971 | 130   |
| 5600 | 270   | 5745 | 166   | 5818 | 139   | 5866 | 140   | 5929 | 152   | 5972 | 130   |
| 5601 | 270   | 5746 | 160   | 5819 | 159   | 5875 | 144   | 5930 | 152   | 6019 | 177   |
| 5602 | 270   | 5747 | 160   | 5820 | 159   | 5876 | 144   | 5931 | 153   | 6026 | 184   |
| 5603 | 271   | 5749 | 160   | 5821 | 159   | 5877 | 144   | 5932 | 153   | 6029 | 177   |
| 5604 | 271   | 5750 | 160   | 5822 | 157   | 5878 | 144   | 5933 | 153   | 6052 | 248   |
| 5605 | 271   | 5752 | 161   | 5823 | 157   | 5879 | 144   | 5934 | 169   | 6053 | 248   |
| 5606 | 271   | 5753 | 161   | 5824 | 157   | 5880 | 144   | 5935 | 169   | 6054 | 248   |
| 5607 | 260   | 5754 | 161   | 5825 | 129   | 5881 | 145   | 5936 | 170   | 6055 | 248   |
| 5608 | 260   | 5755 | 165   | 5826 | 129   | 5882 | 145   | 5937 | 170   | 6056 | 248   |
| 5609 | 264   | 5756 | 160   | 5827 | 129   | 5883 | 145   | 5938 | 171   | 6057 | 248   |
| 5610 | 264   | 5758 | 161   | 5830 | 132   | 5884 | 145   | 5939 | 171   | 6062 | 254   |
| 5611 | 264   | 5760 | 142   | 5832 | 135   | 5885 | 145   | 5940 | 150   | 6151 | 248   |
| 5612 | 264   | 5766 | 142   | 5833 | 135   | 5886 | 145   | 5941 | 150   | 6166 | 246   |
| 5613 | 264   | 5776 | 131   | 5834 | 139   | 5887 | 146   | 5942 | 150   | 6167 | 246   |
| 5614 | 264   | 5779 | 134   | 5835 | 139   | 5888 | 146   | 5943 | 148   | 6168 | 246   |
| 5661 | 154   | 5782 | 138   | 5836 | 139   | 5889 | 146   | 5944 | 148   | 6169 | 246   |
| 5662 | 154   | 5783 | 158   | 5837 | 159   | 5890 | 146   | 5945 | 148   | 6170 | 246   |
| 5663 | 154   | 5784 | 158   | 5838 | 159   | 5891 | 146   | 5946 | 150   | 6171 | 246   |
| 5664 | 154   | 5785 | 158   | 5839 | 159   | 5892 | 147   | 5947 | 150   | 6172 | 246   |
| 5665 | 154   | 5786 | 156   | 5840 | 157   | 5893 | 147   | 5948 | 150   | 6173 | 246   |
| 5666 | 154   | 5787 | 156   | 5841 | 157   | 5894 | 164   | 5949 | 148   | 6174 | 246   |
| 5667 | 154   | 5788 | 156   | 5842 | 157   | 5895 | 164   | 5950 | 148   | 6179 | 254   |
| 5668 | 154   | 5789 | 128   | 5843 | 129   | 5896 | 174   | 5951 | 148   | 6184 | 253   |
| 5669 | 154   | 5790 | 128   | 5844 | 129   | 5897 | 174   | 5952 | 150   | 6185 | 253   |
| 5691 | 165   | 5791 | 128   | 5845 | 129   | 5898 | 144   | 5953 | 150   | 6198 | 253   |
| 5692 | 165   | 5796 | 134   | 5846 | 133   | 5899 | 144   | 5954 | 150   | 6199 | 253   |
| 5696 | 168   | 5797 | 134   | 5847 | 133   | 5900 | 144   | 5955 | 148   | 6200 | 253   |
| 5697 | 162   | 5799 | 138   | 5848 | 133   | 5904 | 145   | 5956 | 148   | 6201 | 253   |
| 5698 | 162   | 5800 | 138   | 5849 | 136   | 5905 | 145   | 5957 | 148   | 6202 | 245   |
| 5699 | 163   | 5801 | 158   | 5850 | 136   | 5906 | 145   | 5958 | 151   | 6203 | 245   |
| 5700 | 163   | 5802 | 158   | 5851 | 136   | 5907 | 147   | 5959 | 151   | 6217 | 178   |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 6221 | 178   | 6284 | 252   | 6334 | 215   | 6380 | 182   | 6424 | 199   | 7069 | 423   |
| 6222 | 178   | 6285 | 252   | 6335 | 215   | 6381 | 182   | 6425 | 185   | 7070 | 421   |
| 6229 | 234   | 6286 | 252   | 6336 | 215   | 6384 | 183   | 6426 | 185   | 7071 | 421   |
| 6230 | 234   | 6287 | 252   | 6337 | 217   | 6385 | 183   | 6427 | 185   | 7072 | 426   |
| 6231 | 234   | 6292 | 198   | 6338 | 217   | 6386 | 183   | 6427 | 193   | 7073 | 426   |
| 6236 | 179   | 6293 | 198   | 6339 | 217   | 6386 | 186   | 6428 | 202   | 7074 | 429   |
| 6237 | 179   | 6294 | 198   | 6340 | 215   | 6387 | 250   | 6429 | 202   | 7075 | 429   |
| 6238 | 180   | 6295 | 200   | 6341 | 215   | 6388 | 250   | 6430 | 202   | 7076 | 417   |
| 6239 | 180   | 6296 | 200   | 6342 | 215   | 6389 | 241   | 6431 | 202   | 7077 | 417   |
| 6240 | 179   | 6297 | 200   | 6343 | 217   | 6390 | 241   | 6432 | 187   | 7078 | 440   |
| 6241 | 179   | 6299 | 236   | 6344 | 217   | 6391 | 241   | 6433 | 187   | 7079 | 440   |
| 6242 | 179   | 6301 | 236   | 6345 | 217   | 6392 | 234   | 6434 | 241   | 7080 | 440   |
| 6250 | 238   | 6302 | 236   | 6346 | 216   | 6393 | 234   | 6435 | 241   | 7081 | 441   |
| 6251 | 238   | 6303 | 236   | 6347 | 216   | 6394 | 234   | 7033 | 390   | 7082 | 441   |
| 6253 | 244   | 6304 | 236   | 6348 | 216   | 6395 | 251   | 7034 | 389   | 7083 | 441   |
| 6254 | 244   | 6305 | 236   | 6349 | 218   | 6396 | 251   | 7035 | 391   | 7084 | 451   |
| 6256 | 183   | 6306 | 236   | 6350 | 218   | 6397 | 251   | 7039 | 390   | 7085 | 451   |
| 6257 | 183   | 6307 | 236   | 6351 | 218   | 6398 | 251   | 7040 | 390   | 7086 | 451   |
| 6258 | 183   | 6308 | 236   | 6352 | 216   | 6399 | 250   | 7042 | 389   | 7087 | 440   |
| 6260 | 186   | 6309 | 235   | 6353 | 216   | 6400 | 250   | 7043 | 389   | 7088 | 440   |
| 6261 | 186   | 6310 | 235   | 6354 | 216   | 6401 | 196   | 7044 | 231   | 7089 | 440   |
| 6262 | 235   | 6311 | 244   | 6355 | 218   | 6402 | 196   | 7045 | 231   | 7090 | 441   |
| 6263 | 235   | 6312 | 244   | 6356 | 218   | 6403 | 196   | 7046 | 419   | 7091 | 441   |
| 6264 | 235   | 6313 | 237   | 6357 | 218   | 6404 | 196   | 7047 | 419   | 7092 | 441   |
| 6265 | 235   | 6314 | 237   | 6358 | 219   | 6405 | 196   | 7050 | 394   | 7093 | 451   |
| 6266 | 254   | 6315 | 237   | 6359 | 219   | 6406 | 196   | 7051 | 391   | 7094 | 451   |
| 6267 | 254   | 6316 | 237   | 6360 | 219   | 6407 | 196   | 7052 | 391   | 7095 | 451   |
| 6268 | 193   | 6318 | 238   | 6361 | 220   | 6408 | 196   | 7053 | 392   | 7096 | 402   |
| 6269 | 176   | 6319 | 238   | 6362 | 220   | 6409 | 196   | 7054 | 392   | 7097 | 402   |
| 6269 | 179   | 6320 | 238   | 6363 | 220   | 6410 | 197   | 7055 | 398   | 7098 | 388   |
| 6269 | 193   | 6321 | 238   | 6364 | 219   | 6411 | 197   | 7056 | 398   | 7099 | 388   |
| 6270 | 193   | 6322 | 239   | 6365 | 219   | 6412 | 197   | 7057 | 429   | 7100 | 67    |
| 6271 | 193   | 6323 | 239   | 6366 | 219   | 6413 | 197   | 7058 | 427   | 7101 | 71    |
| 6272 | 235   | 6324 | 239   | 6367 | 220   | 6414 | 197   | 7059 | 427   | 7102 | 71    |
| 6273 | 235   | 6325 | 240   | 6368 | 220   | 6415 | 197   | 7060 | 430   | 7103 | 71    |
| 6276 | 224   | 6326 | 240   | 6369 | 220   | 6416 | 197   | 7061 | 430   | 7104 | 72    |
| 6277 | 223   | 6327 | 191   | 6370 | 219   | 6417 | 197   | 7062 | 431   | 7105 | 72    |
| 6278 | 224   | 6328 | 193   | 6371 | 219   | 6418 | 197   | 7063 | 431   | 7106 | 72    |
| 6279 | 223   | 6329 | 184   | 6372 | 219   | 6419 | 176   | 7064 | 416   | 7107 | 74    |
| 6280 | 224   | 6330 | 181   | 6373 | 220   | 6420 | 176   | 7065 | 416   | 7108 | 74    |
| 6281 | 223   | 6331 | 181   | 6374 | 220   | 6421 | 176   | 7066 | 422   | 7109 | 74    |
| 6282 | 252   | 6332 | 186   | 6375 | 220   | 6422 | 199   | 7067 | 422   | 7110 | 75    |
| 6283 | 252   | 6333 | 186   | 6376 | 180   | 6423 | 199   | 7068 | 423   | 7111 | 75    |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 7112 | 75    | 7173 | 40    | 7220 | 59    | 7270 | 100   | 7308 | 21    | 7353 | 28    |
| 7113 | 65    | 7174 | 40    | 7221 | 33    | 7271 | 100   | 7308 | 99    | 7354 | 28    |
| 7114 | 65    | 7175 | 40    | 7222 | 33    | 7272 | 52    | 7309 | 17    | 7355 | 15    |
| 7115 | 65    | 7176 | 75    | 7223 | 33    | 7273 | 52    | 7310 | 100   | 7356 | 15    |
| 7116 | 66    | 7177 | 75    | 7224 | 24    | 7274 | 52    | 7311 | 100   | 7357 | 44    |
| 7121 | 23    | 7178 | 77    | 7225 | 84    | 7275 | 52    | 7312 | 100   | 7358 | 44    |
| 7123 | 45    | 7179 | 77    | 7226 | 84    | 7276 | 52    | 7313 | 54    | 7359 | 44    |
| 7124 | 45    | 7180 | 77    | 7229 | 33    | 7277 | 52    | 7314 | 54    | 7360 | 15    |
| 7125 | 45    | 7181 | 78    | 7230 | 35    | 7278 | 53    | 7317 | 25    | 7361 | 15    |
| 7126 | 101   | 7182 | 78    | 7231 | 35    | 7279 | 53    | 7318 | 38    | 7362 | 42    |
| 7127 | 101   | 7183 | 78    | 7232 | 34    | 7280 | 53    | 7319 | 38    | 7363 | 42    |
| 7128 | 101   | 7184 | 79    | 7233 | 34    | 7281 | 53    | 7320 | 38    | 7364 | 42    |
| 7132 | 54    | 7185 | 79    | 7234 | 228   | 7282 | 19    | 7321 | 44    | 7365 | 19    |
| 7133 | 54    | 7186 | 79    | 7235 | 228   | 7283 | 20    | 7322 | 44    | 7366 | 18    |
| 7134 | 54    | 7187 | 80    | 7236 | 228   | 7284 | 19    | 7323 | 44    | 7367 | 18    |
| 7142 | 64    | 7188 | 80    | 7237 | 40    | 7285 | 17    | 7324 | 16    | 7368 | 20    |
| 7143 | 64    | 7189 | 80    | 7238 | 40    | 7286 | 17    | 7325 | 16    | 7401 | 32    |
| 7144 | 64    | 7190 | 80    | 7239 | 40    | 7287 | 17    | 7326 | 16    | 7403 | 32    |
| 7145 | 62    | 7191 | 80    | 7240 | 28    | 7288 | 17    | 7327 | 58    | 7404 | 32    |
| 7146 | 61    | 7196 | 36    | 7241 | 28    | 7289 | 17    | 7328 | 58    | 7405 | 32    |
| 7147 | 61    | 7197 | 36    | 7242 | 28    | 7290 | 17    | 7329 | 103   | 7406 | 32    |
| 7148 | 61    | 7198 | 36    | 7243 | 106   | 7291 | 15    | 7330 | 103   | 7410 | 91    |
| 7150 | 23    | 7199 | 43    | 7244 | 106   | 7292 | 15    | 7331 | 103   | 7411 | 91    |
| 7151 | 23    | 7200 | 43    | 7245 | 106   | 7293 | 15    | 7332 | 103   | 7412 | 91    |
| 7152 | 79    | 7201 | 43    | 7246 | 27    | 7294 | 16    | 7333 | 103   | 7413 | 91    |
| 7153 | 79    | 7202 | 41    | 7251 | 63    | 7295 | 16    | 7334 | 103   | 7414 | 85    |
| 7154 | 79    | 7203 | 41    | 7252 | 63    | 7296 | 16    | 7335 | 57    | 7500 | 410   |
| 7155 | 69    | 7204 | 41    | 7253 | 106   | 7297 | 16    | 7336 | 57    | 7501 | 410   |
| 7156 | 69    | 7205 | 106   | 7254 | 106   | 7298 | 16    | 7337 | 105   | 7502 | 410   |
| 7157 | 68    | 7206 | 106   | 7255 | 106   | 7299 | 16    | 7338 | 105   | 7503 | 410   |
| 7158 | 55    | 7207 | 106   | 7256 | 40    | 7300 | 18    | 7339 | 105   | 7504 | 411   |
| 7159 | 55    | 7208 | 49    | 7257 | 40    | 7301 | 18    | 7340 | 21    | 7505 | 411   |
| 7160 | 55    | 7209 | 49    | 7258 | 40    | 7302 | 18    | 7340 | 105   | 7506 | 411   |
| 7161 | 55    | 7210 | 49    | 7260 | 29    | 7303 | 21    | 7341 | 26    | 7507 | 411   |
| 7162 | 55    | 7211 | 48    | 7261 | 29    | 7303 | 99    | 7342 | 26    | 7508 | 413   |
| 7163 | 55    | 7212 | 49    | 7262 | 29    | 7304 | 21    | 7343 | 26    | 7509 | 413   |
| 7164 | 55    | 7213 | 49    | 7263 | 37    | 7304 | 99    | 7344 | 26    | 7510 | 413   |
| 7165 | 55    | 7214 | 49    | 7264 | 37    | 7305 | 21    | 7346 | 35    | 7511 | 413   |
| 7166 | 55    | 7215 | 48    | 7265 | 37    | 7305 | 99    | 7348 | 35    | 7512 | 413   |
| 7167 | 102   | 7216 | 60    | 7266 | 27    | 7306 | 21    | 7349 | 29    | 7513 | 418   |
| 7168 | 102   | 7217 | 60    | 7267 | 27    | 7306 | 99    | 7350 | 29    | 7514 | 418   |
| 7169 | 102   | 7218 | 59    | 7268 | 27    | 7307 | 21    | 7351 | 29    | 7515 | 414   |
| 7170 | 84    | 7219 | 59    | 7269 | 100   | 7307 | 99    | 7352 | 28    | 7516 | 414   |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU   | P-No. |
|------|-------|------|-------|------|-------|------|-------|-------|-------|
| 7517 | 414   | 8208 | 450   | 8252 | 459   | 8295 | 437   | 9982  | 296   |
| 7518 | 414   | 8209 | 434   | 8253 | 459   | 8296 | 437   | 9983  | 296   |
| 7519 | 424   | 8210 | 434   | 8254 | 460   | 8297 | 437   | 9984  | 296   |
| 7520 | 424   | 8211 | 434   | 8255 | 460   | 8298 | 437   | 9985  | 296   |
| 7521 | 425   | 8212 | 434   | 8256 | 460   | 8299 | 437   | 9986  | 296   |
| 7522 | 425   | 8213 | 435   | 8257 | 460   | 8300 | 437   | 9987  | 296   |
| 7523 | 404   | 8214 | 435   | 8258 | 461   | 8301 | 443   | 9989  | 189   |
| 7524 | 445   | 8215 | 435   | 8259 | 461   | 8302 | 443   | 9990  | 297   |
| 7525 | 445   | 8216 | 435   | 8260 | 461   | 8303 | 443   | 9991  | 297   |
| 7526 | 445   | 8217 | 444   | 8261 | 461   | 8304 | 443   | 9992  | 297   |
| 7527 | 445   | 8218 | 444   | 8262 | 456   | 8305 | 443   | 9993  | 297   |
| 7529 | 428   | 8219 | 444   | 8263 | 456   | 8306 | 443   | 9994  | 297   |
| 7530 | 428   | 8220 | 444   | 8264 | 456   | 8307 | 454   | 9995  | 297   |
| 7531 | 420   | 8221 | 453   | 8265 | 456   | 8308 | 454   | 9997  | 190   |
| 7532 | 420   | 8222 | 453   | 8266 | 457   | 8309 | 454   | 9999  | 190   |
| 8036 | 204   | 8223 | 453   | 8267 | 457   | 8310 | 454   | 11077 | 464   |
| 8037 | 205   | 8224 | 453   | 8268 | 457   | 8500 | 388   | 11079 | 465   |
| 8038 | 206   | 8225 | 452   | 8269 | 457   | 8501 | 395   | 11088 | 466   |
| 8058 | 204   | 8226 | 452   | 8270 | 458   | 8502 | 396   | 36265 | 126   |
| 8059 | 205   | 8227 | 452   | 8271 | 458   | 8503 | 397   | 42411 | 36    |
| 8060 | 206   | 8228 | 452   | 8272 | 458   | 8504 | 395   | 42501 | 43    |
| 8070 | 203   | 8229 | 407   | 8273 | 458   | 8505 | 396   | 42511 | 43    |
| 8073 | 203   | 8230 | 408   | 8274 | 372   | 8506 | 397   | 42521 | 43    |
| 8074 | 203   | 8231 | 408   | 8275 | 194   | 8507 | 400   | 42591 | 81    |
| 8075 | 203   | 8232 | 450   | 8276 | 403   | 8508 | 400   | 43001 | 92    |
| 8076 | 203   | 8233 | 449   | 8277 | 403   | 8514 | 392   | 43011 | 86    |
| 8096 | 373   | 8234 | 449   | 8278 | 405   | 8515 | 392   | 43061 | 90    |
| 8097 | 373   | 8235 | 449   | 8279 | 405   | 9104 | 173   | 43071 | 87    |
| 8098 | 374   | 8236 | 449   | 8280 | 436   | 9546 | 173   | 43421 | 37    |
| 8099 | 370   | 8237 | 449   | 8281 | 436   | 9852 | 404   | 43431 | 37    |
| 8100 | 370   | 8238 | 449   | 8282 | 436   | 9853 | 404   | 43441 | 37    |
| 8120 | 198   | 8239 | 446   | 8283 | 436   | 9854 | 404   | 43641 | 82    |
| 8121 | 198   | 8240 | 446   | 8284 | 436   | 9944 | 332   | 43651 | 86    |
| 8122 | 199   | 8241 | 446   | 8285 | 436   | 9945 | 332   | 43881 | 88    |
| 8123 | 199   | 8242 | 446   | 8286 | 438   | 9947 | 297   | 44141 | 86    |
| 8200 | 371   | 8243 | 446   | 8287 | 438   | 9952 | 332   | 44251 | 92    |
| 8201 | 371   | 8244 | 446   | 8288 | 438   | 9953 | 332   | 44291 | 89    |
| 8202 | 455   | 8245 | 448   | 8289 | 438   | 9954 | 332   | 44301 | 89    |
| 8203 | 455   | 8246 | 448   | 8290 | 438   | 9955 | 332   | 44801 | 77    |
| 8204 | 455   | 8247 | 448   | 8291 | 438   | 9968 | 190   | 44921 | 76    |
| 8205 | 455   | 8249 | 372   | 8292 | 447   | 9969 | 189   | 44931 | 76    |
| 8206 | 455   | 8250 | 459   | 8293 | 447   | 9970 | 190   | 44941 | 76    |
| 8207 | 455   | 8251 | 459   | 8294 | 447   | 9981 | 296   | 60246 | 177   |



## Certificates



**DIALux Partner**



**TUV**



**RoHS**



**The LIA Member**



**CE / LVD**

I N T R O D U C I N G



**5** **YEAR** **WARRANTY**  
PRODUCTS



## Head Offices

Sofia | London

---

### Europe Office

1, Iliansko Shanssee Blvd,  
Sofia 1220, Bulgaria  
[www.v-tac.eu](http://www.v-tac.eu)

### UK Office

Unit No. 9, Armstrong Way,  
Western Industrial Park,  
Southall, London,  
UB24SD, UK.  
[www.v-tac.co.uk](http://www.v-tac.co.uk)

### Middle East Office

Unit# 407/8/9 Jumeirah  
Bay Towers,  
Plot# X3, JLT,  
P.O. Box 45244, Dubai.  
[www.vtacexports.com](http://www.vtacexports.com)