

V-TAC[®]

INNOVATIVE LED LIGHTING

C a t a l o g u e 2 0 1 8 - Q 2



V-TAC[®]

PRO

5 YEAR
WARRANTY
PRODUCTS

LED
provided by
SAMSUNG

Who We Are?

V-TAC is a Premium LED Lighting Brand developed with Energy and Lighting Specialists.

We make it a point to design and distribute High Quality, Affordable and Sustainable LED Lighting Solutions.

Our products follow ERP guidelines and are tested and approved by accredited labs.



What We Do?

We Import, Stock and Deliver a complete range of High Quality LED Products at **Market-Leading Prices** all across the EU

OUR APPROVALS



in **2017** we reached the milestone that is

120 Million \$
Turnover

WE BELIEVE IN GROWING TOGETHER

Our Success is built on
Strong Partnerships and
Distributor Loyalty

2010 11 Employees
2 Offices
\$ 1.50m Turnover

2011 20 Employees
3 Offices
\$ 8m Turnover

2012 25 Employees
3 Offices
\$ 18m Turnover

2013 55 Employees
4 Offices
\$ 30m Turnover

2014 75 Employees
5 Offices
\$ 50m Turnover

2015 110 Employees
6 Offices
\$ 75m Turnover

2016 130 Employees
8 Offices
\$ 100m Turnover



STRENGTH IN NUMBERS

As our Market Size Grows,
We make it a point to recruit Top Talent,
and to establish a Strong Regional Presence.

Founded in 2009, V-TAC has grown from strength to strength and has established itself as a global brand providing energy efficient lighting solutions covering more than 70 countries throughout Europe, Asia Pacific, Africa, Middle East and the USA.

As a result of its relentless pursuit towards excellence, V-TAC has been listed in London Stock Exchange Group's 1000 Companies to Inspire Europe 2016.

V-TAC believes in offering high quality LED solutions with strong product guarantees, competitively priced and easy to install products certified with DEKRA, GS, TUV, CE/EMC, ROHS and UL certifications. With over 1500 value for money products in all categories continued investment in people, systems, and product innovations, V-TAC continues to explore uncharted territories.

Over the last eight years, V-TAC has replaced 50 million standard lights with energy saving LED Lights, resulting in total customer savings of over a £150 million per year, which has led to the reduction of over 150 thousand tons of Carbon Emissions.

With a vision to provide affordable LED Lighting solutions to Residential, Industrial and Commercial sectors, V-TAC surges forward on the foundation of its three pronged approach – Design, Develop and Distribute at lighting speed EVERYDAY!

Table of contents



PRO series



V-TAC is proud to announce our all new PRO-Series with 5 year warranty and LED powered by SAMSUNG. A professional range of products made for professional use.



LED Bulbs

Pages from
02-29



LED Spotlights

Pages from
30-35



LED Flood Lights

Pages from
36-48



LED Panels

Pages from
49-53



LED Tubes & Waterproof Fittings

Pages from
54-65



LED Strip Lights

Page
66



LED Track Lights

Pages from
67-71



LED High and Low Bays

Pages from
72-78

Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications.
Our products have been tested and approved by top EU labs ensuring high quality LED's.

LED Bulbs

Blister Packing



Pages from
80-86

Plastic Bulbs



Pages from
87-111

Amber Cover



Pages from
112-124

White Cover



Pages from
125-126

Frost Cover



Pages from
127-133

Clear Cover



Pages from
134-145

LED Spotlights

GU10-MR16



Pages from
146-152

G4-G9



Pages from
153-154

Accessories



Pages from
155-185

PAR Lamps



Pages from
186-191

LED Flood lights

Flood lights



Pages from
192-211

PIR Floodlights



Pages from
212-227

LED Panels

Big Panels



Pages from
228-244

Mini Panels



Pages from
245-275

Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

LED Tubes Lights

LED Tubes



Pages from
276-288

Waterproof Fittings



Pages from
289-295

LED Highbays

UFO Highbays



Pages from
296-306



Pages from
307-309

LED Street Lights

LED Street Lights



Pages from
310-314

LED Street Lights High Lumens



Pages from
315-317

LED Strip Lights

Big Panels



Pages from
319-334

Aluminum Profiles



Pages from
335-338

Accessories



Pages from
339-345

Power Supply



Pages from
346-355

Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

LED Track Lights

LED Linear Lights



Pages from
356-359

LED Track Lights



Pages from
360-375

LED Downlights

LED Down Lights



Pages from
376-389

LED Dome Lights



Pages from
390-405

LED Bulkhead



Pages from
406-413

LED Fierated lights and fittings



Pages from
414-421

Motion Sensors

Motion Sensors



Pages from
422-433

LED Emergency Lights

LED Emergency Lights



Pages from
434-443

LED Table Lamps

LED Table Lamps



Pages from
444-457

LED Innovative Lights

LED Solar Lights



Pages from
458-461

Smart Switches



Pages from
462-463

Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

LED Outdoor Lights

LED Outdoor Lights



Pages from
464-471

Garden Spike Light



Pages from
472

Pool Lights



Pages from
473-475

Garden Lamps

Garden Lamps



Pages from
476-487

LED Wall Lights

LED Wall Lights



Pages from
488-519

LED Display Screen

LED Display Screen



Pages from
520-521

Decorative & LED Pendants

Pendants



Pages from
522-593

Holders



Pages from
594-601

Designer Sleek



Pages from
602-613

Chandeliers



Pages from
614-621

Teamwork Makes the Dream Work.



Samsung inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, network systems, memory, system LSI, and LED solutions.

Founded in 2009, we are currently one of the swiftly growing LED brands in Europe. V-TAC is a brand now known in over **70 countries**. As a result of sheer persistence, we have a range of over **2000 products**, from across **20 different categories**. Through our constant motivation to provide our customers with an enhanced product range, we introduced the PRO-Series; five-year warranty products with the base of the products provided by the thoroughly reliable and efficient LED chips from Samsung.

V Stands For Vision.

Our vision is to take the LED market by storm. Growth-driven approach and philosophy has enabled us to develop cutting-edge LED products at light speed. The PRO-Series is a substantial range of products, constructed with all new Samsung chips. This series is the ideal product range for professional use.



LED Filament Bulbs

Classic vintage designs with modern tech: V-TAC's Filament Range is devised with the latest technology to closely mimic the warm look and feel of conventional filament bulbs; empowered with massive energy savings.



- Options! Available in amber and clear cover
- Premium quality finish for an elegant aesthetic
- More light. Less Power: 80% lower power consumption than conventional bulbs
- Environmentally friendly: contains no hazardous materials
- Set the right tone: dimmable options available

^{*}
5 **V-TAC** **PRO**
YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®



INNOVATIVE LED LIGHTING

E27-Amber Filament

4W VT-214

SKU: 282 - 2200K Warm White

3800157634298

**350**
Lumens**30w**
EQ. Watts**E27**
Base**A60**
Type**>80**
CRI**>0.5**
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	30,000 Hours	50

E27-Amber Filament

6W VT-266

SKU: 286 - 2200K Warm White

3800157634649

**725**
Lumens**55w**
EQ. Watts**E27**
Base**A60**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	20,000 Hours	50



5 YEARS
WARRANTY



120+ LUMENS
PER WATT


SUPER EFFICIENT

E27-Clear Filament

6W VT-256

SKU: 287 - 2700K Warm White

3800157634656



806
Lumens



60w
EQ.Watts



E27
Base



A60
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	20,000 Hours	50

E14-Clear Filament

4W VT-254

SKU: 272 - 2700K Warm White

3800157634199



400
Lumens



35w
EQ.Watts



E14
Base



C37
Type



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu



V-TAC®

INNOVATIVE LED LIGHTING

E14-Clear Filament

4W VT-254D

SKU: 278 - 2700K Warm White 3800157634250


**350**
Lumens**30w**
EQ. Watts**E14**
Base**C37**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100

E14-Clear Filament

4W VT-274

SKU: 279 - 2700K Warm White 3800157634267

**400**
Lumens**35w**
EQ. Watts**E14**
Base**C37**
Type**>80**
CRI**>0.4**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100



5 YEARS WARRANTY




E14-Clear Filament

4W VT-264

SKU: 275 - 2700K Warm White

3800157634229



400
Lumens



35w
EQ.Watts



E14
Base



C37
Type



>80
CRI



>0.4
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø37x121mm	20,000 Hours	100

E27-Clear Filament

4W VT-244

SKU: 280 - 2700K Warm White

3800157633710



400
Lumens



35w
EQ.Watts



E27
Base



G45
Type



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø45x75mm	20,000 Hours	100

120+ LUMENS PER WATT

SUPER EFFICIENT

E27-Amber Filament

6W VT-296

SKU: 293 - 2200K Warm White 3800157634717



725
Lumens



55w
EQ. Watts



E27
Base



G95
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø95x135mm	20,000 Hours	20

120+ LUMENS PER WATT

SUPER EFFICIENT

E27-Clear Filament

6W VT-286

SKU: 294 - 2700K Warm White 3800157634724



806
Lumens



60w
EQ. Watts



E27
Base



G95
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø95x135mm	20,000 Hours	20



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

120+ LUMENS
PER WATT

SUPER EFFICIENT

E27-Amber Filament

6W VT-297

SKU: 291 - 2200K Warm White

3800157634694



725
Lumens



55w
EQ.Watts



E27
Base



G125
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø125x177mm	20,000 Hours	20

120+ LUMENS
PER WATT


SUPER EFFICIENT

E27-Clear Filament

6W VT-287

SKU: 292 - 2700K Warm White

3800157634700



806
Lumens



60w
EQ.Watts



E27
Base



G125
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø125x177mm	20,000 Hours	20


120+ LUMENS
PER WATT

SUPER EFFICIENT

E27-Amber Filament

6W VT-276

SKU: 290 - 2200K Warm White 3800157634687



725
Lumens



55w
EQ. Watts



E27
Base



ST64
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø64x138mm	20,000 Hours	50



5 YEARS
WARRANTY





LED Thermoplastic Bulbs

High Lumen Bulbs

120+ LUMENS
PER WATT

SUPER EFFICIENT



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING


LED Bulbs

E14-LED Plastic Bulbs

4.5W VT-255

SKU: 258 - 3000K Warm White
SKU: 259 - 4000K Day White
SKU: 260 - 6400K White

3800157633680
3800157633105
3800157633703



470
Lumens



40w
EQ. Watts



E14
Base



C37
Type



>80
CRI



>0.4
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø37x100mm	30,000 Hours	200

E27-LED Plastic Bulbs

4.5W VT-245

SKU: 261 - 3000K Warm White
SKU: 262 - 4000K Day White
SKU: 263 - 6400K White

3800157633710
3800157633727
3800157633734



470
Lumens



40w
EQ. Watts



E27
Base



G45
Type



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200



5 YEARS WARRANTY




E14-LED Plastic Bulbs

4.5W VT-225

SKU: 264 - 3000K Warm White
SKU: 265 - 4000K Day White
SKU: 266 - 6400K White

3800157633741
3800157633758
3800157633765



470
Lumens



40w
EQ.Watts



E14
Base



P45
Type



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200


120+ LUMENS
PER WATT
SUPER EFFICIENT

E27-LED Plastic Bulbs

6.5W VT-265

SKU: 255 - 3000K Warm White
SKU: 256 - 4000K Day White
SKU: 257 - 6400K White

3800157633659
3800157633666
3800157633673



806
Lumens



60w
EQ.Watts



E27
Base



A60
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x104mm	30,000 Hours	100

120+ LUMENS
PER WATT


SUPER EFFICIENT

E27-LED Plastic Bulbs

8.5W VT-285

SKU: 252 - 3000K Warm White
SKU: 253 - 4000K Day White
SKU: 254 - 6400K White

3800157633628
3800157633635
3800157633642



1055
Lumens



75w
EQ. Watts



E27
Base



A60
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x112mm	30,000 Hours	100

120+ LUMENS
PER WATT


SUPER EFFICIENT

E27-LED Plastic Bulbs

12W VT-295

SKU: 249 - 3000K Warm White
SKU: 250 - 4000K Day White
SKU: 251 - 6400K White

3800157633598
3800157633604
3800157633611



1521
Lumens



100w
EQ. Watts



E27
Base



A65
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100





LED Thermoplastic Bulbs

The definition of sustainability: Sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.



- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures; warm white, day white, cool white
- Set the right tone: dimmable options available
- Customized exterior for a stronger body



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING



LED Bulbs

E14-LED Plastic Bulbs

2W VT-202

SKU: 234 - 3000K Warm White
SKU: 235 - 4000K Day White
SKU: 236 - 6400K White

3800157632546
3800157632553
3800157632560



180
Lumens



20w
EQ. Watts



E14
Base



ST26
Type



>80
CRI



>0.4
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	150°	Thermoplastic	Ø25x59mm	30,000 Hours	400

E14-LED Plastic Bulbs

8W VT-248

SKU: 267 - 3000K Warm White
SKU: 268 - 4000K Day White
SKU: 269 - 6400K White

3800157634113
3800157634120
3800157634137



725
Lumens



55w
EQ. Watts



E14
Base



T37
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	230°	Thermoplastic	Ø37x115mm	30,000 Hours	200



5 YEARS
WARRANTY



15


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

E27-LED Plastic Bulbs

8W VT-237

SKU: 144 - 3000K Warm White
SKU: 145 - 4000K Day White
SKU: 146 - 6400K White

3800157627573
3800157627580
3800157627597



725
Lumens



55w
EQ.Watts



E27
Base



T37
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	230°	Thermoplastic	Ø37x115mm	30,000 Hours	200

E27-LED Plastic Bulbs

5.5W VT-246

SKU: 174 - 3000K Warm White
SKU: 175 - 4000K Day White
SKU: 176 - 6400K White

3800157627870
3800157627887
3800157627894



470
Lumens



40w
EQ.Watts



E27
Base



G45
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING



LED Bulbs

E14-LED Plastic Bulbs

5.5W VT-236

SKU: 168 - 3000K Warm White
SKU: 169 - 4000K Day White
SKU: 170 - 6400K White

3800157627818
3800157627825
3800157627832



470
Lumens



40w
EQ. Watts



E14
Base



P45
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200

E14-LED Plastic Bulbs

5.5W VT-226

SKU: 171 - 3000K Warm White
SKU: 172 - 4000K Day White
SKU: 173 - 6400K White

3800157627849
3800157627856
3800157627863



470
Lumens



40w
EQ. Watts



E14
Base



C37
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø37x100mm	30,000 Hours	200



5 YEARS
WARRANTY




B22-LED Plastic Bulbs

9W VT-219

SKU: 270 - 3000K Warm White

3800157634151



806
Lumens



60w
EQ.Watts



B22
Base



A60
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

B22-LED Plastic Bulbs

11W VT-213

SKU: 271 - 3000K Warm White

3800157634168



1055
Lumens



75w
EQ.Watts



B22
Base



A60
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x120mm	30,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING



LED Bulbs

E27-LED Plastic Bulbs

9W VT-209

SKU: 156 - 3000K Warm White
SKU: 157 - 4000K Day White
SKU: 158 - 6400K White

3800157627696
3800157627702
3800157627719



725
Lumens



55w
EQ. Watts



E27
Base



A58
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

E27-LED Plastic Bulbs

9W VT-210

SKU: 228 - 3000K Warm White
SKU: 229 - 4000K Day White
SKU: 230 - 6400K White

3800157631938
3800157631945
3800157631952



806
Lumens



60w
EQ. Watts



E27
Base



A58
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100



5 YEARS
WARRANTY




E27-LED Plastic Bulbs

11W VT-211

SKU: 177 - 3000K Warm White
SKU: 178 - 4000K Day White
SKU: 179 - 6400K White

3800157627900
3800157627917
3800157627924



975
Lumens



70w
EQ.Watts



E27
Base



A58
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

E27-LED Plastic Bulbs

11W VT-212

SKU: 231 - 3000K Warm White
SKU: 232 - 4000K Day White
SKU: 233 - 6400K White

3800157631969
3800157631976
3800157631983



1055
Lumens



75w
EQ.Watts



E27
Base



A58
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING



LED Bulbs

E27-LED Plastic Bulbs

15W VT-215

SKU: 159 - 3000K Warm White
SKU: 160 - 4000K Day White
SKU: 161 - 6400K White

3800157627726
3800157627733
3800157627740



1250
Lumens



85w
EQ. Watts



E27
Base



A65
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100

E27-LED Plastic Bulbs

17W VT-217

SKU: 162 - 3000K Warm White
SKU: 163 - 4000K Day White
SKU: 164 - 6400K White

3800157627757
3800157627764
3800157627771



1521
Lumens



100w
EQ. Watts



E27
Base



A65
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100



5 YEARS
WARRANTY




E14-LED Plastic Bulbs

3W VT-239

SKU: 210 - 3000K Warm White
SKU: 211 - 4000K Day White
SKU: 212 - 6400K White

3800157631754
3800157631761
3800157631778



250
Lumens



25w
EQ.Watts



E14
Base



R39
Type



>80
CRI



>0.4
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø39x67mm	30,000 Hours	200

E14-LED Plastic Bulbs

6W VT-250

SKU: 138 - 3000K Warm White
SKU: 139 - 4000K Day White
SKU: 140 - 6400K White

3800157627511
3800157627528
3800157627535



470
Lumens



40w
EQ.Watts



E14
Base



R50
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø50x86mm	30,000 Hours	200

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING



LED Bulbs

E27-LED Plastic Bulbs

8W VT-263

SKU: 141 - 3000K Warm White
SKU: 142 - 4000K Day White
SKU: 143 - 6400K White

3800157627542
3800157627559
3800157627566



570
Lumens



60w
EQ. Watts



E27
Base



R63
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø63x100mm	30,000 Hours	200

E27-LED Plastic Bulbs

10W VT-280

SKU: 135 - 3000K Warm White
SKU: 136 - 4000K Day White
SKU: 137 - 6400K White

3800157627481
3800157627498
3800157627504



800
Lumens



75w
EQ. Watts



E27
Base



R80
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø80x114mm	30,000 Hours	200



5 YEARS
WARRANTY





E27-PAR Bulbs

7W VT-220

SKU: 147 - 3000K Warm White
 SKU: 148 - 4000K Day White
 SKU: 149 - 6400K White

3800157627603
 3800157627610
 3800157627627

**495**
Lumens**65w**
EQ.Watts**E27**
Base**PAR20**
Type**>80**
CRI**>0.5**
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø63.5x83mm	30,000 Hours	100

E27-PAR Bulbs

11W VT-230

SKU: 153 - 3000K Warm White
 SKU: 154 - 4000K Day White
 SKU: 155 - 6400K White

3800157627665
 3800157627672
 3800157627689

**825**
Lumens**95w**
EQ.Watts**E27**
Base**PAR30**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø95x117mm	30,000 Hours	30

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING



LED Bulbs

E27-PAR Bulbs

14W VT-238

SKU: 150 - 3000K Warm White
SKU: 151 - 4000K Day White
SKU: 152 - 6400K White

3800157627634
3800157627641
3800157627658



1100
Lumens



120w
EQ. Watts



E27
Base



PAR38
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø120x132mm	30,000 Hours	30

GX53-PAR Bulbs

7W VT-207

SKU: 222 - 3000K Warm White
SKU: 223 - 4000K Day White
SKU: 224 - 6400K White

3800157631877
3800157631884
3800157631891



550
Lumens



45w
EQ. Watts



GX53
Base



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø75x35mm	30,000 Hours	100



5 YEARS
WARRANTY



25


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

E27-LED Plastic Bulbs

17W VT-218

SKU: 225 - 3000K Warm White
SKU: 226 - 4000K Day White
SKU: 227 - 6400K White

3800157631907
3800157631914
3800157631921



1521
Lumens



100w
EQ.Watts



E27
Base



G120
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø120x164mm	30,000 Hours	20

E27-Big Bulb & UFO

15W VT-216

SKU: 213 - 3000K Warm White
SKU: 214 - 4000K Day White
SKU: 215 - 6400K White

3800157631785
3800157631792
3800157631808



1200
Lumens



80w
EQ.Watts



E27
Base



F150
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø150x80mm	30,000 Hours	20

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING



LED Bulbs

E27-Big Bulb & UFO

24W VT-224

SKU: 216 - 3000K Warm White
SKU: 217 - 4000K Day White
SKU: 218 - 6400K White

3800157631815
3800157631822
3800157631839



1900
Lumens



120w
EQ. Watts



E27
Base



F200
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø200x80mm	30,000 Hours	20

E27-Big Bulb & UFO

36W VT-235

SKU: 219 - 3000K Warm White
SKU: 220 - 4000K Day White
SKU: 221 - 6400K White

3800157631846
3800157631853
3800157631860



2900
Lumens



170w
EQ. Watts



E27
Base



F250
Type



>80
CRI



>0.9
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø250x80mm	30,000 Hours	20



5 YEARS
WARRANTY



E40-Lowbays

85W VT-85

SKU: 520 - 4000K Day White
SKU: 521 - 6400K White

3800157635691
3800157629256



6800
Lumens



>80
CRI



>0.9
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	110°	Plastic	Ø260 x307	30,000 Hours	4



110+ LUMENS
PER WATT
SUPER EFFICIENT

E27-Big Bulb & UFO

36W VT-240

SKU: 283 - 3000K Warm White
SKU: 284 - 4000K Day White
SKU: 285 - 6400K White

3800157634335
3800157634342
3800157634359



3960
Lumens



E27
Base



>80
CRI



>0.9
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Aluminum	Ø90x212mm	30,000 Hours	20



E40-Big Bulb & UFO

60W VT-260

SKU: 187 - 4000K Day White
SKU: 188 - 6400K White

3800157629461
3800157629478



4800
Lumens



E40
Base



>80
CRI



>0.9
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Aluminum	30,000 Hours	20



5 YEARS
WARRANTY



LED Spotlights

Our new range of spotlights are the optimal replacement for halogen spotlights. Don't worry, our new spotlights are still compatible with existing GU10 holders and they deliver the same warm light like halogen spots while exhibiting the benefits that LEDs provide. Perfect for retail and residential lighting.



- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: An efficient retrofit for GU10 holders
- Optional beam angles: We have spotlights with beam angles ranging from 38°D to 300°D
- Set the right tone: dimmable options available

^{*}**5** V-TAC[®] PRO
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING


LED Spotlights

G4-Capsules

1.5W VT-201

SKU: 240 - 3000K Warm White
SKU: 241 - 4000K Day White
SKU: 242 - 6400K White

3800157632607
3800157632614
3800157632621



100
Lumens



10w
EQ.Watts



G4
Base



>80
CRI



>0.4
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	300°	Plastic	Ø12x38.5mm	30,000 Hours	400

G9-Capsules

2.5W VT-203

SKU: 243 - 3000K Warm White
SKU: 244 - 4000K Day White
SKU: 245 - 6400K White

3800157632638
3800157632645
3800157632652



200
Lumens



20w
EQ.Watts



G9
Base



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	300°	Plastic	Ø16.5x 46.5mm	30,000 Hours	500



5 YEARS
WARRANTY




G9-Capsules

3W VT-204

SKU: 246 - 3000K Warm White
SKU: 247 - 4000K Day White
SKU: 248 - 6400K White

3800157632669
3800157632676
3800157632683



300
Lumens



25w
EQ.Watts



G9
Base



>80
CRI



>0.4
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	300°	Plastic	Ø17x 49mm	30,000 Hours	500

GU10-Lens-110°

5W VT-205

SKU: 201 - 3000K Warm White
SKU: 202 - 4000K Day White
SKU: 203 - 6400K White

3800157631662
3800157631679
3800157631686



400
Lumens



35w
EQ.Watts



GU10
Base



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®
INNOVATIVE LED LIGHTING

LED Spotlights

GU10-Lens-110°

6.5W VT-247

SKU: 192 - 3000K Warm White



SKU: 193 - 4000K Day White

SKU: 194 - 6400K White

3800157631570

3800157631587

3800157631594



480
Lumens



60w
EQ.Watts



GU10
Base



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200

GU10-Lens-110°

6.5W VT-247D

SKU: 198 - 3000K Warm White



SKU: 199 - 4000K Day White

SKU: 200 - 6400K White

3800157631631

3800157631648

3800157631655



450
Lumens



55w
EQ.Watts



GU10
Base



>80
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200



5 YEARS WARRANTY




GU10-Lens-38°

6.5W VT-227D

SKU: 195 - 3000K Warm White
SKU: 196 - 4000K Day White
SKU: 197 - 6400K White

3800157631600
3800157631617
3800157631624



450
Lumens



35w
EQ.Watts



GU10
Base



>80
CRI



>0.5
PF




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200

GU10-Lens-38°

7W VT-277

SKU: 165 - 3000K Warm White
SKU: 166 - 4000K Day White
SKU: 167 - 6400K White

3800157627788
3800157627795
3800157627801



480
Lumens



65w
EQ.Watts



GU10
Base



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING

LED Spotlights

GU5.3-Lens-110°

6.5W VT-257

SKU: 204 - 3000K Warm White


SKU: 205 - 4000K Day White

SKU: 206 - 6400K White

3800157631693

3800157631709

3800157631716



450
Lumens



55w
EQ.Watts



GU5.3
Base



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200

GU5.3-Lens-38°

6.5W VT-267

SKU: 207 - 3000K Warm White


SKU: 208 - 4000K Day White

SKU: 209 - 6400K White

3800157631723

3800157631730

3800157631747



450
Lumens



40w
EQ.Watts



GU5.3
Base



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200



5 YEARS
WARRANTY



35

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED Floodlights

A symbol of limitless strength. V-TAC's all new slimline series is now manufactured with cutting-edge components to deliver an exceptional performance. Despite its slim exterior, it is extremely sturdy and absolutely perfect for outdoor applications.



- High performance LED Chips to deliver striking light
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design, for high-end support and aesthetics
- Options! Available in black and white finish



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Live . Light . Life



www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

LED Flood Lights

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the beam is at a different distance.

Slimline-White Body

10W VT-10-W

SKU: 427 - 3000K Warm White


SKU: 428 - 4000K Day White

SKU: 429 - 6400K White

3800157630832

3800157630849

3800157630856



800
Lumens



SMD
LED Type



>80
CRI



>0.9
PF





AC:220-240V,50Hz
Voltage/Frequency



Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the beam is at a different distance.

Slimline-White Body

20W VT-20-W

SKU: 442 - 3000K Warm White


SKU: 443 - 4000K Day White

SKU: 444 - 6400K White

3800157630986

3800157630993

3800157631006



1600
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency



Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20



5 YEARS WARRANTY





V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Slimline-White Body

30W VT-30-W

SKU: 403 - 3000K Warm White
SKU: 404 - 4000K Day White
SKU: 405 - 6400K White

3800157629201
3800157629058
3800157629065



IP65
RATING



2400
Lumens



SMD
LED Type



>80
CRI



>0.9
PF





AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Slimline-White Body

50W VT-50-W

SKU: 409 - 3000K Warm White
SKU: 410 - 4000K Day White
SKU: 411 - 6400K White

3800157636001
3800157629096
3800157629102



IP65
RATING



4000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-White Body

100W VT-100-W

SKU: 415 - 3000K Warm White


SKU: 416 - 4000K Day White

SKU: 417 - 6400K White

3800157629249



3800157629133

3800157629140

**8000**
Lumens**SMD**
LED Type**>80**
CRI**>0.9**
PF**AC:220-240V,50Hz**
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-White Body

150W VT-150-W

SKU: 478 - 3000K Warm White


SKU: 479 - 4000K Day White

SKU: 480 - 6400K White

3800157631341

3800157631358

3800157631365

**12000**
Lumens**SMD**
LED Type**>80**
CRI**>0.9**
PF**AC:220-240V,50Hz**
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2



5 YEARS WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu



Slimline-White Body

200W VT-200-W


SKU: 420 - 4000K Day White
SKU: 421 - 6400K White

3800157629171
3800157629188

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The beam diameter indicates the illuminated area and the average illumination when the distance is at different distance.



16000
Lumens



SMD
LED Type



>80
CRI





>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





Note: The beam diameter indicates the illuminated area and the average illumination when the distance is at different distance.

Slimline-White Body

300W VT-300-W

SKU: 486 - 4000K Day White
SKU: 487 - 6400K White

3800157631426
3800157631433



2400
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®
INNOVATIVE LED LIGHTING

LED Flood Lights

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the beam is at a different distance.

Slimline-Black Body

10W VT-10-B

SKU: 424 - 3000K Warm White
SKU: 425 - 4000K Day White
SKU: 426 - 6400K White

3800157630801
3800157630818
3800157630825



IP65
RATING



800
Lumens



SMD
LED Type



>80
CRI





>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the beam is at a different distance.

Slimline-Black Body

20W VT-20-B

SKU: 439 - 3000K Warm White
SKU: 440 - 4000K Day White
SKU: 441 - 6400K White

3800157630955
3800157630962
3800157630979



IP65
RATING



1600
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20

V-TAC®
PRO

5 YEARS
WARRANTY



provided by
SAMSUNG

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.

Slimline-Black Body

30W VT-30-B

SKU: 400 - 3000K Warm White
SKU: 401 - 4000K Day White
SKU: 402 - 6400K White

3800157629195
3800157629034
3800157629041



IP65
RATING



2400
Lumens



SMD
LED Type



>80
CRI



>0.9
PF





AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.

Slimline-Black Body

50W VT-50-B

SKU: 406 - 3000K Warm White
SKU: 407 - 4000K Day White
SKU: 408 - 6400K White

3800157629218
3800157629072
3800157629089



IP65
RATING



4000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Black Body

100W VT-100-B

SKU: 412 - 3000K Warm White


SKU: 413 - 4000K Day White

SKU: 414 - 6400K White

3800157635684



3800157629119

3800157629126

**8000**
Lumens**SMD**
LED Type**>80**
CRI**>0.9**
PF**AC:220-240V,50Hz**
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Black Body

150W VT-150-B

SKU: 475 - 3000K Warm White


SKU: 476 - 4000K Day White

SKU: 477 - 6400K White

3800157631310

3800157631327

3800157631334

**12000**
Lumens**SMD**
LED Type**>80**
CRI**>0.9**
PF**AC:220-240V,50Hz**
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2



5 YEARS WARRANTY



provided by
SAMSUNG

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Slimline-Black Body



200W VT-200-B

SKU: 418 - 4000K Day White
SKU: 419 - 6400K White


3800157629157
3800157629164



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The diagram indicates the illuminated area and the average illumination when the distance is at different distance.



IP65
RATING

1 METER WIRE



16000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2

Slimline-Black Body



300W VT-300-B

SKU: 422 - 4000K Day White
SKU: 423 - 6400K White


3800157629225
3800157629232



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The diagram indicates the illuminated area and the average illumination when the distance is at different distance.



IP65
RATING

1 METER WIRE



24000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The cones indicate the illuminated area and the average illumination when the luminaire is at different distance.

Slimline-Grey Body

10W VT-10-G

SKU: 430 - 3000K Warm White


SKU: 431 - 4000K Day White

SKU: 432 - 6400K White

3800157630863

3800157630870



3800157630887

**800**
Lumens**SMD**
LED Type**>80**
CRI**>0.9**
PF**AC:220-240V,50Hz**
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The cones indicate the illuminated area and the average illumination when the luminaire is at different distance.

Slimline-Grey Body

20W VT-20-G

SKU: 445 - 3000K Warm White


SKU: 446 - 4000K Day White

SKU: 447 - 6400K White

3800157631013

3800157631020

3800157631037

**1600**
Lumens**SMD**
LED Type**>80**
CRI**>0.9**
PF**AC:220-240V,50Hz**
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20



5 YEARS WARRANTY





V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Slimline-Grey Body

30W VT-30-G

SKU: 454 - 3000K Warm White
SKU: 455 - 4000K Day White
SKU: 456 - 6400K White

3800157631105
3800157631112
3800157631129



IP65
RATING



2400
Lumens



SMD
LED Type



>80
CRI



>0.9
PF





AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Slimline-Grey Body

50W VT-50-G

SKU: 463 - 3000K Warm White
SKU: 464 - 4000K Day White
SKU: 465 - 6400K White

3800157631198
3800157631204
3800157631211



IP65
RATING



4000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Grey Body

100W VT-100-G

SKU: 472 - 3000K Warm White


SKU: 473 - 4000K Day White

SKU: 474 - 6400K White

3800157631280



3800157631297

3800157631303

**8000**
Lumens**SMD**
LED Type**>80**
CRI**>0.9**
PF**AC:220-240V,50Hz**
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Grey Body

150W VT-150-G

SKU: 481 - 3000K Warm White


SKU: 482 - 4000K Day White

SKU: 483 - 6400K White

3800157631372

3800157631389

3800157631396

**12000**
Lumens**SMD**
LED Type**>80**
CRI**>0.9**
PF**AC:220-240V,50Hz**
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2



5 YEARS WARRANTY





V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Grey Body 200W VT-200-G

SKU: 484 - 4000K Day White
SKU: 485 - 6400K White

3800157631402
3800157631419



16000
Lumens



SMD
LED Type



>80
CRI





>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Grey Body 300W VT-300-G

SKU: 488 - 4000K Day White
SKU: 489 - 6400K White

3800157631440
3800157631457



24000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2

V-TAC[®]

INNOVATIVE LED LIGHTING

LED Panels

Performance is key. However, along with performance, customers prefer lighting that is attractive and easy to install. Our all new panels are a combination of all three. They light up all the way to the edges, making them THE perfect aesthetic for your indoor spaces.



- Instant startup: V-TAC's LED Panels power up instantly upon being switched on
- More light. Less Power: 80% lower power consumption than conventional downlights
- Customized exterior for a stronger body
- Five-Year Warranty

^{*}
5 V-TAC[®] PRO
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Square Panels-60x60

45W VT-645

SKU: 632 - 3000K Warm White
SKU: 633 - 4000K Day White
SKU: 634 - 6400K White

3800157634304
3800157634311
3800157634328




3600
Lumens



>80
CRI



>0.9
PF



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum+ PMMA+PP	595x595x14mm	30,000 Hours	6



Edge Panels

8W VT-608RD

SKU: 626 - 3000K Warm White
SKU: 627 - 4000K Day White
SKU: 628 - 6400K White

3800157630672
3800157630689
3800157630696




800
Lumens



>80
CRI



>0.5
PF



Cutting Size

Ø 70 mm



QUICK CONNECTOR



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	Ø93x37mm	30,000 Hours	100

Edge Panels

8W VT-608SQ

SKU: 623 - 3000K Warm White
SKU: 624 - 4000K Day White
SKU: 625 - 6400K White

3800157630641
3800157630658
3800157630665




800
Lumens



>80
CRI



>0.5
PF



Cutting Size

70 X 70mm



QUICK CONNECTOR



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	93x93x37mm	30,000 Hours	100



5 YEARS
WARRANTY



Edge Panels

15W VT-615RD

SKU: 620 - 3000K Warm White
SKU: 621 - 4000K Day White
SKU: 622 - 6400K White

3800157630610
3800157630627
3800157630634




1500
Lumens



>80
CRI



>0.5
PF



Cutting Size

Ø 95 mm



QUICK CONNECTOR



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	120x37mm	30,000 Hours	40

Edge Panels

15W VT-615SQ

SKU: 617 - 3000K Warm White
SKU: 618 - 4000K Day White
SKU: 619 - 6400K White

3800157630580
3800157630597
3800157630603




1500
Lumens



>80
CRI



>0.5
PF



Cutting Size

95X 95mm



QUICK CONNECTOR



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	120x120x37mm	30,000 Hours	40

Edge Panels

20W VT-620RD

SKU: 614 - 3000K Warm White
SKU: 615 - 4000K Day White
SKU: 616 - 6400K White

3800157630559
3800157630566
3800157630573




2000
Lumens



>80
CRI



>0.9
PF



Cutting Size

Ø 140 mm



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	170x37mm	30,000 Hours	40

Edge Panels

20W VT-620SQ

SKU: 611 - 3000K Warm White
SKU: 612 - 4000K Day White
SKU: 613 - 6400K White

3800157630528
3800157630535
3800157630542




2000
Lumens



>80
CRI



>0.9
PF



Cutting Size

142X 142mm



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	170x170x37mm	30,000 Hours	40





LED Fittings and Tubes

V-TAC's advance grill fixtures are a new generation of linear fittings. Designed with high-caliber materials, these fixtures provide exceptional light levels, are extremely energy efficient and are easy to install. The unparalleled performance of our Grill fittings makes it a cut-above conventional fixtures. It's easy to install function and aesthetic lighting effect gives this new range an amazing potential for retail and residential applications.

These fixtures are the better choice, in terms of performance and aesthetic value, for commercial, retail or residential applications in comparison to conventional fluorescent fixtures.



- Delivering a high lumen output of over 120 lumen per watt
- Designed to deliver a smooth and soft lighting effect
- Options! Available in 60cm, 120cm, 150cm and 180cm
- The push fit connectors make it easy to install
- Five year warranty



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®
INNOVATIVE LED LIGHTING


Prismatic Fittings

Prismatic Fittings

10W VT-8-10

SKU: 659 - 3000K Warm White
SKU: 660 - 4000K Day White
SKU: 661 - 6400K White

3800157632140
3800157632157
3800157632164



1200
Lumens



>80

CRI



>0.5

PF



<1s

Instant Start



15000

On/Off



0.26kg

Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	300x74.1x24.4mm	30,000 Hours	10

Prismatic Fittings

20W VT-8-20

SKU: 662 - 3000K Warm White
SKU: 663 - 4000K Day White
SKU: 664 - 6400K White

3800157632171
3800157632188
3800157632195



2400
Lumens



>80

CRI



>0.5

PF



<1s

Instant Start



15000

On/Off



0.42kg

Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	600x74.1x24.4mm	30,000 Hours	10



5 YEARS
WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING


Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Prismatic Fittings

40W VT-8-40

SKU: 665 - 3000K Warm White
SKU: 666 - 4000K Day White
SKU: 667 - 6400K White

3800157632201
3800157632218
3800157632225



4800
Lumens



>80
CRI



>0.9
PF



<1s
Instant Start



15000
On/Off



0.84kg
Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1200x74.1x24.4mm	30,000 Hours	10

Prismatic Fittings

50W VT-8-50

SKU: 668 - 4000K Day White
SKU: 669 - 6400K White

3800157632232
3800157632249



6000
Lumens



>80
CRI



>0.9
PF



<1s
Instant Start



15000
On/Off



1kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1500x74.1x24.4mm	30,000 Hours	10

Live . Light . Life
www.vtacexports.com | www.v-tac.eu


V-TAC®
INNOVATIVE LED LIGHTING

Prismatic Fittings

60W VT-9-60

SKU: 670 - 4000K Day White
SKU: 671 - 6400K White

3800157632256
3800157632263



7200
Lumens



>80
CRI



>0.9
PF



<1s
Instant Start



15000
On/Off



1.2kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x74.1x24.4mm	30,000 Hours	10



5 YEARS
WARRANTY




V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

120+ LUMENS
PER WATT

SUPER EFFICIENT



G13-T8 -Nano Plastic Tube-120CM

18W VT-122

SKU: 688 - 3000K Warm White

3800157632911

SKU: 672 - 4000K Day White

3800157632928

SKU: 673 - 6400K White

3800157632928



2250
Lumens



45w
EQ. Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start



15000
On/Off




0.1904kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25

120+ LUMENS
PER WATT

SUPER EFFICIENT



G13-T8 -Nano Plastic Tube-150CM

22W VT-152

SKU: 689 - 3000K Warm White

3800157632935

SKU: 674 - 4000K Day White

3800157632942

SKU: 675 - 6400K White

3800157632942



3000
Lumens



75w
EQ. Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start



15000
On/Off



0.2572kg
Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®
INNOVATIVE LED LIGHTING

LED Tubes



G13-T8 -Nano Plastic Tube-60CM

10W VT-061

SKU: 650 - 3000K Warm White


3800157632010

SKU: 651 - 4000K Day White

3800157632027

SKU: 652 - 6400K White

3800157632034



850
Lumens



18w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start




15000
On/Off



0.1264kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	600x27.9mm	30,000 Hours	25



G13-T8 -Nano Plastic Tube-120CM

18W VT-121

SKU: 653 - 3000K Warm White


3800157632041

SKU: 654 - 4000K Day White

3800157632058

SKU: 655 - 6400K White

3800157632065



1700
Lumens



36w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start



15000
On/Off



0.1904kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25




5 YEARS WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu



G13-T8 -Nano Plastic Tube-150CM

22W VT-151

SKU: 656 - 3000K Warm White


SKU: 657 - 4000K Day White

SKU: 658 - 6400K White

3800157632072

3800157632089

3800157632096



2000
Lumens



58w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start



15000
On/Off



0.2572kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING

LED Tubes



Single Batten Fitting-120cm

18W VT-12026

SKU: 6442 - 4000K Day White
SKU: 6443 - 6400K White

3800157631501
3800157631518

LED TUBE
INCLUDED



1700
Lumens



>80
CRI



>0.5
PF



15000
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Single Batten Fitting-150cm

22W VT-15023

SKU: 6438 - 4000K Day White
SKU: 6439 - 6400K White

3800157631464
3800157631471

LED TUBE
INCLUDED



2000
Lumens



>80
CRI



>0.5
PF



15000
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



5 YEARS
WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu



Double Batten Fitting-120cm

36W VT-12027

SKU: 6444 - 4000K Day White
SKU: 6445 - 6400K White

3800157631525
3800157631532

LED TUBE
INCLUDED



3400
Lumens



>80
CRI



>0.5
PF



15000
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Double Batten Fitting-150cm

44W VT-15024

SKU: 6440 - 4000K Day White
SKU: 6441 - 6400K White

3800157631488
3800157631495

LED TUBE
INCLUDED



4000
Lumens



>80
CRI



>0.5
PF



15000
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



LED Tri-proof Lights

Our Tri-proof lights just got tougher. 80% lower power consumption than fluorescent lights, IP65 Rating and easy-to-install lights make perfect to use in tough conditions. These high performing Tri-proofs provide the necessary light levels for any indoor and outdoor applications.

- Easy installation and maintenance
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design
- Great return on investment due to low energy consumption
- Five year warranty

^{*}
5 V-TAC[®] PRO
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Waterproof Fittings


60W VT-160

SKU: 678 - 4000K Day White
SKU: 679 - 6400K White

3800157632980
3800157632997



120+ LUMENS
PER WATT
SUPER EFFICIENT



7200
Lumens



>80
CRI



>0.9
PF



15000
On/Off



2.1kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1200x86x70mm	20,000 Hours	9

Waterproof Fittings


70W VT-170

SKU: 676 - 4000K Day White
SKU: 677 - 6400K White

3800157632966
3800157632973



120+ LUMENS
PER WATT
SUPER EFFICIENT



8400
Lumens



>80
CRI



>0.9
PF



15000
On/Off



2.67kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1500x86x70mm	20,000 Hours	9

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

V-TAC®
INNOVATIVE LED LIGHTING


Waterproof Fittings

Waterproof Fittings

60W VT-180

SKU: 680 - 4000K Day White
SKU: 681 - 6400K White

3800157634731
3800157634748



5400
Lumens



>80
CRI



>0.9
PF



15000
On/Off

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x66x58mm	30,000 Hours	9



5 YEARS
WARRANTY



65

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Striplights-IP20

15W VT-10-240

SKU: 320 - 3000K Warm White

SKU: 321 - 4000K Day White

SKU: 322 - 6400K White

3800157634564

3800157634571

3800157634588



1600
Lumens



>80
CRI



Voltage/Frequency	LED Type	Beam Angle	Dimension	Life span	Box Qty.
DC:24V	SMD 2835	120°	10mm	20,000 Hours	80 Packets





V-TAC®
INNOVATIVE LED LIGHTING



AESTHETICALLY FUNCTIONAL



High **CRI**



The Right Track

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability, and remarkable light output to serve the general Commercial and Retail market.

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

4 Line Tracklights-Black Body

7W VT-407-B

SKU: 353 - 3000K Warm White
SKU: 354 - 4000K Day White
SKU: 355 - 5000K White

3800157633963
3800157633970
3800157633987




420
Lumens



>90
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	180x40.5x50mm	30,000 Hours	40

4 Line Tracklights-White Body

7W VT-407-W

SKU: 350 - 3000K Warm White
SKU: 351 - 4000K Day White
SKU: 352 - 5000K White

3800157633932
3800157633949
3800157633956




490
Lumens



>90
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	180x40.5x50mm	30,000 Hours	40

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®
INNOVATIVE LED LIGHTING

LED Track Lights

4 Line Tracklights-Black Body

15W VT-415-B

SKU: 359 - 3000K Warm White

SKU: 360 - 4000K Day White

SKU: 361 - 5000K White

3800157634021

3800157634038

3800157634045




1050
Lumens



>90
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	200x50x50mm	30,000 Hours	40

4 Line Tracklights-White Body

15W VT-415-W

SKU: 356 - 3000K Warm White

SKU: 357 - 4000K Day White

SKU: 358 - 5000K White

3800157633994

3800157634007

3800157634014




1200
Lumens



>90
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	200x50x50mm	30,000 Hours	40



5 YEARS
WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

4 Line Tracklights-Black Body

20W VT-420-B

SKU: 365 - 3000K Warm White
SKU: 366 - 4000K Day White
SKU: 367 - 5000K White

3800157634083
3800157634090
3800157634106




1400
Lumens



>90
CRI



>0.9
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	220x60x50mm	30,000 Hours	40

4 Line Tracklights-White Body

20W VT-420-W

SKU: 362 - 3000K Warm White
SKU: 363 - 4000K Day White
SKU: 364 - 5000K White

3800157634052
3800157634069
3800157634076




1600
Lumens



>90
CRI



>0.9
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	220x60x50mm	30,000 Hours	40

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®
INNOVATIVE LED LIGHTING

LED Track Lights

4 Line Tracklights-Black Body

33W VT-433-B

SKU: 371 - 3000K Warm White

SKU: 372 - 4000K Day White

SKU: 373 - 5000K White

3800157635462

3800157635479

3800157635486




2640
Lumens



>90
CRI



>0.9
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°-60° Adjustable	Aluminum	30,000 Hours	8

4 Line Tracklights-White Body

33W VT-433-W

SKU: 368 - 3000K Warm White

SKU: 369 - 4000K Day White

SKU: 370 - 5000K White

3800157635431

3800157635448

3800157635455



2640
Lumens



>90
CRI



>0.9
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°-60° Adjustable	Aluminum	30,000 Hours	8



5 YEARS WARRANTY





LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.



- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]

INNOVATIVE LED LIGHTING

Reflector-Highbays

100W VT-9-102SKU: 566 - 4000K Day White
SKU: 567 - 6400K White3800157633048
3800157633055**18000**
Lumens**>80**
CRI**>0.9**
PF

Optional

Daylight Sensor

SKU - 1369



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	120°	Aluminum	Ø260x145mm	30,000 Hours	2

: Cover Options :



Aluminum Reflector

90° SKU-570


Aluminum Reflector

120° SKU-571

PC Transparent Reflector

120° SKU-574

Reflector-Highbays

120W VT-9-120SKU: 568 - 4000K Day White
SKU: 569 - 6400K White3800157633321
3800157633338**21600**
Lumens**>80**
CRI**>0.9**
PF

Optional

Daylight Sensor

SKU - 1369



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	120°	Aluminum	Ø260x145mm	30,000 Hours	2



5 YEARS
WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING


Live . Light . Life
www.vtacexports.com | www.v-tac.eu

UFO Series

100W VT-9-100

SKU: 564 - 4000K Day White
SKU: 565 - 6400K White

3800157632898
3800157632904



Optional

Daylight Sensor

SKU - 1369




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø280x165mm	30,000 Hours	4

UFO Series

150W VT-9-150

SKU: 560 - 4000K Day White
SKU: 561 - 6400K White

3800157632850
3800157632867



Optional

Daylight Sensor

SKU - 1369



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x171mm	30,000 Hours	2

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®
INNOVATIVE LED LIGHTING


LED Highbays

UFO Series

100W VT-9-101

SKU: 562 - 4000K Day White
SKU: 563 - 6400K White

3800157632874
3800157632881



ø280mm



12000
Lumens



>80
CRI



>0.9
PF



IP65
RATING

Optional

Daylight Sensor

SKU - 1369




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø280x165mm	30,000 Hours	4

UFO Series

150W VT-9-151

SKU: 558 - 4000K Day White
SKU: 559 - 6400K White

3800157632836
3800157632843



ø340mm



18000
Lumens



>80
CRI



>0.9
PF



IP65
RATING

Optional

Daylight Sensor

SKU - 1369



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø340x171mm	30,000 Hours	2



5 YEARS WARRANTY



75

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

UFO Series

100W VT-9-98

SKU: 556 - 4000K Day White
SKU: 557 - 6400K White

3800157632812
3800157632829




8000
Lumens

>80
CRI

>0.9
PF

IP 44
Rating



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x138mm	30,000 Hours	4

UFO Series

150W VT-9-148

SKU: 552 - 4000K Day White
SKU: 553 - 6400K White

3800157632775
3800157632782




12000
Lumens

>80
CRI

>0.9
PF

IP 44
Rating



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x138mm	30,000 Hours	2

UFO Series

100W VT-9-99

SKU: 554 - 4000K Day White
SKU: 555 - 6400K White

3800157632799
3800157632805



8000
Lumens




>80
CRI



>0.9
PF



IP 44
Rating



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø280x131mm	30,000 Hours	4

UFO Series

150W VT-9-149

SKU: 550 - 4000K Day White
SKU: 551 - 6400K White

3800157632751
3800157632768



12000
Lumens




>80
CRI



>0.9
PF



IP 44
Rating



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø340x138mm	30,000 Hours	2



5 YEARS
WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING


Live . Light . Life
www.vtacexports.com | www.v-tac.eu

LED Canopy

150W VT-9-155

SKU: 572 - 4000K Day White
 SKU: 573 - 6400K White

3800157633369
 3800157633376



18000
Lumens



>80
CRI



>0.9
PF





IP 44
Rating

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	110°	Aluminum	380x380x69.5mm	30,000 Hours	2

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.





• Hanging Cable



• Pole Fixing

V-TAC PERFORMANCE
180
LUMENS/WATT

USING
SAMSUNG
POWER SUPPLY

V-TAC®
INNOVATIVE LED LIGHTING

*
5 V-TAC® PRO
— **YEAR** —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


provided by
SAMSUNG

LED Street Light

COMING
SOON

LED Bulbs Blister Packing

With a focus on the ever-evolving demands, we are engaged in supplying a wide range of LED Bulb Blister Packs.



LED Bulbs-E14

4w VT-2184

SKU: 7366 - 2700K Warm White 3800157628570



Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **P45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **45x77mm**

LED Bulbs-E27



4w VT-2194

SKU: 7367 - 2700K Warm White 3800157628587



Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **45x75mm**

LED Candle Filament Bulbs



4w VT-2104

SKU: 7282 - 2700K Warm White 3800157623728



Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**





LED Candle Filament Bulbs

4W VT-2134D

SKU: 7284 - 2700K Warm White 3800157623742



EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle
 LED Type: SMD
 CRI: >80





PF: >0.5
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm



LED Candle Filament Bulbs

4W VT-2174

SKU: 7365 - 2700K Warm White 3800157628563



EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle
 LED Type: SMD
 CRI: >80


PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm



LED Filament Bulbs

4W VT-2114

SKU: 7283 - 2700K Warm White 3800157623735



EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: A60
 LED Type: SMD
 CRI: >80

PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 60x107mm

LED Bulbs-E27

6W VT-2186

SKU: 7368 - 2700K Warm White 3800157628594



Box Qty.
25 Pcs



EQ. Watts: **55w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **660lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x107mm**



LED Candle Bulbs

5.5w VT-2106

SKU: 7291 - 2700K Warm White 3800157623810
SKU: 7292 - 4000K Day White 3800157623827
SKU: 7293 - 6400K White 3800157623834



Box Qty.
50 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



LED Bulbs-E14

5.5w VT-2146

SKU: 7355 - 2700K Warm White 3800157628136
SKU: 7356 - 4000K Day White 3800157628143



Box Qty.
50 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **P45**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **180°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **45x81mm**



LED Bulbs-E27

5.5w VT-2166

SKU: 7360 - 2700K Warm White



3800157628181

SKU: 7361 - 4000K Day White

3800157628198

Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **G45**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **180°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **45x82mm**



LED Bulbs-E27

9w VT-2139

SKU: 7295 - 4000K Day White


3800157623858

SKU: 7296 - 6400K White

3800157623865

Box Qty.
25 Pcs

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



LED Bulbs-E27

11w VT-2111

SKU: 7297 - 2700K Warm White

3800157623872

SKU: 7298 - 4000K Day White


3800157623889

SKU: 7299 - 6400K White

3800157623896

Box Qty.
25 Pcs

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x120mm**



LED Bulbs-E27

6W VT-2022BP

SKU: 7324 - 2700K Warm White

SKU: 7325 - 4000K Day White

SKU: 7326 - 6400K White

3800157624602

3800157624619

3800157624626



Box Qty.
40 Pcs



EQ. Watts: **40w**



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **470lm**

Commercial Type: **A60**

LED Type: **SMD**

CRI: **>80**



PF: **>0.4**

Beam Angle: **200°**

Base: **E27**

Body Type: **ThermoPlastic**

Dimension: **60x112mm**



LED Bulbs-E27

9w VT-2109

SKU: 7285 - 2700K Warm White

SKU: 7286 - 4000K Day White

SKU: 7287 - 6400K White


3800157623759

3800157623766

3800157623773



Box Qty.
25 Pcs



EQ. Watts: **60w**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **806lm**

Commercial Type: **A60**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **200°**

Base: **E27**

Body Type: **ThermoPlastic**

Dimension: **60x122mm**



LED Bulbs-E27

9w VT-2129

SKU: 7288 - 2700K Warm White

SKU: 7289 - 4000K Day White

SKU: 7290 - 6400K White



3800157623780

3800157623797

3800157623803



Box Qty.
25 Pcs



EQ. Watts: **60w**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **806lm**

Commercial Type: **A60**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **200°**

Base: **E27**

Body Type: **ThermoPlastic**

Dimension: **60x112mm**





LED Bulbs-E27

9w VT-2149

SKU: 7309 - 3 IN 1

3800157623995

Box Qty.
25 Pcs

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



LED Bulbs-E27

15w VT-2117

SKU: 7300 - 2700K Warm White 3800157623902

Box Qty.
25 Pcs

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1500lm**
 Commercial Type: **A65**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **66.5x134mm**





LED Thermoplastic Bulbs

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders like E27, E14, B22, B15, G24 and R7S
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.



Bulbs-A60-E27-RGB

6w VT-2022

SKU: 7121 - 2700K Warm White



3800157609975

SKU: 7150 - 4000K Day White

3800157610711

SKU: 7151 - 6400K White

3800157610728

Box Qty.
100 PcsEQ. Watts: **40w**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **470lm**Commercial Type: **A60**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **200°**Base: **E27**Body Type: **ThermoPlastic**Dimension: **60x112mm**

- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice



Bulbs-A60-E27-Sensor

9w VT-2016

SKU: 4459 - 2700K Warm White


3800157608237

SKU: 4460 - 4000K Day White

3800157608244

SKU: 4461 - 6000K White

3800157608251

Box Qty.
100 PcsEQ. Watts: **60w**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **806lm**Commercial Type: **A60**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **200°**Base: **E27**Body Type: **ThermoPlastic**Dimension: **60x122mm**

Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.





Bulbs-A60-E27-3 Step Dimming

9w VT-2011

SKU: 4447 - 2700K Warm White 3800157607988
SKU: 4448 - 4000K Day White 3800157607995
SKU: 4449 - 6400K White 3800157608008

Box Qty.
100 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.





Bulbs-A60-E27-Color Changing

9w VT-2119

SKU: 7317 - 3 IN 1 3800157624497

Box Qty.
100 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



HOW IT WORKS
1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

new!

Fire Flame-Bulb

4W VT-2135

SKU: 7426 - 1800K Warm White 3800157633109



Flame Effect




Box Qty.

EQ. Watts:	N/A	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	280lm	Base:	E27
Commercial Type:		Body Type:	Plastic
LED Type:	SMD	Dimension:	50x128mm
CRI:	>80		

- Dynamic Moving Flame, Simulate Nature Fire Flicker Flame.
- Soft LED Light Source
- Low Corbin Environment

Bulbs-A60-E27-DC 24V

9w VT-2059

SKU: 7417 - 4000K Day White 3800157632744
SKU: 7224 - 6400K White 3800157617543Box Qty.
100 Pcs

EQ. Watts:	55w	PF:	>0.7
Voltage/Frequency:	DC:24V	Beam Angle:	200°
Luminous Flux:	720lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		






Bulbs-A60-E27

9w VT-2000R

SKU: 7341 - Red

3800157626033



Box Qty.
100 Pcs

EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	270lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		




Bulbs-A60-E27

9w VT-2000Y

SKU: 7342 - Yellow

3800157626040



Box Qty.
100 Pcs

EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	570lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



Bulbs-A60-E27

9w **VT-2000G**


SKU: 7343 - Green

3800157626057

Box Qty.
100 Pcs

EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **310lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



Bulbs-A60-E27

9w **VT-2000B**


SKU: 7344 - Blue

3800157626064

Box Qty.
100 Pcs

EQ. Watts: **15w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **120lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**




LED Bulbs-E27

5w VT-2055

SKU: 7266 - 2700K Warm White 3800157622981



Box Qty.
30 Pcs



EQ. Watts:	35w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	420lm	Base:	E27
Commercial Type:	A55	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	55x106mm
CRI:	>80		



Bulbs-A60-E27

9w VT-2099

SKU: 7260 - 2700K Warm White 3800157622110
SKU: 7261 - 4000K Day White 3800157622127
SKU: 7262 - 6400K White 3800157622134



Box Qty.
100 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



LED Bulbs-E27

9w VT-1900

SKU: 7241 - 4000K Day White 3800157620147
SKU: 7242 - 6400K White 3800157620154



Box Qty.
20 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		

LED Bulbs-E27



11W VT-2113


SKU: 7352 - 2700K Warm White
SKU: 7353 - 4000K Day White
SKU: 7354 - 6400K White

3800157627412
3800157627429
3800157627436



Box Qty.
40 Pcs



EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**

Bulbs-A60-E27


11W VT-2112


SKU: 7350 - 2700K Warm White
SKU: 7349 - 4000K Day White
SKU: 7351 - 6400K White

3800157627399
3800157627320
3800157627405



Box Qty.
100 Pcs



EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**

Bulbs-A60-E27



12W VT-1864-E27


SKU: 4228 - 2700K Warm White

3800230626295



Box Qty.
100 Pcs



EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**



Bulbs-A65-E27

15w VT-2015-E27

SKU: 4453 - 2700K Warm White

SKU: 4454 - 4000K Day White

SKU: 4455 - 6400K White

3800157608091


3800157608107

3800157608114



Box Qty.
100 Pcs

EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1500lm**
Commercial Type: **A65**
LED Type: **SMD**
CRI: **>80**



Bulbs-A65-E27

17w VT-2017


SKU: 4456 - 2700K Warm White

3800157608121



Box Qty.
100 Pcs

EQ. Watts: **130w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1800lm**
Commercial Type: **A65**
LED Type: **SMD**
CRI: **>80**



LED Bulbs-B22

9w VT-2069-3PC



SKU: 7246 - 2700K Warm White

3800157620192



Box Qty.
20 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



Bayonet Holder

PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**



Bulbs-A60-B22

9w VT-1853



SKU: 7401 - 2700K Warm White
SKU: 7402 - 4000K Day White
SKU: 7403 - 6400K White

3800157629263
3800157629270
3800157629287



Box Qty.
100 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**

new!


Bulbs-A60-B22

9w VT-2189


SKU: 7422 - 2700K Warm White

3800157634175



Box Qty.
100 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x106mm**



Bulbs-A60-B22

11w VT-1864



SKU: 7404 - 2700K Warm White
SKU: 7405 - 4000K Day White
SKU: 7406 - 6400K White

3800157629294
3800157629300
3800157629317



Box Qty.
100 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**



Bulbs-A60-B22

12w VT-1864-B22


SKU: 7223 - 6400K White

3800157617338



Box Qty.
100 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**



Bulbs-A65-B22

15w VT-2015-B22

SKU: 7229 - 2700K Warm White

3800157619554

SKU: 7399 - 4000K Day White

3800157629010



SKU: 7400 - 6400K White

3800157629027



Box Qty.
100 Pcs

EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1350lm**
Commercial Type: **A65**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **66.5x134mm**



Bulbs-G45-B22

3w VT-2053-B22

SKU: 7232 - 2700K Warm White

3800157619776



SKU: 7233 - 6400K White

3800157619783



Box Qty.
200 Pcs

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **180°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **45x75mm**

new!



Bulbs-G45-B22

5.5w VT-2197D

SKU: 7419 - 2700K Warm White 3800157633079

Box Qty.
100 Pcs

EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **G45**
 LED Type: **SMD**
 CRI: **>80**



Bayonet Holder

PF: **>0.7**
 Beam Angle: **200°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **45x81mm**


Bulbs-G45-B22

6w VT-1973

SKU: 4441 - 2700K Warm White 3800157607674

Box Qty.
100 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **G45**
 LED Type: **SMD**
 CRI: **>80**



Bayonet Holder

PF: **>0.5**
 Beam Angle: **180°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **45x80mm**



Bulbs-Candle-B15

6w VT-1857

SKU: 4217 - 3000K Warm White 3800230624802

Box Qty.
200 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **Candle**
 LED Type: **SMD**
 CRI: **>80**



Bayonet Holder

PF: **>0.5**
 Beam Angle: **180°**
 Base: **B15**
 Body Type: **ThermoPlastic**
 Dimension: **37x102mm**

Bulbs-Candle-B22

3w VT-2073

SKU: 7230 - 2700K Warm White
SKU: 7231 - 6400K White

3800157619578
3800157619585





Box Qty.
200 Pcs



Bayonet Holder

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **37x102mm**

new!

Bulbs-Candle-B22

5.5w VT-2196D

SKU: 7418 - 2700K Warm White

3800157633062





Box Qty.
200 Pcs



Bayonet Holder

EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**

Bulbs-Candle-B22

6w VT-1965

SKU: 4440 - 2700K Warm White
SKU: 7346 - 6400K White

3800157607667
3800157627283





Box Qty.
200 Pcs



Bayonet Holder

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **37x102mm**



Bulbs-Candle-E14



3w VT-2033

SKU: 7196 - 2700K Warm White
SKU: 7197 - 4000K Day White
SKU: 7198 - 6400K White

3800157615808
3800157615815
3800157615822



Box Qty.
200 Pcs



EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



Bulbs-Candle-E14


4w VT-1818

SKU: 4216 - 2700K Warm White
SKU: 4166 - 4000K Day White
SKU: 4122 - 6400K White

3800230624796
3800230620675
3800230620668



Box Qty.
200 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



Candle-E14 - 3Pc Pack



5.5w VT-2076

SKU: 7263 - 2700K Warm White
SKU: 7264 - 4000K Day White
SKU: 7265 - 6400K White

3800157622950
3800157622967
3800157622974



Box Qty.
60 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



Bulbs-Candle-E14

4w VT-1818TP

SKU: 4164 - 2700K Warm White 3800230620743

Box Qty.
200 Pcs

EQ. Watts: 30w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 320lm
Commercial Type: Candle
LED Type: SMD
CRI: >80



PF: >0.4
Beam Angle: 200°
Base: E14
Body Type: ThermoPlastic
Dimension: 37x124mm



Bulbs-Candle-E14



6w VT-1854D

SKU: 4213 - 3000K Warm White 3800230624765

Box Qty.
200 Pcs



EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: Candle
LED Type: SMD
CRI: >80



PF: >0.5
Beam Angle: 200°
Base: E14
Body Type: ThermoPlastic
Dimension: 37x100mm





Bulbs-Candle-E14

7w VT-2097

SKU: 7320 - 6400K White 3800157624527

Box Qty.
200 Pcs

EQ. Watts: 55w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 750lm
Commercial Type: Candle
LED Type: SMD
CRI: >80





PF: >0.5
Beam Angle: 200°
Base: E14
Body Type: ThermoPlastic
Dimension: 37x100mm



Bulbs-Candle-E27

5.5W VT-1821N

SKU: 43421 - 2700K Warm White 3800157624381
 SKU: 43431 - 4000K Day White 3800157624398
 SKU: 43441 - 6400K White 3800157624404


 Box Qty.
200 Pcs



EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E27
Commercial Type:	Candle	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	37x100mm
CRI:	>80		



Bulbs-G45-E27

3W VT-2053-E27

SKU: 7202 - 2700K Warm White 3800157615860
 SKU: 7203 - 4000K Day White 3800157615877
 SKU: 7204 - 6400K White 3800157615884


 Box Qty.
200 Pcs




EQ. Watts:	25w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	250lm	Base:	E27
Commercial Type:	G45	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	45x76mm
CRI:	>80		



Bulbs-G45-E27

4W VT-1830

SKU: 4207 - 6400K White 3800230624611


 Box Qty.
200 Pcs


EQ. Watts:	30w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	320lm	Base:	E27
Commercial Type:	G45	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	45x82mm
CRI:	>80		

new!



Bulbs-G45-E27



5.5W VT-1879N

SKU: 7407 - 2700K Warm White
SKU: 7408 - 4000K Day White
SKU: 7409 - 6400K White

3800157629485
3800157629492
3800157629508



Box Qty.
200 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **180°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **45x82mm**

Bulbs-G45 - 3Pc Pack



5.5W VT-2176

SKU: 7362 - 2700K Warm White
SKU: 7363 - 4000K Day White
SKU: 7364 - 6400K White

3800157628204
3800157628211
3800157628228



Box Qty.
60 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **180°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **45x82mm**



Bulbs-P45-E14



3W VT-2043

SKU: 7199 - 2700K Warm White
SKU: 7200 - 4000K Day White
SKU: 7201 - 6400K White

3800157615839
3800157615846
3800157615853



Box Qty.
200 Pcs



EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **P45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **180°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **45x81mm**



Bulbs-P45-E14

5.5w VT-1880N

SKU: 42501 - 2700K Warm White 3800157624367
 SKU: 42511 - 4000K Day White 3800157626408
 SKU: 42521 - 6400K White 3800157624374

Box Qty.
200 Pcs



EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **P45**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **180°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **45x81mm**

LED Bulbs-E14

5.5w VT-2156

SKU: 7357 - 2700K Warm White 3800157628150
 SKU: 7358 - 4000K Day White 3800157628167
 SKU: 7359 - 6400K White 3800157628174

Box Qty.
60 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **P45**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **180°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **45x81mm**



Bulbs-T37-E14

9w VT-2029

SKU: 7173 - 2700K Warm White

SKU: 7174 - 4000K Day White

SKU: 7175 - 6400K White



3800157615495

3800157615501

3800157615518



Box Qty.
200 Pcs



EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **750lm**
Commercial Type: **T37**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **230°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x115mm**



Bulbs-T37-E27



9w VT-2089

SKU: 7256 - 2700K Warm White

3800157621915



Box Qty.
200 Pcs



EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **750lm**
Commercial Type: **T37**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **230°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **37x115mm**





Bulbs-R39-E14


3w **VT-1861**

 SKU: 4220 - 4000K Day White
 SKU: 4242 - 6400K White

 3800230625489
 3800230626806

 Box Qty.
200 Pcs

 EQ. Watts: **25w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **210lm**
 Commercial Type: **R39**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **120°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **39x67mm**


Bulbs-R50-E14


6w **VT-1876**

SKU: 4246 - 6400K White

3800230626813


 Box Qty.
200 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **R50**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **120°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **50x86mm**


Bulbs-R63-E27


8w **VT-1862**

 SKU: 4140 - 4000K Day White
 SKU: 4244 - 6400K White

 3800230620903
 3800230626820

 Box Qty.
200 Pcs

 EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **500lm**
 Commercial Type: **R63**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **120°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **63x100mm**




Bulbs-R7S


7W VT-1917

SKU: 7123 - 3000K Warm White
SKU: 7124 - 4000K Day White

3800157610032
3800157610049



Box Qty.
100 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **R7S**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Base: **R7S**
Body Type: **ThermoPlastic**
Dimension: **25x118mm**



Bulbs-R7S


10w VT-1990

SKU: 4369 - 3000K Warm White
SKU: 4389 - 4000K Day White
SKU: 4390 - 6400K White

3800157602952
3800157604130
3800157604147



Box Qty.
100 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1000lm**
Commercial Type: **R7S**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Base: **R7S**
Body Type: **ThermoPlastic**
Dimension: **25x118mm**




Bulbs-PL-E27

6w **VT-2046-E27**


SKU: 7211 - 3000K Warm White 3800157617031


 Box Qty.
50 Pcs

EQ. Watts: **50w**
 Voltage/Frequency: **AC:200-240V,50Hz**
 Luminous Flux: **480lm**
 Commercial Type: **PL**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **120°**
 Base: **E27**
 Body Type: **Plastic+Aluminium**
 Dimension: **38x145mm**




Bulbs-PL-G24

6w **VT-2046-G24**


SKU: 7210 - 3000K Warm White 3800157617024


 Box Qty.
50 Pcs

EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **480lm**
 Commercial Type: **PL**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **120°**
 Base: **G24**
 Body Type: **Plastic+Aluminium**
 Dimension: **38x145mm**




Bulbs-PL-G24

10w **VT-2050-G24**


SKU: 7212 - 6000K White 3800157617048


 Box Qty.
50 Pcs

EQ. Watts: **85w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **820lm**
 Commercial Type: **PL**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **120°**
 Base: **G24**
 Body Type: **Plastic+Aluminium**
 Dimension: **38x157mm**





Bulbs-Globe-E27

13w VT-1883


SKU: 4253 - 3000K Warm White
SKU: 4274 - 6400K White

3800230627094
3800230627865



Box Qty.
12 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **G120**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **120x164mm**



Bulbs-Globe-E27

10w VT-1893



SKU: 4276 - 3000K Warm White
SKU: 4277 - 4000K Day White
SKU: 4278 - 6400K White

3800230627889
3800230627896
3800230627902



Box Qty.
12 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **810lm**
Commercial Type: **G95**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **95x140mm**



Bulbs-Globe-E27

13w VT-1884D

SKU: 4254 - 2700K Warm White



3800230627100



Box Qty.
12 Pcs



EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **G120**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **120x164mm**



Big Bulbs-T100-E27

24w VT-2125

SKU: 7275 - 3000K Warm White

SKU: 7276 - 4000K Day White

SKU: 7277 - 6400K White


3800157623650

3800157623667

3800157623674

Box Qty.
40 Pcs

EQ. Watts: **150w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **2080lm**
 Commercial Type: **T100**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **Plastic**
 Dimension: **100x174mm**



Bulbs-ED90-E27

40w VT-1940

SKU: 7132 - 3000K Warm White

SKU: 7133 - 4000K Day White

SKU: 7134 - 6500K White


3800157610285

3800157610292

3800157610308

Box Qty.
30 Pcs

EQ. Watts: **250w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **3500lm**
 Commercial Type: **ED-90**
 LED Type: **SMD2835**
 CRI: **>80**



PF: **>0.9**
 Beam Angle: **235°**
 Base: **E27**
 Body Type: **Aluminium+PC**
 Dimension: **90x212mm**

UFO-F150-E27



15w VT-2116

SKU: 7159 - 4000K Day White
SKU: 7160 - 6400K White

3800157612500
3800157612517



Box Qty.
20 Pcs



EQ. Watts: **90w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1350lm**
Commercial Type: **F150**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **120°**
Base: **E27**
Body Type: **Plastic**
Dimension: **150x80mm**

UFO-F150-E27



24w VT-2124

SKU: 7161 - 3000K Warm White
SKU: 7162 - 4000K Day White
SKU: 7163 - 6400K White

3800157612524
3800157612531
3800157612548



Box Qty.
20 Pcs



EQ. Watts: **160w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2610lm**
Commercial Type: **F150**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **120°**
Base: **E27**
Body Type: **Plastic**
Dimension: **200x80mm**

UFO-F150-E27



36w VT-2136

SKU: 7164 - 3000K Warm White
SKU: 7165 - 4000K Day White
SKU: 7166 - 6400K White

3800157612555
3800157612562
3800157612579



Box Qty.
20 Pcs



EQ. Watts: **190w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3240lm**
Commercial Type: **F150**
LED Type: **SMD**
CRI: **>80**

PF: **>0.9**
Beam Angle: **120°**
Base: **E27**
Body Type: **Plastic**
Dimension: **250x80mm**



LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

Applications

Perfect choice for Restaurants, Lobbies, Coffee shops, Hotels and Bars





Amber Cover -LED Filament Bulbs

4w VT-2154

SKU: 7335 - 2200K Warm White 3800157625197

Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **360lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x98mm**




Filament-A60-E27

4w VT-2164

SKU: 7336 - 2700K Warm White 3800157625203

Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x98mm**



Amber Cover -Filament-ST64-E27


4w VT-2144

SKU: 7327 - 2200K Warm White 3800157624718

Box Qty.
100 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x140mm**



Amber Cover -Filament-A60-E27



3w VT-2063

SKU: 7219 - 2200K Warm White 3800157617277


 Box Qty.
100 Pcs

EQ. Watts: 20w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 150lm
 Commercial Type: A60
 LED Type: Filament
 CRI: >80

PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 60x105mm



Amber Cover -Filament-ST64-E27



5w VT-2065

SKU: 7218 - 2200K Warm White 3800157617260


 Box Qty.
100 Pcs

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 300lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 64x140mm



Amber Cover -Filament-Globe-E27


6w VT-2126

SKU: 7328 - 2200K Warm White 3800157624725


 Box Qty.
100 Pcs

EQ. Watts: 55w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 480lm
 Commercial Type: G125
 LED Type: Filament
 CRI: >70

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 125x175mm





Amber Cover -Filament-ST64-E27

5w VT-2066

SKU: 7220 - 2200K Warm White 3800157617284

Box Qty.
100 Pcs

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **300lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x140mm**




Amber Cover -Filament-Globe-E27

5w VT-2085

SKU: 7216 - 2200K Warm White 3800157617246

Box Qty.
20 Pcs

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **300lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x175mm**




Amber Cover -Filament-Globe-E27

5w VT-2075

SKU: 7217 - 2200K Warm White 3800157617253

Box Qty.
50 Pcs

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **300lm**
Commercial Type: **G95**
LED Type: **Filament**
CRI: **>80**





PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **95x138mm**



Amber Cover -Filament-Globe-E27

4W VT-2024

SKU: 7146 - 2200K Warm White 3800157610612


 Box Qty.
50 Pcs



EQ. Watts:	35w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x140mm
CRI:	>80		



Amber Cover -Filament-Globe-E27

7W VT-2027

SKU: 7147 - 2200K Warm White 3800157610629


 Box Qty.
50 Pcs




EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	700lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x140mm
CRI:	>80		



Amber Cover -Filament-Globe-E27

4W VT-2004

SKU: 7148 - 2200K Warm White 3800157610636


 Box Qty.
100 Pcs


EQ. Watts:	35w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	G80	Body Type:	Glass
LED Type:	Filament	Dimension:	80x140mm
CRI:	>80		




Amber Cover -Filament-Globe-E27

4w VT-1956

SKU: 4473 - 2200K Warm White 3800157609074

Box Qty.
12 Pcs

EQ. Watts: **55w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **550lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x165mm**

new!



Amber Cover -Filament-Globe-E27

5w VT-2085D

SKU: 7415 - 2200K Warm White 3800157631990

Box Qty.
20 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **300lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x175mm**




Amber Cover -Filament-Globe-E27

8w VT-2019

SKU: 7145 - 2200K Warm White 3800157610605

Box Qty.
50 Pcs

EQ. Watts: **65w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **800lm**
Commercial Type: **G95**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **95x140mm**



Amber Cover -Filament-T30-E27



2W VT-2052

SKU: 7252 - 2200K Warm White 3800157620833

Box Qty.
100 Pcs

EQ. Watts: 20w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 200lm
 Commercial Type: T30
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 30x136mm



Filament-T30-E27


2W VT-2042

SKU: 7251 - 2700K Warm White 3800157620826

Box Qty.
100 Pcs

EQ. Watts: 20w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 200lm
 Commercial Type: T30
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 30x136mm



Amber Cover -Filaments-T30-E27



5W VT-2005

SKU: 7142 - 2200K Warm White 3800157610575

Box Qty.
100 Pcs

EQ. Watts: 45w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 500lm
 Commercial Type: T30
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 30x300mm






Amber Cover -Filaments-T30-E27

6W VT-2006

SKU: 7143 - 2200K Warm White 3800157610582

Box Qty.
100 Pcs

EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **600lm**
Commercial Type: **T30**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **30x185mm**





Amber Cover -Filaments-T30-E27

7W VT-2008

SKU: 7144 - 2200K Warm White 3800157610599

Box Qty.
100 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **700lm**
Commercial Type: **T30**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **30x300mm**





Amber Cover -Filament-Candle-E14

4W VT-1955

SKU: 7113 - 2200K Warm White 3800157609883

Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**





Amber Cover -Filament-Candle-E14

4W VT-1949

SKU: 7114 - 2200K Warm White 3800157609890


 Box Qty.
100 Pcs

EQ. Watts: **35w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**





Amber Cover -Filament-Candle-E14

4W VT-1948

SKU: 7115 - 2200K Warm White 3800157609906


 Box Qty.
100 Pcs

EQ. Watts: **35w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**




Amber Cover -Filament-Candle-E14

4W VT-1947

SKU: 7116 - 2200K Warm White 3800157609913


 Box Qty.
100 Pcs

EQ. Watts: **35w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**




Amber Cover -Filament-A60-E27

4w VT-1954

SKU: 4498 - 2200K Warm White 3800157609739

Box Qty.
50 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x107mm**





Amber Cover -Filament-A60-E27

8w VT-1958

SKU: 4472 - 2200K Warm White 3800157609067

Box Qty.
50 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **720lm**
Commercial Type: **A67**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **67x123mm**




Amber Cover -Filament-A67-E27

10w VT-2028

SKU: 7157 - 2200K Warm White 3800157612227

Box Qty.
50 Pcs

EQ. Watts: **65w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **900lm**
Commercial Type: **A67**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **67x123mm**

new!

Amber Cover -Filament-ST64-B22



4W VT-2145

SKU: 7421 - 2200K Warm White 3800157633093



Box Qty.

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: B22
 Body Type: Glass
 Dimension: 64x138mm

new!

Amber Cover -Filament-ST64-B22

4W VT-2145D



SKU: 7420 - 2200K Warm White 3800157633086



Box Qty.



EQ. Watts: 25w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: B22
 Body Type: Glass
 Dimension: 64x138mm





Amber Cover -Filament-ST64-E27

4W VT-1964D

SKU: 4368 - 2200K Warm White 3800157602945

Box Qty.
100 Pcs

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80



PF: >0.7
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 64x138mm




Amber Cover -Filament-ST64-E27

4w VT-1964

SKU: 4361 - 2200K Warm White 3800157602747

Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x138mm**

new!



Amber Cover -Filament-ST64-E27


5w VT-2065D

SKU: 7416 - 2200K Warm White 3800157632003

Box Qty.
100 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **300lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x140mm**





Amber Cover -Filament-ST64-E27

6w VT-1966

SKU: 4362 - 2200K Warm White 3800157602754

Box Qty.
50 Pcs

EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**





PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x138mm**



Amber Cover -Filament-ST64-E27

8w VT-1968

SKU: 4421 - 2200K Warm White 3800157606356


 Box Qty.
50 Pcs




EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	700lm	Base:	E27
Commercial Type:	ST64	Body Type:	Glass
LED Type:	Filament	Dimension:	64x138mm
CRI:	>80		



Amber Cover -Filament-Globe-E27

8w VT-2018D

SKU: 7155 - 2200K Warm White 3800157612203


 Box Qty.
12 Pcs




EQ. Watts:	60w	PF:	>0.7
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	700lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		



Amber Cover -Filament-Globe-E27

6w VT-2026D

SKU: 7156 - 2200K Warm White 3800157612210


 Box Qty.
12 Pcs


EQ. Watts:	50w	PF:	>0.7
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	500lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x135mm
CRI:	>80		



White Cover -Filament-Candle-E14


4w VT-1924

SKU: 7102 - 4000K Day White
SKU: 7103 - 6400K White

3800157609777
3800157609784



Box Qty.
100 Pcs



EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**

PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



Cross Filament-Candle-E14


4w VT-1924C

SKU: 71011 - 2700K Warm White
SKU: 71031 - 6400K White

3800157628617
3800157624244



Box Qty.
100 Pcs



EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**

PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



White Cover -Filament-A60-E27


4w VT-1939

SKU: 4489 - 2700K Warm White
SKU: 4490 - 4000K Day White
SKU: 4491 - 6400K White

3800157609647
3800157609654
3800157609661



Box Qty.
50 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**

PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x107mm**




White Cover -Filament-Candle-E14

4W VT-1927

 SKU: 7105 - 4000K Day White
 SKU: 7106 - 6400K White

 3800157609807
 3800157609814

 Box Qty.
100 Pcs


EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**


PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**



Cross Filament-Candle-E14

4W VT-1927C

SKU: 71041 - 2700K Warm White 3800157624299


 Box Qty.
100 Pcs


EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**





Frost Cover -Filament-Candle-E14

4W VT-1936

 SKU: 4474 - 2700K Warm White
 SKU: 4475 - 4000K Day White
 SKU: 4476 - 6400K White

 3800157609081
 3800157609098
 3800157609104

 Box Qty.
100 Pcs


EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**




Frost Cover -Filament-Candle-E14

4w VT-1937

SKU: 4477 - 2700K Warm White 3800157609111
SKU: 4478 - 4000K Day White 3800157609128
SKU: 4479 - 6400K White 3800157609135

Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		




Frost Cover -Filament-Candle-E14

4w VT-1928

SKU: 7108 - 4000K Day White 3800157609838
SKU: 7109 - 6400K White 3800157609845

Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		





Cross Filament-Candle-E14

4w VT-1928C

SKU: 71071 - 2700K Warm White 3800157624213
SKU: 71081 - 4000K Day White 3800157624220
SKU: 71091 - 6400K White 3800157624237

Box Qty.
100 Pcs




EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		



Frost Cover -Filament-Candle-E14

4W VT-1923

SKU: 7110 - 2700K Warm White 3800157609852
 SKU: 7111 - 4000K Day White 3800157609869
 SKU: 7112 - 6400K White 3800157609876


 Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		



Frost Cover -Filament-Candle-E14

4W VT-2054D

SKU: 7176 - 2700K Warm White 3800157615525


 Box Qty.
100 Pcs



EQ. Watts:	35w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		



Frost Cover -Filament-Candle-E14

4W VT-2056D

SKU: 7177 - 2700K Warm White 3800157615532


 Box Qty.
100 Pcs


EQ. Watts:	35w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		





Frost Cover -Filament-Globe-E27

4w VT-1974

SKU: 4496 - 4000K Day White 3800157609715
SKU: 4497 - 6400K White 3800157609722



Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	> 0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		





Frost Cover -Filament-P45-E14

4w VT-1835C

SKU: 44921 - 2700K Warm White 3800157624268
SKU: 44941 - 6400K White 3800157624282



Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	> 0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	P45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x77mm
CRI:	>80		





Frost Cover -Filament-A60-E27

4w VT-1934

SKU: 4486 - 2700K Warm White 3800157609616
SKU: 4487 - 4000K Day White 3800157609623
SKU: 4488 - 6400K White 3800157609630



Box Qty.
50 Pcs




EQ. Watts:	40w	PF:	> 0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A60-E27

5w VT-2045

SKU: 7178 - 2700K Warm White 3800157615549
 SKU: 7179 - 4000K Day White 3800157615556
 SKU: 7180 - 6400K White 3800157615563


 Box Qty.
50 Pcs



EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	600lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A60-E27

6w VT-1935C

SKU: 44801 - 2700K Warm White 3800157624091


 Box Qty.
50 Pcs




EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	660lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A60-E27

6w VT-1935

SKU: 4481 - 4000K Day White 3800157609159
 SKU: 4482 - 6400K White 3800157609166


 Box Qty.
50 Pcs


EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	660lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A60-E27

7W VT-2047

SKU: 7181 - 2700K Warm White 3800157615570
SKU: 7182 - 4000K Day White 3800157615587
SKU: 7183 - 6400K White 3800157615594



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		




Frost Cover -Filament-A60-E27

7W VT-2047C

SKU: 71811 - 2700K Warm White 3800157624107



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		




Frost Cover -Filament-A67-E27

8W VT-1938

SKU: 4483 - 2700K Warm White 3800157609586
SKU: 4484 - 4000K Day White 3800157609593
SKU: 4485 - 6400K White 3800157609609



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	800lm	Base:	E27
Commercial Type:	A67	Body Type:	Glass
LED Type:	Filament	Dimension:	67x123mm
CRI:	>80		







Frost Cover -Filament-A67-E27

10w VT-2023

 SKU: 7153 - 4000K Day White
 SKU: 7154 - 6400K White

 3800157612180
 3800157612197
Box Qty.
50 Pcs

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A67**
 LED Type: **Filament**
 CRI: **>80**


PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **67x123mm**



Frost Cover -Filament-A67-E27

9w VT-2049

 SKU: 7184 - 2700K Warm White
 SKU: 7185 - 4000K Day White
 SKU: 7186 - 6400K White

 3800157615600
 3800157615617
 3800157615624
Box Qty.
50 Pcs

EQ. Watts: **80w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1100lm**
 Commercial Type: **A67**
 LED Type: **Filament**
 CRI: **>80**


PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **67x123mm**



Frost Cover -Filament-Globe-E27

7w VT-2057

 SKU: 7187 - 2700K Warm White
 SKU: 7188 - 6400K White

 3800157615631
 3800157615648
Box Qty.
12 Pcs

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **840lm**
 Commercial Type: **G95**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **95x135mm**




Frost Cover -Filament-Globe-E27

7W VT-2067

SKU: 7189 - 2700K Warm White 3800157615655
SKU: 7190 - 6400K White 3800157615662

Box Qty.
12 Pcs

EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		



Frost Cover -Filament-Globe-E27



7W VT-2067D

SKU: 7191 - 2700K Warm White 3800157615679

Box Qty.
12 Pcs



EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	750lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		





Clear Glass-Filament-A60-E27

4w VT-1885

SKU: 4259 - 2700K Warm White 3800230627179

Box Qty.
50 Pcs

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		







Clear Glass-Filament-A60-E27

4W VT-1885C

SKU: 42591 - 2700K Warm White 3800157624312


 Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **A60**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **60x107mm**





Clear Glass-Filament-A60-E27

4W VT-1885DC

SKU: 43641 - 2700K Warm White 3800157624305


 Box Qty.
50 Pcs


EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **A60**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **60x107mm**




Clear Glass-Filament-A67-E27

8W VT-1978

 SKU: 4407 - 2700K Warm White 3800157606165
 SKU: 4409 - 6400K White 3800157606189

 Box Qty.
100 Pcs

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **800lm**
 Commercial Type: **A67**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **67x123mm**



Clear Glass-Filament-A60-B22


5w VT-2035

SKU: 7170 - 2700K Warm White 3800157615464



Box Qty.
50 Pcs

EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **600lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **B22**
Body Type: **Glass**
Dimension: **60x107mm**



Clear Glass-Filament-ST26-E14



2w VT-1952

SKU: 4445 - 4000K Day White 3800157607865
SKU: 4446 - 6400K White 3800157607872



Box Qty.
100 Pcs

EQ. Watts: **20w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **180lm**
Commercial Type: **ST26**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **26x58mm**

new!



Clear Glass-Filament-ST64-E27

4W VT-2105D

SKU: 7414 - 2700K Warm White 3800157630320

Box Qty.
100 Pcs**DIMMABLE**

EQ. Watts: 45w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 490lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80





PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 64x145mm



Clear Glass-Filament-Candle-E14

4W VT-1986

SKU: 4301 - 2700K Warm White 3800230629951

Box Qty.
100 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm



Clear Glass-Filament-Candle-E14

4W VT-1986C

SKU: 43011 - 2700K Warm White 3800157624114

Box Qty.
100 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80

PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm



Clear Glass-Filament-Candle-E14

4w VT-1986DC



SKU: 43651 - 2700K Warm White 3800157624176



Box Qty.
100 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



Clear Glass-Filament-Candle-E14



4w VT-1985C

SKU: 43071 - 2700K Warm White 3800157624183



Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



Clear Glass-Filament-Candle-E14


4w VT-1995

SKU: 4308 - 2700K Warm White 3800157600354
SKU: 4431 - 4000K Day White 3800157606455
SKU: 4432 - 6400K White 3800157606462



Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x121mm**




Clear Glass-Filament-Candle-E14

4W VT-1995D

SKU: 4388 - 2700K Warm White 3800157603973

Box Qty.
100 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x121mm




Clear Glass-Filament-Candle-E14

4W VT-1995DC

SKU: 43881 - 2700K Warm White 3800157624251

Box Qty.
100 Pcs

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x121mm




Clear Glass-Filament-Candle-E14

4W VT-1997

SKU: 4302 - 2700K Warm White 3800230629968

Box Qty.
50 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x121mm



Clear Glass-Filament-Candle-E14

4w VT-1997D

SKU: 4366 - 2700K Warm White 3800157602921




Box Qty.
100 Pcs



DIMMABLE

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x121mm**



Clear Glass-Filament-Candle-E14


4w VT-1997C

SKU: 44291 - 4000K Day White 3800157624190
SKU: 44301 - 6400K White 3800157624206



Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x121mm**

new!



Clear Glass-Filament-Candle-E14



6w VT-2127

SKU: 7423 - 3000K Warm White 3800157632577
SKU: 7424 - 4000K Day White 3800157632584
SKU: 7425 - 6400K White 3800157632591



Box Qty.
200 Pcs

EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **600lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**




PF: **>0.5**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



Clear Glass-Filament-Globe-E27

4W VT-1980

 SKU: 4427 - 4000K Day White
 SKU: 4428 - 6400K White

 3800157606417
 3800157606424
Box Qty.
100 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**




Color Bulbs-G45-E27

2W VT-2132-P

SKU: 7410 - Pink

3800157630269

Box Qty.
100 Pcs

EQ. Watts: **10w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **60lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**



Color Bulbs-G45-E27

2W VT-2132-G

SKU: 7411 - Green

3800157630276

Box Qty.
100 Pcs

EQ. Watts: **10w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **60lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**




Color Bulbs-G45-E27

2w VT-2132-B

SKU: 7412 - Blue

3800157630283



Box Qty.
100 Pcs

EQ. Watts: 10w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 60lm
Commercial Type: G45
LED Type: Filament
CRI: >80

PF: >0.4
Beam Angle: 300°
Base: E27
Body Type: Glass
Dimension: 45x75mm




Color Bulbs-G45-E27

2w VT-2132-R

SKU: 7413 - Red

3800157630290



Box Qty.
100 Pcs

EQ. Watts: 10w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 60lm
Commercial Type: G45
LED Type: Filament
CRI: >80

PF: >0.4
Beam Angle: 300°
Base: E27
Body Type: Glass
Dimension: 45x75mm







Clear Glass-Filament-P45-E14

4W VT-1996D

SKU: 4394 - 2700K Warm White 3800157604314

Box Qty.
100 Pcs

EQ. Watts: 30w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 320lm
Commercial Type: P45
LED Type: Filament
CRI: >80



PF: >0.5
Beam Angle: 300°
Base: E14
Body Type: Glass
Dimension: 45x77mm





Clear Glass-Filament-P45-E14

4W VT-1996

SKU: 4426 - 6400K White 3800157606394

Box Qty.
100 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
Commercial Type: P45
LED Type: Filament
CRI: >80



PF: >0.4
Beam Angle: 300°
Base: E14
Body Type: Glass
Dimension: 45x77mm





Clear Glass-Filament-P45-E14

4W VT-1996C

SKU: 43001 - 2700K Warm White 3800157624138
SKU: 44251 - 4000K Day White 3800157628600Box Qty.
100 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
Commercial Type: P45
LED Type: Filament
CRI: >80



PF: >0.4
Beam Angle: 300°
Base: E14
Body Type: Glass
Dimension: 45x77mm



Clear Glass-Filament-Globe-E27

4w VT-1994D

SKU: 4399 - 2700K Warm White 3800157605021



Box Qty.
20 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x177mm**

new!



Clear Glass-Filament-Globe-E27

6w VT-2147

SKU: 7427 - 6400K White 3800157633116



Box Qty.

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x177mm**



PAR38 Bulbs-E27

15w VT-1125-G



SKU: 4418 - Green
SKU: 4419 - Red
SKU: 4420 - Blue

3800157606318
3800157606325
3800157606301




Box Qty.
40 Pcs

EQ. Watts: **100w**
Voltage/Frequency: **AC:180-240V,50/60Hz**
Luminous Flux: **1200lm**
Commercial Type: **PAR38**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **40°**
Base: **E27**
Body Type: **Plastic Coated Aluminium**
Dimension: **Ø120x133mm**





VT-798

B22-E27 Converter-Bulbs

SKU: 3420

3800157608435



Box Qty.
250 Pcs

Aluminium+PC



VT-7135

String Light-WP Socket-E27

SKU: 3698

3800157634182



Box Qty.
4 Pcs

5 Meter Long String

10 Holders With 0.5 Meter Distance



VT-713

String Light-WP Socket-E27

SKU: 3673

3800157625173



Box Qty.
4 Pcs

15 Meter Long String

15 Holders With 1 Meter Distance

LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)



Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver
- Broad Range of holders like GU10, MR16, G9 and G4
- Wide Voltage Range from AC: 180 - 240 V , 50/60 Hz & 12 v options
- Dimmable & Non Dimmable options

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

Spotlights-GU10-Lens-38°



2W VT-2002

SKU: 7169 - 6400K White

3800157612821



Box Qty.
200 Pcs



EQ. Watts: **15w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **180lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **38°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **35x46.5mm**

Spotlights-GU10-Lens-110°

7W VT-2778

SKU: 1672 - 3000K Warm White

3800157602136

SKU: 1673 - 4500K Day White


3800157602143

SKU: 1674 - 6400K White

3800157602150



Box Qty.
200 Pcs



EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**

Spotlights-GU10-Lens-38°

7W VT-2666

SKU: 1657 - 3000K Warm White

3800157601641

SKU: 1658 - 4500K Day White


3800157601658

SKU: 1659 - 6000K White

3800157601665



Box Qty.
200 Pcs



EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **550lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **38°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**



Spotlights-GU10-Lens-38°


7W VT-2886D

SKU: 1666 - 3000K Warm White
 SKU: 1667 - 4500K Day White
 SKU: 1668 - 6000K White

3800157602075
 3800157602082
 3800157602099



Box Qty.
200 Pcs



EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **550lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **38°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**



Spotlights-MR16-Lens-38°


7W VT-1967

SKU: 1663 - 3000K Warm White
 SKU: 1664 - 4500K Day White
 SKU: 1665 - 6000K White

3800157602044
 3800157602051
 3800157602068



Box Qty.
200 Pcs



EQ. Watts: **50w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **550lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **38°**
 Base: **MR16**
 Body Type: **Plastic**
 Dimension: **50x50mm**



Spotlights-GU10-Lens-38°


8W VT-2889

SKU: 1693 - 3000K Warm White
 SKU: 1694 - 4000K Day White
 SKU: 1695 - 6400K White

3800157608947
 3800157608954
 3800157608961



Box Qty.
200 Pcs



EQ. Watts: **80w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **750lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **38°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x55mm**

Spotlights-GU10-Milky Cover-110°

3W VT-1933




SKU: 7126 - 3000K Warm White
SKU: 7127 - 4000K Day White
SKU: 7128 - 6400K White

3800157610148
3800157610155
3800157610162



Box Qty.
200 Pcs



EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**

Spotlights-GU10-3PC Pack

5W VT-2095




SKU: 7269 - 3000K Warm White
SKU: 7270 - 4000K Day White
SKU: 7271 - 6400K White

3800157623018
3800157623025
3800157623032



Box Qty.
60 Pcs



EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**

Spotlights-GU10-Milky Cover-110°

5W VT-1975




SKU: 1685 - 3000K Warm White
SKU: 1686 - 4000K Day White
SKU: 1687 - 6000K White

3800157606240
3800157606257
3800157606264



Box Qty.
200 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
LED Type: **SMD**
CRI: **>80**


PF: **>0.4**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**



Spotlights-GU10-Milky Cover-110°

6W VT-2096

SKU: 7310 - 3000K Warm White 3800157624428

Box Qty.
200 Pcs

EQ. Watts: **45w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **500lm**
 LED Type: **SMD**
 CRI: **>80**


PF: **>0.5**
 Beam Angle: **110°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**



Spotlights-GU10-Blister Pack

6W VT-2107

SKU: 7303 - 3000K Warm White 3800157623933
 SKU: 7304 - 4000K Day White 3800157623940
 SKU: 7305 - 6400K White 3800157623957

Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **500lm**
 LED Type: **SMD**
 CRI: **>80**


PF: **>0.5**
 Beam Angle: **110°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**



Spotlights-GU10-Blister Pack

6.5w VT-2108D

SKU: 7306 - 3000K Warm White 3800157623964
 SKU: 7307 - 4000K Day White 3800157623971
 SKU: 7308 - 6400K White 3800157623988

Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **450lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **38°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**

Spotlights-GU10-Lens-110°

7W VT-2887D

SKU: 1669 - 3000K Warm White
SKU: 1670 - 4500K Day White
SKU: 1671 - 6000K White


3800157602105
3800157602112
3800157602129



Box Qty.
200 Pcs



EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**

Spotlights-GU10-Milky Cover-110°

7W VT-2779


SKU: 1682 - 3000K Warm White

3800157605359



Box Qty.
200 Pcs

EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**

Spotlights-MR16-Milky Cover-110°

7W VT-1977



SKU: 1688 - 3000K Warm White
SKU: 1689 - 4500K Day White
SKU: 1690 - 6000K White

3800157606950
3800157606967
3800157606974



Box Qty.
200 Pcs

EQ. Watts: **45w**
Voltage/Frequency: **AC/DC:12V,50Hz**
Luminous Flux: **500lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **110°**
Base: **MR16**
Body Type: **Plastic**
Dimension: **50x50mm**



Reflector-Round


5W VT-1100RD

SKU: 7329 - 3000K Warm White
SKU: 7330 - 4000K Day White
SKU: 7331 - 6400K White

3800157624824
3800157624831
3800157624848



Box Qty.
100 Pcs



EQ. Watts: **35w**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **350lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **68°**
Base: **N/A**
Body Type: **ABS+PC**
Dimension: **Ø90x 45mm**



Reflector-Square


5W VT-1100SQ

SKU: 7332 - 3000K Warm White
SKU: 7333 - 4000K Day White
SKU: 7334 - 6400K White

3800157624855
3800157624862
3800157624879



Box Qty.
50 Pcs



EQ. Watts: **35w**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **350lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **68°**
Base: **N/A**
Body Type: **ABS+PC**
Dimension: **90x90x45mm**



PAR-GX53


7W VT-1969

SKU: 4438 - 4500K Day White
SKU: 4439 - 6000K White

3800157607049
3800157607056



Box Qty.
100 Pcs



EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **550lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **110°**
Base: **Gx53**
Body Type: **Thermoplastic**
Dimension: **75x29mm**



Capsules-G9-Blister Pack

2W VT-2102BP

SKU: 7340 - 3000K Warm White 3800157625630



Box Qty.
400 Pcs

EQ. Watts: **20w**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **230lm**
LED Type: **COB**
CRI: **>80**



PF: **>0.7**
Beam Angle: **230°**
Base: **G9**
Body Type: **Glass**
Dimension: **14.5x43.5mm**



Capsules-G9

2W VT-2102

SKU: 7337 - 3000K Warm White 3800157625210
SKU: 7338 - 4000K Day White 3800157625227
SKU: 7339 - 6000K White 3800157625234



Box Qty.
400 Pcs

EQ. Watts: **20w**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **230lm**
LED Type: **COB**
CRI: **>80**



PF: **>0.7**
Beam Angle: **230°**
Base: **G9**
Body Type: **Glass**
Dimension: **14.5x43.5mm**



Capsules-G9


2.5W VT-1946

SKU: 7207 - 6400K White 3800157616331



Box Qty.
400 Pcs

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **200lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **G9**
Body Type: **Plastic**
Dimension: **16.5x48.7mm**



Capsules-G9-Milky Cover

3W

VT-2083D

SKU: 7253 - 2700K Warm White

SKU: 7254 - 4000K Day White

SKU: 7255 - 6400K White

3800157621656

3800157621663

3800157621670



Box Qty.

360 Pcs





EQ. Watts: 30w

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 225lm

LED Type: SMD

CRI: >80



PF: >0.5

Beam Angle: 360°

Base: G9

Body Type: Plastic

Dimension: 18.5x55.5mm




A modern interior space featuring a dark wood dining table and chairs. The ceiling is white with three cylindrical surface-mounted GU10 fittings. The walls are covered in horizontal wood panels, and a dark wood pillar is visible in the background. The floor is made of light-colored wood planks.

**SURFACE MOUNTED
GU10 FITTINGS**

Easy Installation
Elegant Design


Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-797-WH
SKU: 3630
Base: GU10
Material: Die Cast Aluminium
Shape: Square
Color of Fixture: White
Dimension: 142x100x100mm
Cutting Size: N/A
EAN: 3800157612074


Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-797-SN
SKU: 3632
Base: GU10
Material: Die Cast Aluminium
Shape: Square
Color of Fixture: Satin Nickel
Dimension: 100x100x142mm
Cutting Size: N/A
EAN: 3800157612098


Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-797-B
SKU: 3631
Base: GU10
Material: Die Cast Aluminium
Shape: Square
Color of Fixture: Black
Dimension: 100x100x142mm
Cutting Size: N/A
EAN: 3800157612081


Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-796-WH
SKU: 3627
Base: GU10
Material: Die Cast Aluminium
Shape: Round
Color of Fixture: White
Dimension: Ø142x100mm
Cutting Size: N/A
EAN: 3800157612043


Fitting-Round-GU10



Box Qty.
50 Pcs

Model No **VT-796-B**
SKU : **3628**
Base: **GU10**
Material: **Die Cast Aluminium**
Shape: **Round**
Color of Fixture: **Black**
Dimension: **Ø142x100mm**
Cutting Size: **N/A**
EAN : **3800157612050**


GX53-Accessory



Box Qty.
50 Pcs

Model No **VT-715-W**
SKU : **3675**
Base: **GX53**
Material: **Iron**
Shape: **Round**
Color of Fixture: **White**
Dimension: **Ø105x40mm**
Cutting Size: **90mm**
EAN : **3800157625241**


Fitting-Round-GU10



Box Qty.
50 Pcs

Model No **VT-796-SN**
SKU : **3629**
Base: **GU10**
Material: **Die Cast Aluminium**
Shape: **Round**
Color of Fixture: **Satin Nickel**
Dimension: **Ø142x100mm**
Cutting Size: **N/A**
EAN : **3800157612067**


GX53-Accessory



Box Qty.
50 Pcs

Model No **VT-715-G**
SKU : **3676**
Base: **GX53**
Material: **Iron**
Shape: **Round**
Color of Fixture: **Gold**
Dimension: **Ø105x40mm**
Cutting Size: **90mm**
EAN : **3800157625258**

GX53-Accessory

Box Qty.
50 Pcs

Model No: VT-715-CH
 SKU : 3677
 Base: GX53
 Material: Iron
 Shape: Round
 Color of Fixture: Chrome
 Dimension: Ø105x40mm
 Cutting Size: 90mm
 EAN : 3800157625265

Fitting-Round-GU10

Box Qty.
36 Pcs

Model No: VT-727RD
 SKU : 3665
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø70x75mm
 Cutting Size: N/A
 EAN : 3800157624596

Fitting-Square-GU10

Box Qty.
36 Pcs


Model No: VT-727SQ
 SKU : 3664
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 70x70x75mm
 Cutting Size: N/A
 EAN : 3800157624589

Fitting-Square-GU10

Box Qty.
36 Pcs

Model No: VT-716SQ
 SKU : 3666
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 75x75x75mm
 Cutting Size: N/A
 EAN : 3800157624732


Fitting-Round-GU10



Box Qty.
36 Pcs

Model No	VT-716RD
SKU :	3667
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø75x75mm
Cutting Size:	N/A
EAN :	3800157624749


Fitting-Square-GU10



Box Qty.
24 Pcs

Model No	VT-763
SKU :	3649
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN :	3800157618595


Fitting-Square-GU10



Box Qty.
20 Pcs

Model No	VT-762
SKU :	3648
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	215x120x60mm
Cutting Size:	215x120mm
EAN :	3800157618588

Fitting-Round-GU10



Box Qty.
20 Pcs

Model No	VT-764
SKU :	3650
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø140x40mm
Cutting Size:	Ø140mm
EAN :	3800157618601

Fitting-Square-GU10

Box Qty.
30 Pcs

Model No: VT-765
 SKU : 3651
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 100x100x30mm
 Cutting Size: 103x103mm
 EAN : 3800157618618

Fitting-Square-GU10

Box Qty.
20 Pcs


Model No: VT-772
 SKU : 3653
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: 132x132x74mm
 Cutting Size: 135x135mm
 EAN : 3800157618632

Fitting-Round-GU10

Box Qty.
20 Pcs

Model No: VT-771
 SKU : 3652
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø100x30mm
 Cutting Size: Ø103mm
 EAN : 3800157618625

Fitting-Round-GU10

Box Qty.
24 Pcs

Model No: VT-776RD
 SKU : 3640
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø120x40mm
 Cutting Size: Ø123mm
 EAN : 3800157616348


Fitting-Square-GU10



Box Qty.
24 Pcs

Model No **VT-776SQ**
SKU : **3641**
Base: **GU10**
Material: **Gypsum**
Shape: **Square**
Color of Fixture: **White**
Dimension: **120x120x40mm**
Cutting Size: **123x123mm**
EAN : **3800157616355**

Fitting-Square-GU10



Box Qty.
24 Pcs

Model No **VT-714**
SKU : **3674**
Base: **GU10**
Material: **Gypsum**
Shape: **Square**
Color of Fixture: **White**
Dimension: **120x120x45mm**
Cutting Size: **123x123mm**
EAN : **3800157625180**

Fitting-Round-GU10



Box Qty.
20 Pcs

Model No **VT-773**
SKU : **3654**
Base: **GU10**
Material: **Gypsum**
Shape: **Round**
Color of Fixture: **White**
Dimension: **Ø132x74mm**
Cutting Size: **Ø132mm**
EAN : **3800157618649**

Fitting-Square-GU10-Frost Glass



Box Qty.
24 Pcs

Model No **VT-801SQ**
SKU : **3691**
Base: **GU10**
Material: **Gypsum**
Shape: **Square**
Color of Fixture: **White**
Dimension: **120x120x60mm**
Cutting Size: **123x123mm**
EAN : **3800157628938**

Fitting-Round-GU10-Frost Glass

Box Qty.
24 Pcs

Model No: VT-801RD
 SKU : 3692
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø120x60mm
 Cutting Size: Ø123mm
 EAN : 3800157628945

Fitting-Round-GU10-2Pc Pack

Box Qty.
200 Pcs

Model No: VT-778-SN
 SKU : 3585
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø80x30mm
 Cutting Size: Ø65mm
 EAN : 3800157607148

Fitting-Round-GU10-2Pc Pack

Box Qty.
200 Pcs

Model No: VT-778-WH
 SKU : 3584
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø80x30mm
 Cutting Size: Ø65mm
 EAN : 3800157607131

Fitting-Round-GU10-2Pc Pack

Box Qty.
200 Pcs

Model No: VT-778-CH
 SKU : 3586
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: Chrome
 Dimension: Ø80x30mm
 Cutting Size: Ø65mm
 EAN : 3800157607155

Fitting-Round-GU10-Changing Angle



Model No: VT-780-WH
SKU: 3593
Base: GU10
Material: Ferrum
Shape: Round
Color of Fixture: White
Dimension: Ø100x45mm
Cutting Size: Ø90mm
EAN: 3800157607223

Fitting-Round-GU10



Model No: VT-774-WH
SKU: 3642
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: Ø81x34mm
Cutting Size: Ø73mm
EAN: 3800157617086



Fitting-Round-GU10-Changing Angle



Model No: VT-780-SN
SKU: 3594
Base: GU10
Material: Ferrum
Shape: Round
Color of Fixture: Satin Nickel
Dimension: Ø100x45mm
Cutting Size: Ø90mm
EAN: 3800157607230


Fitting-Round-GU10



Model No: VT-774-SN
SKU: 3643
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Satin Nickel
Dimension: Ø81x34mm
Cutting Size: Ø73mm
EAN: 3800157617093




Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-774-MG
SKU: 3644
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Metallic Grey
Dimension: Ø81x34mm
Cutting Size: Ø73mm
EAN: 3800157617109


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-SN
SKU: 3646
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Satin Nickel
Dimension: Ø95x32mm
Cutting Size: Ø85mm
EAN: 3800157617123


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-WH
SKU: 3645
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: Ø95x32mm
Cutting Size: Ø85mm
EAN: 3800157617116

Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-MG
SKU: 3647
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Metallic Grey
Dimension: Ø95x32mm
Cutting Size: Ø85mm
EAN: 3800157617130

Fitting-Round-GU10



Model No **VT-782RD-WH**
 SKU : **3599**
 Base: **GU10**
 Material: **Aluminium**
 Shape: **Round**
 Color of Fixture: **White**
 Dimension: **Ø91x25mm**
 Cutting Size: **Ø75mm**
 EAN : **3800157607285**

Fitting-Round-GU10



Model No **VT-783RD-WH**
 SKU : **3601**
 Base: **2XGU10**
 Material: **Aluminium**
 Shape: **Round**
 Color of Fixture: **White**
 Dimension: **173x91x25mm**
 Cutting Size: **155x75mm**
 EAN : **3800157607308**

Fitting-Round-GU10



Model No **VT-782RD-AB**
 SKU : **3600**
 Base: **GU10**
 Material: **Aluminium**
 Shape: **Round**
 Color of Fixture: **Aluminium Brush**
 Dimension: **Ø91x25mm**
 Cutting Size: **Ø75mm**
 EAN : **3800157607292**

Fitting-Round-GU10



Model No **VT-783RD-AB**
 SKU : **3602**
 Base: **2XGU10**
 Material: **Aluminium**
 Shape: **Round**
 Color of Fixture: **Aluminium Brush**
 Dimension: **173x91x25mm**
 Cutting Size: **155x75mm**
 EAN : **3800157607315**

Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-784RD-WH
SKU: 3603
Base: 3XGU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: 255x91x25
Cutting Size: 235x75mm
EAN: 3800157607322

Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-782SQ-WH
SKU: 3605
Base: 1XGU10
Material: Aluminium
Shape: Square
Color of Fixture: White
Dimension: 91x91x25mm
Cutting Size: 75x75mm
EAN: 3800157607346

Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-784RD-AB
SKU: 3604
Base: 3XGU10
Material: Aluminium
Shape: Round
Color of Fixture: Aluminium Brush
Dimension: 255x91x25mm
Cutting Size: 235x75mm
EAN: 3800157607339

Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-782SQ-AB
SKU: 3606
Base: 1XGU10
Material: Aluminium
Shape: Square
Color of Fixture: Aluminium Brush
Dimension: 91x91x25mm
Cutting Size: 235x75mm
EAN: 3800157607353

Fitting-Square-GU10



Model No **VT-783SQ-WH**
 SKU : **3607**
 Base: **2XGU10**
 Material: **Aluminium**
 Shape: **Square**
 Color of Fixture: **White**
 Dimension: **173x91x25mm**
 Cutting Size: **155x75mm**
 EAN : **3800157607360**

Fitting-Square-GU10



Model No **VT-784SQ-WH**
 SKU : **3609**
 Base: **3XGU10**
 Material: **Aluminium**
 Shape: **Square**
 Color of Fixture: **White**
 Dimension: **255x91x25mm**
 Cutting Size: **235x75mm**
 EAN : **3800157607384**

Fitting-Square-GU10




Model No **VT-783SQ-AB**
 SKU : **3608**
 Base: **GU10**
 Material: **Aluminium**
 Shape: **Square**
 Color of Fixture: **Aluminium Brush**
 Dimension: **173x91x25mm**
 Cutting Size: **155x75mm**
 EAN : **3800157607377**

Fitting-Square-GU10



Model No **VT-784SQ-AB**
 SKU : **3610**
 Base: **3XGU10**
 Material: **Aluminium**
 Shape: **Square**
 Color of Fixture: **Aluminium Brush**
 Dimension: **255x91x25mm**
 Cutting Size: **235x75mm**
 EAN : **3800157607391**


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-7227RD-WH
SKU: 3469
Base: GU10
Material: Ferrum
Shape: Round
Color of Fixture: White
Dimension: Ø82x25mm
Cutting Size: Ø74mm
EAN: 3800157605885


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-7227RD-SS
SKU: 3471
Base: GU10
Material: Ferrum
Shape: Round
Color of Fixture: Stainless Steel
Dimension: Ø82x25mm
Cutting Size: Ø74mm
EAN: 3800157605908


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-7227RD-SN
SKU: 3470
Base: GU10
Material: Ferrum
Shape: Round
Color of Fixture: Satin Nickel
Dimension: Ø82x25mm
Cutting Size: Ø74mm
EAN: 3800157605892


Fitting-Round-GU10



Box Qty.
100 Pcs


Model No: VT-785
SKU: 3611
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: 88x38mm
Cutting Size: Ø75mm
EAN: 3800157607407

Fitting-Round-GU10




Model No	VT-786
SKU :	3612
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN :	3800157607414

Fitting-Square-GU10




Model No	VT-7227SQ-SN
SKU :	3473
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	82x82x22mm
Cutting Size:	74x74mm
EAN :	3800157605922

Fitting-Square-GU10



Model No	VT-7227SQ-WH
SKU :	3472
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	82x82x22mm
Cutting Size:	74x74mm
EAN :	3800157605915

Fitting-Square-GU10



Model No	VT-7227SQ-SS
SKU :	3474
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	Stainless Steel
Dimension:	82x82x22mm
Cutting Size:	74x74mm
EAN :	3800157605939

Fitting-Round-GU10

Box Qty.
50 Pcs

Model No	VT-711-W-RD
SKU :	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	82x101mm
Cutting Size:	N/A
EAN :	3800157625135

Zoom Fitting

Box Qty.
50 Pcs

Model No	VT-700S
SKU :	3690
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN :	3800157628518

Zoom Fitting

Box Qty.
50 Pcs

Model No	VT-700W
SKU :	3689
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN :	3800157628501


Fitting-Square-GU10

Box Qty.
100 Pcs

Model No	VT-787RD-WH
SKU :	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN :	3800157607421




Fitting-Round-GU10




Model No	VT-787RD-SN
SKU :	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN :	3800157607438

Fitting-Square-GU10




Model No	VT-787SQ-SN
SKU :	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN :	3800157607452

Fitting-Square-GU10



Model No	VT-787SQ-WH
SKU :	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN :	3800157607445

Fitting-Round-GU10



Model No	VT-781RD-WH
SKU :	3595
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	100x45mm
Cutting Size:	90mm
EAN :	3800157607247

Fitting-Round-GU10


 Box Qty.
100 Pcs

Model No: VT-781RD-SN
SKU: 3596
Base: GU10
Material: Aluminium+Ferrum
Shape: Round
Color of Fixture: Satin Nickel
Dimension: 100x45mm
Cutting Size: 90mm
EAN: 3800157607254

Fitting-Square-GU10


 Box Qty.
100 Pcs

Model No: VT-781SQ-SN
SKU: 3598
Base: GU10
Material: Aluminium+Ferrum
Shape: Square
Color of Fixture: Satin Nickel
Dimension: 100x100x38mm
Cutting Size: 90x90mm
EAN: 3800157607278

Fitting-Square-GU10


 Box Qty.
100 Pcs

Model No: VT-781SQ-WH
SKU: 3597
Base: GU10
Material: Aluminium+Ferrum
Shape: Square
Color of Fixture: White
Dimension: 100x100x38mm
Cutting Size: 90x90mm
EAN: 3800157607261

Fitting-Round-GU10


 Box Qty.
100 Pcs

Model No: VT-779-WH-RD
SKU: 3587
Base: GU10
Material: Zinc Alloy
Shape: Round
Color of Fixture: White
Dimension: 82x25mm
Cutting Size: 74mm
EAN: 3800157607162

Fitting-Round-GU10



Model No	VT-779-SN-RD
SKU :	3588
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	82x25mm
Cutting Size:	74mm
EAN :	3800157607179

Fitting-Square-GU10



Model No	VT-779-WH-SQ
SKU :	3590
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	White
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN :	3800157607193

Fitting-Round-GU10



Model No	VT-779-CH-RD
SKU :	3589
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	Chrome
Dimension:	82x25mm
Cutting Size:	74mm
EAN :	3800157607186

Fitting-Square-GU10



Model No	VT-779-SN-SQ
SKU :	3591
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN :	3800157607209


Fitting-Square-GU10


 Box Qty.
100 Pcs

Model No VT-779-CH-SQ
SKU : 3592
Base: GU10
Material: Zinc Alloy
Shape: Square
Color of Fixture: Chrome
Dimension: 82x82x25mm
Cutting Size: 74mm
EAN : 3800157607216

new!

Fitting-Square-G9


 Box Qty.
24 Pcs

Model No VT-858SQ
SKU : 3695
Base: G9
Material: Gypsum
Shape: Square
Color of Fixture: White
Dimension: 70x100x100mm
Cutting Size: N/A
EAN : 3800157633543

new!

Fitting-Round-G9


 Box Qty.
24 Pcs

Model No VT-858RD
SKU : 3694
Base: G9
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: 70x90x95mm
Cutting Size: N/A
EAN : 3800157633536

new!

Fitting-Square-GU10


 Box Qty.
40 Pcs

Model No VT-859SQ
SKU : 3696
Base: GU10
Material: Gypsum
Shape: Square
Color of Fixture: White
Dimension: 100x100x40mm
Cutting Size: 103x103mm
EAN : 3800157633550

new!

Fitting-Round-GU10




Box Qty.
40 Pcs

Model No: VT-859RD
SKU: 3697
Base: GU10
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: $\varnothing 100 \times 40 \text{ mm}$
Cutting Size: $\varnothing 103$
EAN: 3800157633567

new!

Fitting-Pendant Metal-1XGU10




Box Qty.
9 pcs

Model No: VT-864-GBC
SKU: 3134
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Grey+Gun Black
Dimension: $\varnothing 250 \times 80 \text{ mm}$
Cutting Size: N/A
EAN: 3800157635332

new!

Fitting-Suspended-GU10




Box Qty.
9 Pcs

Model No: VT-864-G
SKU: 3111
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: White+Matt Rose Gold
Dimension: $\varnothing 250 \times 80 \text{ mm}$
Cutting Size: N/A
EAN: 3800157634366

new!

Fitting-Pendant Metal-1XGU10




Box Qty.
9 pcs

Model No: VT-864CHC
SKU: 3135
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Grey+Chrome
Dimension: $\varnothing 250 \times 80 \text{ mm}$
Cutting Size: N/A
EAN: 3800157635349

new!


Fitting-Pendant Metal-1XGU10

Box Qty.
9 pcs

Model No: VT-864-GB
 SKU : 3112
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Gun Black
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN : 3800157634373

new!


Fitting-Pendant Metal-1XGU10

Box Qty.
9 pcs

Model No: VT-864-MR
 SKU : 3130
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN : 3800157635325

new!

Fitting-Pendant Metal-1XGU10

Box Qty.
9 pcs

Model No: VT-864-CH
 SKU : 3129
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Chrome
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN : 3800157634540

new!


Fitting-Surface Metal-1XGU10

Box Qty.
9 pcs

Model No: VT-865-GBM
 SKU : 3136
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Gun Black
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN : 3800157635356

new!

Fitting-Surface Metal-1XGU10




Box Qty.
9 pcs

Model No VT-865-MRC
SKU : 3137
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Grey+Matt Rose Gold
Dimension: ø200x80mm
Cutting Size: N/A
EAN : 3800157635363

new!

Fitting-Surface Metal-1XGU10




Box Qty.
9 pcs

Model No VT-865-GBC
SKU : 3139
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Grey+Gun Black
Dimension: ø200x80mm
Cutting Size: N/A
EAN : 3800157635387

new!

Fitting-Surface Metal-1XGU10




Box Qty.
9 pcs

Model No VT-865CHC
SKU : 3138
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Grey+Chrome
Dimension: ø200x80mm
Cutting Size: N/A
EAN : 3800157635370

new!

Fitting-Surface Metal-1XGU10




Box Qty.
9 pcs

Model No VT-865-MRM
SKU : 3113
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: White+Matt Rose Gold
Dimension: ø200x80mm
Cutting Size: N/A
EAN : 3800157634380

new!

Fitting-Surface Metal-1XGU10

Box Qty.
9 pcs

Model No VT-865CHM
 SKU : 3114
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Chrome
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN : 3800157634397

new!


Fitting-Square Metal-1XGU10

Box Qty.
12 pcs

Model No VT-860-MRM
 SKU : 3141
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN : 3800157635400

new!


Fitting-Square Metal-1XGU10

Box Qty.
12 pcs

Model No VT-860-GB
 SKU : 3140
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Gun Black
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN : 3800157635394

new!


Fitting-Square Metal-1XGU10

Box Qty.
12 pcs

Model No VT-860-CHM
 SKU : 3142
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Chrome
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN : 3800157635417

new!

Fitting-Square Metal-1XGU10




Box Qty.
12pcs

Model No: VT-860-GBM
SKU: 3143
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: Grey+Gun Black
Dimension: 100x100x130mm
Cutting Size: N/A
EAN: 3800157635424

new!

Fitting-Square Metal-1XGU10




Box Qty.
12pcs

Model No: VT-860-CH
SKU: 3116
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: White+Chrome
Dimension: 100x100x130mm
Cutting Size: N/A
EAN: 3800157634410

new!

Fitting-Square Metal-1XGU10




Box Qty.
12pcs

Model No: VT-860-MR
SKU: 3115
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: White+Matt Rose Gold
Dimension: 100x100x130mm
Cutting Size: N/A
EAN: 3800157634403

new!

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MRW
SKU: 3117
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: White+Matt Rose Gold
Dimension: 100x100x40mm
Cutting Size: ø80mm
EAN: 3800157634427

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No VT-862-MRG
 SKU : 3118
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634434

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No VT-862-CHG
 SKU : 3120
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Chrome
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634458

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No VT-862-CHW
 SKU : 3119
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Chrome
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634441

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No VT-862-MRR
 SKU : 3121
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Off White+Matt Rose Gold
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634465

new!

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No VT-862-CHR
SKU : 3122
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: Off White+Chrome
Dimension: 100x100x40mm
Cutting Size: ø80mm
EAN : 3800157634472

new!

Fitting-Recessed-1XGU10




Box Qty.
24 pcs

Model No VT-862-MGRD
SKU : 3124
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Grey+Matt Rose Gold
Dimension: ø100x40mm
Cutting Size: ø80mm
EAN : 3800157634496

new!

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No VT-862-MRP
SKU : 3123
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: White+Matt Rose Gold
Dimension: ø100x40mm
Cutting Size: ø80mm
EAN : 3800157634489

new!

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No VT-862-MRC
SKU : 3125
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Off White+Matt Rose Gold
Dimension: ø100x40mm
Cutting Size: ø80mm
EAN : 3800157634502

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No VT-862-MRD
 SKU : 3126
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Off White+Chrome
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634519

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No VT-862-MG
 SKU : 3128
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Chrome
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634533

new!


Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No VT-862-CRD
 SKU : 3127
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Chrome
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634526

new!

Fitting-Ceiling Metal-1XGU10

Box Qty.
12 pcs

Model No VT-863
 SKU : 3144
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White
 Dimension: 200x200mm
 Cutting Size: 206x206mm
 EAN : 3800157634557

new!

Fitting-Recessed-Black Metal-Round



Box Qty.
30 pcs

Model No **VT-866-BRD**
SKU : **3145**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Round**
Color of Fixture: **White+Black**
Dimension: **ø100mm**
Cutting Size: **ø103mm**
EAN : **3800157635592**

new!

Fitting-Recessed-Matt Rose Gold Met-



Box Qty.
30 pcs

Model No **VT-866-MRD**
SKU : **3147**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Round**
Color of Fixture: **White+Matt Rose Gold**
Dimension: **ø100mm**
Cutting Size: **ø103mm**
EAN : **3800157635615**

new!

Fitting-Recessed-Chrome Metal-Round



Box Qty.
30 pcs

Model No **VT-866-CRD**
SKU : **3146**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Round**
Color of Fixture: **White+Chrome**
Dimension: **ø100mm**
Cutting Size: **ø103mm**
EAN : **3800157635608**

new!

Fitting-Recessed-Black Metal-Square



Box Qty.
30 pcs

Model No **VT-866-BSQ**
SKU : **3148**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Square**
Color of Fixture: **White+Black**
Dimension: **ø100x100mm**
Cutting Size: **103x103mm**
EAN : **3800157635622**

new!

Fitting-Recessed-Chrome Metal-Square

Box Qty.
30 Pcs

Model No VT-866-CSQ
 SKU : 3149
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Chrome
 Dimension: ø100x100mm
 Cutting Size: 103x103mm
 EAN : 3800157635639

new!

Fitting-Recessed-Square

Box Qty.
24 Pcs

Model No VT-867-SQ
 SKU : 3151
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White
 Dimension: ø120x120mm
 Cutting Size: 127x127mm
 EAN : 3800157635653

new!

Fitting-Recessed-Matt Rose Gold-

Box Qty.
30 pcs

Model No VT-866-GSQ
 SKU : 3150
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Matt Rose Gold
 Dimension: ø100x100mm
 Cutting Size: 103x103mm
 EAN : 3800157635646

new!

Fitting-Recessed-Round

Box Qty.
24 Pcs

Model No VT-867-RD
 SKU : 3152
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White
 Dimension: ø120mm
 Cutting Size: ø127mm
 EAN : 3800157635660

Gu10-Holder-PVC Cable



5
Pcs
PACK



Box Qty.
100 Pcs

Model No **PVC Cable-5pc**
SKU : **34235**
Base: **GU10**
Material: **Ceramic**
Wire length: **150mm**
EAN : **3800157609982**

Gu10-Holder-PVC Cable



Box Qty.
500 Pcs

Model No **PVC Cable**
SKU : **3423**
Base: **GU10**
Material: **Ceramic**
Wire length: **150mm**
EAN : **3800157607827**

GU10 Silicon Wire-5Pc Pack



5
Pcs
PACK



Box Qty.
500 Pcs

Model No **VT-791**
SKU : **36205**
Base: **GU10**
Material: **Aluminium Ceramic**
Color of Fixture: **White**
Wire length: **158mm**
EAN : **3800157636063**

GU10 Silicon Wire



Box Qty.
500 Pcs

Model No **VT-791-W**
SKU : **3620**
Base: **GU10**
Material: **Aluminium Ceramic**
Color of Fixture: **White**
Wire length: **158mm**
EAN : **3800157607704**

Mr16-Lampholder-5Pc Pack



5
Pcs
PACK




Box Qty.
100 Pcs

Model No **VT-7889**
SKU : **36265**
Base: **MR16**
Material: **Ceramic**
Color of Fixture: **White**
Wire length: **150mm**
EAN : **3800157609999**

LED PAR Lamps & AR111

: V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.



Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Each lamp is a direct retrofit for a comparable Halogen Par Lamp e.g. AR111, PAR 30 & PAR 38
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

Applications

Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting



AR111 Downlight 20W VT-1120-20

SKU: 1243 - 3000K Warm White
SKU: 1244 - 4500K Day White
SKU: 1245 - 6000K White

3800157606004
3800157606011
3800157606028



EQ. Watts: 100w
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 1800lm
LED Type: COB
CRI: >80




AR111 Downlight 20W VT-1120-40

SKU: 1246 - 3000K Warm White
SKU: 1247 - 4500K Day White
SKU: 1248 - 6000K White

3800157606035
3800157606042
3800157606059



EQ. Watts: 100w
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 1800lm
LED Type: COB
CRI: >80





AR111-G53



15w VT-1110-20

SKU: 4084 - 3000K Warm White
 SKU: 4062 - 4000K Day White
 SKU: 4061 - 6400K White

3800230620064
 3800230620057
 3800230620040



Box Qty.
60 Pcs



EQ. Watts: **75w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **950lm**
 LED Type: **COB**
 CRI: **>80**

PF: **>0.9**
 Beam Angle: **20°**
 Base: **G53**
 Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86x63mm**



AR111-G53



15w VT-1110-40

SKU: 4257 - 3000K Warm White
 SKU: 4256 - 4000K Day White
 SKU: 4255 - 6400K White

3800230628664
 3800230628657
 3800230628640



Box Qty.
60 Pcs



EQ. Watts: **25w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **950lm**
 LED Type: **COB**
 CRI: **>80**

PF: **>0.9**
 Beam Angle: **40°**
 Base: **G53**
 Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86x63mm**





AR111-GU10
12w VT-1112

SKU: 4224 - 2700K Warm White
SKU: 4223 - 4000K Day White
SKU: 4225 - 6400K White

3800230626257
3800230626219
3800230626264



Box Qty.
60 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:200-240V,50Hz**
Luminous Flux: **900lm**
LED Type: **COB**
CRI: **>80**


PF: **>0.9**
Beam Angle: **40°**
Base: **GU10**
Body Type: **Plastic Clad Aluminium**
Dimension: **Ø111x86mm**




AR111-GU10
12w VT-1112D

SKU: 7234 - 3000K Warm White
SKU: 7235 - 4500K Day White
SKU: 7236 - 6000K White

3800157620055
3800157620062
3800157620079



Box Qty.
60 Pcs




EQ. Watts: **60w**
Voltage/Frequency: **AC:200-240V,50Hz**
Luminous Flux: **900lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.9**
Beam Angle: **40°**
Base: **GU10**
Body Type: **Plastic Clad Aluminium**
Dimension: **Ø111x86mm**

AR111-Accessories

Box Qty.
24 Pcs



Model No VT-7221-W
 SKU : 3575
 Base: 1XAR111
 Material: Aluminium
 Color of Fixture: White
 Dimension: 174x174 mm
 Cutting Size: 168x155mm
 EAN : 3800157604765



AR111-Accessories

Box Qty.
12 Pcs



Model No VT-7222-W
 SKU : 3576
 Base: 2XAR111
 Material: Aluminium
 Color of Fixture: White
 Dimension: 325x174mm
 Cutting Size: 306x162mm
 EAN : 3800157604772



AR111-Accessories

Box Qty.
12 Pcs


Model No VT-7223-W
 SKU : 3577
 Base: 3XAR111
 Material: Aluminium
 Color of Fixture: White
 Dimension: 475x174mm
 Cutting Size: 455x168 mm
 EAN : 3800157604789



AR111-Accessories

Box Qty.
24 Pcs


Model No: **VT-7221-B**
SKU: **3581**
Base: **1XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **174x174 mm**
Cutting Size: **168x155mm**
EAN: **3800157607063**



AR111-Accessories

Box Qty.
12 Pcs



Model No: **VT-7222-B**
SKU: **3582**
Base: **2XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **325x174 mm**
Cutting Size: **306x162mm**
EAN: **3800157607070**



AR111-Accessories

Box Qty.
12 Pcs

Model No: **VT-7223-B**
SKU: **3583**
Base: **3XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **475x174mm**
Cutting Size: **455x168 mm**
EAN: **3800157607087**



LED Floodlights

V-TAC's LED Floodlights are ideal for lighting Driveways, Gardens and Buildings. These energy efficient lights emit Bright, Vibrant Light and make an eco-friendly alternative for traditional Halogen Floodlights and Metal Halide fixtures.



Product Features

- Available in White , Warm White, Day White and RGB light output option
- Available from 10W up to 1000W
- Premium Quality Aluminium Alloy body
- Fascia glass sealed with SILICONE RUBBER ensuring superior waterproof / airtight performance
- High Power LED chip
- Built in constant current driver
- Built in Power supply, No external ballast required

Applications

Widely used for Lighting Driveways, Gardens & Buildings, Commercial Bill Boards & Hoardings, Sports Grounds & Parking Lots

Slimline-White Body-White Wire



50w VT-4955W

SKU: 5826 - 4000K Day White 3800157615006
SKU: 5827 - 6400K White 3800157615013

Box Qty.
10 Pcs

IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: White
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 237x194x38mm



Slimline-White Body-White Wire



100w VT-49100W

SKU: 5844 - 4000K Day White 3800157615181

Box Qty.
4 Pcs

IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: White
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 293x41x231mm



Slimline-White Body-White Wire

100w VT-49101W

SKU: 5970 - 3000K Warm White

3800157626231

SKU: 5971 - 4000K Day White

3800157626248

SKU: 5972 - 6400K White

3800157626255

Box Qty.
4 Pcs**IP65**
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 8500lm

CRI: >70

PF: >0.9



Beam Angle: 100°

Color of Fixture: White

Body Type: Die Cast Aluminium

IP Rating: IP65

Dimension: 291x240x30mm



Slimline-Black/Grey Body

150w VT-49150GB

SKU: 5858 - 3000K Warm White

3800157615327

Box Qty.
2 Pcs**IP65**
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 12750lm

CRI: >70

PF: >0.9

Beam Angle: 100°




Color of Fixture: Black+Grey

Body Type: Die Cast Aluminium

IP Rating: IP65

Dimension: 411x313x51mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Slimline-Grey Body-Sand Finish

30w VT-4933G

SKU: 5818 - 6400K White

3800157614924





Box Qty.
20 Pcs




IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Grey
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 217x174x35mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



Slimline-Grey Body-Sand Finish

100w VT-49100G

SKU: 5854 - 6400K White

3800157615280





Box Qty.
4 Pcs




IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Grey
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 293x41x231mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



Slimline-Grey Body-Sand Finish


150w VT-49150G

SKU: 5864 - 3000K Warm White 3800157615389


Box Qty.
2 Pcs

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 12750lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: Grey
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 411x313x51mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The diagram indicates the distribution of light from the fixture. The actual beam angle may vary slightly due to manufacturing tolerances.



I Series-Black Body

10w VT-4611B

SKU: 5876 - 4500K Day White 3800157615983
SKU: 5877 - 6000K White 3800157615990





Box Qty.
50 Pcs



IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 850lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 122x105x30mm



I Series-Black Body

30w VT-4631

SKU: 5883 - 6000K White 3800157616058





Box Qty.
20 Pcs



IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 213x168x32mm



I Series-Black Body

50w VT-4651B



SKU: 5885 - 4500K Day White 3800157616072
SKU: 5886 - 6000K White 3800157616089



Box Qty.
10 Pcs



Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 255x196x36mm



I Series-Black Body

100w VT-46100



SKU: 5889 - 6000K White 3800157616119



Box Qty.
10 Pcs



Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 345x265x45mm



I Series-White Body

10w VT-4611W

SKU: 5899 - 4500K Day White 3800157619226
SKU: 5900 - 6000K White 3800157619233





Box Qty.
20 Pcs



IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 850lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 122x105x30mm



I Series-White Body

50w VT-4651W

SKU: 5905 - 4500K Day White 3800157619387
SKU: 5906 - 6000K White 3800157619394





Box Qty.
10 Pcs



IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 255x196x36mm



E Series-White Body

10w VT-4011W

SKU: 5943 - 3000K Warm White

3800157625364

SKU: 5944 - 4000K Day White

3800157625371

SKU: 5945 - 6500K White

3800157625388

Box Qty.
40 Pcs**IP65**
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 850lm

CRI: >70

PF: >0.9



Beam Angle: 110°

Color of Fixture: White

Body Type: Aluminium

IP Rating: IP65

Dimension: 110x112x22mm



E Series-White Body

20w VT-4021W

SKU: 5949 - 3000K Warm White

3800157625425

SKU: 5950 - 4000K Day White

3800157625432

SKU: 5951 - 6500K White

3800157625449

Box Qty.
20 Pcs**IP65**
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 1700lm

CRI: >70

PF: >0.9



Beam Angle: 110°

Color of Fixture: White

Body Type: Aluminium

IP Rating: IP65

Dimension: 150x143x26mm



E Series-White Body



30w VT-4031W

SKU: 5955 - 3000K Warm White
SKU: 5956 - 4000K Day White
SKU: 5957 - 6500K White

3800157625487
3800157625494
3800157625500



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 185x163x26mm



E Series-White Body



50w VT-4051W

SKU: 5961 - 3000K Warm White
SKU: 5962 - 4000K Day White
SKU: 5963 - 6500K White

3800157625548
3800157625555
3800157625562



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 245x192x28mm



E Series-White Body

100w VT-40101W



SKU: 5967 - 3000K Warm White 3800157625609
 SKU: 5968 - 4000K Day White 3800157625616
 SKU: 5969 - 6500K White 3800157625623



Box Qty.
5 Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 8500lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: White
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 330x271x33mm



E Series-White Body

10w VT-4011B



SKU: 5940 - 3000K Warm White 3800157625333
 SKU: 5941 - 4000K Day White 3800157625340
 SKU: 5942 - 6500K White 3800157625357



Box Qty.
40 Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 850lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 110x112x22mm



E Series-White Body



20w VT-4021B

SKU: 5946 - 3000K Warm White
SKU: 5947 - 4000K Day White
SKU: 5948 - 6500K White

3800157625395
3800157625401
3800157625418



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 1700lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 150x143x26mm



E Series-White Body



30w VT-4031B

SKU: 5952 - 3000K Warm White
SKU: 5953 - 4000K Day White
SKU: 5954 - 6500K White

3800157625456
3800157625463
3800157625470



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 185x163x26mm



E Series-White Body

50w VT-4051B

SKU: 5958 - 3000K Warm White
 SKU: 5959 - 4000K Day White
 SKU: 5960 - 6500K White



3800157625517
 3800157625524
 3800157625531



Box Qty.
10 Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 4250lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 245x192x28mm



E Series-White Body

100w VT-40101B

SKU: 5964 - 3000K Warm White
 SKU: 5965 - 4000K Day White
 SKU: 5966 - 6500K White



3800157625579
 3800157625586
 3800157625593



Box Qty.
5 Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 8500lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 330x271x33mm



Floodlight With Stand- EU Plug

30w VT-4230

SKU: 5927 - 4000K Day White 3800157622837
SKU: 5928 - 6400K White 3800157622844

Box Qty.
10 Pcs

IP65
RATING



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 243x275x184mm

3 METER WIRE

EU PLUG



LIMBING DENSITY DISTRIBUTION DIAGRAM



Floodlight With Stand- EU Plug

50w VT-4250

SKU: 5929 - 4000K Day White 3800157622851
SKU: 5930 - 6400K White 3800157622868

Box Qty.
10 Pcs

IP65
RATING



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 278x313x183mm

3 METER WIRE

EU PLUG



LIMBING DENSITY DISTRIBUTION DIAGRAM



Floodlight With Stand- EU Plug

100w VT-42100

SKU: 5931 - 4000K Day White 3800157622875
SKU: 5932 - 6400K White 3800157622882



Box Qty.
4 Pcs




IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 354x378x184mm

3 METER WIRE

EU PLUG



new!

Solar-Floodlight

10w VT-787-10

SKU: 9869 - 4000K Day White



Box Qty.
8Pcs

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 1100lm
CRI: >70
PF: >0.5
Beam Angle: 90°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 175x43x266mm



Solar
Lights



MOTION
SENSOR



IP65
RATING

High Lumen-Meanwell Driver

500w VT-49500

SKU: 5934 - 4500K Day White
SKU: 5935 - 6000K White

3800157623605
3800157623612



Box Qty.
1 Pc



IP65
RATING




5 **V-TAC® PRO**
YEAR WARRANTY

*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty


120 LUMENS
+ PER WATT
SUPER EFFICIENT



Sensor Compatible: Yes
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 60000lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Grey
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 658x154x537mm



Luminous Intensity Distribution Curve(cd/beam)



High Lumen-Meanwell Driver

500w VT-49501

SKU: 5936 - 4000K Day White
SKU: 5937 - 6000K White

3800157624985
3800157624992



Box Qty.
1 Pc



IP65
RATING





5 **V-TAC® PRO**
YEAR WARRANTY

*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty

120 LUMENS
+ PER WATT
SUPER EFFICIENT



Sensor Compatible: Yes
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 60000lm
CRI: >70
PF: >0.9
Beam Angle: 120°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 658x154x537mm



High Lumen-Meanwell Driver

1000wVT-491001

SKU: 5938 - 4000K Day White

3800157625005

SKU: 5939 - 6000K White

3800157625012

5 V-TAC® PRO
— YEAR —
WARRANTY

*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty



Box Qty.
1 Pc





IP65
RATING



120 LUMENS
+ PER WATT
SUPER EFFICIENT



Sensor Compatible: Yes
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 120000lm
CRI: >70
PF: >0.9
Beam Angle: 60°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 748x762x154mm




LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.



The advanced motion sensor PIR detects movement within a range of 2 - 8 meter and can also be adjusted to 3 different functions.

Colour Temperatures



Salient Features

- Available in two refined body colour options (black and white)
- ⚡ Available from 10W up to 50W
- 📦 Premium Quality Aluminium Alloy body
- 🛡️ Corrosion Resistant
- ⚙️ High Power LED chip
- 🔧 Built in driver - no external power supply required
- 👤 High quality Fresnel lens for excellent coverage area
- ⚙️ Integrated circuit designed for instant start-up on Detection

Elevated level of Energy saving with LED + PIR



100°
DETECTION ANGLE



PIR-Slimline-White Body

10w VT-4911PIRW

SKU: 5786 - 3000K Warm White
SKU: 5787 - 4500K Day White
SKU: 5788 - 6000K White



3800157614603
3800157614610
3800157614627

Box Qty.
20 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **800lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **White**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **113x178x47mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-White Body

20w VT-4922PIRW

SKU: 5804 - 3000K Warm White
SKU: 5806 - 6000K White



3800157614788
3800157614801

Box Qty.
20 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1600lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **White**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **181x205x57mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-White Body

30w VT-4933PIRW

SKU: 5822 - 3000K Warm White
SKU: 5823 - 4000K Day White
SKU: 5824 - 6400K White



3800157614962
3800157614979
3800157614986

Box Qty.
20 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2550lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **White**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **217x231x59mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

50w VT-4955PIRW

SKU: 5840 - 3000K Warm White
SKU: 5841 - 4000K Day White
SKU: 5842 - 6400K White



3800157615143
3800157615150
3800157615167

Box Qty.
10 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4250lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **White**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **237x251x62mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-Black Body



10w **VT-4911PIRB**

SKU: 5783 - 3000K Warm White 3800157614573



 Box Qty.
20 Pcs

Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **800lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **Black**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **113x178x47mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body



20w **VT-4922PIRB**

SKU: 5801 - 3000K Warm White 3800157614757



 Box Qty.
20 Pcs

Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1600lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **Black**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **181x205x57mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body

30w VT-4933PIRB

SKU: 5819 - 3000K Warm White
SKU: 5821 - 6400K White



3800157614931
3800157614955

Box Qty.
20 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2550lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **Black**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **217x231x59mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-Black Body

50w VT-4955PIRB

SKU: 5837 - 3000K Warm White
SKU: 5838 - 4000K Day White
SKU: 5839 - 6400K White



3800157615112
3800157615129
3800157615136

Box Qty.
10 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4250lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **Black**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **237x251x62mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

30w VT-4830PIRW

SKU: 5752 - 6000K White

3800157608893



Box Qty.
10 Pcs


Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2400lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **217x231x51mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminous is at different distance.



PIR-Slimline-White Body

50w VT-4850PIRW

SKU: 5758 - 3000K Warm White

3800157611701

SKU: 5753 - 4500K Day White

3800157608909

SKU: 5754 - 6000K White

3800157608916



Box Qty.
10 Pcs


Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **4000lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **237x255x51mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminous is at different distance.



PIR-Slimline-Black Body

20w VT-4820PIRB

SKU: 5697 - 3000K Warm White 3800157604338

 Box Qty.
15 Pcs


Detection Angle: 120°
 Detection Distance: 2-8m
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 1600lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: Black
 Body Type: Die Cast Aluminium
 IP Rating: IP44
 Dimension: 185x211x50mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body

30w VT-4830PIRB

 SKU: 5699 - 3000K Warm White 3800157604352
 SKU: 5716 - 6000K White 3800157604956

 Box Qty.
10 Pcs


Detection Angle: 120°
 Detection Distance: 2-8m
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 2400lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: Black
 Body Type: Die Cast Aluminium
 IP Rating: IP44
 Dimension: 217x231x51mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body

50w VT-4850PIRB

SKU: 5701 - 3000K Warm White

3800157604376

SKU: 5717 - 6000K White

3800157604963




Box Qty.
10 Pcs

Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **4000lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **Black**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **237x255x51mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.



Floodlight-Infrared-RGB

10w VT-4711RF

SKU: 5894 - RGB


3800157617512



Box Qty.
20 Pcs



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **800lm**
 CRI: **>80**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP65**
 Dimension: **87X115X85mm**



Floodlight-Infrared-RGB


10w VT-4711IF

SKU: 5895 - RGB

3800157617529

Box Qty.
20 Pcs

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **800lm**
 CRI: **>80**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **Grey**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP65**
 Dimension: **87X115X85mm**



Floodlight-Remote Control-RGB


30w VT-4732

SKU: 5755 - RGB

3800157609517

Box Qty.
6 Pcs

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V**
 Luminous Flux: **2400lm**
 CRI: **>80**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **Grey**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP65**
 Dimension: **136x227x206mm**



Floodlight-Remote Control-RGB

50w VT-4752

SKU: 5691 - RGB

3800157603508




Box Qty.
6 Pcs



IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 4000lm
CRI: >80
PF: >0.9
Beam Angle: 120°
Color of Fixture: Grey
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 136x227x206mm



Rechargeable-IP44

20w VT-4822

SKU: 5692 - 4000K Day White 3800157603515

SKU: 5735 - 6000K White 3800157606929



Box Qty.
10 Pcs

Sensor Compatible: No
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 1600lm
PF: >70
Beam Angle: 100°
Color of Fixture: Green
Body Type: Plastic+Aluminium
IP Rating: IP44
Dimension: 208x204x355mm



Battery Capacity: 3.7V,8800mAh
Charging Time: 5-6 Hours
Working Time: High Light 2-3 Hours/ Low Light 6Hours

PIR Sensor-WIFI-Camera

18w


VT-4818W

SKU: 5745 - 6000K White

3800157608268

Box Qty.
4 Pcs

Video Compression: H.264 / MJPEG dual video stream
 Image Resolution: 1280*720
 Image sensor: 1/4 " 1Megapixel CMOS
 Pixels: 1 million pixels
 Delay Time: 0-30S
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 600lm
 CRI: >70
 PF: >0.5
 Beam Angle: 180°
 Color of Fixture: White
 Body Type: ABS+Aluminium
 IP Rating: IP20
 Dimension: 248x 162x 181mm



3-in-1 Floodlight



PIR Sensor-WIFI-Camera

18w


VT-4818B

SKU: 5917 - 6000K White

3800157620925

Box Qty.
4 Pcs

Video Compression: H.264 / MJPEG dual video stream
 Image Resolution: 1280*720
 Image sensor: 1/4 " 1Megapixel CMOS
 Pixels: 1 million pixels
 Delay Time: 0-30S
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 600lm
 CRI: >70
 PF: >0.5
 Beam Angle: 180°
 Color of Fixture: Black
 Body Type: ABS+Aluminium
 IP Rating: IP20
 Dimension: 248x162x181mm



3-in-1 Floodlight



new!

Waterproof Box Terminal Block


VT-868

SKU: 5977 3800157636070

Box Qty.
1000



Voltage: 450V
Material: Polycarbonate(PA66)
Size: 75.8x26.7mm
Wire range: 0.5~1.5mm²
Cable Diameter: 8-12mm
Fire Retardant Level: V2
Ampere: 16A



new!

Waterproof Box Terminal Block

VT-869-B

SKU: 5978 3800157636087

Box Qty.
200



Voltage: 450V
Material: Polycarbonate(PC)
Size: 106.8x96x29mm
Wire range: 0.5~4mm²
Cable Diameter: 8-12mm
Fire Retardant Level: V2
Ampere: 24A



new!

Waterproof Box Terminal Block


VT-869-W

SKU: 5979 3800157636094

Box Qty.
200



Voltage: 450V
Material: Polycarbonate(PC)
Size: 106.8x96x29mm
Wire range: 0.5~4mm²
Cable Diameter: 8-12mm
Fire Retardant Level: V2
Ampere: 24A




new!**Waterproof Box Terminal Block****VT-870-B**

SKU: 5980 3800157636100

Box Qty.
100


Voltage:	450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A

**new!****Waterproof Box Terminal Block****VT-870-W**

SKU: 5981 3800157636117

Box Qty.
100

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A



new!

Waterproof Box Terminal Block

VT-871-B


SKU: 5982 3800157636124



Box Qty.
100



Voltage: 450V
Material: Polycarbonate(PC)
Size: 112.6x93.3x35.3mm
Wire range: 0.5~4mm²
Cable Diameter: 8-12mm
Fire Retardant Level: V2
Ampere: 24A



new!

Waterproof Box Terminal Block

VT-871-W


SKU: 5983 3800157636131



Box Qty.
100



Voltage: 450V
Material: Polycarbonate(PC)
Size: 112.6x93.3x35.3mm
Wire range: 0.5~4mm²
Cable Diameter: 8-12mm
Fire Retardant Level: V2
Ampere: 24A



Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335

Box Qty.
160 Pcs

Voltage: 250V Max
Material: Polypropylene (PP)
Size: 123x46x33mm
Wire range: 0.5-2.5mm²



Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735

Box Qty.
500 Pcs

Voltage: AC:220V
Material: Flame Retardant PP
Size: Ø27x76mm
Wire range: 4-6.5mm



Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202

Box Qty.
240 Pcs

Voltage: 250V Max
Material: Polypropylene (PP)
Size: 123x46x33mm
Wire range: 0.5-2.5mm²



Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196

Box Qty.
500 Pcs

Voltage: AC:220V
Material: Flame Retardant PP
Size: Ø27x76mm
Wire range: 4-6.5mm



Tripod Stand-Yellow


VT-41150Y

SKU: 9104 3800230626202

Size: 900x940~1800mm



Box Qty.
8 Pcs



Tripod Stand-Black

VT-41150B

SKU: 9546 3800157604925

Size: 900x940~1800mm



Box Qty.
8 Pcs



Billboard Stand

VT-793

SKU: 3622 3800157607803

Size: 870x200mm



Box Qty.
4 Pcs



87cm

Suitable For:

70w - 100w - 120w - 150w - 200w

Billboard Stand

VT-794

SKU: 3623 3800157607810

Size: 850x150mm



Box Qty.
4 Pcs



85cm

Suitable For:

10w - 20w - 30w - 50w

Floodlight spike

VT-854-G

SKU: 7533 3800157630467

Size: Ø35xH150

Box Qty.
200 Pcs**new!**

Grey

Body Type: Aluminium



Floodlight spike

VT-854-W

SKU: 7534 3800157630474

Size: Ø35xH150

Box Qty.
200 Pcs**new!**

White

Body Type: Aluminium



Floodlight spike

VT-854-B

SKU: 7535 3800157630481

Size: Ø35xH150

Box Qty.
200 Pcs**new!**

Black

Body Type: Aluminium



Floodlight spike

VT-855-G

SKU: 7536 3800157630498

Size: Ø60xH265



Box Qty.
100 Pcs



new!

Grey

Body Type: Aluminium



Floodlight spike

VT-855-W

SKU: 7537 3800157630504

Size: Ø60xH265



Box Qty.
100 Pcs



new!

White

Body Type: Aluminium



Floodlight spike

VT-855-B

SKU: 7538 3800157630511

Size: Ø60xH265



Box Qty.
100 Pcs



new!

Black

Body Type: Aluminium



LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.



Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or Mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, Conference Room, Hospitals, Hotels, Shopping Malls, Showroom, Kitchen and Domestic Lighting etc.



Box Qty.
6 Pcs

5 **V-TAC®** **PRO**
YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Big Panels-60x60


45w VT-6165

SKU: 6419 - 3000K Warm White

3800157626828

SKU: 6420 - 4000K Day White

3800157626835



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA**
Shape: **Square**
Dimension: **595x595x14mm**




Box Qty.

6 Pcs

Big Panels-60x60

45W VT-6060-6

SKU: 60286 - 3000K Warm White 3800230624482
 SKU: 60246 - 4000K Day White 3800230623652
 SKU: 60256 - 6400K White 3800230623584



Emergency Pack: **Available**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **3600lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium+PMMA+PP**
 Shape: **Square**
 Dimension: **595x595x14mm**



Big Panels-UGR<19-60x60


45W VT-6068-6

SKU: 62206 - 3000K Warm White
SKU: 62186 - 4000K Day White
SKU: 62196 - 6400K White

3800157619516
3800157609265
3800157609272

Box Qty.
6 Pcs

LG7 Compliant
UGR < 19



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PP**
Shape: **Square**
Dimension: **595x595x14mm**



Big Panels-UGR<19-62x62


45W VT-6069

SKU: 6222 - 3000K Warm White
SKU: 6217 - 4000K Day White
SKU: 6221 - 6400K White

3800157604918
3800157604857
3800157604901

Box Qty.
6 Pcs

LG7 Compliant
UGR < 19



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PP**
Shape: **Square**
Dimension: **620x620x14mm**




Big Panels-High Lumen-60x60

29w VT-6129-6

SKU: 62406 - 3000K Warm White 3800157619608
 SKU: 62416 - 4000K Day White 3800157609289
 SKU: 62426 - 6400K White 3800157609296

Box Qty.
6 Pcs
120+ LUMENS
PER WATT

SUPER EFFICIENT



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3600lm

LED Type: SMD
 CRI: >80
 PF: >0.9

Beam Angle: 120°
 Body Type: Aluminium+PMMA+PC
 Shape: Square
 Dimension: 595x595x13mm




Big Panels-High Lumen-60x60

45w VT-6145-6

SKU: 63776 - 3000K Warm White 3800157622158

Box Qty.
6 Pcs
120+ LUMENS
PER WATT

SUPER EFFICIENT



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 5400lm

LED Type: SMD
 CRI: >80
 PF: >0.9

Beam Angle: 120°
 Body Type: Aluminium+PMMA+PP
 Shape: Square
 Dimension: 595x595x13mm



Big Panels-High Lumen-60x60


36w VT-6136

SKU: 6376 - 3000K Warm White
SKU: 6238 - 4000K Day White
SKU: 6239 - 6400K White

3800157622141
3800157607636
3800157607643

Box Qty.
6 Pcs

**120+ LUMENS
PER WATT**
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4320lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PC**
Shape: **Square**
Dimension: **595x595x13mm**



Big Panels-High Lumen-62x62


36w VT-6137

SKU: 63786 - 3000K Warm White
SKU: 62436 - 4000K Day White
SKU: 63796 - 6400K White

3800157622165
3800157619622
3800157622172

Box Qty.
6 Pcs

**120+ LUMENS
PER WATT**
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4320lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PC**
Shape: **Square**
Dimension: **620x620x13mm**



Box Qty.

4 Pcs

Big Panels-Surfaced/Recessed-60x60


36w VT-6139

SKU: 6380 - 4000K Day White

3800157624008

SKU: 6381 - 6400K White

3800157624015




RECESSED OR SURFACE

Emergency Pack: **Available**
 Voltage/Frequency: **AC:200-240V,50/60Hz**
 Luminous Flux: **2880lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Iron+PS**
 Shape: **Square**
 Dimension: **595x595x19mm**

Big Panels-High Lumen-120x30

29w VT-12031


SKU: 6256 - 3000K Warm White
SKU: 6257 - 4000K Day White
SKU: 6258 - 6400K White

3800157610414
3800157610421
3800157610438



Box Qty.
6 PCS

120 LUMENS
+ PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **3400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x295x14mm**

Big Panel-High Lumen-120x30

45w VT-12046


SKU: 6384 - 4000K Day White
SKU: 6385 - 6000K White

3800157624770
3800157624787



Box Qty.
6 PCS

120 LUMENS
+ PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **5400lm**


LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x295x14mm**

Big Panels-120x30

45w VT-12030

SKU: 60696 - 3000K Warm White 3800157609326
 SKU: 60266 - 4000K Day White 3800230623638
 SKU: 60276 - 6400K White 3800157609319

Box Qty.
6 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3600lm

LED Type: SMD
 CRI: >80
 PF: >0.9

Beam Angle: 120°
 Body Type: Aluminium+PMMA+PS
 Shape: Rectangle
 Dimension: 1195x295x14mm


Big Panels-UGR<19-120x30

45w VT-12032

SKU: 6329 - 4000K Day White 3800157619615

Box Qty.
6 Pcs

LG7 Compliant 
UGR < 19



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3600lm

LED Type: SMD
 CRI: >80
 PF: >0.9

Beam Angle: 120°
 Body Type: Aluminium+PMMA+PS
 Shape: Rectangle
 Dimension: 1195x295x14mm



Big Panels-High Lumen-120x60

45W VT-12047

SKU: 6426 - 6400K White


3800157626989

Box Qty.
1 Pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120+ LUMENS PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **5400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA**
Shape: **Rectangle**
Dimension: **1195x595x14mm**



Big Panels-High Lumen-120x60

45W VT-12045

SKU: 6332 - 4000K Day White


3800157620321

SKU: 6333 - 6400K White

3800157620338

Box Qty.
2 Pcs

120+ LUMENS PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **5400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x595x14mm**



Round-Suspended Panel

40w

VT-6141B

SKU: 6433 - 4000K Day White

3800157628129

 Box Qty.
1 Pcs

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **3200lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø400mm**



Round-Suspended Panel

40w

VT-6141

SKU: 6432 - 4000K Day White

3800157628112

 Box Qty.
1 Pcs

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **3200lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø400mm**



30w



Box Qty.
50 Pcs

SKU : 3110
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157622103



29w



Box Qty.
20 Pcs

SKU : 6268
Dimmable: Yes
Voltage: AC:200-240V,50/60Hz
EAN : 3800157614412



29w



Box Qty.
50 Pcs

SKU : 6271
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157614443



36w



Box Qty.
20 Pcs

SKU : 6436
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157629386

42w



Box Qty.
50 Pcs

SKU : 6029
Dimmable: No
Voltage: AC:220-240V,50/60Hz
EAN : 3800157608626



45w



Box Qty.
20 Pcs

SKU : 6437
Dimmable: Yes
Voltage: AC:100-277V,50/60Hz
EAN : 3800157630337



**120+ LUMENS
PER WATT**
SUPER EFFICIENT

45w

Box Qty.
50 Pcs

SKU : 6386
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157624886



**120+ LUMENS
PER WATT**
SUPER EFFICIENT

45w

Box Qty.
50 Pcs

SKU : 6427
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157626996



**120+ LUMENS
PER WATT**
SUPER EFFICIENT

45w

Box Qty.
50 Pcs

SKU : 6270
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157614436



70w

Box Qty.
50 Pcs

SKU : 6328
Dimmable: Yes
Voltage: AC:200-240V,50/60Hz
EAN : 3800157619592





Suspended Mounting



Box Qty.
100 Pcs

SKU : **6018**
EAN : **3800230623669**

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is

• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600



Surface Mounting-120x30



Box Qty.
6 Pcs

SKU : **9969**
EAN : **3800230623683**



Surface Mounting-120x60



Box Qty.
5 Pcs

SKU : **9989**
EAN : **3800230623614**



Extension Frame-60x60



Box Qty.
13 Pcs

SKU : **9968**
EAN : **3800230623706**



Surface Mounting-30x30



SKU : 9970
EAN : 3800230623690

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-62x62



SKU : 9997
EAN : 3800157633130

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-60x60



SKU : 9999
EAN : 3800230623676

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Frame-60x60



SKU : 3678
EAN : 3800157625272

Easily fixable frame available in compact packing and easy to install with user manual.

Foldable kit
DIY
DO IT YOURSELF



Surface Frame-120x30



Box Qty.
12 Pcs

SKU : 3679
EAN : 3800157625289

Foldable kit
DIY
DO IT YOURSELF

Easily fixable frame available in compact packing and easy to install with user manual.



Waterproof Surface Kit



Box Qty.

SKU : 8119
EAN : 3800157624763



Surface Mounting-60x60



Box Qty.
20 Pcs

SKU : 6327
EAN : 3800157619424



Emergency Pack-6W to 24W


VT-525

SKU: 8275 3800157627474



Box Qty.
20 Pcs

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



Voltage: DC:20-80V
Led output power: AC:220-240V,50/60Hz
Charging time: 24 Hours
Working time: 3 hours

Battery: Ni-Cd 7.2V/2000mAh
Color of Fixture: Silver
Body Type: Aluminium
Size: 455x52x33mm
Emergency switch on time: < 1s



Emergency Pack-29W to 45W


VT-518

SKU: 60303 3800157617451



Box Qty.
12 Pcs

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



Voltage: DC:30-42V
Led output power: AC:220-240V,50/60Hz
Charging time: 24 Hours
Working time: 3 Hours

Battery: NI-CD, 7.2V, 4400 mAh
Color of Fixture: Silver
Body Type: Aluminium
Size: 465x52x33mm
Emergency switch on time: < 1s

The innovation of SMD lighting brought about the creation of the slim panels – a game changing answer to traditional downlight fixtures! Classy as it is, a mini panel fixture with built in LEDs also amounts to less than the old fittings.

Mini panels transform every setting into an ambiance with a modern touch to it with its systematic radiance and uniform lighting.



V-TAC offers the widest range in this product category. We also stock all three colour outputs from white to warm white and day light .They all come in retrofit cut out sizes from 4 inches, 6 inches and 8 inches.



Salient Features



Ultra Slim Design



Contemporary & Elegant Design



Higher Light Transmission Rate



Exterior robust shell



Easy to install - Plug and play version



Linear Lights

10w VT-10001

SKU: 6401 - 3000K Warm White

SKU: 6402 - 4000K Day White

SKU: 6403 - 6400K White

3800157626620

3800157626637

3800157626644



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

750lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

160x45x65mmCutting Size: **138x32mm**

Linear Lights

20w VT-20001

SKU: 6404 - 3000K Warm White

SKU: 6405 - 4000K Day White

SKU: 6406 - 6400K White

3800157626651

3800157626668

3800157626675



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

1600lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

290x45x65mmCutting Size: **170x32mm**

Linear Lights

30w VT-30001

SKU: 6407 - 3000K Warm White

SKU: 6408 - 4000K Day White

SKU: 6409 - 6400K White

3800157626682

3800157626699

3800157626705



Box Qty.

10 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

2400lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

430x45x65mmCutting Size: **405x32mm**



Linear Lights

10w VT-10002

SKU: 6410 - 3000K Warm White

SKU: 6411 - 4000K Day White

SKU: 6412 - 6400K White

3800157626712

3800157626729

3800157626736



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

700lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

160x45x72mm

Cutting Size: 138x32mm



Linear Lights

20w VT-20002

SKU: 6413 - 3000K Warm White

SKU: 6414 - 4000K Day White

SKU: 6415 - 6400K White

3800157626743

3800157626750

3800157626767



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

1400lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

290x45x72mm

Cutting Size: 170x32mm



Linear Lights

30w VT-30002

SKU: 6416 - 3000K Warm White

SKU: 6417 - 4000K Day White

SKU: 6418 - 6400K White

3800157626774

3800157626781

3800157626798



Box Qty.

10 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

2100lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

430x45x72mm

Cutting Size: 405x32mm



Premium Series-Round


3W VT-307RD

SKU: 6292 - 3000K Warm White
SKU: 6293 - 4000K Day White
SKU: 6294 - 6400K White

3800157616751
3800157616768
3800157616775



Box Qty.
40 Pcs



Cutting Size: **Ø73mm**

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	210lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø84x12mm



Premium Series-Round


6W VT-607RD

SKU: 4854 - 3000K Warm White
SKU: 4855 - 4000K Day White
SKU: 4856 - 6400K White

3800230629753
3800230629760
3800230629777



Box Qty.
40 Pcs



Cutting Size: **Ø110mm**

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø120x12mm



Premium Series-Round


12W VT-1207RD

SKU: 4857 - 3000K Warm White
SKU: 4858 - 4000K Day White
SKU: 4859 - 6400K White

3800230629784
3800230629791
3800230629807



Box Qty.
20 Pcs



Cutting Size: **Ø155mm**

Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø170x12mm




Premium Series-Round
18W VT-1807RD

SKU: 4860 - 3000K Warm White
SKU: 4861 - 4000K Day White
SKU: 4862 - 6400K White

3800230629814
3800230629821
3800230629838



Box Qty.
20 Pcs



Cutting Size: **Ø210mm**

Emergency Pack: Available
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.6**
Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **Ø225x12mm**




Premium Series-Round
22W VT-2207RD

SKU: 6422 - 3000K Warm White
SKU: 6423 - 4000K Day White
SKU: 6424 - 6400K White

3800157626941
3800157626958
3800157626965



Box Qty.
20 Pcs



Cutting Size: **Ø220 mm**

Emergency Pack: Available
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1800lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **Ø240x12mm**




Premium Series-Round
24W VT-2407RD

SKU: 4872 - 3000K Warm White
SKU: 4873 - 4000K Day White
SKU: 4874 - 6400K White

3800157601559
3800157601566
3800157601573



Box Qty.
10 Pcs



Cutting Size: **Ø285mm**

Emergency Pack: Available
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2000lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **Ø300x12mm**



Premium Series-Square

3W VT-3075Q

SKU: 6295 - 3000K Warm White

SKU: 6296 - 4000K Day White

SKU: 6297 - 6400K White


3800157616782

3800157616799

3800157616805



Box Qty.

40 PcsCutting Size: **74x73mm**

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

210lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Square

CRI:

>80

Dimension:

84x84x12mm

Premium Series-Square

6W VT-6075Q

SKU: 4863 - 3000K Warm White

SKU: 4864 - 4000K Day White

SKU: 4865 - 6400K White


3800230629845

3800230629852

3800230629869



Box Qty.

40 PcsCutting Size: **110mm**

Emergency Pack:

Available

PF:

>0.7

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

420lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Square

CRI:

>80

Dimension:

120x120x12mm

Premium Series-Square

12W VT-12075Q

SKU: 4866 - 3000K Warm White

SKU: 4867 - 4000K Day White

SKU: 4868 - 6400K White


3800230629876

3800230629883

3800230629890



Box Qty.

20 PcsCutting Size: **155x155mm**

Emergency Pack:

Available

PF:

>0.6

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

1000lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Square

CRI:

>80

Dimension:

170x170x12mm




Premium Series-Square

18w VT-1807SQ

SKU: 4869 - 3000K Warm White
SKU: 4870 - 4000K Day White
SKU: 4871 - 6400K White

3800230629906
3800230629913
3800230629920

Box Qty.
20 Pcs



Cutting Size: **205x205mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.6**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **225x225x12mm**




Premium Series-Square

24w VT-2407SQ

SKU: 4887 - 3000K Warm White
SKU: 4888 - 4000K Day White
SKU: 4889 - 6400K White

3800157602198
3800157602204
3800157602211

Box Qty.
10 Pcs



Cutting Size: **285x285mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **300x300x12mm**




Premium Series-Round

30w VT-3107RD

SKU: 6428 - 4000K Day White 3800157628075

SKU: 6429 - 6400K White 3800157628082


 Box Qty.
10 Pcs

 Cutting Size: **Ø280mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2400lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø300x12mm**




Premium Series-Square

36w VT-3107SQ

SKU: 6430 - 4000K Day White 3800157628099

SKU: 6431 - 6400K White 3800157628105


 Box Qty.
10 Pcs

 Cutting Size: **280x280mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2400lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Square**
 Dimension: **300x300x12mm**




SG Series-Square

8W VT-800 SQ

SKU: 4818 - 6400K White

3800230622563

Box Qty.
20 Pcs



Cutting Size: 125x125mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Square**
Dimension: **145x145x20mm**




SG Series-Round

8W VT-800 RD

SKU: 4821 - 6400K White

3800230622587

Box Qty.
20 Pcs



Cutting Size: Ø105mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Round**
Dimension: **Ø120x20mm**




SG Series-Square

15w VT-1500 SQ

SKU: 4826 - 3000K Warm White
 SKU: 4825 - 4000K Day White
 SKU: 4824 - 6400K White

3800230622617
 3800230624994
 3800230622600

 Box Qty.
20 Pcs


Cutting Size: 140x140mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium(PKW)**
 Shape: **Square**
 Dimension: **160x160x20mm**




SG Series-Round

15w VT-1500 RD

SKU: 4827 - 6400K White

3800230622624

 Box Qty.
20 Pcs


Cutting Size: Ø160mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium(PKW)**
 Shape: **Round**
 Dimension: **Ø180x20mm**




SG Series-Square

22W VT-2200 SQ

SKU: 4830 - 6400K White

3800230622648

Box Qty.
20 Pcs



Cutting Size: **195x195mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Square**
Dimension: **220x220x20mm**




SG Series-Round

22W VT-2200 RD

SKU: 4833 - 6400K White

3800230622662

Box Qty.
20 Pcs



Cutting Size: **Ø220mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Round**
Dimension: **Ø240x20mm**



Trimless Panel-Round


8W VT-888RD

SKU: 4931 - 3000K Warm White
 SKU: 4932 - 4000K Day White
 SKU: 4933 - 6400K White

3800157606479
 3800157606486
 3800157606493



Box Qty.
100 Pcs



Cutting Size: **Ø75mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø90x8mm**



Trimless Panel-Round


15W VT-1515RD

SKU: 4934 - 3000K Warm White
 SKU: 4935 - 4000K Day White
 SKU: 4936 - 6400K White

3800157606509
 3800157606516
 3800157606523



Box Qty.
40 Pcs



Cutting Size: **Ø130mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø146x8mm**




Trimless Panel-Round

22W VT-2222RD

SKU: 4937 - 3000K Warm White
SKU: 4938 - 4000K Day White
SKU: 4939 - 6400K White

3800157606530
3800157606547
3800157606554

Box Qty.
40 Pcs



Cutting Size: **Ø155mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **Ø170x8mm**




Trimless Panel-Round

29W VT-2929RD

SKU: 4940 - 3000K Warm White
SKU: 4941 - 4000K Day White
SKU: 4942 - 6400K White

3800157606561
3800157606578
3800157606585

Box Qty.
40 Pcs



Cutting Size: **Ø195mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **Ø220x8mm**



Trimless Panel-Square

8W VT-888SQ

SKU: 4943 - 3000K Warm White


3800157606592

SKU: 4944 - 4000K Day White

3800157606608

SKU: 4945 - 6400K White

3800157606615

Box Qty.
100 PcsCutting Size: **75x75mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Square**
 Dimension: **90x90x8mm**



Trimless Panel-Square

15W VT-1515SQ

SKU: 4946 - 3000K Warm White


3800157606622

SKU: 4947 - 4000K Day White

3800157606639

SKU: 4948 - 6400K White

3800157606646

Box Qty.
40 PcsCutting Size: **130x130mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Square**
 Dimension: **146x146x8mm**




Trimless Panel-Square

22W VT-2222SQ

SKU: 4949 - 3000K Warm White
SKU: 4797 - 4000K Day White
SKU: 4798 - 6400K White

3800157606653
3800157606660
3800157606677

Box Qty.
40 Pcs



Cutting Size: **155x155mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **170x170x8mm**




Trimless Panel-Square

29W VT-2929SQ

SKU: 5031 - 3000K Warm White
SKU: 5032 - 4000K Day White
SKU: 5033 - 6400K White

3800157606660
3800157606677
3800157606684

Box Qty.
40 Pcs



Cutting Size: **195x195mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **220x220x8mm**




Slim Surface-Round

6W VT-605RD

SKU: 4904 - 3000K Warm White
SKU: 4905 - 4000K Day White
SKU: 4906 - 6400K White

3800157605380
3800157605397
3800157605403

Box Qty.
40 Pcs

Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø90x24mm




Slim Surface-Round

12W VT-1205 RD

SKU: 4910 - 3000K Warm White
SKU: 4911 - 4000K Day White
SKU: 4912 - 6400K White

3800157605441
3800157605458
3800157605465

Box Qty.
40 Pcs

Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	900lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø140x24mm




Slim Surface-Round

18W VT-1805RD

SKU: 4916 - 3000K Warm White
SKU: 4917 - 4000K Day White
SKU: 4918 - 6400K White

3800157605502
3800157605519
3800157605526

Box Qty.
20 Pcs

Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1440lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø190x24mm




Slim Surface-Square

6W VT-605SQ

SKU: 4907 - 3000K Warm White
SKU: 4908 - 4000K Day White
SKU: 4909 - 6400K White

3800157605410
3800157605427
3800157605434

Box Qty.
40 Pcs

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 420lm
LED Type: SMD
CRI: >80

Available
AC:85-265V,50/60Hz
420lm
SMD
>80

PF: >0.9
Beam Angle: 120°
Body Type: Aluminium
Shape: Square
Dimension: 90x90x24mm




Slim Surface-Square

12W VT-1205 SQ

SKU: 4913 - 3000K Warm White
SKU: 4914 - 4000K Day White
SKU: 4915 - 6400K White

3800157605472
3800157605489
3800157605496

Box Qty.
40 Pcs

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 900lm
LED Type: SMD
CRI: >80

Available
AC:85-265V,50/60Hz
900lm
SMD
>80

PF: >0.9
Beam Angle: 120°
Body Type: Aluminium
Shape: Square
Dimension: 140x140x24mm




Slim Surface-Square

18W VT-1805SQ

SKU: 4919 - 3000K Warm White
SKU: 4920 - 4000K Day White
SKU: 4921 - 6400K White

3800157605533
3800157605540
3800157605557

Box Qty.
20 Pcs

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 1440lm
LED Type: SMD
CRI: >80

Available
AC:85-265V,50/60Hz
1440lm
SMD
>80

PF: >0.9
Beam Angle: 120°
Body Type: Aluminium
Shape: Square
Dimension: 190x190x24mm



Surface Series-Round

8W VT-1408 RD

SKU: 4805 - 3000K Warm White

SKU: 4804 - 4000K Day White

SKU: 4803 - 6400K White


3800230622730

3800230622723

3800230622716



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

800lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

Ø110x35mm

Surface Series-Round

15W VT-1415 RD

SKU: 4811 - 3000K Warm White

SKU: 4810 - 4000K Day White

SKU: 4809 - 6400K White


3800230622792

3800230622785

3800230622778



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

1500lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

Ø160x35mm

Surface Series-Round

22W VT-1422 RD

SKU: 4817 - 3000K Warm White

SKU: 4816 - 4000K Day White

SKU: 4815 - 6400K White


3800230622853

3800230622846

3800230622839



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

2200lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

Ø205x35mm




Surface Series-Square

8W VT-1408 SQ

SKU: 4802 - 3000K Warm White
 SKU: 4801 - 4000K Day White
 SKU: 4800 - 6400K White

3800230622709
 3800230622693
 3800230622686

Box Qty.
40 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 800lm
 LED Type: SMD
 CRI: >80

PF: >0.9
 Beam Angle: 120°
 Body Type: Aluminium
 Shape: Square
 Dimension: 107x107x35mm




Surface Series-Square

15W VT-1415 SQ

SKU: 4808 - 3000K Warm White
 SKU: 4807 - 4000K Day White
 SKU: 4806 - 6400K White

3800230622761
 3800230622754
 3800230622747

Box Qty.
20 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 LED Type: SMD
 CRI: >80

PF: >0.9
 Beam Angle: 120°
 Body Type: Aluminium
 Shape: Square
 Dimension: 155x155x35mm




Surface Series-Square

22W VT-1422 SQ

SKU: 4814 - 3000K Warm White
 SKU: 4813 - 4000K Day White
 SKU: 4812 - 6400K White

3800230622822
 3800230622815
 3800230622808

Box Qty.
20 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2200lm
 LED Type: SMD
 CRI: >80


PF: >0.9
 Beam Angle: 120°
 Body Type: Aluminium
 Shape: Square
 Dimension: 205x205x35mm



Slim Series-Chrome-Round

6W VT-607CH

SKU: 6334 - 3000K Warm White 3800157621182
 SKU: 6335 - 4000K Day White 3800157621199
 SKU: 6336 - 6400K White 3800157621205

 Box Qty.
40 Pcs
Cutting Size: **Ø105mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **420lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**


Beam Angle: **120°**
 Body Type: **Aluminium+Chrome**
 Shape: **Round**
 Dimension: **Ø120x25mm**



Slim Series-Chrome-Round

12W VT-1207CH

SKU: 6340 - 3000K Warm White 3800157621243
 SKU: 6341 - 4000K Day White 3800157621250
 SKU: 6342 - 6400K White 3800157621267

 Box Qty.
20 Pcs
Cutting Size: **Ø155mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1000lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Body Type: **Aluminium+Chrome**
 Shape: **Round**
 Dimension: **Ø170x25mm**




Slim Series-Chrome-Round

18w VT-1807CH

SKU: 6346 - 3000K Warm White
SKU: 6347 - 4000K Day White
SKU: 6348 - 6400K White

3800157621304
3800157621311
3800157621328

Box Qty.
20 Pcs



Cutting Size: **Ø205mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Chrome**
Shape: **Round**
Dimension: **Ø225x25mm**




Slim Series-Chrome-Round

24w VT-2407CH

SKU: 6352 - 3000K Warm White
SKU: 6353 - 4000K Day White
SKU: 6354 - 6400K White

3800157621366
3800157621373
3800157621380

Box Qty.
10 Pcs



Cutting Size: **Ø285mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**


Beam Angle: **120°**
Body Type: **Aluminium+Chrome**
Shape: **Round**
Dimension: **Ø300x25mm**



Slim Series-Satin Nickel-Round

6W VT-607SN

SKU: 6337 - 3000K Warm White 3800157621212
 SKU: 6338 - 4000K Day White 3800157621229
 SKU: 6339 - 6400K White 3800157621236


 Box Qty.
40 Pcs

 Cutting Size: **Ø105mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **420lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**


Beam Angle: **120°**
 Body Type: **Aluminium+Satin Nickel**
 Shape: **Round**
 Dimension: **Ø120x25mm**



Slim Series-Satin Nickel-Round

12W VT-1207SN

SKU: 6343 - 3000K Warm White 3800157621274
 SKU: 6344 - 4000K Day White 3800157621281
 SKU: 6345 - 6400K White 3800157621298


 Box Qty.
20 Pcs

 Cutting Size: **Ø155mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1000lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Body Type: **Aluminium+Satin Nickel**
 Shape: **Round**
 Dimension: **Ø170x25mm**




Slim Series-Satin Nickel-Round

18w VT-1807SN

SKU: 6349 - 3000K Warm White
SKU: 6350 - 4000K Day White
SKU: 6351 - 6400K White

3800157621335
3800157621342
3800157621359

Box Qty.
20 Pcs



Cutting Size: **Ø205mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Satin Nickel**
Shape: **Round**
Dimension: **Ø225x25mm**




Slim Series-Satin Nickel-Round

24w VT-2407SN

SKU: 6355 - 3000K Warm White
SKU: 6356 - 4000K Day White
SKU: 6357 - 6400K White

3800157621397
3800157621403
3800157621410

Box Qty.
10 Pcs



Cutting Size: **Ø285mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Satin Nickel**
Shape: **Round**
Dimension: **Ø300x25mm**



Slim Surface-Chrome-Round


6W VT-605CH

SKU: 6358 - 3000K Warm White
SKU: 6359 - 4000K Day White
SKU: 6360 - 6400K White

3800157621427
3800157621434
3800157621441



Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø90x24mm



Slim Surface-Chrome-Round


12W VT-1205CH

SKU: 6364 - 3000K Warm White
SKU: 6365 - 4000K Day White
SKU: 6366 - 6400K White

3800157621489
3800157621496
3800157621502



Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø140x24mm



Slim Surface-Chrome-Round


18W VT-1805CH

SKU: 6370 - 3000K Warm White
SKU: 6371 - 4000K Day White
SKU: 6372 - 6400K White

3800157621540
3800157621557
3800157621564



Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø190x24mm




Slim Surface-Satin Nickel-Round

6W VT-605SN

SKU: 6361 - 3000K Warm White
 SKU: 6362 - 4000K Day White
 SKU: 6363 - 6400K White

3800157621458
 3800157621465
 3800157621472

Box Qty.
40 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 LED Type: SMD
 CRI: >80

PF: >0.5
 Beam Angle: 120°
 Body Type: Aluminium+Satin Nickel
 Shape: Round
 Dimension: Ø90x24mm




Slim Surface-Satin Nickel-Round

12w VT-1205SN

SKU: 6367 - 3000K Warm White
 SKU: 6368 - 4000K Day White
 SKU: 6369 - 6400K White

3800157621519
 3800157621526
 3800157621533

Box Qty.
40 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 LED Type: SMD
 CRI: >80

PF: >0.6
 Beam Angle: 120°
 Body Type: Aluminium+Satin Nickel
 Shape: Round
 Dimension: Ø140x24mm




Slim Surface-Satin Nickel-Round

18w VT-1805SN

SKU: 6373 - 3000K Warm White
 SKU: 6374 - 4000K Day White
 SKU: 6375 - 6400K White

3800157621571
 3800157621588
 3800157621595

Box Qty.
20 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 LED Type: SMD
 CRI: >80

PF: >0.6
 Beam Angle: 120°
 Body Type: Aluminium+Satin Nickel
 Shape: Round
 Dimension: Ø190x24mm




Twin LED-Square

8W VT-809SQ

SKU: 4922 - 3000K Warm White
 SKU: 4923 - 4000K Day White
 SKU: 4924 - 6400K White

3800157605564
 3800157605571
 3800157605588



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	142x142x40mm




Twin LED-Square

15W VT-1509SQ

SKU: 4925 - 3000K Warm White
 SKU: 4926 - 4000K Day White
 SKU: 4927 - 6400K White

3800157605595
 3800157605601
 3800157605618



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	192x192x40mm




Twin LED-Square

22W VT-2209SQ

SKU: 4928 - 3000K Warm White
 SKU: 4929 - 4000K Day White
 SKU: 4930 - 6400K White

3800157605625
 3800157605632
 3800157605649



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2200lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	240x240x40mm



Twin LED-Round


8W VT-809RD

SKU: 4890 - 3000K Warm White
SKU: 4891 - 4000K Day White
SKU: 4892 - 6400K White

3800157602594
3800157602600
3800157602617



Box Qty.
20 Pcs



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **142x40mm**



Twin LED-Round


15w VT-1509RD

SKU: 4893 - 3000K Warm White
SKU: 4894 - 4000K Day White

3800157602624
3800157602631
3800157602648



Box Qty.
20 Pcs



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **192x40mm**



Twin LED-Round


22w VT-2209RD

SKU: 4896 - 3000K Warm White
SKU: 4897 - 4000K Day White
SKU: 4898 - 6400K White

3800157602655
3800157602662
3800157602679



Box Qty.
20 Pcs



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **240x40mm**



Glass Panel-Round


6W VT-602G RD

SKU: 4740 - 3000K Warm White
SKU: 6277 - 4000K Day White
SKU: 4739 - 6400K White

3800230622891
3800157615754
3800230622884



Box Qty.
40 Pcs



Cutting Size: **Ø75mm**

Emergency Pack:
Voltage/Frequency:
Luminous Flux:
LED Type:
CRI:

Available
AC:100-240V,50/60Hz
420lm
SMD
>80

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Aluminium+Glass**
Shape: **Round**
Dimension: **Ø100x40mm**



Glass Panel-Round


12W VT-1202G RD

SKU: 4744 - 3000K Warm White
SKU: 6279 - 4000K Day White
SKU: 4743 - 6400K White

3800230622938
3800157615778
3800230622921



Box Qty.
20 Pcs



Cutting Size: **Ø120mm**

Emergency Pack:
Voltage/Frequency:
Luminous Flux:
LED Type:
CRI:

Available
AC:100-240V,50/60Hz
840lm
SMD
>80

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Aluminium+Glass**
Shape: **Round**
Dimension: **Ø160x40mm**



Glass Panel-Round


18W VT-1881G RD

SKU: 4760 - 3000K Warm White
SKU: 6281 - 4000K Day White
SKU: 4759 - 6400K White

3800230622976
3800157615792
3800230622969



Box Qty.
20 Pcs



Cutting Size: **Ø145mm**

Emergency Pack:
Voltage/Frequency:
Luminous Flux:
LED Type:
CRI:

Available
AC:100-240V,50/60Hz
1260lm
SMD
>80

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Aluminium+Glass**
Shape: **Round**
Dimension: **Ø198x40mm**




Glass Panel-Square

6W VT-602G SQ

SKU: 4738 - 3000K Warm White
 SKU: 6276 - 4000K Day White
 SKU: 4737 - 6400K White

3800230622877
 3800157615747
 3800230622860

Box Qty.
40 PcsCutting Size: **75x75mm**

Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 LED Type: SMD
 CRI: >80

Available
 AC:100-240V,50/60Hz
 420lm
 SMD
 >80

PF: >0.9
 Beam Angle: 120°
 Body Type: Aluminium+Glass
 Shape: Square
 Dimension: 100x100x40mm




Glass Panel-Square

12w VT-1202G SQ

SKU: 4742 - 3000K Warm White
 SKU: 6278 - 4000K Day White
 SKU: 4741 - 6400K White

3800230622914
 3800157615761
 3800230622907

Box Qty.
20 PcsCutting Size: **120x120mm**

Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 840lm
 LED Type: SMD
 CRI: >80

Available
 AC:100-240V,50/60Hz
 840lm
 SMD
 >80

PF: >0.9
 Beam Angle: 120°
 Body Type: Aluminium+Glass
 Shape: Square
 Dimension: 160x160x40mm




Glass Panel-Square

18w VT-1881G SQ

SKU: 4746 - 3000K Warm White
 SKU: 6280 - 4000K Day White
 SKU: 4745 - 6400K White

3800230622952
 3800157615785
 3800230622945

Box Qty.
20 PcsCutting Size: **145x145mm**

Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 1260lm
 LED Type: SMD
 CRI: >80

Available
 AC:100-240V,50/60Hz
 1260lm
 SMD
 >80

PF: >0.9
 Beam Angle: 120°
 Body Type: Aluminium+Glass
 Shape: Square
 Dimension: 198x198x40mm



6w

 Box Qty.
200 Pcs

SKU : 8073
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157605823



12w

 Box Qty.
200 Pcs

SKU : 8074
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157605830



18w

 Box Qty.
200 Pcs

SKU : 8075
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157605847



18/24w

 Box Qty.
50 Pcs

SKU : 8070
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157616836



24w

 Box Qty.
200 Pcs

SKU : 8076
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157605946



LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.



Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or Mercury content hence Environment friendly
- No Ultraviolet or Infrared rays
- Long Lifespan, Low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm
- Ballast or Starter NOT REQUIRED - DIRECT AC POWER

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R

Box Qty.
25Pcs

SKU: 6229 - 3000K Warm White

SKU: 6230 - 4000K Day White

SKU: 6231 - 6400K White

3800157605212



3800157605229

3800157605236



3YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included

EQ. Watts: **18w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **850lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start : **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **125g**
Dimension: **27.9x600mm**

T8-Nano Plastic-60cm

10w VT-6072-NR

Box Qty.
25Pcs

SKU: 6392 - 3000K Warm White

SKU: 6393 - 4000K Day White

SKU: 6394 - 6400K White

3800157625296



3800157625302

3800157625319



3YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included

EQ. Watts: **18w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **850lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start : **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **126.4g**
Dimension: **27.9x600mm**

T8-Nano Plastic-90cm

14w VT-9077

Box Qty.
25PcsSKU: 6272 - 4000K Day White
SKU: 6262 - 6400K White3800157615419
3800157612128

*Suitable for 10-13 hours daily, usage of the product for 24 hours a day would void warranty
Dummy Starter
Included

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1200lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start: **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **145.6g**
Dimension: **27.9x900mm**

T8-Nano Plastic-120cm

18w VT-1277

Box Qty.
25 PcsSKU: 6263 - 3000K Warm White
SKU: 6273 - 4000K Day White
SKU: 6264 - 6400K White3800157612135
3800157615426
3800157612142

*Suitable for 10-13 hours daily, usage of the product for 24 hours a day would void warranty
Dummy Starter
Included

EQ. Watts: **36w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1700lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start: **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **200g**
Dimension: **27.9x1200mm**

T8-Nano Plastic-150cm

22w VT-1577

Box Qty.
25 Pcs

SKU: 6265 - 3000K Warm White

SKU: 6309 - 4000K Day White

SKU: 6310 - 6400K White

3800157612159



3800157617437

3800157617444



3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included

EQ. Watts: **58w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **2000lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start : **0-100% in < 1s**

On/Off: **>15,000**
Life span: **30,000 Hours**
Gross weight: **283.4g**
Dimension: **27.9x1500mm**

T8-Nano Plastic-Rotatable-High Lu-

9w VT-6085

Box Qty.
25 Pcs

SKU: 6299 - 3000K Warm White

SKU: 6302 - 6400K White

3800157617345


3800157617369



5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120+ LUMENS PER WATT
SUPER EFFICIENT



Dummy Starter
Included

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1100lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start : **0-100% in < 1s**

On/Off: **>15,000**
Life span: **30,000 Hours**
Gross weight: **125g**
Dimension: **27.9x600mm**


T8-Nano Plastic-High Lumen-150cm

22w VT-1585

 Box Qty.
25 Pcs

SKU: 6306 - 3000K Warm White

3800157617406


120 LUMENS
+ PER WATT
SUPER EFFICIENT

**Dummy Starter
Included**


EQ. Watts:	75w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	3000lm	Body Type:	Nano Plastic	Gross weight:	1000g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s		



T8-Nano Plastic-60cm

18w VT-6077

SKU: 6313 - 4000K Day White
SKU: 6314 - 6400K White

Box Qty.
10 Pcs

3800157618656
3800157618663

120 LUMENS
+ PER WATT
SUPER EFFICIENT



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	2500lm	Body Type:	Nano Plastic	Gross weight:	290g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x549mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-120cm

36w VT-12077

SKU: 6315 - 4000K Day White
SKU: 6316 - 6400K White

Box Qty.
10 Pcs

3800157618670
3800157618687


120 LUMENS
+ PER WATT
SUPER EFFICIENT



EQ. Watts:	72w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	4500lm	Body Type:	Nano Plastic	Gross weight:	400g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x1149mm
CRI:	>80	Instant start :	0-100% in < 1s		

T5-Glass Plastic-60cm



8w VT-6005
 Box Qty.
25 Pcs

 SKU: 6318 - 4000K Day White 3800157619271
 SKU: 6319 - 6500K White 3800157619288


EQ. Watts:	14w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	800lm	Body Type:	Glass with PET	Gross weight:	120g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x549mm
CRI:	>80	Instant start :	0-100% in < 1s		

T5-Glass Plastic-120cm


16w VT-1225
 Box Qty.
25 Pcs

 SKU: 6320 - 4000K Day White 3800157619295
 SKU: 6321 - 6500K White 3800157619301


EQ. Watts:	28w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1600lm	Body Type:	Glass with PET	Gross weight:	208g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x1149mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Aluminium Plastic-180cm

40w VT-1840
 Box Qty.
25 Pcs

 SKU: 6251 - 4500K Day White 3800157607841
 SKU: 6250 - 6000K White 3800157607834


EQ. Watts:	80w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°	Life span:	20,000 Hours
Luminous Flux:	3800lm	Body Type:	Aluminium+PC	Gross weight:	800g
LED Type:	SMD	Holder:	G13	Dimension:	28x1800mm
CRI:	>80	Instant start :	0-100% in < 1s		



T8 Bread Tube-120cm

18w VT-1228-B

Box Qty.
25 Pcs

SKU: 6322

3800157619318



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CRI:	>95	Instant start :	0-100% in < 1s		



T8 Meat Tube-120cm

18w VT-1228-M

Box Qty.
25 Pcs

SKU: 6323

3800157619325



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50/60Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CRI:	>95	Instant start :	0-100% in < 1s		

T8 Vegetable Tube-120cm



18w

VT-1228-V

Box Qty.
25 Pcs

SKU: 6324

3800157619332



EQ. Watts: 36w
Voltage/Frequency: AC:180-240V,50Hz
Luminous Flux: 1530lm
LED Type: SMD
CRI: >95

PF: >0.9
Beam Angle: 160°
Body Type: Glass with PET
Holder: G13
Instant start: 0-100% in < 1s

On/Off: >15,000
Life span: 20,000 Hours
Gross weight: 320g
Dimension: 26x1200mm

T8 Seafood Tube-120cm



18w

VT-1228-S

Box Qty.
25 Pcs

SKU: 6325

3800157619349



EQ. Watts: 36w
Voltage/Frequency: AC:180-240V,50/60Hz
Luminous Flux: 1530lm
LED Type: SMD
CRI: >95

PF: >0.9
Beam Angle: 160°
Body Type: Glass with PET
Holder: G13
Instant start: 0-100% in < 1s

On/Off: >15,000
Life span: 20,000 Hours
Gross weight: 320g
Dimension: 26x1200mm

T8 Plant Tube-120cm



18w

VT-1228-P

Box Qty.
25 Pcs

SKU: 6326

3800157619356



EQ. Watts: 36w
Voltage/Frequency: AC:180-240V,50Hz
Luminous Flux: 860lm
LED Type: SMD
CRI: >95

PF: >0.9
Beam Angle: 160°
Body Type: Glass with PET
Holder: G13
Instant start: 0-100% in < 1s

On/Off: >15,000
Life span: 20,000 Hours
Gross weight: 320g
Dimension: 26x1200mm



Tube-Batten Fitting

VT-16011

 Box Qty.
20 Pcs

SKU : 6053
Body Type: Aluminium
Size: 60x2mm
EAN : 3800230624659



Tube-Batten Fitting

VT-12020

 Box Qty.
20 Pcs

SKU : 6054
Body Type: Aluminium
Size: 1200mm
EAN : 3800230624666



Tube-Batten Fitting

VT-12021

 Box Qty.
12 Pcs

SKU : 6055
Body Type: Aluminium
Size: 1200x2mm
EAN : 3800230624673



Tube-Batten Fitting

VT-15020

 Box Qty.
20 Pcs

SKU : 6056
Body Type: Aluminium
Size: 1500mm
EAN : 3800230624680



Tube-Batten Fitting

VT-15021

 Box Qty.
12 Pcs

SKU : 6057
Body Type: Aluminium
Size: 1500x2mm
EAN : 3800230624697

Batten Fitting-Linkable

40w VT-80404

 Box Qty.
10 Pcs

 SKU: 6389 - 3000K Warm White
 SKU: 6391 - 6400K White

 3800157625104
 3800157625128
Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **3200lm**LED Type: **SMD**CRI: **>80**PF: **>0.9**Beam Angle: **110°**Body Type: **AL+PC**On/Off: **>15,000**Life span: **30,000 Hours**Gross weight: **780g**Dimension: **1200x75x26mm**


Prismatic Fitting-30cm

10w VT-8013

 Box Qty.
10 Pcs

SKU: 4987 - 3000K Warm White

3800157601955

Sensor Compatible: **Yes**Voltage/Frequency: **AC:200-240V,50Hz**Luminous Flux: **900lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **110°**Body Type: **Aluminium+Plastic**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **260g**Dimension: **300x75x25mm**


T5-With Fitting-30cm

4W VT-3033

SKU: 6166 - 3000K Warm White
SKU: 6167 - 4500K Day White
SKU: 6168 - 6000K White

Box Qty.
50 Pcs

3800230629159
3800230629166
3800230629173



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **360lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**

Body Type: **Plastic**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **140g**

Dimension: **300x22x33mm**


T5-With Fitting-60cm

7W VT-6073

SKU: 6169 - 3000K Warm White
SKU: 6170 - 4500K Day White
SKU: 6171 - 6000K White

Box Qty.
50 Pcs

3800230629180
3800230629197
3800230629203



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **630lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **Plastic**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **210g**

Dimension: **600x22x33mm**


T5-With Fitting-120cm

14W VT-1273

SKU: 6172 - 3000K Warm White
SKU: 6173 - 4500K Day White
SKU: 6174 - 6000K White

Box Qty.
50 Pcs

3800230629210
3800230629227
3800230629234



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **1260lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **Plastic**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **300g**


Dimension: **1200x22x33mm**

Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White
SKU: 5069 - 4500K Day White
SKU: 5070 - 6000K White

Box Qty.
12 Pcs
3800157606714
3800157606721
3800157606738



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **800lm**
LED Type: **SMD**

CRI: **>80**
PF: **>0.9**
Beam Angle: **110°**
Body Type: **Aluminium Body,**

On/Off: **>10,000**
Life span: **20,000 Hours**
Gross weight: **600g**
Dimension: **579x78x35mm**




Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White
SKU: 5072 - 4500K Day White
SKU: 5073 - 6000K White

Box Qty.
25 Pcs
3800157606745
3800157606752
3800157606769



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **900lm**
LED Type: **SMD**

CRI: **>80**
PF: **>0.6**
Beam Angle: **120°**
Body Type: **Aluminium+PC**

On/Off: **>10,000**
Life span: **20,000 Hours**
Gross weight: **240g**
Dimension: **600x32x25mm**




Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White
SKU: 5075 - 4500K Day White
SKU: 5076 - 6000K White

Box Qty.
25 Pcs
3800157606776
3800157606783
3800157606790



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1800lm**
LED Type: **SMD**

CRI: **>80**
PF: **>0.6**
Beam Angle: **120°**
Body Type: **Aluminium+PC**

On/Off: **>10,000**
Life span: **20,000 Hours**
Gross weight: **370g**
Dimension: **1200x32x25mm**



LED Waterproof Fittings

Introducing our IP65 Ingress Protection Waterproof tubes, built dust-tight allowing it to resist rain and jets of water.



Product Features

- Luminous efficacy up to 120lm/W and 80lm/W
- Easy to install
- IP65, free from water and dirt
- Without opening the lampshade for direct wiring
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications


Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

Waterproof Fitting-Tubes

36w VT-12023

 Box Qty.
10 Pcs

 6387 - 4000K Day White
 6399 - 6400K White


 3800157625036
 3800157626385

**2 LED TUBES
INCLUDED**
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **3400lm**CRI: **>80**PF: **>0.9**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **30,000 Hours**Gross weight: **1.33 kg**Dimension: **1260x112x63mm**

Waterproof Fitting-Tubes

44w VT-15022

 Box Qty.
10 Pcs

 6388 - 4000K Day White
 6400 - 6400K White

 3800157625043
 3800157626392

**2 LED TUBES
INCLUDED**
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **4000lm**CRI: **>80**PF: **>0.9**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **30,000 Hours**Gross weight: **1.65 kg**Dimension: **1560x112x63mm**


Waterproof Fitting-G Series

18w VT-6076

Box Qty.
12 Pcs

6283 - 4000K Day White

3800157616478



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1440lm**

CRI: **>70**

PF: **>0.5**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **0.60 kg**

Dimension: **600x65x58mm**

Waterproof Fitting-G Series

36w VT-1249


Box Qty.
12 Pcs

6285 - 4000K Day White

6284 - 6400K White

3800157616492

3800157616485



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2880lm**

CRI: **>70**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**


Life span: **20,000 Hours**

Gross weight: **0.60 kg**

Dimension: **1200x65x58mm**

Waterproof Fitting-G Series

48w VT-1574

Box Qty.
12 Pcs6287 - 4000K Day White
6286 - 6000K White3800157616515
3800157616508Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **3840lm**CRI: **>70**PF: **>0.9**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **1.1 kg**Dimension: **1500x65x58mm**

Waterproof Fitting

18w VT-6048


Box Qty.
12 Pcs6198 - 4500K Day White
6199 - 6000K White3800157603256
3800157603263Voltage/Frequency: **AC:200-240V,50Hz**Luminous Flux: **1440lm**CRI: **>70**PF: **>0.9**Beam Angle: **120°**Body Type: **Plastic**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **0.80 kg**Dimension: **600x76x66mm**

Waterproof Fitting 36w VT-1248

6200 - 4500K Day White
6201 - 6000K White

Box Qty.
12 Pcs

3800157603270
3800157603287



Voltage/Frequency: **AC:200-240V,50Hz**

Luminous Flux: **2880lm**

CRI: **>70**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **Plastic**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **1.42 kg**


Dimension: **1200x76x66mm**

Waterproof Fitting 48w VT-1548

6184 - 4500K Day White
6185 - 6000K White

Box Qty.
12 Pcs

3800157602389
3800157602396



Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **3920lm**

CRI: **>70**

PF: **>0.7**

Beam Angle: **120°**

Body Type: **Plastic**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **1.86 kg**

Dimension: **1480x76x66mm**


Waterproof Fitting 70w VT-1573

6266 - 4000K Day White
6267 - 6000K White



Box Qty.
6 Pcs

3800157612586
3800157612593



120 LUMENS
+ PER WATT

SUPER EFFICIENT

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 8400lm

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Aluminium

IP Rating: IP65

LED Type: SMD

On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 2.75 kg

Dimension: 1500x86x70mm




Waterproof-Emergency Kit

36w VT-1250

Box Qty.
12 Pcs

6448 - 4000K Day White
6449 - 6500K White

3800157632126
3800157632133



**Waterproof
Emergency Kit**

Charging Time: 24 Hours
Emergency Operation Time: 3 Hours
Emergency Switch on time: <1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	O/P Emmergency:	7W Max
Battery Type:	9.6V 2200mAh Ni-Cd	Beam Angle:	120°	Ambient Temp:	50 max
Luminous Flux:	2880lm	Body Type:	ABS+PC	Gross weight:	1.9 kg
LED Type:	SMD	IP Rating:	IP65	Dimension:	1200x76x66mm
CRI:	>70	Life span:	20,000 Hours		


Waterproof-Emergency Kit

48w VT-1550

Box Qty.
12 Pcs

6446 - 4000K Day White
6447 - 6500K White

3800157632102
3800157632119



**Waterproof
Emergency Kit**

Charging Time: 24 Hours
Emergency Operation Time: 3 Hours
Emergency Switch on time: <1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	O/P Emmergency:	7W Max
Battery Type:	9.6V 2200mAh Ni-Cd	Beam Angle:	120°	Ambient Temp:	50 max
Luminous Flux:	3920lm	Body Type:	ABS+PC	Gross weight:	2.35 kg
LED Type:	SMD	IP Rating:	IP65	Dimension:	1500x76x66mm
CRI:	>70	Life span:	20,000 Hours		

LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.



Product Features

- Powerful LED light source with a unique design
- Extensive Options can replace all types of Standard MH Highbays
- Aluminium Diffuser with multiple Beam Angle's to choose from 45°D / 90°D / 120°D
- Shatter Proof Perspex Lens
- High Thermal Conductivity, Low Luminous Decay, Pure Colours & No Heavy Shade
- The unique design of Radiator fuses with the Lamp Box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

Applications

Perfect fit for Industrial Usage, Warehouse & Super Markets, Workshops, Factories, Warehouses, Highway, toll Stations, Gas Stations, Malls, Exhibition Halls, Stadiums & other vast areas.



UFO-High Lumen-Meanwell Driver


100w VT-9107

SKU: 5587 - 4000K Day White 3800157622295
SKU: 5588 - 6400K White 3800157622301


Box Qty.
4 Pcs

5 **V-TAC®** **PRO**
YEAR WARRANTY

*Bulb for 15-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	13000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	280x165mm



UFO-High Lumen-Meanwell Driver


100w VT-9117

SKU: 5585 - 4000K Day White 3800157622271
SKU: 5586 - 6400K White 3800157622288


Box Qty.
4 Pcs

5 **V-TAC®** **PRO**
YEAR WARRANTY

*Bulb for 15-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	13000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	280x165mm




UFO-High Lumen-Meanwell Driver

150w VT-9167


SKU: 5592 - 6400K White

3800157622349

 Box Qty.
2 Pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	19500lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	340x171mm




UFO-High Lumen-Meanwell Driver

200w VT-9217


SKU: 5594 - 6400K White

3800157622363

 Box Qty.
2 Pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	26000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	400x187mm



UFO-High Lumen-Meanwell Driver

200w VT-9207


SKU: 5595 - 4000K White

3800157622370


Box Qty.
2 Pcs

5 V-TAC® PRO
YEAR WARRANTY

*Suitable for 15-12 hours daily, usage of the product for 24 hours a day would void warranty



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	26000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	400x187mm





UFO-High Lumen-Meanwell Driver

500w VT-9500




SKU: 5607 - 4000K Day White 3800157625050
 SKU: 5608 - 6400K White 3800157625067

 Box Qty.
1 Pcs


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:90-295V,50Hz	Beam Angle:	120°
Luminous Flux:	65000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>80	Dimension:	Ø360






UFO-Highbay-120°

50w VT-9053

SKU: 5554 - 4500K Day White 3800157620895

SKU: 5555 - 6400K White 3800157620901

Box Qty.
4 Pcs



120°
BEAM ANGLE

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **4000lm**

LED Type: **SMD**

CRI: **>70**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **Die Cast Aluminium**

IP Rating: **IP44**

Dimension: **Ø221x85mm**





UFO-Highbay-120°

50w VT-9065-W

SKU: 5609 - 3000K Warm White

SKU: 5610 - 4000K Day White


SKU: 5611 - 6400K White

3800157626507


3800157626514

3800157626521



 120°
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 4000lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP44

Dimension: 220x114mm



UFO-Highbay-120°

100w VT-9115-W

SKU: 5612 - 3000K Warm White


SKU: 5613 - 4000K Day White


SKU: 5614 - 6400K White

3800157626538


3800157626545

3800157626552



 120°
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 8000lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP44

Dimension: 280x131mm




UFO-Highbay-120°

50w VT-9065


SKU: 5557 - 4000K Day White 3800157621946
SKU: 5558 - 6400K White 3800157621953

Box Qty.
8 Pcs

120°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	220x114mm




UFO-Highbay-90°

50w VT-9055


SKU: 5559 - 4000K Day White 3800157621960
SKU: 5560 - 6400K White 3800157621977

Box Qty.
8 Pcs

90°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	90°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	220x114mm




UFO-Highbay-120° 100w VT-9115-B

SKU: 5574 - 6400K White

3800157621991

 Box Qty.
4 Pcs
 **120°**
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **8000lm**
 LED Type: **SMD**
 CRI: **>70**

PF: **>0.9**
 Beam Angle: **120°**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **280x131mm**




UFO-Highbay-90° 100w VT-9105

SKU: 5575 - 4000K Day White


3800157622004

SKU: 5576 - 6400K White

3800157622011

 Box Qty.
4 Pcs
 **90°**
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **8000lm**
 LED Type: **SMD**
 CRI: **>70**

PF: **>0.9**
 Beam Angle: **90°**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **280x131mm**




UFO-Highbay-120° 150W VT-9175


SKU: 5577 - 4000K Day White 3800157622028
SKU: 5578 - 6400K White 3800157622035

Box Qty.
2 Pcs

120°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **12000lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **340x138mm**




UFO-Highbay-90° 150W VT-9165


SKU: 5580 - 6400K White 3800157622059

Box Qty.
2 Pcs

90°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **12000lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **90°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **340x138mm**





UFO-Highbay-120° 200W VT-9215

SKU: 5581 - 4000K Day White
SKU: 5582 - 6400K White

3800157622066
3800157622073

Box Qty.
2 Pcs

120°
BEAM ANGLE



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **16000lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **400x115mm**





UFO-Highbay-90° 200W VT-9205

SKU: 5583 - 4000K Day White
SKU: 5584 - 6400K White

3800157622080
3800157622097

Box Qty.
2 Pcs

90°
BEAM ANGLE



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **16000lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **90°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **400x115mm**




▲ 120°
BEAM ANGLE

100⁺⁺
LM/W
HIGH LUMENS

NEW LINEAR LOWBAY

Narrow distribution fixtures are ideal for aisles or higher ceilings. Placing fixtures parallel to aisles is approximately 50% more efficient than a perpendicular alignment and decreases eye strain. This layout is also easier to control with motion sensors. Wide distribution fixtures are better suited for open areas.




Box Qty.
1 Pcs

Linear Highbay-120°


100w VT-9108

SKU: 5599 - 4000K Day White 3800157624909
SKU: 5600 - 6000K White 3800157624916

120°
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	10000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP20
CRI:	>70	Dimension:	625x110x115mm




Box Qty.
1 Pcs

Linear Highbay-120°


150w VT-9158

SKU: 5601 - 4000K Day White 3800157624923
SKU: 5602 - 6000K White 3800157624930

120°
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	15000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP20
CRI:	>70	Dimension:	898x110x115mm




Box Qty.
1 Pcs

Linear Highbay-120°


200w VT-9208

SKU: 5603 - 4000K Day White 3800157624947
SKU: 5604 - 6000K White 3800157624954

120°
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	20000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP20
CRI:	>70	Dimension:	1170x110x115mm




Box Qty.
1 Pcs

Linear Highbay-120°

300w VT-9308

SKU: 5605 - 4000K Day White 3800157624961
SKU: 5606 - 6000K White 3800157624978

120°
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	30000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP20
CRI:	>70	Dimension:	1717x110x115mm

LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.



Product Features

- Perfect replacement for traditional lights
- Saves 80% Electricity cost, Better Efficiency and Longer Life Span
- Dedicated IP65 Sealed Optical Cavities
- Optically Optimized Glass Lenses
- Uniformity in Light Distribution – Maximizes Efficiency
- Fully Operational in Extreme Weather up to -25° Celsius
- Low maintenance & Low Power consumption
- Reduced CO² emissions

Applications

Out Door Applications like Streets, Projects, Cross Roads, Tunnels, Car Parks, Industrial Facilities etc.





Streetlight

30w VT-15030ST

SKU: 5487 - 4000K Day White 3800157623469
SKU: 5488 - 6400K White 3800157623476

Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	2400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	175x373x52mm





Streetlight-Photo Cell Sensor

30w VT-15031ST

SKU: 5489 - 4000K Day White 3800157623483
SKU: 5490 - 6400K White 3800157623490

Box Qty.
1 Pcs

IP65
RATING



PHOTOCELL SENSOR
Auto Turns On At Night
Auto Turns Off At Day Time

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	2400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	175x373x52mm



Streetlight

50w VT-15051ST

SKU: 5491 - 4000K Day White 3800157623506
 SKU: 5492 - 6400K White 3800157623513

Box Qty.
1 Pcs

IP65
 RATING



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	213.5x460x62mm



Streetlight-Photo Cell Sensor

50w VT-15052ST

SKU: 5493 - 4000K Day White 3800157623520
 SKU: 5494 - 6400K White 3800157623537

Box Qty.
1 Pcs

IP65
 RATING



PHOTOCELL SENSOR
 Auto Turns On At Night
 Auto Turns Off At Day Time

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	213.5x460x62mm





Streetlight

100w VT-15101ST

SKU: 5495 - 4000K Day White 3800157623544
SKU: 5496 - 6400K White 3800157623551

Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	8000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	264x538x68mm





Streetlight

120w VT-15123ST

SKU: 5498 - 6400K White 3800157623575

Box Qty.
1 Pcs

IP65
RATING





Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	9600lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	264x538x68mm




Streetlight
150w VT-15156ST

SKU: 5499 - 4000K Day White 3800157623582
SKU: 5500 - 6400K White 3800157623599



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	316x635x80mm



Streetlight-High Lumen


30w VT-15131ST

SKU: 5472 - 4500K Day White 3800157608749
SKU: 5473 - 6000K White 3800157608756


Box Qty.
1 Pcs

IP65
RATING

120+ LUMENS
PER WATT
SUPER EFFICIENT



Sensor Compatible:	Yes	PF:	>0.95
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	3720lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>75	Dimension:	400x180x55mm



Streetlight-High Lumen


50w VT-15151ST

SKU: 5475 - 4500K Day White 3800157608770
SKU: 5476 - 6000K White 3800157608787


Box Qty.
1 Pcs

IP65
RATING

120+ LUMENS
PER WATT
SUPER EFFICIENT




Sensor Compatible:	Yes	PF:	>0.95
Voltage/Frequency:	AC:100-240V,50Hz	Beam Angle:	100°
Luminous Flux:	6200lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>75	Dimension:	477x216x55mm

new!


Streetlight


50w VT-15050ST

SKU: 9757 - 6000K White

 Box Qty.
1 Pcs
IP65
 RATING


Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **4250lm**
 LED Type: **SMD**
 CRI: **>70**

PF: **>0.9**
 Beam Angle: **100°**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP65**
 Dimension: **495x210x55mm**


new!


Streetlight-High Lumen

100w VT-15105ST

SKU: 5501 - 3000K Warm White

3800157634595

 Box Qty.
1 Pcs
IP65
 RATING

120+ LUMENS
PER WATT
SUPER EFFICIENT

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **12400lm**
 LED Type: **SMD**
 CRI: **>70**

PF: **>0.90**
 Beam Angle: **100°**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP65**
 Dimension: **566x268x62mm**




Adapter
VT-795

SKU: 3624



Box Qty.
10 Pcs

3800157608152



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



Adapter
VT-795-1

SKU: 3668



Box Qty.
12 Pcs

3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.



Product Features

- LED strip is a low Voltage flexible Ribbon available in DC:12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades
- Available in DC:12V and 220V with different color range from Warm White to RGB
- Available in IP20 and IP65 rating
- Available in 8mm or 10mm width
- Available in 1 or 1.5 meter rigid bar options with different options of Aluminium Profiles

Applications

Ideal for illuminating Borders, Edges, Cabinets, Bars and any area with limited space for installation.



Blister Pack



Bed Lights-PIR Sensor

3W

VT-8067



Box Qty.
25 Pcs

SKU: 2548 - 3000K Warm White

SKU: 2549 - 4500K Day White

3800157628433

3800157628440

Watts:

3w

Voltage:

DC:12V

LED/M:

30

Strips length:

1.2 m x1

Sensor Distance:

2-5m

Delay time:

30sec, 130sec, 380sec



Blister Pack



Bed Lights-PIR Sensor

6W

VT-8068



Box Qty.
18 Pcs

SKU: 2550 - 3000K Warm White

SKU: 2551 - 4500K Day White

3800157628457

3800157628464

Watts:

6w

Voltage:

DC:12V

LED/M:

30

Strips length:

1.2 m x2

Sensor Distance:

2-5 m

Delay time:

30sec, 130sec, 380sec

Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-Set

SKU: 2545 - 3000K Warm White 3800157626804
 SKU: 2546 - 6000K White 3800157626811
 SKU: 2544 - RGB 3800157625975



Box Qty.
20 Pcs

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm



**POWER
SUPPLY**

BS PLUG



Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-RGB Set

SKU: 2558-RGB 3800157634144



Box Qty.
20 Pcs

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm



**POWER
SUPPLY**

EU PLUG



Tape-2835 240 LEDs-High Lumen

18w VT-2835 240-H

SKU: 2164 - 3000K Warm White
SKU: 2165 - 4500K Day White
SKU: 2166 - 6000K White

3800157610117
3800157610124
3800157610131



LED Type: SMD
Watt/M: 18w
Current/M: 1.5A
Voltage: DC:12V
LED Qty 240

lm/M: 3000lm
lm/LED: 20-22lm
Beam Angle: 120°
IP Rating: IP20
Width: 10mm

3000 LUMENS
PER METER
SUPER EFFICIENT

Tape-2835 204 LEDs

18w VT-2835 204

SKU: 2461 - 3000K Warm White
SKU: 2462 - 4500K Day White
SKU: 2463 - 6000K White

3800157612234
3800157612241
3800157612258



LED Type: SMD
Watt/M: 18w
Current/M: 1.5A
Voltage: DC:12V
LED Qty 204

lm/M: 1700lm
lm/LED: 9-11lm
Beam Angle: 120°
IP Rating: IP20
Width: 10mm

Tape-5730 120 LEDs-High Lumen

18w **VT-5730 120**

SKU: 2162 - 3000K Warm White 3800157610094
 SKU: 2161 - 6000K White 3800157610087



LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm

CRI >95
3000 LUMENS
 PER METER
SUPER EFFICIENT

Tape-5050 30 LEDs

4.8w **VT-5050 30-IP20**

SKU: 2135 - 3000K Warm White 3800230621405
 SKU: 2133 - 6000K White 3800230621382
 SKU: 2124 - RGB 3800230621535



LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14-16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	30	Width:	10mm

Tape-5050 30 LEDs

4.8w VT-5050 30-IP65

SKU: 2145 - 3000K Warm White	3800230621412
SKU: 2460 - 4500K Day White	3800157612166
SKU: 2144 - 6000K White	3800230621399
SKU: 2118 - RGB	3800230621528



LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14 -16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	30	Width:	10mm

Tape-5050 60 LEDs

10.8w VT-5050 60-IP20

SKU: 2122 - 3000K Warm White	3800230621504
SKU: 2143 - 4500K Day White	3800230621467
SKU: 2126 - 6000K White	3800230621481
SKU: 2120 - RGB	3800230621542
SKU: 2128 - Red	3800230624468
SKU: 2137 - Blue	3800230621429
SKU: 2138 - Green	3800230621443
SKU: 2156 - Yellow	3800230628824



LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14 -16lm
Current/M:	0.8A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	10mm

Tape-5050 60 LEDs

10.8w VT-5050 60-IP65

SKU: 2149 - 3000K Warm White	3800230621511
SKU: 2150 - 4500K Day White	3800230621474
SKU: 2148 - 6000K White	3800230621498
SKU: 2155 - RGB	3800230621559

Box Qty.
400 Meters

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14 -16lm
Current/M:	0.8A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	10mm

Tape-3528 60 LEDs

3.6w VT-3528 60-IP20

SKU: 2016 - 3000K Warm White	3800230621160
SKU: 2041 - 4500K Day White	3800230621184
SKU: 2005 - 6000K White	3800230621153
SKU: 2015 - Red	3800230621269
SKU: 2013 - Blue	3800230621252
SKU: 2011 - Green	3800230621221
SKU: 2009 - Yellow	3800230621214

Box Qty.
400 Meters

LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	8mm

Tape-3528 60 LEDs

3.6W VT-3528 60-IP65

SKU: 2032 - 3000K Warm White	3800230621177
SKU: 2043 - 4500K Day White	3800230621191
SKU: 2031 - 6000K White	3800230621146
SKU: 2036 - Red	3800230621276
SKU: 2035 - Blue	3800230621245
SKU: 2034 - Green	3800230621238



LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	8mm

Tape-3528 120 LEDs

7.2W VT-3528 120-IP20

SKU: 2025 - 3000K Warm White	3800230621306
SKU: 2042 - 4500K Day White	3800230621320
SKU: 2002 - 6000K White	3800230621283



LED Type:	SMD	lm/M:	600lm
Watt/M:	7.2w	lm/LED:	5-6lm
Current/M:	0.6A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm

Tape-3528 120 LEDs

7.2w VT-3528 120-IP65

SKU: 2038 - 3000K Warm White

SKU: 2044 - 4500K Day White

SKU: 2037 - 6000K White

3800230621313

3800230621337

3800230621290

Box Qty.
400 Meters

LED Type:

SMD

lm/M:

600lm

Watt/M:

7.2w

lm/LED:

5-6lm

Current/M:

0.6A

Beam Angle:

120°

Voltage:

DC:12V

IP Rating:

IP65

LED Qty

120

Width:

8mm

Tape-5050 60 LEDs

10.8w VT-5050 60RGBW

SKU: 2159 - RGB+White

SKU: 2552 - RGB+Day White

SKU: 2553 - RGB+Warm White

3800230629623

3800157630306

3800157630313

Box Qty.
400 Meters

LED Type:

SMD

lm/M:

900lm

Watt/M:

10.8w

lm/LED:

15lm

Current/M:

1.2A

Beam Angle:

120°

Voltage:

DC:12V

IP Rating:

IP20

LED Qty

60

Width:

10mm

Tape-3014 204 LEDs

18w VT-3014 204

SKU: 2404 - 3000K Warm White 3800230628060
 SKU: 2405 - 4500K Day White 3800157600309
 SKU: 2403 - 6000K White 3800230628053



LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm

Tape-5050 60 LEDs

9w VT-5050 60-24V

SKU: 2431 - 3000K Warm White 3800230621573
 SKU: 2459 - 4500K Day White 3800157612036
 SKU: 2430 - 6000K White 3800230621566



LED Type:	SMD	lm/M:	600lm
Watt/M:	9w	lm/LED:	14-16lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:24V	IP Rating:	IP20
LED Qty	60	Width:	10mm

LED **Neon** Lights



Neon Flex-White

8W

VT-555W



Box Qty.
5 Packets

SKU : 2512 - 6000K White
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°
EAN : 3800157605656



Neon Flex-Warm White

8W

VT-555WW



Box Qty.
5 Packets

SKU : 2513 - 3000K Warm
Voltage: White
Lumen lm/M: DC:24V
FPC Width MM: 320±5%
Power W/M: 7.5
Jacket Dia: 8w
Beam Angle: 9 x16.5 mm
EAN : 160°



Neon Flex-Day White

8W

VT-555DW



Box Qty.
5 Packets

SKU : 2514 - 4500K Day
Voltage: White
Lumen lm/M: DC:24V
FPC Width MM: 320±5%
Power W/M: 7.5
Jacket Dia: 8w
Beam Angle: 9 x16.5 mm
EAN : 160°



Neon Flex-Blue

8W

VT-555B

 Box Qty.
5 Packets

SKU : 2515 - Blue
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°
 EAN : 3800157605687



Neon Flex-Red

8W

VT-555R

 Box Qty.
5 Packets

SKU : 2516 - Red
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°
 EAN : 3800157605694



Neon Flex-Green

8W

VT-555G

 Box Qty.
5 Packets

SKU : 2517 - Green
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°
 EAN : 3800157605700



Neon Flex-Yellow

8W

VT-555Y



Box Qty.
5 Packets

SKU : 2518 - Yellow
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°
EAN : 3800157605717



Neon Flex-Pink

8W

VT-555P



Box Qty.
5 Packets

SKU : 2529 - Pink
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°
EAN : 3800157619523



Neon Flex-Violet

8W

VT-555V



Box Qty.
5 Packets

SKU : 2531 - Violet
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°
EAN : 3800157619547



Aluminium Profiles

Box Qty.
2200Pcs
**6PCS
Included with
Neon Flex**

SKU : 2527
EAN : 3800157608404


Neon Power Cord

Box Qty.
500 Pcs
SKU : 3331
EAN : 3800157616829

Neon Connector

Box Qty.
3000 Pcs
SKU : 3333
EAN : 3800157607889

Neon End Safe Cap

Box Qty.
2 Pcs
SKU : 3334
EAN : 3800157607896

LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



SKU	Description:	EAN :	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

Strip Connectors



SKU	Description:	EAN :	BOX Qty:
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3509	Connector - LED Strip 3528 Cross Type	3800157608473	100 Pcs
3510	Connector - LED Strip 5050 Cross Type	3800157608480	200 Pcs
3511	Connector - LED Strip 5050 L Type	3800157608497	250 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs

Bar 4014 144 LEDs

18w

VT-4014 144-2Pc

 Box Qty.
125 Pcs

SKU: 2535 - 3000K Warm White 3800157625883
 SKU: 2536 - 4000K Day White 3800157625890
 SKU: 2537 - 6400K White 3800157625906

Current: 1.5A
 Voltage: DC:12V
 Lumens/LED: 20-24lm
 LM/M: 1700lm
 Size: 1M
 LED Type: SMD
 IP Rating: IP20




Bar 4014 144 LEDs

18w

VT-4014 144-10Pc

 Box Qty.
50 Pcs

SKU: 2538 - 3000K Warm White 3800157625913
 SKU: 2539 - 4000K Day White 3800157625920
 SKU: 2540 - 6400K White 3800157625937

Current: 1.5A
 Voltage: DC:12V
 Lumens/LED: 20-24lm
 LM/M: 1700lm
 Size: 1M
 LED Type: SMD
 IP Rating: IP20




Bar 4014 144 LEDs

18w

VT-4014 144-P

 Box Qty.
100 Pcs


SKU: 2541 - 3000K Warm White 3800157625944
 SKU: 2542 - 4500K Day White 3800157625951
 SKU: 2543 - 6400K White 3800157625968

Current: 1.5A
 Voltage: DC:12V
 Lumens/LED: 20-24lm
 LM/M: 1700lm
 Size: 1M
 LED Type: SMD
 IP Rating: IP20





Aluminium Profile-Transparent




Model No: VT-7101-T
SKU : 9981
Dimension: 16.76x10.3x1000mm
Color of Fixture: Transparent
EAN : 3800230622129

Box Qty.
100 Pcs



Aluminium Profile-Matt




Model No: VT-7101-M
SKU : 9982
Dimension: 16.76x10.3x1000mm
Color of Fixture: Matt
EAN : 3800230622136

Box Qty.
100 Pcs



Aluminium Profile-Transparent




Model No: VT-7102-T
SKU : 9983
Dimension: 16.9x12.48x1000mm
Color of Fixture: Transparent
EAN : 3800230622143

Box Qty.
140 Pcs



Aluminium Profile-Matt



Model No: VT-7102-M
SKU : 9984
Dimension: 16.9x12.48x1000mm
Color of Fixture: Matt
EAN : 3800230622150


Box Qty.
140 Pcs



Aluminium Profile-Transparent



Box Qty.
90 Pcs




Model No:	VT-7103-T
SKU :	9985
Dimension:	26.5x9x1000mm
Color of Fixture:	Transparent
EAN :	3800230622150



Aluminium Profile-Matt



Box Qty.
90 Pcs




Model No:	VT-7103-M
SKU :	9986
Dimension:	26.5x9x1000mm
Color of Fixture:	Matt
EAN :	3800230622174



Aluminium Profile-Matt



Box Qty.
80 Pcs




Model No:	VT-7104-M
SKU :	9987
Dimension:	19x19x1000mm
Color of Fixture:	Matt
EAN :	3800230622181



Aluminium Profile-2 Meters



Box Qty.
40 Pcs




Model No:	VT-7104
SKU :	9956
Dimension:	19x19x2000mm
Color of Fixture:	Milky
EAN :	3800157635509



2 Pcs
PACK

Aluminium Profile-2 Meters




Box Qty.
150 Pcs

Model No: VT-7109-2Pc
SKU : 9957
Dimension: 22x17x2000mm
Color of Fixture: Milky
EAN : 3800157617208



Aluminium Profile-Milky




Box Qty.
150 Pcs

Model No: VT-7109
SKU : 9947
Dimension: 22x17x1000mm
Color of Fixture: Milky
EAN : 3800157617208



Aluminium Profile-Milky




Box Qty.
150 Pcs

Model No: VT-7105
SKU : 9990
Dimension: 24.6x7.85x1000mm
Color of Fixture: Milky
EAN : 3800230628077



Aluminium Profile-2 Meters




Box Qty.
50 Pcs

Model No: VT-7105-M
SKU : 9991
Dimension: 24.6x7.85x2000mm
Color of Fixture: Milky
EAN : 3800230628794



Aluminium Profile-2 Meters



Model No:	VT-7106-1
SKU :	9992
Dimension:	17.5x7.8x1000/2000mm
Color of Fixture:	Milky
EAN :	3800230628800

 Box Qty.
150 Pcs



Aluminium Profile-2 Meters




Model No:	VT-7106-2
SKU :	9993
Dimension:	17.5x7.8x1000/2000mm
Color of Fixture:	Milky
EAN :	3800230628817

 Box Qty.
70 Pcs



Aluminium Profile-Milky




Model No:	VT-7107
SKU :	9994
Dimension:	60x35.1x1000mm
Color of Fixture:	Milky
EAN :	3800157601399

 Box Qty.
16 Pcs



Aluminium Profile-Milky



Model No:	VT-7108
SKU :	9995
Dimension:	20.54x1000mm
Color of Fixture:	Milky
EAN :	3800157601405

 Box Qty.
56 Pcs



Strip-Controller-Dimmer

VT-2402

Box Qty.
50 Pcs

Dimmer for LED Strip with
Remote Control

SKU : 3300
Max Current /Watt: 8A, 96W
Input Voltage: DC:12/24V
EAN : 3800230622198



Strip-Controller-Radio

VT-2404

Box Qty.
100 Pcs

Radio Controller with Remote
Control 4 Buttons

SKU : 3303
Max Current /Watt: 12A, 144W
Input Voltage: DC:12/24V
EAN : 3800230622204



Strip-Controller-DMX 512

VT-DM X 512

Box Qty.
50 Pcs

SKU : 3307
Max Current /Watt: 4A x3, 360W
Input Voltage: DC:12V
EAN : 3800230622266



Strip-Controller-Radio

VT-2405

Box Qty.
20 Pcs

Radio Controller with Touch
Remote Control

SKU : 3312
Max Current /Watt: 3A x4, 144W
Input Voltage: DC:12/24V
EAN : 3800230622273



Strip-Controller-Radio

VT-2406

Box Qty.
50 Pcs

Radio Controller with Remote
Control

SKU : 3318
Max Current /Watt: 500W
Input Voltage: DC:12/24V
EAN : 3800230622235



Strip-Controller-RF

3320Box Qty.
500 Pcs

Mini RF Controller

SKU :	3320
Input Voltage:	DC:12V
EAN :	3800230628022



Strip-Controller-Infrared

VT-2472Box Qty.
100 PcsInfrared Controller with
Remote Control 24 Buttons

SKU :	3625
Max Current /Watt:	72w
Input Voltage:	DC:12/24V
EAN :	3800230629630



Strip-Amplifier-5050

3009Box Qty.
100 Pcs

5050 RGB Strip Amplifier

SKU :	3009
Max Current /Watt:	6A, 72W
Input Voltage:	DC:12V
EAN :	3800230622259



Strip-Amplifier-5050

3018Box Qty.
1000 Pcs

5050 RGB Strip Mini-Amplifier

SKU :	3018
Input Voltage:	DC:12V
EAN :	3800230622242



Strip-Controller

3319Box Qty.
500 Pcs

24B Mini Controller

SKU :	3319
Input Voltage:	DC:12V
EAN :	3800230628015



Strip-Controller-Wifi

3321

Box Qty.
50 Pcs

Wi-Fi Single Controller

SKU : 3321
Input Voltage: DC:12V
EAN : 3800230628039



Strip-Controller-Wifi RGB

3322

Box Qty.
50 Pcs

Wi-Fi RGB Controller

SKU : 3322
Input Voltage: DC:12V
EAN : 3800230628046



Strip-Controller-5050

3326

Box Qty.
100 Pcs

5050 60 RGB+W/WW with LED
Controller

SKU : 3326
Input Voltage: DC:12V
EAN : 3800230629630



Strip-Amplifier

VT-2408

Box Qty.
100 Pcs

RGB+W Amplifier

SKU : 3327
Input Voltage: DC:12V
EAN : 3800157601047



Strip-Amplifier

VT-2407

Box Qty.
100Pcs

RGB Amplifier

SKU : 3309
Input Voltage: DC:12V
EAN : 3800157620819

new!

Bed Light-Sensor VT-8069

 Box Qty.
400Pcs

SKU : 2554
 Input voltage: DC:12V
 Sensing Distance: 2-5m
 Delay Time: 3s-6min
 EAN : 3800157632690


**new!**

Bed Light-Touch Sensor VT-8071

 Box Qty.
100Pcs

Touch Switch & Dimmer

SKU : 2556
 Input voltage: DC:12V
 EAN : 3800157632713

**new!**

Bed Light-Hand Wave Sensor VT-8072

 Box Qty.
100Pcs

SKU : 2557
 Input voltage: DC:12V
 EAN : 3800157632720

**new!**

Strip-Controller-Dimmer VT-2411

 Box Qty.

Touch Switch & Dimmer

SKU : 3341
 Input voltage: DC:12V
 EAN : 3800157636148

**new!**

Bed Light-Connector Terminal VT-8070

 Box Qty.
400Pcs

SKU : 2555
 EAN : 3800157632706



Strip-Controller-Dimmer

VT-2410



Box Qty.
100 Pcs

RF Controller+Dimmer

SKU : 3663
Max Current /Watt: 6A 216W/432W
Input Voltage: DC:12V
EAN : 3800157619509

new!



LED Sync Controller- Dimmer

VT-2414



Box Qty.
50Pcs

SKU : 3337
DC:12/24V
EAN : 3800157634601

new!



LED Sync Controller- RGBW/WW

VT-2424



Box Qty.
60Pcs

SKU : 3338
Input Voltage: DC:12/24V
EAN : 3800157634618

new!



LED Sync Controller- RGB

VT-2420



Box Qty.
60Pcs

SKU : 3339
Input Voltage: DC:12/24V
EAN : 3800157634625

new!



LED Sync Controller- RGB

VT-2421



Box Qty.
100Pcs

SKU : 3340
Input Voltage: DC:12/24V
EAN : 3800157634632

Modules-3 SMD-IP67

0.72w **VT-50303**

SKU: 5116 - 6000K White

SKU: 5117 -Red

SKU: 5118 - Blue

SKU: 5119 - Green

3800157610209

3800157610216

3800157610223

3800157610230

Voltage/Frequency: DC:12V

Luminous Flux: 66lm

LED Type: SMD

CRI: >75

Beam Angle: 160°

Dimension: 67x15x8.5mm

IP Rating: IP67


 Box Qty.
2000 Pcs
 **IP67**
RATING

Modules-3 SMD-IP67

1w **VT-28353**

SKU: 5120 - 6000K White

SKU: 5121 -Red

SKU: 5122 - Blue

SKU: 5123 - Green

3800157610247

3800157610254

3800157610261

3800157610278

Voltage/Frequency: DC:12V

Luminous Flux: 100lm

LED Type: SMD

CRI: >75

Beam Angle: 120°

Dimension: 53x12x4.6mm

IP Rating: IP67


 Box Qty.
2000 Pcs
 **IP67**
RATING

Modules-3 SMD-IP67

1.5w **VT-28356**

SKU: 5124 - 3000K Warm White

SKU: 5125 - 6000K White

SKU: 5126 -Red

SKU: 5127 - Blue

SKU: 5128 - Green

3800157621687

3800157621694

3800157621700

3800157621717

3800157621724

Voltage/Frequency: DC:12V

Luminous Flux: 120-150lm

LED Type: SMD

CRI: >75

Beam Angle: 120°

Dimension: 87x15x10mm

IP Rating: IP67


 Box Qty.
2000 Pcs
 **IP67**
RATING

Modules-4 SMD-IP68

1.44w VT-28358

Voltage/Frequency: **DC:12V**
Luminous Flux: **120-135lm**
LED Type: **SMD**
CRI: **>75**
Beam Angle: **160°**
Dimension: **37x37x6.8mm**
IP Rating: **IP68**

SKU: 5129 - 3000K Warm White
SKU: 5130 - 6000K White
SKU: 5131 - Red
SKU: 5132 - Blue
SKU: 5133 - Green

3800157621731
3800157621748
3800157621755
3800157621762
3800157621779



Box Qty.
100Pcs

IP68
RATING

Modules-3 SMD-IP67

0.72w VT-50506

Voltage/Frequency: **DC:12V**
Luminous Flux: **20lm**
LED Type: **SMD**
CRI: **>75**
Beam Angle: **120°**
Dimension: **68x19.5x5.7mm**
IP Rating: **IP67**

SKU: 5134 - RGB

3800157621786



Box Qty.
100 Pcs

IP67
RATING

Modules-SMD-IP68

0.24w VT-50501

Voltage/Frequency: **DC:12V**
Luminous Flux: **20lm**
LED Type: **SMD**
CRI: **>75**
Beam Angle: **120°**
Dimension: **12x22mm**
IP Rating: **IP68**

SKU: 5135 - 3000K Warm white
SKU: 5136 - 6000K White
SKU: 5137 - Red
SKU: 5139 - Blue
SKU: 5140 - Green
SKU: 5138 - Yellow

3800157621793
3800157621809
3800157621816
3800157621830
3800157621847
3800157621823



Box Qty.
320 Pcs

IP68
RATING

Power Supply For **LED** Strip Lights





Slim Power Supply

VT-20062



Box Qty.
36 Pcs

SKU : 3246
Watts: 60w
Current Capacity: 5A
Output: DC:12V
Unit Size: 130x50x31mm
EAN : 3800157628549



Slim Power Supply

VT-20077



Box Qty.
60 Pcs

With short circuit protection,
over load protection, stable
output voltage

SKU : 3247
Watts: 75w
Current Capacity: 6A
Output: DC:12V
Unit Size: 130x50x31mm
EAN : 3800157628556



Slim Power Supply

VT-20122



Box Qty.
80 Pcs

Built in EMI Filter

SKU : 3243
Watts: 120w
Current Capacity: 10A
Output: DC:12V
Unit Size: 190x50x31mm
EAN : 3800157628525



Slim Power Supply

VT-20152



Box Qty.
60 Pcs

High efficiency, low
temperature

SKU : 3244
Watts: 150w
Current Capacity: 12.5A
Output: DC:12V
Unit Size: 200x62x31mm
EAN : 3800157628532



Power Supply-Metal

VT-20026



100% load tested

SKU :	3228
Watts:	25w
Current Capacity:	2.1A
Output:	DC:12V
Unit Size:	140x33x27mm
EAN :	3800157622929



Power Supply-Metal

VT-20350



Protection Rating : IP20

SKU :	3057
Watts:	350w
Current Capacity:	30A
Output:	DC:12V
Unit Size:	215x115x50mm
EAN :	3800230621795



Power Supply-Metal

VT-20061



CE, ROHS, EMC approved

SKU :	3229
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	160x40x32mm
EAN :	3800157622936



Power Supply-Metal

VT-20076



SKU :	3230
Watts:	75w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	188x47x35mm
EAN :	3800157622943



Power Supply-Metal

VT-20121



Box Qty.
36 Pcs

SKU : 3226
Watts: 120w
Current Capacity: 10A
Output: DC:12V
Unit Size: 188x47x35mm
EAN : 3800157622905



Power Supply-Metal

VT-20151



Box Qty.
50 Pcs

SKU : 3227
Watts: 150w
Current Capacity: 12.5A
Output: DC:12V
Unit Size: 200x58x40mm
EAN : 3800157622912

new!



Power Supply-Metal

VT-20153



Box Qty.
50 Pcs

SKU : 3253
Watts: 150w
Current Capacity: 6.5A
Output: DC:24V
Unit Size: 253x72x45mm
EAN : 3800157635233

new!



Power Supply-Metal

VT-20027



Box Qty.
100 Pcs

SKU : 3254
Watts: 25w
Current Capacity: 2A
Output: DC:12V
Unit Size: 140x33x27mm
EAN : 3800157635264



LED Power Supply-TRIAC Dimmable

VT-20101D

 Box Qty.
50 Pcs


SKU :	3256
Watts:	100w
Current Capacity:	8.5A
Output:	DC:12V
Unit Size:	199x98x42mm
EAN :	3800157635523




LED Power Supply-TRIAC Dimmable

VT-20154D

 Box Qty.
50 Pcs


SKU :	3257
Watts:	150w
Current Capacity:	12.5A
Output:	DC:12V
Unit Size:	199x98x42mm
EAN :	3800157635530




LED Power Supply-TRIAC Dimmable

VT-20155D

 Box Qty.
50 Pcs


SKU :	3258
Watts:	150w
Current Capacity:	6.25A
Output:	DC:24V
Unit Size:	199x98x42mm
EAN :	3800157635547



LED Power Supply-Rainproof-IP45

VT-21151

IP45
RATING



Box Qty.
40 Pcs

SKU : 3231
Watts: 150w
Current Capacity: 12.5A
Output: DC:12V
Unit Size: 207x74x42mm
EAN : 3800157627979

LED Power Supply-Rainproof-IP45

VT-21251

IP45
RATING



Box Qty.
25 Pcs

SKU : 3232
Watts: 250w
Current Capacity: 20A
Output: DC:12V
Unit Size: 218x95x50mm
EAN : 3800157627986

LED Power Supply-Rainproof-IP45

VT-21401

IP45
RATING



Box Qty.
20 Pcs

SKU : 3233
Watts: 400w
Current Capacity: 33A
Output: DC:12V
Unit Size: 223x118x50mm
EAN : 3800157627993



Power Supply-Waterproof-IP65

VT-22101
 Box Qty.
20 Pcs

SKU :	3101
Watts:	100w
Current Capacity:	4.2A
Output:	DC:24V
Unit Size:	201x30.5x20mm
EAN :	3800157605991



Power Supply-Waterproof-IP67

VT-22061
 Box Qty.
40 Pcs

SKU :	3234
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	166x43x33mm
EAN :	3800157628006



Power Supply-Waterproof-IP67

VT-22075
 Box Qty.
40 Pcs

SKU :	3235
Watts:	75w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	166x43x33mm
EAN :	3800157628013



Power Supply-Waterproof-IP67

VT-22153
 Box Qty.
15 Pcs

SKU :	3248
Watts:	150w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	192x52x37mm
EAN :	3800157629362



new!

Power Supply-Waterproof-IP67



VT-22155

SKU : 3250
Watts: 150w
Current Capacity: 12.5A
Output: DC:12V
Unit Size: 192x52x37mm
EAN : 3800157630436

Box Qty.
20 Pcs

5 **V-TAC®** **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



new!

Power Supply-Waterproof-IP67



VT-22105

SKU : 3251
Watts: 100w
Current Capacity: 8.3A
Output: DC:12V
Unit Size: 192x52x37mm
EAN : 3800157630443

Box Qty.
25 Pcs

5 **V-TAC®** **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



new!

Power Supply-Waterproof-IP67



VT-22065

SKU : 3252
Watts: 60w
Current Capacity: 5A
Output: DC:12V
Unit Size: 166x43x33mm
EAN : 3800157630450

Box Qty.
40 Pcs

5 **V-TAC®** **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





Power Supply-Plastic-IP44

VT-23019

 Box Qty.
120 Pcs

SKU :	3237
Watts:	18w
Current Capacity:	1.5A
Output:	DC:12V
Unit Size:	73x27x43mm
EAN :	3800157628037



Power Supply-Plastic-IP44

VT-23031

 Box Qty.
50 Pcs

SKU :	3238
Watts:	30w
Current Capacity:	2.5A
Output:	DC:12V
Unit Size:	119x52x32mm
EAN :	3800157628044



Power Supply-Plastic-IP44

VT-23061

 Box Qty.
50 Pcs

SKU :	3239
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	119x52x32mm
EAN :	3800157628051



Power Supply-Plastic-IP44

VT-23079



Box Qty.
50 Pcs

SKU : 3240
Watts: 78w
Current Capacity: 6.5A
Output: DC:12V
Unit Size: 119x52x32mm
EAN : 3800157628068



Power Supply-Plastic-IP44

VT-23043



Box Qty.
50 Pcs

SKU : 3249
Watts: 42w
Current Capacity: 3.5A
Output: DC:12V
Unit Size: 119x52x32mm
EAN : 3800157629379



Power Supply-Plastic

VT-23060



Box Qty.
50 Pcs

SKU : 3035
Watts: 60w
Current Capacity: 5A
Output: DC:12V
Unit Size: 130x90x45mm
EAN : 3800157601085



LED Linear Lights

V-TAC LED Linear Trunking System is an energy-efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial and light assembly applications. It is the optimal solution for conventional lighting systems and also excellent for new installations due to its low installation cost.

High lumen output

output: 160 lm/W to meet different requirements

160⁺⁺
LM/W
HIGH LUMENS


Flexible Beam angle


90°, 120°, double-asymmetric



Modular system


Continuous row system, seamless connection, max 3500W /row






LED Linear Master Trunking

SKU: 1360 - 4000K Day White
3800157625647




LED Linear Master Trunking

SKU: 1361 - 4000K Day White
3800157625654



LED Linear Master Trunking

SKU: 1362 - 4000K Day White
3800157625661



50w

VT-4551D

Box Qty.
2 Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **8000lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

5 **V-TAC®** **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Color of Fixture: **White**
Body Type: **Steel**
Dimension: **1500mm**
ON/OFF Time: **>15000**
Life Span: **50,000 Hours**



V-TAC PERFORMANCE
160
LUMENS/WATT



90°
LENS

120°
LENS

**Double
Asymmetric
LENS**


LED Linear Follow Trunking

SKU: 1363 - 4000K Day White
3800157625678




LED Linear Follow Trunking

SKU: 1364 - 4000K Day White
3800157625685



LED Linear Follow Trunking

SKU: 1365 - 4000K Day White
3800157625692



50w VT-4550D



Box Qty.
2 Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **8000lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

5 **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Color of Fixture: **White**
Body Type: **Steel**
Dimension: **1500mm**
ON/OFF Time: **>15000**
Life Span: **50,000 Hours**



V-TAC PERFORMANCE
160
LUMENS/WATT



Linear Track Module



SKU : 1382
EAN : 3800157626415



End Cap-Linear Light Accessory



SKU : 1366
EAN : 3800157625708



Suspended Cord-Linear Light



SKU : 1367
EAN : 3800157625715



8 Wire-Feed In Male Connec-



SKU : 1368
EAN : 3800157625722



L Node Connector-Linear



SKU : 1383
EAN : 3800157626422



T Node Connector-Linear



SKU : 1384
EAN : 3800157626439



X Node Connector-Linear



SKU : 1385
EAN : 3800157626446




S Line-Follow Trunking Rail



SKU : 1451
EAN : 3800157633079



S Line-PC Blank Cover



SKU : 1452
EAN : 3800157633086

LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.




Product Features

- Available from 10W up to 45W
- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

Applications

Perfect choice for Exhibition Stands, Hotels, Bars, Commercial & Residential Lighting.



15° to 60°
Beam Angle
Adjustable by Rotating



Tracklights-CREE COB-15° to 60°
35w VT-4735



SKU: 1357 - 3000K Warm White
SKU: 1358 - 4000K Day White
SKU: 1359 - 6400K White

3800157625074
3800157625081
3800157625098

Box Qty.
8 Pcs

5 **V-TAC®** **PRO**
YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2800lm**
LED Type: **COB(CREE)**
CRI: **>80**

PF: **>0.9**
Beam Angle: **15°-60° (Adjustable)**
Color of Fixture: **White**
Body Type: **Aluminium**
Life span: **30,000 Hours**
Dimension: **178.4x197.7x95mm**



Tracklights-Color Changing

18w VT-4718-W

SKU: 1410 - 3 IN 1

3800157629324

Box Qty.
20 Pcs
CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°
**Triac Dimmable**

Sensor Compatible: Yes

PF: > 0.9

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 20° ~ 60° (Adjustable)

Luminous Flux: 1450lm

Color of Fixture: White

LED Type: COB

Body Type: Aluminium

CRI: > 95

Life span: 30,000 Hours

Dimension: Ø93x93.5x203mm

5 **YEAR WARRANTY**
*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


Tracklights-Color Changing

18w VT-4718-B

SKU: 1411 - 3 IN 1

3800157629331

Box Qty.
20 Pcs
CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°
**Triac Dimmable**

Sensor Compatible: Yes

PF: > 0.9

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 20° ~ 60° (Adjustable)

Luminous Flux: 1450lm

Color of Fixture: Black

LED Type: COB

Body Type: Aluminium

CRI: > 95

Life span: 30,000 Hours

Dimension: Ø93x93.5x203mm

5 **YEAR WARRANTY**
*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Tracklights-Color Changing


35W VT-4745-W

SKU: 1412 - 3 IN 1

3800157629348



Box Qty.
8 Pcs



CCT Adjustable
2800K/4000K/6000K



Lens Angle Adjustable
20°~60°



Triac Dimmable

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **3000lm**

LED Type: **COB**

CRI: **>95**

PF: **>0.9**

Beam Angle: **20° ~ 60° (Adjustable)**

Color of Fixture: **White**

Body Type: **Aluminium**

Life span: **30,000 Hours**

Dimension: **Ø100x196x262mm**

5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Tracklights-Color Changing


35W VT-4745-B

SKU: 1413 - 3 IN 1

3800157629355



Box Qty.
8 Pcs



CCT Adjustable
2800K/4000K/6000K



Lens Angle Adjustable
20°~60°



Triac Dimmable

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **3000lm**

LED Type: **COB**

CRI: **>95**

PF: **>0.9**

Beam Angle: **20° ~ 60° (Adjustable)**

Color of Fixture: **Black**

Body Type: **Aluminium**

Life span: **30,000 Hours**

Dimension: **Ø100x196x262mm**

5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Tracklights-Black-White Body

10w VT-4512

SKU: 1332 - 3000K Warm White



SKU: 1333 - 4000K Day White

SKU: 1334 - 6000K White

3800157620604

3800157620611

3800157620628

Box Qty.
40 Pcs

5  **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	800lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	209x65x163mm



Tracklights-Black-White Body

25w VT-4528

SKU: 1335 - 3000K Warm White



SKU: 1336 - 4000K Day White

SKU: 1337 - 6000K White

3800157620635

3800157620642

3800157620659

Box Qty.
20 Pcs

5  **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2100lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	209x85x187mm



Tracklights-Black-White Body

35W VT-4537

SKU: 1338 - 3000K Warm White

SKU: 1339 - 4000K Day White

SKU: 1340 - 6000K White


3800157620666

3800157620673


3800157620680



Box Qty.
10 Pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **2850lm**

LED Type: **COB**

CRI: **>80**

PF: **>0.9**

Beam Angle: **24°**

Color of Fixture: **Black+White**

Body Type: **Aluminium**

Life span: **30,000 Hours**

Dimension: **224x100x215mm**





Tracklights-White Body-5 Years

15w VT-4615W

SKU: 1298 - 3000K Warm White

3800157619851

SKU: 1299 - 4000K Day White


3800157619868

SKU: 1300 - 6400K White

3800157619875

Box Qty.
20 Pcs


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: Yes

PF: >0.9

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 24°

Luminous Flux: 1350lm

Color of Fixture: White


LED Type: COB

Body Type: Aluminium

CRI: >95

Life span: 30,000 Hours

Dimension: Ø180x97x155mm



Tracklights-Black Body-5 Years

15w VT-4615B

SKU: 1301 - 3000K Warm White

3800157619882

SKU: 1302 - 4000K Day White

3800157619899

SKU: 1303 - 6400K White

3800157619905

Box Qty.
20 Pcs


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: Yes

PF: >0.9

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 24°

Luminous Flux: 1350lm

Color of Fixture: Black


LED Type: COB

Body Type: Aluminium

CRI: >95

Life span: 30,000 Hours

Dimension: 180x97x155mm





Tracklights-White Body-5 Years

30w VT-4635W


SKU: 1292 - 3000K Warm White
SKU: 1293 - 4000K Day White
SKU: 1294 - 6400K White

3800157619790
3800157619806
3800157619813

Box Qty.
20 Pcs

5 **V-TAC® PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-264V,50/60Hz**
Luminous Flux: **2700lm**
LED Type: **COB**
CRI: **>95**

PF: **>0.9**
Beam Angle: **24°**
Color of Fixture: **White**
Body Type: **Aluminium**
Life span: **30,000 Hours**
Dimension: **180x140x215mm**



Tracklights-Black Body-5 Years

30w VT-4635B


SKU: 1295 - 3000K Warm White
SKU: 1296 - 4000K Day White
SKU: 1297 - 6400K White

3800157619820
3800157619837
3800157619844

Box Qty.
20 Pcs

5 **V-TAC® PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-264V,50/60Hz**
Luminous Flux: **2700lm**
LED Type: **COB**
CRI: **>95**

PF: **>0.9**
Beam Angle: **24°**
Color of Fixture: **Black**
Body Type: **Aluminium**
Life span: **30,000 Hours**
Dimension: **180x140x215mm**



Tracklights-Black Body

33W VT-4535

SKU: 1233 - 3000K Warm White

SKU: 1234 - 4000K Day White

SKU: 1235 - 5000K White



3800157603720

3800157603737

3800157603744

Box Qty.
8 Pcs

LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 1800lm

LED Type: COB

CRI: >95

PF: >0.9

Beam Angle: 25°

Color of Fixture: Black

Body Type: Die Cast Aluminium

Life span: 20,000 Hours

Dimension: 112x165x205mm



Tracklights-Black Body

45W VT-4545

SKU: 1236 - 3000K Warm White

SKU: 1237 - 4000K Day White

SKU: 1238 - 5000K White



3800157603751

3800157603768

3800157603775

Box Qty.
8 Pcs

LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 2300lm

LED Type: COB

CRI: >95

PF: >0.9

Beam Angle: 25°

Color of Fixture: Black

Body Type: Die Cast Aluminium

Life span: 20,000 Hours

Dimension: 123x165x218mm




Tracklights-Black Body
20w VT-4521T

SKU: 1202 - 5000K Day White 3800157600187



Box Qty.
8 Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1500lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.9**
Beam Angle: **46°**
Color of Fixture: **Black**
Body Type: **Die Cast Aluminium**
Life span: **20,000 Hours**
Dimension: **Ø80x185mm**




Tracklights-Black Body
40w VT-4540T

SKU: 1191 - 3000K Warm White 3800230629548
SKU: 1192 - 5000K Day White 3800230629555



Box Qty.
8 Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2600lm**
LED Type: **COB**
CRI: **>70**

PF: **>0.9**
Beam Angle: **22°**
Color of Fixture: **Black**
Body Type: **Aluminium**
Life span: **20,000 Hours**
Dimension: **225x185x138mm**




Tracklights-White Body 33W VT-4534W


SKU: 1241 - 3000K Warm White
SKU: 1229 - 4000K Day White
SKU: 1230 - 5000K White

3800157603997
3800157602501
3800157602518

 Box Qty.
8 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	22°
Luminous Flux:	2300lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	> 80	Life span:	20,000 Hours
		Dimension:	106x208x206mm




Tracklights-Black Body 33W VT-4534B


SKU: 1242 - 3000K Warm White
SKU: 1231 - 4000K Day White
SKU: 1232 - 5000K White

3800157604000
3800157602525
3800157602532

 Box Qty.
8 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	22°
Luminous Flux:	2300lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	> 80	Life span:	20,000 Hours
		Dimension:	106x208x206mm




Tracklights-White Body 35w VT-4536W


SKU: 1255 - 3000K Warm White
SKU: 1256 - 4500K Day White
SKU: 1257 - 6000K White

Box Qty.
20 Pcs

3800157607551
3800157607568
3800157607575



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-264V,50/60Hz**
Luminous Flux: **3500lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.9**
Beam Angle: **24°**
Color of Fixture: **White**
Body Type: **Aluminium**
Life span: **20,000 Hours**
Dimension: **92x165x192mm**




Tracklights-Black Body 35w VT-4536B


SKU: 1285 - 3000K Warm White
SKU: 1286 - 4000K Day White
SKU: 1287 - 6000K White

Box Qty.
20 Pcs

3800157618694
3800157618700
3800157618717



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-264V,50/60Hz**
Luminous Flux: **3500lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.9**
Beam Angle: **24°**
Color of Fixture: **Black**
Body Type: **Aluminium**
Life span: **20,000 Hours**
Dimension: **92x165x192mm**



Track Fittings-4Line-GU10

4 Line White



Box Qty.

24 Pcs VT-7111-4B

SKU : 3544

EAN : 3800230628299



Track Fittings-4Line-PAR20

4 Line White



Box Qty.

18 Pcs VT-7112-4W

SKU : 3554

EAN : 3800230628398



Track Fittings-2Line-PAR20

2 Line White



Box Qty.

18 Pcs VT-7112-2W

SKU : 3556

EAN : 3800230628411



Track Fittings-4Line-PAR20

4 Line Black



Box Qty.

18 Pcs VT-7112-4B

SKU : 3553

EAN : 3800230628381



Track Fittings-4Line-E27

4 Line White



Box Qty.

50 Pcs VT-7115

SKU : 3567

EAN : 3800157602402



Track Fittings-4Line-PAR38

4 Line White



Box Qty.

18 Pcs VT-7116-4W

SKU : 3570

EAN : 3800157604252



Track-Connectors-4I



Box Qty.

50 Pcs

SKU : 3522

EAN : 3800230623232



Track-Connectors-4I



Box Qty.

50 Pcs

SKU : 3523

EAN : 3800230623195



Track-Connectors-4T



Box Qty.

25 Pcs

SKU : 3524

EAN : 3800230623201



Track-Connectors-4T

Box Qty.
25 Pcs

SKU : 3525
EAN : 3800230623249



Track-Connectors-4X

Box Qty.
10 Pcs

SKU : 3526
EAN : 3800230623218



4 Wired Y Series-Connectors

Box Qty.
100 Pcs

SKU : 3655
EAN : 3800157619103



4 Wired Y Series-Connectors

Box Qty.
100 Pcs

SKU : 3656
EAN : 3800157619110



4 Wired Y Series-Connectors

Box Qty.
200 Pcs

SKU : 3657
EAN : 3800157619127



4 Wired Y Series-Connectors

Box Qty.
200 Pcs

SKU : 3658
EAN : 3800157619134



4 Wired Y Series-Adaptor

Box Qty.
50 Pcs

SKU : 3659
EAN : 3800157619141



4 Wired Y Series-Adaptor

Box Qty.
50 Pcs

SKU : 3660
EAN : 3800157619158



Track-Connectors-4X

Box Qty.
10 Pcs

SKU : 3527
EAN : 3800230623256



Track-Connectors-4L

Box Qty.
25 Pcs

SKU : 3528
EAN : 3800230623225



Track-Connectors-4L

Box Qty.
25 Pcs

SKU : 3529
EAN : 3800230623263



Flexible Joint-4 Line

Box Qty.
20 Pcs

SKU : 3560
EAN : 3800230628459



Hanging Trackline Kit-1 Meter

Box Qty.
100 Pcs

SKU : 3565
EAN : 3800157600019



Hanging Trackline Kit-1 Meter

Box Qty.
100 Pcs

SKU : 3566
EAN : 3800157600026



4 Core Track-1 Meter



SKU : 9944
EAN : 3800230623133



4 Core Track-1 Meter



SKU : 9945
EAN : 3800230623164



4 Core Track-1.5 Meter



SKU : 9952
EAN : 3800230623140



4 Core Track-1.5 Meter



SKU : 9953
EAN : 3800230623171



4 Core Track-2 Meter



SKU : 9954
EAN : 3800230623157



4 Core Track-2 Meter



SKU : 9955
EAN : 3800230623188



Track Fitting-Gu10



SKU : 3617
EAN : 3800157607469



Track Fitting-Gu10



SKU : 3618
EAN : 3800157607476



Track Fitting-Gu10



SKU : 3619
EAN : 3800157607483

LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long- lasting energy efficiency and instant brightness. Choose from a wide range of 3W to 40W



Product Features

- Innumerable styles & Elegant appearance
- Non - Flickering
- Best Quality LED Chips from companies like CREE & SAMSUNG
- Premium Quality Power Driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast Aluminium body
- Low Maintenance
- All down lights come with premium quality power

Applications

Residences, Showrooms, Hotels & Boutiques etc.

Reflector Series - High Lumen

10w VT-26101


Box Qty.
27 Pcs

SKU: 1270 - 3000K Warm White
SKU: 1271 - 4000K Day White
SKU: 1272 - 6400K White

3800157611923
3800157611930
3800157611947



120+ LUMENS PER WATT
SUPER EFFICIENT



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-277V,50/60Hz**
Luminous Flux: **1200lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **White**
Shape: **Round**
Dimension: **Ø135x71mm**
Cutting Size: **Ø120mm**

Reflector Series - High Lumen

20w VT-26201


Box Qty.
18 Pcs

SKU: 1273 - 3000K Warm White
SKU: 1274 - 4000K Day White
SKU: 1275 - 6400K White

3800157611954
3800157611961
3800157611978



120+ LUMENS PER WATT
SUPER EFFICIENT



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-277V,50/60Hz**
Luminous Flux: **2400lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **White**
Shape: **Round**
Dimension: **Ø180x83mm**
Cutting Size: **Ø167mm**

Reflector Series - High Lumen

30w VT-26301


 Box Qty.
12 Pcs

SKU: 1276 - 3000K Warm White
SKU: 1277 - 4000K Day White
SKU: 1278 - 6400K White

3800157611985
3800157611992
3800157612005



120+ LUMENS
PER WATT
SUPER EFFICIENT



Sensor Compatible: Yes
Voltage/Frequency: AC:100-277V,50/60Hz
Luminous Flux: 3600lm
LED Type: COB
CRI: >80
PF: >0.9

Beam Angle: 120°
Body Type: PKW
Color of Fixture: White
Shape: Round
Dimension: Ø220x103mm
Cutting Size: Ø207mm

Reflector Series - High Lumen

40w VT-26451


 Box Qty.
12 Pcs

SKU: 1453 - 3000K Warm White
SKU: 1279 - 4500K Day White

3800157635561
3800157612012



120+ LUMENS
PER WATT
SUPER EFFICIENT



Sensor Compatible: Yes
Voltage/Frequency: AC:100-270V,50/60Hz
Luminous Flux: 4800lm
LED Type: COB
CRI: >80
PF: >0.9

Beam Angle: 120°
Body Type: PKW
Color of Fixture: PKW
Shape: Round
Dimension: Ø220x103mm
Cutting Size: Ø207mm


Reflector Series

10w VT-2610

Box Qty.
27 Pcs

SKU: 1100 - 6000K White

3800230622372



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **730lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **PKW**
Shape: **Round**
Dimension: **Ø135x71mm**
Cutting Size: **Ø105mm**


Reflector Series

20w VT-2620

Box Qty.
18 Pcs

SKU: 1103 - 6000K White

3800230622402



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1500lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **PKW**
Shape: **Round**
Dimension: **Ø182x90mm**
Cutting Size: **Ø160mm**

Downlight-Moving Head-Round

3W

VT-1133RD

Box Qty.
100 Pcs

SKU: 5094 - 6400K White

3800157609364



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **200lm**
 LED Type: **COB**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **60°**
 Body Type: **Aluminium**
 Color of Fixture: **White**
 Shape: **Round**
 Dimension: **55x42mm**
 Cutting Size: **Ø45mm**

Downlight-Moving Head-Square

3W

VT-1133SQ

Box Qty.
100 Pcs

SKU: 5095 - 2700K Warm White

SKU: 5096 - 4000K Day White

SKU: 5097 - 6400K White

3800157609371

3800157609388

3800157609395



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **200lm**
 LED Type: **COB**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **60°**
 Body Type: **Aluminium**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **55x55x42mm**
 Cutting Size: **45 x 45mm**

Downlight-Fixed Type-Square

3W

VT-1123SQ

Box Qty.
100 Pcs

SKU: 5110 - 6400K White

3800157609456



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **200lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **60°**
Body Type: **Aluminium**
Color of Fixture: **White**
Shape: **Square**
Dimension: **45x45x35mm**
Cutting Size: **36 x 36 mm**

Downlight-Fixed Type-Square


8W

VT-2908SQ

Box Qty.
12 Pcs

SKU: 1115 - 6000K White

3800230625199



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **530lm**
LED Type: **COB**
CRI: **>70**
PF: **>0.8**

Beam Angle: **24°**
Body Type: **Powder Coating Die cast**
Color of Fixture: **PKW**
Shape: **Square**
Dimension: **103x103x75mm**
Cutting Size: **90 x 90mm**




Zoom Series - Rectangle

30W VT-2930

SKU: 1306 - 3000K Warm White
 SKU: 1307 - 4000K Day White
 SKU: 1289 - 6400K White


 Box Qty.
20 Pcs

3800157619936
 3800157619943
 3800157619646



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2450lm**
 LED Type: **COB**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **99°**
 Body Type: **Die Cast Aluminum**
 Color of Fixture: **White**
 Shape: **Rectangle**
 Dimension: **235x146x139mm**
 Cutting Size: **220 x 132mm**




Zoom Series - Round

33W VT-2933

SKU: 1304 - 3000K Warm White
 SKU: 1305 - 4500K Day White
 SKU: 1288 - 6400K White


 Box Qty.
20 Pcs

3800157619912
 3800157619929
 3800157619639



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2650lm**
 LED Type: **COB**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **24°**
 Body Type: **Die Cast Aluminum**
 Color of Fixture: **White**
 Shape: **Round**
 Dimension: **Ø165x140mm**
 Cutting Size: **Ø155**




Step Light With Sensor

3W VT-8035

SKU: 5570 - 4000K Day White


 Box Qty.
100 Pcs

3800157617291



Sensor Compatible: **Sensor Included**
 Voltage/Frequency: **AC:100-240V, 50/60Hz**
 Luminous Flux: **100lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **45°**
 Body Type: **Die cast Aluminum**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **85x85x42mm**
 Cutting Size: **85x85mm**

Step Light-Rectangle-IP65

3W VT-1162-W



SKU: 1327 - 3000K Warm White
SKU: 1326 - 4000K Day White

Box Qty.
50 Pcs

IP65
RATING

3800157620550
3800157620543



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **110lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **White**
Shape: **Rectangle**
Dimension: **230x80x28mm**

Step Light-Rectangle-IP65

3W VT-1162-B



SKU: 1329 - 3000K Warm White
SKU: 1328 - 4000K Day White

Box Qty.
50 Pcs

IP65
RATING

3800157620574
3800157620567



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **110lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **Black**
Shape: **Rectangle**
Dimension: **230x80x28mm**

Step Light-Rectangle-IP65

3W VT-1162-G



SKU: 1331 - 3000K Warm White
SKU: 1330 - 4000K Day White

Box Qty.
50 Pcs

IP65
RATING

3800157620598
3800157620581



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **110lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **Grey**
Shape: **Rectangle**
Dimension: **230x80x28mm**



Step Light-Round-IP65

2w VT-1142-W


SKU: 1315 - 3000K Warm White

SKU: 1314 - 4000K Day White

Box Qty.
50 Pcs**IP65**
RATING

3800157620437

3800157620420



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **White**
 Shape: **Round**
 Dimension: **150x27mm**



Step Light-Round-IP65

2w VT-1142-B


SKU: 1317 - 3000K Warm White

SKU: 1316 - 4000K Day White

Box Qty.
50 Pcs**IP65**
RATING

3800157620451

3800157620444



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **Black**
 Shape: **Round**
 Dimension: **150x27mm**



Step Light-Round-IP65

2w VT-1142-G


SKU: 1319 - 3000K Warm White

SKU: 1318 - 4000K Day White

Box Qty.
50 Pcs**IP65**
RATING

3800157620475

3800157620468



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **Grey**
 Shape: **Round**
 Dimension: **150x27mm**



Step Light-Square-IP65

2W VT-1152-W

SKU: 1321 - 3000K Warm White
SKU: 1320 - 4000K Day White




Box Qty.
50 Pcs



IP65
RATING

3800157620499
3800157620482



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **60lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **White**
Shape: **Square**
Dimension: **124x124x27mm**



Step Light-Square-IP65

2W VT-1152-B

SKU: 1323 - 3000K Warm White
SKU: 1322 - 4000K Day White




Box Qty.
50 Pcs



IP65
RATING

3800157620512
3800157620505



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **60lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **Black**
Shape: **Square**
Dimension: **124x124x27mm**



Step Light-Square-IP65

2W VT-1152-G

SKU: 1325 - 3000K Warm White
SKU: 1324 - 4000K Day White




Box Qty.
50 Pcs



IP65
RATING

3800157620536
3800157620529



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **60lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **Grey**
Shape: **Square**
Dimension: **124x124x27mm**



Step Light - IP65

3W VT-1172-B

SKU: 1398 - 3000K Warm White

SKU: 1399 - 4000K Day White

Box Qty.
20 Pcs**IP65**
RATING

3800157628310

3800157628327

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **210lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **90°**
 Body Type: **PC**
 Color of Fixture: **Black**
 Shape: **Square**
 Dimension: **151x72x154mm**



Step Light - IP65

3W VT-1172-G

SKU: 1400 - 3000K Warm White

SKU: 1401 - 4000K Day White

Box Qty.
20 Pcs**IP65**
RATING

3800157628334

3800157628341

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **210lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **90°**
 Body Type: **PC**
 Color of Fixture: **Grey**
 Shape: **Square**
 Dimension: **151x72x154mm**



Step Light - IP65

3W VT-1172-W

SKU: 1402 - 3000K Warm White

SKU: 1403 - 4000K Day White

Box Qty.
20 Pcs**IP65**
RATING

3800157628358

3800157628365

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **210lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **90°**
 Body Type: **PC**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **151x72x154mm**



Step Light-Round-IP65

3W VT-1182-B

SKU: 1404 - 3000K Warm White
SKU: 1405 - 4000K Day White



Box Qty.
20 Pcs



IP65
RATING

3800157628372
3800157628389

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **Black**
Shape: **Round**
Dimension: **Ø166x94mm**



Step Light-Round-IP65

3W VT-1182-G

SKU: 1406 - 3000K Warm White
SKU: 1407 - 4000K Day White



Box Qty.
20 Pcs



IP65
RATING

3800157628396
3800157628402

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **Grey**
Shape: **Round**
Dimension: **Ø166x94mm**



Step Light-Round-IP65

3W VT-1182-W

SKU: 1408 - 3000K Warm White
SKU: 1409 - 4000K Day White



Box Qty.
20 Pcs



IP65
RATING

3800157628419
3800157628426

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **White**
Shape: **Round**
Dimension: **Ø166x94mm**
:



Steplight-Square

3W VT-1109

SKU: 1209 - 3000K Warm White

SKU: 1210 - 4200K Day White

Box Qty.
100 Pcs

3800157600255

3800157600262



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **120lm**
 LED Type: **COB**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **15°**
 Body Type: **Aluminium**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **80x80x51mm**
 Cutting Size: **62x62mm**



Steplight-Round

3W VT-1109RD

SKU: 1207 - 3000K Warm White

SKU: 1208 - 4200K Day White

Box Qty.
100 Pcs

3800157600231

3800157600248



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **120lm**
 LED Type: **COB**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **15°**
 Body Type: **Aluminium**
 Color of Fixture: **White**
 Shape: **Round**
 Dimension: **Ø80x51mm**
 Cutting Size: **Ø62mm**




Steplight-Square

3W VT-1143

SKU: 1284 - 4000K Day White

Box Qty.
100 Pcs

3800157617307



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **100lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **83°**
 Body Type: **Die Cast Aluminium**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **84x84x43mm**
 Cutting Size: **72x72mm**

new!



Steplight-Rectangle

6W VT-856-B

SKU: 8348 - 3000K Warm White
SKU: 8349 - 4000K Day White

Box Qty.
50 Pcs

3800157633383
3800157633390

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **240lm**
LED Type: **SMD**
CRI: **>70**
PF: **>0.6**

Beam Angle: **120°**
Body Type: **Aluminium**
Color of Fixture: **Black**
Shape: **Rectangle**
Dimension: **210x65x60mm**
Cutting Size: **195x46mm**

new!



Steplight-Rectangle

6W VT-856-G

SKU: 8350 - 3000K Warm White
SKU: 8351 - 4000K Day White

Box Qty.
50 Pcs

3800157633406
3800157633413

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **240lm**
LED Type: **SMD**
CRI: **>70**
PF: **>0.6**

Beam Angle: **120°**
Body Type: **Aluminium**
Color of Fixture: **Grey**
Shape: **Rectangle**
Dimension: **210x65x60mm**
Cutting Size: **195x46mm**

new!



Steplight-Rectangle

6W VT-856-W

SKU: 8352 - 3000K Warm White
SKU: 8353 - 4000K Day White

Box Qty.
50 Pcs

3800157633420
3800157633437

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **240lm**
LED Type: **SMD**
CRI: **>70**
PF: **>0.6**

Beam Angle: **120°**
Body Type: **Aluminium**
Color of Fixture: **White**
Shape: **Rectangle**
Dimension: **210x65x60mm**
Cutting Size: **195x46mm**

LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These Compact and Easy to install lights make a perfect replacement for traditional Dome Lights.



Product Features

- 80% Electricity savings as compared to traditional Incandescent Bulbs
- Non - Flickering
- No UV Radiation
- Easy Installation
- Premium Quality LED Chip
- Premium Quality Power Driver
- Instant start 0-100% in 0.01 seconds
- Extreme Weather toleration (-20 to + 45 Degrees Centigrade)

Applications

Mostly used in Parking Lots, Passage's in big areas, Exterior Walls of Prestigious Buildings for ambience, Airports, Ports and Malls.

new!

Ceiling Lights - Round

14w VT-8073RD

Box Qty.
20 Pcs


SKU: 1428 - 3000K Warm White
SKU: 1429 - 4000K Day White
SKU: 1430 - 6400K White

3800157633147
3800157633154
3800157633161



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1000lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **257x65mm**



new!

Ceiling Lights - Round

20w VT-8074RD

Box Qty.
10 Pcs


SKU: 1431 - 3000K Warm White
SKU: 1432 - 4000K Day White
SKU: 1433 - 6400K White

3800157633178
3800157633185
3800157633192



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1500lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **290x65mm**



new!

Ceiling Lights - Square

20w VT-8074SQ

 Box Qty.
10 Pcs

 SKU: 1434 - 3000K Warm White
 SKU: 1435 - 4000K Day White
 SKU: 1436 - 6400K White

 3800157633208
 3800157633215
 3800157633222

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1500lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Square**
 Dimension: **280x280x60mm**

new!

Ceiling Lights - Round


24w VT-8075RD

 Box Qty.
10 Pcs

 SKU: 1437 - 3000K Warm White
 SKU: 1438 - 4000K Day White
 SKU: 1439 - 6400K White

 3800157633239
 3800157633246
 3800157633253

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **340x65mm**


new!

Ceiling Lights - Square

32w VT-8076SQ

Box Qty.
10 Pcs

SKU: 1443 - 3000K Warm White
SKU: 1444 - 4000K Day White
SKU: 1445 - 6400K White

3800157633291
3800157633307
3800157633314



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2600lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Square**
Dimension: **330x330x65mm**



new!


Ceiling Lights - Round

32w VT-8076RD

Box Qty.
10 Pcs


SKU: 1440 - 3000K Warm White
SKU: 1441 - 4000K Day White
SKU: 1442 - 6400K White

3800157633260
3800157633277
3800157633284



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2800lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø390x65mm**



Ceiling Lights - Square

15w VT-8033SQ

 Box Qty.
20 Pcs

 SKU: 1390 - 3000K Warm White
 SKU: 5567 - 4000K Day White
 SKU: 1391 - 6400K White


 3800157626477
 3800157610360
 3800157626484


TRIMLESS

Luxurious Finish

SURFACE MOUNTED

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **1250lm**
 IP Rating: **IP44**
 CRI: **>80**
 PF: **>0.6**

 Beam Angle: **110°**
 Color of Fixture: **White**
 Body Type: **PC**
 Shape: **Square**
 Dimension: **200x200x47.5**


Ceiling Lights - Round

15w VT-8033RD

 Box Qty.
20 Pcs

 SKU: 1388 - 3000K Warm White
 SKU: 5566 - 4000K Day White
 SKU: 1389 - 6400K White


 3800157626453
 3800157610353
 3800157626460


TRIMLESS

Luxurious Finish

SURFACE MOUNTED

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **1250lm**
 IP Rating: **IP44**
 CRI: **>80**
 PF: **>0.6**

 Beam Angle: **110°**
 Color of Fixture: **White**
 Body Type: **PC**
 Shape: **Round**
 Dimension: **Ø200x47.5mm**


Ceiling Lights - Square

25w VT-8066SQ

Box Qty.
10 Pcs

SKU: 1395 - 3000K Warm White
SKU: 1396 - 4200K Day White
SKU: 1397 - 6500K White


3800157628280
3800157628297
3800157628303



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **2000lm**
IP Rating: **IP44**
CRI: **>80**
PF: **>0.9**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Square**
Dimension: **300x300x50mm**



Ceiling Lights - Round

25w VT-8066RD

Box Qty.
10 Pcs

SKU: 1392 - 3000K Warm White
SKU: 1393 - 4200K Day White
SKU: 1394 - 6500K White

3800157628259
3800157628266
3800157628273



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **2000lm**
IP Rating: **IP44**
CRI: **>80**
PF: **>0.9**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Round**
Dimension: **Ø300x50mm**



Dome Series - Rectangle Oval

8W

VT-8038-B

 Box Qty.
20 Pcs


SKU: 1308 - 3000K Warm White
SKU: 1309 - 4500K Day White
SKU: 1310 - 6000K White

3800157620260
3800157620277
3800157620284



Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 560lm
IP Rating: IP54
CRI: >70
PF: >0.5

Beam Angle: 120°
Color of Fixture: Black
Body Type: PC
Shape: Rectangle
Dimension: 190x100x55mm



Dome Series - Rectangle Oval

8W

VT-8038-W

 Box Qty.
20 Pcs


SKU: 1311 - 3000K Warm White
SKU: 1312 - 4000K Day White
SKU: 1313 - 6000K White

3800157620291
3800157620307
3800157620314



Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 560lm
IP Rating: IP54
CRI: >70
PF: >0.5

Beam Angle: 120°
Color of Fixture: White
Body Type: PC
Shape: Rectangle
Dimension: 190x100x55mm



Bling Star

8w

VT-8061



Box Qty.
20 Pcs


SKU: 1370 - 3000K Warm White
SKU: 1371 - 4000K Day White
SKU: 1372 - 6400K White

3800157626262
3800157626279
3800157626286



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **560lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø215x78mm**



Bling Star

12w

VT-8062



Box Qty.
10 Pcs


SKU: 1373 - 3000K Warm White
SKU: 1374 - 4000K Day White
SKU: 1375 - 6400K White

3800157626293
3800157626309
3800157626316



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **840lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø260x92mm**




Bling Star

18w VT-8063

 Box Qty.
10 Pcs

 SKU: 1376 - 3000K Warm White
 SKU: 1377 - 4000K Day White
 SKU: 1378 - 6400K White


 3800157626323
 3800157626330
 3800157626347
Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **1260lm**IP Rating: **IP20**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Color of Fixture: **White**Body Type: **Iron+PMMA**Shape: **Round**Dimension: **Ø290x92mm**

Bling Star

24w VT-8064

 Box Qty.
10 Pcs

 SKU: 1379 - 3000K Warm White
 SKU: 1380 - 4000K Day White
 SKU: 1381 - 6400K White

 3800157626354
 3800157626361
 3800157626378
Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **1680lm**IP Rating: **IP20**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Color of Fixture: **White**Body Type: **Iron+PMMA**Shape: **Round**Dimension: **Ø330x102mm**

Ceiling Lights - Round

12w VT-8031



Box Qty.
16 Pcs


SKU: 1414 - 3000K Warm White
SKU: 5563 - 4500K Day White
SKU: 5562 - 6500K White

3800157630092
3800157610322
3800157610315



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **800lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Metal+PMMA**
Shape: **Round**
Dimension: **Ø250x80mm**



Ceiling Lights - Round

24w VT-8032



Box Qty.
10 Pcs


SKU: 1415 - 3000K Warm White
SKU: 5565 - 4500K Day White
SKU: 5564 - 6500K White

3800157630108
3800157610346
3800157610339



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1700lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Metal+PMMA**
Shape: **Round**
Dimension: **Ø320x95mm**



Dome Series - Oval

8W

VT-8014-OV-B

Box Qty.
10 Pcs

SKU: 1267 - 3000K Warm White

3800157611893

SKU: 1266 - 4000K Day White

3800157611886

SKU: 1268 - 6400K White

3800157611909

IP54
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 560lm

IP Rating: IP54

CRI: >70

PF: >0.5


Beam Angle: 120°

Color of Fixture: Black

Body Type: Plastic CLAD Aluminium

Shape: Oval

Dimension: Ø126x76mm



Dome Series - Oval

8W

VT-8014-OV-W

Box Qty.
10 Pcs

SKU: 1264 - 3000K Warm White

3800157611862

SKU: 1263 - 4500K Day White

3800157611855

SKU: 1265 - 6400K White

3800157611879

IP54
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 560lm

IP Rating: IP54

CRI: >70

PF: >0.5


Beam Angle: 120°

Color of Fixture: White

Body Type: Plastic CLAD Aluminium

Shape: Oval

Dimension: Ø126x76mm



Dome Series - Round

8W

VT-8014-RD-W



Box Qty.
10 Pcs


SKU: 4999 - 3000K Warm White
SKU: 1259 - 4500K Day White
SKU: 4997 - 6400K White

3800157602556
3800157611817
3800157602259



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø180x82mm**



Dome Series - Round

8W

VT-8014-RD-B



Box Qty.
10 Pcs


SKU: 1261 - 3000K Warm White
SKU: 1260 - 4000K Day White
SKU: 1262 - 6000K White

3800157611831
3800157611824
3800157611848



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø180x82mm**



Dome Series - Oval


12w VT-8016-B
Box Qty.
10 Pcs

SKU: 5056 - 4500K Day White 3800157603980
SKU: 5055 - 6400K White 3800157603348



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Oval**
Dimension: **Ø245x96mm**



Dome Series - Oval


12w VT-8016-W
Box Qty.
10 Pcs

SKU: 5054 - 4500K Day White 3800157603331
SKU: 5053 - 6400K White 3800157603324



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Oval**
Dimension: **Ø245x96mm**



Dome Series - Oval

12w VT-8015-B

Box Qty.
10 Pcs


SKU: 1349 - 3000K Warm White
SKU: 5052 - 4000K Day White
SKU: 5051 - 6400K White

3800157624046
3800157603317
3800157603300



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø220x105mm**



Dome Series - Round

12w VT-8015-W

Box Qty.
10 Pcs


SKU: 4998 - 3000K Warm White
SKU: 5050 - 4500K Day White
SKU: 4996 - 6400K White

3800157602549
3800157603294
3800157602228



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø220x105mm**



Dome Series - Oval

12w VT-8010-B
 Box Qty.
10 Pcs


SKU: 1350 - 3000K Warm White
SKU: 4973 - 4500K Day White
SKU: 1269 - 6400K White

3800157624053
3800230629050
3800157611916



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Oval**
Dimension: **Ø242x96mm**



Dome Series - Oval

12w VT-8010-W
 Box Qty.
10 Pcs


SKU: 1351 - 3000K Warm White
SKU: 1353 - 6000K White

3800157624060
3800157624084



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>80**
PF: **>0.9**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Oval**
Dimension: **Ø242x96mm**



Dome Sensor Series

VT-8002C

Box Qty.
5 Pcs


SKU: 4966

3800230625816



Sensor Type: **Microwave**
Color: **White**
Detection Range: **360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max. 60W**
Watts:

Detection Distance: **1-8m(radius) adjustable**
Body Type: **PC**
IP Rating: **IP44**
Dimension: **Ø296x96mm**
Time Delay: **Min. 10sec±3sec,
Max. 12min±1min**



Dome Sensor Series

16w VT-8001C

Box Qty.
5 Pcs

SKU: 1281 - 3000K Warm White

SKU: 4965 - 4500K Day White

SKU: 1282 - 6000K White

3800157612678

3800230625809


3800157612685



Built In LED

Sensor Type: **Microwave**
Color: **White**
Detection Range: **360°**
Voltage: **AC:200-240V,50/60Hz**
Rated Load: **16w**
Watts: **16w**

Detection Distance: **1-8m(radius) adjustable**
Body Type: **PC**
IP Rating: **IP54**
Dimension: **Ø296 x 96mm**
Time Delay: **Min. 10 sec to 12 min**



Dome Sensor Series

12w VT-8017

Box Qty.
10 Pcs

SKU: 5057 - 3000K Warm White

SKU: 5058 - 4000K Day White

SKU: 5059 - 6400K White

3800157605250


3800157605267

3800157605274



Sensor Type: **PIR**
Color: **White**
Detection Range: **360°**
Voltage: **AC:110-240V,50/60Hz**
Rated Load: **12W(24PCS LED)**
Watts: **12w**

Detection Distance: **Max. 6m(<24°C)**
Body Type: **Plastic CLAD Aluminium**
IP Rating: **IP20**
Dimension: **Ø290x60mm**
Time Delay: **Min. 10sec±3sec,
Max. 12min±1min**



LED Bulkhead

Mostly used in Parking Lots, Corridors, Exterior Walls, Airports, and Malls.



Sleek Design & Durability

Lightweight and energy efficient. Specially designed anti-glare diffuser.



2D LED Bulkhead



2D LED Bulkhead
Emergency Battery Back Up



360°
Detection Angle

2D LED Bulkhead
with Microwave Sensor



360°
Detection Angle

3₁N1
2D LED Bulkhead
Built In Emergency Battery
Back Up & Microwave Sensor

2D Bulkhead

8w VT-8039


Box Qty.
10 Pcs

SKU: 1345 - 4000K Day White 3800157623087



5 YEAR WARRANTY
*Suitable for 10-12 hours daily usage of the product for 24 hours a day would void warranty

IP65 RATING



Watts: **8w**
Lumens: **720lm**
No. Of Led: **40**
Beam Angle: **120°**
Voltage/Frequency: **AC:200-240V,50/60Hz**

On/Off Time: **<0.5s**
Life Span: **30,000 Hours**
Unit Size: **Ø260x90mm**
IP Rating: **IP65**
Body Type: **PC**

2D Bulkhead-Microwave Sensor

8w VT-8041


Box Qty.
10 Pcs

SKU: 1346 - 4000K Day White 3800157623094



3 YEAR WARRANTY
*Suitable for 10-12 hours daily usage of the product for 24 hours a day would void warranty

IP65 RATING



Microwave Sensor

Watts: **8w**
Lumens: **720lm**
Voltage/Frequency: **AC:200-240V,50/60Hz**
On/Off Time: **<0.5s**
Life Span: **30,000 Hours**
Unit Size: **Ø260x90mm**
IP Rating: **IP65**
Body Type: **PC**

Detection Angle: **120° / 360°**
Detection Distance: **3m, 5m, 8m, 10m (optional)**
Detection Range: **Max D10Mx4M**
Hold Time: **10S, 1min, 5min, 10min customized**
Day light Sensor: **Day, 10Lux, 30Lux, 50Lux optional**
Dimmable Function: **Yes, 0, 10%, 20%, 30% optional**
Detection Motion Speed: **0.5~3m/s**




2D Bulkhead-Emergency Pack

10w VT-8042

 Box Qty.
10 Pcs

SKU: 1347 - 4000K Day White 3800157623100

3 YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.
 **IP65**
RATING

Emergency
Battery Backup

Watts:	10w
Lumens:	720lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	<0.5s
Life Span:	20,000 Hours
Unit Size:	Ø260x90mm
IP Rating:	IP65

Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.2 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 7.2V 1.0Ah
Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode




2D Bulkhead-Microwave Sensor-Emergency Pack

10w VT-8043

 Box Qty.
10 Pcs

SKU: 1348 - 4000K Day White 3800157623117

3 YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.
 **IP65**
RATING

31 
Emergency
Battery Backup

Microwave Sensor

Watts:	10w
Lumens:	720lm
Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s

IP Rating:	IP65
Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.2 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 7.2V 1.0Ah
Charging indicate:	Green LED


Including battery protection circuit & inhibiting mode

2D Bulkhead

15w VT-8044

Box Qty.
10 Pcs

SKU: 1341 - 4000K Day White 3800157623049



Watts: 15w
Lumens: 1400lm
No. Of Led: 72
Beam Angle: 120°
Voltage/Frequency: AC:200-240V,50/60Hz

On/Off Time: <0.5s
Life Span: 30,000 Hours
Unit Size: 320x100mm
IP Rating: IP65
Body Type: PC

new!

2D Bulkhead

15w VT-8078

Box Qty.
10 Pcs

SKU: 1447 - 4000K Day White 3800157632744



Watts: 15w
Lumens: 1450lm
No. Of Led: 72
Beam Angle: 120°
Voltage/Frequency: AC:200-240V,50/60Hz

On/Off Time: <0.5s
Life Span: 30,000 Hours
Unit Size: 280x80mm
IP Rating: IP65
Body Type: ABS+PC




2D Bulkhead-Microwave Sensor

15w VT-8045

 Box Qty.
10 Pcs

SKU: 1342 - 4000K Day White 3800157623056

3 YEAR
WARRANTY

*Substitue for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
 **IP65**
RATING


Microwave Sensor

Watts:	15w
Lumens:	1400lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	<0.5s
Life Span:	30,000 Hours
Unit Size:	Ø320x100mm
IP Rating:	IP65
Body Type	PC

Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s

new!


2D Bulkhead-Microwave Sensor

15w VT-8079

 Box Qty.
10 Pcs

SKU: 1448 - 4000K Day White 3800157632751

3 YEAR
WARRANTY

*Substitue for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
 **IP65**
RATING


Microwave Sensor

Watts:	15w
Lumens:	1450lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	<0.5s
Life Span:	30,000 Hours
Unit Size:	280x80mm
IP Rating:	IP65
Body Type	ABS+PC

Detection Angle:	360°(Ceiling)120°(Wall)
Detection Distance:	3M,5M,8M,10M optional
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Dimmable Function:	N/A
Detection Motion Speed:	0.5-3m/s



2D Bulkhead-Emergency Pack

17w VT-8046


Box Qty.
10 Pcs

SKU: 1343 - 4000K Day White 3800157623063

3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING



Emergency Battery Backup

Watts:	17w
Lumens:	1400lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	<0.5s
Life Span:	20,000 Hours
Unit Size:	Ø320x100mm
IP Rating:	IP65

Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.5 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 9.6V 1.0Ah
Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode

new!



2D Bulkhead-Emergency Pack

17w VT-8080

Box Qty.
10 Pcs

SKU: 1449 - 4000K Day White 3800157632768

3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

Emergency Battery Backup

Watts:	17w
Lumens:	1450lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	<0.5s
Life Span:	20,000 Hours
Unit Size:	280x80mm
IP Rating:	IP65

Body Type:	ABS+PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.5W
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CDA, 9.6V 1.0Ah
Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode



31 Emergency Battery Backup
Microwave Sensor


2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8047

 Box Qty.
10 Pcs

SKU: 1344 - 4000K Day White 3800157623070

3 YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
IP65
RATING


Watts:	17w
Lumens:	1400lm
Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max. D 10 x 4m
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s

IP Rating:	IP65
Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.5W
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 9.6V 1.0 Ah
Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode

new!



31 Emergency Battery Backup
Microwave Sensor

2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8081

 Box Qty.
10 Pcs

SKU: 1450 - 4000K Day White 3800157632775

3 YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
IP65
RATING

Watts:	17w
Lumens:	1450lm
Detection Angle:	360(Ceiling) 120(Wall)
Detection Distance:	3M,5M,8M,10M Optional
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s

IP Rating:	IP65
Body Type:	ABS+PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.5W
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 9.6V 0.7Ah
Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode

new!



2D Bulkhead Bezel



Box Qty.

SKU: **8134**
 EAN: **3800157636049**
 Color of Fixture: **White**

Compatible with 15w and 17w Models:
 VT-8044 - VT-8045 - VT-8046 - VT-8047

new!



2D Bulkhead Bezel



Box Qty.

SKU: **8135**
 EAN: **3800157636056**
 Color of Fixture: **Chrome**

Compatible with 15w and 17w Models:
 VT-8044 - VT-8045 - VT-8046 - VT-8047





Fire Rated Light With Anti-glare Lens


- ✓ IP65 Rating.
- ✓ Integrated COB LED (Non-replaceable).
- ✓ Isolate driver with terminal for easy and speedy installation.
- ✓ Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

Color Changing

Easily can change Color from
2700-6500K

Dimmable

Controls brightness level from
0% To 100%





Optional Bezel Changeable:



Black
SKU- 1425



Brush Nickel
SKU - 1426



Polish Chrome
SKU- 1427



**CCT AND DIMMING
VIA SMART PHONE APP**


Fire Rated Downlight With White Bezel

10w VT-7710

Box Qty.
40 Pcs

SKU: 1424 - 3 IN 1 3800157633109

Voltage/Frequency: AC:220-240V,50Hz
Lumens: 850lm
LED Type: COB
Body Type: Aluminium
Beam Angle: 38°
Life Span: 30,000 Hours
Unit Size: Ø83x57mm
IP Rating: IP65



90 MIN
Fire Rated

IP65
RATING

QUICK CONNECTOR

DIMMABLE

5 **V-TAC®** **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

new!

Fire Rated Downlight With White Bezel

7W

VT-7077-W

Box Qty.
50 Pcs

SKU: 1416 - 2700K Warm White

3800157630344

SKU: 1417 - 4000K Day White

3800157630351

SKU: 1418 - 6400K White

3800157630368



Optional Bezel Changeable:



Satin Nickel SKU- 1422



Chrome SKU- 1423

90 MIN
Fire Rated
**QUICK CONNECTOR****IP65**
RATING

Voltage/Frequency:

AC:220-240V,50Hz

Life Span:

30,000 Hours

Lumens:

600lm

Unit Size:

Ø85x52mm

LED Type:

COB

Cutting Size:

Ø72mm

Body Type:

Aluminium Alloy & Iron

IP Rating:

IP65

Beam Angle:

38°

new!

Fire Rated Downlight With Satin Nickel Bezel

7W

VT-7077-SN

Box Qty.
50 Pcs

SKU: 1419 - 3000K Warm White

3800157630375

SKU: 1420 - 4000K Day White

3800157630382

SKU: 1421 - 6400K White

3800157630399



Optional Bezel Changeable:



Chrome SKU- 1423

90 MIN
Fire Rated
**QUICK CONNECTOR****IP65**
RATING

Voltage/Frequency:

AC:220-240V,50Hz

Life Span:

30,000 Hours

Lumens:

600lm

Unit Size:

Ø85x52mm

LED Type:

COB

Cutting Size:

Ø72mm

Body Type:

Aluminium Alloy & Iron

IP Rating:

IP65

Beam Angle:

38°

new!



Fire Rated Fitting-GU10

VT-7011-W

Box Qty.
50 Pcs

SKU: 3131

EAN: 3800157632621

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fixture: White
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

Twist & Lock

new!



Fire Rated Fitting-GU10

VT-7011-SN

Box Qty.
50 Pcs

SKU: 3132

EAN: 3800157632638

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fixture: Satin Nickel
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

Twist & Lock

new!



Fire Rated Fitting-GU10

VT-7011

Box Qty.
50 Pcs

SKU: 3133

EAN: 3800157632645

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fixture: Chrome
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

Twist & Lock

Fire Rated Fitting-GU10

VT-701-SN

 Box Qty.
50 Pcs

SKU: 3680

EAN: 3800157626859

Base: GU10
 Material: Steel
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø80mmx115mm
 Cutting Size: 65mm
 IP Rating: IP20




Fire Rated Fitting-GU10

VT-701-W

 Box Qty.
50 Pcs

SKU: 3681

EAN: 3800157626866

Base: GU10
 Material: Steel
 Shape: Round
 Color of Fixture: White
 Dimension: Ø80mmx115mm
 Cutting Size: 65mm
 IP Rating: IP20




Fire Rated Fitting-GU10

VT-701-CH

 Box Qty.
50 Pcs

SKU: 3682

EAN: 3800157626873

Base: GU10
 Material: Steel
 Shape: Round
 Color of Fixture: Chrome
 Dimension: Ø80mmx115mm
 Cutting Size: 65mm
 IP Rating: IP20




Fire Rated Fitting-GU10

VT-702-SN

Box Qty.
40 Pcs



SKU: 3683	EAN: 3800157626880
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-702-W

Box Qty.
40 Pcs



SKU: 3684	EAN: 3800157626897
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-702-CH

Box Qty.
40 Pcs



SKU: 3685	EAN: 3800157626903
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-703-SN

 Box Qty.
40 Pcs

SKU: 3686

EAN: 3800157626910

Base: GU10
 Material: Steel
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø82mmx130mm
 Cutting Size: 68mm
 IP Rating: IP20




Fire Rated Fitting-GU10

VT-703-W

 Box Qty.
40 Pcs

SKU: 3687

EAN: 3800157626927

Base: GU10
 Material: Steel
 Shape: Round
 Color of Fixture: White
 Dimension: Ø82mmx130mm
 Cutting Size: 68mm
 IP Rating: IP20




Fire Rated Fitting-GU10

VT-703-CH

 Box Qty.
40 Pcs

SKU: 3688

EAN: 3800157626934

Base: GU10
 Material: Steel
 Shape: Round
 Color of Fixture: Chrome
 Dimension: Ø82mmx130mm
 Cutting Size: 68mm
 IP Rating: IP20




NEW FIRE-RATED DOWNLIGHT FITTING



Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.



Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

Applications

- Outdoor Areas like parking garages, Gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.

Infrared Sensor Max 1000W(LED)

VT-8027-W

SKU: 5086

3800157609173



Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 1000W(LED)**

Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **625x220x265mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Infrared Sensor Max 1000W(LED)

VT-8027-B

SKU: 5087

3800157609180



Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 1000W(LED)**

Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **625x220x265mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-Moving Head-IP44

Max 400W(LED)

VT-8028-W

SKU: 5088

3800157609197

Box Qty.
50 Pcs

Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 400W(LED)**
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP44**
 Dimension: **445X345X19mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-Moving Head-IP44

Max 400W(LED)

VT-8028-B

SKU: 5089

3800157609203

Box Qty.
50 Pcs

Sensor Type: **Infrared**
 Colour: **Black**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 400W(LED)**
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP44**
 Dimension: **445X345X19mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**




Infrared Sensor

Max 300W(LED)

VT-8029

SKU: 5090

3800157609210

Box Qty.
50 Pcs

Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **360°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 300W(LED)**
 Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP20**
 Dimension: **76x75.6mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Infrared Sensor-Moving Head Max 400W(LED)

VT-8030

SKU: 5091

3800157609227



Box Qty.
50 Pcs



Sensor Type: **Infrared**
Colour: **White**
Detection Range: **360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 400W(LED)**
Detection Distance: **Max. 8m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **PC**
IP Rating: **IP20**
Dimension: **98x73x82mm**
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Infrared Sensor-IP44 Max 300W(LED)

VT-8003-W

SKU: 4967

3800230625823



Box Qty.
50 Pcs



Sensor Type: **Infrared**
Colour: **White**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **PC**
IP Rating: **IP44**
Dimension: **86.4x60.4x98mm**
Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

Infrared Sensor-IP44 Max 300W(LED)

VT-8003-B
SKU: 5077

3800157606875


**Box Qty.
50 Pcs**

Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **180°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP44**

Dimension: **86.4x60.4x98mm**

Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

Infrared Sensor Max 300W(LED)

VT-8004
SKU: 4968

3800230625830


**Box Qty.
50 Pcs**

Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **Ø88x55mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-E27 Max 60W

VT-8005

SKU: 4982

3800157600071



Box Qty.
50 Pcs



Sensor Type: **Infrared**
Colour: **White**
Detection Range: **360°**
Voltage: **AC:110-240V,50/60Hz**
Rated Load: **Max 60W**
Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **55.5x116.5mm**
Time Delay: **Min. 10sec±3sec, Max. 5min±1min**

Infrared Sensor-IP44 Max 300W(LED)

VT-8048

SKU: 1354

3800157624794



Box Qty.
50 Pcs



Sensor Type: **Infrared**
Colour: **White**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **PC**
IP Rating: **IP44**
Dimension: **86.4x86.4x60.4mm**
Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally. (Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Infrared Sensor Max 300W(LED) VT-8049

SKU: 1355 3800157624800

Box Qty.
50 Pcs



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	88x55mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 12m(<24°C)		


Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Infrared Sensor Max 300W(LED) VT-8051

SKU: 1356 3800157624817

Box Qty.
50 Pcs



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	76x75.6mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 6m(<24°C)		

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Day Light Sensor - 1-10V

VT-8059Box Qty.
100 Pcs

SKU: 1369

3800157625982

Colour:	White
Detection Range:	360°
Dimming Range:	1% - 100%
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20



Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.


The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.

Infrared-Hand Gesture Detection
Max 200W(LED)**VT-8025**

SKU: 5084

3800157608046

On/Off via Moving HandBox Qty.
100 Pcs

Sensor Type:	Infrared	Body Type:	Plastic
Colour:	White	IP Rating:	IP20
Detection Range:	30°	Dimension:	35.5x78.2x20.6mm
Voltage:	AC:110-240V,50/60Hz		
Rated Load:	Max 200W(LED)		
Detection Distance:	5cm/6cm(<24°C)		



Infrared-Door Detection Max 200W(LED)

VT-8026
SKU: 5085
3800157608053

**Box Qty.
100 Pcs**

**On/Off via the opening
and closing of the door**


Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **30°**
 Voltage: **AC:110-240V,50/60Hz**
 Rated Load: **Max 200W(LED)**
 Detection Distance: **5cm/6cm(<24°C)**

Body Type: **Plastic**
 IP Rating: **IP20**
 Dimension: **35.5x78.2x18.7mm**



Microwave Sensor-IP65 Max 200W(LED)

VT-8036-W
SKU: 5571
3800157620246

**Box Qty.
100 Pcs**


Sensor Type: **Microwave**
 Colour: **White**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 200W(LED)**
 Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**
 Body Type: **Plastic**
 IP Rating: **IP65**
 Dimension: **115x35x25mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Microwave Sensor-IP65 Max 200W(LED)

VT-8036-B

SKU: 5572

3800157620253



Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **Black**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 200W(LED)**
Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**
Body Type: **Plastic**
IP Rating: **IP65**
Dimension: **115x35x25mm**
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Microwave Sensor Max 300W(LED)


VT-8018

SKU: 5078

3800157606882



Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **White**
Detection Range: **180° / 360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **1-8m(radius) adjustable**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **37x25x61.5mm**
Time Delay: **Min. 10sec±3sec, Max. 12min±1min**

Housing Case-IP65

Box Qty.
50 Pcs

VT-8021

SKU: 5079

3800157606899

Colour: **White**IP Rating: **IP65**Dimension: **134x66.5mm**

66.5mm



134mm



Photocell Sensor-IP44

VT-8019


SKU: 5081

3800157608015

Box Qty.
100 Pcs

Sensor Type: **Photocell**
 Colour: **White**
 Detection Range: **360°**
 Voltage: **AC:220-240V,50Hz**

Ambient Light: **<5-15LUX(adjustable)**
 Body Type: **Plastic**
 IP Rating: **IP44**
 Dimension: **35.5x46x44.1mm**
 Time Delay: **5 sec to 8 min (adjustable)**

Infrared Sensor-IP44
Max 200W(LED)

VT-8022

SKU: 5082

3800157608022

Box Qty.
100 Pcs

Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **120°/360°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 200W(LED)**
 Detection Distance: **3/6m(<24°C)**

Ambient Light: **10LUX/2000LUX(choice)**
 Body Type: **Plastic**
 IP Rating: **IP20**
 Dimension: **36.8x25.5x55.4mm**
 Time Delay: **5s,30s,1min,3min,5min,8min(choice)**



new!

Microwave Sensor Max 300W(LED)


VT-8077

SKU: 1446

3800157634755



Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **White**
Detection Range: **360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **1-8m(radius) Adjustable**

Ambient Light: **0<3-2000LUX(Adjustable)**
Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **80.7x42.1x43.8mm**
Time Delay: **Min. 10sec±3sec, Max.12min±1min**

Microwave Sensor Max 300W(LED)


VT-8023

SKU: 5083

3800157608039



Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **White**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **5m-15m(adjustable)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **80x80x32mm**
Time Delay: **10 sec to 12 min (adjustable)**

LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.



Walls/Surface Mount
 2w | 120 lm



Walls/Surface Hanging
 2w | 120 lm



Recessed Hanging
 2w | 120 lm



Recessed Fixed
 2w | 120 lm



Bulkhead
 3w | 140 lm



Bulkhead
 4w | 190 lm



Wall Mounted
 7w | 600 lm

Salient Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⌚ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 24 hours recharge after more than 3 Hours discharge
- ⚡ Efficient thermal management technology
- ⚡ Corrosion free mounting clamps
- ⌚ High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours

Exit Light - Surface

2W VT-519


Box Qty.
10 Pcs

SKU: 8099 - 6000K White

3800157623155



24Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
Lumens: 160lm
Input Voltage: AC:220-240V,50/60Hz
Protection Rating: IP20
Material: PC
Exit Lamp Type: Surface/Ceiling Mounted
Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
Battery: Ni-Cd 4.8V,600mAh
Recharging Time: 24 Hours
Test Button: Green Light Indicator Test Button
Stickers: 4 Stickers
Legends: 4 Way Legend Available
Mode Of Operation: Maintained

new!

Exit Light - Surface

2W VT-519-12


Box Qty.
10 Pcs

SKU: 8312 - 6000K White

3800157630764



12Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
Lumens: 160lm
Input Voltage: AC:220-240V,50/60Hz
Protection Rating: IP20
Material: PC
Exit Lamp Type: Surface/Ceiling Mounted
Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
Battery: Ni-cd 4.8V,600mAh
Recharging Time: 12 Hours
Test Button: Green Light Indicator Test Button
Stickers: 4 Stickers
Legends: 4 Way Legend Available
Mode Of Operation: Maintained




Exit Light-Surface Hanging

2w VT-520

 Box Qty.
10 Pcs

SKU: 8100 - 6000K White 3800157623162

 **24Hrs**
CHARGING TIME


Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Surface/Ceiling Mounted
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 24 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained





Exit Light-Surface Hanging

2w VT-520-12

 Box Qty.
10 Pcs

SKU: 8313 - 6000K White 3800157630771

 **12Hrs**
CHARGING TIME


Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Surface/Ceiling Mounted
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained



Exit Light-Hanging

2W VT-521


SKU: 8200 - 6000K White

3800157623179



Box Qty.
10Pcs

24Hrs
CHARGING TIME



Lamp Type: **16 SMD LEDs**
Lumens: **160lm**
Input Voltage: **AC:220-240V,50/60Hz**
Protection Rating: **IP20**
Material: **PC**
Exit Lamp Type: **Recessed Hanging**
Viewing Distance: **22 Meters From Both Sides**

Emergency Operation Time: **>3 Hours**
Battery: **Ni-Cd 4.8V,600mAh**
Recharging Time: **24 Hours**
Test Button: **Green Light Indicator Test Button**
Stickers: **4 Stickers**
Legends: **4 Way Legend Available**
Mode Of Operation: **Maintained**

new!



Exit Light-Hanging

2W VT-521-12


SKU: 8314 - 6000K White

3800157630788



Box Qty.
10 Pcs

12Hrs
CHARGING TIME




Lamp Type: **16 SMD LEDs**
Lumens: **160lm**
Input Voltage: **AC:220-240V,50/60Hz**
Protection Rating: **IP20**
Material: **PC**
Exit Lamp Type: **Recessed Hanging**
Viewing Distance: **22 Meters From Both Sides**

Emergency Operation Time: **>3 Hours**
Battery: **Ni-Cd 4.8V,600mAh**
Recharging Time: **12 Hours**
Test Button: **Green Light Indicator Test Button**
Stickers: **4 Stickers**
Legends: **4 Way Legend Available**
Mode Of Operation: **Maintained**

Exit Light-Recessed

2w VT-522
 Box Qty.
10 Pcs

SKU: 8201 - 6000K White 3800157623186


 **24Hrs**
 CHARGING TIME


Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed Fixed
 Viewing Distance: 22 Meters From Both Sides


Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 24 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained

new!

Exit Light-Recessed

2w VT-522-12
 Box Qty.
10 Pcs

SKU: 8315 - 6000K White 3800157630795


 **12Hrs**
 CHARGING TIME


Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed Fixed
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 12 hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained



new!

12Hrs
CHARGING TIME


Emergency -Bulkhead

3.8w VT-511-12

Box Qty.
10 Pcs

SKU: 8249 - 6000K White

3800157635554




Lumens: **110lm**
Input: **AC:220-240V,50/60Hz**
Protection Rating: **IP20**
Lamp Type: **20 SMD LEDs**
Exit Lamp Type: **Bulkhead**
Operation Time: **>3 Hours**

Charging Current: **200mA**
Discharging Current: **360mA**
Battery: **4V2.0AH Lead Acid battery**
Material: **ABS+PC**
Dimension: **292x79x102mm**
Mode Of Operation: **Maintained/Non Maintained**

Emergency-Downlight

3W VT-503
 Box Qty.
20 Pcs

SKU: 8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Moured:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA

Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained

Exit Light - Bulkhead

3W VT-523
 Box Qty.
12 Pcs

SKU: 8096 - 6000K White 3800157623124






Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained

new!

Exit Light - Bulkhead

3W VT-523-12

Box Qty.
12 Pcs

SKU: 8311 - 6000K White 3800157630757



12Hrs
CHARGING TIME

IP65
RATING



Lamp Type:	16 SMD LEDs	Emergency Operation Time:	>3 Hours
Lumens:	140lm	Battery:	Ni-Cd 3.6v,1500mAh
Input Voltage:	AC:220-240V,50/60Hz	Recharging Time:	12 Hours
Protection Rating:	IP65	Test Button:	Green Light Indicator Test Button
Material :	PC	Stickers:	4 Stickers
Exit Lamp Type:	Wall - Bulkhead	Legends:	4 Ways Legend Available
Viewing Distance:	22 Meters From One side	Mode Of Operation:	Maintained

Exit Light - Bulkhead

4W VT-524

Box Qty.
12 Pcs

SKU: 8097 - 6000K White 3800157623131



24Hrs
CHARGING TIME

IP65
RATING



Lamp Type:	30 SMD LEDs	Emergency Operation Time:	>3 Hours
Lumens:	190lm	Battery:	Ni-Cd 4.8V,900mAh
Input Voltage:	AC:220-240V,50/60Hz	Recharging Time:	24 Hours(intial charge 36 hours)
Protection Rating:	IP65	Test Button:	Green Light Indicator Test Button
Material :	PC	Stickers:	4 Stickers
Exit Lamp Type:	Wall - Bulkhead	Legends:	4 Ways Legend Available
Viewing Distance:	22 Meters From One side	Mode Of Operation:	Maintained



Exit Light - Bulkhead

4W VT-524-12

 Box Qty.
12 Pcs

SKU: 8382 - 6000K White 3800157635493






Lamp Type: 30 SMD LEDs
 Lumens: 190lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,900mAh
 Recharging Time: 12 hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Ways Legend Available
 Mode Of Operation: Maintained


Emergency-Twin Spotlight

7W VT-526

 Box Qty.
5 Pcs

SKU: 8098 - 6000K White 3800157623148





Lamp Type: 2x15 SMD LEDs
 Lumens: 600lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material: PC
 Exit Lamp Type: Wall Mounted
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 9.6V,2200mAh
 Recharging Time: 24 Hours(intial charge 36 hours)
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 2 Ways Legend Available
 Mode Of Operation: Non Maintained



LED Table Lamps

Most cozy and favorite corners, always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver very smooth lighting with suitable functions to set the right mood and ambiance.



Product Features

- Energy efficient ways of keeping it that way.
- Adjustable direction.
- Multiple functions like dimming, color changing.
- With USB charging functionality.
- Sleek and modern design.

Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. It is also a good accessory to be a part of the office decor.



Table Lamps-White+Silver

4W VT-1014-S

Box Qty.
25 Pcs

SKU: 7098 - 3 IN 1 3800157616980



Rechargeable

Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **120lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **120°**
Color: **White+Silver**
Body Type: **ABS+PC+Aluminium**
Dimension: **200x50x263mm**




Table Lamps-White+Gold

4W VT-1014-G

Box Qty.
25 Pcs

SKU: 7099 - 3 IN 1 3800157616997



Rechargeable

Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **120lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **120°**
Color: **White+Gold**
Body Type: **ABS+PC+Aluminium**
Dimension: **200x50x263mm**




Table Lamps-Black

4W VT-1014-B

Box Qty.
25 Pcs

SKU: 8500 - 3 IN 1 3800157617215



Rechargeable

Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **120lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **120°**
Color: **Black**
Body Type: **ABS+PC+Aluminium**
Dimension: **200x50x263mm**






Table Lamps-Grey

7W VT-1007D-G
 Box Qty.
8 Pcs

SKU: 7034 - 5000K White 3800157603836



Touch Control



6 Steps Dimming



1 hour timer



Eye Protection



Anti-radiation


Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **120°**Luminous Flux: **850lux**Color: **Grey**CRI: **>80**Body Type: **ABS**PF: **>0.45**Dimension: **330x130x380mm**

Table Lamps-Pink

7W VT-1007D-P
 Box Qty.
8 Pcs

SKU: 7042- 5000K White 3800157605311



Touch Control



6 Steps Dimming



1 hour timer



Eye Protection



Anti-radiation


Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **120°**Luminous Flux: **850lux**Color: **Pink**CRI: **>80**Body Type: **ABS**PF: **>0.45**Dimension: **330x130x380mm**

Table Lamps-Blue

7W VT-1007D-B
 Box Qty.
8 Pcs

SKU: 7043- 5000K White 3800157605328



Touch Control



6 Steps Dimming



1 hour timer



Eye Protection



Anti-radiation


Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **120°**Luminous Flux: **850lux**Color: **Blue**CRI: **>80**Body Type: **ABS**PF: **>0.45**Dimension: **330x130x380mm**



Table Lamps-3 In 1-Dimmable

7W

VT-1009D-W



Box Qty.
9 Pcs

SKU: 7039 - 3 IN 1

3800157605281



Dimmable

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **650lux**

CRI: **>80**

PF: **>0.45**

Beam Angle: **120°**

Color: **White**

Body Type: **ABS+Aluminium**

Dimension: **240x396x180mm**



Table Lamps-3 In 1-Dimmable

7W

VT-1009D-B



Box Qty.
9 Pcs

SKU: 7040 - 3 IN 1

3800157605298



Dimmable

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **650lux**

CRI: **>80**

PF: **>0.45**

Beam Angle: **120°**

Color: **Black+White**

Body Type: **ABS+Aluminium**

Dimension: **240x396x180mm**



Table Lamps-3 In 1-Dimmable

10W

VT-1010D



Box Qty.
12 Pcs

SKU: 7033 - 3 IN 1

3800157603829



Dimmable

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **700lm**

CRI: **>80**

PF: **>0.45**

Beam Angle: **120°**

Color: **White+Silver**

Body Type: **ABS+Aluminium**

Dimension: **328x445x205mm**





Table Lamps-3 In 1-Dimmable

7W VT-1008D

 Box Qty.
16 Pcs

SKU: 7035 - 3 IN 1 3800157603843



Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 400lm
CRI: >80
PF: >0.45

Beam Angle: 120°
Color: White
Body Type: ABS
Dimension: 170x352x113mm



Desk Lamp-White

5W VT-1015-W

 Box Qty.
6 Pcs


SKU: 7051 - 4000K Day white 3800157610650



Touch Control

Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 360lm
CRI: >80
PF: >0.45

Beam Angle: 90°
Color: White
Body Type: ABS+Metal
Dimension: 210x136x32mm



Desk Lamp-Touch Dimming

5W VT-1015-B

 Box Qty.
6 Pcs

SKU: 7052 - 4000K Day white 3800157610667



Touch Control

Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 360lm
CRI: >80
PF: >0.45

Beam Angle: 90°
Color: Black
Body Type: ABS+Metal
Dimension: 210x136x32mm






Table Lamps

5.5W VT-1046


SKU: 8514 - 3000K Warm White

SKU: 8515 - 4000K Day White

Box Qty.
12 Pcs

3800157627245

3800157627252



Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **420lm**

CRI: **>80**

PF: **>0.5**

Beam Angle: **110°**

Color: **White**

Body Type: **Plastic+Metal**

Dimension: **142x101.8x310mm**




Desk Lamp-White

7W VT-1017-W

SKU: 7053 - 4000K Day white

3800157610674

Box Qty.
12 Pcs



Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **420lm**

CRI: **>80**

PF: **>0.45**

Beam Angle: **120°**

Color: **White**

Body Type: **ABS+Metal**

Dimension: **376x166x270mm**



Desk Lamp-Touch Dimming

7W VT-1017-B

SKU: 7054 - 4000K Day white

3800157610681

Box Qty.
12 Pcs



Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **420lm**

CRI: **>80**

PF: **>0.45**

Beam Angle: **120°**

Color: **Black**

Body Type: **ABS+Metal**

Dimension: **376x166x270mm**



Table Lamps-Bakelite-E27

VT-7151-GR

SKU: 3912 3800157626071

5  **YEAR WARRANTY**

Body Type: Glass+Metal
Holder: E27
Color: Green
Dimension: 260x180x360mm


 Box Qty.
6 Pcs


Table Lamps-Bakelite-E27

VT-7151-B

SKU: 3913 3800157626088

5  **YEAR WARRANTY**

Body Type: Glass+Metal
Holder: E27
Color: Blue
Dimension: 260x180x360mm


 Box Qty.
6 Pcs



Table Lamps-Bakelite-E27

VT-7151-GD

SKU: 3914 3800157626095

5  **YEAR WARRANTY**

Body Type: Glass+Metal
Holder: E27
Color: Yellow
Dimension: 260x180x360mm

 Box Qty.
6 Pcs


new!

Table Lamps+Speaker

3W

VT-1043D



Box Qty.
40 Pcs

SKU: 8516 - 3000K+RGB 3800157632959



Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **110lm**

Working Time: **2-3 Hours(Min) 15-20 Hours(Max)**

Battery Type: **Lithium Battery - 1500mAh**

Charging Time: **2-3 Hours**

USB Output: **5V, 2A**

CRI: **>70**


PF: **>0.6**

Beam Angle: **360°**

Color: **White**

Body Type: **ABS**

Dimension: **Ø95x122mm**



- Compatible with all smart devices including smart phones, laptops, tablets, etc...
- Supports MP3 files stored in micro SD cards & USB drives
- Supports FM Function, FM Frequency Range 87-108MHZ.
- Easy to plug in your iPod, smart phones, tablets, computer & laptops and other MP3 players or any audio source that uses a standard 35mm jack
- Built-in micro phone for hands-free speaker phone calling which is easy to pair and does not require any code/pin
- Color changing and brightness adjusted by touching.
- USB cable for power, plug and play.


Desk Lamp-Purple Shade

5w VT-1035-P
 Box Qty.
6 Pcs

SKU: 8501 - 4000K Day White 3800157620345



Touch Control


 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **300lm**
 CRI: **>80**
 PF: **>0.45**

 Beam Angle: **90°**
 Color: **Chrome+Purple**
 Body Type: **PC+Metal**
 Dimension: **Ø150x233mm**

Hanging Lamp-Purple Shade

7w VT-1036-P
 Box Qty.
9 Pcs

SKU: 8504 - 4000K Day White 3800157620376


 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **360lm**
 CRI: **>80**
 PF: **>0.45**

 Beam Angle: **90°**
 Color: **Chrome+Purple**
 Body Type: **PC+Metal**
 Dimension: **Ø150x151x1241mm**

Hanging Lamp-White Shade

7W

VT-1036-W


Box Qty.
9 Pcs

SKU: 8505 - 4000K Day White 3800157620383



Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **360lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **90°**
Color: **Chrome+White**
Body Type: **PC+Metal**
Dimension: **Ø150x151x1241mm**




Desk Lamp-Blue Shade

5w VT-1035-B
 Box Qty.
6 Pcs

SKU: 8503 - 4000K Day White 3800157620369



Touch Control

Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **90°**Luminous Flux: **300lm**Color: **Chrome+Blue**CRI: **>80**Body Type: **PC+Metal**PF: **>0.45**Dimension: **Ø150x233mm**

Hanging Lamp-Blue Shade

7w VT-1036-B
 Box Qty.
9 Pcs

SKU: 8506 - 4000K Day White 3800157620390

Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **90°**Luminous Flux: **360lm**Color: **Chrome+Blue**CRI: **>80**Body Type: **PC+Metal**PF: **>0.45**Dimension: **Ø150x151x1241mm**



Floor Lamp-E27


VT-7500-B



Box Qty.
4 Pcs

SKU: 7055 3800157610698

Max. Watts: **60W**
Body Type: **ABS+Metal**
Holder: **E27**
Color: **Black**
Dimension: **250x250x1800mm**



Floor Lamp-E27


VT-7500-S



Box Qty.
4 Pcs

SKU: 7056 3800157610704

Max. Watts: **60W**
Body Type: **ABS+Metal**
Holder: **E27**
Color: **Silver**
Dimension: **250x250x1800mm**






Floor Lamp-E27

VT-7600-SB

 Box Qty.
4 Pcs

SKU: 3703 3800157610766

Max. Watts: 60W
 Body Type: Metal With Sand Finish
 Holder: E27
 Color: Sand Black+Satin Nickel
 Dimension: 140x200x1600mm




Floor Lamp-E27

VT-7600-SW

 Box Qty.
4 Pcs

SKU: 3704 3800157610773

Max. Watts: 60W
 Body Type: Metal With Sand Finish
 Holder: E27
 Color: Sand White+Satin Nickel
 Dimension: 140x200x1600mm





Floor Lamp

7W


VT-7700-W

Box Qty.
3 Pcs

SKU: 8507 - 4000K Day White 3800157620406

Built In LED

Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **420lm**
 CRI: **>80**
 PF: **>0.5**
 Beam Angle: **120°**
 Color: **White**
 Body Type: **ABS+Metal**
 Dimension: **Ø220x440x1405mm**



Floor Lamp

7W


VT-7700-B

Box Qty.
3 Pcs

SKU: 8508 - 4000K Day White 3800157620413

Built In LED

Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **420lm**
 CRI: **>80**
 PF: **>0.5**
 Beam Angle: **120°**
 Color: **Black**
 Body Type: **ABS+Metal**
 Dimension: **Ø220x440x1405mm**



LED Innovative Lights

An Innovative and sustainable way of lighting up your outdoors.V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day.Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.



Product Features

 ZERO Electricity Cost

 PIR Detective

 Outdoor

 Solar Powered

 Light on/off automatically

 Cordless

Applications

Suitable for Outdoor and Indoor Lighting



Solar Wall Light-IP65
1.5w VT-767-2-W

SKU: 8276 - 4000K Day White

3800157627931

Box Qty.
20Pcs



Battery: 3.7V Lithium Battery 1200mAh
Lumens: 220lm
No. of LED: 14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 144.5x96x79mm
Working Time: Min 8 hrs and Max 24 hrs



Solar Wall Light-IP65
1.5w VT-767-2-B

SKU: 8277 - 4000K Day White

3800157627948

Box Qty.
20Pcs



Battery: 3.7V Lithium Battery 1200mAh
Lumens: 220lm
No. of LED: 14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 144.5x96x79mm
Working Time: Min 8 hrs and Max 24 hrs




Solar Wall Light-IP65

3w VT-768

SKU: 7523 - Day+Warm White

3800157619363

 Box Qty.
12Pcs


Battery: 3.7V Lithium Battery 2000mAh
 Lumens: 400lm
 No. of LED: 30pcs (Front 28pcs, Back 2 pcs)
 Detecting Angle: 120°
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
 IP Rating: IP65
 Material: ABS+PC
 Dimension: 140x212x109.2mm
 Working Time: Min 5-8 hrs and Max 24 hrs




Solar Floodlight

10w VT-787-10

SKU: 9869 - 4000K Day White

3800157636025

 Box Qty.
8Pcs


Battery: 3.7V Lithium Battery 8000mAh
 Lumens: 1100lm
 No. of LED: 60pcs
 Detecting Angle: 180°
 Sensing Range: ≤8mtrs

IP Rating: IP65
 Material: Aluminium
 Dimension: 175x43x266mm



Solar Wall Light-IP65

7W VT-767-7-W

Box Qty.
20Pcs

SKU: 8278 - 4000K Day White

3800157627955



Battery: 3.7V Lithium Battery 4000mAh
Lumens: 800lm
No. of LED: 60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 270x221x109.2mm
Working Time: Mode A: 5 hours, Mode B: 2~3 nights
Mode C: 3~4 nights



Solar Wall Light-IP65

7W VT-767-7-B

Box Qty.
20Pcs

SKU: 8279 - 4000K Day White

3800157627962



Battery: 3.7V Lithium Battery 4000mAh
Lumens: 800lm
No. of LED: 60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 270x221x109.2mm
Working Time: Mode A: 5 hours, Mode B: 2~3 nights
Mode C: 3~4 nights

No Wiring



Wireless



Battery Free



Switch - One Gang Set

Box Qty.
50**VT-541**

SKU: 8229

3800157624336

Switch

Working Type:	Push -Button
Power Mode:	Self Powered
Control Distance:	Up to 30 meters
Switch Lifetime:	2,00,000
Operating Temp:	-5~40°C
Humidity:	0-95%RH
IP Rating:	IP20
Dimensions:	Ø70x15.5mm

Receiver

Input Voltage:	AC:200-265V,50/60Hz
Load Power:	Max 200W
Controller:	RF Receiver
Dimensions:	D:48x25mm

Switch - Mounting Base

Box Qty.
200**VT-540-1**

SKU: 8231

3800157624350

Dimensions: 86x86x11mm



No Wiring



Wireless



Battery Free



Switch - Two Gang Set



Box Qty.

VT-542

SKU: 8230

3800157624343

30

Switch

Working Type:	Push -Button
Power Mode:	Self Powered
Control Distance:	Up to 30 meters
Switch Lifetime:	2,00,000
Operating Temp:	-5~40°C
Humidity:	0-95%RH
IP Rating:	IP20
Dimensions:	Ø70x15.5mm

Receiver

Input Voltage:	AC:200-265V,50/60Hz
Load Power:	Max 200W
Controller:	RF Receiver
Dimensions:	D:48x25mm

Switch - Mounting Base



Box Qty.

VT-540

SKU: 8231

3800157624350

Dimensions:

86x86x11mm



LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.



Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to $+45^{\circ}$ without any adverse effects
- Specifically designed for Outdoor use
- IP65/67 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

Applications

Used for Gardens, Outdoor Residential Areas, Walkways & Passages, Driveways, Fountains, Lawns, Entrance, Patio or Terrace and similar environments



Wall Fitting-IP44-GU10-PIR

VT-7621PIR

SKU: 7502 3800157617611



Box Qty.
24 Pcs



Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 110x67x163mm



Wall Fitting-Up-Down-GU10-PIR

VT-7622PIR

SKU: 7503 3800157617628



Box Qty.
12 Pcs



Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 110x67x220mm



Wall Fitting-Up-Down-GU10-IP44

VT-7622

SKU: 7500 3800157617598



Box Qty.
16 Pcs



Type: Wall Fixtures
Holder: 2XGU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 93x85x163mm



Wall Fitting-IP44-GU10

VT-7621

SKU: 7501 3800157617604



Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 93x85x118mm



Wall Fitting-Up-Down-GU10-IP44

VT-7632

SKU: 7504 3800157617635

Box Qty.
12 Pcs



Type: Wall Fixtures
Holder: 2XGU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 110x60x178mm



Wall Fitting-IP44-GU10

VT-7631

SKU: 7505 3800157617642

Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 110x60x125mm



Wall Light-IP44-GU10

VT-7641

SKU: 7506 3800157617659

Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 105x76x118mm



Wall Fitting-Up-Down-GU10

VT-7642

SKU: 7507 3800157617666

Box Qty.
16 Pcs



Type: Wall Fixtures
Holder: 2XGU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 105x76x207mm

Wall Fitting-Round-IP44-GU10

VT-7651RD

SKU: 7508 3800157617673

Box Qty.
24 Pcs



Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 92x68x80mm

Wall Fitting-Up-Down-GU10-IP44

VT-7652RD

SKU: 7509 3800157617680

Box Qty.
16 Pcs



**UP & DOWN
LIGHTS**

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 92x68x80mm

Wall Fitting-Square-IP44-GU10

VT-7651SQ

SKU: 7510 3800157617697

Box Qty.
24 Pcs



Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 92x68x80mm

Wall Fitting-Square-IP44-GU10

VT-7652SQ

SKU: 7511 3800157617703

Box Qty.
16 Pcs



Type: Wall Fixtures
Holder: 2XGU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 92x68x150mm



Wall Fitting-Up-Down-GU10

VT-7662

SKU: 7512 3800157617710

 Box Qty.
12 Pcs


Type: Wall Fixtures
Holder: 2XGU10
Material: Stainless Steel

Color of Fixture: Black
IP Rating: IP44
Dimension: 85x87x250mm

new!

Wall Fitting-Square-IP44-GU10

VT-7651SQ-W

SKU: 7539 3800157630702

 Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 92x68x80mm

new!

Wall Fitting-Round-IP44-GU10

VT-7651RD-W

SKU: 7540 3800157630719

 Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 92x68x80mm

new!

Wall Fitting-Square-IP44-GU10

VT-7652SQ-W

SKU: 7541 3800157630726

 Box Qty.
16 Pcs


Type: Wall Fixtures
Holder: 2XGU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 92x68x150mm

new!



Wall Fitting-Up-Down-GU10-IP44

VT-7652RD-W

SKU: 7542 3800157630733

Box Qty.
16 Pcs

**UP & DOWN
LIGHTS**

Type: Wall Fixtures
Holder: 2xGU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 92x68x80mm

new!



Wall Fitting-Up-Down-GU10

VT-7662-W

SKU: 7543 3800157630740

Box Qty.
12 Pcs

**UP & DOWN
LIGHTS**

Type: Wall Fixtures
Holder: 2XGU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 85x68x250mm

new!



Wall Fitting-IP44-GU10

VT-7611

SKU: 7553 3800157633574

Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 100x66x92mm

new!



Wall Fitting-IP44-GU10

VT-7612

SKU: 7554 3800157633581

Box Qty.
6 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 1170x50mm



Underground Fitting-Round-GU10

VT-7677RD

SKU: 7515 3800157617741

 Box Qty.
24 Pcs


Type: **Underground**
Holder: **Fittings**
Material: **GU10**

Color of Fixture: **Black**
IP Rating: **IP65**
Dimension: **110x110x-**



Underground Fitting-Square-GU10

VT-7677SQ

SKU: 7516 3800157617758

 Box Qty.
24 Pcs


Type: **Underground**
Holder: **Fittings**
Material: **GU10**

Color of Fixture: **Black**
IP Rating: **IP65**
Dimension: **110x110x-**



Garden Spike-Single Head-E27

VT-728

SKU: 7044 3800157606332

 Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **E27**
Material: **ABS**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **450x27mm**



Garden Spike-Double Head-E27

VT-729

SKU: 7045 3800157606349

 Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **E27**
Material: **ABS**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **450x205mm**



Garden Spike-Black-IP44

VT-769

SKU: 7517 3800157617765

Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **95x95x335mm**



Garden Spike-White-IP44

VT-770

SKU: 7518 3800157617772

Box Qty.
8 Pcs

Type: **Garden Lamps**
Holder: **GU10**
Material: **Stainless Steel**

Color of Fixture: **Silver**
IP Rating: **IP44**
Dimension: **60x60x420mm**



new!

Garden Lamp

12w

VT-857-B



Box Qty.

50 Pcs

SKU: 7544 - 3000K Warm White

3800157633444

SKU: 7545 - 4000K Day White

3800157633451

SKU: 7546 - Green

3800157633468

IP65
RATING

Commercial Type: **Garden Spike Light**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **720lm**
 Beam Angle: **30°**
 PF **>0.6**

CRI: **>80**
 IP Rating: **IP65**
 Body Type: **Aluminium**
 Dimension: **73x255mm**

new!

Garden Lamp

12w

VT-857-W



Box Qty.

50 Pcs

SKU: 7547 - 3000K Warm White

3800157633475

SKU: 7548 - 4000K Day White

3800157633482

SKU: 7549 - Green

3800157633499

IP65
RATING

Commercial Type: **Garden Spike Light**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **720lm**
 Beam Angle: **30°**
 PF **>0.6**

CRI: **>80**
 IP Rating: **IP65**
 Body Type: **Aluminium**
 Dimension: **73x255mm**

new!

Garden Lamp

12w

VT-857-G



Box Qty.

50 Pcs

SKU: 7550 - 3000K Warm White

3800157633505

SKU: 7551 - 4000K Day White

3800157633512

SKU: 7552 - Green

3800157633529

IP65
RATING

Commercial Type: **Garden Spike Light**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **720lm**
 Beam Angle: **30°**
 PF **>0.6**

CRI: **>80**
 IP Rating: **IP65**
 Body Type: **Aluminium**
 Dimension: **73x255mm**

new!

Pool Lights-PAR56

8W

VT-1258



Box Qty.
12 Pcs

SKU: 7556 - 3000K Warm White

3800157633789

SKU: 7555 - 6400K White

3800157633772

SKU: 7557 - Blue

3800157633796



IP68
RATING

Commercial Type: PAR56

Voltage/Frequency: AC/DC:12V,50Hz

Luminous Flux: 800lm

Beam Angle: 120°


CRI: >80

IP Rating: IP68

Body Type: Glass

Dimension: 178x114mm

Cutting Size: 275x145mm



new!

Pool Lights-PAR56-RGB

8W

VT-1268



Box Qty.
12 Pcs

SKU: 7558 - RGB

3800157633802



IP68
RATING

Commercial Type: PAR56

Voltage/Frequency: AC/DC:12V,50Hz

Luminous Flux: 800lm

Beam Angle: 120°


CRI: >80

IP Rating: IP68

Body Type: Glass

Dimension: 178x114mm

Cutting Size: 275x145mm



new!
Pool Lights-PAR56
12w VT-1262

 Box Qty.
12 Pcs

SKU: 7560 - 3000K Warm White

3800157633826

SKU: 7559 - 6500K White


3800157633819

SKU: 7561 - Blue

3800157633833



Commercial Type: PAR56
 Voltage/Frequency: AC/DC:12V,50Hz
 Luminous Flux: 1200lm
 Beam Angle: 120°
 CRI: >80
 IP Rating: IP68
 Body Type: Glass
 Dimension: 178x114mm
 Cutting Size: 275x145mm


new!
Pool Lights-PAR56-RGB
12w VT-1263


 Box Qty.
12 Pcs

SKU: 7562 - RGB

3800157633840



Commercial Type: PAR56
 Voltage/Frequency: AC/DC:12V,50Hz
 Luminous Flux: 1200lm
 Beam Angle: 120°
 CRI: >80
 IP Rating: IP68
 Body Type: Glass
 Dimension: 178x114mm
 Cutting Size: 275x145mm





Garden Lamps

V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.



Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Waterproof Lamps available in series of IP rating from IP 44 to IP 66
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

Applications

Suitable for Outdoor Lighting


Wall Lamp

VT-7670



3800157617727

Voltage: **AC:220-240V,50Hz**
 Max.Watts: **14W**
 IP Rating: **IP44**
 Holder: **E27**
 Color of Fixture: **Stainless Steel**
 Body Type: **Stainless Steel+PC**
 Size: **250x90x100mm**




Wall Lamp

VT-7680



3800157617734

Voltage: **AC:220-240V**
 Max.Watts: **14W**
 IP Rating: **IP44**
 Holder: **E27**
 Color of Fixture: **Stainless Steel**
 Body Type: **Stainless Steel+PC**
 Size: **250x90x100mm**




Wall Lamp

VT-745-B



3800157614399

Voltage: **AC:220-240V,50Hz**
 Max.Watts: **40W**
 IP Rating: **IP54**
 Holder: **E27**
 Color of Fixture: **Matt Black**
 Body Type: **Aluminium**
 Size: **145X265mm**



Wall Lamp

VT-745-DG




12 Pcs

SKU: 7065

3800157614405

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP54
 Holder: E27
 Color of Fixture: Dark Grey
 Body Type: Aluminium
 Size: 145X265mm



Wall Lamp

VT-754-MB




10 Pcs

SKU: 7076

3800157616294

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 245x180x93mm



Wall Lamp

VT-754-MW




10 Pcs

SKU: 7077

3800157616300

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 245x180x93mm



Wall Lamp

VT-760-B




Box Qty.
12 Pcs

SKU: 7519

3800157617789

Voltage: AC:220-240V
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 225x400x148mm



Wall Lamp

VT-760-W




Box Qty.
12 Pcs

SKU: 7520

3800157617796

Voltage: AC:220-240V
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt White
Body Type: Aluminium+Glass
Size: 225x400x148mm



Wall Lamp

VT-761-B




Box Qty.
8 Pcs

SKU: 7521

3800157617802

Voltage: AC:220-240V
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 245x445x185mm



Wall Lamp


VT-761-W



SKU: 7522

3800157617819

Voltage: AC:220-240V
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 245x445x185mm



Wall Lamp


VT-730



SKU: 7046

3800157610391

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 200x238mm



Wall Lamp


VT-731



SKU: 7047

3800157610407

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 200x238mm



Wall Lamp


VT-852



SKU: 7531

3800157630078

Voltage: AC:220-240V,50Hz
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium, Glass
Size: 290x250x525mm



Wall Lamp


VT-853



SKU: 7532

3800157630085

Voltage: AC:220-240V,50Hz
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium, Glass
Size: 290x250x525mm



Wall Lamp


VT-751-B



SKU: 7070

3800157616232

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 215x375x170mm



MOTION
PIR
SENSOR



Wall Lamp


VT-751-W



SKU: 7071

3800157616249

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 215x375x170mm



Wall Lamp


VT-749-B



SKU: 7066

3800157616195

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 208x360x170mm



Wall Lamp


VT-749-W



SKU: 7067

3800157616201

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 208x360x170mm



Wall Lamp


VT-750-B



SKU: 7068

3800157616218

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 208x360x170mm



Wall Lamp


VT-750-W



SKU: 7069

3800157616225

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt White
Body Type: Aluminium+Glass
Size: 208x360x170mm



Ceiling Lamp


VT-752-B



SKU: 7072

3800157616256

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 170x840mm



Ceiling Lamp


VT-752-W



SKU: 7073

3800157616263

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: White
 Body Type: Aluminium+Glass
 Size: 170x840mm



Ceiling Lamp


VT-735



SKU: 7058

3800157612616

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 170x720mm



Stand Lamp


VT-736



SKU: 7059

3800157612623

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 170x600mm



Ceiling Lamp


VT-850

SKU: 7529

3800157630054

Box Qty.
8 Pcs

Voltage: **AC:200-240V,50Hz**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt Black**
Body Type: **Aluminium+PC**
Size: **250x890mm**



Pole Lamp


VT-851

SKU: 7530

3800157630061

Box Qty.
1 Pcs

Voltage: **AC:220-240V,50Hz**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Black**
Body Type: **Aluminium+PC**
Size: **250x1110mm**



Stand Lamp


VT-734

SKU: 7057

3800157612609

Box Qty.
10 Pcs

Voltage: **AC:220-240V,50Hz**
Max.Watts: **60W**
IP Rating: **IP65**
Holder: **E27**
Color of Fixture: **Black**
Body Type: **Aluminium+Glass**
Size: **170x290**



Stand Lamp


VT-753-B



SKU: 7074

3800157616270

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 170x403mm



Stand Lamp


VT-753-W



SKU: 7075

3800157616287

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 170x403mm



Stand Lamp


VT-737



SKU: 7060

3800157612630

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 345x1365mm



Stand Lamp


VT-738



SKU: 7061

3800157612647

Voltage: AC:220-240V,50Hz
 Max.Watts: 60Wx2
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 480x1410mm



Stand Lamp


VT-739



SKU: 7062

3800157612654

Voltage: AC:220-240V,50Hz
 Max.Watts: 60Wx2
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 500x1990mm



Stand Lamp


VT-740



SKU: 7063

3800157612661

Voltage: AC:220-240V,50Hz
 Max.Watts: 60Wx3
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 500x1990mm



LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these Wall Lamps.



Product Features

- Modern Wall lights available in sleek and stylish designs.
- Adjustable Beam Angle.
- Available in Black, Grey & White Colors
- Easy installation
- Perfect for Halls, Pathways, Bedroom, Kitchen & Terrace

Applications

Suitable for Residential lighting, Hotels, Restaurants, Resorts, Residential Lighting and similar environment



White

SKU: 8316 - 3000K Warm White 3800157632270
SKU: 8317 - 4000K Day White 3800157632287
SKU: 8318 - 5000K White 3800157632294

Black

SKU: 8322 - 3000K Warm White 3800157632331
SKU: 8323 - 4000K Day White 3800157632348
SKU: 8324 - 5000K White 3800157632355

Grey

SKU: 8319 - 3000K Warm White 3800157632300
SKU: 8320 - 4000K Day White 3800157632317
SKU: 8321 - 5000K White 3800157632324

new!

Wall Lights


10W VT-830

Box Qty.
8Pcs

IP65
RATING

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **450lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **72°**
Body Type: **Aluminium**
Dimension: **108x250mm**




new!


Wall Lights

10w VT-820

 Box Qty.
4Pcs
IP65
 RATING

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **450lm**
 IP Rating: **IP65**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **72°**
 Body Type: **Aluminium**
 Dimension: **108x800mm**






new!

Wall Lights

12w VT-822

Box Qty.
20Pcs

IP65
RATING



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **750lm**
 IP Rating: **IP65**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **140°**
 Body Type: **PC**
 Dimension: **130x160mm**

Black

SKU: 8211 - 3000K Warm White
SKU: 8212 - 4000K Day White

3800157623285
3800157623292

White

SKU: 8209 - 3000K Warm White
SKU: 8210 - 4000K Day White

3800157623261
3800157623278

Square-IP65

4w


VT-704

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **440lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium+Acrylic**
Dimension: **150x150x50mm**





Black

SKU: 8215 - 3000K Warm White 3800157623322
SKU: 8216 - 4000K Day White 3800157623339

White


SKU: 8213 - 3000K Warm White 3800157623308
SKU: 8214 - 4000K Day White 3800157623315

Round-IP65

4W

VT-706

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **440lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium+Acrylic**
Dimension: **150x50mm**

White

SKU: 8280 - 3000K Warm White 3800157629744
SKU: 8281 - 4000K Day White 3800157629751

Black

SKU: 8282 - 3000K Warm White 3800157629768
SKU: 8283 - 4000K Day White 3800157629775

Grey

SKU: 8284 - 3000K Warm White 3800157629782
SKU: 8285 - 4000K Day White 3800157629799

Modern Wall Lights

5w


VT-825

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **550lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **120°**
Body Type: **Aluminium**
Dimension: **170x170x75mm**





Triangle Light

6W

VT-826




Box Qty.
20Pcs




IP65
RATING

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **660lm**
 IP Rating: **IP65**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **15/120°**
 Body Type:
 Dimension: **Aluminium**





Black

SKU: 8288 - 3000K Warm White
SKU: 8289 - 4000K Day White

3800157629829
3800157629836

White

SKU: 8286 - 3000K Warm White
SKU: 8287 - 4000K Day White

3800157629805
3800157629812

Grey

SKU: 8290 - 3000K Warm White
SKU: 8291 - 4000K Day White

3800157629843
3800157629850

Single Head-Rotatable

6W


VT-816

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **350°**
Body Type: **Aluminium**
Dimension: **110x54x97mm**





Square-Bridgelux

6W


VT-759

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **120°**
Body Type: **Aluminium**
Dimension: **100x100x100mm**





Round-Bridgelux

6W

VT-756

 Box Qty.
20Pcs


Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 660lm

IP Rating: IP65


CRI: >80

PF: >0.45

Beam Angle: 120°

Body Type: Aluminium

Dimension: 140x115x100mm





Round Light

6W


VT-836

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **90°**
Body Type: **Aluminium**
Dimension: **112x112x93mm**





Black

SKU: 8219 - 3000K Warm White 3800157623360
SKU: 8220 - 4000K Day White 3800157623377

White


SKU: 8217 - 3000K Warm White 3800157623346
SKU: 8218 - 4000K Day White 3800157623353

Ceiling-Blade Lights

7W

VT-707

Box Qty.
20Pcs



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 770lm
IP Rating: IP65
CRI: >80

PF: >0.5
Beam Angle: 360°
Body Type: Aluminium
Dimension: 110x120x170mm



Round-Bridgelux

6W VT-741

Box Qty.
20Pcs


SKU: 7524 - 3000K Warm White
SKU: 7525 - 4000K Day White

3800157620017
3800157620024



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø135mm**



Round-Bridgelux

9W VT-743

Box Qty.
20Pcs


SKU: 7526 - 3000K Warm White
SKU: 7527 - 4000K Day White

3800157620031
3800157620048



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø180mm**





Up-Down Light-Medium

9w

VT-8056

Box Qty.
20Pcs

SKU: 8239 - 3000K Warm White
SKU: 8240 - 4000K Day White
SKU: 8241 - 6400K White

3800157625791
3800157625807
3800157625814



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 400lm

IP Rating: IP65


CRI: >80

PF: >0.9

Beam Angle: 90°

Body Type: PC

Dimension: 173x81x46mm



Up-Down Light-Large

12w

VT-8057

Box Qty.
20Pcs

SKU: 8242 - 3000K Warm White
SKU: 8243 - 4000K Day White
SKU: 8244 - 6400K White

3800157625821
3800157625838
3800157625845



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 600lm

IP Rating: IP65


CRI: >80

PF: >0.9

Beam Angle: 92°

Body Type: PC

Dimension: 230x100x90mm





Grey

SKU: 8294 - 3000K Warm White 3800157629881

White

SKU: 8292 - 3000K Warm White 3800157629867



Black

SKU: 8293 - 3000K Warm White 3800157629874



Double Head-Rotatable


12w VT-814

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:110-240V,50/60Hz**
Luminous Flux: **1320lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **350°**
Body Type: **Aluminium**
Dimension: **230x54x97mm**





Softlight-Bulkhead

12w VT-8058

 Box Qty.
20Pcs

SKU: 8245 - 3000K Warm White
SKU: 8246 - 4000K Day White
SKU: 8247 - 6400K White

3800157625852
3800157625869
3800157625876



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 500lm

IP Rating: IP65


CRI: >80

PF: >0.9

Beam Angle: 130°

Body Type: PC

Dimension: 230x110x76mm






Landscape-Soft Light-Medium

12w VT-8054

Box Qty.
20Pcs

SKU: 8233 - 3000K Warm White 3800157625739
SKU: 8234 - 4000K Day White 3800157625746
SKU: 8235 - 6400K White 3800157625753



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	600lm	Body Type:	PC
IP Rating:	IP65	Dimension:	265x120x81mm
CRI:	>80		




Landscape-Soft Light-Large

20w VT-8055

Box Qty.
20Pcs

SKU: 8236 - 3000K Warm White 3800157625760
SKU: 8238 - 6400K White 3800157625784



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	1000lm	Body Type:	PC
IP Rating:	IP65	Dimension:	319x170x114mm
CRI:	>80		

INDOOR WALL LIGHTS



Wall Lights

5W

VT-705



Box Qty.
20Pcs

SKU: 8208 - 3000K Warm White

SKU: 8232 - 4000K Day White

3800157623254

3800157624756

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **550lm**

IP Rating: **IP20**


CRI: **>80**


PF: **>0.5**

Beam Angle: **150°**

Body Type: **Aluminium**

Dimension: **175x80x96mm**





White

SKU: 8344 - 3000K Warm White
SKU: 8345 - 4000K Day White

3800157633000
3800157633017

Black

SKU: 8346 - 3000K Warm White
SKU: 8347 - 4000K Day White

3800157633024
3800157633031

new!

Square-Bridgelux

3W

VT-803

Box Qty.
20Pcs

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:110-240V,50/60Hz**

Luminous Flux: **300lm**

IP Rating: **IP20**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**

Body Type: **Iron**

Dimension: **220x80x200mm**

Rotatable-360-White
5w
VT-757


 Box Qty.
20Pcs

SKU: 7086 - 3000K Warm White

3800157616454

SKU: 7093 - 4000K Day White

3800157616935


 Sensor Compatible: **Yes**

 PF: **>0.45**

 Voltage/Frequency: **AC:110-240V,50/60Hz**

 Beam Angle: **10-360°**

 Luminous Flux: **560lm**

 Body Type: **Aluminium**

 IP Rating: **IP20**

 Dimension: **140x105x140mm**

 CRI: **>80**




White

SKU: 8225 - 3000K Warm White
SKU: 8226 - 4000K Day White

3800157623421
3800157623438

Black

SKU: 8227 - 3000K Warm White
SKU: 8228 - 4000K Day White

3800157623445
3800157623452


Modern Wall Lights

9w

VT-710



Box Qty.
20Pcs



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **990lm**

IP Rating: **IP20**

CRI: **>80**

PF: **>0.5**

Beam Angle: **360°**

Body Type: **Aluminium+Acrylic**

Dimension: **210x80mm**



White

SKU: 8221 - 3000K Warm White 3800157623384
 SKU: 8222 - 4000K Day White 3800157623391



Black

SKU: 8223 - 3000K Warm White 3800157623407
 SKU: 8224 - 4000K Day White 3800157623414

Modern Wall Lights


9w

VT-709

 Box Qty.
10Pcs

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **990lm**
 IP Rating: **IP20**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **360°**
 Body Type: **Aluminium**
 Dimension: **440x335x75mm**





White

SKU: 8307 - 3000K Warm White
SKU: 8308 - 4000K Day White

3800157630016
3800157630023



Black


SKU: 8309 - 3000K Warm White
SKU: 8310 - 4000K Day White

3800157630030
3800157630047

Modern Wall Lights

10w VT-811

Box Qty.
20Pcs



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:110-240V,50/60Hz**

Luminous Flux: **1100lm**

IP Rating: **IP65**

CRI: **>80**

PF: **>0.45**

Beam Angle: **360°**

Body Type: **Aluminium**

Dimension: **300x215x60mm**



Grey

SKU: 8206 - 3000K Warm White
SKU: 8207 - 4000K Day White

3800157623230
3800157623247



White

SKU: 8202 - 3000K Warm White
SKU: 8203 - 4000K Day White

3800157623193
3800157623209



Black

SKU: 8204 - 3000K Warm White
SKU: 8205 - 4000K Day White

3800157623216
3800157623223


Modern Wall Lights

12w VT-712

 Box Qty.
20Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium+Acrylic**
Dimension: **260x125x55mm**





Single Head

4.5w VT-805-W

Box Qty.
12Pcs

SKU: 8262 - 3000K Warm White

SKU: 8264 - 4000K Day White

3800157627122

3800157627146

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **360lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **100x94x45mm**



Single Head

4.5w VT-805-B

Box Qty.
12Pcs

SKU: 8263 - 3000K Warm White

SKU: 8265 - 4000K Day White

3800157627139

3800157627153

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **360lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **100x94x45mm**





Double Head

9w

VT-810-W


 Box Qty.
12Pcs

SKU: 8266 - 3000K Warm White
SKU: 8268 - 4000K Day White

3800157627160
3800157627184

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**



Double Head

9w

VT-810-B


 Box Qty.
12Pcs

SKU: 8267 - 3000K Warm White
SKU: 8269 - 4000K Day White

3800157627177
3800157627191

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**






Tripple Head

13.5w VT-813-W

Box Qty.
12Pcs

SKU: 8270 - 3000K Warm White
SKU: 8272 - 4000K Day White

3800157627207
3800157627221



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1080lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **600x100x94mm**




Tripple Head

13.5w VT-813-B

Box Qty.
12Pcs

SKU: 8271 - 3000K Warm White
SKU: 8273 - 4000K Day White

3800157627214
3800157627238



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1080lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **600x100x94mm**



Single Head

6W

VT-806-W

 Box Qty.
24Pcs

SKU: 8250 - 3000K Warm White

3800157627009

SKU: 8252 - 4000K Day White

3800157627023

Sensor Compatible: Yes

PF: >0.5

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 100°


Luminous Flux: 480lm

Body Type: Plastic+Metal

IP Rating: IP20

Dimension: 100x93mm

CRI: >80



Single Head

6W

VT-806-B

 Box Qty.
24Pcs

SKU: 8251 - 3000K Warm White

3800157627016

SKU: 8253 - 4000K Day White

3800157627030

Sensor Compatible: Yes

PF: >0.5

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 100°


Luminous Flux: 480lm

Body Type: Plastic+Metal

IP Rating: IP20

Dimension: 100x93mm

CRI: >80





Double Head

12w VT-812-W

Box Qty.
12Pcs

SKU: 8254 - 3000K Warm White
SKU: 8256 - 4000K Day White

3800157627047
3800157627061

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **960lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **405x100x93mm**



Double Head

12w VT-812-B

Box Qty.
12Pcs

SKU: 8255 - 3000K Warm White
SKU: 8257 - 4000K Day White

3800157627054
3800157627078

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **960lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **405x100x93mm**





Tripple Head


18w VT-818-W
 Box Qty.
12Pcs

SKU: 8258 - 3000K Warm White

SKU: 8260 - 4000K Day White

3800157627085

3800157627108

Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50/60Hz**Luminous Flux: **1440lm**IP Rating: **IP20**CRI: **>80**PF: **>0.5**Beam Angle: **100°**Body Type: **Plastic+Metal**Dimension: **605x100x93mm**

Tripple Head


18w VT-818-B
 Box Qty.
12Pcs

SKU: 8259 - 3000K Warm White

SKU: 8261 - 4000K Day White

3800157627092

3800157627115

Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50/60Hz**Luminous Flux: **1440lm**IP Rating: **IP20**CRI: **>80**PF: **>0.5**Beam Angle: **100°**Body Type: **Plastic+Metal**Dimension: **605x100x93mm**



LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.



Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



Indoor Display Screen

P5 Indoor LED Finished Cabinet

SKU: 11077 3800157617468



Box Qty.
6 Pcs



Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Surport Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness):	15KM
IP(Front/rear):	100000hrs

LED Cabinet Parameter

Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

LED Module Parameter

Pixel Pitch:	5mm
Led Specification:	SMD3528
Led Configuration:	SMD 3 in 1
Module Size:	320*160mm
Module Resolution:	64*32=2048dot
Drive Method:	1/16 scan constant current
Drive IC:	SM16106

Sending Box



Box Qty.
20 Pcs

SKU: 500082



Sending Card



Box Qty.
20 Pcs

SKU: 500081



The background image shows two spherical pendant lights with a warm, orange-glowing filament bulb inside. They are suspended by thin black cords against a dark, paneled wall. To the left, a small potted plant is visible. The foreground is a dark, wooden floor with a geometric pattern of light-colored tiles.

Stylish Pendants

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

Product Features

- Stylish pendant lamps available in various shapes, material and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.
- Applicable with E14 & E27 base.
- Pendant holders available in Bottle Shape, Chrome, Wooden, Concrete, Metal & Porcelain series.

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.




VT-7350-HT

Diamond Cut Glass-Transparent



Box Qty.
8Pcs

SKU: 3879
EAN : 3800157620970
Material: Glass+Metal
Size: Ø330x260x1000mm




VT-7350-HB

Diamond Cut Glass-Black



Box Qty.
8Pcs

SKU: 3880
EAN : 3800157620987
Material: Glass+Metal
Size: 330x260x1000mm





VT-7254

Designer Glass-Transparent



Box Qty.
8Pcs

SKU: 3882
EAN : 3800157621007
Material: Glass+Metal
Size: Ø250x230x1000mm



VT-7306

Designer Glass-Transparent



Box Qty.
8Pcs

SKU: 3883
EAN : 3800157621014
Material: Glass
Size: Ø300x265x1000mm






VT-7305

Designer Glass-Transparent



Box Qty.
4Pcs

SKU: 3881
EAN : 3800157620994
Material: Glass
Size: Ø270x1280mm





VT-7292

Designer Glass-Gun Grey



Box Qty.
8Pcs

SKU: 3887
EAN : 3800157621052
Material: Glass
Size: Ø300x265x1000mm



VT-7380

Designer Glass-Gun Grey



Box Qty.
4Pcs

SKU: 3888
EAN : 3800157621069
Material: Glass
Size: Ø380x330x1000mm






VT-7303

Amber Glass-Metal Series



Box Qty.
8Pcs

SKU: 3866
EAN : 3800157620765
Material: Glass+Metal
Size: 300x280x1000mm




VT-7302

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3865
EAN : 3800157620758
Material: Glass+Metal
Size: 300x280x1000mm





VT-7229

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3867
EAN : 3800157620772
Material: Glass+Metal
Size: 265x190x1000mm



VT-7304-AW

Double Glass-Amber-White



Box Qty.
8Pcs

SKU: 3875
EAN : 3800157620932
Material: Glass+Metal
Size: Ø250x420x1000mm






VT-7181-AW

Double Glass-Amber-White



Box Qty.
9Pcs

SKU: 3878
EAN : 3800157620963
Material: Glass+Metal
Size: 180x350x1000mm




VT-7304-GW

Double Glass-Gungrey-White



Box Qty.
8Pcs

SKU: 3876
EAN : 3800157620949
Material: Glass+Metal
Size: 250x420x1000mm





VT-7181-GW

Double Glass-Gungrey-White


Box Qty.
9Pcs


SKU: 3877
EAN : 3800157620956
Material: Glass+Metal
Size: 180x350x1000mm


VT-7281-WG

Modern-White Glass Pendant


Box Qty.
4Pcs

SKU: 3884
EAN : 3800157621021
Material: Glass+Metal
Size: Ø285x440x1000mm






VT-7281-BG

Modern-Black Glass Pendant



Box Qty.
4Pcs

SKU: 3885
EAN : 3800157621038
Material: Glass+Metal
Size: 285x440x1000mm




VT-7281-AG

Modern-Amber Glass Pendant



Box Qty.
4Pcs

SKU: 3886
EAN : 3800157621045
Material: Glass+Metal
Size: 285x440x1000mm





VT-7210

Glass-Metal Series


Box Qty.
8Pcs


SKU: 3730
EAN : 3800157611039
Material: Glass+Metal
Size: 245x230x1100mm


VT-7140-A

Amber Glass-Metal Series


Box Qty.
12Pcs

SKU: 3736
EAN : 3800157611091
Material: Glass+Metal
Size: 140x240x1130mm






VT-7140-T

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3735
EAN : 3800157611084
Material: Glass+Metal
Size: 140x240x1130mm




VT-7185

Transparent Glass-Metal Series



Box Qty.
12Pcs

SKU: 3738
EAN : 3800157611114
Material: Glass+Metal
Size: 180x230x1110mm





VT-7250

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3739
EAN : 3800157611121
Material: Glass+Metal
Size: 250x330x1220mm



VT-7290

Amber Glass-Metal Series



Box Qty.
8Pcs

SKU: 3741
EAN : 3800157611145
Material: Glass+Metal
Size: 260x260x1150mm






VT-7300

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3737
EAN: 3800157611107
Material: Glass+Metal
Size: 300x250x1150mm




VT-7320

Amber Glass-Metal Series



Box Qty.
8Pcs

SKU: 3740
EAN: 3800157611138
Material: Glass+Metal
Size: 250x280x1180mm






VT-7150-AG

Amber Glass-Metal Series



Box Qty.
12Pcs

SKU: 3732
EAN : 3800157611053
Material: Glass+Metal
Size: 145x160x1050mm




VT-7150-GG

Green Glass-Metal Series



Box Qty.
12Pcs

SKU: 3734
EAN : 3800157611077
Material: Glass+Metal
Size: 145x160x1050mm






VT-7150-RG

Red Glass-Metal Series



Box Qty.
12Pcs

SKU: 3731
EAN : 3800157611046
Material: Glass+Metal
Size: 145x160x1050mm




VT-7150-CG

Glass-Metal Series



Box Qty.
12Pcs

SKU: 3733
EAN : 3800157611060
Material: Glass+Metal
Size: 145x160x1050mm





VT-7220-A

Amber Glass Pendant



Box Qty.
8Pcs

SKU: 3726
EAN : 3800157610995
Material: Glass+Metal
Size: 220x280x1150mm



VT-7220-T

Transparent Glass Pendant



Box Qty.
8Pcs

SKU: 3727
EAN : 3800157611008
Material: Glass+Metal
Size: 220x280x1150mm






VT-7130

Transparent Glass-Wood Pendant



Box Qty.
8Pcs

SKU: 3818
EAN : 3800157615433
Material: Glass+Wood
Size: 135x240x1150mm




VT-7170

Transparent Glass-Wood Pendant



Box Qty.
8Pcs

SKU: 3819
EAN : 3800157615440
Material: Glass+Wood
Size: 165x220x1100mm





VT-7307

Trio Glass Pendant-Lampholder


Box Qty.
4Pcs


SKU: 3926
EAN : 3800157626217
Material: Glass+Wood
Size: 300x1300mm


VT-7240

Transparent Glass-Wood Pendant


Box Qty.
8Pcs

SKU: 3820
EAN : 3800157615457
Material: Glass+Wood
Size: 235x140x1050mm





VT-7015

3D Glass-Black Canopy




Box Qty.
10Pcs

SKU: 3830

EAN : 3800157616652

Material: Glass

Size: 150x140x1200mm





VT-7180

Transparent Glass-V Shape


Box Qty.
8Pcs


SKU: 3863
EAN : 3800157620734
Material: Glass+Metal
Size: Ø250x90mm


VT-7226

Transparent Glass-Globe


Box Qty.
8Pcs

SKU: 3864
EAN : 3800157620741
Material: Glass+Metal
Size: Ø250x230mm






VT-7142

Transparent Glass-Cone Shape



Box Qty.
8Pcs

SKU: 3861
EAN : 3800157620710
Material: Glass+Metal
Size: 140x160mm




VT-7143

Transparent Glass-V Shape



Box Qty.
8Pcs


SKU: 3862
EAN : 3800157620727
Material: Glass+Metal
Size: 185x140mm




VT-7400
6 Bulb Chandelier-Movable

Box Qty.
4Pcs

SKU: 3889
 EAN : 3800157621076
 Material: Metal
 Size: 791x900mm






VT-7422-B

Aluminium Shade-Black



Box Qty.
8Pcs

SKU: 3728
EAN : 3800157611015
Material: Aluminium
Size: 230x310x1150mm




VT-7422-WH

Aluminium Shade-White



Box Qty.
8Pcs

SKU: 3729
EAN : 3800157611022
Material: Aluminium
Size: 230x310x1150mm






VT-7200-MG
Mesh Metal-Grey



Box Qty.
8Pcs

SKU: 3822
EAN : 3800157616577
Material: Metal
Size: 200x270x1300mm




VT-7200-CG
Mesh Metal-Gold



Box Qty.
8Pcs

SKU: 3821
EAN : 3800157616560
Material: Metal
Size: 200x270x1300mm






VT-7200-MW
Mesh Metal-White



Box Qty.
8Pcs

SKU: 3823
EAN : 3800157616584
Material: Metal
Size: 200x270x1300mm




VT-7131-CG
Can Shape-Gold Pendant



Box Qty.
10Pcs


SKU: 3824
EAN : 3800157616591
Material: Metal
Size: 130x250x1300mm




VT-7131-MB
Can Shape-Black Pendant


Box Qty.
10Pcs

SKU: 3825
EAN : 3800157616607
Material: Metal
Size: 130x250x1300mm


VT-7131-MW
Can Shape-WhitePendant

Box Qty.
10Pcs

SKU: 3826
EAN : 3800157616614
Material: Metal
Size: 130x250x1300mm






VT-7132-CG

Can Shape-Gold Pendant



Box Qty.
10Pcs

SKU: 3827
EAN : 3800157616621
Material: Metal
Size: 130x220x1300mm




VT-7132-MB

Can Shape-Black Pendant



Box Qty.
10Pcs


SKU: 3828
EAN : 3800157616638
Material: Metal
Size: 130x220x1300mm




VT-7132-MW
Can Shape-WhitePendant


Box Qty.
10Pcs

SKU: 3829
EAN : 3800157616645
Material: Metal
Size: 130x220x1300mm


VT-7332
Mesh Metal-Globe

Box Qty.
8Pcs

SKU: 3859
EAN : 3800157620697
Material: Metal
Size: Ø290x1000x1340mm






VT-7252

Mesh Metal-GV Shape



Box Qty.
12Pcs

SKU: 3860
EAN : 3800157620703
Material: Metal
Size: 285x170x1000mm



VT-8255

Copper Series-Rose Gold



Box Qty.
4Pcs

SKU: 3709
EAN : 3800157610827
Material: Iron with electric copper paint
Size: Ø250mm




VT-8150-CO

Copper Series-Rose Gold


Box Qty.
10Pcs

SKU: 3713
EAN : 3800157610865
Material: Metal
Size: Ø150


VT-8300

Copper Series-Rose Gold


Box Qty.
4Pcs

SKU: 3710
EAN : 3800157610834
Material: Iron with electric copper paint
Size: Ø300





VT-8220

Copper Series-Rose Gold



Box Qty.
4Pcs

SKU: 3711
EAN : 3800157610841
Material: Iron with electric copper paint
Size: Ø220



VT-8150-CH

Copper Series-Rose Gold



Box Qty.
10Pcs

SKU: 3712
EAN : 3800157610858
Material: Iron with electric copper paint
Size: Ø150mm





VT-8180-CH

Copper Series-Chrome



Box Qty.
4Pcs

SKU: 3707
EAN : 3800157610803
Material: Iron with electric copper paint
Size: Ø180mm



VT-8180-CO

Copper Series-Rose Gold



Box Qty.
8Pcs

SKU: 3708
EAN : 3800157610810
Material: Iron with electric copper paint
Size: Ø180mm





VT-8170

Copper Series-Rose Gold



Box Qty.
8Pcs

SKU: 3714
EAN : 3800157610872
Material: Iron with electric copper paint
Size: Ø170mm



VT-8230

Copper Series-Rose Gold



Box Qty.
4Pcs

SKU: 3715
EAN : 3800157610889
Material: Iron with electric copper paint
Size: Ø230mm





VT-8175-CH

Copper Series-Chrome



Box Qty.
4Pcs

SKU: 3705
EAN : 3800157610780
Material: Iron with electric copper paint
Size: Ø170



VT-8175-CO

Copper Series-Rose Gold



Box Qty.
8Pcs

SKU: 3706
EAN : 3800157610797
Material: Iron with electric copper paint
Size: Ø170mm





VT-8200

Copper Series-Rose Gold



Box Qty.
4Pcs

SKU: 3716
EAN : 3800157610896
Material: Iron with electric copper paint
Size: Ø200mm



VT-8250

Copper Series-Rose Gold



Box Qty.
4Pcs


SKU: 3717
EAN : 3800157610902
Material: Iron with electric copper paint
Size: Ø250mm




VT-7205
White Glass-Wood Pendant



Box Qty.
8Pcs

SKU: 3759
EAN : 3800157611329
Material: Glass+Wood
Size: 190x320x1120mm


VT-7175
White Glass-Wood Pendant


Box Qty.
8Pcs

SKU: 3758
EAN : 3800157611312
Material: Glass+Wood
Size: 170x320x1120mm






VT-7177

White Glass-Wood Pendant



Box Qty.
8Pcs

SKU: 3760
EAN : 3800157611336
Material: Glass+Wood
Size: 170x320x1120mm




VT-7162-WH

Aluminum Pendant-White



Box Qty.
20Pcs

SKU: 3868
EAN : 3800157620789
Material: Aluminium
Size: Ø160x350x600mm






VT-7162-B

Aluminum Pendant-Black



Box Qty.
20Pcs

SKU: 3869
EAN : 3800157620796
Material: Aluminium
Size: Ø160x350x600mm




VT-7330

Concrete-Mesh



Box Qty.
4Pcs

SKU: 3849
EAN : 3800157618984
Material: Concrete-Iron
Size: 400x250x1100mm






VT-7121

Concrete-Mesh



Box Qty.
6Pcs

SKU: 3847
EAN : 3800157618960
Material: Concrete+Iron
Size: 120x380x1300mm




VT-7253

Concrete-Mesh



Box Qty.
4Pcs

SKU: 3848
EAN : 3800157618977
Material: Concrete+Iron
Size: 250x310x1200mm





VT-7155

Concrete-Lampshade


Box Qty.
6Pcs


SKU: 3850
EAN : 3800157618991
Material: Concrete
Size: 160x290x1250mm


VT-7202

Concrete-Lampshade


Box Qty.
4Pcs

SKU: 3853
EAN : 3800157619028
Material: Concrete
Size: 180x160x1100mm






VT-7291

Concrete-Acrylic



Box Qty.
4Pcs

SKU: 3854
EAN : 3800157619035
Material: Concrete+Wood
Size: 265x260x1050mm




VT-7301

Concrete-Wooden



Box Qty.
4Pcs

SKU: 3858
EAN : 3800157619073
Material: Concrete+Wood
Size: 290x250x1150mm





VT-7125-GY

Concrete-Wooden


Box Qty.
8Pcs


SKU: 3855
EAN : 3800157619042
Material: Concrete+Wood
Size: 120x210x1080mm


VT-7125-GN

Concrete-Wooden


Box Qty.
8Pcs

SKU: 3856
EAN : 3800157619059
Material: Concrete+Wood
Size: 120x210x1080mm






VT-7125-R

Concrete-Wooden



Box Qty.
8Pcs

SKU: 3857
EAN : 3800157619066
Material: Concrete+Wood
Size: 120x210x1080mm




VT-7160

Concrete-Table Lamp



Box Qty.
4Pcs

SKU: 3851
EAN : 3800157619004
Material: Concrete
Size: 160x150x2000mm





VT-7171

Concrete-Table Lamp



Box Qty.
8Pcs

SKU: 3852
EAN : 3800157619011
Material: Concrete
Size: 180x130x2000mm



VT-7141-CG

Geometric Series-Gold Canopy



Box Qty.
8Pcs

SKU: 3831
EAN : 3800157616669
Material: Metal
Size: 250x190x1250mm






VT-7141-MB

Geometric Series-Black Canopy



Box Qty.
8Pcs

SKU: 3832
EAN : 3800157616676
Material: Metal
Size: 250x190x1250mm




VT-7161-CG

Geometric Series-Gold Canopy



Box Qty.
10Pcs

SKU: 3833
EAN : 3800157616683
Material: Metal
Size: 225x225x1250mm





VT-7161-MB

Geometric Series-Black Canopy



Box Qty.
8Pcs

SKU: 3834
EAN : 3800157616690
Material: Metal
Size: 225x225x1250mm



VT-7144

Geometric Series-Black Canopy



Box Qty.
4Pcs

SKU: 3927
EAN : 3800157626224
Material: Metal Finish
Size: 300x1300mm






VT-7322-CG

Geometric Series-Gold Canopy



Box Qty.
10Pcs

SKU: 3835
EAN : 3800157616706
Material: Metal
Size: 320x320x1350mm




VT-7322-MB

Geometric Series-Black Canopy



Box Qty.
10Pcs

SKU: 3836
EAN : 3800157616713
Material: Metal
Size: 320x320x1350mm





VT-7321-CG

Geometric Series-Gold Canopy



Box Qty.
10Pcs

SKU: 3837
EAN : 3800157616720
Material: Metal
Size: 320x320x1350mm



VT-7321-MB

Geometric Series-Black Canopy



Box Qty.
10Pcs

SKU: 3838
EAN : 3800157616737
Material: Metal
Size: 320x320x1350mm






VT-7225

Danish Wood-Bronze Canopy



Box Qty.
8Pcs

SKU: 3816
EAN : 3800157612760
Material: Aluminium+SAND FINISH
Size: 260x330x1111mm




VT-7340

Danish Wood-Bronze Canopy



Box Qty.
4Pcs

SKU: 3817
EAN : 3800157612777
Material: Aluminium+SAND FINISH
Size: 360x420x1200mm





VT-7520-B

Aluminum-Sand finish-Black


Box Qty.
4Pcs


SKU: 3700
EAN : 3800157610735
Material: Aluminium+ SAND FINISH
Size: 220x310x1375mm


VT-7520-G

Aluminum-Sand finish-Grey


Box Qty.
4Pcs

SKU: 3701
EAN : 3800157610742
Material: Aluminium+SAND FINISH
Size: 220x310x1375mm





VT-7520-WH

Aluminum-Sand finish-White




Box Qty.
4Pcs

SKU: 3702

EAN : 3800157610759

Material: Aluminium+ SAND FINISH

Size: 220x310x1375mm





VT-7425-WH

Modern Wooden Top-White



Box Qty.
8Pcs

SKU: 3756
EAN : 3800157611299
Material: Aluminium+Wooden Top
Size: 250x200x1100mm



VT-7425-B

Modern Wooden Top-Black



Box Qty.
8Pcs

SKU: 3757
EAN : 3800157611305
Material: Aluminium+Wooden Top
Size: 250x200x1100mm






VT-7525-WH

Wooden Top Iron-White



Box Qty.
8Pcs

SKU: 3761
EAN : 3800157611343
Material: Iron+WOODEN TOP
Size: 250x400x1200mm




VT-7525-B

Wooden Top Iron-Black



Box Qty.
8Pcs

SKU: 3762
EAN : 3800157611350
Material: Iron+WOODEN TOP
Size: 250x400x1200mm





VT-7535-W

Wooden Top Iron-White



Box Qty.
8Pcs

SKU: 3763
EAN : 3800157611367
Material: Iron+WOODEN TOP
Size: 350x300x1100mm



VT-7535-B

Wooden Top Iron-Black



Box Qty.
8Pcs

SKU: 3764
EAN : 3800157611374
Material: Iron+WOODEN TOP
Size: 350x300x1100mm






VT-7545-WH

Wooden Top Iron-White



Box Qty.
8Pcs

SKU: 3765
EAN : 3800157611381
Material: Iron+WOODEN TOP
Size: 350x300x1100mm




VT-7545-B

Wooden Top Iron-Black



Box Qty.
8Pcs

SKU: 3766
EAN : 3800157611398
Material: Iron+WOODEN TOP
Size: 350x300x1100mm





VT-7100-WH

Pendant-Aluminium Shade-White


Box Qty.
12Pcs


SKU: 3920
EAN : 3800157626156
Material: Plastic+Aluminium
Size: 180x100x1200mm


VT-7100-B

Pendant-Aluminium Shade-Black


Box Qty.
12Pcs

SKU: 3921
EAN : 3800157626163
Material: Plastic+Aluminium
Size: 180x100x1200mm






VT-7100-G

Pendant-Aluminium Shade-Grey



Box Qty.
12Pcs

SKU: 3922
EAN : 3800157626170
Material: Plastic+Aluminium
Size: 180x100x1200mm




VT-7100-P

Pendant-Aluminium Shade-Pink



Box Qty.
12Pcs

SKU: 3923
EAN : 3800157626187
Material: Plastic+Aluminium
Size: 180x100x1200mm





VT-7100-R

Pendant-Aluminium Shade-Red


Box Qty.
12Pcs


SKU: 3924
EAN : 3800157626194
Material: Plastic+Aluminium
Size: 180x100x1200mm


VT-7100-BL

Pendant-Aluminium Shade-Blue


Box Qty.
12Pcs

SKU: 3925
EAN : 3800157626200
Material: Plastic+Aluminium
Size: 180x100x1200mm






VT-7777-RG

Metal Plate-Rose Gold



Box Qty.
20Pcs

SKU: 3751
EAN : 3800157611244
Material: Metal
Size: 300x90x1000mm




VT-7777-MG

Metal Plate-Matt Gold



Box Qty.
20Pcs

SKU: 3752
EAN : 3800157611251
Material: Metal
Size: 300x90x1000mm



new!



VT-7401-W

Net Prism-White Pendant


Box Qty.
2Pcs

SKU: 3943
EAN : 3800157630115
Material: Metal
Size: 400x540mm



new!



VT-7401-B

Net Prism-Black Pendant



Box Qty.

SKU: 3944
EAN : 3800157630122
Material: Metal
Size: 400x540mm



new!



VT-7401-BG

Net Prism-Black Pendant



Box Qty.
2Pcs

SKU: 3945
EAN : 3800157630139
Material: Metal
Size: 400x540mm



new!



VT-7310-B

Prism-Blue Pendant



Box Qty.
4Pcs

SKU: 3946
EAN : 3800157630146
Material: Metal
Size: 310x190mm



new!


VT-7310-Y
Prism-Yellow Pendant



Box Qty.
4Pcs

SKU: 3947
EAN : 3800157630153
Material: Metal
Size: 310x190mm


new!


VT-7310-W
Prism-White Pendant



Box Qty.
4Pcs

SKU: 3948
EAN : 3800157630160
Material: Metal
Size: 310x190mm



new!



VT-7323-W
Prism-Wooden-White



Box Qty.
4Pcs

SKU: 3949
EAN : 3800157630177
Material: Metal
Size: 320x270mm



new!



VT-7323-Y
Prism-Wooden-Yellow



Box Qty.
4Pcs

SKU: 3950
EAN : 3800157630184
Material: Metal
Size: 320x270mm



new!


VT-7323-P

Prism-Wooden-Pink


Box Qty.
4Pcs

SKU: 3951
EAN : 3800157630191
Material: Metal
Size: 320x270mm



new!


VT-7255-W

Cone Prism-White


Box Qty.
4Pcs

SKU: 3952
EAN : 3800157630207
Material: Metal
Size: 250x255mm



new!



VT-7255-B

Cone Prism-Blue



Box Qty.

SKU: 3953
EAN : 3800157630214
Material: Metal
Size: 250x255mm



new!



VT-7255-Y

Cone Prism-Yellow



Box Qty.

SKU: 3954
EAN : 3800157630221
Material: Metal
Size: 250x255mm




new!



VT-7334-T
Metal W/Crystal

Box Qty.
4Pcs

SKU: 3955
EAN : 3800157630238
Material: Metal
Size: 300x360mm



new!



VT-7334-M
Metal W/Crystal

Box Qty.
4Pcs

SKU: 3956
EAN : 3800157630245
Material: Metal
Size: 330x300mm



new!



VT-7334-B

Metal W/Crystal



Box Qty.
4Pcs

SKU: 3957
EAN : 3800157630252
Material: Metal
Size: 300x360mm





VT-7424

Vintage Metal


Box Qty.
12Pcs


SKU: 3753
EAN : 3800157611268
Material: Metal
Size: 260x170x1080mm


VT-7201

Vintage Metal-Pulley


Box Qty.
8Pcs

SKU: 3845
EAN : 3800157617192
Material: Metal
Size: 220x140x600-1600mm






VT-7118

Pendant-Hemp Rope



Box Qty.
12Pcs

SKU: 3754
EAN : 3800157611275
Material: Rope
Size: 45x57x1500mm




VT-7251

Globe-Chrome Canopy



Box Qty.
4Pcs

SKU: 3839
EAN : 3800157616744
Material: Acrylic Glass
Size: 250x250x1300mm






VT-7558-GN
Pendant Holder-Bottle-E14



Box Qty.
25Pcs

Color: **Green**
SKU: **3767**
EAN : **3800157611404**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-BL
Pendant Holder-Bottle-E14



Box Qty.
25Pcs

Color: **Blue**
SKU: **3768**
EAN : **3800157611411**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-R
Pendant Holder-Bottle-E14



Box Qty.
25Pcs

Color: **Red**
SKU: **3769**
EAN : **3800157611428**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-A
Pendant Holder-Bottle-E14



Box Qty.
25Pcs

Color: **Amber**
SKU: **3770**
EAN : **3800157611435**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-T
Pendant Holder-Bottle-E14



Box Qty.
25Pcs


Color: **Transparent**
SKU: **3771**
EAN : **3800157611442**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-P
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Pink**
SKU: **3772**
EAN : **3800157611459**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-Y
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Yellow**
SKU: **3773**
EAN : **3800157611466**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-R0
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Rose**
SKU: **3774**
EAN : **3800157611473**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-GY
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Grey**
SKU: **3775**
EAN : **3800157611480**
Material: **Glass**
Size: **78x280x1150mm**



VT-7558-BR
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs


Color: **Brown**
SKU: **3776**
EAN : **3800157611497**
Material: **Glass**
Size: **72x280x1150mm**



Color: Red Bronze
SKU: 3840
EAN : 3800157617147
Material: Metal
Size: Ø50x90x900mm

VT-7555-RB Metal Holder-Canopy

Box Qty.
30Pcs



VT-7555-BBR Metal Holder-Canopy

Color: Brown Bronze
SKU: 3841
EAN : 3800157617154
Material: Metal
Size: Ø50x90x900mm

Box Qty.
30Pcs



VT-7555-BB Metal Holder-Canopy

Color: Brass Bronze
SKU: 3842
EAN : 3800157617161
Material: Metal
Size: Ø50x90x900mm

Box Qty.
30Pcs



VT-7555-BR Metal Holder-Canopy

Color: Bronze
SKU: 3843
EAN : 3800157617178
Material: Metal
Size: Ø50x90x900mm

Box Qty.
30Pcs



VT-7555-MG Metal Holder-Canopy

Color: Gold
SKU: 3844
EAN : 3800157617185
Material: Metal
Size: Ø50x90x900mm

Box Qty.
30Pcs




VT-7999-G2

Metal Holder-Adjustable Canopy



Color: Gold Aluminum
SKU: 3811
EAN : 3800157612425
Material: Aluminium
Size: 50x100mm



VT-7999-G3

Metal Holder-Adjustable



Color: Gold Aluminum
SKU: 3812
EAN : 3800157612432
Material: Aluminium
Size: 50x100mm



VT-7999-B

Metal Holder-Adjustable



Color: Bronze Aluminum
SKU: 3813
EAN : 3800157612449
Material: Aluminium
Size: 50x100mm



VT-7999-BV

Metal Holder-Adjustable



Color: Bronze Aluminum
SKU: 3814
EAN : 3800157612456
Material: Aluminium
Size: 50x100mm



VT-7999

Metal Holder-Adjustable



Color: Rose Gold Aluminum
SKU: 3815
EAN : 3800157612463
Material: Aluminium
Size: 50x100mm


VT-7778-W

Wooden Holder-White Wire


Box Qty.
50Pcs

Color: White Wire
SKU: 3720
EAN: 3800157610933
Material: Wooden
Size: 73x102x1000mm


VT-7778-BK

Wooden Holder-Black Wire


Box Qty.
50Pcs

Color: Black Wire
SKU: 3721
EAN: 3800157610940
Material: Wooden
Size: 73x102x1000mm


VT-7778-BL

Wooden Holder-Blue Wire


Box Qty.
50Pcs

Color: Blue Wire
SKU: 3722
EAN: 3800157610957
Material: Wooden
Size: 73x102x1000mm


VT-7778-R

Wooden Holder-Red Wire


Box Qty.
50Pcs

Color: Red Wire
SKU: 3723
EAN: 3800157610964
Material: Wooden
Size: 73x102x1000mm


VT-7778-PR

Wooden Holder-Purple Wire


Box Qty.
50Pcs

Color: Purple Wire
SKU: 3724
EAN: 3800157610971
Material: Wooden
Size: 73x102x1000mm


VT-7778-GN

Wooden Holder-Green Wire


Box Qty.
50Pcs

Color: Green Wire
SKU: 3725
EAN: 3800157610988
Material: Wooden
Size: 73x102x1000mm



Pendant-Porcelain Set

VT-7998-W  Box Qty.
60Pcs

Color: **White**
 SKU: **3803**
 EAN : **3800157612340**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BK  Box Qty.
60Pcs

Color: **Black**
 SKU: **3804**
 EAN : **3800157612357**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-GN  Box Qty.
60Pcs

Color: **Green**
 SKU: **3805**
 EAN : **3800157612364**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BL  Box Qty.
60Pcs

Color: **Blue**
 SKU: **3806**
 EAN : **3800157612371**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-R  Box Qty.
60Pcs

Color: **Red**
 SKU: **3807**
 EAN : **3800157612388**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-GY  Box Qty.
60Pcs

Color: **Grey**
 SKU: **3808**
 EAN : **3800157612395**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998Y  Box Qty.
60Pcs

Color: **Yellow**
 SKU: **3809**
 EAN : **3800157612401**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BR  Box Qty.
60Pcs

Color: **Brown**
 SKU: **3810**
 EAN : **3800157612418**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Porcelain Holder

VT-799-WBox Qty.
100Pcs

Color: White
SKU: 3795
EAN : 3800157612265
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-BKBox Qty.
100Pcs

Color: Black
SKU: 3796
EAN : 3800157612272
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-GNBox Qty.
100Pcs

Color: Green
SKU: 3797
EAN : 3800157612289
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-BLBox Qty.
100Pcs

Color: Blue
SKU: 3798
EAN : 3800157612296
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-RBox Qty.
100Pcs

Color: Red
SKU: 3799
EAN : 3800157612302
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-GYBox Qty.
100Pcs

Color: Grey
SKU: 3800
EAN : 3800157612319
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-YBox Qty.
100Pcs

Color: Yellow
SKU: 3801
EAN : 3800157612326
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-BRBox Qty.
100Pcs

Color: Brown
SKU: 3802
EAN : 3800157612333
Material: Porcelain
Size: Ø47x64mm



Concrete Holder-Canopy

VT-7668-GN  Box Qty.
40Pcs

Color: **Green**
 SKU: **3742**
 EAN : **3800157611152**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-R  Box Qty.
40Pcs

Color: **Red**
 SKU: **3743**
 EAN : **3800157611169**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BL  Box Qty.
40Pcs

Color: **Blue**
 SKU: **3744**
 EAN : **3800157611176**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-Y  Box Qty.
40Pcs

Color: **Yellow**
 SKU: **3745**
 EAN : **3800157611183**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-W  Box Qty.
40Pcs

Color: **White**
 SKU: **3746**
 EAN : **3800157611190**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BK  Box Qty.
40Pcs

Color: **Black**
 SKU: **3747**
 EAN : **3800157611206**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-GY  Box Qty.
40Pcs

Color: **Grey**
 SKU: **3748**
 EAN : **3800157611213**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BR  Box Qty.
40Pcs

Color: **Brown**
 SKU: **3749**
 EAN : **3800157611220**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BE  Box Qty.
40Pcs

Color: **Beige**
 SKU: **3750**
 EAN : **3800157611237**
 Material: **Concrete**
 Size: **50x95x1050mm**



VT-7448
Gold Rose Holder

Color: **Rose Gold Set**
SKU: **3777**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611503



VT-7338-W
Chrome Holder

Color: **White**
SKU: **3755**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611282



VT-7338-BK
Chrome Holder

Color: **Black**
SKU: **3782**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611558



VT-7338-BL
Chrome Holder

Color: **Blue**
SKU: **3783**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611565



VT-7338-BN
Chrome Holder

Color: **Brown**
SKU: **3784**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611572



VT-7338-GN
Chrome Holder

Color: **Green**
SKU: **3785**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611589



VT-7338-GY
Chrome Holder

Color: **Grey**
SKU: **3786**
Box Qty. **1Pcs**
Size: **36x60mm**

EAN :
3800157611596



VT-7338-LB
Chrome Holder

Color: **Light Blue**
SKU: **3787**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611602



VT-7338-O
Chrome Holder

Color: **Orange**
SKU: **3788**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611619



VT-7338-PK
Chrome Holder

Color: **Pink**
SKU: **3789**
Box Qty. **1Pcs**
Size: **36x60mm**

EAN :
3800157611626



VT-7338-PE
Chrome Holder

Color: **Purple**
SKU: **3790**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611633



VT-7338-R
Chrome Holder

Color: **Red**
SKU: **3791**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611640



VT-7338-RR
Chrome Holder

Color: **Rose Red**
SKU: **3792**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611657



VT-7338-Y
Chrome Holder

Color: **Yellow**
SKU: **3793**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611664



VT-7338-BE
Chrome Holder

Color: **Beige**
SKU: **3794**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611671


VT-7228-BN
Silicone Series

Color: **Brown**
SKU: **3475**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607919


VT-7228-BE
Silicone Series

Color: **Blue**
SKU: **3476**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607926


VT-7228-W
Silicone Series

Color: **White**
SKU: **3477**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607933


VT-7228-BK
Silicone Series

Color: **Black**
SKU: **3478**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607940


VT-7228-PN
Silicone Series

Color: **Pink**
SKU: **3479**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607957


VT-7228-R
Silicone Series

Color: **Red**
SKU: **3480**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607964


VT-7228-GY
Silicone Series

Color: **Grey**
SKU: **3481**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607971


VT-7228-LB
Silicone Series

Color: **Light Blue**
SKU: **3482**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609463


VT-7228-PE
Silicone Series

Color: **Purple**
SKU: **3483**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609470


VT-7228-O
Silicone Series

Color: **Orange**
SKU: **3484**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609487


VT-7228-Y
Silicone Series

Color: **Yellow**
SKU: **3485**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609494


VT-7228-GN
Silicone Series

Color: **Green**
SKU: **3486**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609500



Designer Sleek

LED Pendants




Built In LED

Designer Sleek Pendant-Chrome

18w VT-7018

Box Qty.
12Pcs

SKU: 3890 - 4000K Day White 3800157621083



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1350lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°


No. of LED: 90 pcs

Material : Stainless Steel+Metal+PMMA

Unit GW : 1.38 Kg

Life Span: 20,000 Hours

Size : 940x55x800mm


Built In LED
Designer Sleek Pendant-Chrome
24w VT-7024
 **Box Qty.**
12Pcs
SKU: 3891 - 4000K Day White 3800157621090

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1800lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°

No. of LED: 120 pcs

Material : Stainless Steel+Metal+PMMA

Unit GW : 1.59 Kg

Life Span: 20,000 Hours

Size : 1220x55x800mm




Built In LED

Designer Sleek Pendant-Chrome

36w VT-7036

Box Qty.
12Pcs

SKU: 3892 - 4000K Day White 3800157621106



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2700lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°


No. of LED: 180 pcs

Material : Stainless Steel+Metal+PMMA

Unit GW : 1.82 Kg

Life Span: 20,000 Hours

Size : 1820x55x800mm


Built In LED
Designer Sleek Pendant-Chrome
36w VT-7037
 **Box Qty.**
6Pcs
SKU: 3893 - 4000K Day White
3800157621113

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2700lm
LED Type: SMD
CRI: >80
PF: >0.8
Beam Angle: 120°
No. of LED: 180 pcs
Material : Stainless Steel+Metal+PMMA
Unit GW : 2.24 Kg
Life Span: 20,000 Hours
Size : 940x120x60mm




Mirror Light-Picture Lamp-Chrome

8w VT-7008

Box Qty.
12Pcs

SKU: 3894 - 4000K Day White

3800157621120



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **40 pcs**

Luminous Flux: **600lm**

Material: **Metal+PMMA**

LED Type: **SMD**

Unit GW: **0.72 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.5**

Size: **500x55x185mm**

Beam Angle: **120°**

Built In LED




Mirror Light-Picture Lamp-Chrome

12w VT-7012

Box Qty.
12Pcs

SKU: 3895 - 4000K Day White

3800157621137



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **60 pcs**

Luminous Flux: **900lm**

Material: **Metal+PMMA**

LED Type: **SMD**

Unit GW: **0.82 Kg**

CRI: **>80**


Life Span: **20,000 Hours**

PF: **>0.5**

Size: **640x55x185mm**

Beam Angle: **120°**

Built In LED




Mirror Lamp-Movable

8W **VT-7009CH**

Box Qty.
11Pcs

SKU: 3900 - 4000K Day white

3800157621854



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **40 pcs**

Luminous Flux: **600lm**

Material : **Stainless Steel+Aluminium+PMMA**

LED Type: **SMD**

Unit GW : **0.8 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.8**

Size :

455x45x190mm

Beam Angle: **120°**

Built In LED




Mirror Light-Picture Lamp-Golden

8W **VT-7009**

Box Qty.
11Pcs

SKU: 3901 - 4000K Day white

3800157621861



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **40 pcs**

Luminous Flux: **600lm**

Material : **Stainless Steel+Aluminium+PMMA**

LED Type: **SMD**

Unit GW : **0.8 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.8**

Size :

455x45x190mm

Beam Angle: **120°**


Built In LED



Mirror Light - Chrome Cap

10w VT-7010-CH
 Box Qty.
10Pcs

 SKU: 3916 - 4000K Day White
 SKU: 3917 - 6400K White

 3800157626118
 3800157626125



Voltage/Frequency:	AC:220-240V,50/60Hz	No. of LED:	N/A
Luminous Flux:	950lm	Material :	Aluminium+PC
LED Type:	SMD	Unit GW :	0.63 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	605x53.6x64.6mm
Beam Angle:	150°		

Built In LED


Mirror Light - White Cap

10w VT-7010-WH
 Box Qty.
10Pcs

 SKU: 3918 - 4000K Day White
 SKU: 3919 - 6400K White

 3800157626132
 3800157626149


Voltage/Frequency:	AC:220-240V,50/60Hz	No. of LED:	N/A
Luminous Flux:	950lm	Material :	Aluminium+PC
LED Type:	SMD	Unit GW :	0.63 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	605x53.6x64.6mm
Beam Angle:	150°		

Built In LED




Mirror Light-Chrome

12w VT-7014

 Box Qty.
12Pcs

SKU: 3902 - 4000K Day white

3800157621878



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 900lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°

No. of LED: 60 pcs

Material: Stainless Steel+Metal+PMMA

Unit GW: 1.08 Kg

Life Span: 20,000 Hours

Size: 640x65x65mm

Built In **LED**


Mirror Light-Chrome

18w VT-7021

 Box Qty.
12Pcs

SKU: 3903 - 4000K Day white

3800157621885



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1350lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°

No. of LED: 90 pcs

Material: Stainless Steel+Metal+PMMA

Unit GW: 1.28 Kg

Life Span: 20,000 Hours

Size: 940x65x65mm

Built In **LED**



Designer Bend Glass-Wall Pendant

12w VT-7013

Box Qty.
6Pcs

SKU: 3896 - 4000K Day White

3800157621144



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **900lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **60 pcs**

Material: **Stainless Steel+Metal+Glass**

Unit GW: **1.01 Kg**

Life Span: **20,000 Hours**

Size: **685x55x65mm**

Built In LED




Designer Bend Glass-Wall Pendant

18w VT-7019

Box Qty.
6Pcs

SKU: 3897 - 4000K Day white

3800157621151



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1350lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **90 pcs**


Material: **Stainless Steel+Metal+Glass**


Unit GW: **1.50 Kg**

Life Span: **20,000 Hours**

Size: **985x55x65mm**

Built In LED


Built In LED
Designer Bend Glass-Hanging Pendant
18w VT-7020
 Box Qty.
6Pcs
SKU: 3898 - 4000K Day white 3800157621168

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 1350lm
LED Type: SMD
CRI: >80
PF: >0.8
Beam Angle: 120°
No. of LED: 90 pcs
Material : Stainless Steel+Metal+Glass
Unit GW : 1.98 Kg
Life Span: 20,000 Hours
Size : 985x55x800mm



Built In LED


Designer Bend Series - Chrome

36w VT-7038

Box Qty.
6Pcs

SKU: 3899 - 4000K Day white

3800157621175



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+Glass**

Unit GW : **3.53 Kg**

Life Span: **20,000 Hours**

Size : **985x120x75mm**



Modern Circular

Chandeliers & Pendants

With Built in LED lights

Pendant Light-Gold Lamp Shade

7W VT-7333-G

Box Qty.
12Pcs

SKU: 3934 - 3000K Warm White
SKU: 3928 - 4000K Day White

3800157628952
3800157626569

Built In LED

Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Beam Angle: **120°**

No. of LED: **14 pcs**
Material : **Metal Finish**
Unit GW : **1.4 Kg**
Life Span: **30,000 Hours**
Size : **Ø120xH190mm**



Pendant Light-White Lamp Shade

7W VT-7333-WH

Box Qty.
12Pcs


SKU: 3935 - 3000K Warm White
SKU: 3929 - 4000K Day White

3800157628969
3800157626576

Built In LED

Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Beam Angle: **120°**

No. of LED: **14 pcs**
Material : **Metal Finish**
Unit GW : **1.4 Kg**
Life Span: **30,000 Hours**
Size : **Ø120xH190mm**



Pendant Light-Gold Lamp Shade

7W
VT-7444-G
 Box Qty.
8Pcs

SKU: 3936 - 3000K Warm White

3800157628976

SKU: 3930 - 4000K Day White

3800157626583

Built In LED

 Voltage/Frequency: **AC:220-240V,50Hz**

 Luminous Flux: **400lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.5**



 Beam Angle: **120°**

 No. of LED: **14 pcs**

 Material: **Metal Finish**

 Unit GW: **1.9 Kg**

 Life Span: **30,000 Hours**

 Size: **Ø250xH190mm**


Pendant Light-White Lamp Shade

7W
VT-7444-WH
 Box Qty.
8Pcs

SKU: 3937 - 3000K Warm White

3800157628983

SKU: 3931 - 4000K Day White

3800157626590

Built In LED

 Voltage/Frequency: **AC:220-240V,50Hz**

 Luminous Flux: **400lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.5**



 Beam Angle: **120°**

 No. of LED: **14 pcs**

 Material: **Metal Finish**

 Unit GW: **1.9 Kg**

 Life Span: **30,000 Hours**

 Size: **Ø250xH190mm**


Pendant Light-Gold Lamp Shade

7W VT-7666-G

Box Qty.
4Pcs

SKU: 3938 - 3000K Warm White

3800157628990

SKU: 3932 - 4000K Day White

3800157626606

Built In LED

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **400lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**


No. of LED: **14 pcs**

Material: **Metal Finish**

Unit GW: **2.4 Kg**

Life Span: **30,000 Hours**

Size: **Ø340xH190mm**



Pendant Light-White Lamp Shade

7W VT-7666-WH

Box Qty.
4Pcs

SKU: 3939 - 3000K Warm White

3800157629003

SKU: 3933 - 4000K Day White

3800157626613

Built In LED

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **400lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**



No. of LED: **14 pcs**

Material: **Metal Finish**

Unit GW: **2.4 Kg**

Life Span: **30,000 Hours**

Size: **Ø340xH190mm**




Built In LED

Chandelier Series

40w VT-40-1

SKU: 3874 - 3000K Warm White

3800157620888

 Box Qty.
1Pcs

 Voltage/Frequency: **AC:100-240V,50Hz**

 Luminous Flux: **2800lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.9**


 Beam Angle: **120°**

 No. of LED: **240 pcs**

 Material : **Steel+PC**

 Unit GW : **3.90 Kg**

 Life Span: **20,000 Hours**

 Size : **400X210X1000mm**





Built In LED

Chandelier-3 Step
70w VT-70-3D

SKU: 3904 - 3000K Warm White
SKU: 3905 - 4000K Day White

Box Qty.
1Pcs

3800157624633
3800157624640



Voltage/Frequency: **AC:100-240V,50Hz**
Luminous Flux: **4900lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**

No. of LED: **360 pcs**
Material : **Acrylic+Aluminium**
Unit GW : **3.50 Kg**
Life Span: **20,000 Hours**
Size : **600x600x1200mm**



Built In LED
Chandelier-3 Step
80w VT-80-3D

SKU: 3906 - 3000K Warm White

SKU: 3907 - 4000K Day White

3800157624657

3800157624664

 Box Qty.
1Pcs

 Voltage/Frequency: **AC:100-240V,50Hz**

 Luminous Flux: **5600lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.9**

 Beam Angle: **120°**


 No. of LED: **510 pcs**

 Material : **Acrylic+Aluminium**

 Unit GW : **4.7 Kg**

 Life Span: **20,000 Hours**

 Size : **600x600x1200mm**



Built In LED

Chandelier-3 Step

85w VT-85-3

Box Qty.
1Pcs



SKU: 3910 - 3000K Warm White
SKU: 3911 - 4000K Day White

3800157624695
3800157624701

Voltage/Frequency:	AC:100-240V,50Hz	No. of LED:	510 pcs
Luminous Flux:	5900lm	Material :	Acrylic+Aluminium
LED Type:	SMD	Unit GW :	5.5 Kg
CRI:	>80	Life Span:	20,000 Hours
PF:	>0.9	Size :	200x400x600mm
Beam Angle:	120°		

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
135	- 23	187	- 29	235	- 15	290	- 9	413	- 43	482	- 47
136	- 23	188	- 29	236	- 15	291	- 8	414	- 43	483	- 47
137	- 23	192	- 33	240	- 31	292	- 8	415	- 39	484	- 48
138	- 22	193	- 33	241	- 31	293	- 7	416	- 39	485	- 48
139	- 22	194	- 33	242	- 31	294	- 7	417	- 39	486	- 40
140	- 22	195	- 34	243	- 31	320	- 66	418	- 44	487	- 40
141	- 23	196	- 34	244	- 31	321	- 66	419	- 44	488	- 48
142	- 23	197	- 34	245	- 31	322	- 66	420	- 40	489	- 48
143	- 23	198	- 33	246	- 32	350	- 68	421	- 40	520	- 28
144	- 16	199	- 33	247	- 32	351	- 68	422	- 44	521	- 28
145	- 16	200	- 33	248	- 32	352	- 68	423	- 44	550	- 77
146	- 16	201	- 32	249	- 13	353	- 68	424	- 41	551	- 77
147	- 24	202	- 32	250	- 13	354	- 68	425	- 41	552	- 76
148	- 24	203	- 32	251	- 13	355	- 68	426	- 41	553	- 76
149	- 24	204	- 35	252	- 13	356	- 69	427	- 37	554	- 77
150	- 25	205	- 35	253	- 13	357	- 69	428	- 37	555	- 77
151	- 25	206	- 35	254	- 13	358	- 69	429	- 37	556	- 76
152	- 25	207	- 35	255	- 12	359	- 69	430	- 45	557	- 76
153	- 24	208	- 35	256	- 12	360	- 69	431	- 45	558	- 75
154	- 24	209	- 35	257	- 12	361	- 69	432	- 45	559	- 75
155	- 24	210	- 22	258	- 11	362	- 70	439	- 41	560	- 74
156	- 19	211	- 22	259	- 11	363	- 70	440	- 41	561	- 74
157	- 19	212	- 22	260	- 11	364	- 70	441	- 41	562	- 75
158	- 19	213	- 26	261	- 11	365	- 70	442	- 37	563	- 75
159	- 21	214	- 26	262	- 11	366	- 70	443	- 37	564	- 74
160	- 21	215	- 26	263	- 11	367	- 70	444	- 37	565	- 74
161	- 21	216	- 27	264	- 12	368	- 71	445	- 45	566	- 73
162	- 21	217	- 27	265	- 12	369	- 71	446	- 45	567	- 73
163	- 21	218	- 27	266	- 12	370	- 71	447	- 45	568	- 73
164	- 21	219	- 27	267	- 15	371	- 71	454	- 46	569	- 73
165	- 34	220	- 27	268	- 15	372	- 71	455	- 46	572	- 78
166	- 34	221	- 27	269	- 15	373	- 71	456	- 46	573	- 78
167	- 34	222	- 25	270	- 18	400	- 42	463	- 46	611	- 53
168	- 17	223	- 25	271	- 18	401	- 42	464	- 46	612	- 53
169	- 17	224	- 25	272	- 4	402	- 42	465	- 46	613	- 53
170	- 17	225	- 26	275	- 6	403	- 38	472	- 47	614	- 53
171	- 17	226	- 26	278	- 5	404	- 38	473	- 47	615	- 53
172	- 17	227	- 26	279	- 5	405	- 38	474	- 47	616	- 53
173	- 17	228	- 19	280	- 6	406	- 42	475	- 43	617	- 52
174	- 16	229	- 19	282	- 3	407	- 42	476	- 43	618	- 52
175	- 16	230	- 19	283	- 28	408	- 42	477	- 43	619	- 52
176	- 16	231	- 20	284	- 28	409	- 38	478	- 39	620	- 52
177	- 20	232	- 20	285	- 28	410	- 38	479	- 39	621	- 52
178	- 20	233	- 20	286	- 3	411	- 38	480	- 39	622	- 52
179	- 20	234	- 15	287	- 4	412	- 43	481	- 47	623	- 51

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
624	- 51	1191	- 369	1276	- 378	1325	- 385	1371	- 397	1418	- 416
625	- 51	1192	- 369	1277	- 378	1326	- 383	1372	- 397	1419	- 416
626	- 51	1202	- 369	1278	- 378	1327	- 383	1373	- 397	1420	- 416
627	- 51	1207	- 388	1279	- 378	1328	- 383	1374	- 397	1421	- 416
628	- 51	1208	- 388	1281	- 405	1329	- 383	1375	- 397	1424	- 415
632	- 50	1209	- 388	1282	- 405	1330	- 383	1376	- 398	1425	- 415
633	- 50	1210	- 388	1284	- 388	1331	- 383	1377	- 398	1426	- 415
634	- 50	1229	- 370	1285	- 371	1332	- 364	1378	- 398	1427	- 415
650	- 59	1230	- 370	1286	- 371	1333	- 364	1379	- 398	1428	- 391
651	- 59	1231	- 370	1287	- 371	1334	- 364	1380	- 398	1429	- 391
652	- 59	1232	- 370	1288	- 382	1335	- 364	1381	- 398	1430	- 391
653	- 59	1233	- 368	1289	- 382	1336	- 364	1382	- 359	1431	- 391
654	- 59	1234	- 368	1292	- 367	1337	- 364	1383	- 359	1432	- 391
655	- 59	1235	- 368	1293	- 367	1338	- 365	1384	- 359	1433	- 391
656	- 60	1236	- 368	1294	- 367	1339	- 365	1385	- 359	1434	- 392
657	- 60	1237	- 368	1295	- 367	1340	- 365	1388	- 394	1435	- 392
658	- 60	1238	- 368	1296	- 367	1341	- 409	1389	- 394	1436	- 392
659	- 55	1241	- 370	1297	- 367	1342	- 410	1390	- 394	1437	- 392
660	- 55	1242	- 370	1298	- 366	1343	- 411	1391	- 394	1438	- 392
661	- 55	1243	- 187	1299	- 366	1344	- 412	1392	- 395	1439	- 392
662	- 55	1244	- 187	1300	- 366	1345	- 407	1393	- 395	1440	- 393
663	- 55	1245	- 187	1301	- 366	1346	- 407	1394	- 395	1441	- 393
664	- 55	1246	- 187	1302	- 366	1347	- 408	1395	- 395	1442	- 393
665	- 56	1247	- 187	1303	- 366	1348	- 408	1396	- 395	1443	- 393
666	- 56	1248	- 187	1304	- 382	1349	- 403	1397	- 395	1444	- 393
667	- 56	1255	- 371	1305	- 382	1350	- 404	1398	- 386	1445	- 393
668	- 56	1256	- 371	1306	- 382	1351	- 404	1399	- 386	1446	- 433
669	- 56	1257	- 371	1307	- 382	1353	- 404	1400	- 386	1447	- 409
670	- 57	1259	- 401	1308	- 396	1354	- 427	1401	- 386	1448	- 410
671	- 57	1260	- 401	1309	- 396	1355	- 428	1402	- 386	1449	- 411
672	- 58	1261	- 401	1310	- 396	1356	- 428	1403	- 386	1450	- 412
673	- 58	1262	- 401	1311	- 396	1357	- 361	1404	- 387	1451	- 359
674	- 58	1263	- 400	1312	- 396	1358	- 361	1405	- 387	1452	- 359
675	- 58	1264	- 400	1313	- 396	1359	- 361	1406	- 387	1453	- 378
676	- 64	1265	- 400	1314	- 384	1360	- 357	1407	- 387	1657	- 147
677	- 64	1266	- 400	1315	- 384	1361	- 357	1408	- 387	1658	- 147
678	- 64	1267	- 400	1316	- 384	1362	- 357	1409	- 387	1659	- 147
679	- 64	1268	- 400	1317	- 384	1363	- 358	1410	- 362	1663	- 148
680	- 65	1269	- 404	1318	- 384	1364	- 358	1411	- 362	1664	- 148
681	- 65	1270	- 377	1319	- 384	1365	- 358	1412	- 363	1665	- 148
688	- 58	1271	- 377	1320	- 385	1366	- 359	1413	- 363	1666	- 148
689	- 58	1272	- 377	1321	- 385	1367	- 359	1414	- 399	1667	- 148
1100	- 379	1273	- 377	1322	- 385	1368	- 359	1415	- 399	1668	- 148
1103	- 379	1274	- 377	1323	- 385	1369	- 429	1416	- 416	1669	- 151
1115	- 381	1275	- 377	1324	- 385	1370	- 397	1417	- 416	1670	- 151

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
1671	- 151	2145	- 323	2541	- 334	3133	- 417	3256	- 350	3502	- 333
1672	- 147	2148	- 324	2542	- 334	3134	- 175	3257	- 350	3503	- 333
1673	- 147	2149	- 324	2543	- 334	3135	- 175	3258	- 350	3504	- 333
1674	- 147	2150	- 324	2544	- 320	3136	- 176	3300	- 339	3505	- 333
1682	- 151	2155	- 324	2545	- 320	3137	- 177	3303	- 339	3507	- 333
1685	- 149	2156	- 323	2546	- 320	3138	- 177	3307	- 339	3508	- 333
1686	- 149	2159	- 326	2548	- 319	3139	- 177	3309	- 341	3509	- 333
1687	- 149	2161	- 322	2549	- 319	3140	- 178	3312	- 339	3510	- 333
1688	- 151	2162	- 322	2550	- 319	3141	- 178	3318	- 339	3511	- 333
1689	- 151	2164	- 321	2551	- 319	3142	- 178	3319	- 340	3512	- 333
1690	- 151	2165	- 321	2552	- 326	3143	- 179	3320	- 340	3522	- 372
1693	- 148	2166	- 321	2553	- 326	3144	- 182	3321	- 341	3523	- 372
1694	- 148	2350	- 333	2554	- 342	3145	- 183	3322	- 341	3524	- 372
1695	- 148	2351	- 333	2555	- 342	3146	- 183	3326	- 341	3525	- 373
2002	- 325	2352	- 333	2556	- 342	3147	- 183	3327	- 341	3526	- 373
2005	- 324	2353	- 333	2557	- 342	3148	- 183	3331	- 332	3527	- 373
2009	- 324	2354	- 333	2558	- 320	3149	- 184	3333	- 332	3528	- 374
2011	- 324	2355	- 333	3009	- 340	3150	- 184	3334	- 332	3529	- 374
2013	- 324	2356	- 333	3018	- 340	3151	- 184	3337	- 343	3544	- 372
2015	- 324	2403	- 327	3035	- 355	3152	- 184	3338	- 343	3553	- 372
2016	- 324	2404	- 327	3057	- 348	3226	- 349	3339	- 343	3554	- 372
2025	- 325	2405	- 327	3101	- 352	3227	- 349	3340	- 343	3556	- 372
2031	- 325	2430	- 327	3110	- 239	3228	- 348	3341	- 342	3560	- 374
2032	- 325	2431	- 327	3111	- 175	3229	- 348	3420	- 145	3565	- 374
2034	- 325	2459	- 327	3112	- 176	3230	- 348	3423	- 185	3566	- 374
2035	- 325	2460	- 323	3113	- 177	3231	- 351	3469	- 168	3567	- 372
2036	- 325	2461	- 321	3114	- 178	3232	- 351	3470	- 168	3570	- 372
2037	- 326	2462	- 321	3115	- 179	3233	- 351	3471	- 168	3575	- 190
2038	- 326	2463	- 321	3116	- 179	3234	- 352	3472	- 169	3576	- 190
2041	- 324	2512	- 329	3117	- 179	3235	- 352	3473	- 169	3577	- 190
2042	- 325	2513	- 329	3118	- 180	3237	- 354	3474	- 169	3578	- 224
2043	- 325	2514	- 329	3119	- 180	3238	- 354	3475	- 601	3581	- 191
2044	- 326	2515	- 330	3120	- 180	3239	- 354	3476	- 601	3582	- 191
2118	- 323	2516	- 330	3121	- 180	3240	- 355	3477	- 601	3583	- 191
2120	- 323	2517	- 330	3122	- 181	3243	- 347	3478	- 601	3584	- 162
2122	- 323	2518	- 331	3123	- 181	3244	- 347	3479	- 601	3585	- 162
2124	- 322	2527	- 332	3124	- 181	3246	- 347	3480	- 601	3586	- 162
2126	- 323	2529	- 331	3125	- 181	3247	- 347	3481	- 601	3587	- 172
2128	- 323	2531	- 331	3126	- 182	3248	- 352	3482	- 601	3588	- 173
2133	- 322	2535	- 334	3127	- 182	3249	- 355	3483	- 601	3589	- 173
2135	- 322	2536	- 334	3128	- 182	3250	- 353	3484	- 601	3590	- 173
2137	- 323	2537	- 334	3129	- 176	3251	- 353	3485	- 601	3591	- 173
2138	- 323	2538	- 334	3130	- 176	3252	- 353	3486	- 601	3592	- 174
2143	- 323	2539	- 334	3131	- 417	3253	- 349	3500	- 333	3593	- 163
2144	- 323	2540	- 334	3132	- 417	3254	- 349	3501	- 333	3594	- 163

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3595	- 171	3648	- 159	3700	- 572	3747	- 599	3796	- 598	3841	- 594
3596	- 172	3649	- 159	3701	- 572	3748	- 599	3797	- 598	3842	- 594
3597	- 172	3650	- 159	3702	- 573	3749	- 599	3798	- 598	3843	- 594
3598	- 172	3651	- 160	3703	- 456	3750	- 599	3799	- 598	3844	- 594
3599	- 165	3652	- 160	3704	- 456	3751	- 581	3800	- 598	3845	- 590
3600	- 165	3653	- 160	3705	- 556	3752	- 581	3801	- 598	3847	- 561
3601	- 165	3654	- 161	3706	- 556	3753	- 590	3802	- 598	3848	- 561
3602	- 165	3655	- 373	3707	- 554	3754	- 591	3803	- 597	3849	- 560
3603	- 166	3656	- 373	3708	- 554	3755	- 600	3804	- 597	3850	- 562
3604	- 166	3657	- 373	3709	- 551	3756	- 574	3805	- 597	3851	- 565
3605	- 166	3658	- 373	3710	- 552	3757	- 574	3806	- 597	3852	- 566
3606	- 166	3659	- 373	3711	- 553	3758	- 558	3807	- 597	3853	- 562
3607	- 167	3660	- 373	3712	- 553	3759	- 558	3808	- 597	3854	- 563
3608	- 167	3663	- 343	3713	- 552	3760	- 559	3809	- 597	3855	- 564
3609	- 167	3664	- 158	3714	- 555	3761	- 575	3810	- 597	3856	- 564
3610	- 167	3665	- 158	3715	- 555	3762	- 575	3811	- 595	3857	- 565
3611	- 168	3666	- 158	3716	- 557	3763	- 576	3812	- 595	3858	- 563
3612	- 169	3667	- 159	3717	- 557	3764	- 576	3813	- 595	3859	- 550
3613	- 170	3668	- 317	3720	- 596	3765	- 577	3814	- 595	3860	- 551
3614	- 171	3669	- 170	3721	- 596	3766	- 577	3815	- 595	3861	- 543
3615	- 171	3673	- 145	3722	- 596	3767	- 592	3816	- 571	3862	- 543
3616	- 171	3674	- 161	3723	- 596	3768	- 592	3817	- 571	3863	- 542
3617	- 375	3675	- 157	3724	- 596	3769	- 592	3818	- 539	3864	- 542
3618	- 375	3676	- 157	3725	- 596	3770	- 592	3819	- 539	3865	- 527
3619	- 375	3677	- 158	3726	- 538	3771	- 592	3820	- 540	3866	- 527
3620	- 185	3678	- 242	3727	- 538	3772	- 593	3821	- 546	3867	- 528
3621	- 224	3679	- 243	3728	- 545	3773	- 593	3822	- 546	3868	- 559
3622	- 225	3680	- 418	3729	- 545	3774	- 593	3823	- 547	3869	- 560
3623	- 225	3681	- 418	3730	- 532	3775	- 593	3824	- 547	3874	- 618
3624	- 317	3682	- 418	3731	- 537	3776	- 593	3825	- 548	3875	- 528
3625	- 340	3683	- 419	3732	- 536	3777	- 600	3826	- 548	3876	- 529
3627	- 156	3684	- 419	3733	- 537	3782	- 600	3827	- 549	3877	- 530
3628	- 157	3685	- 419	3734	- 536	3783	- 600	3828	- 549	3878	- 529
3629	- 157	3686	- 420	3735	- 533	3784	- 600	3829	- 550	3879	- 523
3630	- 156	3687	- 420	3736	- 532	3785	- 600	3830	- 541	3880	- 523
3631	- 156	3688	- 420	3737	- 535	3786	- 600	3831	- 566	3881	- 525
3632	- 156	3689	- 170	3738	- 533	3787	- 600	3832	- 567	3882	- 524
3640	- 160	3690	- 170	3739	- 534	3788	- 600	3833	- 567	3883	- 524
3641	- 161	3691	- 161	3740	- 535	3789	- 600	3834	- 568	3884	- 530
3642	- 163	3692	- 162	3741	- 534	3790	- 600	3835	- 569	3885	- 531
3643	- 163	3694	- 174	3742	- 599	3791	- 600	3836	- 569	3886	- 531
3644	- 164	3695	- 174	3743	- 599	3792	- 600	3837	- 570	3887	- 526
3645	- 164	3696	- 174	3744	- 599	3793	- 600	3838	- 570	3888	- 526
3646	- 164	3697	- 175	3745	- 599	3794	- 600	3839	- 591	3889	- 544
3647	- 164	3698	- 145	3746	- 599	3795	- 598	3840	- 594	3890	- 603

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3891	- 604	3939	- 617	4301	- 136	4477	- 127	4814	- 263	4904	- 260
3892	- 605	3943	- 582	4302	- 138	4478	- 127	4815	- 262	4905	- 260
3893	- 606	3944	- 582	4308	- 137	4479	- 127	4816	- 262	4906	- 260
3894	- 607	3945	- 583	4361	- 123	4481	- 130	4817	- 262	4907	- 261
3895	- 607	3946	- 583	4362	- 123	4482	- 130	4818	- 253	4908	- 261
3896	- 611	3947	- 584	4366	- 139	4483	- 131	4821	- 253	4909	- 261
3897	- 611	3948	- 584	4368	- 122	4484	- 131	4824	- 254	4910	- 260
3898	- 612	3949	- 585	4369	- 107	4485	- 131	4825	- 254	4911	- 260
3899	- 613	3950	- 585	4388	- 138	4486	- 129	4826	- 254	4912	- 260
3900	- 608	3951	- 586	4389	- 107	4487	- 129	4827	- 254	4913	- 261
3901	- 608	3952	- 586	4390	- 107	4488	- 129	4830	- 255	4914	- 261
3902	- 610	3953	- 587	4394	- 142	4489	- 125	4833	- 255	4915	- 261
3903	- 610	3954	- 587	4399	- 143	4490	- 125	4854	- 248	4916	- 260
3904	- 619	3955	- 588	4407	- 134	4491	- 125	4855	- 248	4917	- 260
3905	- 619	3956	- 588	4409	- 134	4496	- 129	4856	- 248	4918	- 260
3906	- 620	3957	- 589	4418	- 144	4497	- 129	4857	- 248	4919	- 261
3907	- 620	4061	- 188	4419	- 144	4498	- 121	4858	- 248	4920	- 261
3910	- 621	4062	- 188	4420	- 144	4737	- 273	4859	- 248	4921	- 261
3911	- 621	4084	- 188	4421	- 124	4738	- 273	4860	- 249	4922	- 270
3912	- 450	4122	- 100	4426	- 142	4739	- 272	4861	- 249	4923	- 270
3913	- 450	4140	- 106	4427	- 140	4740	- 272	4862	- 249	4924	- 270
3914	- 450	4164	- 101	4428	- 140	4741	- 273	4863	- 250	4925	- 270
3916	- 609	4166	- 100	4431	- 137	4742	- 273	4864	- 250	4926	- 270
3917	- 609	4207	- 102	4432	- 137	4743	- 272	4865	- 250	4927	- 270
3918	- 609	4213	- 101	4438	- 152	4744	- 272	4866	- 250	4928	- 270
3919	- 609	4216	- 100	4439	- 152	4745	- 273	4867	- 250	4929	- 270
3920	- 578	4217	- 98	4440	- 99	4746	- 273	4868	- 250	4930	- 270
3921	- 578	4220	- 106	4441	- 98	4759	- 272	4869	- 251	4931	- 256
3922	- 579	4223	- 189	4445	- 135	4760	- 272	4870	- 251	4932	- 256
3923	- 579	4224	- 189	4446	- 135	4797	- 259	4871	- 251	4933	- 256
3924	- 580	4225	- 189	4447	- 89	4798	- 259	4872	- 249	4934	- 256
3925	- 580	4228	- 94	4448	- 89	4800	- 263	4873	- 249	4935	- 256
3926	- 540	4242	- 106	4449	- 89	4801	- 263	4874	- 249	4936	- 256
3927	- 568	4244	- 106	4453	- 95	4802	- 263	4887	- 251	4937	- 257
3928	- 615	4246	- 106	4454	- 95	4803	- 262	4888	- 251	4938	- 257
3929	- 615	4253	- 109	4455	- 95	4804	- 262	4889	- 251	4939	- 257
3930	- 616	4254	- 109	4456	- 95	4805	- 262	4890	- 271	4940	- 257
3931	- 616	4255	- 188	4459	- 88	4806	- 263	4891	- 271	4941	- 257
3932	- 617	4256	- 188	4460	- 88	4807	- 263	4892	- 271	4942	- 257
3933	- 617	4257	- 188	4461	- 88	4808	- 263	4893	- 271	4943	- 258
3934	- 615	4259	- 133	4472	- 121	4809	- 262	4894	- 271	4944	- 258
3935	- 615	4274	- 109	4473	- 117	4810	- 262	4895	- 271	4945	- 258
3936	- 616	4276	- 109	4474	- 126	4811	- 262	4896	- 271	4946	- 258
3937	- 616	4277	- 109	4475	- 126	4812	- 263	4897	- 271	4947	- 258
3938	- 617	4278	- 109	4476	- 126	4813	- 263	4898	- 271	4948	- 258

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
4949	- 259	5089	- 424	5496	- 313	5607	- 300	5841	- 211	5952	- 203
4965	- 405	5090	- 424	5498	- 313	5608	- 300	5842	- 211	5953	- 203
4966	- 405	5091	- 425	5499	- 314	5609	- 302	5844	- 193	5954	- 203
4967	- 425	5094	- 380	5500	- 314	5610	- 302	5854	- 195	5955	- 201
4968	- 426	5095	- 380	5501	- 316	5611	- 302	5858	- 194	5956	- 201
4973	- 404	5096	- 380	5554	- 301	5612	- 302	5864	- 196	5957	- 201
4982	- 427	5097	- 380	5555	- 301	5613	- 302	5876	- 197	5958	- 204
4987	- 286	5110	- 381	5557	- 303	5614	- 302	5877	- 197	5959	- 204
4996	- 403	5116	- 344	5558	- 303	5691	- 219	5883	- 197	5960	- 204
4997	- 401	5117	- 344	5559	- 303	5692	- 219	5885	- 198	5961	- 201
4998	- 403	5118	- 344	5560	- 303	5697	- 216	5886	- 198	5962	- 201
4999	- 401	5119	- 344	5562	- 399	5699	- 216	5889	- 198	5963	- 201
5031	- 259	5120	- 344	5563	- 399	5701	- 217	5894	- 217	5964	- 204
5032	- 259	5121	- 344	5564	- 399	5716	- 216	5895	- 218	5965	- 204
5033	- 259	5122	- 344	5565	- 399	5717	- 217	5896	- 224	5966	- 204
5050	- 403	5123	- 344	5566	- 394	5735	- 219	5897	- 224	5967	- 202
5051	- 403	5124	- 344	5567	- 394	5745	- 220	5899	- 199	5968	- 202
5052	- 403	5125	- 344	5570	- 382	5746	- 214	5900	- 199	5969	- 202
5053	- 402	5126	- 344	5571	- 430	5747	- 214	5905	- 199	5970	- 194
5054	- 402	5127	- 344	5572	- 431	5750	- 214	5906	- 199	5971	- 194
5055	- 402	5128	- 344	5574	- 304	5752	- 215	5917	- 220	5972	- 194
5056	- 402	5129	- 345	5575	- 304	5753	- 215	5927	- 205	5977	- 221
5057	- 405	5130	- 345	5576	- 304	5754	- 215	5928	- 205	5978	- 221
5058	- 405	5131	- 345	5577	- 305	5755	- 218	5929	- 205	5979	- 221
5059	- 405	5132	- 345	5578	- 305	5756	- 214	5930	- 205	5980	- 222
5068	- 288	5133	- 345	5580	- 305	5758	- 215	5931	- 206	5981	- 222
5069	- 288	5134	- 345	5581	- 306	5783	- 212	5932	- 206	5982	- 223
5070	- 288	5135	- 345	5582	- 306	5786	- 210	5934	- 207	5983	- 223
5071	- 288	5136	- 345	5583	- 306	5787	- 210	5935	- 207	6018	- 241
5072	- 288	5137	- 345	5584	- 306	5788	- 210	5936	- 207	6029	- 239
5073	- 288	5138	- 345	5585	- 297	5801	- 212	5937	- 207	6053	- 285
5074	- 288	5139	- 345	5586	- 297	5804	- 210	5938	- 208	6054	- 285
5075	- 288	5140	- 345	5587	- 297	5806	- 210	5939	- 208	6055	- 285
5076	- 288	5473	- 315	5588	- 297	5818	- 195	5940	- 202	6056	- 285
5077	- 426	5475	- 315	5592	- 298	5819	- 213	5941	- 202	6057	- 285
5078	- 431	5476	- 315	5594	- 298	5821	- 213	5942	- 202	6166	- 287
5079	- 432	5487	- 311	5595	- 299	5822	- 211	5943	- 200	6167	- 287
5081	- 432	5488	- 311	5599	- 308	5823	- 211	5944	- 200	6168	- 287
5082	- 432	5489	- 311	5600	- 308	5824	- 211	5945	- 200	6169	- 287
5083	- 433	5490	- 311	5601	- 308	5826	- 193	5946	- 203	6170	- 287
5084	- 429	5491	- 312	5602	- 308	5827	- 193	5947	- 203	6171	- 287
5085	- 430	5492	- 312	5603	- 309	5837	- 213	5948	- 203	6172	- 287
5086	- 423	5493	- 312	5604	- 309	5838	- 213	5949	- 200	6173	- 287
5087	- 423	5494	- 312	5605	- 309	5839	- 213	5950	- 200	6174	- 287
5088	- 424	5495	- 313	5606	- 309	5840	- 211	5951	- 200	6184	- 293

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
6185	- 293	6297	- 250	6355	- 267	6410	- 247	7046	- 480	7094	- 508
6198	- 292	6299	- 279	6356	- 267	6411	- 247	7047	- 480	7095	- 508
6199	- 292	6302	- 279	6357	- 267	6412	- 247	7051	- 448	7098	- 445
6200	- 293	6306	- 280	6358	- 268	6413	- 247	7052	- 448	7099	- 445
6201	- 293	6309	- 279	6359	- 268	6414	- 247	7053	- 449	7102	- 125
6217	- 231	6310	- 279	6360	- 268	6415	- 247	7054	- 449	7103	- 125
6221	- 231	6313	- 281	6361	- 269	6416	- 247	7055	- 455	7105	- 126
6222	- 231	6314	- 281	6362	- 269	6417	- 247	7056	- 455	7106	- 126
6229	- 277	6315	- 281	6363	- 269	6418	- 247	7057	- 485	7108	- 127
6230	- 277	6316	- 281	6364	- 268	6419	- 229	7058	- 484	7109	- 127
6231	- 277	6318	- 282	6365	- 268	6420	- 229	7059	- 484	7110	- 128
6238	- 233	6319	- 282	6366	- 268	6422	- 249	7060	- 486	7111	- 128
6239	- 233	6320	- 282	6367	- 269	6423	- 249	7061	- 487	7112	- 128
6250	- 282	6321	- 282	6368	- 269	6424	- 249	7062	- 487	7113	- 119
6251	- 282	6322	- 283	6369	- 269	6426	- 237	7063	- 487	7114	- 120
6256	- 235	6323	- 283	6370	- 268	6427	- 240	7064	- 477	7115	- 120
6257	- 235	6324	- 284	6371	- 268	6428	- 252	7065	- 478	7116	- 120
6258	- 235	6325	- 284	6372	- 268	6429	- 252	7066	- 482	7121	- 88
6262	- 278	6326	- 284	6373	- 269	6430	- 252	7067	- 482	7123	- 107
6263	- 278	6327	- 243	6374	- 269	6431	- 252	7068	- 483	7124	- 107
6264	- 278	6328	- 240	6375	- 269	6432	- 238	7069	- 483	7126	- 149
6265	- 279	6329	- 236	6376	- 233	6433	- 238	7070	- 481	7127	- 149
6266	- 294	6332	- 237	6380	- 234	6436	- 239	7071	- 482	7128	- 149
6267	- 294	6333	- 237	6381	- 234	6437	- 239	7072	- 483	7132	- 110
6268	- 239	6334	- 264	6384	- 235	6438	- 61	7073	- 484	7133	- 110
6270	- 240	6335	- 264	6385	- 235	6439	- 61	7074	- 486	7134	- 110
6271	- 239	6336	- 264	6386	- 240	6440	- 62	7075	- 486	7142	- 118
6272	- 278	6337	- 266	6387	- 290	6441	- 62	7076	- 478	7143	- 119
6273	- 278	6338	- 266	6388	- 290	6442	- 61	7077	- 478	7144	- 119
6276	- 273	6339	- 266	6389	- 286	6443	- 61	7078	- 497	7145	- 117
6277	- 272	6340	- 264	6391	- 286	6444	- 62	7079	- 497	7146	- 116
6278	- 273	6341	- 264	6392	- 277	6445	- 62	7080	- 497	7147	- 116
6279	- 272	6342	- 264	6393	- 277	6446	- 295	7081	- 497	7148	- 116
6280	- 273	6343	- 266	6394	- 277	6447	- 295	7082	- 498	7150	- 88
6281	- 272	6344	- 266	6399	- 290	6448	- 295	7083	- 498	7151	- 88
6283	- 291	6345	- 266	6400	- 290	6449	- 295	7084	- 508	7153	- 132
6284	- 291	6346	- 265	6401	- 246	7033	- 447	7085	- 508	7154	- 132
6285	- 291	6347	- 265	6402	- 246	7034	- 446	7086	- 508	7155	- 124
6286	- 292	6348	- 265	6403	- 246	7035	- 448	7087	- 497	7156	- 124
6287	- 292	6349	- 267	6404	- 246	7039	- 447	7088	- 497	7157	- 121
6292	- 248	6350	- 267	6405	- 246	7040	- 447	7089	- 497	7159	- 111
6293	- 248	6351	- 267	6406	- 246	7042	- 446	7090	- 498	7160	- 111
6294	- 248	6352	- 265	6407	- 246	7043	- 446	7091	- 498	7161	- 111
6295	- 250	6353	- 265	6408	- 246	7044	- 470	7092	- 498	7162	- 111
6296	- 250	6354	- 265	6409	- 246	7045	- 470	7093	- 508	7163	- 111

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
7164	- 111	7230	- 99	7299	- 84	7360	- 84	7507	- 466	7553	- 469
7165	- 111	7231	- 99	7300	- 86	7361	- 84	7508	- 467	7554	- 469
7166	- 111	7232	- 97	7303	- 150	7362	- 103	7509	- 467	7555	- 473
7169	- 147	7233	- 97	7304	- 150	7363	- 103	7510	- 467	7556	- 473
7170	- 135	7234	- 189	7305	- 150	7364	- 103	7511	- 467	7557	- 473
7173	- 105	7235	- 189	7306	- 150	7365	- 82	7512	- 468	7558	- 473
7174	- 105	7236	- 189	7307	- 150	7366	- 81	7513	- 477	7559	- 474
7175	- 105	7241	- 93	7308	- 150	7367	- 81	7514	- 477	7560	- 474
7176	- 128	7242	- 93	7309	- 86	7368	- 83	7515	- 470	7561	- 474
7177	- 128	7246	- 95	7310	- 150	7399	- 97	7516	- 470	7562	- 474
7178	- 130	7251	- 118	7317	- 89	7400	- 97	7517	- 471	8070	- 274
7179	- 130	7252	- 118	7320	- 101	7401	- 96	7518	- 471	8073	- 274
7180	- 130	7253	- 154	7324	- 85	7402	- 96	7519	- 479	8074	- 274
7181	- 131	7254	- 154	7325	- 85	7403	- 96	7520	- 479	8075	- 274
7182	- 131	7255	- 154	7326	- 85	7404	- 96	7521	- 479	8076	- 274
7183	- 131	7256	- 105	7327	- 113	7405	- 96	7522	- 480	8096	- 440
7184	- 132	7260	- 93	7328	- 114	7406	- 96	7523	- 460	8097	- 441
7185	- 132	7261	- 93	7329	- 152	7407	- 103	7524	- 501	8098	- 442
7186	- 132	7262	- 93	7330	- 152	7408	- 103	7525	- 501	8099	- 435
7187	- 132	7263	- 100	7331	- 152	7409	- 103	7526	- 501	8100	- 436
7188	- 132	7264	- 100	7332	- 152	7410	- 140	7527	- 501	8119	- 243
7189	- 133	7265	- 100	7333	- 152	7411	- 140	7529	- 485	8134	- 413
7190	- 133	7266	- 93	7334	- 152	7412	- 141	7530	- 485	8135	- 413
7191	- 133	7269	- 149	7335	- 113	7413	- 141	7531	- 481	8200	- 437
7196	- 100	7270	- 149	7336	- 113	7414	- 136	7532	- 481	8201	- 438
7197	- 100	7271	- 149	7337	- 153	7415	- 117	7533	- 226	8202	- 512
7198	- 100	7275	- 110	7338	- 153	7416	- 123	7534	- 226	8203	- 512
7199	- 103	7276	- 110	7339	- 153	7417	- 90	7535	- 226	8204	- 512
7200	- 103	7277	- 110	7340	- 153	7418	- 99	7536	- 227	8205	- 512
7201	- 103	7282	- 81	7341	- 91	7419	- 98	7537	- 227	8206	- 512
7202	- 102	7283	- 82	7342	- 91	7420	- 122	7538	- 227	8207	- 512
7203	- 102	7284	- 82	7343	- 92	7421	- 122	7539	- 468	8208	- 506
7204	- 102	7285	- 85	7344	- 92	7422	- 96	7540	- 468	8209	- 492
7207	- 153	7286	- 85	7346	- 99	7423	- 139	7541	- 468	8210	- 492
7210	- 108	7287	- 85	7349	- 94	7424	- 139	7542	- 469	8211	- 492
7211	- 108	7288	- 85	7350	- 94	7425	- 139	7543	- 469	8212	- 492
7212	- 108	7289	- 85	7351	- 94	7426	- 90	7544	- 472	8213	- 493
7216	- 115	7290	- 85	7352	- 94	7427	- 143	7545	- 472	8214	- 493
7217	- 115	7291	- 83	7353	- 94	7500	- 465	7546	- 472	8215	- 492
7218	- 114	7292	- 83	7354	- 94	7501	- 465	7547	- 472	8216	- 493
7219	- 114	7293	- 83	7355	- 83	7502	- 465	7548	- 472	8217	- 500
7220	- 115	7295	- 84	7356	- 83	7503	- 465	7549	- 472	8218	- 500
7223	- 97	7296	- 84	7357	- 104	7504	- 466	7550	- 472	8219	- 500
7224	- 90	7297	- 84	7358	- 104	7505	- 466	7551	- 472	8220	- 500
7229	- 97	7298	- 84	7359	- 104	7506	- 466	7552	- 472	8221	- 510

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
8222	- 510	8268	- 514	8313	- 436	8505	- 453	42511	- 104		
8223	- 510	8269	- 514	8314	- 437	8506	- 454	42521	- 104		
8224	- 510	8270	- 515	8315	- 438	8507	- 457	42591	- 134		
8225	- 509	8271	- 515	8316	- 489	8508	- 457	43001	- 142		
8226	- 509	8272	- 515	8317	- 489	8514	- 449	43011	- 136		
8227	- 509	8273	- 515	8318	- 489	8515	- 449	43071	- 137		
8228	- 509	8274	- 440	8319	- 489	8516	- 451	43421	- 102		
8229	- 462	8275	- 244	8320	- 489	9104	- 225	43431	- 102		
8230	- 463	8276	- 459	8321	- 489	9546	- 225	43441	- 102		
8231	- 462	8277	- 459	8322	- 489	9757	- 316	43641	- 134		
8231	- 463	8278	- 461	8323	- 489	9869	- 206	43651	- 137		
8232	- 506	8279	- 461	8324	- 489	9869	- 460	43881	- 138		
8233	- 505	8280	- 494	8325	- 490	9944	- 375	44251	- 142		
8234	- 505	8281	- 494	8326	- 490	9945	- 375	44291	- 139		
8235	- 505	8282	- 494	8327	- 490	9947	- 337	44301	- 139		
8236	- 505	8283	- 494	8328	- 490	9952	- 375	44801	- 130		
8238	- 505	8284	- 494	8329	- 490	9953	- 375	44921	- 129		
8239	- 502	8285	- 494	8330	- 490	9954	- 375	44941	- 129		
8240	- 502	8286	- 496	8331	- 490	9955	- 375	60246	- 230		
8241	- 502	8287	- 496	8332	- 490	9956	- 336	60256	- 230		
8242	- 502	8288	- 496	8333	- 490	9957	- 337	60266	- 236		
8243	- 502	8289	- 496	8334	- 491	9968	- 241	60276	- 236		
8244	- 502	8290	- 496	8335	- 491	9969	- 241	60286	- 230		
8245	- 504	8291	- 496	8336	- 491	9970	- 242	60303	- 244		
8246	- 504	8292	- 503	8337	- 491	9981	- 335	60696	- 236		
8247	- 504	8293	- 503	8338	- 491	9982	- 335	62186	- 231		
8249	- 439	8294	- 503	8339	- 491	9983	- 335	62196	- 231		
8250	- 516	8295	- 495	8340	- 491	9984	- 335	62206	- 231		
8251	- 516	8296	- 495	8341	- 491	9985	- 336	62406	- 232		
8252	- 516	8297	- 495	8342	- 491	9986	- 336	62416	- 232		
8253	- 516	8298	- 495	8344	- 507	9987	- 336	62426	- 232		
8254	- 517	8299	- 495	8345	- 507	9989	- 241	62436	- 233		
8255	- 517	8300	- 495	8346	- 507	9990	- 337	63776	- 232		
8256	- 517	8301	- 499	8347	- 507	9991	- 337	63786	- 233		
8257	- 517	8302	- 499	8348	- 389	9992	- 338	63796	- 233		
8258	- 518	8303	- 499	8349	- 389	9993	- 338	71011	- 125		
8259	- 518	8304	- 499	8350	- 389	9994	- 338	71031	- 125		
8260	- 518	8305	- 499	8351	- 389	9995	- 338	71041	- 126		
8261	- 518	8306	- 499	8352	- 389	9997	- 242	71071	- 127		
8262	- 513	8307	- 511	8353	- 389	9999	- 242	71081	- 127		
8263	- 513	8308	- 511	8382	- 442	11077	- 521	71091	- 127		
8264	- 513	8309	- 511	8500	- 445	34235	- 185	71811	- 131		
8265	- 513	8310	- 511	8501	- 452	36205	- 185	500081	- 521		
8266	- 514	8311	- 441	8503	- 454	36265	- 185	500082	- 521		
8267	- 514	8312	- 435	8504	- 452	42501	- 104				



Our Product Range



We have recently entered an Inbrand program with Samsung. Where they provided LED chips for our recently launched PRO series. This new range of products is a culmination of our new innovative approach to providing lighting solutions to professionals with professional products with five-year warranty coverage.

ESSENTIALS

With the continuous research of our team of Lighting Professionals, we have developed over 1800 Cutting-Edge LED products for Residential, Commercial, and Industrial applications. These products has a range of 2-5 years warranty.

Why V-TAC?



READY STOCK FOR ALL PRODUCTS

We have a 40,000 sqm warehouse stored with high quality LED Products ready to be delivered.



LOGISTICS & DELIVERY

Dispatch within 24 Hours & Free Delivery over a minimum value of order.

Fast, Effective and Hassle Free!



COMPETITIVE PRICES

Only the best prices for the best products!



WIDE RANGE OF LED PRODUCTS

We have a wide range of over 1800 products that are available in 3 color temperatures.

V-TAC[®]
INNOVATIVE LED LIGHTING

FOR PROFESSIONALS | BY PROFESSIONALS

www.vtacexports.com | www.v-tac.eu

Uniform Packing



With a focus on the ever-evolving market demands, we are engaged in supplying a wide range of LED Bulbs Blister Packs and 3 Pcs Economy Packs., suitable for all types of Markets from Wholesalers, DIY Stores, & Retails Stores.

Our products are uniformly packed with Consistent Branding and Design. All information are displayed as per the

Multipack



V-TAC[®]
INNOVATIVE LED LIGHTING

FOR PROFESSIONALS | BY PROFESSIONALS

www.vtacexports.com | www.v-tac.eu

Mission & Vision

#Live.

Light is crucial to your well-being and to your economy's development; and yet globally 1.2 billion people are without access to Modern Lighting.

V-TAC was developed and designed by Energy and Lighting specialist to not only bring Sustainable LED Lighting Solutions to your home but to Keep Adding Value and Live up to the expectations of our Customers and Distributors.

#Light.

Every Country, Every Home, Every Person has different needs. We make sure that we cover all your needs with our vast range of LED Lighting Products at market leading prices.

Our products are researched and tested thoroughly to ensure high quality and excellent energy-saving capability.

#Life.

We strongly believe in mutual growth. Lighting up your life is our adventure. We are on a mission to bring V-Tac LED closer to your home. We are strategically building a network of distributors and partners who share our vision of giving you immersive and innovative LED Lighting.

Our Vision

Providing affordable LED Lighting Solutions for all sectors and to keep evolving.



FOR PROFESSIONALS | BY PROFESSIONALS

www.vtacexports.com | www.v-tac.eu

Certificates



DIALux Partner



TUV



RoHS



Certified and Tested



CE/EMC



CE / LVD



5 — **YEAR** —
WARRANTY*
PRODUCTS



Head Offices

Sofia | London

Europe Office

1, Iliansko Shanssee Blvd,
Sofia 1220, Bulgaria
www.v-tac.eu

UK Office

Unit No. 9, Armstrong Way,
Western Industrial Park,
Southall, London,
UB24SD, UK.
www.v-tac.co.uk

Middle East Office

Unit# 407/8/9 Jumeirah
Bay Towers,
Plot# X3, JLT,
P.O. Box 45244, Dubai.
www.vtacexports.com