

V-TAC[®]

INNOVATIVE LED LIGHTING



V-TAC[®]

PRO

5 YEAR WARRANTY PRODUCTS

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



provided by
SAMSUNG

Who We Are?

V-TAC is a Premium LED Lighting Brand developed with Energy and Lighting Specialists.

We make it a point to design and distribute High Quality, Affordable and Sustainable LED Lighting Solutions.

Our products follow ERP guidelines and are tested and approved by accredited labs.



What We Do?

We Import, Stock and Deliver a complete range of High Quality LED Products at **Market-Leading Prices** all across the EU

OUR APPROVALS



CE/EMC



in **2017** we reached the milestone that is

120 Million \$
Turnover

WE BELIEVE IN GROWING TOGETHER

Our Success is built on
Strong Partnerships and
Distributor Loyalty



STRENGTH IN NUMBERS

As our Market Size Grows,
We make it a point to recruit Top Talent,
and to establish a Strong Regional Presence.

Founded in 2009, V-TAC has grown from strength to strength and has established itself as a global brand providing energy efficient lighting solutions covering more than 70 countries throughout Europe, Asia Pacific, Africa, Middle East and the USA.

As a result of its relentless pursuit towards excellence, V-TAC has been listed in London Stock Exchange Group's 1000 Companies to Inspire Europe 2016.

V-TAC believes in offering high quality LED solutions with strong product guarantees, competitively priced and easy to install products certified with DEKRA, GS, TUV, CE/EMC, ROHS and UL certifications. With over 1500 value for money products in all categories continued investment in people, systems, and product innovations, V-TAC continues to explore uncharted territories.

Over the last eight years, V-TAC has replaced 50 million standard lights with energy saving LED Lights, resulting in total customer savings of over a £150 million per year, which has led to the reduction of over 150 thousand tons of Carbon Emissions.

With a vision to provide affordable LED Lighting solutions to Residential, Industrial and Commercial sectors, V-TAC surges forward on the foundation of its three pronged approach – Design, Develop and Distribute at lighting speed EVERYDAY!

Table of contents



V-TAC is proud to announce our all new PRO-Series with 5 year warranty and LED powered by SAMSUNG. A professional range of products made for professional use.







Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

LED Bulbs

Blister Packing



Pages from
80-86

Plastic Bulbs



Pages from
87-111

Amber Cover



Pages from
112-124

White Cover



Pages from
125-126

Frost Cover



Pages from
127-133

Clear Cover



Pages from
134-145

LED Spotlights

GU10-MR16



Pages from
146-152

G4-G9



Pages from
153-154

Accessories



Pages from
155-185

PAR Lamps



Pages from
186-191

LED Flood lights

Flood lights



Pages from
192-211

PIR Floodlights



Pages from
212-227

LED Panels

Big Panels



Pages from
228-244

Mini Panels



Pages from
245-275

Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

LED Tubes Lights

LED Tubes



Pages from
276-288

Waterproof Fittings



Pages from
289-295

LED Highbays

UFO Highbays



Pages from
296-306



Pages from
307-309

LED Street Lights

LED Street Lights



Pages from
310-314

LED Street Lights High Lumens



Pages from
315-317

LED Strip Lights

Big Panels



Pages from
319-334

Aluminum Profiles



Pages from
335-338

Accessories



Pages from
339-345

Power Supply



Pages from
346-355

Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

LED Track Lights

LED Linear Lights




LED Track Lights



LED Downlights


LED Down Lights




LED Dome Lights



LED Bulkhead




LED Fierated lights and fittings



Motion Sensors

Motion Sensors




LED Emergency Lights

LED Emergency Lights




LED Table Lamps

LED Table Lamps



LED Innovative Lights

LED Solar Lights



Smart Switches



Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

LED Outdoor Lights

LED Outdoor Lights



Pages from
464-471

Garden Spike Light



Pages from
472

Pool Lights



Pages from
473-475

Garden Lamps

Garden Lamps



Pages from
476-487

LED Wall Lights

LED Wall Lights



Pages from
488-519

LED Display Screen

LED Display Screen



Pages from
520-521

Decorative & LED Pendants

Pendants



Pages from
522-593

Holders



Pages from
594-601

Designer Sleek



Pages from
602-613

Chandeliers



Pages from
614-621

Teamwork Makes the Dream Work.



Samsung inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, network systems, memory, system LSI, and LED solutions.

Jacob Tarn, the Leader of Samsung Electronics LED Division's Strategic Marketing Team said; "Our lineup of LED products that utilize unparalleled chip scale packaging technologies will continue to meet the strict requirements of the automotive industry, based on outstanding reliability and ease of design implementations. We will continue to lead the technical innovations in LED lighting through continuous R&D efforts."

Founded in 2009, we are currently one of the swiftly growing LED brands in Europe. V-TAC is a brand now known in over **70 countries**. As a result of sheer persistence, we have a range of over **2000 products**, from across **20 different categories**. Through our constant motivation to provide our customers with an enhanced product range, we introduced the PRO-Series; five-year warranty products with the base of the products provided by the thoroughly reliable and efficient LED chips from Samsung.

V Stands For Vision.

Our vision is to take the LED market by storm. Growth-driven approach and philosophy has enabled us to develop cutting-edge LED products at light speed. The PRO-Series is a substantial range of products, constructed with all new Samsung chips. This series is the ideal product range for professional use.

V-TAC[®]

INNOVATIVE LED LIGHTING

LED Filament Bulbs

Classic vintage designs with modern tech: V-TAC's Filament Range is devised with the latest technology to closely mimic the warm look and feel of conventional filament bulbs; empowered with massive energy savings.



- Options! Available in amber and clear cover
- Premium quality finish for an elegant aesthetic
- More light. Less Power: 80% lower power consumption than conventional bulbs
- Environmentally friendly: contains no hazardous materials
- Set the right tone: dimmable options available

5 V-TAC[®] PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



provided by
SAMSUNG

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]



INNOVATIVE LED LIGHTING

E27-Amber Filament

4W VT-214

EAN Code

282 - 2200K Warm White 3800157634298

**350**
Lumens**30w**
EQ.Watts**E27**
Base**A60**
Type**>80**
CRI**>0.5**
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	30,000 Hours	50

E27-Amber Filament

6W VT-266

EAN Code

286 - 2200K Warm White 3800157634649

**725**
Lumens**55w**
EQ.Watts**E27**
Base**A60**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	20,000 Hours	50

5 YEARS
WARRANTY

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu


120+ LUMENS
PER WATT
SUPER EFFICIENT

E27-Clear Filament

6W VT-256

EAN Code

287 - 2700K Warm White 3800157634656



806
Lumens



60w
EQ.Watts



E27
Base



A60
Type



>80
CRI



>0.5
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	20,000 Hours	50

E14-Clear Filament

4W VT-254

EAN Code

272 - 2700K Warm White 3800157634199



400
Lumens



35w
EQ.Watts



E14
Base



C37
Type



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®



INNOVATIVE LED LIGHTING

E14-Clear Filament

4W VT-254D

EAN Code

278 - 2700K Warm White 3800157634250

**350**
Lumens**30w**
EQ.Watts**E14**
Base**C37**
Type**>80**
CRI**>0.5**
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100

E14-Clear Filament

4W VT-274

EAN Code

279 - 2700K Warm White 3800157634267

**400**
Lumens**35w**
EQ.Watts**E14**
Base**C37**
Type**>80**
CRI**>0.4**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100

5 YEARS
WARRANTY

5


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

E14-Clear Filament

4W VT-264

EAN Code

275 - 2700K Warm White 3800157634229



400
Lumens



35w
EQ.Watts



E14
Base



C37
Type



>80
CRI



>0.4
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø37x121mm	20,000 Hours	100

E27-Clear Filament

4W VT-244

EAN Code

280 - 2700K Warm White 3800157633710



400
Lumens



35w
EQ.Watts



E27
Base



G45
Type



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø45x75mm	20,000 Hours	100



provided by
SAMSUNG

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

V-TAC[®]
INNOVATIVE LED LIGHTING

120+ LUMENS
PER WATT


SUPER EFFICIENT

E27-Amber Filament

6W VT-296

EAN Code

293 - 2200K Warm White 3800157634717



725
Lumens



55w
EQ.Watts



E27
Base



G95
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø95x135mm	20,000 Hours	20

120+ LUMENS
PER WATT


SUPER EFFICIENT

E27-Clear Filament

6W VT-286

EAN Code

294 - 2700K Warm White 3800157634724



806
Lumens



60w
EQ.Watts



E27
Base



G95
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø95x135mm	20,000 Hours	20

V-TAC[®]
PRO

5 YEARS
WARRANTY



provided by
SAMSUNG

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

120+ LUMENS
PER WATT


SUPER EFFICIENT

E27-Amber Filament

6W VT-297

EAN Code

291 - 2200K Warm White 3800157634694



725
Lumens



55w
EQ.Watts



E27
Base



G125
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø125x177mm	20,000 Hours	20

120+ LUMENS
PER WATT



SUPER EFFICIENT

E27-Clear Filament

6W VT-287

EAN Code

292 - 2700K Warm White 3800157634700



806
Lumens



60w
EQ.Watts



E27
Base



G125
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø125x177mm	20,000 Hours	20



provided by
SAMSUNG

8

5 YEARS
WARRANTY

V-TAC[®]
PRO

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

120+ LUMENS PER WATT


SUPER EFFICIENT

E27-Amber Filament

6W VT-276

EAN Code

290 - 2200K Warm White 3800157634687



725
Lumens



55w
EQ.Watts



E27
Base



ST64
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø64x138mm	20,000 Hours	50



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]
INNOVATIVE LED LIGHTING



LED Thermoplastic Bulbs
High Lumen Bulbs

120+ LUMENS
PER WATT

SUPER EFFICIENT



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®


INNOVATIVE LED LIGHTING

E14-LED Plastic Bulbs

4.5W VT-255

EAN Code

258 - 3000K Warm White 3800157633680
 259 - 4000K Day White 3800157631105
 260 - 6400K White 3800157633703

**470**
Lumens**40w**
EQ.Watts**E14**
Base**C37**
Type**>80**
CRI**>0.4**
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø37x100mm	30,000 Hours	200

E27-LED Plastic Bulbs

4.5W VT-245

EAN Code

261 - 3000K Warm White 3800157633710
 262 - 4000K Day White 3800157633727
 263 - 6400K White 3800157633734

**470**
Lumens**40w**
EQ.Watts**E27**
Base**G45**
Type**>80**
CRI**>0.4**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200

5 YEARS
WARRANTY




provided by
SAMSUNG

E14-LED Plastic Bulbs

4.5W VT-225

EAN Code

264 - 3000K Warm White 3800157633741
265 - 4000K Day White 3800157633758
266 - 6400K White 3800157633765



470
Lumens



40w
EQ.Watts



E14
Base



P45
Type



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200


120+ LUMENS
PER WATT
SUPER EFFICIENT

E27-LED Plastic Bulbs

6.5W VT-265

EAN Code

255 - 3000K Warm White 3800157633659
256 - 4000K Day White 3800157633666
257 - 6400K White 3800157633673



806
Lumens



60w
EQ.Watts



E27
Base



A60
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x104mm	30,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

120+ LUMENS PER WATT**SUPER EFFICIENT**

E27-LED Plastic Bulbs


8.5W VT-285

EAN Code

252 - 3000K Warm White 3800157633628

253 - 4000K Day White 3800157633635

254 - 6400K White 3800157633642

**1055**
Lumens**75w**
EQ.Watts**E27**
Base**A60**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x112mm	30,000 Hours	100

120+ LUMENS PER WATT**SUPER EFFICIENT**

E27-LED Plastic Bulbs


12W VT-295

EAN Code

249 - 3000K Warm White 3800157633598

250 - 4000K Day White 3800157633604

251 - 6400K White 3800157633611

**1521**
Lumens**100w**
EQ.Watts**E27**
Base**A65**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100


 provided by
SAMSUNG



LED Thermoplastic Bulbs

The definition of sustainability: Sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.



- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures; warm white, day white, cool white
- Set the right tone: dimmable options available
- Customized exterior for a stronger body

* **5** V-TAC[®] PRO
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

E14-LED Plastic Bulbs

2W VT-202

EAN Code

234 - 3000K Warm White


3800157632546

235 - 4000K Day White

3800157632553

236 - 6400K White

3800157632560

**180**
Lumens**20w**
EQ.Watts**E14**
Base**ST26**
Type**>80**
CRI**>0.4**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	150°	Thermoplastic	Ø25x59mm	30,000 Hours	400

E14-LED Plastic Bulbs

8W VT-248

EAN Code

267 - 3000K Warm White


3800157634113

268 - 4000K Day White

3800157634120

269 - 6400K White

3800157634137

**725**
Lumens**55w**
EQ.Watts**E14**
Base**T37**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	230°	Thermoplastic	Ø37x115mm	30,000 Hours	200




 provided by
SAMSUNG

E27-LED Plastic Bulbs

8W VT-237

EAN Code

144 - 3000K Warm White 3800157627573
145 - 4000K Day White 3800157627580
146 - 6400K White 3800157627597



725
Lumens



55w
EQ.Watts



E27
Base



T37
Type



>80
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	230°	Thermoplastic	Ø37x115mm	30,000 Hours	200

E27-LED Plastic Bulbs

5.5W VT-246

EAN Code

174 - 3000K Warm White 3800157627870
175 - 4000K Day White 3800157627887
176 - 6400K White 3800157627894



470
Lumens



40w
EQ.Watts



E27
Base



G45
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®



INNOVATIVE LED LIGHTING

E14-LED Plastic Bulbs

5.5W VT-236

EAN Code

168 - 3000K Warm White 3800157627818
 169 - 4000K Day White 3800157627825
 170 - 6400K White 3800157627832

**470**
Lumens**40w**
EQ.Watts**E14**
Base**P45**
Type**>80**
CRI**>0.5**
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200

E14-LED Plastic Bulbs

5.5W VT-226

EAN Code

171 - 3000K Warm White 3800157627849
 172 - 4000K Day White 3800157627856
 173 - 6400K White 3800157627863

**470**
Lumens**40w**
EQ.Watts**E14**
Base**C37**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø37x100mm	30,000 Hours	200

5 YEARS
WARRANTY

17



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

B22-LED Plastic Bulbs

9W VT-219

EAN Code

270 - 3000K Warm White 3800157634151

**806**
Lumens**60w**
EQ.Watts**B22**
Base**A60**
Type**>80**
CRI**>0.5**
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

B22-LED Plastic Bulbs

11W VT-213

EAN Code

271 - 3000K Warm White 3800157634168

**1055**
Lumens**75w**
EQ.Watts**B22**
Base**A60**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x120mm	30,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®



INNOVATIVE LED LIGHTING

E27-LED Plastic Bulbs

9W VT-209

EAN Code

156 - 3000K Warm White 3800157627696
 157 - 4000K Day White 3800157627702
 158 - 6400K White 3800157627719

**725**
Lumens**55w**
EQ.Watts**E27**
Base**A58**
Type**>80**
CRI**>0.5**
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

E27-LED Plastic Bulbs

9W VT-210

EAN Code

228 - 3000K Warm White 3800157631938
 229 - 4000K Day White 3800157631945
 230 - 6400K White 3800157631952

**806**
Lumens**60w**
EQ.Watts**E27**
Base**A58**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

5 YEARS
WARRANTY





provided by
SAMSUNG

E27-LED Plastic Bulbs

11W VT-211

EAN Code

177 - 3000K Warm White 3800157627900
178 - 4000K Day White 3800157627917
179 - 6400K White 3800157627924



975
Lumens



70w
EQ.Watts



E27
Base



A58
Type



>80
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

E27-LED Plastic Bulbs

11W VT-212

EAN Code

231 - 3000K Warm White 3800157631969
232 - 4000K Day White 3800157631976
233 - 6400K White 3800157631983



1055
Lumens



75w
EQ.Watts



E27
Base



A58
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

E27-LED Plastic Bulbs

15W VT-215

EAN Code

159 - 3000K Warm White



3800157627726

160 - 4000K Day White

3800157627733

161 - 6400K White

3800157627740

**1250**
Lumens**85w**
EQ.Watts**E27**
Base**A65**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100

E27-LED Plastic Bulbs

17W VT-217

EAN Code

162 - 3000K Warm White



3800157627757

163 - 4000K Day White

3800157627764

164 - 6400K White

3800157627771

**1521**
Lumens**100w**
EQ.Watts**E27**
Base**A65**
Type**>80**
CRI**>0.5**
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100

E14-LED Plastic Bulbs

3W VT-239

EAN Code

210 - 3000K Warm White 3800157631754
 211 - 4000K Day White 3800157631761
 212 - 6400K White 3800157631778

**250**
Lumens**25w**
EQ.Watts**E14**
Base**R39**
Type**>80**
CRI**>0.4**
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø39x67mm	30,000 Hours	200

E14-LED Plastic Bulbs

6W VT-250

EAN Code

138 - 3000K Warm White 3800157627511
 139 - 4000K Day White 3800157627528
 140 - 6400K White 3800157627535

**470**
Lumens**40w**
EQ.Watts**E14**
Base**R50**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø50x86mm	30,000 Hours	200

provided by
SAMSUNG

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

E27-LED Plastic Bulbs

8W VT-263

EAN Code

141 - 3000K Warm White


3800157627542

142 - 4000K Day White

3800157627559

143 - 6400K White

3800157627566

**570**
Lumens**60w**
EQ.Watts**E27**
Base**R63**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø63x100mm	30,000 Hours	200

E27-LED Plastic Bulbs

10W VT-280

EAN Code

135 - 3000K Warm White


3800157627481

136 - 4000K Day White

3800157627498

137 - 6400K White

3800157627504

**800**
Lumens**75w**
EQ.Watts**E27**
Base**R80**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø80x114mm	30,000 Hours	200

5 YEARS
WARRANTY





provided by
SAMSUNG

E27-PAR Bulbs

7W VT-220

EAN Code

147 - 3000K Warm White 3800157627603
148 - 4000K Day White 3800157627610
149 - 6400K White 3800157627627



495
Lumens



65w
EQ.Watts



E27
Base



PAR20
Type



>80
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø63.5x83mm	30,000 Hours	100

E27-PAR Bulbs

11W VT-230

EAN Code

153 - 3000K Warm White 3800157627665
154 - 4000K Day White 3800157627672
155 - 6400K White 3800157627689



825
Lumens



95w
EQ.Watts



E27
Base



PAR30
Type



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø95x117mm	30,000 Hours	30

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

E27-PAR Bulbs

14W VT-238

EAN Code

150 - 3000K Warm White



3800157627634

151 - 4000K Day White

3800157627641

152 - 6400K White

3800157627658

**1100**
Lumens**120w**
EQ.Watts**E27**
Base**PAR38**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø120x132mm	30,000 Hours	30

GX53-PAR Bulbs

7W VT-207

EAN Code

222 - 3000K Warm White


3800157631877

223 - 4000K Day White

3800157631884

224 - 6400K White

3800157631891

**550**
Lumens**45w**
EQ.Watts**GX53**
Base**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø75x35mm	30,000 Hours	100

25


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

E27-LED Plastic Bulbs

17W VT-218

EAN Code

225 - 3000K Warm White 3800157631907
 226 - 4000K Day White 3800157631914
 227 - 6400K White 3800157631921

**1521**
Lumens**100w**
EQ.Watts**E27**
Base**G120**
Type**>80**
CRI**>0.5**
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø120x164mm	30,000 Hours	20

E27-Big Bulb & UFO

15W VT-216

EAN Code

213 - 3000K Warm White 3800157631785
 214 - 4000K Day White 3800157631792
 215 - 6400K White 3800157631808

**1200**
Lumens**80w**
EQ.Watts**E27**
Base**F150**
Type**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø150x80mm	30,000 Hours	20

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC[®]



INNOVATIVE LED LIGHTING

E27-Big Bulb & UFO

24W VT-224

EAN Code

216 - 3000K Warm White 3800157631815
 217 - 4000K Day White 3800157631822
 218 - 6400K White 3800157631839

**1900**
Lumens**120w**
EQ. Watts**E27**
Base**F200**
Type**>80**
CRI**>0.5**
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø200x80mm	30,000 Hours	20

E27-Big Bulb & UFO

36W VT-235

EAN Code

219 - 3000K Warm White 3800157631846
 220 - 4000K Day White 3800157631853
 221 - 6400K White 3800157631860

**2900**
Lumens**170w**
EQ. Watts**E27**
Base**F250**
Type**>80**
CRI**>0.9**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø250x80mm	30,000 Hours	20

5 YEARS
WARRANTY

27

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

E40-Lowbays

85W VT-85

EAN Code

520 - 4000K Day White
521 - 6400K White

3800157635691
3800157629256



6800
Lumens



>80
CRI



>0.9
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	110°	Plastic	Ø260 x307	30,000 Hours	4

110+ LUMENS
PER WATT
SUPER EFFICIENT

E27-Big Bulb & UFO

36W VT-240

EAN Code

283 - 3000K Warm White
284 - 4000K Day White
285 - 6400K White

3800157634335
3800157634342
3800157634359



3960
Lumens



E27
Base



>80
CRI



>0.9
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Aluminum	Ø90x212mm	30,000 Hours	20

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

V-TAC®
 INNOVATIVE LED LIGHTING



E40-Big Bulb & UFO

60W VT-260

EAN Code

187 - 4000K Day White

3800157629461

188 - 6400K White

3800157629478

 **4800**
Lumens

 **E40**
Base

 **>80**
CRI

 **>0.9**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Aluminum	30,000 Hours	20



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

LED Spotlights

Our new range of spotlights are the optimal replacement for halogen spotlights. Don't worry, our new spotlights are still compatible with existing GU10 holders and they deliver the same warm light like halogen spots while exhibiting the benefits that LEDs provide. Perfect for retail and residential lighting.



- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: An efficient retrofit for GU10 holders
- Optional beam angles: We have spotlights with beam angles ranging from 38°D to 300°D
- Set the right tone: dimmable options available

5 V-TAC[®] PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

G4-Capsules

1.5W VT-201

EAN Code

- 240 - 3000K Warm White 3800157632607
- 241 - 4000K Day White 3800157632614
- 242 - 6400K White 3800157632621



100
Lumens



10w
EQ.Watts



G4
Base



>80
CRI



>0.4
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	300°	Plastic	Ø12x38.5mm	30,000 Hours	400

G9-Capsules

2.5W VT-203

EAN Code

- 243 - 3000K Warm White 3800157632638
- 244 - 4000K Day White 3800157632645
- 245 - 6400K White 3800157632652



200
Lumens



20w
EQ.Watts



G9
Base



>80
CRI



>0.4
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	300°	Plastic	Ø16.5x 46.5mm	30,000 Hours	500



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

G9-Capsules

3W VT-204

EAN Code

246 - 3000K Warm White



3800157632669

247 - 4000K Day White

3800157632676

248 - 6400K White

3800157632683

**300**
Lumens**25w**
EQ.Watts**G9**
Base**>80**
CRI**>0.4**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	300°	Plastic	Ø17x 49mm	30,000 Hours	500

GU10-Lens-110°

5W VT-205

EAN Code

201 - 3000K Warm White


3800157631662

202 - 4000K Day White

3800157631679

203 - 6400K White

3800157631686

**400**
Lumens**35w**
EQ.Watts**GU10**
Base**>80**
CRI**>0.4**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu




GU10-Lens-110°

6.5W VT-247

EAN Code

- 192 - 3000K Warm White
- 193 - 4000K Day White
- 194 - 6400K White

- 3800157631570
- 3800157631587
- 3800157631594



480
Lumens



60w
EQ.Watts



GU10
Base



>80
CRI



>0.5
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200



GU10-Lens-110°

6.5W VT-247D

EAN Code

- 198 - 3000K Warm White
- 199 - 4000K Day White
- 200 - 6400K White

- 3800157631631
- 3800157631648
- 3800157631655



450
Lumens



55w
EQ.Watts



GU10
Base



>80
CRI



>0.5
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

GU10-Lens-38°

6.5W VT-227D

EAN Code

195 - 3000K Warm White



3800157631600

196 - 4000K Day White

3800157631617

197 - 6400K White

3800157631624

**450**
Lumens**35w**
EQ.Watts**GU10**
Base**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200

GU10-Lens-38°

7W VT-277

EAN Code

165 - 3000K Warm White


3800157627788

166 - 4000K Day White

3800157627795

167 - 6400K White

3800157627801

**480**
Lumens**65w**
EQ.Watts**GU10**
Base**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

GU5.3-Lens-110°

6.5W VT-257

EAN Code

204 - 3000K Warm White



3800157631693

205 - 4000K Day White

3800157631709

206 - 6400K White

3800157631716

**450**
Lumens**55w**
EQ.Watts**GU5.3**
Base**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200

GU5.3-Lens-38°

6.5W VT-267

EAN Code

207 - 3000K Warm White


3800157631723

208 - 4000K Day White

3800157631730

209 - 6400K White

3800157631747

**450**
Lumens**40w**
EQ.Watts**GU5.3**
Base**>80**
CRI**>0.5**
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200

5 YEARS
WARRANTY

35

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

LED Floodlights

A symbol of limitless strength. V-TAC's all new slimline series is now manufactured with cutting-edge components to deliver an exceptional performance. Despite its slim exterior, it is extremely sturdy and absolutely perfect for outdoor applications.



- High performance LED Chips to deliver striking light
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design, for high-end support and aesthetics
- Options! Available in black and white finish

^{*}**5** V-TAC[®] PRO
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the fixture is at a different distance.

Slimline-White Body

10W VT-10-W

- 427 - 3000K Warm White
- 428 - 4000K Day White
- 429 - 6400K White



EAN Code
 3800157630832
 3800157630849
 3800157630856



- 800 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the fixture is at a different distance.

Slimline-White Body

20W VT-20-W

- 442 - 3000K Warm White
- 443 - 4000K Day White
- 444 - 6400K White

EAN Code
 3800157630986
 3800157630993
 3800157631006



- 1600 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20



5 YEARS WARRANTY





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Slimline-White Body

30W VT-30-W

- 403 - 3000K Warm White
- 404 - 4000K Day White
- 405 - 6400K White

EAN Code
 3800157629201
 3800157629058
 3800157629065





IP65
 RATING

- 2400 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Slimline-White Body

50W VT-50-W

- 409 - 3000K Warm White
- 410 - 4000K Day White
- 411 - 6400K White

EAN Code
 3800157636001
 3800157629096
 3800157629102



IP65
 RATING

- 4000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-White Body

100W VT-100-W

- 415 - 3000K Warm White
- 416 - 4000K Day White
- 417 - 6400K White

EAN Code
 3800157629249
 3800157629133
 3800157629140





IP65
RATING

1 METER WIRE

- 8000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-White Body

150W VT-150-W

- 478 - 3000K Warm White
- 479 - 4000K Day White
- 480 - 6400K White

EAN Code
 3800157631341
 3800157631358
 3800157631365



IP65
RATING

1 METER WIRE

- 12000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Slimline-White Body 200W VT-200-W

EAN Code
3800157629171
3800157629188


420 - 4000K Day White
421 - 6400K White



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the beam is set at different distance.



- 16000** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2



Slimline-White Body 300W VT-300-W

EAN Code
3800157631426
3800157631433


486 - 4000K Day White
487 - 6400K White



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the beam is set at different distance.



- 2400** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2




V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Slimline-Black Body

10W VT-10-B

- 424 - 3000K Warm White
- 425 - 4000K Day White
- 426 - 6400K White

EAN Code
 3800157630801
 3800157630818
 3800157630825




IP65
RATING

- 800** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Slimline-Black Body

20W VT-20-B

- 439 - 3000K Warm White
- 440 - 4000K Day White
- 441 - 6400K White

EAN Code
 3800157630955
 3800157630962
 3800157630979



IP65
RATING

- 1600** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20



5 YEARS WARRANTY





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Slimline-Black Body

30W VT-30-B

- 400 - 3000K Warm White
- 401 - 4000K Day White
- 402 - 6400K White

EAN Code
 3800157629195
 3800157629034
 3800157629041





IP65
 RATING

- 2400 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Slimline-Black Body

50W VT-50-B

- 406 - 3000K Warm White
- 407 - 4000K Day White
- 408 - 6400K White

EAN Code
 3800157629218
 3800157629072
 3800157629089



IP65
 RATING

- 4000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Black Body

100W VT-100-B

- 412 - 3000K Warm White
- 413 - 4000K Day White
- 414 - 6400K White

EAN Code
 3800157635684
 3800157629119
 3800157629126





IP65
RATING

1 METER WIRE

- 8000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Black Body

150W VT-150-B

- 475 - 3000K Warm White
- 476 - 4000K Day White
- 477 - 6400K White

EAN Code
 3800157631310
 3800157631327
 3800157631334



IP65
RATING

1 METER WIRE

- 12000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2





5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Slimline-Black Body 200W VT-200-B



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the beam is at different distance.

418 - 4000K Day White
419 - 6400K White



EAN Code
3800157629157
3800157629164



- 16000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Chart indicates the illuminated area and the average illumination when the beam is at different distance.

Slimline-Black Body 300W VT-300-B

422 - 4000K Day White
423 - 6400K White

EAN Code
3800157629225
3800157629232



- 24000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2




V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the fixture is at a different distance.

Slimline-Grey Body

10W VT-10-G

- 430 - 3000K Warm White
- 431 - 4000K Day White
- 432 - 6400K White



EAN Code
 3800157630863
 3800157630870
 3800157630887



- 800 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the fixture is at a different distance.

Slimline-Grey Body

20W VT-20-G

- 445 - 3000K Warm White
- 446 - 4000K Day White
- 447 - 6400K White

EAN Code
 3800157631013
 3800157631020
 3800157631037



- 1600 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20



5 YEARS WARRANTY





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Slimline-Grey Body

30W VT-30-G

- 454 - 3000K Warm White
- 455 - 4000K Day White
- 456 - 6400K White

EAN Code
3800157631105
3800157631112
3800157631129



2400
Lumens



SMD
LED Type



>80
CRI





>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Slimline-Grey Body

50W VT-50-G

- 463 - 3000K Warm White
- 464 - 4000K Day White
- 465 - 6400K White

EAN Code
3800157631198
3800157631204
3800157631211



4000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Grey Body

100W VT-100-G

- 472 - 3000K Warm White
- 473 - 4000K Day White
- 474 - 6400K White

EAN Code
 3800157631280
 3800157631297
 3800157631303





IP65
RATING

1 METER WIRE

- 8000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

Slimline-Grey Body

150W VT-150-G

- 481 - 3000K Warm White
- 482 - 4000K Day White
- 483 - 6400K White

EAN Code
 3800157631372
 3800157631389
 3800157631396



IP65
RATING

1 METER WIRE

- 12000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Slimline-Grey Body 200W VT-200-G

EAN Code
3800157631402
3800157631419


484 - 4000K Day White
485 - 6400K White



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the beam is at a different distance.



16000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2



Slimline-Grey Body 300W VT-300-G

EAN Code
3800157631440
3800157631457


488 - 4000K Day White
489 - 6400K White



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the beam is at a different distance.



24000
Lumens



SMD
LED Type



>80
CRI



>0.9
PF



AC:220-240V,50Hz
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2

V-TAC[®]

INNOVATIVE LED LIGHTING

LED Panels

Performance is key. However, along with performance, customers prefer lighting that is attractive and easy to install. Our all new panels are a combination of all three. They light up all the way to the edges, making them THE perfect aesthetic for your indoor spaces.



- Instant startup: V-TAC's LED Panels power up instantly upon being switched on
- More light. Less Power: 80% lower power consumption than conventional downlights
- Customized exterior for a stronger body
- Five-Year Warranty

^{*}**5** V-TAC[®] **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Square Panels-60x60

45W VT-645 EAN Code

632 - 3000K Warm White 3800157634304
633 - 4000K Day White 3800157634311
634 - 6400K White 3800157634328




3600
Lumens



>80
CRI



>0.9
PF



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum+P-MMA+PP	595x595x14mm	30,000 Hours	6



Live . Light . Life

www.vtacexports.com | www.v-tac.eu


V-TAC®

INNOVATIVE LED LIGHTING

Edge Panels

8W VT-608RD EAN Code

626 - 3000K Warm White 3800157630672
 627 - 4000K Day White 3800157630689
 628 - 6400K White 3800157630696

**800**
Lumens**>80**
CRI**>0.5**
PF

Cutting Size

Ø 70 mm



QUICK CONNECTOR




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	Ø93x37mm	30,000 Hours	100

Edge Panels

8W VT-608SQ EAN Code

623 - 3000K Warm White 3800157630641
 624 - 4000K Day White 3800157630658
 625 - 6400K White 3800157630665

**800**
Lumens**>80**
CRI**>0.5**
PF

Cutting Size

70 X 70mm



QUICK CONNECTOR



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	93x93x37mm	30,000 Hours	100



5 YEARS
WARRANTY



Edge Panels

15W VT-615RD EAN Code

620 - 3000K Warm White 3800157630610
621 - 4000K Day White 3800157630627
622 - 6400K White 3800157630634




1500
Lumens



>80
CRI



>0.5
PF



Cutting Size

Ø 95 mm



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	120x37mm	30,000 Hours	40

Edge Panels

15W VT-615SQ EAN Code

617 - 3000K Warm White 3800157630580
618 - 4000K Day White 3800157630597
619 - 6400K White 3800157630603




1500
Lumens



>80
CRI



>0.5
PF



Cutting Size

95X 95mm



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	120x120x37mm	30,000 Hours	40

Live . Light . Life

www.vtacexports.com | www.v-tac.eu


V-TAC®

INNOVATIVE LED LIGHTING

Edge Panels

20W VT-620RD EAN Code

614 - 3000K Warm White 3800157630559
 615 - 4000K Day White 3800157630566
 616 - 6400K White 3800157630573

**2000**
Lumens**>80**
CRI**>0.9**
PF

Cutting Size

Ø 140 mm




QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	170x37mm	30,000 Hours	40

Edge Panels

20W VT-620SQ EAN Code

611 - 3000K Warm White 3800157630528
 612 - 4000K Day White 3800157630535
 613 - 6400K White 3800157630542

**2000**
Lumens**>80**
CRI**>0.9**
PF

Cutting Size

142X 142mm



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	170x170x37mm	30,000 Hours	40



5 YEARS
WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING

LED Fittings and Tubes

V-TAC's advance grill fixtures are a new generation of linear fittings. Designed with high-caliber materials, these fixtures provide exceptional light levels, are extremely energy efficient and are easy to install. The unparalleled performance of our Grill fittings makes it a cut-above conventional fixtures. It's easy to install function and aesthetic lighting effect gives this new range an amazing potential for retail and residential applications.

These fixtures are the better choice, in terms of performance and aesthetic value, for commercial, retail or residential applications in comparison to conventional fluorescent fixtures.



- Delivering a high lumen output of over 120 lumen per watt
- Designed to deliver a smooth and soft lighting effect
- Options! Available in 60cm, 120cm, 150cm and 180cm
- The push fit connectors make it easy to install
- Five year warranty

5 V-TAC[®] PRO
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



V-TAC[®]


INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

Prismatic Fittings

10W VT-8-10 EAN Code

659 - 3000K Warm White 3800157632140
 660 - 4000K Day White 3800157632157
 661 - 6400K White 3800157632164




1200 Lumens |
 >80 CRI |
 >0.5 PF |
 <1s Instant Start |
 15000 On/Off |
 0.26kg Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	300x74.1x24.4mm	30,000 Hours	10

Prismatic Fittings

20W VT-8-20 EAN Code

662 - 3000K Warm White 3800157632171
 663 - 4000K Day White 3800157632188
 664 - 6400K White 3800157632195



2400 Lumens |
 >80 CRI |
 >0.5 PF |
 <1s Instant Start |
 15000 On/Off |
 0.42kg Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	600x74.1x24.4mm	30,000 Hours	10



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING


Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

Prismatic Fittings

40W VT-8-40

EAN Code

- 665 - 3000K Warm White 3800157632201
- 666 - 4000K Day White 3800157632218
- 667 - 6400K White 3800157632225



- 4800** Lumens
- >80** CRI
- >0.9** PF
- <1s** Instant Start
- 15000** On/Off
- 0.84kg** Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1200x74.1x24.4mm	30,000 Hours	10

Prismatic Fittings

50W VT-8-50

EAN Code

- 668 - 4000K Day White 3800157632232
- 669 - 6400K White 3800157632249




- 6000** Lumens
- >80** CRI
- >0.9** PF
- <1s** Instant Start
- 15000** On/Off
- 1kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1500x74.1x24.4mm	30,000 Hours	10



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu



Prismatic Fittings

60W VT-9-60 EAN Code

670 - 4000K Day White 3800157632256
 671 - 6400K White 3800157632263

- 7200** Lumens
- >80** CRI
- >0.9** PF
- <1s** Instant Start
- 15000** On/Off
- 1.2kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x74.1x24.4mm	30,000 Hours	10



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

120+ LUMENS
PER WATT

SUPER EFFICIENT



G13-T8 -Nano Plastic Tube-120CM

18W VT-122 EAN Code

688 - 3000K Warm White 3800157632911
672 - 4000K Day White 3800157632928
673 - 6400K White



2250
Lumens



45w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start



15000
On/Off




0.1904kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25

120+ LUMENS
PER WATT

SUPER EFFICIENT



G13-T8 -Nano Plastic Tube-150CM

22W VT-152 EAN Code

689 - 3000K Warm White 3800157632935
674 - 4000K Day White 3800157632942
675 - 6400K White



3000
Lumens



75w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start




15000
On/Off



0.2572kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25


Live . Light . Life
www.vtacexports.com | www.v-tac.eu



G13-T8 -Nano Plastic Tube-60CM


10W VT-061 EAN Code

- 650 - 3000K Warm White 3800157632010
- 651 - 4000K Day White 3800157632027
- 652 - 6400K White 3800157632034



- 850** Lumens
- 18w** EQ.Watts
- >80** CRI
- >0.5** PF
- <0.5 s** Instant Start
- 15000** On/Off
- 0.1264kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	600x27.9mm	30,000 Hours	25



G13-T8 -Nano Plastic Tube-120CM

18W VT-121 EAN Code

- 653 - 3000K Warm White 3800157632041
- 654 - 4000K Day White 3800157632058
- 655 - 6400K White 3800157632065



- 1700** Lumens
- 36w** EQ.Watts
- >80** CRI
- >0.5** PF
- <0.5 s** Instant Start
- 15000** On/Off
- 0.1904kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25



5 YEARS WARRANTY




*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING


Live . Light . Life
www.vtacexports.com | www.v-tac.eu



G13-T8 -Nano Plastic Tube-150CM

22W VT-151 EAN Code

656 - 3000K Warm White 3800157632072
657 - 4000K Day White 3800157632089
658 - 6400K White 3800157632096



2000
Lumens



58w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start



15000
On/Off



0.2572kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING



Single Batten Fitting-120cm

18W VT-12026 EAN Code

6442 - 4000K Day White 3800157631501
 6443 - 6400K White 3800157631518

LED TUBE

INCLUDED

**1700**
Lumens**>80**
CRI**>0.5**
PF**15000**
On/off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Single Batten Fitting-150cm

22W VT-15023 EAN Code

6438 - 4000K Day White 3800157631464
 6439 - 6400K White 3800157631471

LED TUBE

INCLUDED

**2000**
Lumens**>80**
CRI**>0.5**
PF**15000**
On/off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



5 YEARS

WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu



Double Batten Fitting-120cm

36W VT-12027 EAN Code

6444 - 4000K Day White 3800157631525
6445 - 6400K White 3800157631532

**LED TUBE
INCLUDED**



3400
Lumens



>80
CRI



>0.5
PF



15000
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Double Batten Fitting-150cm

44W VT-15024 EAN Code

6440 - 4000K Day White 3800157631488
6441 - 6400K White 3800157631495

**LED TUBE
INCLUDED**



4000
Lumens



>80
CRI



>0.5
PF



15000
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



LED Tri-proof Lights

Our Tri-proof lights just got tougher. 80% lower power consumption than fluorescent lights, IP65 Rating and easy-to-install lights make perfect to use in tough conditions. These high performing Tri-proofs provide the necessary light levels for any indoor and outdoor applications.

- Easy installation and maintenance
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design
- Great return on investment due to low energy consumption
- Five year warranty

5 **V-TAC**[®] **PRO**
— **YEAR** —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Waterproof Fittings

60W VT-160


EAN Code

678 - 4000K Day White
 679 - 6400K White

3800157632980
 3800157632997



120+ LUMENS PER WATT
SUPER EFFICIENT



7200
Lumens



>80
CRI



>0.9
PF



15000
On/Off



2.1kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1200x86x70mm	20,000 Hours	9

Waterproof Fittings

70W VT-170


EAN Code

676 - 4000K Day White
 677 - 6400K White

3800157632966
 3800157632973



120+ LUMENS PER WATT
SUPER EFFICIENT



8400
Lumens



>80
CRI



>0.9
PF



15000
On/Off



2.67kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1500x86x70mm	20,000 Hours	9



Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

V-TAC®
 INNOVATIVE LED LIGHTING




Waterproof Fittings
60W VT-180

EAN Code

680 - 4000K Day White
 681 - 6400K White

3800157634731
 3800157634748



5400
Lumens



>80
CRI



>0.9
PF



15000
On/Off

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x66x58mm	30,000 Hours	9



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Striplights-IP20

15W VT-10-240 EAN Code

320 - 3000K Warm White 3800157634564
321 - 4000K Day White 3800157634571
322 - 6400K White 3800157634588



1600
Lumens



>80
CRI



Voltage/Frequency	LED Type	Beam Angle	Dimension	Life span	Box Qty.
DC:24V	SMD 2835	120°	10mm	20,000 Hours	80 Packets





V-TAC[®]
INNOVATIVE LED LIGHTING



AESTHETICALLY FUNCTIONAL



High **CRI**



Experience The
TRUE COLORS

The Right Track


Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability, and remarkable light output to serve the general Commercial and Retail market.

4 Line Tracklights-Black Body

7W VT-407-B EAN Code

- 353 - 3000K Warm White 3800157633963
- 354 - 4000K Day White 3800157633970
- 355 - 5000K White 3800157633987

 **420** Lumens |  **>90** CRI |  **>0.5** PF




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	180x40.5x50mm	30,000 Hours	40

4 Line Tracklights-White Body

7W VT-407-W EAN Code

- 350 - 3000K Warm White 3800157633932
- 351 - 4000K Day White 3800157633949
- 352 - 5000K White 3800157633956

 **490** Lumens |  **>90** CRI |  **>0.5** PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	180x40.5x50mm	30,000 Hours	40



Live . Light . Life
 www.vtacexports.com | www.v-tac.eu




4 Line Tracklights-Black Body

15W VT-415-B EAN Code

- 359 - 3000K Warm White 3800157634021
- 360 - 4000K Day White 3800157634038
- 361 - 5000K White 3800157634045

1050 Lumens | **>90** CRI | **>0.5** PF




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	200x50x50mm	30,000 Hours	40

4 Line Tracklights-White Body

15W VT-415-W EAN Code

- 356 - 3000K Warm White 3800157633994
- 357 - 4000K Day White 3800157634007
- 358 - 5000K White 3800157634014

1200 Lumens | **>90** CRI | **>0.5** PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	200x50x50mm	30,000 Hours	40


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

4 Line Tracklights-Black Body

20W VT-420-B EAN Code

- 365 - 3000K Warm White 3800157634083
- 366 - 4000K Day White 3800157634090
- 367 - 5000K White 3800157634106

 **1400** Lumens |  **>90** CRI |  **>0.9** PF




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	220x60x50mm	30,000 Hours	40

4 Line Tracklights-White Body

20W VT-420-W EAN Code

- 362 - 3000K Warm White 3800157634052
- 363 - 4000K Day White 3800157634069
- 364 - 5000K White 3800157634076

 **1600** Lumens |  **>90** CRI |  **>0.9** PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	220x60x50mm	30,000 Hours	40



Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING

4 Line Tracklights-Black Body

33W VT-433-B EAN Code

- 371 - 3000K Warm White 3800157635462
- 372 - 4000K Day White 3800157635479
- 373 - 5000K White 3800157635486



- 2640** Lumens
- >90** CRI
- >0.9** PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°-60° Adjustable	Aluminum	30,000 Hours	8

4 Line Tracklights-White Body

33W VT-433-W EAN Code

- 368 - 3000K Warm White 3800157635431
- 369 - 4000K Day White 3800157635448
- 370 - 5000K White 3800157635455



- 2640** Lumens
- >90** CRI
- >0.9** PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°-60° Adjustable	Aluminum	30,000 Hours	8



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.



- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

5 V-TAC[®] PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



V-TAC[®]


INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Reflector-Highbays

100W VT-9-102 EAN Code

566 - 4000K Day White 3800157633048
567 - 6400K White 3800157633055



18000 Lumens | **>80** CRI | **>0.9** PF

Optional
Daylight Sensor
SKU - 1369

1-10V
DIMMABLE

V-TAC PERFORMANCE
180
LUMENS/WATT

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	120°	Aluminum	Ø260x145mm	30,000 Hours	2

: Cover Options :



Aluminum Reflector
90° SKU-570



Aluminum Reflector
120° SKU-571




PC Transparent Reflector
120° SKU-574

Reflector-Highbays

120W VT-9-120 EAN Code

568 - 4000K Day White 3800157633321
569 - 6400K White 3800157633338



21600 Lumens | **>80** CRI | **>0.9** PF

Optional
Daylight Sensor
SKU - 1369

1-10V
DIMMABLE

V-TAC PERFORMANCE
180
LUMENS/WATT

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	120°	Aluminum	Ø260x145mm	30,000 Hours	2



5 YEARS
WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]


INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

UFO Series

100W VT-9-100 EAN Code

564 - 4000K Day White 3800157632898
565 - 6400K White 3800157632904



Optional

Daylight Sensor
SKU - 1369




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø280x165mm	30,000 Hours	4

UFO Series

150W VT-9-150 EAN Code

560 - 4000K Day White 3800157632850
561 - 6400K White 3800157632867



Optional

Daylight Sensor
SKU - 1369



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x171mm	30,000 Hours	2

V-TAC[®]


INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

UFO Series

100W VT-9-101 EAN Code

562 - 4000K Day White 3800157632874
 563 - 6400K White 3800157632881



12000 Lumens |
 >80 CRI |
 >0.9 PF |
 |
 IP65 RATING


Optional
Daylight Sensor | **1-10V** DIMMABLE
 SKU - 1369

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø280x165mm	30,000 Hours	4

UFO Series

150W VT-9-151 EAN Code

558 - 4000K Day White 3800157632836
 559 - 6400K White 3800157632843



18000 Lumens |
 >80 CRI |
 >0.9 PF |
 |
 IP65 RATING

Optional
Daylight Sensor | **1-10V** DIMMABLE
 SKU - 1369

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø340x171mm	30,000 Hours	2

5 YEARS WARRANTY

provided by **SAMSUNG**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

UFO Series

100W VT-9-98 EAN Code

556 - 4000K Day White 3800157632812
557 - 6400K White 3800157632829



8000
Lumens




>80
CRI



>0.9
PF



IP 44
Rating



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x138mm	30,000 Hours	4

UFO Series

150W VT-9-148 EAN Code

552 - 4000K Day White 3800157632775
553 - 6400K White 3800157632782



12000
Lumens




>80
CRI



>0.9
PF




IP 44
Rating



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x138mm	30,000 Hours	2

UFO Series

100W VT-9-99 EAN Code



554 - 4000K Day White 3800157632799
555 - 6400K White 3800157632805

8000
Lumens

>80
CRI


>0.9
PF

IP 44
Rating

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø280x131mm	30,000 Hours	4

UFO Series

150W VT-9-149 EAN Code



550 - 4000K Day White 3800157632751
551 - 6400K White 3800157632768

12000
Lumens

>80
CRI

>0.9
PF

IP 44
Rating

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø340x138mm	30,000 Hours	2



5 YEARS WARRANTY



V-TAC[®]


INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

LED Canopy

150W VT-9-155 EAN Code

572 - 4000K Day White 3800157633369
 573 - 6400K White 3800157633376




18000 Lumens |
 >80 CRI |
 >0.9 PF |
 IP 44 Rating

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	110°	Aluminum	380x380x69.5mm	30,000 Hours	2


- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED Street Light



• Hanging Cable



• Pole Fixing

V-TAC PERFORMANCE
180
LUMENS/WATT

USING
SAMSUNG
POWER SUPPLY

V-TAC®
INNOVATIVE LED LIGHTING

COMING SOON

* **5** V-TAC® PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

provided by
SAMSUNG

LED Bulbs Blister Packing



With a focus on the ever-evolving demands, we are engaged in supplying a wide range of LED Bulb Blister Packs.



LED Bulbs-E14

4W VT-2184

7366 - 2700K Warm White 3800157628570





Box Qty. **50 Pcs**

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	P45	Body Type:	Glass
LED Type:	SMD	Dimension:	45x77mm
CRI:	>80		

LED Bulbs-E27

4W VT-2194

7367 - 2700K Warm White 3800157628587





Box Qty. **50 Pcs**

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	SMD	Dimension:	45x75mm
CRI:	>80		

LED Candle Filament Bulbs

4W VT-2104

7282 - 2700K Warm White 3800157623728



Box Qty. **50 Pcs**

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	SMD	Dimension:	35x100mm
CRI:	>80		


LED Candle Filament Bulbs

4W VT-2134D

7284 - 2700K Warm White 3800157623742


 Box Qty.
50 Pcs


EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle
 LED Type: SMD
 CRI: >80




PF: >0.5
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm

LED Candle Filament Bulbs

4W VT-2174

7365 - 2700K Warm White 3800157628563


 Box Qty.
50 Pcs




EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle
 LED Type: SMD
 CRI: >80

PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm

LED Filament Bulbs

4W VT-2114

7283 - 2700K Warm White 3800157623735


 Box Qty.
25 Pcs




EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: A60
 LED Type: SMD
 CRI: >80

PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 60x107mm

LED Bulbs-E27

6W **VT-2186**

7368 - 2700K Warm White 3800157628594





Box Qty.
25 Pcs

EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	660lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		

LED Candle Bulbs

5.5W **VT-2106**

7291 - 2700K Warm White 3800157623810
 7292 - 4000K Day White 3800157623827
 7293 - 6400K White 3800157623834





Box Qty.
50 Pcs

EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	Candle	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	37x100mm
CRI:	>80		

LED Bulbs-E14

5.5W **VT-2146**

7355 - 2700K Warm White 3800157628136
 7356 - 4000K Day White 3800157628143



Box Qty.
50 Pcs

EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	E14
Commercial Type:	P45	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	45x81mm
CRI:	>80		




LED Bulbs-E27

5.5W VT-2166

7360 - 2700K Warm White
7361 - 4000K Day White3800157628181
3800157628198
 Box Qty.
50 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: G45
LED Type: SMD
CRI: >80



PF: >0.4
Beam Angle: 180°
Base: E27
Body Type: ThermoPlastic
Dimension: 45x82mm




LED Bulbs-E27

9W VT-2139

7295 - 4000K Day White
7296 - 6400K White3800157623858
3800157623865
 Box Qty.
25 Pcs

EQ. Watts: 60w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 806lm
Commercial Type: A60
LED Type: SMD
CRI: >80



PF: >0.5
Beam Angle: 200°
Base: E27
Body Type: ThermoPlastic
Dimension: 60x112mm





LED Bulbs-E27

11W VT-2111

7297 - 2700K Warm White
7298 - 4000K Day White
7299 - 6400K White3800157623872
3800157623889
3800157623896
 Box Qty.
25 Pcs

EQ. Watts: 75w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 1055lm
Commercial Type: A60
LED Type: SMD
CRI: >80



PF: >0.5
Beam Angle: 200°
Base: E27
Body Type: ThermoPlastic
Dimension: 60x120mm


LED Bulbs-E27

6W VT-2022BP



7324 - 2700K Warm White 3800157624602
 7325 - 4000K Day White 3800157624619
 7326 - 6400K White 3800157624626

Box Qty.
40 Pcs



EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



LED Bulbs-E27

9w VT-2109



7285 - 2700K Warm White 3800157623759
 7286 - 4000K Day White 3800157623766
 7287 - 6400K White 3800157623773

Box Qty.
25 Pcs



EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x122mm**



LED Bulbs-E27

9w VT-2129



7288 - 2700K Warm White 3800157623780
 7289 - 4000K Day White 3800157623797
 7290 - 6400K White 3800157623803

Box Qty.
25 Pcs



EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



LED Bulbs-E27



9w VT-2149

7309 - 3 IN 1

3800157623995

 Box Qty.
25 Pcs

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**

LED Bulbs-E27



15w VT-2117

7300 - 2700K Warm White

3800157623902

 Box Qty.
25 Pcs

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1500lm**
 Commercial Type: **A65**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **66.5x134mm**





LED Thermoplastic Bulbs

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders like E27, E14, B22, B15,G24 and R7S
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

Applications


Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.



Bulbs-A60-E27-RGB

6W VT-2022

7121 - 2700K Warm White 3800157609975
 7150 - 4000K Day White 3800157610711
 7151 - 6400K White 3800157610728


 Box Qty.
100 Pcs


EQ. Watts: **40w** PF: >0.5
 Voltage/Frequency: **AC:220-240V,50Hz** Beam Angle: **200°**
 Luminous Flux: **470lm** Base: **E27**
 Commercial Type: **A60** Body Type: **ThermoPlastic**
 LED Type: **SMD** Dimension: **60x112mm**
 CRI: >80





- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice



Bulbs-A60-E27-Sensor

9W VT-2016

4459 - 2700K Warm White 3800157608237
 4460 - 4000K Day White 3800157608244
 4461 - 6000K White 3800157608251


 Box Qty.
100 Pcs


EQ. Watts: **60w** PF: >0.5
 Voltage/Frequency: **AC:220-240V,50Hz** Beam Angle: **200°**
 Luminous Flux: **806lm** Base: **E27**
 Commercial Type: **A60** Body Type: **ThermoPlastic**
 LED Type: **SMD** Dimension: **60x122mm**
 CRI: >80



Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.




Bulbs-A60-E27-3 Step Dimming

9w VT-2011

4447 - 2700K Warm White 3800157607988
 4448 - 4000K Day White 3800157607995
 4449 - 6400K White 3800157608008



Box Qty.
100 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



Smart Dimming Technology Without A Dimmer!
 At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.





Bulbs-A60-E27-Color Changing

9w VT-2119

7317 - 3 IN 1 3800157624497



Box Qty.
100 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



- HOW IT WORKS**
1. Switch the light on for cool white.
 2. Turn the Switch off and on again for warm white.
 3. Turn the Switch off and on again for day white.
 4. Switch between these to select your ideal colour.

new!


Fire Flame-Bulb

4W VT-2135

7426 - 1800K Warm White 3800157633109



Flame Effect



Box Qty.

EQ. Watts:	N/A	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	280lm	Base:	E27
Commercial Type:		Body Type:	Plastic
LED Type:	SMD	Dimension:	50x128mm
CRI:	>80		


- Dynamic Moving Flame, Simulate Nature Fire Flicker Flame.
- Soft LED Light Source
- Low Corbin Environment

Bulbs-A60-E27-DC 24V

9w VT-2059

7417 - 4000K Day White 3800157632744
7224 - 6400K White 3800157617543Box Qty.
100 Pcs

EQ. Watts:	55w	PF:	>0.7
Voltage/Frequency:	DC:24V	Beam Angle:	200°
Luminous Flux:	720lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



DC24V




Bulbs-A60-E27

9w VT-2000R

7341 - Red

3800157626033



 Box Qty.
100 Pcs

EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	270lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		




Bulbs-A60-E27

9w VT-2000Y

7342 - Yellow

3800157626040



 Box Qty.
100 Pcs

EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	570lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



Bulbs-A60-E27

9w **VT-2000G**


7343 - Green

3800157626057

Box Qty.
100 Pcs

EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **310lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



Bulbs-A60-E27

9w **VT-2000B**


7344 - Blue

3800157626064

Box Qty.
100 Pcs

EQ. Watts: **15w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **120lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**





LED Bulbs-E27

5w **VT-2055**

7266 - 2700K Warm White 3800157622981



Box Qty.
30 Pcs



EQ. Watts:	35w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	420lm	Base:	E27
Commercial Type:	A55	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	55x106mm
CRI:	>80		



Bulbs-A60-E27

9w **VT-2099**

7260 - 2700K Warm White 3800157622110
 7261 - 4000K Day White 3800157622127
 7262 - 6400K White 3800157622134



Box Qty.
100 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



LED Bulbs-E27

9w **VT-1900**

7241 - 4000K Day White 3800157620147
 7242 - 6400K White 3800157620154



Box Qty.
20 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		

LED Bulbs-E27



11W VT-2113

7352 - 2700K Warm White
7353 - 4000K Day White
7354 - 6400K White

3800157627412
3800157627429
3800157627436


 Box Qty.
40 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**

Bulbs-A60-E27


11W VT-2112

7350 - 2700K Warm White
7349 - 4000K Day White
7351 - 6400K White

3800157627399
3800157627320
3800157627405


 Box Qty.
100 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**


Bulbs-A60-E27

12W VT-1864-E27

4228 - 2700K Warm White


 Box Qty.
100 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**





Bulbs-A65-E27
15w VT-2015-E27

4453 - 2700K Warm White 3800157608091
 4454 - 4000K Day White 3800157608107
 4455 - 6400K White 3800157608114

Box Qty.
100 Pcs

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1500lm**
 Commercial Type: **A65**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **66.5x134mm**





Bulbs-A65-E27
17w VT-2017

4456 - 2700K Warm White 3800157608121

Box Qty.
100 Pcs

EQ. Watts: **130w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1800lm**
 Commercial Type: **A65**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **66.5x134mm**





LED Bulbs-B22
9w VT-2069-3PC

7246 - 2700K Warm White 3800157620192

Box Qty.
20 Pcs

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **200°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**





Bulbs-A60-B22



9w **VT-1853**

7401 - 2700K Warm White
7402 - 4000K Day White
7403 - 6400K White

3800157629263
3800157629270
3800157629287

 Box Qty.
100 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**

new!


Bulbs-A60-B22


9w **VT-2189**

7422 - 2700K Warm White

3800157634175

 Box Qty.
100 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x106mm**



Bulbs-A60-B22



11w **VT-1864**

7404 - 2700K Warm White
7405 - 4000K Day White
7406 - 6400K White

3800157629294
3800157629300
3800157629317

 Box Qty.
100 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**





Bulbs-A60-B22
12w VT-1864-B22

7223 - 6400K White 3800157617338

Box Qty.
100 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x120mm**





Bulbs-A65-B22
15w VT-2015-B22

7229 - 2700K Warm White 3800157619554
7399 - 4000K Day White 3800157629010
7400 - 6400K White 3800157629027

Box Qty.
100 Pcs

EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1350lm**
Commercial Type: **A65**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **66.5x134mm**





Bulbs-G45-B22
3w VT-2053-B22

7232 - 2700K Warm White 3800157619776
7233 - 6400K White 3800157619783

Box Qty.
200 Pcs

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **180°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **45x75mm**

new!



Bulbs-G45-B22

5.5W VT-2197D

7419 - 2700K Warm White 3800157633079

 Box Qty.
100 Pcs


EQ. Watts: 50w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: G45
LED Type: SMD
CRI: >80



PF: >0.7
Beam Angle: 200°
Base: B22
Body Type: ThermoPlastic
Dimension: 45x81mm





Bulbs-G45-B22

6W VT-1973

4441 - 2700K Warm White 3800157607674

 Box Qty.
100 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: G45
LED Type: SMD
CRI: >80



PF: >0.5
Beam Angle: 180°
Base: B22
Body Type: ThermoPlastic
Dimension: 45x80mm





Bulbs-Candle-B15

6W VT-1857

4217 - 3000K Warm White 3800230624802
7348 - 6000K White 3800157627306
 Box Qty.
200 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: Candle
LED Type: SMD
CRI: >80



PF: >0.5
Beam Angle: 180°
Base: B15
Body Type: ThermoPlastic
Dimension: 37x102mm



Bulbs-Candle-B22
3w VT-2073

7230 - 2700K Warm White 3800157619578
7231 - 6400K White 3800157619585

Box Qty.
200 Pcs



EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **37x102mm**

new!



Bulbs-Candle-B22
5.5w VT-2196D

7418 - 2700K Warm White 3800157633062

Box Qty.
200 Pcs



EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



Bulbs-Candle-B22
6w VT-1965

4440 - 2700K Warm White 3800157607667
7346 - 6400K White 3800157627283

Box Qty.
200 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **37x102mm**



Bulbs-Candle-E14



3W **VT-2033**

7196 - 2700K Warm White
7197 - 4000K Day White
7198 - 6400K White

3800157615808
3800157615815
3800157615822

 Box Qty.
200 Pcs

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



Bulbs-Candle-E14


4W **VT-1818**

4216 - 2700K Warm White
4166 - 4000K Day White
4122 - 6400K White

3800230624796
3800230620675
3800230620668

 Box Qty.
200 Pcs

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



Candle-E14 - 3Pc Pack


5.5W **VT-2076**

7263 - 2700K Warm White
7264 - 4000K Day White
7265 - 6400K White

3800157622950
3800157622967
3800157622974

 Box Qty.
60 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**




Bulbs-Candle-E14

4W VT-1818TP

4164 - 2700K Warm White 3800230620743
3800230620736

Box Qty. **200 Pcs**

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x124mm**



Bulbs-Candle-E14



6W VT-1854D

4213 - 3000K Warm White 3800230624765

Box Qty. **200 Pcs**



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**





Bulbs-Candle-E14

7W VT-2097

7320 - 6400K White 3800157624527

Box Qty. **200 Pcs**

EQ. Watts: **55w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **750lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**





Bulbs-Candle-E27

5.5w VT-1821N

43421 - 2700K Warm White 3800157624381
 43431 - 4000K Day White 3800157624398
 43441 - 6400K White 3800157624404

 Box Qty.
200 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle
 LED Type: SMD
 CRI: >80



PF: >0.5
 Beam Angle: 200°
 Base: E27
 Body Type: ThermoPlastic
 Dimension: 37x100mm





Bulbs-G45-E27

3w VT-2053-E27

7202 - 2700K Warm White 3800157615860
 7203 - 4000K Day White 3800157615877
 7204 - 6400K White 3800157615884

 Box Qty.
200 Pcs

EQ. Watts: 25w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 250lm
 Commercial Type: G45
 LED Type: SMD
 CRI: >80



PF: >0.4
 Beam Angle: 180°
 Base: E27
 Body Type: ThermoPlastic
 Dimension: 45x76mm





Bulbs-G45-E27

4w VT-1830

4207 - 6400K White 3800230624611

 Box Qty.
200 Pcs

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: G45
 LED Type: SMD
 CRI: >80



PF: >0.4
 Beam Angle: 180°
 Base: E27
 Body Type: ThermoPlastic
 Dimension: 45x82mm



new!



Bulbs-G45-E27
5.5W VT-1879N

7407 - 2700K Warm White 3800157629485
7408 - 4000K Day White 3800157629492
7409 - 6400K White 3800157629508

Box Qty.
200 Pcs





EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	E27
Commercial Type:	G45	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	45x82mm
CRI:	>80		

Bulbs-G45 - 3Pc Pack
5.5W VT-2176

7362 - 2700K Warm White 3800157628204
7363 - 4000K Day White 3800157628211
7364 - 6400K White 3800157628228

Box Qty.
60 Pcs





EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	470lm	Base:	E27
Commercial Type:	G45	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	45x82mm
CRI:	>80		

Bulbs-P45-E14
3W VT-2043

7199 - 2700K Warm White 3800157615839
7200 - 4000K Day White 3800157615846
7201 - 6400K White 3800157615853

Box Qty.
200 Pcs



EQ. Watts:	25w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	180°
Luminous Flux:	250lm	Base:	E14
Commercial Type:	P45	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	45x81mm
CRI:	>80		



Bulbs-P45-E14



4W **VT-1819**

4124 - 6400K White

3800230621016

Box Qty.
200 Pcs

EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **320lm**
 Commercial Type: **P45**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **180°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **45x82mm**



Bulbs-P45-E14

5.5W **VT-1880N**

42501 - 2700K Warm White

3800157624367

42511 - 4000K Day White



3800157626408

42521 - 6400K White

3800157624374

Box Qty.
200 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **P45**
 LED Type: **SMD**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **180°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **45x81mm**

LED Bulbs-E14

5.5W **VT-2156**

7357 - 2700K Warm White

3800157628150

7358 - 4000K Day White



3800157628167

7359 - 6400K White

3800157628174

Box Qty.
60 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **P45**
 LED Type: **SMD**
 CRI: **>80**





PF: **>0.5**
 Beam Angle: **180°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **45x81mm**



Bulbs-T37-E14
9w VT-2029

7173 - 2700K Warm White 3800157615495
7174 - 4000K Day White 3800157615501
7175 - 6400K White 3800157615518

Box Qty.
200 Pcs





EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	230°
Luminous Flux:	750lm	Base:	E14
Commercial Type:	T37	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	37x115mm
CRI:	>80		



Bulbs-T37-E27
9w VT-2089

7256 - 2700K Warm White 3800157621915

Box Qty.
200 Pcs



EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	230°
Luminous Flux:	750lm	Base:	E27
Commercial Type:	T37	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	37x115mm
CRI:	>80		






Bulbs-R39-E14

3W **VT-1861**

 4220 - 4000K Day White
 4242 - 6400K White

3800230625489

 Box Qty.
200 Pcs



 EQ. Watts: **25w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **210lm**
 Commercial Type: **R39**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **120°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **39x67mm**


Bulbs-R50-E14

6W **VT-1876**

4246 - 6400K White



3800230626813
3800230626967
 Box Qty.
200 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **R50**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **120°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **50x86mm**


Bulbs-R63-E27

8W **VT-1862**

 4140 - 4000K Day White
 4244 - 6400K White
3800230620903
3800230626820
 Box Qty.
200 Pcs

 EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **500lm**
 Commercial Type: **R63**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **120°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **63x100mm**



Bulbs-R7S

7W VT-1917



7123 - 3000K Warm White
7124 - 4000K Day White

3800157610032
3800157610049

 Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **R7S**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Base: **R7S**
Body Type: **ThermoPlastic**
Dimension: **25x118mm**



Bulbs-R7S

10w VT-1990



4369 - 3000K Warm White
4389 - 4000K Day White
4390 - 6400K White

3800157602952
3800157604130
3800157604147

 Box Qty.
100 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1000lm**
Commercial Type: **R7S**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Base: **R7S**
Body Type: **ThermoPlastic**
Dimension: **25x118mm**





Bulbs-PL-E27



6W

 VT-2046-E27

7211 - 3000K Warm White 3800157617031

 Box Qty.
50 Pcs

EQ. Watts: 50w
 Voltage/Frequency: AC:200-240V,50Hz
 Luminous Flux: 480lm
 Commercial Type: PL
 LED Type: SMD
 CRI: >80



PF: >0.5
 Beam Angle: 120°
 Base: E27
 Body Type: Plastic+Aluminium
 Dimension: 38x145mm





Bulbs-PL-G24

6W

 VT-2046-G24
7210 - 3000K Warm White 3800157617024
7209 - 4500K Day White 3800157617017
 Box Qty.
50 Pcs

EQ. Watts: 50w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 480lm
 Commercial Type: PL
 LED Type: SMD
 CRI: >80



PF: >0.5
 Beam Angle: 120°
 Base: G24
 Body Type: Plastic+Aluminium
 Dimension: 38x145mm





Bulbs-PL-G24

10W

 VT-2050-G24
7213 - 4000K Day White 3800157617055
7212 - 6000K White 3800157617048
 Box Qty.
50 Pcs

EQ. Watts: 85w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 820lm
 Commercial Type: PL
 LED Type: SMD
 CRI: >80



PF: >0.5
 Beam Angle: 120°
 Base: G24
 Body Type: Plastic+Aluminium
 Dimension: 38x157mm





Bulbs-Globe-E27
13w VT-1883

4253 - 3000K Warm White
4274 - 6400K White

3800230627094
3800230627865

Box Qty.
12 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **G120**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **120x164mm**




Bulbs-Globe-E27
10w VT-1893

4276 - 3000K Warm White
4277 - 4000K Day White
4278 - 6400K White

3800230627889
3800230627896
3800230627902

Box Qty.
12 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **810lm**
Commercial Type: **G95**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **95x140mm**



Bulbs-Globe-E27
13w VT-1884D



4254 - 2700K Warm White

3800230627100

Box Qty.
12 Pcs



EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **G120**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **120x164mm**



Big Bulbs-T100-E27



24w VT-2125

7275 - 3000K Warm White
7276 - 4000K Day White
7277 - 6400K White

3800157623650
3800157623667
3800157623674

 Box Qty.
40 Pcs

EQ. Watts: **150w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **2080lm**
Commercial Type: **T100**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **Plastic**
Dimension: **100x174mm**



Bulbs-ED90-E27


40w VT-1940

7132 - 3000K Warm White
7133 - 4000K Day White
7134 - 6500K White

3800157610285
3800157610292
3800157610308

 Box Qty.
30 Pcs

EQ. Watts: **250w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **3500lm**
Commercial Type: **ED-90**
LED Type: **SMD2835**
CRI: **>80**



PF: **>0.9**
Beam Angle: **235°**
Base: **E27**
Body Type: **Aluminium+PC**
Dimension: **90x212mm**



UFO-F150-E27
15w VT-2116

7158 - 3000K Warm White
7159 - 4000K Day White
7160 - 6400K White

3800157612494
3800157612500
3800157612517



Box Qty.
20 Pcs



EQ. Watts:	90w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1350lm	Base:	E27
Commercial Type:	F150	Body Type:	Plastic
LED Type:	SMD	Dimension:	150x80mm
CRI:	>80		



UFO-F150-E27
24w VT-2124

7161 - 3000K Warm White
7162 - 4000K Day White
7163 - 6400K White

3800157612524
3800157612531
3800157612548



Box Qty.
20 Pcs



EQ. Watts:	160w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2610lm	Base:	E27
Commercial Type:	F150	Body Type:	Plastic
LED Type:	SMD	Dimension:	200x80mm
CRI:	>80		


UFO-F150-E27
36w VT-2136

7164 - 3000K Warm White
7165 - 4000K Day White
7166 - 6400K White

3800157612555
3800157612562
3800157612579



Box Qty.
20 Pcs



EQ. Watts:	190w	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	3240lm	Base:	E27
Commercial Type:	F150	Body Type:	Plastic
LED Type:	SMD	Dimension:	250x80mm
CRI:	>80		



LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

Applications

Perfect choice for Restaurants, Lobbies, Coffee shops, Hotels and Bars



Amber Cover -LED Filament Bulbs

4w VT-2154

7335 - 2200K Warm White 3800157625197



Box Qty. **50 Pcs**



EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	360lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x98mm
CRI:	>80		



Filament-A60-E27

4w VT-2164

7336 - 2700K Warm White 3800157625203



Box Qty. **50 Pcs**



EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x98mm
CRI:	>80		



Amber Cover -Filament-ST64-E27

4w VT-2144

7327 - 2200K Warm White 3800157624718



Box Qty. **100 Pcs**



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	ST64	Body Type:	Glass
LED Type:	Filament	Dimension:	64x140mm
CRI:	>80		





Amber Cover -Filament-A60-E27

3W **VT-2063**

7219 - 2200K Warm White 3800157617277

 Box Qty.
100 Pcs

 EQ. Watts: 20w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 150lm
 Commercial Type: A60
 LED Type: Filament
 CRI: >80

 PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 60x105mm


Amber Cover -Filament-ST64-E27

5W **VT-2065**

7218 - 2200K Warm White 3800157617260

 Box Qty.
100 Pcs

 EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 300lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80


 PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 64x140mm


Amber Cover -Filament-Globe-E27

6W **VT-2126**

7328 - 2200K Warm White 3800157624725

 Box Qty.
100 Pcs

 EQ. Watts: 55w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 480lm
 Commercial Type: G125
 LED Type: Filament
 CRI: >70

 PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 125x175mm





Amber Cover -Filament-ST64-E27

5w **VT-2066**

7220 - 2200K Warm White 3800157617284

 Box Qty. **100 Pcs**

EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **300lm**
 Commercial Type: **ST64**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **64x140mm**




Amber Cover -Filament-Globe-E27

5w **VT-2085**

7216 - 2200K Warm White 3800157617246

 Box Qty. **20 Pcs**

EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **300lm**
 Commercial Type: **G125**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **125x175mm**





Amber Cover -Filament-Globe-E27

5w **VT-2075**

7217 - 2200K Warm White 3800157617253

 Box Qty. **50 Pcs**

EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **300lm**
 Commercial Type: **G95**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **95x138mm**




Amber Cover -Filament-Globe-E27

4W **VT-2024**

7146 - 2200K Warm White 3800157610612


 Box Qty.
50 Pcs

EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: G95
 LED Type: Filament
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 95x140mm




Amber Cover -Filament-Globe-E27

7W **VT-2027**

7147 - 2200K Warm White 3800157610629


 Box Qty.
50 Pcs

EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 700lm
 Commercial Type: G95
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 95x140mm



Amber Cover -Filament-Globe-E27

4W **VT-2004**

7148 - 2200K Warm White 3800157610636


 Box Qty.
100 Pcs

EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 400lm
 Commercial Type: G80
 LED Type: Filament
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 80x140mm


Amber Cover -Filament-Globe-E27

4w **VT-1956**

4473 - 2200K Warm White 3800157609074



Box Qty.
12 Pcs



EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	550lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x165mm
CRI:	>80		

new!


Amber Cover -Filament-Globe-E27

5w **VT-2085D**

7415 - 2200K Warm White 3800157631990



Box Qty.
20 Pcs



EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	300lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x175mm
CRI:	>80		



Amber Cover -Filament-Globe-E27

8w **VT-2019**

7145 - 2200K Warm White 3800157610605



Box Qty.
50 Pcs



EQ. Watts:	65w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	800lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x140mm
CRI:	>80		





Amber Cover -Filament-T30-E27

2W **VT-2052**

7252 - 2200K Warm White 3800157620833

 Box Qty.
100 Pcs

EQ. Watts: **20w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **200lm**
 Commercial Type: **T30**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **30x136mm**





Filament-T30-E27

2W **VT-2042**

7251 - 2700K Warm White 3800157620826

 Box Qty.
100 Pcs

EQ. Watts: **20w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **200lm**
 Commercial Type: **T30**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **30x136mm**





Amber Cover -Filaments-T30-E27

5W **VT-2005**

7142 - 2200K Warm White 3800157610575

 Box Qty.
100 Pcs

EQ. Watts: **45w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **500lm**
 Commercial Type: **T30**
 LED Type: **Filament**
 CRI: **>80**





PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **30x300mm**

Amber Cover -Filaments-T30-E27

6W VT-2006

7143 - 2200K Warm White 3800157610582





Box Qty. **100 Pcs**

EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	600lm	Base:	E27
Commercial Type:	T30	Body Type:	Glass
LED Type:	Filament	Dimension:	30x185mm
CRI:	>80		

Amber Cover -Filaments-T30-E27

7W VT-2008

7144 - 2200K Warm White 3800157610599




Box Qty. **100 Pcs**

EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	700lm	Base:	E27
Commercial Type:	T30	Body Type:	Glass
LED Type:	Filament	Dimension:	30x300mm
CRI:	>80		

Amber Cover -Filament-Candle-E14

4W VT-1955

7113 - 2200K Warm White 3800157609883



Box Qty. **100 Pcs**

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		




Amber Cover -Filament-Candle-E14

4W **VT-1949**

7114 - 2200K Warm White 3800157609890

 Box Qty.
100 Pcs


 EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80

 PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x121mm


Amber Cover -Filament-Candle-E14

4W **VT-1948**

7115 - 2200K Warm White 3800157609906

 Box Qty.
100 Pcs


 EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80

 PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm


Amber Cover -Filament-Candle-E14

4W **VT-1947**

7116 - 2200K Warm White 3800157609913

 Box Qty.
100 Pcs

 EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80

 PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x121mm





Amber Cover -Filament-A60-E27

4w VT-1954

4498 - 2200K Warm White 3800157609739

 Box Qty. **50 Pcs**

EQ. Watts: **35w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **A60**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **60x107mm**





Amber Cover -Filament-A60-E27

8w VT-1958

4472 - 2200K Warm White 3800157609067

 Box Qty. **50 Pcs**

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **720lm**
 Commercial Type: **A67**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **67x123mm**




Amber Cover -Filament-A67-E27

10w VT-2028

7157 - 2200K Warm White 3800157612227

 Box Qty. **50 Pcs**

EQ. Watts: **65w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **900lm**
 Commercial Type: **A67**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **67x123mm**

new!



Amber Cover -Filament-ST64-B22

4W VT-2145

7421 - 2200K Warm White 3800157633093

Box Qty.

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: B22
 Body Type: Glass
 Dimension: 64x138mm

new!

Amber Cover -Filament-ST64-B22



4W VT-2145D

7420 - 2200K Warm White 3800157633086

Box Qty.



EQ. Watts: 25w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: B22
 Body Type: Glass
 Dimension: 64x138mm





Amber Cover -Filament-ST64-E27

4W VT-1964D

4368 - 2200K Warm White 3800157602945

 Box Qty.
100 Pcs


EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80



PF: >0.7
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 64x138mm





Amber Cover -Filament-ST64-E27

4w **VT-1964**

4361 - 2200K Warm White 3800157602747

Box Qty. **50 Pcs**

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **ST64**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **64x138mm**

new!



Amber Cover -Filament-ST64-E27



5w **VT-2065D**

7416 - 2200K Warm White 3800157632003

Box Qty. **100 Pcs**



EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **300lm**
 Commercial Type: **ST64**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **64x140mm**





Amber Cover -Filament-ST64-E27

6w **VT-1966**

4362 - 2200K Warm White 3800157602754

Box Qty. **50 Pcs**

EQ. Watts: **45w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **500lm**
 Commercial Type: **ST64**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **64x138mm**





Amber Cover -Filament-ST64-E27

8W VT-1968

4421 - 2200K Warm White 3800157606356

 Box Qty.
50 Pcs

EQ. Watts: 60w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 700lm
Commercial Type: ST64
LED Type: Filament
CRI: >80



PF: >0.5
Beam Angle: 300°
Base: E27
Body Type: Glass
Dimension: 64x138mm





Amber Cover -Filament-Globe-E27

8W VT-2018D

7155 - 2200K Warm White 3800157612203

 Box Qty.
12 Pcs


EQ. Watts: 60w
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 700lm
Commercial Type: G125
LED Type: Filament
CRI: >80



PF: >0.7
Beam Angle: 300°
Base: E27
Body Type: Glass
Dimension: 125x177mm




Amber Cover -Filament-Globe-E27

6W VT-2026D

7156 - 2200K Warm White 3800157612210

 Box Qty.
12 Pcs


EQ. Watts: 50w
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 500lm
Commercial Type: G95
LED Type: Filament
CRI: >80



PF: >0.7
Beam Angle: 300°
Base: E27
Body Type: Glass
Dimension: 95x135mm



White Cover -Filament-Candle-E14



4w VT-1924

7102 - 4000K Day White
7103 - 6400K White

3800157609777
3800157609784

Box Qty.
100 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



Cross Filament-Candle-E14



4w VT-1924C

71011 - 2700K Warm White
71031 - 6400K White

3800157628617
3800157624244

Box Qty.
100 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



White Cover -Filament-A60-E27



4w VT-1939

4489 - 2700K Warm White
4490 - 4000K Day White
4491 - 6400K White

3800157609647
3800157609654
3800157609661

Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x107mm**




White Cover -Filament-Candle-E14

4W **VT-1927**

 7105 - 4000K Day White
 7106 - 6400K White

 3800157609807
 3800157609814

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**


Cross Filament-Candle-E14

4W **VT-1927C**

71041 - 2700K Warm White 3800157624299

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**


Frost Cover -Filament-Candle-E14

4W **VT-1936**

 4474 - 2700K Warm White
 4475 - 4000K Day White
 4476 - 6400K White

 3800157609081
 3800157609098
 3800157609104

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**




Frost Cover -Filament-Candle-E14

4w VT-1937

- 4477 - 2700K Warm White 3800157609111
- 4478 - 4000K Day White 3800157609128
- 4479 - 6400K White 3800157609135

 Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		





Frost Cover -Filament-Candle-E14

4w VT-1928

- 7108 - 4000K Day White 3800157609838
- 7109 - 6400K White 3800157609845

 Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		





Cross Filament-Candle-E14

4w VT-1928C

- 71071 - 2700K Warm White 3800157624213
- 71081 - 4000K Day White 3800157624220
- 71091 - 6400K White 3800157624237

 Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		




Frost Cover -Filament-Candle-E14

4W **VT-1923**

7110 - 2700K Warm White 3800157609852
 7111 - 4000K Day White 3800157609869
 7112 - 6400K White 3800157609876

 Box Qty.
100 Pcs

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		





Frost Cover -Filament-Candle-E14

4W **VT-2054D**

7176 - 2700K Warm White 3800157615525

 Box Qty.
100 Pcs


EQ. Watts:	35w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		




Frost Cover -Filament-Candle-E14

4W **VT-2056D**

7177 - 2700K Warm White 3800157615532

 Box Qty.
100 Pcs


EQ. Watts:	35w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		



Frost Cover -Filament-Globe-E27



4W VT-1974

4496 - 4000K Day White
4497 - 6400K White

3800157609715
3800157609722



Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		

Frost Cover -Filament-P45-E14



4W VT-1835C

44921 - 2700K Warm White
44941 - 6400K White

3800157624268
3800157624282



Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	P45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x77mm
CRI:	>80		

Frost Cover -Filament-A60-E27



4W VT-1934

4486 - 2700K Warm White
4487 - 4000K Day White
4488 - 6400K White

3800157609616
3800157609623
3800157609630



Box Qty.
50 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		




Frost Cover -Filament-A60-E27

5w **VT-2045**

7178 - 2700K Warm White 3800157615549
 7179 - 4000K Day White 3800157615556
 7180 - 6400K White 3800157615563

 Box Qty.
50 Pcs

EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	600lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		




Frost Cover -Filament-A60-E27

6w **VT-1935C**

44801 - 2700K Warm White 3800157624091

 Box Qty.
50 Pcs

EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	660lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		





Frost Cover -Filament-A60-E27

6w **VT-1935**

4481 - 4000K Day White 3800157609159
 4482 - 6400K White 3800157609166

 Box Qty.
50 Pcs

EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	660lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		





Frost Cover -Filament-A60-E27

7W VT-2047

- 7181 - 2700K Warm White 3800157615570
- 7182 - 4000K Day White 3800157615587
- 7183 - 6400K White 3800157615594

Box Qty. **50 Pcs**





EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		

Frost Cover -Filament-A60-E27

7W VT-2047C

- 71811 - 2700K Warm White 3800157624107

Box Qty. **50 Pcs**





EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		

Frost Cover -Filament-A67-E27

8W VT-1938

- 4483 - 2700K Warm White 3800157609586
- 4484 - 4000K Day White 3800157609593
- 4485 - 6400K White 3800157609609

Box Qty. **50 Pcs**



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	800lm	Base:	E27
Commercial Type:	A67	Body Type:	Glass
LED Type:	Filament	Dimension:	67x123mm
CRI:	>80		

Frost Cover -Filament-A67-E27


10w VT-2023

7153 - 4000K Day White
7154 - 6400K White

3800157612180
3800157612197

Box Qty.
50 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **A67**
LED Type: **Filament**
CRI: **>80**



Frost Cover -Filament-A67-E27

9w VT-2049

7184 - 2700K Warm White
7185 - 4000K Day White
7186 - 6400K White

3800157615600
3800157615617
3800157615624

Box Qty.
50 Pcs

EQ. Watts: **80w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1100lm**
Commercial Type: **A67**
LED Type: **Filament**
CRI: **>80**



Frost Cover -Filament-Globe-E27


7w VT-2057

7187 - 2700K Warm White
7188 - 6400K White

3800157615631
3800157615648

Box Qty.
12 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **840lm**
Commercial Type: **G95**
LED Type: **Filament**
CRI: **>80**






Frost Cover -Filament-Globe-E27

7W VT-2067

7189 - 2700K Warm White 3800157615655
7190 - 6400K White 3800157615662

Box Qty. **12 Pcs**

EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		



Frost Cover -Filament-Globe-E27


7W VT-2067D

7191 - 2700K Warm White 3800157615679

Box Qty. **12 Pcs**



EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	750lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		





Clear Glass-Filament-A60-E27

4W VT-1885

4259 - 2700K Warm White 3800230627179

Box Qty. **50 Pcs**

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		






Clear Glass-Filament-A60-E27

4W **VT-1885C**

42591 - 2700K Warm White 3800157624312

 Box Qty.
50 Pcs



 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **A60**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **60x107mm**


Clear Glass-Filament-A60-E27

4W **VT-1885DC**

43641 - 2700K Warm White 3800157624305

 Box Qty.
50 Pcs


 EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **A60**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **60x107mm**


Clear Glass-Filament-A67-E27

8W **VT-1978**

 4407 - 2700K Warm White 3800157606165
 4409 - 6400K White 3800157606189

 Box Qty.
100 Pcs

 EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **800lm**
 Commercial Type: **A67**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **67x123mm**





Clear Glass-Filament-A60-B22

5w **VT-2035**

7170 - 2700K Warm White 3800157615464

Box Qty. **50 Pcs**

EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **600lm**
 Commercial Type: **A60**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **B22**
 Body Type: **Glass**
 Dimension: **60x107mm**



Clear Glass-Filament-Candle-E14



4w **VT-1986D**

4365 - 2700K Warm White 3800157602914

Box Qty. **100 Pcs**



EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **37x100mm**





Clear Glass-Filament-ST26-E14

2w **VT-1952**

4444 - 2700K Warm White 3800157607858
 4445 - 4000K Day White 3800157607865
 4446 - 6400K White 3800157607872

Box Qty. **100 Pcs**

EQ. Watts: **20w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **180lm**
 Commercial Type: **ST26**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **26x58mm**





Clear Glass-Filament-ST64-E27

4W **VT-2105D**

7414 - 2700K Warm White 3800157630320



 Box Qty.
100 Pcs

 EQ. Watts: **45w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **490lm**
 Commercial Type: **ST64**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **64x145mm**


Clear Glass-Filament-Candle-E14

4W **VT-1986**

4301 - 2700K Warm White 3800230629951



 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**


Clear Glass-Filament-Candle-E14

4W **VT-1986C**

 43011 - 2700K Warm White 3800157624114
 44141 - 6400K White 3800157624121

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**



Clear Glass-Filament-Candle-E14

4w VT-1986DC

43651 - 2700K Warm White 3800157624176



Box Qty. **100 Pcs**



EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**



Clear Glass-Filament-Candle-E14

4w VT-1985C

43071 - 2700K Warm White 3800157624183



Box Qty. **100 Pcs**



EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**


Clear Glass-Filament-Candle-E14

4w VT-1995

4308 - 2700K Warm White 3800157600354
 4431 - 4000K Day White 3800157606455
 4432 - 6400K White 3800157606462



Box Qty. **100 Pcs**



EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**




Clear Glass-Filament-Candle-E14

4W **VT-1995D**

4388 - 2700K Warm White 3800157603973

 Box Qty.
100 Pcs



 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **320lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**


Clear Glass-Filament-Candle-E14

4W **VT-1995DC**

43881 - 2700K Warm White 3800157624251

 Box Qty.
100 Pcs


 EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**


Clear Glass-Filament-Candle-E14

4W **VT-1997**

4302 - 2700K Warm White 3800230629968

 Box Qty.
50 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**




Clear Glass-Filament-Candle-E14

4w VT-1997D

4366 - 2700K Warm White 3800157602921

Box Qty. **100 Pcs**



EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	320lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		





Clear Glass-Filament-Candle-E14

4w VT-1997C

44291 - 4000K Day White 3800157624190
44301 - 6400K White 3800157624206

Box Qty. **100 Pcs**



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		

new!





Clear Glass-Filament-Candle-E14

6w VT-2127

7423 - 3000K Warm White 3800157632577
7424 - 4000K Day White 3800157632584
7425 - 6400K White 3800157632591

Box Qty. **200 Pcs**



EQ. Watts:	45w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	600lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	SMD	Dimension:	35x100mm
CRI:	>80		



Clear Glass-Filament-Globe-E27



4W **VT-1980**

 4427 - 4000K Day White
 4428 - 6400K White

 3800157606417
 3800157606424

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**




Clear Glass-Filament-Globe-E27

4W **VT-1980C**

43061 - 2700K Warm White 3800157624329

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**



Amber Glass Bulbs-G45-E27

4W **VT-1957**

71001 - 2200K Warm White 3800157628624

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**


 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**




Color Bulbs-G45-E27

2W VT-2132-P

7410 - Pink



 Box Qty.
100 Pcs


EQ. Watts:	10w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	60lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		



Color Bulbs-G45-E27

2W VT-2132-G

7411 - Green



 Box Qty.
100 Pcs


EQ. Watts:	10w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	60lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		



Color Bulbs-G45-E27

2W VT-2132-B

7412 - Blue



 Box Qty.
100 Pcs

EQ. Watts:	10w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	60lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		



Color Bulbs-G45-E27


2W VT-2132-R

7413 - Red



Box Qty.
100 Pcs

EQ. Watts:	10w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	60lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		



Clear Glass-Filament-P45-E14

4W VT-1996D



4394 - 2700K Warm White 3800157604314



Box Qty.
100 Pcs



EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	320lm	Base:	E14
Commercial Type:	P45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x77mm
CRI:	>80		



Clear Glass-Filament-P45-E14


4W VT-1996

4426 - 6400K White 3800157606394
3800157606400



Box Qty.
100 Pcs

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	P45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x77mm
CRI:	>80		






Clear Glass-Filament-P45-E14

4w VT-1996C

43001 - 2700K Warm White 3800157624138
 44251 - 4000K Day White 3800157628600

Box Qty.
100 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **P45**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **45x77mm**



Clear Glass-Filament-Globe-E27


4w VT-1994D

4399 - 2700K Warm White 3800157605021

Box Qty.
20 Pcs



EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **320lm**
 Commercial Type: **G125**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **125x177mm**

new!




Clear Glass-Filament-Globe-E27

6w VT-2147

7427 - 6400K White 3800157633116

Box Qty.

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **G125**
 LED Type: **Filament**
 CRI: **>80**



PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **125x177mm**



PAR38 Bulbs-E27



15W VT-1125

4417 - 6400K White

3800157606295

Box Qty.
30 Pcs

EQ. Watts: 100w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1000lm
 Commercial Type: PAR38
 LED Type: SMD
 CRI: >80



PF: >0.5
 Beam Angle: 40°
 Base: E27
 Body Type: Plastic Coated Aluminium
 Dimension: 120x133mm

PAR38 Bulbs-E27

15W VT-1125-G

4418 - Green

4419 - Red

4420 - Blue



3800157606318

3800157606325

3800157606301

Box Qty.
40 Pcs

EQ. Watts: 100w
 Voltage/Frequency: AC:180-240V,50/60Hz
 Luminous Flux: 1200lm
 Commercial Type: PAR38
 LED Type: SMD
 CRI: >80



PF: >0.5
 Beam Angle: 40°
 Base: E27
 Body Type: Plastic Coated Aluminium
 Dimension: Ø120x133mm





VT-798

B22-E27 Converter-Bulbs

3420

3800157608435

 Box Qty.
250 Pcs

Aluminium+PC

VT-7135

String Light-WP Socket-E27

3698

3800157634182

 Box Qty.
4 Pcs

10 Meter Long String

10 Holders With 1 Meter Distance



VT-713

String Light-WP Socket-E27

3673

3800157625173

 Box Qty.
4 Pcs

15 Meter Long String

15 Holders With 1 Meter Distance



LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)



Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver
- Broad Range of holders like GU10, MR16, G9 and G4
- Wide Voltage Range from AC: 180 - 240 V , 50/60 Hz & 12 v options
- Dimmable & Non Dimmable options

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

Spotlights-GU10-Lens-38°


2W VT-2002



7167 - 3000K Warm White
7168 - 4000K Day White
7169 - 6400K White

3800157612807
3800157612814
3800157612821

Box Qty.
200 Pcs



EQ. Watts: **15w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **180lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **38°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **35x46.5mm**

Spotlights-GU10-Lens-110°



7W VT-2778



1672 - 3000K Warm White
1673 - 4500K Day White
1674 - 6400K White

3800157602136
3800157602143
3800157602150

Box Qty.
200 Pcs



EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**

Spotlights-GU10-Lens-38°



7W VT-2666



1657 - 3000K Warm White
1658 - 4500K Day White
1659 - 6000K White

3800157601641
3800157601658
3800157601665

Box Qty.
200 Pcs



EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **550lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **38°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**





Spotlights-GU10-Lens-38°

7W VT-2886D

1666 - 3000K Warm White 3800157602075
 1667 - 4500K Day White 3800157602082
 1668 - 6000K White 3800157602099

 Box Qty.
200 Pcs


EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	38°
Luminous Flux:	550lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm




Spotlights-MR16-Lens-38°

7W VT-1967

1663 - 3000K Warm White 3800157602044
 1664 - 4500K Day White 3800157602051
 1665 - 6000K White 3800157602068

 Box Qty.
200 Pcs

EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC/DC:12V,50Hz	Beam Angle:	38°
Luminous Flux:	550lm	Base:	MR16
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x50mm





Spotlights-GU10-Lens-38°

8W VT-2889

1693 - 3000K Warm White 3800157608947
 1694 - 4000K Day White 3800157608954
 1695 - 6400K White 3800157608961

 Box Qty.
200 Pcs

EQ. Watts:	80w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	38°
Luminous Flux:	750lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x55mm




Spotlights-GU10-Milky Cover-110°

3W VT-1933



7126 - 3000K Warm White 3800157610148
 7127 - 4000K Day White 3800157610155
 7128 - 6400K White 3800157610162

Box Qty.
200 Pcs



EQ. Watts:	25w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	210lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm


Spotlights-GU10-3PC Pack

5W VT-2095



7269 - 3000K Warm White 3800157623018
 7270 - 4000K Day White 3800157623025
 7271 - 6400K White 3800157623032

Box Qty.
60 Pcs



EQ. Watts:	35w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	400lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm


Spotlights-GU10-Milky Cover-110°

5W VT-1975



1685 - 3000K Warm White 3800157606240
 1686 - 4000K Day White 3800157606257
 1687 - 6000K White 3800157606264

Box Qty.
200 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	320lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm



Spotlights-GU10-Milky Cover-110°


6W VT-2096

7310 - 3000K Warm White 3800157624428

 Box Qty.
200 Pcs

EQ. Watts: 45w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 500lm
LED Type: SMD
CRI: >80

PF: >0.5
Beam Angle: 110°
Base: GU10
Body Type: Plastic
Dimension: 50x57mm



Spotlights-GU10-Blister Pack


6W VT-2107

7303 - 3000K Warm White 3800157623933
7304 - 4000K Day White 3800157623940
7305 - 6400K White 3800157623957

 Box Qty.
50 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 500lm
LED Type: SMD
CRI: >80

PF: >0.5
Beam Angle: 110°
Base: GU10
Body Type: Plastic
Dimension: 50x57mm



Spotlights-GU10-Blister Pack


6.5W VT-2108D

7306 - 3000K Warm White 3800157623964
7307 - 4000K Day White 3800157623971
7308 - 6400K White 3800157623988

 Box Qty.
50 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 450lm
LED Type: SMD
CRI: >80

PF: >0.5
Beam Angle: 38°
Base: GU10
Body Type: Plastic
Dimension: 50x57mm





Spotlights-GU10-Lens-110°

7W VT-2887D



1669 - 3000K Warm White 3800157602105
 1670 - 4500K Day White 3800157602112
 1671 - 6000K White 3800157602129

Box Qty.
200 Pcs



EQ. Watts:	45w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	500lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm


Spotlights-GU10-Milky Cover-110°

7W VT-2779



1682 - 3000K Warm White 3800157605359
 1683 - 4500K Day White 3800157605366
 1684 - 6000K White 3800157605373

Box Qty.
200 Pcs



EQ. Watts:	45w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	500lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm



Spotlights-MR16-Milky Cover-110°

7W VT-1977



1688 - 3000K Warm White 3800157606950
 1689 - 4500K Day White 3800157606967
 1690 - 6000K White 3800157606974

Box Qty.
200 Pcs





EQ. Watts:	45w	PF:	>0.5
Voltage/Frequency:	AC/DC:12V,50Hz	Beam Angle:	110°
Luminous Flux:	500lm	Base:	MR16
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x50mm

Reflector-Round

5W **VT-1100RD**

7329 - 3000K Warm White
7330 - 4000K Day White
7331 - 6400K White

3800157624824
3800157624831
3800157624848


 Box Qty.
100 Pcs


EQ. Watts: **35w**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **350lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **68°**
Base: **N/A**
Body Type: **ABS+PC**
Dimension: **Ø90x 45mm**

Reflector-Square

5W **VT-1100SQ**

7332 - 3000K Warm White
7333 - 4000K Day White
7334 - 6400K White

3800157624855
3800157624862
3800157624879


 Box Qty.
50 Pcs


EQ. Watts: **35w**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **350lm**
LED Type: **SMD**
CRI: **>80**


PF: **>0.4**
Beam Angle: **68°**
Base: **N/A**
Body Type: **ABS+PC**
Dimension: **90x90x45mm**

PAR-GX53

7W **VT-1969**

4438 - 4500K Day White
4439 - 6000K White

3800157607049
3800157607056


 Box Qty.
100 Pcs


EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **550lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **110°**
Base: **Gx53**
Body Type: **Thermoplastic**
Dimension: **75x29mm**



Capsules-G4
1.5W VT-1942N

4465 - 6400K White 3800157608992

Box Qty.
400 Pcs





EQ. Watts:	15w	PF:	>0.4
Voltage/Frequency:	AC/DC:12V	Beam Angle:	300°
Luminous Flux:	100lm	Base:	G4
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	12x38.5mm



Capsules-G9-Blister Pack
2W VT-2102BP

7340 - 3000K Warm White 3800157625630

Box Qty.
400 Pcs




EQ. Watts:	20w	PF:	>0.7
Voltage/Frequency:	AC:200-240V,50/60Hz	Beam Angle:	230°
Luminous Flux:	230lm	Base:	G9
LED Type:	COB	Body Type:	Glass
CRI:	>80	Dimension:	14.5x43.5mm



Capsules-G9
2W VT-2102

7337 - 3000K Warm White 3800157625210
7338 - 4000K Day White 3800157625227
7339 - 6000K White 3800157625234

Box Qty.
400 Pcs



EQ. Watts:	20w	PF:	>0.7
Voltage/Frequency:	AC:200-240V,50/60Hz	Beam Angle:	230°
Luminous Flux:	230lm	Base:	G9
LED Type:	COB	Body Type:	Glass
CRI:	>80	Dimension:	14.5x43.5mm





Capsules-G9 2.5W VT-1946

7205 - 3000K Warm White
7206 - 4000K Day White
7207 - 6400K White

3800157616317
3800157616324
3800157616331

 Box Qty.
400 Pcs

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **200lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **G9**
Body Type: **Plastic**
Dimension: **16.5x48.7mm**



Capsules-G9-Milky Cover 3W VT-2083D



7253 - 2700K Warm White
7254 - 4000K Day White
7255 - 6400K White

3800157621656
3800157621663
3800157621670

 Box Qty.
360 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **225lm**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **360°**
Base: **G9**
Body Type: **Plastic**
Dimension: **18.5x55.5mm**






**SURFACE MOUNTED
GU10 FITTINGS**

Easy Installation
Elegant Design


Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-797-WH
 SKU Code: 3630
 Base: GU10
 Material: Die Cast Aluminium
 Shape: Square
 Color of Fixture: White
 Dimension: 142x100x100mm
 Cutting Size: N/A
 EAN Code: 3800157612074


Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-797-SN
 SKU Code: 3632
 Base: GU10
 Material: Die Cast Aluminium
 Shape: Square
 Color of Fixture: Satin Nickel
 Dimension: 100x100x142mm
 Cutting Size: N/A
 EAN Code: 3800157612098


Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-797-B
 SKU Code: 3631
 Base: GU10
 Material: Die Cast Aluminium
 Shape: Square
 Color of Fixture: Black
 Dimension: 100x100x142mm
 Cutting Size: N/A
 EAN Code: 3800157612081


Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-796-WH
 SKU Code: 3627
 Base: GU10
 Material: Die Cast Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: Ø142x100mm
 Cutting Size: N/A
 EAN Code: 3800157612043


Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-796-B
 SKU Code: 3628
 Base: GU10
 Material: Die Cast Aluminium
 Shape: Round
 Color of Fixture: Black
 Dimension: Ø142x100mm
 Cutting Size: N/A
 EAN Code: 3800157612050


GX53-Accessory



Box Qty.
50 Pcs

Model No: VT-715-W
 SKU Code: 3675
 Base: GX53
 Material: Iron
 Shape: Round
 Color of Fixture: White
 Dimension: Ø105x40mm
 Cutting Size: 90mm
 EAN Code: 3800157625241


Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-796-SN
 SKU Code: 3629
 Base: GU10
 Material: Die Cast Aluminium
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø142x100mm
 Cutting Size: N/A
 EAN Code: 3800157612067


GX53-Accessory



Box Qty.
50 Pcs

Model No: VT-715-G
 SKU Code: 3676
 Base: GX53
 Material: Iron
 Shape: Round
 Color of Fixture: Gold
 Dimension: Ø105x40mm
 Cutting Size: 90mm
 EAN Code: 3800157625258

GX53-Accessory


 Box Qty.
50 Pcs

Model No: VT-715-CH
 SKU Code: 3677
 Base: GX53
 Material: Iron
 Shape: Round
 Color of Fixture: Chrome
 Dimension: Ø105x40mm
 Cutting Size: 90mm
 EAN Code: 3800157625265

Fitting-Round-GU10


 Box Qty.
36 Pcs

Model No: VT-727RD
 SKU Code: 3665
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø70x75mm
 Cutting Size: N/A
 EAN Code: 3800157624596

Fitting-Square-GU10


 Box Qty.
36 Pcs


Model No: VT-727SQ
 SKU Code: 3664
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 70x70x75mm
 Cutting Size: N/A
 EAN Code: 3800157624589

Fitting-Square-GU10


 Box Qty.
36 Pcs

Model No: VT-716SQ
 SKU Code: 3666
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 75x75x75mm
 Cutting Size: N/A
 EAN Code: 3800157624732


Fitting-Round-GU10



Box Qty.
36 Pcs

Model No: VT-716RD
 SKU Code: 3667
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø75x75mm
 Cutting Size: N/A
 EAN Code: 3800157624749


Fitting-Square-GU10



Box Qty.
24 Pcs

Model No: VT-763
 SKU Code: 3649
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 120x120x50mm
 Cutting Size: 123x123mm
 EAN Code: 3800157618595


Fitting-Square-GU10



Box Qty.
20 Pcs

Model No: VT-762
 SKU Code: 3648
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: 215x120x60mm
 Cutting Size: 215x120mm
 EAN Code: 3800157618588

Fitting-Round-GU10



Box Qty.
20 Pcs

Model No: VT-764
 SKU Code: 3650
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø140x40mm
 Cutting Size: Ø140mm
 EAN Code: 3800157618601

Fitting-Square-GU10



Box Qty.
30 Pcs

Model No: VT-765
 SKU Code: 3651
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 100x100x30mm
 Cutting Size: 103x103mm
 EAN Code: 3800157618618

Fitting-Square-GU10



Box Qty.
20 Pcs

Model No: VT-772
 SKU Code: 3653
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: 132x132x74mm
 Cutting Size: 135x135mm
 EAN Code: 3800157618632


Fitting-Round-GU10



Box Qty.
20 Pcs

Model No: VT-771
 SKU Code: 3652
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø100x30mm
 Cutting Size: Ø103mm
 EAN Code: 3800157618625

Fitting-Round-GU10



Box Qty.
24 Pcs

Model No: VT-776RD
 SKU Code: 3640
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø120x40mm
 Cutting Size: Ø123mm
 EAN Code: 3800157616348

Fitting-Square-GU10



Box Qty.
24 Pcs

Model No: VT-776SQ
 SKU Code: 3641
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 120x120x40mm
 Cutting Size: 123x123mm
 EAN Code: 3800157616355

Fitting-Square-GU10



Box Qty.
24 Pcs

Model No: VT-714
 SKU Code: 3674
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 120x120x45mm
 Cutting Size: 123x123mm
 EAN Code: 3800157625180

Fitting-Round-GU10



Box Qty.
20 Pcs

Model No: VT-773
 SKU Code: 3654
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø132x74mm
 Cutting Size: Ø132mm
 EAN Code: 3800157618649

Fitting-Square-GU10-Frost Glass



Box Qty.
24 Pcs

Model No: VT-801SQ
 SKU Code: 3691
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 120x120x60mm
 Cutting Size: 123x123mm
 EAN Code: 3800157628938

Fitting-Round-GU10-Frost Glass


 Box Qty.
24 Pcs

Model No: VT-801RD
 SKU Code: 3692
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø120x60mm
 Cutting Size: Ø123mm
 EAN Code: 3800157628945

Fitting-Round-GU10-2Pc Pack


 Box Qty.
200 Pcs

Model No: VT-778-SN
 SKU Code: 3585
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø80x30mm
 Cutting Size: Ø65mm
 EAN Code: 3800157607148

Fitting-Round-GU10-2Pc Pack


 Box Qty.
200 Pcs

Model No: VT-778-WH
 SKU Code: 3584
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø80x30mm
 Cutting Size: Ø65mm
 EAN Code: 3800157607131

Fitting-Round-GU10-2Pc Pack


 Box Qty.
200 Pcs

Model No: VT-778-CH
 SKU Code: 3586
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: Chrome
 Dimension: Ø80x30mm
 Cutting Size: Ø65mm
 EAN Code: 3800157607155

Fitting-Round-GU10-Changing Angle



Box Qty.
100 Pcs

Model No: VT-780-WH
 SKU Code: 3593
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø100x45mm
 Cutting Size: Ø90mm
 EAN Code: 3800157607223

Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-774-WH
 SKU Code: 3642
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: Ø81x34mm
 Cutting Size: Ø73mm
 EAN Code: 3800157617086



Fitting-Round-GU10-Changing Angle



Box Qty.
100 Pcs

Model No: VT-780-SN
 SKU Code: 3594
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø100x45mm
 Cutting Size: Ø90mm
 EAN Code: 3800157607230

Fitting-Round-GU10




Box Qty.
100 Pcs

Model No: VT-774-SN
 SKU Code: 3643
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø81x34mm
 Cutting Size: Ø73mm
 EAN Code: 3800157617093




Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-774-MG
 SKU Code: 3644
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: Metallic Grey
 Dimension: Ø81x34mm
 Cutting Size: Ø73mm
 EAN Code: 3800157617109


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-SN
 SKU Code: 3646
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø95x32mm
 Cutting Size: Ø85mm
 EAN Code: 3800157617123


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-WH
 SKU Code: 3645
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: Ø95x32mm
 Cutting Size: Ø85mm
 EAN Code: 3800157617116

Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-MG
 SKU Code: 3647
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: Metallic Grey
 Dimension: Ø95x32mm
 Cutting Size: Ø85mm
 EAN Code: 3800157617130

Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-782RD-WH
 SKU Code: 3599
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: Ø91x25mm
 Cutting Size: Ø75mm
 EAN Code: 3800157607285

Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-783RD-WH
 SKU Code: 3601
 Base: 2XGU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: 173x91x25mm
 Cutting Size: 155x75mm
 EAN Code: 3800157607308

Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-782RD-AB
 SKU Code: 3600
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: Aluminium Brush
 Dimension: Ø91x25mm
 Cutting Size: Ø75mm
 EAN Code: 3800157607292

Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-783RD-AB
 SKU Code: 3602
 Base: 2XGU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: Aluminium Brush
 Dimension: 173x91x25mm
 Cutting Size: 155x75mm
 EAN Code: 3800157607315

Fitting-Round-GU10


 Box Qty.
50 Pcs

Model No: VT-784RD-WH
 SKU Code: 3603
 Base: 3XGU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: 255x91x25
 Cutting Size: 235x75mm
 EAN Code: 3800157607322

Fitting-Square-GU10


 Box Qty.
100 Pcs

Model No: VT-782SQ-WH
 SKU Code: 3605
 Base: 1XGU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: White
 Dimension: 91x91x25mm
 Cutting Size: 75x75mm
 EAN Code: 3800157607346

Fitting-Round-GU10


 Box Qty.
50 Pcs

Model No: VT-784RD-AB
 SKU Code: 3604
 Base: 3XGU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: Aluminium Brush
 Dimension: 255x91x25mm
 Cutting Size: 235x75mm
 EAN Code: 3800157607339

Fitting-Square-GU10


 Box Qty.
100 Pcs

Model No: VT-782SQ-AB
 SKU Code: 3606
 Base: 1XGU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: Aluminium Brush
 Dimension: 91x91x25mm
 Cutting Size: 235x75mm
 EAN Code: 3800157607353

Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-783SQ-WH
 SKU Code: 3607
 Base: 2XGU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: White
 Dimension: 173x91x25mm
 Cutting Size: 155x75mm
 EAN Code: 3800157607360

Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-784SQ-WH
 SKU Code: 3609
 Base: 3XGU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: White
 Dimension: 255x91x25mm
 Cutting Size: 235x75mm
 EAN Code: 3800157607384

Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-783SQ-AB
 SKU Code: 3608
 Base: GU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: Aluminium Brush
 Dimension: 173x91x25mm
 Cutting Size: 155x75mm
 EAN Code: 3800157607377


Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-784SQ-AB
 SKU Code: 3610
 Base: 3XGU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: Aluminium Brush
 Dimension: 255x91x25mm
 Cutting Size: 235x75mm
 EAN Code: 3800157607391


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-7227RD-WH
 SKU Code: 3469
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: White
 Dimension: Ø82x25mm
 Cutting Size: Ø74mm
 EAN Code: 3800157605885


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-7227RD-SS
 SKU Code: 3471
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: Stainless Steel
 Dimension: Ø82x25mm
 Cutting Size: Ø74mm
 EAN Code: 3800157605908


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-7227RD-SN
 SKU Code: 3470
 Base: GU10
 Material: Ferrum
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø82x25mm
 Cutting Size: Ø74mm
 EAN Code: 3800157605892


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-785
 SKU Code: 3611
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: 88x38mm
 Cutting Size: Ø75mm
 EAN Code: 3800157607407


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-786
 SKU Code: 3612
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: 88x38mm
 Cutting Size: Ø75mm
 EAN Code: 3800157607414


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-7227SQ-SN
 SKU Code: 3473
 Base: GU10
 Material: Ferrum
 Shape: Square
 Color of Fixture: Satin Nickel
 Dimension: 82x82x22mm
 Cutting Size: 74x74mm
 EAN Code: 3800157605922


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-7227SQ-WH
 SKU Code: 3472
 Base: GU10
 Material: Ferrum
 Shape: Square
 Color of Fixture: White
 Dimension: 82x82x22mm
 Cutting Size: 74x74mm
 EAN Code: 3800157605915

Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-7227SQ-SS
 SKU Code: 3474
 Base: GU10
 Material: Ferrum
 Shape: Square
 Color of Fixture: Stainless Steel
 Dimension: 82x82x22mm
 Cutting Size: 74x74mm
 EAN Code: 3800157605939

Fitting-Round-GU10


 Box Qty.
50 Pcs
IP54
RATING

Model No: VT-711-W-RD
 SKU Code: 3669
 Base: GU10
 Material: Zinc Alloy+Ferrum
 Shape: Round
 Color of Fixture: White
 Dimension: 82x101mm
 Cutting Size: N/A
 EAN Code: 3800157625135

Zoom Fitting


 Box Qty.
50 Pcs

Model No: VT-7005
 SKU Code: 3690
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: Ø102x46mm
 Cutting Size: 93mm
 EAN Code: 3800157628518

Zoom Fitting


 Box Qty.
50 Pcs


Model No: VT-700W
 SKU Code: 3689
 Base: GU10
 Material: Aluminium
 Shape: Round
 Color of Fixture: White
 Dimension: Ø102x46mm
 Cutting Size: 93mm
 EAN Code: 3800157628501

Fitting-Square-GU10


 Box Qty.
100 Pcs
IP54
RATING

Model No: VT-787RD-WH
 SKU Code: 3613
 Base: GU10
 Material: Zinc Alloy+Ferrum
 Shape: Round
 Color of Fixture: White
 Dimension: 84x38mm
 Cutting Size: 75mm
 EAN Code: 3800157607421


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-787RD-SN
 SKU Code: 3614
 Base: GU10
 Material: Zinc Alloy+Ferrum
 Shape: Round
 Color of Fixture: White
 Dimension: 84x38mm
 Cutting Size: 75mm
 EAN Code: 3800157607438


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-787SQ-SN
 SKU Code: 3616
 Base: GU10
 Material: Zinc Alloy+Ferrum
 Shape: Square
 Color of Fixture: Satin Nickel
 Dimension: 84x84x38mm
 Cutting Size: 75mm
 EAN Code: 3800157607452


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-787SQ-WH
 SKU Code: 3615
 Base: GU10
 Material: Zinc Alloy+Ferrum
 Shape: Square
 Color of Fixture: White
 Dimension: 84x84x38mm
 Cutting Size: 75mm
 EAN Code: 3800157607445


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-781RD-WH
 SKU Code: 3595
 Base: GU10
 Material: Aluminium+Ferrum
 Shape: Round
 Color of Fixture: White
 Dimension: 100x45mm
 Cutting Size: 90mm
 EAN Code: 3800157607247


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-781RD-SN
 SKU Code: 3596
 Base: GU10
 Material: Aluminium+Ferrum
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: 100x45mm
 Cutting Size: 90mm
 EAN Code: 3800157607254


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-781SQ-SN
 SKU Code: 3598
 Base: GU10
 Material: Aluminium+Ferrum
 Shape: Square
 Color of Fixture: Satin Nickel
 Dimension: 100x100x38mm
 Cutting Size: 90x90mm
 EAN Code: 3800157607278


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-781SQ-WH
 SKU Code: 3597
 Base: GU10
 Material: Aluminium+Ferrum
 Shape: Square
 Color of Fixture: White
 Dimension: 100x100x38mm
 Cutting Size: 90x90mm
 EAN Code: 3800157607261


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-779-WH-RD
 SKU Code: 3587
 Base: GU10
 Material: Zinc Alloy
 Shape: Round
 Color of Fixture: White
 Dimension: 82x25mm
 Cutting Size: 74mm
 EAN Code: 3800157607162


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-779-SN-RD
 SKU Code: 3588
 Base: GU10
 Material: Zinc Alloy
 Shape: Round
 Color of Fixture: Satin Nickel
 Dimension: 82x25mm
 Cutting Size: 74mm
 EAN Code: 3800157607179


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-779-WH-SQ
 SKU Code: 3590
 Base: GU10
 Material: Zinc Alloy
 Shape: Square
 Color of Fixture: White
 Dimension: 82x82x22mm
 Cutting Size: 74mm
 EAN Code: 3800157607193


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-779-CH-RD
 SKU Code: 3589
 Base: GU10
 Material: Zinc Alloy
 Shape: Round
 Color of Fixture: Chrome
 Dimension: 82x25mm
 Cutting Size: 74mm
 EAN Code: 3800157607186


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-779-SN-SQ
 SKU Code: 3591
 Base: GU10
 Material: Zinc Alloy
 Shape: Square
 Color of Fixture: Satin Nickel
 Dimension: 82x82x25mm
 Cutting Size: 74mm
 EAN Code: 3800157607209

Fitting-Square-GU10




Box Qty.
100 Pcs

Model No: VT-779-CH-SQ
 SKU Code: 3592
 Base: GU10
 Material: Zinc Alloy
 Shape: Square
 Color of Fixture: Chrome
 Dimension: 82x82x25mm
 Cutting Size: 74mm
 EAN Code: 3800157607216

new!

Fitting-Square-G9




Box Qty.
24 Pcs

Model No: VT-858SQ
 SKU Code: 3695
 Base: G9
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 70x100x100mm
 Cutting Size: N/A
 EAN Code: 3800157633543

new!

Fitting-Round-G9




Box Qty.
24 Pcs

Model No: VT-858RD
 SKU Code: 3694
 Base: G9
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: 70x90x95mm
 Cutting Size: N/A
 EAN Code: 3800157633536

new!

Fitting-Square-GU10




Box Qty.
40 Pcs

Model No: VT-859SQ
 SKU Code: 3696
 Base: GU10
 Material: Gypsum
 Shape: Square
 Color of Fixture: White
 Dimension: 100x100x40mm
 Cutting Size: 103x103mm
 EAN Code: 3800157633550

new!

Fitting-Round-GU10




Box Qty.
40 Pcs

Model No: VT-859RD
 SKU Code: 3697
 Base: GU10
 Material: Gypsum
 Shape: Round
 Color of Fixture: White
 Dimension: ø100x40mm
 Cutting Size: ø103
 EAN Code: 3800157633567

new!

Fitting-Pendant Metal-1XGU10




Box Qty.
9 pcs

Model No: VT-864-GBC
 SKU Code: 3134
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Gun Black
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN Code: 3800157635332

new!

Fitting-Suspended-GU10




Box Qty.
9 Pcs

Model No: VT-864-G
 SKU Code: 3111
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Matt Rose Gold
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN Code: 3800157634366

new!

Fitting-Pendant Metal-1XGU10




Box Qty.
9 pcs

Model No: VT-864CHC
 SKU Code: 3135
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Chrome
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN Code: 3800157635349

new!


Fitting-Pendant Metal-1XGU10


 Box Qty.
9 pcs

Model No: VT-864-GB
 SKU Code: 3112
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Gun Black
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN Code: 3800157634373

new!


Fitting-Pendant Metal-1XGU10


 Box Qty.
9 pcs

Model No: VT-864-MR
 SKU Code: 3130
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN Code: 3800157635325

new!


Fitting-Pendant Metal-1XGU10


 Box Qty.
9 pcs

Model No: VT-864-CH
 SKU Code: 3129
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Chrome
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN Code: 3800157634540

new!


Fitting-Surface Metal-1XGU10


 Box Qty.
9 pcs

Model No: VT-865-GBM
 SKU Code: 3136
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Gun Black
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN Code: 3800157635356

new!

Fitting-Surface Metal-1XGU10




Box Qty.
9 pcs

Model No: VT-865-MRC
 SKU Code: 3137
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN Code: 3800157635363

new!

Fitting-Surface Metal-1XGU10




Box Qty.
9 pcs

Model No: VT-865-GBC
 SKU Code: 3139
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Gun Black
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN Code: 3800157635387

new!

Fitting-Surface Metal-1XGU10




Box Qty.
9 pcs

Model No: VT-865CHC
 SKU Code: 3138
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Chrome
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN Code: 3800157635370

new!

Fitting-Surface Metal-1XGU10




Box Qty.
9 pcs

Model No: VT-865-MRM
 SKU Code: 3113
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Matt Rose Gold
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN Code: 3800157634380

new!


Fitting-Surface Metal-1XGU10

Box Qty.
9 pcs

Model No: VT-865CHM
 SKU Code: 3114
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Chrome
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN Code: 3800157634397

new!


Fitting-Square Metal-1XGU10

Box Qty.
12 pcs

Model No: VT-860-MRM
 SKU Code: 3141
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN Code: 3800157635400

new!


Fitting-Square Metal-1XGU10

Box Qty.
12 pcs

Model No: VT-860-GB
 SKU Code: 3140
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Gun Black
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN Code: 3800157635394

new!


Fitting-Square Metal-1XGU10

Box Qty.
12 pcs

Model No: VT-860-CHM
 SKU Code: 3142
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Chrome
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN Code: 3800157635417

new!

Fitting-Square Metal-1XGU10




Box Qty.
12pcs

Model No: VT-860-GBM
 SKU Code: 3143
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Gun Black
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN Code: 3800157635424

new!

Fitting-Square Metal-1XGU10




Box Qty.
12pcs

Model No: VT-860-CH
 SKU Code: 3116
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Chrome
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN Code: 3800157634410

new!

Fitting-Square Metal-1XGU10




Box Qty.
12pcs

Model No: VT-860-MR
 SKU Code: 3115
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Matt Rose Gold
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN Code: 3800157634403

new!

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MRW
 SKU Code: 3117
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Matt Rose Gold
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634427

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No: VT-862-MRG
 SKU Code: 3118
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634434

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No: VT-862-CHG
 SKU Code: 3120
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Chrome
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634458

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No: VT-862-CHW
 SKU Code: 3119
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Chrome
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634441

new!

Fitting-Recessed-1XGU10

Box Qty.
24 pcs

Model No: VT-862-MRR
 SKU Code: 3121
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Off White+Matt Rose Gold
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634465

new!

Fitting-Recessed-1XGU10




Box Qty.
24 pcs

Model No: VT-862-CHR
 SKU Code: 3122
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Off White+Chrome
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634472

new!

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MGRD
 SKU Code: 3124
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634496

new!

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MRP
 SKU Code: 3123
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Matt Rose Gold
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634489

new!

Fitting-Recessed-1XGU10




Box Qty.
24 pcs

Model No: VT-862-MRC
 SKU Code: 3125
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Off White+Matt Rose Gold
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634502

new!


Fitting-Recessed-1XGU10


 Box Qty.
24 pcs

Model No: VT-862-MRD
 SKU Code: 3126
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Off White+Chrome
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634519

new!


Fitting-Recessed-1XGU10


 Box Qty.
24 pcs

Model No: VT-862-MG
 SKU Code: 3128
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Chrome
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634533

new!


Fitting-Recessed-1XGU10


 Box Qty.
24 pcs

Model No: VT-862-CRD
 SKU Code: 3127
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Chrome
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN Code: 3800157634526

new!

Fitting-Ceiling Metal-1XGU10


 Box Qty.
12 pcs

Model No: VT-863
 SKU Code: 3144
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White
 Dimension: 200x200mm
 Cutting Size: 206x206mm
 EAN Code: 3800157634557

new!

Fitting-Recessed-Black Metal-Round



Box Qty.
30 pcs

Model No: VT-866-BRD
 SKU Code: 3145
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Black
 Dimension: ø100mm
 Cutting Size: ø103mm
 EAN Code: 3800157635592

new!

Fitting-Recessed-Matt Rose Gold Met-



Box Qty.
30 pcs

Model No: VT-866-MRD
 SKU Code: 3147
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Matt Rose Gold
 Dimension: ø100mm
 Cutting Size: ø103mm
 EAN Code: 3800157635615

new!

Fitting-Recessed-Chrome Metal-Round



Box Qty.
30 pcs

Model No: VT-866-CRD
 SKU Code: 3146
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Chrome
 Dimension: ø100mm
 Cutting Size: ø103mm
 EAN Code: 3800157635608

new!

Fitting-Recessed-Black Metal-Square



Box Qty.
30 pcs

Model No: VT-866-BSQ
 SKU Code: 3148
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Black
 Dimension: ø100x100mm
 Cutting Size: 103x103mm
 EAN Code: 3800157635622

new!

Fitting-Recessed-Chrome Metal-Square


 Box Qty.
30 pcs

Model No: VT-866-CSQ
 SKU Code: 3149
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Chrome
 Dimension: $\varnothing 100 \times 100 \text{mm}$
 Cutting Size: 103x103mm
 EAN Code: 3800157635639

new!

Fitting-Recessed-Square


 Box Qty.
24 Pcs

Model No: VT-867-SQ
 SKU Code: 3151
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White
 Dimension: $\varnothing 120 \times 120 \text{mm}$
 Cutting Size: 127x127mm
 EAN Code: 3800157635653

new!

Fitting-Recessed-Matt Rose Gold


 Box Qty.
30 pcs

Model No: VT-866-GSQ
 SKU Code: 3150
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White+Matt Rose Gold
 Dimension: $\varnothing 100 \times 100 \text{mm}$
 Cutting Size: 103x103mm
 EAN Code: 3800157635646

new!

Fitting-Recessed-Round


 Box Qty.
24 Pcs

Model No: VT-867-RD
 SKU Code: 3152
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White
 Dimension: $\varnothing 120 \text{mm}$
 Cutting Size: $\varnothing 127 \text{mm}$
 EAN Code: 3800157635660

Gu10-Holder-PVC Cable



Box Qty.
500 Pcs

Model No PVC Cable
SKU Code: **3423**
Base: **GU10**
Material: **Ceramic**
Wire length: **150mm**
EAN Code: **3800157607827**

GU10 Silicon Wire



Box Qty.
500 Pcs

Model No **VT-791-W**
SKU Code: **3620**
Base: **GU10**
Material: **Aluminium Ceramic**
Color of Fxture: **White**
Wire length: **158mm**
EAN Code: **3800157607704**

Gu10-Holder-PVC Cable



Box Qty.
100 Pcs

Model No PVC Cable-5pc
SKU Code: **34235**
Base: **GU10**
Material: **Ceramic**
Wire length: **150mm**
EAN Code: **3800157609982**

Mr16-Lampholder-5Pc Pack



Box Qty.
100 Pcs

Model No **VT-7889**
SKU Code: **36265**
Base: **MR16**
Material: **Ceramic**
Color of Fxture: **White**
Wire length: **150mm**
EAN Code: **3800157609999**

LED PAR Lamps & AR111

: V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.



Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Each lamp is a direct retrofit for a comparable Halogen Par Lamp e.g. AR111, PAR 30 & PAR 38
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

Applications



Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting



AR111 Downlight
20W VT-1120-20

- 1243 - 3000K Warm White 3800157606004
- 1244 - 4500K Day White 3800157606011
- 1245 - 6000K White 3800157606028

Box Qty.
50 Pcs





EQ. Watts:	100w	PF:	>0.7
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20°
Luminous Flux:	1800lm	Base:	N/A
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>80	Dimension:	Ø111x53mm



AR111 Downlight
20W VT-1120-40

- 1246 - 3000K Warm White 3800157606035
- 1247 - 4500K Day White 3800157606042
- 1248 - 6000K White 3800157606059

Box Qty.
50 Pcs



EQ. Watts:	100w	PF:	>0.7
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	40°
Luminous Flux:	1800lm	Base:	N/A
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>80	Dimension:	Ø111x53mm





AR111-G53
15w VT-1110-20

4084 - 3000K Warm White 3800230620064
4062 - 4000K Day White 3800230620057
4061 - 6400K White 3800230620040

Box Qty.
60 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC/DC:12V,50Hz**
Luminous Flux: **950lm**
LED Type: **COB**
CRI: **>80**



PF: **>0.9**
Beam Angle: **20°**
Base: **G53**
Body Type: **Plastic Clad Aluminium**
Dimension: **Ø111x86x63mm**





AR111-G53
15w VT-1110-40

4257 - 3000K Warm White 3800230628664
4256 - 4000K Day White 3800230628657
4255 - 6400K White 3800230628640

Box Qty.
60 Pcs

EQ. Watts: **25w**
Voltage/Frequency: **AC/DC:12V,50Hz**
Luminous Flux: **950lm**
LED Type: **COB**
CRI: **>80**





PF: **>0.9**
Beam Angle: **40°**
Base: **G53**
Body Type: **Plastic Clad Aluminium**
Dimension: **Ø111x86x63mm**



AR111-GU10
12W VT-1112

4224 - 2700K Warm White 3800230626257
4223 - 4000K Day White 3800230626219
4225 - 6400K White 3800230626264

Box Qty.
60 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:200-240V,50Hz**
Luminous Flux: **900lm**
LED Type: **COB**
CRI: **>80**



PF: **>0.9**
Beam Angle: **40°**
Base: **GU10**
Body Type: **Plastic Clad Aluminium**
Dimension: **Ø111x86mm**



AR111-GU10
12W VT-1112D

7234 - 3000K Warm White 3800157620055
7235 - 4500K Day White 3800157620062
7236 - 6000K White 3800157620079

Box Qty.
60 Pcs




EQ. Watts: **60w**
Voltage/Frequency: **AC:200-240V,50Hz**
Luminous Flux: **900lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.9**
Beam Angle: **40°**
Base: **GU10**
Body Type: **Plastic Clad Aluminium**
Dimension: **Ø111x86mm**


AR111-Accessories

 Box Qty.
24 Pcs



Model No: VT-7221-W
 SKU Code: 3575
 Base: 1XAR111
 Material: Aluminium
 Color of Fixture: White
 Dimension: 174x174 mm
 Cutting Size: 168x155mm
 EAN Code: 3800157604765



AR111-Accessories

 Box Qty.
12 Pcs



Model No: VT-7222-W
 SKU Code: 3576
 Base: 2XAR111
 Material: Aluminium
 Color of Fixture: White
 Dimension: 325x174mm
 Cutting Size: 306x162mm
 EAN Code: 3800157604772



AR111-Accessories

 Box Qty.
12 Pcs


Model No: VT-7223-W
 SKU Code: 3577
 Base: 3XAR111
 Material: Aluminium
 Color of Fixture: White
 Dimension: 475x174mm
 Cutting Size: 455x168 mm
 EAN Code: 3800157604789



AR111-Accessories

Box Qty.
24 Pcs


Model No: **VT-7221-B**
SKU Code: **3581**
Base: **1XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **174x174 mm**
Cutting Size: **168x155mm**
EAN Code: **3800157607063**



AR111-Accessories

Box Qty.
12 Pcs



Model No: **VT-7222-B**
SKU Code: **3582**
Base: **2XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **325x174 mm**
Cutting Size: **306x162mm**
EAN Code: **3800157607070**



AR111-Accessories

Box Qty.
12 Pcs

Model No: **VT-7223-B**
SKU Code: **3583**
Base: **3XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **475x174mm**
Cutting Size: **455x168 mm**
EAN Code: **3800157607087**



LED Floodlights

V-TAC's LED Floodlights are ideal for lighting Driveways, Gardens and Buildings. These energy efficient lights emit Bright, Vibrant Light and make an eco-friendly alternative for traditional Halogen Floodlights and Metal Halide fixtures.



Product Features

- Available in White , Warm White, Day White and RGB light output option
- Available from 10W up to 1000W
- Premium Quality Aluminium Alloy body
- Fascia glass sealed with SILICONE RUBBER ensuring superior waterproof / airtight performance
- High Power LED chip
- Built in constant current driver
- Built in Power supply, No external ballast required

Applications

Widely used for Lighting Driveways, Gardens & Buildings, Commercial Bill Boards & Hoardings, Sports Grounds & Parking Lots

Slimline-White Body-White Wire

50w VT-4955W


5826 - 4000K Day White 3800157615006
 5827 - 6400K White 3800157615013

Box Qty.
10 Pcs


IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 4250lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: White
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 237x194x38mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The beam angle is for reference only. The actual beam angle may vary due to the installation angle.



Slimline-White Body-White Wire

100w VT-49100W


5844 - 4000K Day White 3800157615181
 5845 - 6400K White 3800157615198

Box Qty.
4 Pcs


IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 8500lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: White
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 293x41x231mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The beam angle is for reference only. The actual beam angle may vary due to the installation angle.





Slimline-White Body-White Wire

100w VT-49101W

5970 - 3000K Warm White 3800157626231
 5971 - 4000K Day White 3800157626248
 5972 - 6400K White 3800157626255



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 8500lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: White
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 291x240x30mm



Slimline-Black/Grey Body




150w VT-49150GB

5858 - 3000K Warm White 3800157615327
 5860 - 6400K White 3800157615341



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 12750lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: Black+Grey
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 411x313x51mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Slimline-Grey Body-Sand Finish

10W VT-4911G



5782 - 6400K White

3800157614566

Box Qty.
20 Pcs

IP65
RATING

- Sensor Compatible: **Yes**
- Voltage/Frequency: **AC:220-240V,50/60Hz**
- Luminous Flux: **800lm**
- CRI: **>70**
- PF: **>0.9**
- Beam Angle: **100°**
- Color of Fixture: **Grey**
- Body Type: **Die Cast Aluminium**
- IP Rating: **IP65**
- Dimension: **136x113x28mm**



Slimline-Grey Body-Sand Finish

20W VT-4922G



5800 - 6400K White

3800157614740

Box Qty.
20 Pcs

IP65
RATING

- Sensor Compatible: **Yes**
- Voltage/Frequency: **AC:220-240V,50/60Hz**
- Luminous Flux: **1600lm**
- CRI: **>70**
- PF: **>0.9**
- Beam Angle: **100°**
- Color of Fixture: **Grey**
- Body Type: **Die Cast Aluminium**
- IP Rating: **IP65**
- Dimension: **181x148x34mm**



Slimline-Grey Body-Sand Finish

30w VT-4933G

5818 - 6400K White



3800157614924


Box Qty.
20 Pcs


IP65
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2550lm
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Color of Fixture:	Grey
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	217x174x35mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaire is at different distance.



Slimline-Grey Body-Sand Finish

100w VT-49100G

5853 - 4000K Day White

3800157615273

5854 - 6400K White



3800157615280


Box Qty.
4 Pcs


IP65
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	8500lm
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Color of Fixture:	Grey
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	293x41x231mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaire is at different distance.



Slimline-Grey Body-Sand Finish

150w VT-49150G




5864 - 3000K Warm White 3800157615389

Box Qty.
2 Pcs

IP65
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 12750lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Grey
- Body Type: Die Cast Aluminium
- IP Rating: IP65
- Dimension: 411x313x51mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



I Series-Black Body

10w



VT-4611B

5876 - 4500K Day White
5877 - 6000K White

3800157615983
3800157615990

 Box Qty.
50 Pcs
IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 850lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 122x105x30mm



I Series-Black Body

30w



VT-4631

5883 - 6000K White

3800157616058

 Box Qty.
20 Pcs
IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 213x168x32mm



I Series-Black Body



50w VT-4651B

5884 - 3000K Warm White 3800157616065
 5885 - 4500K Day White 3800157616072
 5886 - 6000K White 3800157616089

Box Qty.
10 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:200-240V,50Hz
 Luminous Flux: 4250lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 255x196x36mm



I Series-Black Body



100w VT-46100

5889 - 6000K White 3800157616119

Box Qty.
10 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:200-240V,50Hz
 Luminous Flux: 8500lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 345x265x45mm



I Series-Black Body



150w VT-46150

5891 - 6000K White

3800157616133

Box Qty.
5 PcsIP65
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	12750lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	375x292x45mm



I Series-Black Body



200w VT-46200B

5893 - 6000K White

3800157616157

Box Qty.
5 PcsIP65
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	17000lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	415x332x45mm



I Series-White Body



10w VT-4611W

5899 - 4500K Day White 3800157619226
 5900 - 6000K White 3800157619233

Box Qty.
20 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:200-240V,50Hz
 Luminous Flux: 850lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: White
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 122x105x30mm



I Series-White Body



50w VT-4651W

5904 - 3000K Warm White 3800157619370
 5905 - 4500K Day White 3800157619387
 5906 - 6000K White 3800157619394

Box Qty.
10 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:200-240V,50Hz
 Luminous Flux: 4250lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: White
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 255x196x36mm



I Series-White Body



200w VT-46200W

5908 - 6000K White

3800157619417

Box Qty.
5 Pcs

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	17000lm
CRl:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	White
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	415x332x45mm



E Series-White Body



10w VT-4011W

5943 - 3000K Warm White 3800157625364
 5944 - 4000K Day White 3800157625371
 5945 - 6500K White 3800157625388

Box Qty.
40 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 850lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: White
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 110x112x22mm



E Series-White Body



20w VT-4021W

5949 - 3000K Warm White 3800157625425
 5950 - 4000K Day White 3800157625432
 5951 - 6500K White 3800157625449

Box Qty.
20 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 1700lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: White
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 150x143x26mm



E Series-White Body

30W

VT-4031W

5955 - 3000K Warm White	3800157625487
5956 - 4000K Day White	3800157625494
5957 - 6500K White	3800157625500





Box Qty.
20 Pcs



IP65
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2550lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	White
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	185x163x26mm



E Series-White Body

50W

VT-4051W

5961 - 3000K Warm White	3800157625548
5962 - 4000K Day White	3800157625555
5963 - 6500K White	3800157625562





Box Qty.
10 Pcs



IP65
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4250lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	White
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	245x192x28mm



E Series-White Body



100w VT-40101W

5967 - 3000K Warm White 3800157625609
 5968 - 4000K Day White 3800157625616
 5969 - 6500K White 3800157625623

Box Qty.
5 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 8500lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: White
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 330x271x33mm



E Series-White Body



10w VT-4011B

5940 - 3000K Warm White 3800157625333
 5941 - 4000K Day White 3800157625340
 5942 - 6500K White 3800157625357

Box Qty.
40 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 850lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 110x112x22mm



E Series-White Body



20w

VT-4021B

5946 - 3000K Warm White	3800157625395
5947 - 4000K Day White	3800157625401
5948 - 6500K White	3800157625418



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
CRl:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	150x143x26mm



E Series-White Body



30w

VT-4031B

5952 - 3000K Warm White	3800157625456
5953 - 4000K Day White	3800157625463
5954 - 6500K White	3800157625470



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2550lm
CRl:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	185x163x26mm



E Series-White Body



50w VT-4051B

5958 - 3000K Warm White 3800157625517
 5959 - 4000K Day White 3800157625524
 5960 - 6500K White 3800157625531

Box Qty.
10 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 4250lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 245x192x28mm



E Series-White Body



100w VT-40101B

5964 - 3000K Warm White 3800157625579
 5965 - 4000K Day White 3800157625586
 5966 - 6500K White 3800157625593

Box Qty.
5 Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 8500lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 330x271x33mm



Floodlight With Stand- EU Plug

30w

VT-4230

5927 - 4000K Day White
5928 - 6400K White

3800157622837
3800157622844

Box Qty.
10 Pcs

IP65
RATING



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 243x275x184mm

3 METER WIRE

EU PLUG



LUMINOUS EFFICIENCY DISTRIBUTION DIAGRAM



Floodlight With Stand- EU Plug

50w

VT-4250

5929 - 4000K Day White
5930 - 6400K White

3800157622851
3800157622868

Box Qty.
10 Pcs

IP65
RATING



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 278x313x183mm

3 METER WIRE

EU PLUG



LUMINOUS EFFICIENCY DISTRIBUTION DIAGRAM



Floodlight With Stand- EU Plug

100w VT-42100

5931 - 4000K Day White
5932 - 6400K White

3800157622875
3800157622882

Box Qty.
4 Pcs

IP65
RATING


Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 354x378x184mm

3 METER WIRE

EU PLUG



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



new!

Solar-Floodlight

10w VT-787-10

9869 - 4000K Day White

Box Qty.
8Pcs

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 1100lm
CRI: >70
PF: >0.5
Beam Angle: 90°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 175x43x266mm



IP65
RATING

High Lumen-Meanwell Driver

500w VT-49500

5934 - 4500K Day White


3800157623605

5935 - 6000K White

3800157623612

Box Qty.
1 PcIP65
RATING
120 LUMENS
+ PER WATT
SUPER EFFICIENT


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60000lm
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Color of Fixture:	Grey
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	658x154x537mm



Luminous Intensity Distribution Curve(cd/klm)



High Lumen-Meanwell Driver

500w VT-49501

5936 - 4000K Day White



3800157624985

5937 - 6000K White

3800157624992

Box Qty.
1 PcIP65
RATING
120 LUMENS
+ PER WATT
SUPER EFFICIENT


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60000lm
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	658x154x537mm



High Lumen-Meanwell Driver 1000wVT-491001

5938 - 4000K Day White 3800157625005
5939 - 6000K White 3800157625012





5 **YEAR WARRANTY**
PRO
*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120 LUMENS + PER WATT
SUPER EFFICIENT



- Sensor Compatible: Yes
- Voltage/Frequency: AC:100-240V,50/60Hz
- Luminous Flux: 120000lm
- CRI: >70
- PF: >0.9
- Beam Angle: 60°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP65
- Dimension: 748x762x154mm




LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.



The advanced motion sensor PIR detects movement within a range of 2 - 8 meter and can also be adjusted to 3 different functions.

Colour Temperatures




Salient Features

- Available in two refined body colour options (black and white)
- ⚡ Available from 10W up to 50W
- 📦 Premium Quality Aluminium Alloy body
- 🛡️ Corrosion Resistant
- ⚙️ High Power LED chip
- 🔌 Built in driver - no external power supply required
- 👤 High quality Fresnel lens for excellent coverage area
- ⚙️ Integrated circuit designed for instant start-up on Detection

Elevated level of Energy saving with LED + PIR



100°
 DETECTION ANGLE



PIR-Slimline-White Body

10w VT-4911PIRW



- 5786 - 3000K Warm White 3800157614603
- 5787 - 4500K Day White 3800157614610
- 5788 - 6000K White 3800157614627

Box Qty.
20 Pcs


- Detection Angle: **120°**
- Detection Distance: **2-8m**
- Voltage/Frequency: **AC:220-240V,50/60Hz**
- Luminous Flux: **800lm**
- CRI: **>70**
- PF: **>0.9**
- Beam Angle: **100°**
- Color of Fixture: **White**
- Body Type: **Die Cast Aluminium**
- IP Rating: **IP44**
- Dimension: **113x178x47mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

20w VT-4922PIRW



- 5804 - 3000K Warm White 3800157614788
- 5805 - 4500K Day White 3800157614795
- 5806 - 6000K White 3800157614801

Box Qty.
20 Pcs


- Detection Angle: **120°**
- Detection Distance: **2-8m**
- Voltage/Frequency: **AC:220-240V,50/60Hz**
- Luminous Flux: **1600lm**
- CRI: **>70**
- PF: **>0.9**
- Beam Angle: **100°**
- Color of Fixture: **White**
- Body Type: **Die Cast Aluminium**
- IP Rating: **IP44**
- Dimension: **181x205x57mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

30w

 VT-4933PIRW



5822 - 3000K Warm White 3800157614962
 5823 - 4000K Day White 3800157614979
 5824 - 6400K White 3800157614986

Box Qty.
20 Pcs


Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2550lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **217x231x59mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

50w

 VT-4955PIRW



5840 - 3000K Warm White 3800157615143
 5841 - 4000K Day White 3800157615150
 5842 - 6400K White 3800157615167

Box Qty.
10 Pcs


Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **4250lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **237x251x62mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-Black Body

10w VT-4911PIRB



5783 - 3000K Warm White 3800157614573

Box Qty.
20 Pcs


- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 800lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 113x178x47mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body

20w VT-4922PIRB



5801 - 3000K Warm White 3800157614757

Box Qty.
20 Pcs


- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1600lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 181x205x57mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body

30w

 VT-4933PIRB



5819 - 3000K Warm White 3800157614931
5821 - 6400K White 3800157614955

Box Qty.
20 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2550lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **Black**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **217x231x59mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-Black Body

50w

 VT-4955PIRB



5837 - 3000K Warm White 3800157615112
5838 - 4000K Day White 3800157615129
5839 - 6400K White 3800157615136

Box Qty.
10 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4250lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **Black**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **237x251x62mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

10w VT-4810PIRW


5746 - 3000K Warm White 3800157608213
 5747 - 4500K Day White 3800157608206

Box Qty.
20 Pcs

- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 800lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: White
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 133x178x47mm




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average luminous efficacy type:

Beam Angle	Beam Diameter	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area
100°	1000mm	785398mm ²	785398mm ²	785398mm ²	785398mm ²	785398mm ²	785398mm ²	785398mm ²	785398mm ²
100°	800mm	502654mm ²	502654mm ²	502654mm ²	502654mm ²	502654mm ²	502654mm ²	502654mm ²	502654mm ²
100°	600mm	282743mm ²	282743mm ²	282743mm ²	282743mm ²	282743mm ²	282743mm ²	282743mm ²	282743mm ²
100°	400mm	125661mm ²	125661mm ²	125661mm ²	125661mm ²	125661mm ²	125661mm ²	125661mm ²	125661mm ²
100°	200mm	31416mm ²	31416mm ²	31416mm ²	31416mm ²	31416mm ²	31416mm ²	31416mm ²	31416mm ²
100°	100mm	7854mm ²	7854mm ²	7854mm ²	7854mm ²	7854mm ²	7854mm ²	7854mm ²	7854mm ²

Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

20w VT-4820PIRW


5756 - 3000K Warm White 3800157611688
 5750 - 6000K White 3800157608879

Box Qty.
15 Pcs

- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1600lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: White
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 185x211x50mm




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average luminous efficacy type:

Beam Angle	Beam Diameter	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area
100°	1000mm	785398mm ²	785398mm ²	785398mm ²	785398mm ²	785398mm ²	785398mm ²	785398mm ²	785398mm ²
100°	800mm	502654mm ²	502654mm ²	502654mm ²	502654mm ²	502654mm ²	502654mm ²	502654mm ²	502654mm ²
100°	600mm	282743mm ²	282743mm ²	282743mm ²	282743mm ²	282743mm ²	282743mm ²	282743mm ²	282743mm ²
100°	400mm	125661mm ²	125661mm ²	125661mm ²	125661mm ²	125661mm ²	125661mm ²	125661mm ²	125661mm ²
100°	200mm	31416mm ²	31416mm ²	31416mm ²	31416mm ²	31416mm ²	31416mm ²	31416mm ²	31416mm ²
100°	100mm	7854mm ²	7854mm ²	7854mm ²	7854mm ²	7854mm ²	7854mm ²	7854mm ²	7854mm ²

Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

30w

VT-4830PIRW

5752 - 6000K White


3800157608893

 Box Qty.
10 Pcs


Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2400lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **217x231x51mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

50w

VT-4850PIRW

5758 - 3000K Warm White

3800157611701

5753 - 4500K Day White

3800157608909

5754 - 6000K White

3800157608916

 Box Qty.
10 Pcs


Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **4000lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **237x255x51mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-Black Body

20w VT-4820PIRB

5697 - 3000K Warm White 3800157604338

Box Qty.
15 Pcs


- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1600lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 185x211x50mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminaire is at different distance.



PIR-Slimline-Black Body

30w VT-4830PIRB

5699 - 3000K Warm White 3800157604352
 5700 - 4500K Day White 3800157604369
 5716 - 6000K White 3800157604956

Box Qty.
10 Pcs


- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 2400lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 217x231x51mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminaire is at different distance.



PIR-Slimline-Black Body

50w

 VT-4850PIRB

 5701 - 3000K Warm White
 5717 - 6000K White

 3800157604376
 3800157604963

 Box Qty.
10 Pcs

Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **4000lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **Black**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **237x255x51mm**




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average luminous efficacy types

Beam Angle	Beam Diameter	Beam Length	Beam Area	Beam Volume	Beam Weight
100°	100mm	100mm	7850mm²	785000mm³	785000mm³
120°	120mm	120mm	11310mm²	1131000mm³	1131000mm³
150°	150mm	150mm	17670mm²	1767000mm³	1767000mm³
180°	180mm	180mm	25416mm²	2541600mm³	2541600mm³

Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



Floodlight-Infrared-RGB

10w


 VT-4711RF

5894 - RGB

3800157617512

 Box Qty.
20 Pcs

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **800lm**
 CRI: **>80**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP65**
 Dimension: **87X115X85mm**



Floodlight-Infrared-RGB

10w VT-4711IF

5895 - RGB


3800157617529

Box Qty.
20 Pcs

IP65
RATING



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **800lm**
CRt: **>80**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **Grey**
Body Type: **Die Cast Aluminium**
IP Rating: **IP65**
Dimension: **87X115X85mm**



Floodlight-Remote Control-RGB

30w VT-4732

5755 - RGB


3800157609517

Box Qty.
6 Pcs

IP65
RATING



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V**
Luminous Flux: **2400lm**
CRt: **>80**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **Grey**
Body Type: **Die Cast Aluminium**
IP Rating: **IP65**
Dimension: **136x227x206mm**



Floodlight-Remote Control-RGB


50w VT-4752

5691 - RGB

3800157603508



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	4000lm
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Color of Fixture:	Grey
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	136x227x206mm



Rechargeable-IP44

20w VT-4822

5692 - 4000K Day White
5735 - 6000K White

3800157603515
3800157606929



Sensor Compatible:	No
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1600lm
PF:	>70
Beam Angle:	100°
Color of Fixture:	Green
Body Type:	Plastic+Aluminium
IP Rating:	IP44
Dimension:	208x204x355mm



Battery Capacity:	3.7V,8800mAh
Charging Time:	5-6 Hours
Working Time:	High Light 2-3 Hours/ Low Light 6Hours

PIR Sensor-WIFI-Camera

18w

VT-4818W

5745 - 6000K White

3800157608268

Box Qty.
4 Pcs

- Video Compression: H.264 / MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- Voltage/Frequency: AC:100-240V,50/60Hz
- Luminous Flux: 600lm
- CRI: >70
- PF: >0.5
- Beam Angle: 180°
- Color of Fixture: White
- Body Type: ABS+Aluminium
- IP Rating: IP20
- Dimension: 248x 162x 181mm



3-in-1 Floodlight

PIR Sensor-WIFI-Camera

18w

VT-4818B

5917 - 6000K White

3800157620925

Box Qty.
4 Pcs

- Video Compression: H.264 / MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- Voltage/Frequency: AC:100-240V,50/60Hz
- Luminous Flux: 600lm
- CRI: >70
- PF: >0.5
- Beam Angle: 180°
- Color of Fixture: Black
- Body Type: ABS+Aluminium
- IP Rating: IP20
- Dimension: 248x162x181mm



3-in-1 Floodlight

Waterproof Box Terminal Block

VT-7224-B

3578

Box Qty.
160 Pcs

Voltage: 250V Max
Material: Polypropylene (PP)
Size: 123x46x33mm
Wire range: 0.5-2.5mm²



Waterproof Box Terminal Block

VT-792-B

3621

Box Qty.
500 Pcs

Voltage: AC:220V
Size: Ø27x76mm
Wire range: 4-6.5mm



Waterproof Box Terminal Block

VT-7224-W

5897

Box Qty.
240 Pcs

Voltage: 250V Max
Material: Polypropylene (PP)
Size: 123x46x33mm
Wire range: 0.5-2.5mm²



Waterproof Box Terminal Block

VT-792-W

5896

Box Qty.
500 Pcs

Voltage: AC:220V
Size: Ø27x76mm
Wire range: 4-6.5mm




Tripod Stand-Yellow

VT-41150Y

9104

Size: 900x940~1800mm

 Box Qty.
8 Pcs




Tripod Stand-Black

VT-41150B

9546

Size: 900x940~1800mm

 Box Qty.
8 Pcs



Billboard Stand

VT-793

3622

Size: 870x200mm

 Box Qty.
4 Pcs



87cm

Suitable For:

70w - 100w - 120w - 150w - 200w

Billboard Stand

VT-794

3623

Size: 850x150mm

 Box Qty.
4 Pcs



85cm

Suitable For:

10w - 20w - 30w - 50w

Floodlight spike

VT-854-G

7533 3800157630467

Size: Ø35xH150



Box Qty.
200 Pcs



new!

Grey

Body Type: Aluminium



Floodlight spike

VT-854-W

7534 3800157630474

Size: Ø35xH150



Box Qty.
200 Pcs



new!

White

Body Type: Aluminium



Floodlight spike

VT-854-B

7535 3800157630481

Size: Ø35xH150



Box Qty.
200 Pcs



new!

Black

Body Type: Aluminium



Floodlight spike

VT-855-G

7536 3800157630498
Size: Ø60xH265

 Box Qty.
100 Pcs



new!

Grey

Body Type: Aluminium



Floodlight spike

VT-855-W

7537 3800157630504
Size: Ø60xH265

 Box Qty.
100 Pcs



new!

White

Body Type: Aluminium



Floodlight spike

VT-855-B

7538 3800157630511
Size: Ø60xH265

 Box Qty.
100 Pcs



new!

Black

Body Type: Aluminium



LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.



Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or Mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, Conference Room, Hospitals, Hotels, Shopping Malls, Showroom, Kitchen and Domestic Lighting etc.



5 **V-TAC**[®] **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


Box Qty.
6 Pcs

Big Panels-60x60

45w VT-6165

6419 - 3000K Warm White
6420 - 4000K Day White

3800157626828
3800157626835



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA**
Shape: **Square**
Dimension: **595x595x14mm**




Box Qty.
6 Pcs

Big Panels-60x60

45W VT-6060-6

60286 - 3000K Warm White 3800230624482
 60246 - 4000K Day White 3800230623652
 60256 - 6400K White 3800230623584



Emergency Pack: **Available**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **3600lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium+PMMA+PP**
 Shape: **Square**
 Dimension: **595x595x14mm**




Big Panels-UGR<19-60x60

45W VT-6068-6

62206 - 3000K Warm White	3800157619516
62186 - 4000K Day White	3800157609265
62196 - 6400K White	3800157609272

Box Qty.
6 Pcs

LG7 Compliant **UGR < 19**



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PP**
Shape: **Square**
Dimension: **595x595x14mm**




Big Panels-UGR<19-62x62

45W VT-6069

6222 - 3000K Warm White	3800157604918
6217 - 4000K Day White	3800157604857
6221 - 6400K White	3800157604901

Box Qty.
6 Pcs

LG7 Compliant **UGR < 19**



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PP**
Shape: **Square**
Dimension: **620x620x14mm**



Big Panels-High Lumen-60x60

29w VT-6129-6

62406 - 3000K Warm White

3800157619608

62416 - 4000K Day White

3800157609289


62426 - 6400K White

3800157609296

 Box Qty.
6 Pcs

120 + LUMENS
PER WATT

SUPER EFFICIENT



Emergency Pack: Available
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 3600lm

LED Type: SMD
CRI: >80
PF: >0.9

Beam Angle: 120°
Body Type: Aluminium+PMMA+PC
Shape: Square
Dimension: 595x595x13mm



Big Panels-High Lumen-60x60

45w VT-6145-6

63776 - 3000K Warm White

3800157622158

62366 - 4000K Day White

3800157615723


62376 - 6400K White

3800157615730

 Box Qty.
6 Pcs

120 + LUMENS
PER WATT

SUPER EFFICIENT



Emergency Pack: Available
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 5400lm

LED Type: SMD
CRI: >80
PF: >0.9

Beam Angle: 120°
Body Type: Aluminium+PMMA+PP
Shape: Square
Dimension: 595x595x13mm



Big Panels-High Lumen-60x60


36w VT-6136

6376 - 3000K Warm White
6238 - 4000K Day White
6239 - 6400K White

3800157622141
3800157607636
3800157607643

Box Qty.
6 Pcs

120+ LUMENS PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4320lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PC**
Shape: **Square**
Dimension: **595x595x13mm**



Big Panels-High Lumen-62x62


36w VT-6137

63786 - 3000K Warm White
62436 - 4000K Day White
63796 - 6400K White

3800157622165
3800157619622
3800157622172

Box Qty.
6 Pcs

120+ LUMENS PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4320lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PC**
Shape: **Square**
Dimension: **620x620x13mm**




Box Qty.
4 Pcs

Big Panels-Surfaced/Recessed-60x60

36w VT-6139

6380 - 4000K Day White
6381 - 6400K White

3800157624008
3800157624015



2IN1
RECESSED OR SURFACE

Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **2880lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Iron+PS**
Shape: **Square**
Dimension: **595x595x19mm**

Big Panels-High Lumen-120x30

29w VT-12031


6256 - 3000K Warm White
6257 - 4000K Day White
6258 - 6400K White

3800157610414
3800157610421
3800157610438



Box Qty.
6 Pcs

120+ LUMENS PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **3400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x295x14mm**

Big Panel-High Lumen-120x30

45w VT-12046


6384 - 4000K Day White
6385 - 6000K White

3800157624770
3800157624787



Box Qty.
6 Pcs

120+ LUMENS PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **5400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**


Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x295x14mm**

Big Panels-120x30

45w VT-12030

60696 - 3000K Warm White
60266 - 4000K Day White
60276 - 6400K White

3800157609326
3800230623638
3800157609319


 Box Qty.
6 Pcs


Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x295x14mm**

Big Panels-UGR<19-120x30


45w VT-12032

6329 - 4000K Day White

3800157619615


 Box Qty.
6 Pcs

LG7 Compliant 
UGR < 19



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x295x14mm**



Big Panels-High Lumen-120x60

45W VT-12047

6426 - 6400K White


3800157626989

Box Qty.
1 Pcs

5 **V-TAC**[®] **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120+ LUMENS PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **5400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA**
Shape: **Rectangle**
Dimension: **1195x595x14mm**



Big Panels-High Lumen-120x60

45W VT-12045

6332 - 4000K Day White


3800157620321

6333 - 6400K White

3800157620338

Box Qty.
2 Pcs

120+ LUMENS PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **5400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x595x14mm**



Round-Suspended Panel

40w

VT-6141B

6433 - 4000K Day White

3800157628129

 Box Qty.
1 Pcs

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **3200lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø400mm**



Round-Suspended Panel

40w

VT-6141

6432 - 4000K Day White

3800157628112

 Box Qty.
1 Pcs

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **3200lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø400mm**



30w

Box Qty. **50 Pcs**

SKU Code: **3110**
 Dimmable: **No**
 Voltage: **AC:200-240V,50/60Hz**
 EAN Code: **3800157622103**



29w

Box Qty. **20 Pcs**

SKU Code: **6268**
 Dimmable: **Yes**
 Voltage: **AC:200-240V,50/60Hz**
 EAN Code: **3800157614412**



29w

Box Qty. **50 Pcs**

SKU Code: **6271**
 Dimmable: **No**
 Voltage: **AC:200-240V,50/60Hz**
 EAN Code: **3800157614443**



36w

Box Qty. **20 Pcs**

SKU Code: **6436**
 Dimmable: **No**
 Voltage: **AC:200-240V,50/60Hz**
 EAN Code: **3800157629386**



42w

Box Qty. **50 Pcs**

SKU Code: **6029**
 Dimmable: **No**
 Voltage: **AC:220-240V,50/60Hz**
 EAN Code: **3800157608626**



45w

Box Qty. **50 Pcs**

SKU Code: **6019**
 Dimmable: **Yes**
 Voltage: **AC:200-240V,50/60Hz**
 EAN Code: **3800157604017**



45w

Box Qty.
20 Pcs

SKU Code: 6437
Dimmable: Yes
Voltage: AC:100-277V,50/60Hz
EAN Code: 3800157630337



45w

Box Qty.
50 Pcs

SKU Code: 6386
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN Code: 3800157624886



45w



Box Qty.
50 Pcs

SKU Code: 6269
Dimmable: Yes
Voltage: AC:200-240V,50/60Hz
EAN Code: 3800157614429



45w

Box Qty.
50 Pcs

SKU Code: 6427
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN Code: 3800157626996



45w

Box Qty.
50 Pcs

SKU Code: 6270
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN Code: 3800157614436



70w

Box Qty.
50 Pcs

SKU Code: 6328
Dimmable: Yes
Voltage: AC:200-240V,50/60Hz
EAN Code: 3800157619592





Suspended Mounting



Box Qty.
100 Pcs

SKU Code: **6018**
EAN Code: **3800230623669**

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is

- 300 x 300
- 600 x 600
- 1200 x 300
- 1200 x 600



Surface Mounting-120x30



Box Qty.
6 Pcs

SKU Code: **9969**
EAN Code: **3800230623683**



Surface Mounting-120x60



Box Qty.
5 Pcs

SKU Code: **9989**
EAN Code: **3800230623614**



Extension Frame-60x60



Box Qty.
13 Pcs

SKU Code: **9968**
EAN Code: **3800230623706**



Surface Mounting-30x30



Box Qty.
5 Pcs

SKU Code: **9970**

EAN Code: **3800230623690**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-62x62



Box Qty.
5 Pcs

SKU Code: **9997**

EAN Code: **3800157633130**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-60x60



Box Qty.
5 Pcs

SKU Code: **9999**

EAN Code: **3800230623676**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Frame-60x60



Box Qty.
25 Pcs

SKU Code: **3678**

EAN Code: **3800157625272**

Easily fixable frame available in compact packing and easy to install with user manual.

Foldable kit
DIY ✂
DO IT YOURSELF



Surface Frame-120x30

Box Qty.
12 Pcs

SKU Code: **3679**
EAN Code: **3800157625289**

Foldable kit
DIY
DO IT YOURSELF

Easily fixable frame available in compact packing and easy to install with user manual.



Waterproof Surface Kit

Box Qty.

SKU Code: **8119**
EAN Code: **3800157624763**



Surface Mounting-60x60

Box Qty.
20 Pcs

SKU Code: **6327**
EAN Code: **3800157619424**




Emergency Pack-6W to 24W

VT-525

8275

3800157627474

Box Qty.
20 Pcs

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage: DC:20-80V
Led output power: AC:220-240V,50/60Hz
Charging time: 24 Hours
Working time: 3 hours

Battery: Ni-Cd7.2V/2000mAh
Color of Fixture: Silver
Body Type: Aluminium
Size: 455x52x33mm
Emergency switch on time: < 1s




Emergency Pack-29W to 45W

VT-518

60303

3800157617451

Box Qty.
12 Pcs

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage: DC:30-42V
Led output power: AC:220-240V,50/60Hz
Charging time: 24 Hours
Working time: 3 Hours

Battery: NI-CD, 7.2V, 4400 mAh
Color of Fixture: Silver
Body Type: Aluminium
Size: 465x52x33mm
Emergency switch on time: < 1s




The innovation of SMD lighting brought about the creation of the slim panels – a game changing answer to traditional downlight fixtures! Classy as it is, a mini panel fixture with built in LEDs also amounts to less than the old fittings.



Mini panels transform every setting into an ambiance with a modern touch to it with its systematic radiance and uniform lighting.

V-TAC offers the widest range in this product category. We also stock all three colour outputs from white to warm white and day light .They all come in retrofit cut out sizes from 4 inches, 6 inches and 8 inches.



Salient Features

-  Ultra Slim Design
-  Contemporary & Elegant Design
-  Higher Light Transmission Rate

-  Exterior robust shell
-  Easy to install - Plug and play version



Linear Lights

10w VT-10001

6401 - 3000K Warm White	3800157626620
6402 - 4000K Day White	3800157626637
6403 - 6400K White	3800157626644

 Box Qty.
20 Pcs

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	750lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	160x45x65mm

Cutting Size: 138x32mm



Linear Lights

20w VT-20001

6404 - 3000K Warm White	3800157626651
6405 - 4000K Day White	3800157626668
6406 - 6400K White	3800157626675

 Box Qty.
20 Pcs

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1600lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	290x45x65mm

Cutting Size: 170x32mm



Linear Lights

30w VT-30001

6407 - 3000K Warm White	3800157626682
6408 - 4000K Day White	3800157626699
6409 - 6400K White	3800157626705

 Box Qty.
10 Pcs

Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2400lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	430x45x65mm

Cutting Size: 405x32mm



Linear Lights
10W VT-10002

6410 - 3000K Warm White 3800157626712
 6411 - 4000K Day White 3800157626729
 6412 - 6400K White 3800157626736

Box Qty.
20 Pcs

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	700lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	160x45x72mm

Cutting Size: **138x32mm**



Linear Lights
20W VT-20002

6413 - 3000K Warm White 3800157626743
 6414 - 4000K Day White 3800157626750
 6415 - 6400K White 3800157626767

Box Qty.
20 Pcs

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1400lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	290x45x72mm

Cutting Size: **170x32mm**



Linear Lights
30W VT-30002

6416 - 3000K Warm White 3800157626774
 6417 - 4000K Day White 3800157626781
 6418 - 6400K White 3800157626798

Box Qty.
10 Pcs

Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2100lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	430x45x72mm

Cutting Size: **405x32mm**




Premium Series-Round

3W VT-307RD

6292 - 3000K Warm White 3800157616751
 6293 - 4000K Day White 3800157616768
 6294 - 6400K White 3800157616775

Box Qty.
40 Pcs

Cutting Size: $\varnothing 73\text{mm}$

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	210lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 84 \times 12\text{mm}$




Premium Series-Round

6W VT-607RD

4854 - 3000K Warm White 3800230629753
 4855 - 4000K Day White 3800230629760
 4856 - 6400K White 3800230629777

Box Qty.
40 Pcs

Cutting Size: $\varnothing 110\text{mm}$

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 120 \times 12\text{mm}$




Premium Series-Round

12W VT-1207RD

4857 - 3000K Warm White 3800230629784
 4858 - 4000K Day White 3800230629791
 4859 - 6400K White 3800230629807

Box Qty.
20 Pcs

Cutting Size: $\varnothing 155\text{mm}$


Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 170 \times 12\text{mm}$



Premium Series-Round
18W VT-1807RD

4860 - 3000K Warm White 3800230629814
4861 - 4000K Day White 3800230629821
4862 - 6400K White 3800230629838

Box Qty.
20 Pcs



Cutting Size: $\varnothing 210\text{mm}$


Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 225 \times 12\text{mm}$



Premium Series-Round
22W VT-2207RD

6422 - 3000K Warm White 3800157626941
6423 - 4000K Day White 3800157626958
6424 - 6400K White 3800157626965

Box Qty.
20 Pcs



Cutting Size: $\varnothing 220\text{mm}$


Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 240 \times 12\text{mm}$



Premium Series-Round
24W VT-2407RD

4872 - 3000K Warm White 3800157601559
4873 - 4000K Day White 3800157601566
4874 - 6400K White 3800157601573

Box Qty.
10 Pcs



Cutting Size: $\varnothing 285\text{mm}$


Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2000lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 300 \times 12\text{mm}$



Premium Series-Square

3W VT-3075Q

6295 - 3000K Warm White	3800157616782
6296 - 4000K Day White	3800157616799
6297 - 6400K White	3800157616805

 Box Qty.
40 Pcs


Cutting Size: 74x73mm


Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	210lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	84x84x12mm



Premium Series-Square

6W VT-6075Q

4863 - 3000K Warm White	3800230629845
4864 - 4000K Day White	3800230629852
4865 - 6400K White	3800230629869

 Box Qty.
40 Pcs


Cutting Size: 110mm


Emergency Pack:	Available	PF:	>0.7
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	120x120x12mm



Premium Series-Square

12W VT-12075Q

4866 - 3000K Warm White	3800230629876
4867 - 4000K Day White	3800230629883
4868 - 6400K White	3800230629890

 Box Qty.
20 Pcs


Cutting Size: 155x155mm

Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	170x170x12mm




Premium Series-Square

18W VT-1807SQ

4869 - 3000K Warm White
4870 - 4000K Day White
4871 - 6400K White

3800230629906
3800230629913
3800230629920

Box Qty.
20 Pcs



Cutting Size: 205x205mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.6**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **225x225x12mm**




Premium Series-Square

24W VT-2407SQ

4887 - 3000K Warm White
4888 - 4000K Day White
4889 - 6400K White

3800157602198
3800157602204
3800157602211

Box Qty.
10 Pcs



Cutting Size: 285x285mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **300x300x12mm**




Premium Series-Round

30W VT-3107RD

6428 - 4000K Day White
6429 - 6400K White

3800157628075
3800157628082

 Box Qty.
10 Pcs
Cutting Size: $\varnothing 280\text{mm}$

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 2400lm

LED Type: SMD
CRI: >80
PF: >0.9

Beam Angle: 120°
Body Type: Aluminium
Shape: Round
Dimension: $\varnothing 300 \times 12\text{mm}$




Premium Series-Square

36W VT-3107SQ

6430 - 4000K Day White
6431 - 6400K White

3800157628099
3800157628105

 Box Qty.
10 Pcs


Cutting Size: 280x280mm

Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 2400lm

LED Type: SMD
CRI: >80
PF: >0.9

Beam Angle: 120°
Body Type: Aluminium
Shape: Square
Dimension: 300x300x12mm




SG Series-Square

8W VT-800 SQ

4818 - 6400K White

3800230622563

Box Qty.
20 Pcs



Cutting Size: 125x125mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Square**
Dimension: **145x145x20mm**




SG Series-Round

8W VT-800 RD

4821 - 6400K White

3800230622587

Box Qty.
20 Pcs



Cutting Size: \varnothing 105mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Round**
Dimension: **\varnothing 120x20mm**



SG Series-Square

15w VT-1500 SQ

4826 - 3000K Warm White


3800230622617

4825 - 4000K Day White

3800230624994

4824 - 6400K White

3800230622600

 Box Qty.
20 Pcs


Cutting Size: 140x140mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium(PKW)**
 Shape: **Square**
 Dimension: **160x160x20mm**




SG Series-Round

15w VT-1500 RD

4827 - 6400K White

3800230622624

 Box Qty.
20 Pcs


Cutting Size: Ø160mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium(PKW)**
 Shape: **Round**
 Dimension: **Ø180x20mm**




SG Series-Square

22W VT-2200 SQ

4830 - 6400K White

3800230622648

Box Qty.
20 Pcs



Cutting Size: 195x195mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Square**
Dimension: **220x220x20mm**




SG Series-Round

22W VT-2200 RD

4833 - 6400K White

3800230622662

Box Qty.
20 Pcs



Cutting Size: \varnothing 220mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Round**
Dimension: **\varnothing 240x20mm**




Trimless Panel-Round

8W **VT-888RD**

4931 - 3000K Warm White
 4932 - 4000K Day White
 4933 - 6400K White

3800157606479
 3800157606486
 3800157606493

 Box Qty.
100 Pcs
Cutting Size: $\varnothing 75\text{mm}$

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **$\varnothing 90 \times 8\text{mm}$**




Trimless Panel-Round

15W **VT-1515RD**

4934 - 3000K Warm White
 4935 - 4000K Day White
 4936 - 6400K White

3800157606509
 3800157606516
 3800157606523

 Box Qty.
40 Pcs
Cutting Size: $\varnothing 130\text{mm}$

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **$\varnothing 146 \times 8\text{mm}$**




Trimless Panel-Round

22W VT-2222RD

4937 - 3000K Warm White
4938 - 4000K Day White
4939 - 6400K White

3800157606530
3800157606547
3800157606554

Box Qty.
40 Pcs



Cutting Size: $\varnothing 155\text{mm}$

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **$\varnothing 170 \times 8\text{mm}$**




Trimless Panel-Round

29W VT-2929RD

4940 - 3000K Warm White
4941 - 4000K Day White
4942 - 6400K White

3800157606561
3800157606578
3800157606585

Box Qty.
40 Pcs



Cutting Size: $\varnothing 195\text{mm}$

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **$\varnothing 220 \times 8\text{mm}$**



Trimless Panel-Square

8W **VT-888SQ**

4943 - 3000K Warm White


4944 - 4000K Day White

4945 - 6400K White

3800157606592

3800157606608

3800157606615

 Box Qty.
100 Pcs
Cutting Size: **75x75mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Square**
 Dimension: **90x90x8mm**



Trimless Panel-Square

15W **VT-1515SQ**

4946 - 3000K Warm White


4947 - 4000K Day White

4948 - 6400K White

3800157606622

3800157606639

3800157606646

 Box Qty.
40 Pcs
Cutting Size: **130x130mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Square**
 Dimension: **146x146x8mm**




Trimless Panel-Square

22W VT-2222SQ

4949 - 3000K Warm White
4797 - 4000K Day White
4798 - 6400K White

3800157606653
3800157606660
3800157606677

Box Qty.
40 Pcs



Cutting Size: 155x155mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **170x170x8mm**




Trimless Panel-Square

29W VT-2929SQ

5031 - 3000K Warm White
5032 - 4000K Day White
5033 - 6400K White

3800157606660
3800157606677
3800157606684

Box Qty.
40 Pcs



Cutting Size: 195x195mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**


Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **220x220x8mm**



Slim Surface-Round

6W **VT-605RD**

4904 - 3000K Warm White 3800157605380
 4905 - 4000K Day White 3800157605397
 4906 - 6400K White 3800157605403

 Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø90x24mm



Slim Surface-Round

12W **VT-1205RD**

4910 - 3000K Warm White 3800157605441
 4911 - 4000K Day White 3800157605458
 4912 - 6400K White 3800157605465

 Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	900lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø140x24mm



Slim Surface-Round

18W **VT-1805RD**

4916 - 3000K Warm White 3800157605502
 4917 - 4000K Day White 3800157605519
 4918 - 6400K White 3800157605526

 Box Qty.
20 Pcs


Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1440lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø190x24mm




Slim Surface-Square

6W VT-605SQ

4907 - 3000K Warm White 3800157605410
 4908 - 4000K Day White 3800157605427
 4909 - 6400K White 3800157605434

Box Qty.
40 Pcs



Emergency Pack: **Available** PF: **>0.9**
 Voltage/Frequency: **AC:85-265V,50/60Hz** Beam Angle: **120°**
 Luminous Flux: **420lm** Body Type: **Aluminium**
 LED Type: **SMD** Shape: **Square**
 CRI: **>80** Dimension: **90x90x24mm**




Slim Surface-Square

12W VT-1205 SQ

4913 - 3000K Warm White 3800157605472
 4914 - 4000K Day White 3800157605489
 4915 - 6400K White 3800157605496

Box Qty.
40 Pcs



Emergency Pack: **Available** PF: **>0.9**
 Voltage/Frequency: **AC:85-265V,50/60Hz** Beam Angle: **120°**
 Luminous Flux: **900lm** Body Type: **Aluminium**
 LED Type: **SMD** Shape: **Square**
 CRI: **>80** Dimension: **140x140x24mm**




Slim Surface-Square

18W VT-1805SQ

4919 - 3000K Warm White 3800157605533
 4920 - 4000K Day White 3800157605540
 4921 - 6400K White 3800157605557

Box Qty.
20 Pcs



Emergency Pack: **Available** PF: **>0.9**
 Voltage/Frequency: **AC:85-265V,50/60Hz** Beam Angle: **120°**
 Luminous Flux: **1440lm** Body Type: **Aluminium**
 LED Type: **SMD** Shape: **Square**
 CRI: **>80** Dimension: **190x190x24mm**




Surface Series-Round

8W VT-1408 RD

4805 - 3000K Warm White 3800230622730
 4804 - 4000K Day White 3800230622723
 4803 - 6400K White 3800230622716

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø110x35mm




Surface Series-Round

15W VT-1415 RD

4811 - 3000K Warm White 3800230622792
 4810 - 4000K Day White 3800230622785
 4809 - 6400K White 3800230622778

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø160x35mm




Surface Series-Round

22W VT-1422 RD

4817 - 3000K Warm White 3800230622853
 4816 - 4000K Day White 3800230622846
 4815 - 6400K White 3800230622839

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2200lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø205x35mm




Surface Series-Square

8W VT-1408 SQ

- 4802 - 3000K Warm White 3800230622709
- 4801 - 4000K Day White 3800230622693
- 4800 - 6400K White 3800230622686

Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	107x107x35mm




Surface Series-Square

15W VT-1415 SQ

- 4808 - 3000K Warm White 3800230622761
- 4807 - 4000K Day White 3800230622754
- 4806 - 6400K White 3800230622747

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	155x155x35mm




Surface Series-Square

22W VT-1422 SQ

- 4814 - 3000K Warm White 3800230622822
- 4813 - 4000K Day White 3800230622815
- 4812 - 6400K White 3800230622808

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2200lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	205x205x35mm




Slim Series-Chrome-Round

6W **VT-607CH**

6334 - 3000K Warm White
6335 - 4000K Day White
6336 - 6400K White

3800157621182
3800157621199
3800157621205

 Box Qty.
40 Pcs
Cutting Size: $\varnothing 105\text{mm}$

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **420lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Chrome**
Shape: **Round**
Dimension: **$\varnothing 120 \times 25\text{mm}$**




Slim Series-Chrome-Round

12W **VT-1207CH**

6340 - 3000K Warm White
6341 - 4000K Day White
6342 - 6400K White

3800157621243
3800157621250
3800157621267

 Box Qty.
20 Pcs
Cutting Size: $\varnothing 155\text{mm}$

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Chrome**
Shape: **Round**
Dimension: **$\varnothing 170 \times 25\text{mm}$**




Slim Series-Chrome-Round

18W VT-1807CH

6346 - 3000K Warm White 3800157621304
 6347 - 4000K Day White 3800157621311
 6348 - 6400K White 3800157621328

Box Qty.
20 Pcs



Cutting Size: \varnothing 205mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Body Type: **Aluminium+Chrome**
 Shape: **Round**
 Dimension: **\varnothing 225x25mm**




Slim Series-Chrome-Round

24W VT-2407CH

6352 - 3000K Warm White 3800157621366
 6353 - 4000K Day White 3800157621373
 6354 - 6400K White 3800157621380

Box Qty.
10 Pcs



Cutting Size: \varnothing 285mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2000lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Body Type: **Aluminium+Chrome**
 Shape: **Round**
 Dimension: **\varnothing 300x25mm**




Slim Series-Satin Nickel-Round

6W **VT-607SN**

6337 - 3000K Warm White
6338 - 4000K Day White
6339 - 6400K White

3800157621212
3800157621229
3800157621236

 Box Qty.
40 Pcs
Cutting Size: $\varnothing 105\text{mm}$

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **420lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Satin Nickel**
Shape: **Round**
Dimension: **$\varnothing 120 \times 25\text{mm}$**




Slim Series-Satin Nickel-Round

12W **VT-1207SN**

6343 - 3000K Warm White
6344 - 4000K Day White
6345 - 6400K White

3800157621274
3800157621281
3800157621298

 Box Qty.
20 Pcs
Cutting Size: $\varnothing 155\text{mm}$

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Satin Nickel**
Shape: **Round**
Dimension: **$\varnothing 170 \times 25\text{mm}$**




Slim Series-Satin Nickel-Round

18W VT-1807SN

6349 - 3000K Warm White 3800157621335
 6350 - 4000K Day White 3800157621342
 6351 - 6400K White 3800157621359

Box Qty.
20 Pcs



Cutting Size: \varnothing 205mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Body Type: **Aluminium+Satin Nickel**
 Shape: **Round**
 Dimension: **\varnothing 225x25mm**




Slim Series-Satin Nickel-Round

24W VT-2407SN

6355 - 3000K Warm White 3800157621397
 6356 - 4000K Day White 3800157621403
 6357 - 6400K White 3800157621410

Box Qty.
10 Pcs



Cutting Size: \varnothing 285mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2000lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**


Beam Angle: **120°**
 Body Type: **Aluminium+Satin Nickel**
 Shape: **Round**
 Dimension: **\varnothing 300x25mm**



Slim Surface-Chrome-Round

6W VT-605CH

6358 - 3000K Warm White	3800157621427
6359 - 4000K Day White	3800157621434
6360 - 6400K White	3800157621441

 Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø90x24mm



Slim Surface-Chrome-Round

12W VT-1205CH

6364 - 3000K Warm White	3800157621489
6365 - 4000K Day White	3800157621496
6366 - 6400K White	3800157621502

 Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø140x24mm



Slim Surface-Chrome-Round

18W VT-1805CH

6370 - 3000K Warm White	3800157621540
6371 - 4000K Day White	3800157621557
6372 - 6400K White	3800157621564

 Box Qty.
20 Pcs


Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø190x24mm




Slim Surface-Satin Nickel-Round

6W VT-605SN

- 6361 - 3000K Warm White 3800157621458
- 6362 - 4000K Day White 3800157621465
- 6363 - 6400K White 3800157621472

Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium+Satin Nickel
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø90x24mm




Slim Surface-Satin Nickel-Round

12W VT-1205SN

- 6367 - 3000K Warm White 3800157621519
- 6368 - 4000K Day White 3800157621526
- 6369 - 6400K White 3800157621533

Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium+Satin Nickel
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø140x24mm




Slim Surface-Satin Nickel-Round

18W VT-1805SN

- 6373 - 3000K Warm White 3800157621571
- 6374 - 4000K Day White 3800157621588
- 6375 - 6400K White 3800157621595

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium+Satin Nickel
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø190x24mm




Twin LED-Square

8W VT-809SQ

4922 - 3000K Warm White 3800157605564
 4923 - 4000K Day White 3800157605571
 4924 - 6400K White 3800157605588

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	142x142x40mm




Twin LED-Square

15W VT-1509SQ

4925 - 3000K Warm White 3800157605595
 4926 - 4000K Day White 3800157605601
 4927 - 6400K White 3800157605618

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	192x192x40mm




Twin LED-Square

22W VT-2209SQ

4928 - 3000K Warm White 3800157605625
 4929 - 4000K Day White 3800157605632
 4930 - 6400K White 3800157605649

Box Qty.
20 Pcs




Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2200lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	240x240x40mm



Twin LED-Round
8W VT-809RD

4890 - 3000K Warm White 3800157602594
4891 - 4000K Day White 3800157602600
4892 - 6400K White 3800157602617

Box Qty.
20 Pcs




Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	142x40mm



Twin LED-Round
15W VT-1509RD

4893 - 3000K Warm White 3800157602624
4894 - 4000K Day White 3800157602631
4895 - 6400K White 3800157602648

Box Qty.
20 Pcs




Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	192x40mm



Twin LED-Round
22W VT-2209RD

4896 - 3000K Warm White 3800157602655
4897 - 4000K Day White 3800157602662
4898 - 6400K White 3800157602679

Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2200lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	240x40mm




Glass Panel-Round

6W VT-602G RD

4740 - 3000K Warm White 3800230622891
 6277 - 4000K Day White 3800157615754
 4739 - 6400K White 3800230622884

Box Qty.
40 Pcs



Cutting Size: $\varnothing 75\text{mm}$

Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium+Glass
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 100 \times 40\text{mm}$




Glass Panel-Round

12W VT-1202G RD

4744 - 3000K Warm White 3800230622938
 6279 - 4000K Day White 3800157615778
 4743 - 6400K White 3800230622921

Box Qty.
20 Pcs



Cutting Size: $\varnothing 120\text{mm}$

Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	840lm	Body Type:	Aluminium+Glass
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 160 \times 40\text{mm}$




Glass Panel-Round

18W VT-1881G RD

4760 - 3000K Warm White 3800230622976
 6281 - 4000K Day White 3800157615792
 4759 - 6400K White 3800230622969

Box Qty.
20 Pcs



Cutting Size: $\varnothing 145\text{mm}$

Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1260lm	Body Type:	Aluminium+Glass
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	$\varnothing 198 \times 40\text{mm}$




Glass Panel-Square

6W VT-602G SQ

4738 - 3000K Warm White 3800230622877
 6276 - 4000K Day White 3800157615747
 4737 - 6400K White 3800230622860

Box Qty.
40 Pcs



Cutting Size: 75x75mm

Emergency Pack: **Available** PF: >0.9
 Voltage/Frequency: **AC:100-240V,50/60Hz** Beam Angle: **120°**
 Luminous Flux: **420lm** Body Type: **Aluminium+Glass**
 LED Type: **SMD** Shape: **Square**
 CRI: >80 Dimension: **100x100x40mm**




Glass Panel-Square

12W VT-1202G SQ


4742 - 3000K Warm White 3800230622914
 6278 - 4000K Day White 3800157615761
 4741 - 6400K White 3800230622907

Box Qty.
20 Pcs



Cutting Size: 120x120mm

Emergency Pack: **Available** PF: >0.9
 Voltage/Frequency: **AC:100-240V,50/60Hz** Beam Angle: **120°**
 Luminous Flux: **840lm** Body Type: **Aluminium+Glass**
 LED Type: **SMD** Shape: **Square**
 CRI: >80 Dimension: **160x160x40mm**




Glass Panel-Square

18W VT-1881G SQ

4746 - 3000K Warm White 3800230622952
 6280 - 4000K Day White 3800157615785
 4745 - 6400K White 3800230622945

Box Qty.
20 Pcs



Cutting Size: 145x145mm

Emergency Pack: **Available** PF: >0.9
 Voltage/Frequency: **AC:100-240V,50/60Hz** Beam Angle: **120°**
 Luminous Flux: **1260lm** Body Type: **Aluminium+Glass**
 LED Type: **SMD** Shape: **Square**
 CRI: >80 Dimension: **198x198x40mm**



6w

Box Qty.
200 Pcs

SKU Code: **8073**
Dimmable: **Yes**
Voltage: **AC:180-240V,50/60Hz**
EAN Code: **3800157605823**



12w

Box Qty.
200 Pcs

SKU Code: **8074**
Dimmable: **Yes**
Voltage: **AC:180-240V,50/60Hz**
EAN Code: **3800157605830**



18w

Box Qty.
200 Pcs

SKU Code: **8075**
Dimmable: **Yes**
Voltage: **AC:180-240V,50/60Hz**
EAN Code: **3800157605847**



18/24w

Box Qty.
50 Pcs

SKU Code: **8070**
Dimmable: **Yes**
Voltage: **AC:180-240V,50/60Hz**
EAN Code: **3800157616836**



24w

Box Qty.
200 Pcs

SKU Code: **8076**
Dimmable: **Yes**
Voltage: **AC:180-240V,50/60Hz**
EAN Code: **3800157605946**



LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.



Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or Mercury content hence Environment friendly
- No Ultraviolet or Infrared rays
- Long Lifespan, Low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm
- Ballast or Starter NOT REQUIRED - DIRECT AC POWER

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R



Box Qty. **25Pcs**

- 6229 - 3000K Warm White 3800157605212
- 6230 - 4000K Day White 3800157605229
- 6231 - 6400K White 3800157605236



3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Dummy Starter Included

EQ. Watts:	18w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	850lm	Body Type:	Nano Plastic	Gross weight:	125g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-60cm

10w VT-6072-NR



Box Qty. **25Pcs**

- 6392 - 3000K Warm White 3800157625296
- 6393 - 4000K Day White 3800157625302
- 6394 - 6400K White 3800157625319



3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Dummy Starter Included

EQ. Watts:	18w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	850lm	Body Type:	Nano Plastic	Gross weight:	126.4g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s		



T8-Nano Plastic-90cm

14w VT-9077

 Box Qty.
25Pcs

 6272 - 4000K Day White
 6262 - 6400K White

 3800157615419
 3800157612128

Substrate for 10-12 hours daily usage of the product for 24 hours a day
 would void warranty.

**Dummy Starter
 Included**

EQ. Watts: **25w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1200lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **160°**
 Body Type: **Nano Plastic**
 Holder: **G13**
 Instant start: **0-100% in < 1s**

On/Off: **>15,000**
 Life span: **20,000 Hours**
 Gross weight: **145.6g**
 Dimension: **27.9x900mm**



T8-Nano Plastic-120cm

18w VT-1277

 Box Qty.
25 Pcs

 6263 - 3000K Warm White
 6273 - 4000K Day White
 6264 - 6400K White

 3800157612135
 3800157615426
 3800157612142

Substrate for 10-12 hours daily usage of the product for 24 hours a day
 would void warranty.

**Dummy Starter
 Included**

EQ. Watts: **36w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1700lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **160°**
 Body Type: **Nano Plastic**
 Holder: **G13**
 Instant start: **0-100% in < 1s**

On/Off: **>15,000**
 Life span: **20,000 Hours**
 Gross weight: **200g**
 Dimension: **27.9x1200mm**

T8-Nano Plastic-150cm

22W VT-1577

Box Qty.
25 Pcs



6265 - 3000K Warm White
6309 - 4000K Day White
6310 - 6400K White

3800157612159
3800157617437
3800157617444



3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included

EQ. Watts:	58w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	2000lm	Body Type:	Nano Plastic	Gross weight:	283.4g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-Rotatable-High Lu-

9w VT-6085

Box Qty.
25 Pcs

6299 - 3000K Warm White
6301 - 4000K Day White
6302 - 6400K White


3800157617345
3800157617352
3800157617369



5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120+ LUMENS PER WATT
SUPER EFFICIENT



Dummy Starter
Included



EQ. Watts:	25w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	1100lm	Body Type:	Nano Plastic	Gross weight:	125g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s		



T8-Nano Plastic-High Lumen-120cm

18w VT-1285

 Box Qty.
25 Pcs

6305 - 6400K White

3800157617390


120+ LUMENS
PER WATT
SUPER EFFICIENT
Dummy Starter
Included

EQ. Watts: 45w

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 160°

Body Type: Nano Plastic

Holder: G13

Instant start: 0-100% in < 1s

On/Off: >15,000

Life span: 30,000 Hours

Gross weight: 200g

Dimension: 27.9x1200mm

T8-Nano Plastic-High Lumen-150cm

22w VT-1585

 Box Qty.
25 Pcs

6306 - 3000K Warm White


6307 - 4000K Day White

6308 - 6400K White

3800157617406

3800157617413

3800157617420


120+ LUMENS
PER WATT
SUPER EFFICIENT
Dummy Starter
Included

EQ. Watts: 75w

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 3000lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 160°

Body Type: Nano Plastic

Holder: G13

Instant start: 0-100% in < 1s

On/Off: >15,000

Life span: 30,000 Hours

Gross weight: 1000g

Dimension: 27.9x1500mm

T8-Nano Plastic-60cm


18w VT-6077

6313 - 4000K Day White
6314 - 6400K White

Box Qty.
10 Pcs

3800157618656
3800157618663

120 LUMENS
+ PER WATT
SUPER EFFICIENT



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	2500lm	Body Type:	Nano Plastic	Gross weight:	290g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x549mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-120cm

36w VT-12077

6315 - 4000K Day White
6316 - 6400K White

Box Qty.
10 Pcs

3800157618670
3800157618687

120 LUMENS
+ PER WATT
SUPER EFFICIENT





EQ. Watts:	72w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	4500lm	Body Type:	Nano Plastic	Gross weight:	400g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x1149mm
CRI:	>80	Instant start :	0-100% in < 1s		

T5-Glass Plastic-60cm

8w VT-6005
 Box Qty.
25 Pcs

 6318 - 4000K Day White
 6319 - 6500K White



 3800157619271
 3800157619288


EQ. Watts:	14w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	800lm	Body Type:	Glass with PET	Gross weight:	120g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x549mm
CRI:	>80	Instant start :	0-100% in < 1s		

T5-Glass Plastic-120cm

16w VT-1225
 Box Qty.
25 Pcs

 6320 - 4000K Day White
 6321 - 6500K White



 3800157619295
 3800157619301


EQ. Watts:	28w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1600lm	Body Type:	Glass with PET	Gross weight:	208g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x1149mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Aluminium Plastic-180cm

40w VT-1840
 Box Qty.
25 Pcs

 6251 - 4500K Day White
 6250 - 6000K White

 3800157607841
 3800157607834


EQ. Watts:	80w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°	Life span:	20,000 Hours
Luminous Flux:	3800lm	Body Type:	Aluminium+PC	Gross weight:	800g
LED Type:	SMD	Holder:	G13	Dimension:	28x1800mm
CRI:	>80	Instant start :	0-100% in < 1s		



T8 Bread Tube-120cm

18w VT-1228-B

Box Qty.
25 Pcs

SKU-6322

3800157619318



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CR:	>95	Instant start :	0-100% in < 1s		


T8 Meat Tube-120cm

18w VT-1228-M

Box Qty.
25 Pcs

SKU-6323

3800157619325



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50/60Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CR:	>95	Instant start :	0-100% in < 1s		

T8 Vegetable Tube-120cm



18w

VT-1228-V

 Box Qty.
25 Pcs

SKU-6324

3800157619332



EQ. Watts: 36w
Voltage/Frequency: AC:180-240V,50Hz
Luminous Flux: 1530lm
LED Type: SMD
CRI: >95

PF: >0.9
Beam Angle: 160°
Body Type: Glass with PET
Holder: G13
Instant start: 0-100% in < 1s

On/Off: >15,000
Life span: 20,000 Hours
Gross weight: 320g
Dimension: 26x1200mm

T8 Seafood Tube-120cm



18w

VT-1228-S

 Box Qty.
25 Pcs

SKU-6325

3800157619349



EQ. Watts: 36w
Voltage/Frequency: AC:180-240V,50/60Hz
Luminous Flux: 1530lm
LED Type: SMD
CRI: >95

PF: >0.9
Beam Angle: 160°
Body Type: Glass with PET
Holder: G13
Instant start: 0-100% in < 1s

On/Off: >15,000
Life span: 20,000 Hours
Gross weight: 320g
Dimension: 26x1200mm

T8 Plant Tube-120cm



18w

VT-1228-P

 Box Qty.
25 Pcs

SKU-6326

3800157619356



EQ. Watts: 36w
Voltage/Frequency: AC:180-240V,50Hz
Luminous Flux: 860lm
LED Type: SMD
CRI: >95

PF: >0.9
Beam Angle: 160°
Body Type: Glass with PET
Holder: G13
Instant start: 0-100% in < 1s

On/Off: >15,000
Life span: 20,000 Hours
Gross weight: 320g
Dimension: 26x1200mm



Tube-Batten Fitting

VT-16011

Box Qty.
20 Pcs

SKU Code: **6053**
Body Type: **Aluminium**
Size: **60x2mm**
EAN Code: **3800230624659**



Tube-Batten Fitting

VT-12020

Box Qty.
20 Pcs

SKU Code: **6054**
Body Type: **Aluminium**
Size: **1200mm**
EAN Code: **3800230624666**



Tube-Batten Fitting

VT-12021

Box Qty.
12 Pcs

SKU Code: **6055**
Body Type: **Aluminium**
Size: **1200x2mm**
EAN Code: **3800230624673**



Tube-Batten Fitting

VT-15020

Box Qty.
20 Pcs

SKU Code: **6056**
Body Type: **Aluminium**
Size: **1500mm**
EAN Code: **3800230624680**



Tube-Batten Fitting

VT-15021

Box Qty.
12 Pcs

SKU Code: **6057**
Body Type: **Aluminium**
Size: **1500x2mm**
EAN Code: **3800230624697**

Batten Fitting-Linkable

40w VT-80404

 Box Qty.
10 Pcs

6389 - 3000K Warm White 3800157625104
 6390 - 4000K Day White 3800157625111
 6391 - 6400K White 3800157625128



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 3200lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 110°

Body Type: AL+PC

On/Off: >15,000

Life span: 30,000 Hours

Gross weight: 780g


Dimension: 1200x75x26mm

Prismatic Fitting-30cm

10w VT-8013

 Box Qty.
10 Pcs

4987 - 3000K Warm White 3800157601955



Sensor Compatible: Yes

Voltage/Frequency: AC:200-240V,50Hz

Luminous Flux: 900lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 110°

Body Type: Aluminium+Plastic

On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 260g

Dimension: 300x75x25mm


T5-With Fitting-30cm

4W VT-3033

Box Qty. 50 Pcs

6166 - 3000K Warm White
6167 - 4500K Day White
6168 - 6000K White

3800230629159
3800230629166
3800230629173



Upto 5Pcs Interlinkable



Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours
Luminous Flux:	360lm	Beam Angle:	120°	Gross weight:	140g
LED Type:	SMD	Body Type:	Plastic	Dimension:	300x22x33mm


T5-With Fitting-60cm

7W VT-6073

Box Qty. 50 Pcs

6169 - 3000K Warm White
6170 - 4500K Day White
6171 - 6000K White

3800230629180
3800230629197
3800230629203



Upto 5Pcs Interlinkable



Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	630lm	Beam Angle:	120°	Gross weight:	210g
LED Type:	SMD	Body Type:	Plastic	Dimension:	600x22x33mm


T5-With Fitting-120cm

14W VT-1273

Box Qty. 50 Pcs

6172 - 3000K Warm White
6173 - 4500K Day White
6174 - 6000K White

3800230629210
3800230629227
3800230629234



Upto 5Pcs Interlinkable



Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	1260lm	Beam Angle:	120°	Gross weight:	300g
LED Type:	SMD	Body Type:	Plastic	Dimension:	1200x22x33mm


Cabinet Fitting

10w VT-8112

 Box Qty.
12 Pcs

5068 - 3000K Warm White
5069 - 4500K Day White
5070 - 6000K White

3800157606714
3800157606721
3800157606738

Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:220-240V,50/60Hz**PF: **>0.9**Life span: **20,000 Hours**Luminous Flux: **800lm**Beam Angle: **110°**Gross weight: **600g**LED Type: **SMD**Body Type: **Aluminium Body,**Dimension: **579x78x35mm**


Wall Fitting-60cm

10w VT-8111

 Box Qty.
25 Pcs

5071 - 3000K Warm White
5072 - 4500K Day White
5073 - 6000K White

3800157606745
3800157606752
3800157606769

Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:85-265V,50/60Hz**PF: **>0.6**Life span: **20,000 Hours**Luminous Flux: **900lm**Beam Angle: **120°**Gross weight: **240g**LED Type: **SMD**Body Type: **Aluminium+PC**Dimension: **600x32x25mm**


Wall Fitting-120cm

20w VT-8121

 Box Qty.
25 Pcs

5074 - 3000K Warm White
5075 - 4500K Day White
5076 - 6000K White

3800157606776
3800157606783
3800157606790

Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:85-265V,50/60Hz**PF: **>0.6**Life span: **20,000 Hours**Luminous Flux: **1800lm**Beam Angle: **120°**Gross weight: **370g**LED Type: **SMD**Body Type: **Aluminium+PC**Dimension: **1200x32x25mm**

LED Waterproof Fittings

Introducing our IP65 Ingress Protection Waterproof tubes, built dust-tight allowing it to resist rain and jets of water.



Product Features

- Luminous efficacy up to 120lm/W and 80lm/W
- Easy to install
- IP65, free from water and dirt
- Without opening the lampshade for direct wiring
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture


Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

Waterproof Fitting-Tubes

36w VT-12023
 Box Qty.
10 Pcs


 6387 - 4000K Day White
 6399 - 6400K White

 3800157625036
 3800157626385

**2 LED TUBES
INCLUDED**
Voltage/Frequency: **AC:200-240V,50/60Hz**Beam Angle: **120°**On/Off: **>10,000**Luminous Flux: **3400lm**Body Type: **ABS+PC**Life span: **30,000 Hours**CRI: **>80**IP Rating: **IP65**Gross weight: **1.33 kg**PF: **>0.9**LED Type: **SMD**Dimension: **1260x112x63mm**

Waterproof Fitting-Tubes

44w VT-15022
 Box Qty.
10 Pcs

 6388 - 4000K Day White
 6400 - 6400K White

 3800157625043
 3800157626392

**2 LED TUBES
INCLUDED**
Voltage/Frequency: **AC:200-240V,50/60Hz**Beam Angle: **120°**On/Off: **>10,000**Luminous Flux: **4000lm**Body Type: **ABS+PC**Life span: **30,000 Hours**CRI: **>80**IP Rating: **IP65**Gross weight: **1.65 kg**PF: **>0.9**LED Type: **SMD**Dimension: **1560x112x63mm**


Waterproof Fitting-G Series

18w VT-6076

Box Qty.
12 Pcs

6283 - 4000K Day White
6282 - 6400K White

3800157616478
3800157616461



Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1440lm**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **ABS+PC**
IP Rating: **IP65**
LED Type: **SMD**

On/Off: **>10,000**
Life span: **20,000 Hours**
Gross weight: **0.60 kg**
Dimension: **600x65x58mm**


Waterproof Fitting-G Series

36w VT-1249

Box Qty.
12 Pcs

6285 - 4000K Day White
6284 - 6400K White

3800157616492
3800157616485



Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **2880lm**
CRI: **>70**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **ABS+PC**
IP Rating: **IP65**
LED Type: **SMD**


On/Off: **>10,000**
Life span: **20,000 Hours**
Gross weight: **0.60 kg**
Dimension: **1200x65x58mm**

Waterproof Fitting-G Series

48W VT-1574

 Box Qty.
12 Pcs

 6287 - 4000K Day White
 6286 - 6000K White

 3800157616515
 3800157616508


Voltage/Frequency: AC:220-240V,50Hz

Beam Angle: 120°

On/Off: >10,000

Luminous Flux: 3840lm

Body Type: ABS+PC

Life span: 20,000 Hours

CRI: >70

IP Rating: IP65

Gross weight: 1.1 kg

PF: >0.9

LED Type: SMD


Dimension: 1500x65x58mm

Waterproof Fitting

18W VT-6048

 Box Qty.
12 Pcs

 6198 - 4500K Day White
 6199 - 6000K White

 3800157603256
 3800157603263


Voltage/Frequency: AC:200-240V,50Hz

Beam Angle: 120°

On/Off: >10,000

Luminous Flux: 1440lm

Body Type: Plastic

Life span: 20,000 Hours

CRI: >70

IP Rating: IP65

Gross weight: 0.80 kg

PF: >0.9

LED Type: SMD


Dimension: 600x76x66mm

Waterproof Fitting
36w VT-1248

6200 - 4500K Day White
6201 - 6000K White

Box Qty.
12 Pcs

3800157603270
3800157603287




Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	120°	On/Off:	>10,000
Luminous Flux:	2880lm	Body Type:	Plastic	Life span:	20,000 Hours
CRI:	>70	IP Rating:	IP65	Gross weight:	1.42 kg
PF:	>0.9	LED Type:	SMD	Dimension:	1200x76x66mm

Waterproof Fitting
48w VT-1548

6184 - 4500K Day White
6185 - 6000K White

Box Qty.
12 Pcs

3800157602389
3800157602396



Voltage/Frequency:	AC:200-240V,50/60Hz	Beam Angle:	120°	On/Off:	>10,000
Luminous Flux:	3920lm	Body Type:	Plastic	Life span:	20,000 Hours
CRI:	>70	IP Rating:	IP65	Gross weight:	1.86 kg
PF:	>0.7	LED Type:	SMD	Dimension:	1480x76x66mm


Waterproof Fitting

60W VT-1260 SMD

 Box Qty.
9 Pcs

6062 - 6000K White

3800230625212


120+ LUMENS
PER WATT

SUPER EFFICIENT


Voltage/Frequency: AC:200-240V,50Hz

Luminous Flux: 7200lm

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Aluminium

IP Rating: IP65

LED Type: SMD

On/Off: >10,000


Life span: 20,000 Hours

Gross weight: 2.15 kg

Dimension: 1200x86x70mm

Waterproof Fitting

70W VT-1573

 Box Qty.
6 Pcs
6266 - 4000K Day White
6267 - 6000K White3800157612586
3800157612593
120+ LUMENS
PER WATT

SUPER EFFICIENT


Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 8400lm

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Aluminium

IP Rating: IP65

LED Type: SMD

On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 2.75 kg

Dimension: 1500x86x70mm


Waterproof-Emergency Kit

36W VT-1250

Box Qty. **12 Pcs**

6448 - 4000K Day White
6449 - 6500K White

3800157632126
3800157632133



**Waterproof
Emergency Kit**

Charging Time: 24 Hours
Emergency Operation Time: 3 Hours
Emergency Switch on time: <1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	O/P Emmergency:	7W Max
Battery Type:	9.6V 2200mAh Ni-Cd	Beam Angle:	120°	Ambient Temp:	50 max
Luminous Flux:	2880lm	Body Type:	ABS+PC	Gross weight:	1.9 kg
LED Type:	SMD	IP Rating:	IP65	Dimension:	1200x76x66mm
CRI:	>70	Life span:	20,000 Hours		


Waterproof-Emergency Kit

48W VT-1550

Box Qty. **12 Pcs**

6446 - 4000K Day White
6447 - 6500K White

3800157632102
3800157632119



**Waterproof
Emergency Kit**

Charging Time: 24 Hours
Emergency Operation Time: 3 Hours
Emergency Switch on time: <1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	O/P Emmergency:	7W Max
Battery Type:	9.6V 2200mAh Ni-Cd	Beam Angle:	120°	Ambient Temp:	50 max
Luminous Flux:	3920lm	Body Type:	ABS+PC	Gross weight:	2.35 kg
LED Type:	SMD	IP Rating:	IP65	Dimension:	1500x76x66mm
CRI:	>70	Life span:	20,000 Hours		

LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.



Product Features

- Powerful LED light source with a unique design
- Extensive Options can replace all types of Standard MH Highbays
- Aluminium Diffuser with multiple Beam Angle's to choose from 45°D / 90°D / 120°D
- Shatter Proof Perspex Lens
- High Thermal Conductivity, Low Luminous Decay, Pure Colours & No Heavy Shade
- The unique design of Radiator fuses with the Lamp Box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

Applications

Perfect fit for Industrial Usage, Warehouse & Super Markets, Workshops, Factories, Warehouses, Highway, toll Stations, Gas Stations, Malls, Exhibition Halls, Stadiums & other vast areas.



UFO-High Lumen-Meanwell Driver

100w VT-9120


5550 - 4500K Day White

3800157619714


Box Qty.
1 Pcs

5 V-TAC[®] PRO
YEAR WARRANTY

*Guarantee for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Luminous Intensity Distribution Curve



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	Ø280x162mm



UFO-High Lumen-Meanwell Driver

100w VT-9107

5587 - 4000K Day White

3800157622295


5588 - 6400K White

3800157622301


Box Qty.
4 Pcs

5 V-TAC[®] PRO
YEAR WARRANTY

*Guarantee for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	13000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	280x165mm




UFO-High Lumen-Meanwell Driver

100w VT-9117

5585 - 4000K Day White
5586 - 6400K White3800157622271
3800157622288
 Box Qty.
4 Pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	13000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	> 70	Dimension:	280x165mm




UFO-High Lumen-Meanwell Driver

150w VT-9167


5592 - 6400K White

3800157622349

 Box Qty.
2 Pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	19500lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	> 70	Dimension:	340x171mm



UFO-High Lumen-Meanwell Driver
200w VT-9217


5594 - 6400K White

3800157622363


Box Qty.
2 Pcs

5 V-TAC[®] PRO
YEAR WARRANTY

*Guarantee for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	26000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	400x187mm



UFO-High Lumen-Meanwell Driver
200w VT-9207


5595 - 4000K White

3800157622370


Box Qty.
2 Pcs

5 V-TAC[®] PRO
YEAR WARRANTY

*Guarantee for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	26000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	400x187mm



UFO-High Lumen-Meanwell Driver



500w VT-9500

5607 - 4000K Day White
5608 - 6400K White3800157625050
3800157625067
 Box Qty.
1 Pcs

5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:90-295V,50Hz	Beam Angle:	120°
Luminous Flux:	65000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	> 80	Dimension:	Ø360






UFO-Highbay-120°
50w VT-9053

5554 - 4500K Day White
5555 - 6400K White

3800157620895
3800157620901

 Box Qty.
4 Pcs



▲120°
BEAM ANGLE

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	Ø221x85mm





UFO-Highbay-120°

50w VT-9065-W

5609 - 3000K Warm White


5610 - 4000K Day White


5611 - 6400K White

3800157626507


3800157626514

3800157626521



 120°
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 4000lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP44

Dimension: 220x114mm



UFO-Highbay-120°

100w VT-9115-W

5612 - 3000K Warm White

5613 - 4000K Day White


5614 - 6400K White

3800157626538


3800157626545

3800157626552



 120°
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 8000lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP44

Dimension: 280x131mm




UFO-Highbay-120°
50w VT-9065

5557 - 4000K Day White
5558 - 6400K White


3800157621946
3800157621953

Box Qty.
8 Pcs

120°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	220x114mm




UFO-Highbay-90°
50w VT-9055

5559 - 4000K Day White
5560 - 6400K White


3800157621960
3800157621977

Box Qty.
8 Pcs

90°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	90°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	220x114mm




UFO-Highbay-120° 100w VT-9115-B


5574 - 6400K White

3800157621991

 Box Qty.
4 Pcs

 120°
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

PF: >0.9

Voltage/Frequency: AC:220-240V,50Hz

Beam Angle: 120°

Luminous Flux: 8000lm

Body Type: Die Cast Aluminium

LED Type: SMD

IP Rating: IP44

CRI: >70

Dimension: 280x131mm




UFO-Highbay-90° 100w VT-9105

5575 - 4000K Day White
5576 - 6400K White


3800157622004

3800157622011

 Box Qty.
4 Pcs

 90°
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

PF: >0.9

Voltage/Frequency: AC:220-240V,50Hz

Beam Angle: 90°

Luminous Flux: 8000lm

Body Type: Die Cast Aluminium

LED Type: SMD

IP Rating: IP44

CRI: >70

Dimension: 280x131mm




UFO-Highbay-120°
150W VT-9175

5577 - 4000K Day White
5578 - 6400K White


3800157622028
3800157622035

Box Qty.
2 Pcs

120°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	340x138mm




UFO-Highbay-90°
150W VT-9165

5580 - 6400K White


3800157622059

Box Qty.
2 Pcs

90°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	90°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	340x138mm




UFO-Highbay-120° 200W VT-9215

5581 - 4000K Day White
5582 - 6400K White


3800157622066
3800157622073

Box Qty.
2 Pcs

120°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **16000lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **400x115mm**




UFO-Highbay-90° 200W VT-9205

5583 - 4000K Day White
5584 - 6400K White


3800157622080
3800157622097

Box Qty.
2 Pcs

90°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **16000lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **90°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **400x115mm**




 **120°**
BEAM ANGLE

100⁺⁺ LM/W
HIGH LUMENS

NEW
LINEAR
LOWBAY

Narrow distribution fixtures are ideal for aisles or higher ceilings. Placing fixtures parallel to aisles is approximately 50% more efficient than a perpendicular alignment and decreases eye strain. This layout is also easier to control with motion sensors. Wide distribution fixtures are better suited for open areas.




Box Qty.
1 Pcs

Linear Highbay-120° 100w VT-9108


5599 - 4000K Day White
5600 - 6000K White

3800157624909
3800157624916

120°
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	10000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	625x110x115mm




Box Qty.
1 Pcs

Linear Highbay-120° 150w VT-9158


5601 - 4000K Day White
5602 - 6000K White

3800157624923
3800157624930

120°
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	15000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	898x110x115mm




Box Qty.
1 Pcs

Linear Highbay-120°
200w VT-9208


5603 - 4000K Day White
5604 - 6000K White

3800157624947
3800157624954

120°
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	20000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	1170x110x115mm




Box Qty.
1 Pcs

Linear Highbay-120°
300w VT-9308

5605 - 4000K Day White
5606 - 6000K White

3800157624961
3800157624978


120°
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	30000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	1717x110x115mm

LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.



Product Features

- Perfect replacement for traditional lights
- Saves 80% Electricity cost, Better Efficiency and Longer Life Span
- Dedicated IP65 Sealed Optical Cavities
- Optically Optimized Glass Lenses
- Uniformity in Light Distribution - Maximizes Efficiency
- Fully Operational in Extreme Weather up to -25° Celsius
- Low maintenance & Low Power consumption
- Reduced CO² emissions

Applications

Out Door Applications like Streets, Projects, Cross Roads, Tunnels, Car Parks, Industrial Facilities etc.

Streetlight
30w VT-15030ST





5487 - 4000K Day White
5488 - 6400K White

3800157623469
3800157623476

Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	2400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	175x373x52mm

Streetlight-Photo Cell Sensor
30w VT-15031ST





5489 - 4000K Day White
5490 - 6400K White

3800157623483
3800157623490

Box Qty.
1 Pcs

IP65
RATING



PHOTOCELL SENSOR
Auto Turns On At Night
Auto Turns Off At Day Time

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	2400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	175x373x52mm

Streetlight

50w VT-15051ST



5491 - 4000K Day White
5492 - 6400K White

3800157623506
3800157623513



Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	213.5x460x62mm

Streetlight-Photo Cell Sensor

50w VT-15052ST



5493 - 4000K Day White
5494 - 6400K White

3800157623520
3800157623537



Box Qty.
1 Pcs

IP65
RATING



PHOTOCELL SENSOR
Auto Turns On At Night
Auto Turns Off At Day Time

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	213.5x460x62mm

Streetlight

100w VT-15101ST





5495 - 4000K Day White
5496 - 6400K White

3800157623544
3800157623551

Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	8000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	264x538x68mm

Streetlight

120w VT-15123ST





5497 - 4000K Day White
5498 - 6400K White

3800157623568
3800157623575

Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	9600lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	264x538x68mm




Streetlight
150w VT-15156ST

5499 - 4000K Day White
5500 - 6400K White

3800157623582
3800157623599




Box Qty.
1 Pcs




316mm

635mm

80 mm



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	316x635x80mm




Streetlight-High Lumen
30w VT-15131ST

5473 - 6000K White


Box Qty.
1 Pcs

IP65
RATING

120 LUMENS PER WATT
SUPER EFFICIENT



Sensor Compatible:	Yes	PF:	>0.95
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	3720lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>75	Dimension:	400x180x55mm



Streetlight-High Lumen
50w VT-15151ST


5475 - 4500K Day White
5476 - 6000K White

3800157608770
3800157608787

Box Qty.
1 Pcs

IP65
RATING

120 LUMENS PER WATT
SUPER EFFICIENT




Sensor Compatible:	Yes	PF:	>0.95
Voltage/Frequency:	AC:100-240V,50Hz	Beam Angle:	100°
Luminous Flux:	6200lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>75	Dimension:	477x216x55mm

new!



Streetlight

50w VT-15050ST

9757 - 6000K White

 Box Qty.
1 Pcs
IP65
 RATING


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4250lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	495x210x55mm


new!


Streetlight-High Lumen

100w VT-15105ST

 5501 - 3000K Warm White
 5477 - 4500K Day White

 3800157634595
 3800157608794

 Box Qty.
1 Pcs
IP65
 RATING

120 LUMENS PER WATT
SUPER EFFICIENT

Sensor Compatible:	Yes	PF:	>0.90
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	12400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	566x268x62mm




Adapter
VT-795

3624



Box Qty.
10 Pcs

3800157608152



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



Adapter
VT-795-1

3668



Box Qty.
12 Pcs

3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.



Product Features

- LED strip is a low Voltage flexible Ribbon available in DC:12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades
- Available in DC:12V and 220V with different color range from Warm White to RGB
- Available in IP20 and IP65 rating
- Available in 8mm or 10mm width
- Available in 1 or 1.5 meter rigid bar options with different options of Aluminium Profiles

Applications

Ideal for illuminating Borders, Edges, Cabinets, Bars and any area with limited space for installation.



Blister Pack



Bed Lights-PIR Sensor

3W

VT-8067

Box Qty. **25 Pcs**

2548 - 3000K Warm White
2549 - 4500K Day White

3800157628433
3800157628440

Watts: 3w
Voltage: DC:12V
LED/M: 30
Strips length: 1.2 m x1
Sensor Distance: 2-5m
Delay time: 30sec, 130sec, 380sec



Blister Pack



Bed Lights-PIR Sensor

6W

VT-8068

Box Qty. **18 Pcs**

2550 - 3000K Warm White
2551 - 4500K Day White

3800157628457
3800157628464

Watts: 6w
Voltage: DC:12V
LED/M: 30
Strips length: 1.2 m x2
Sensor Distance: 2-5 m
Delay time: 30sec, 130sec, 380sec



Strip Sets-5050 60 LEDs

10w

VT-5050 60 IP20-Set

2545 - 3000K Warm White	3800157626804
2546 - 6000K White	3800157626811
2544 - RGB	3800157625975



Box Qty.
20 Pcs

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm



BS PLUG



Strip Sets-5050 60 LEDs

10w

VT-5050 60 IP20-RGB Set

2558-RGB	3800157634144
----------	---------------



Box Qty.
20 Pcs

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm



EU PLUG



Tape-2835 240 LEDs-High Lumen

18w VT-2835 240-H

2164 - 3000K Warm White 3800157610117
 2165 - 4500K Day White 3800157610124
 2166 - 6000K White 3800157610131



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	240	Width:	10mm

3000 LUMENS
PER METER
SUPER EFFICIENT

Tape-2835 204 LEDs

18w VT-2835 204

2461 - 3000K Warm White 3800157612234
 2462 - 4500K Day White 3800157612241
 2463 - 6000K White 3800157612258



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm

Tape-5730 120 LEDs-High Lumen

18w

VT-5730 120

2162 - 3000K Warm White	3800157610094
2163 - 4500K Day White	3800157610100
2161 - 6000K White	3800157610087



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm

CRI >95

3000 LUMENS
PER METER
SUPER EFFICIENT

Tape-5050 30 LEDs

4.8w

VT-5050 30-IP20

2135 - 3000K Warm White	3800230621405
2133 - 6000K White	3800230621382
2124 - RGB	3800230621535



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14-16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	30	Width:	10mm

Tape-5050 30 LEDs

4.8W VT-5050 30-IP65

2145 - 3000K Warm White	3800230621412
2460 - 4500K Day White	3800157612166
2144 - 6000K White	3800230621399
2118 - RGB	3800230621528



LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14 -16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	30	Width:	10mm

Tape-5050 60 LEDs

10.8W VT-5050 60-IP20

2122 - 3000K Warm White	3800230621504
2143 - 4500K Day White	3800230621467
2126 - 6000K White	3800230621481
2120 - RGB	3800230621542
2128 - Red	3800230624468
2137 - Blue	3800230621429
2138 - Green	3800230621443
2156 - Yellow	3800230628824



LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14 -16lm
Current/M:	0.8A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	10mm

Tape-5050 60 LEDs

10.8w VT-5050 60-IP65

2149 - 3000K Warm White	3800230621511
2150 - 4500K Day White	3800230621474
2148 - 6000K White	3800230621498
2155 - RGB	3800230621559



LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14-16lm
Current/M:	0.8A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	10mm

Tape-3528 60 LEDs

3.6w VT-3528 60-IP20

2016 - 3000K Warm White	3800230621160
2041 - 4500K Day White	3800230621184
2005 - 6000K White	3800230621153
2015 - Red	3800230621269
2013 - Blue	3800230621252
2011 - Green	3800230621221
2009 - Yellow	3800230621214



LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	8mm

Tape-3528 60 LEDs

3.6W VT-3528 60-IP65

2032 - 3000K Warm White	3800230621177
2043 - 4500K Day White	3800230621191
2031 - 6000K White	3800230621146
2036 - Red	3800230621276
2035 - Blue	3800230621245
2034 - Green	3800230621238



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	8mm

Tape-3528 120 LEDs

7.2W VT-3528 120-IP20

2025 - 3000K Warm White	3800230621306
2042 - 4500K Day White	3800230621320
2002 - 6000K White	3800230621283



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	600lm
Watt/M:	7.2w	lm/LED:	5-6lm
Current/M:	0.6A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm

Tape-3528 120 LEDs

7.2w VT-3528 120-IP65

2038 - 3000K Warm White	3800230621313
2044 - 4500K Day White	3800230621337
2037 - 6000K White	3800230621290



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	600lm
Watt/M:	7.2w	lm/LED:	5-6lm
Current/M:	0.6A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	120	Width:	8mm

Tape-5050 60 LEDs

10.8w VT-5050 60RGBW

2159 - RGB+White	3800230629623
2552 - RGB+Day White	3800157630306
2553 - RGB+Warm White	3800157630313



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	900lm
Watt/M:	10.8w	lm/LED:	15lm
Current/M:	1.2A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	10mm

Tape-3014 204 LEDs

18w VT-3014 204

2404 - 3000K Warm White 3800230628060
 2405 - 4500K Day White 3800157600309
 2403 - 6000K White 3800230628053



LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm

Tape-5050 60 LEDs

9w VT-5050 60-24V

2431 - 3000K Warm White 3800230621573
 2459 - 4500K Day White 3800157612036
 2430 - 6000K White 3800230621566



LED Type:	SMD	lm/M:	600lm
Watt/M:	9w	lm/LED:	14-16lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:24V	IP Rating:	IP20
LED Qty	60	Width:	10mm

LED **Neon** Lights



Neon Flex-White

8W

VT-555W



Box Qty.
5 Packets

SKU Code: 2512 - 6000K White
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°
EAN Code: 3800157605656



Neon Flex-Warm White

8W

VT-555WW



Box Qty.
5 Packets

SKU Code: 2513 - 3000K Warm
Voltage: White
Lumen lm/M: DC:24V
FPC Width MM: 320±5%
Power W/M: 7.5
Jacket Dia: 8w
Beam Angle: 9 x16.5 mm
EAN Code: 160°



Neon Flex-Day White

8W

VT-555DW



Box Qty.
5 Packets

SKU Code: 2514 - 4500K Day
Voltage: White
Lumen lm/M: DC:24V
FPC Width MM: 320±5%
Power W/M: 7.5
Jacket Dia: 8w
Beam Angle: 9 x16.5 mm
EAN Code: 160°



Neon Flex-Blue

8W

VT-555B

 Box Qty.
5 Packets

SKU Code: 2515 - Blue
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°
 EAN Code: 3800157605687





Neon Flex-Red

8W

VT-555R

 Box Qty.
5 Packets

SKU Code: 2516 - Red
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°
 EAN Code: 3800157605694





Neon Flex-Green

8W

VT-555G

 Box Qty.
5 Packets

SKU Code: 2517 - Green
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°
 EAN Code: 3800157605700





Neon Flex-Yellow

8W

VT-555Y



Box Qty.
5 Packets

SKU Code: 2518 - Yellow
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°
EAN Code: 3800157605717



Neon Flex-Pink

8W

VT-555P



Box Qty.
5 Packets

SKU Code: 2529 - Pink
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°
EAN Code: 3800157619523



Neon Flex-Violet

8W

VT-555V



Box Qty.
5 Packets

SKU Code: 2531 - Violet
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°
EAN Code: 3800157619547



Aluminium Profiles

 Box Qty.
2200Pcs
**6PCS
Included with
Neon Flex**

 SKU Code: 2527
 EAN Code: 3800157608404

Neon Power Cord

 Box Qty.
500 Pcs

 SKU Code: 3331
 EAN Code: 3800157616829


Neon Connector

 Box Qty.
3000 Pcs

 SKU Code: 3333
 EAN Code: 3800157607889

Neon End Safe Cap

 Box Qty.
2 Pcs

 SKU Code: 3334
 EAN Code: 3800157607896

LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



SKU	Description:	EAN Code:	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

Strip Connectors



SKU	Description:	EAN Code:	BOX Qty:
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3509	Connector - LED Strip 3528 Cross Type	3800157608473	100 Pcs
3510	Connector - LED Strip 5050 Cross Type	3800157608480	200 Pcs
3511	Connector - LED Strip 5050 L Type	3800157608497	250 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs

Bar 4014 144 LEDs

18w

VT-4014 144-2Pc

2535 - 3000K Warm White	3800157625883
2536 - 4000K Day White	3800157625890
2537 - 6400K White	3800157625906

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20





Bar 4014 144 LEDs

18w

VT-4014 144-10Pc

2538 - 3000K Warm White	3800157625913
2539 - 4000K Day White	3800157625920
2540 - 6400K White	3800157625937

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20





Bar 4014 144 LEDs

18w

VT-4014 144-P

2541 - 3000K Warm White	3800157625944
2542 - 4500K Day White	3800157625951
2543 - 6400K White	3800157625968


Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20






Aluminium Profile-Transparent

Box Qty. **100 Pcs**




Model No: VT-7101-T
 SKU Code: 9981
 Dimension: 16.76x10.3x1000mm
 Color of Fixture: Transparent
 EAN Code: 3800230622129



Aluminium Profile-Matt

Box Qty. **100 Pcs**




Model No: VT-7101-M
 SKU Code: 9982
 Dimension: 16.76x10.3x1000mm
 Color of Fixture: Matt
 EAN Code: 3800230622136



Aluminium Profile-Transparent

Box Qty. **140 Pcs**




Model No: VT-7102-T
 SKU Code: 9983
 Dimension: 16.9x12.48x1000mm
 Color of Fixture: Transparent
 EAN Code: 3800230622143



Aluminium Profile-Matt


Box Qty. **140 Pcs**



Model No: VT-7102-M
 SKU Code: 9984
 Dimension: 16.9x12.48x1000mm
 Color of Fixture: Matt
 EAN Code: 3800230622150




Aluminium Profile-Transparent



Model No:	VT-7103-T
SKU Code:	9985
Dimension:	26.5x9x1000mm
Color of Fixture:	Transparent
EAN Code:	3800230622150




Aluminium Profile-Matt



Model No:	VT-7103-M
SKU Code:	9986
Dimension:	26.5x9x1000mm
Color of Fixture:	Matt
EAN Code:	3800230622174



Aluminium Profile-Matt




Model No:	VT-7104-M
SKU Code:	9987
Dimension:	19x19x1000mm
Color of Fixture:	Matt
EAN Code:	3800230622181



new!



Aluminium Profile-2 Meters




Model No:	VT-7104
SKU Code:	9956
Dimension:	19x19x2000mm
Color of Fixture:	Milky
EAN Code:	3800157635509





Aluminium Profile-2 Meters




Box Qty. **150 Pcs**

Model No: VT-7109-2Pc
 SKU Code: 9957
 Dimension: 22x17x2000mm
 Color of Fixture: Milky
 EAN Code: 3800157617208




Aluminium Profile-Milky




Box Qty. **150 Pcs**

Model No: VT-7109
 SKU Code: 9947
 Dimension: 22x17x1000mm
 Color of Fixture: Milky
 EAN Code: 3800157617208



Aluminium Profile-Milky




Box Qty. **150 Pcs**

Model No: VT-7105
 SKU Code: 9990
 Dimension: 24.6x7.85x1000mm
 Color of Fixture: Milky
 EAN Code: 3800230628077



Aluminium Profile-2 Meters




Box Qty. **50 Pcs**


Model No: VT-7105-M
 SKU Code: 9991
 Dimension: 24.6x7.85x2000mm
 Color of Fixture: Milky
 EAN Code: 3800230628794




Aluminium Profile-2 Meters



Model No:	VT-7106-1
SKU Code:	9992
Dimension:	17.5x7.8x1000/2000mm
Color of Fixture:	Milky
EAN Code:	3800230628800

 Box Qty.
150 Pcs



Aluminium Profile-2 Meters



Model No:	VT-7106-2
SKU Code:	9993
Dimension:	17.5x7.8x1000/2000mm
Color of Fixture:	Milky
EAN Code:	3800230628817

 Box Qty.
70 Pcs



Aluminium Profile-Milky



Model No:	VT-7107
SKU Code:	9994
Dimension:	60x35.1x1000mm
Color of Fixture:	Milky
EAN Code:	3800157601399

 Box Qty.
16 Pcs


Aluminium Profile-Milky



Model No:	VT-7108
SKU Code:	9995
Dimension:	20.54x1000mm
Color of Fixture:	Milky
EAN Code:	3800157601405

 Box Qty.
56 Pcs



Strip-Controller-Dimmer

VT-2402

Box Qty.
50 Pcs

Dimmer for LED Strip with
Remote Control

SKU Code: 3300
Max Current /Watt: 8A, 96W
Input Voltage: DC:12/24V
EAN Code: 3800230622198



Strip-Controller-Radio

VT-2404

Box Qty.
100 Pcs

Radio Controller with Remote
Control 4 Buttons

SKU Code: 3303
Max Current /Watt: 12A, 144W
Input Voltage: DC:12/24V
EAN Code: 3800230622204



Strip-Controller-DMX 512

VT-DM X 512

Box Qty.
50 Pcs

SKU Code: 3307
Max Current /Watt: 4A x3, 360W
Input Voltage: DC:12V
EAN Code: 3800230622266



Strip-Controller-Radio

VT-2405

Box Qty.
20 Pcs

Radio Controller with Touch
Remote Control

SKU Code: 3312
Max Current /Watt: 3A x4, 144W
Input Voltage: DC:12/24V
EAN Code: 3800230622273



Strip-Controller-Radio

VT-2406

Box Qty.
50 Pcs

Radio Controller with Remote
Control

SKU Code: 3318
Max Current /Watt: 500W
Input Voltage: DC:12/24V
EAN Code: 3800230622235



Strip-Controller-RF

3320

 Box Qty.
500 Pcs

Mini RF Controller

SKU Code:	3320
Input Voltage:	DC:12V
EAN Code:	3800230628022



Strip-Controller-Infrared

VT-2472

 Box Qty.
100 Pcs
Infrared Controller with
Remote Control 24 Buttons

SKU Code:	3625
Max Current /Watt:	72w
Input Voltage:	DC:12/24V
EAN Code:	3800230629630



Strip-Amplifier-5050

3009

 Box Qty.
100 Pcs

5050 RGB Strip Amplifier

SKU Code:	3009
Max Current /Watt:	6A, 72W
Input Voltage:	DC:12V
EAN Code:	3800230622259



Strip-Amplifier-5050

3018

 Box Qty.
1000 Pcs

5050 RGB Strip Mini-Amplifier

SKU Code:	3018
Input Voltage:	DC:12V
EAN Code:	3800230622242



Strip-Controller

3319

 Box Qty.
500 Pcs

24B Mini Controller

SKU Code:	3319
Input Voltage:	DC:12V
EAN Code:	3800230628015



Strip-Controller-Wifi

3321

Box Qty.
50 Pcs

Wi-Fi Single Controller

SKU Code: 3321
Input Voltage: DC:12V
EAN Code: 3800230628039



Strip-Controller-Wifi RGB

3322

Box Qty.
50 Pcs

Wi-Fi RGB Controller

SKU Code: 3322
Input Voltage: DC:12V
EAN Code: 3800230628046



Strip-Controller-5050

3326

Box Qty.
100 Pcs

5050 60 RGB+W/WW with LED Controller

SKU Code: 3326
Input Voltage: DC:12V
EAN Code: 3800230629630



Strip-Amplifier

VT-2408

Box Qty.
100 Pcs

RGB+W Amplifier

SKU Code: 3327
Input Voltage: DC:12V
EAN Code: 3800157601047



Strip-Amplifier

VT-2407

Box Qty.
100Pcs

RGB Amplifier

SKU Code: 3309
Input Voltage: DC:12V
EAN Code: 3800157620819

new!

Bed Light-Sensor

VT-8069

 Box Qty.
400Pcs

SKU Code:	2554
Input voltage:	DC:12V
Sensing Distance:	2-5m
DeLay Time:	3s-6min
EAN Code:	3800157632690

**new!**

Bed Light-Touch Sensor

VT-8071

 Box Qty.
100Pcs

SKU Code:	2556
Input voltage:	DC:12V
EAN Code:	3800157632713

**new!**

Bed Light-Hand Wave Sensor

VT-8072

 Box Qty.
100Pcs

SKU Code:	2557
Input voltage:	DC:12V
EAN Code:	3800157632720

**new!**

Bed Light-Connector Terminal

VT-8070

 Box Qty.
400Pcs

SKU Code:	2555
EAN Code:	3800157632706



Strip-Controller-Dimmer

VT-2410

Box Qty.
100 Pcs

RF Controller+Dimmer

SKU Code: 3663
 Max Current /Watt: 6A 216W/432W
 Input Voltage: DC:12V
 EAN Code: 3800157619509

new!



LED Sync Controller- Dimmer

VT-2414

Box Qty.
50Pcs

SKU Code: 3337
 Input Voltage: DC:12/24V
 EAN Code: 3800157634601

new!



LED Sync Controller- RGBW/WW

VT-2424

Box Qty.
60Pcs

SKU Code: 3338
 Input Voltage: DC:12/24V
 EAN Code: 3800157634618

new!



LED Sync Controller- RGB

VT-2420

Box Qty.
60Pcs

SKU Code: 3339
 Input Voltage: DC:12/24V
 EAN Code: 3800157634625

new!



LED Sync Controller- RGB

VT-2421

Box Qty.
100Pcs

SKU Code: 3340
 Input Voltage: DC:12/24V
 EAN Code: 3800157634632

Modules-3 SMD-IP67

0.72W VT-50303

5116 - 6000K White
5117 -Red
5118 - Blue
5119 - Green

3800157610209
3800157610216
3800157610223
3800157610230

Voltage/Frequency: DC:12V
Luminous Flux: 66lm
LED Type: SMD
CRI: >75
Beam Angle: 160°
Dimension: 67x15x8.5mm
IP Rating: IP67



 Box Qty.
2000 Pcs

 IP67
RATING

Modules-3 SMD-IP67

1W VT-28353

5120 - 6000K White
5121 -Red
5122 - Blue
5123 - Green

3800157610247
3800157610254
3800157610261
3800157610278

Voltage/Frequency: DC:12V
Luminous Flux: 100lm
LED Type: SMD
CRI: >75
Beam Angle: 120°
Dimension: 53x12x4.6mm
IP Rating: IP67



 Box Qty.
2000 Pcs

 IP67
RATING

Modules-3 SMD-IP67

1.5W VT-28356

5124 - 3000K Warm White
5125 - 6000K White
5126 -Red
5127 - Blue
5128 - Green

3800157621687
3800157621694
3800157621700
3800157621717
3800157621724

Voltage/Frequency: DC:12V
Luminous Flux: 120-150lm
LED Type: SMD
CRI: >75
Beam Angle: 120°
Dimension: 87x15x10mm
IP Rating: IP67



 Box Qty.
2000 Pcs

 IP67
RATING

Modules-4 SMD-IP68

1.44w VT-28358

5129 - 3000K Warm White	3800157621731
5130 - 6000K White	3800157621748
5131 -Red	3800157621755
5132 -Blue	3800157621762
5133 -Green	3800157621779

Voltage/Frequency: DC:12V
 Luminous Flux: 120-135lm
 LED Type: SMD
 CRI: >75
 Beam Angle: 160°
 Dimension: 37x37x6.8mm
 IP Rating: IP68



Box Qty. **100Pcs**

IP68
RATING

Modules-3 SMD-IP67

0.72w VT-50506

5134 - RGB	3800157621786
------------	---------------

Voltage/Frequency: DC:12V
 Luminous Flux: 20lm
 LED Type: SMD
 CRI: >75
 Beam Angle: 120°
 Dimension: 68x19.5x5.7mm
 IP Rating: IP67



Box Qty. **100 Pcs**

IP67
RATING

Modules-SMD-IP68

0.24w VT-50501

5135 - 3000K Warm white	3800157621793
5136 - 6000K White	3800157621809
5137 -Red	3800157621816
5139 - Blue	3800157621830
5140 - Green	3800157621847
5138 - Yellow	3800157621823


Voltage/Frequency: DC:12V
 Luminous Flux: 20lm
 LED Type: SMD
 CRI: >75
 Beam Angle: 120°
 Dimension: 12x22mm
 IP Rating: IP68



Box Qty. **320 Pcs**

IP68
RATING

Power Supply For LED Strip Lights





Slim Power Supply

VT-20062

Box Qty.
36 Pcs

SKU Code: 3246
Watts: 60w
Current Capacity: 5A
Output: DC:12V
Unit Size: 130x50x31mm
EAN Code: 3800157628549



Slim Power Supply

VT-20077

Box Qty.
60 Pcs

With short circuit protection,
over load protection, stable
output voltage

SKU Code: 3247
Watts: 75w
Current Capacity: 6A
Output: DC:12V
Unit Size: 130x50x31mm
EAN Code: 3800157628556



Slim Power Supply

VT-20122

Box Qty.
80 Pcs

Built in EMI Filter

SKU Code: 3243
Watts: 120w
Current Capacity: 10A
Output: DC:12V
Unit Size: 190x50x31mm
EAN Code: 3800157628525



Slim Power Supply

VT-20152

Box Qty.
60 Pcs

High efficiency, low
temperature

SKU Code: 3244
Watts: 150w
Current Capacity: 12.5A
Output: DC:12V
Unit Size: 200x62x31mm
EAN Code: 3800157628532



Power Supply-Metal

VT-20026
 Box Qty.
100 Pcs

100% load tested

SKU Code:	3228
Watts:	25w
Current Capacity:	2.1A
Output:	DC:12V
Unit Size:	140x33x27mm
EAN Code:	3800157622929



Power Supply-Metal

VT-20350
 Box Qty.
20 Pcs

Protection Rating : IP20

SKU Code:	3057
Watts:	350w
Current Capacity:	30A
Output:	DC:12V
Unit Size:	215x115x50mm
EAN Code:	3800230621795



Power Supply-Metal

VT-20061
 Box Qty.
100 Pcs

CE, ROHS, EMC approved

SKU Code:	3229
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	160x40x32mm
EAN Code:	3800157622936



Power Supply-Metal

VT-20076
 Box Qty.
60 Pcs

SKU Code:	3230
Watts:	75w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	188x47x35mm
EAN Code:	3800157622943



Power Supply-Metal

VT-20121

Box Qty.
36 Pcs

SKU Code: 3226
Watts: 120w
Current Capacity: 10A
Output: DC:12V
Unit Size: 188x47x35mm
EAN Code: 3800157622905



Power Supply-Metal

VT-20151

Box Qty.
50 Pcs

SKU Code: 3227
Watts: 150w
Current Capacity: 12.5A
Output: DC:12V
Unit Size: 200x58x40mm
EAN Code: 3800157622912

new!



Power Supply-Metal

VT-20153

Box Qty.
50 Pcs

SKU Code: 3253
Watts: 150w
Current Capacity: 6.5A
Output: DC:24V
Unit Size: 253x72x45mm
EAN Code: 3800157635233

new!



Power Supply-Metal

VT-20027

Box Qty.
100 Pcs

SKU Code: 3254
Watts: 25w
Current Capacity: 2A
Output: DC:12V
Unit Size: 140x33x27mm
EAN Code: 3800157635264




LED Power Supply-TRIAC Dimmable

VT-20101D

 Box Qty.
50 Pcs


SKU Code:	3256
Watts:	100w
Current Capacity:	8.5A
Output:	DC:12V
Unit Size:	199x98x42mm
EAN Code:	3800157635523




LED Power Supply-TRIAC Dimmable

VT-20154D

 Box Qty.
50 Pcs


SKU Code:	3257
Watts:	150w
Current Capacity:	12.5A
Output:	DC:12V
Unit Size:	199x98x42mm
EAN Code:	3800157635530




LED Power Supply-TRIAC Dimmable

VT-20155D

 Box Qty.
50 Pcs


SKU Code:	3258
Watts:	150w
Current Capacity:	6.25A
Output:	DC:24V
Unit Size:	199x98x42mm
EAN Code:	3800157635547

LED Power Supply-Rainproof-IP45

VT-21151



Box Qty.
40 Pcs

SKU Code: 3231
Watts: 150w
Current Capacity: 12.5A
Output: DC:12V
Unit Size: 207x74x42mm
EAN Code: 3800157627979

LED Power Supply-Rainproof-IP45

VT-21251



Box Qty.
25 Pcs

SKU Code: 3232
Watts: 250w
Current Capacity: 20A
Output: DC:12V
Unit Size: 218x95x50mm
EAN Code: 3800157627986

LED Power Supply-Rainproof-IP45

VT-21401



Box Qty.
20 Pcs

SKU Code: 3233
Watts: 400w
Current Capacity: 33A
Output: DC:12V
Unit Size: 223x118x50mm
EAN Code: 3800157627993



Power Supply-Waterproof-IP65

VT-22101

 Box Qty.
20 Pcs

SKU Code:	3101
Watts:	100w
Current Capacity:	4.2A
Output:	DC:24V
Unit Size:	201x30.5x20mm
EAN Code:	3800157605991



Power Supply-Waterproof-IP67

VT-22061

 Box Qty.
40 Pcs

SKU Code:	3234
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	166x43x33mm
EAN Code:	3800157628006



Power Supply-Waterproof-IP67

VT-22075

 Box Qty.
40 Pcs

SKU Code:	3235
Watts:	75w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	166x43x33mm
EAN Code:	3800157628013



Power Supply-Waterproof-IP67

VT-22153

 Box Qty.
15 Pcs

SKU Code:	3248
Watts:	150w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	192x52x37mm
EAN Code:	3800157629362



new!

Power Supply-Waterproof-IP67



VT-22155

SKU Code:	3250
Watts:	150w
Current Capacity:	12.5A
Output:	DC:12V
Unit Size:	192x52x37mm
EAN Code:	3800157630436



Box Qty.
20 Pcs

5 V-TAC[®] PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

new!

Power Supply-Waterproof-IP67



VT-22105

SKU Code:	3251
Watts:	100w
Current Capacity:	8.3A
Output:	DC:12V
Unit Size:	192x52x37mm
EAN Code:	3800157630443



Box Qty.
25 Pcs

5 V-TAC[®] PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

new!

Power Supply-Waterproof-IP67



VT-22065

SKU Code:	3252
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	166x43x33mm
EAN Code:	3800157630450



Box Qty.
40 Pcs

5 V-TAC[®] PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Power Supply-Plastic-IP44

VT-23019

 Box Qty.
120 Pcs

SKU Code:	3237
Watts:	18w
Current Capacity:	1.5A
Output:	DC:12V
Unit Size:	73x27x43mm
EAN Code:	3800157628037



Power Supply-Plastic-IP44

VT-23031

 Box Qty.
50 Pcs

SKU Code:	3238
Watts:	30w
Current Capacity:	2.5A
Output:	DC:12V
Unit Size:	119x52x32mm
EAN Code:	3800157628044



Power Supply-Plastic-IP44

VT-23061

 Box Qty.
50 Pcs

SKU Code:	3239
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	119x52x32mm
EAN Code:	3800157628051



Power Supply-Plastic-IP44

VT-23079



Box Qty.
50 Pcs

SKU Code: 3240
Watts: 78w
Current Capacity: 6.5A
Output: DC:12V
Unit Size: 119x52x32mm
EAN Code: 3800157628068



Power Supply-Plastic-IP44

VT-23043



Box Qty.
50 Pcs

SKU Code: 3249
Watts: 42w
Current Capacity: 3.5A
Output: DC:12V
Unit Size: 119x52x32mm
EAN Code: 3800157629379



Power Supply-Plastic

VT-23060



Box Qty.
50 Pcs

SKU Code: 3035
Watts: 60w
Current Capacity: 5A
Output: DC:12V
Unit Size: 130x90x45mm
EAN Code: 3800157601085



LED Linear Lights

V-TAC LED Linear Trunking System is an energy-efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial and light assembly applications. It is the optimal solution for conventional lighting systems and also excellent for new installations due to its low installation cost.

High lumen output

output:160 lm/W to meet different requirements

160⁺⁺
LM/W
HIGH LUMENS

Flexible Beam angle


90°, 120°, double-asymmetric




Modular system

Continous row system, seamless connection, max 3500W /row







LED Linear Master Trunking
 1360 - 4000K Day White
 3800157625647



LED Linear Master Trunking
 1361 - 4000K Day White
 3800157625654



LED Linear Master Trunking
 1362 - 4000K Day White
 3800157625661



50w VT-4551D

Box Qty.
2 Pcs

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **8000lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**


5 **V-TAC**[®] **PRO**
— YEAR WARRANTY —

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Color of Fixture: **White**
 Body Type: **Steel**
 Dimension: **1500mm**
 ON/OFF Time: **>15000**
 Life Span: **50,000 Hours**




V-TAC PERFORMANCE
160
 LUMENS/WATT




LED Linear Follow Trunking

1363 - 4000K Day White
3800157625678




LED Linear Follow Trunking

1364 - 4000K Day White
3800157625685



LED Linear Follow Trunking

1365 - 4000K Day White
3800157625692



50w VT-4550D

Box Qty.
2 Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **8000lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

5 V-TAC® PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

Color of Fixture: **White**
Body Type: **Steel**
Dimension: **1500mm**
ON/OFF Time: **>15000**
Life Span: **50,000 Hours**



V-TAC PERFORMANCE
160
LUMENS/WATT



Linear Track Module

Box Qty.
5Pcs

SKU Code: **1382**
EAN Code: **3800157626415**



End Cap-Linear Light Accessory

Box Qty.
200 Pcs

SKU Code: **1366**
EAN Code: **3800157625708**



Suspended Cord-Linear Light

Box Qty.
100 Pcs

SKU Code: **1367**
EAN Code: **3800157625715**



8 Wire-Feed In Male Connector

Box Qty.
200 Pcs

SKU Code: **1368**
EAN Code: **3800157625722**



L Node Connector-Linear

Box Qty.
8Pcs

SKU Code: **1383**
EAN Code: **3800157626422**



T Node Connector-Linear

Box Qty.
2Pcs

SKU Code: **1384**
EAN Code: **3800157626439**



X Node Connector-Linear

Box Qty.
2Pcs

SKU Code: **1385**
EAN Code: **3800157626446**



S Line-Follow Trunking Rail

Box Qty.
10 Pcs

SKU Code: **1451**
EAN Code: **3800157633079**



S Line-PC Blank Cover

Box Qty.
35 Pcs

SKU Code: **1452**
EAN Code: **3800157633086**

LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.



Product Features

- Available from 10W up to 45W
- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

Applications

Perfect choice for Exhibition Stands, Hotels, Bars, Commercial & Residential Lighting.




15° to 60°
Beam Angle
Adjustable by Rotating



Tracklights-CREE COB-15° to 60°
35w VT-4735


1357 - 3000K Warm White	3800157625074
1358 - 4000K Day White	3800157625081
1359 - 6400K White	3800157625098

Box Qty.
8 Pcs



5 **V-TAC®** **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2800lm**
LED Type: **COB(CREE)**
CRI: **>80**

PF: **>0.9**
Beam Angle: **15°-60° (Adjustable)**
Color of Fixture: **White**
Body Type: **Aluminium**
Life span: **30,000 Hours**
Dimension: **178.4x197.7x95mm**



Tracklights-Color Changing

18W VT-4718-W


1410 - 3 IN 1

3800157629324

 Box Qty.
20 Pcs

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20° ~ 60° (Adjustable)
Luminous Flux:	1450lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	Ø93x93.5x203mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


Tracklights-Color Changing

18W VT-4718-B


1411 - 3 IN 1

3800157629331

 Box Qty.
20 Pcs

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20° ~ 60° (Adjustable)
Luminous Flux:	1450lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	Ø93x93.5x203mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Tracklights-Color Changing

35W VT-4745-W

1412 - 3 IN 1

3800157629348

Box Qty.
8 Pcs



CCT Adjustable
2800K/4000K/6000K



Lens Angle Adjustable
20°~60°



Triac Dimmable

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20° ~ 60° (Adjustable)
Luminous Flux:	3000lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	> 95	Life span:	30,000 Hours
		Dimension:	Ø100x196x262mm



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Tracklights-Color Changing

35W VT-4745-B

1413 - 3 IN 1

3800157629355

Box Qty.
8 Pcs



CCT Adjustable
2800K/4000K/6000K



Lens Angle Adjustable
20°~60°



Triac Dimmable

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20° ~ 60° (Adjustable)
Luminous Flux:	3000lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	> 95	Life span:	30,000 Hours
		Dimension:	Ø100x196x262mm



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Tracklights-Black-White Body

10W VT-4512


1332 - 3000K Warm White 3800157620604
 1333 - 4000K Day White 3800157620611
 1334 - 6000K White 3800157620628

Box Qty.
40 Pcs



5 **YEAR WARRANTY**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	800lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	209x65x163mm




Tracklights-Black-White Body

25W VT-4528


1335 - 3000K Warm White 3800157620635
 1336 - 4000K Day White 3800157620642
 1337 - 6000K White 3800157620659

Box Qty.
20 Pcs



5 **YEAR WARRANTY**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2100lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	209x85x187mm




Tracklights-Black-White Body

35W VT-4537


- 1338 - 3000K Warm White 3800157620666
- 1339 - 4000K Day White 3800157620673
- 1340 - 6000K White 3800157620680

Box Qty.
10 Pcs



5 V-TAC[®] PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2850lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	224x100x215mm





Tracklights-White Body-5 Years



15W VT-4615W

1298 - 3000K Warm White 3800157619851
 1299 - 4000K Day White 3800157619868
 1300 - 6400K White 3800157619875

Box Qty.
20 Pcs

5 **YEAR WARRANTY**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	1350lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	Ø180x97x155mm



Tracklights-Black Body-5 Years



15W VT-4615B

1301 - 3000K Warm White 3800157619882
 1302 - 4000K Day White 3800157619899
 1303 - 6400K White 3800157619905

Box Qty.
20 Pcs

5 **YEAR WARRANTY**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	1350lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	180x97x155mm



Tracklights-White Body-5 Years


30w VT-4635W

- 1292 - 3000K Warm White 3800157619790
- 1293 - 4000K Day White 3800157619806
- 1294 - 6400K White 3800157619813

Box Qty.
20 Pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2700lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	180x140x215mm



Tracklights-Black Body-5 Years


30w VT-4635B

- 1295 - 3000K Warm White 3800157619820
- 1296 - 4000K Day White 3800157619837
- 1297 - 6400K White 3800157619844

Box Qty.
20 Pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2700lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	180x140x215mm

Tracklights-Black Body

33W VT-4535

1233 - 3000K Warm White 3800157603720
 1234 - 4000K Day White 3800157603737
 1235 - 5000K White 3800157603744




Box Qty.
8 Pcs

Experience The
True Colors with
CRI95 TRACKS



LUMINOUS INTENSITY DISTRIBUTION




Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	25°
Luminous Flux:	1800lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>95	Life span:	20,000 Hours
		Dimension:	112x165x205mm

Tracklights-Black Body

45W VT-4545

1236 - 3000K Warm White 3800157603751
 1237 - 4000K Day White 3800157603768
 1238 - 5000K White 3800157603775




Box Qty.
8 Pcs

Experience The
True Colors with
CRI95 TRACKS



LUMINOUS INTENSITY DISTRIBUTION




Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	25°
Luminous Flux:	2300lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>95	Life span:	20,000 Hours
		Dimension:	123x165x218mm



Tracklights-Black Body
20w VT-4521T

1202 - 5000K Day White 3800157600187

Box Qty.
8 Pcs




Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	46°
Luminous Flux:	1500lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	Ø80x185mm



Tracklights-Black Body
40w VT-4540T

1191 - 3000K Warm White 3800230629548
1192 - 5000K Day White 3800230629555

Box Qty.
8 Pcs



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	22°
Luminous Flux:	2600lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>70	Life span:	20,000 Hours
		Dimension:	225x185x138mm




Tracklights-White Body

33W VT-4534W


1241 - 3000K Warm White
1229 - 4000K Day White
1230 - 5000K White

3800157603997
3800157602501
3800157602518

Box Qty.
8 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	22°
Luminous Flux:	2300lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	106x208x206mm




Tracklights-Black Body

33W VT-4534B


1242 - 3000K Warm White
1231 - 4000K Day White
1232 - 5000K White

3800157604000
3800157602525
3800157602532

Box Qty.
8 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	22°
Luminous Flux:	2300lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	106x208x206mm




Tracklights-White Body
35w VT-4536W


1255 - 3000K Warm White
1256 - 4500K Day White
1257 - 6000K White

3800157607551
3800157607568
3800157607575

Box Qty.
20 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	3500lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	92x165x192mm




Tracklights-Black Body
35w VT-4536B


1285 - 3000K Warm White
1286 - 4000K Day White
1287 - 6000K White

3800157618694
3800157618700
3800157618717

Box Qty.
20 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	3500lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	92x165x192mm



Track Fittings-4Line-GU10

4 Line White



Box Qty.

24 Pcs VT-7111-4B

SKU Code: 3544

EAN Code: 3800230628299



Track Fittings-4Line-PAR20

4 Line White



Box Qty.

18 Pcs VT-7112-4W

SKU Code: 3554

EAN Code: 3800230628398



Track Fittings-2Line-PAR20

2 Line White



Box Qty.

18 Pcs VT-7112-2W

SKU Code: 3556

EAN Code: 3800230628411



Track Fittings-4Line-PAR30

4 Line White



Box Qty.

24 Pcs VT-7113-W

SKU Code: 3548

EAN Code: 3800230628336



Track Fittings-4Line-PAR20

4 Line Black



Box Qty.

18 Pcs VT-7112-4B

SKU Code: 3553

EAN Code: 3800230628381



Track Fittings-4Line-E27

4 Line White



Box Qty.

50 Pcs VT-7115

SKU Code: 3567

EAN Code: 3800157602402



Track Fittings-4Line-PAR38

4 Line White



Box Qty.

18 Pcs VT-7116-4W

SKU Code: 3570

EAN Code: 3800157604252



Track Fittings-4Line-E27

4 Line Black



Box Qty.

50 Pcs VT-7117

SKU Code: 3574

EAN Code: 3800157604291



Track-Connectors-4I



Box Qty.

50 Pcs

SKU Code: 3522

EAN Code: 3800230623232



Track-Connectors-4I

Box Qty.
50 Pcs

SKU Code: 3523
EAN Code: 3800230623195



Track-Connectors-4T

Box Qty.
25 Pcs

SKU Code: 3524
EAN Code: 3800230623201



Track-Connectors-4T

Box Qty.
25 Pcs

SKU Code: 3525
EAN Code: 3800230623249



Track-Connectors-4X

Box Qty.
10 Pcs

SKU Code: 3526
EAN Code: 3800230623218



4 Wired Y Series-Connectors

Box Qty.
100 Pcs

SKU Code: 3655
EAN Code: 3800157619103



4 Wired Y Series-Connectors

Box Qty.
100 Pcs

SKU Code: 3656
EAN Code: 3800157619110



4 Wired Y Series-Connectors

Box Qty.
200 Pcs

SKU Code: 3657
EAN Code: 3800157619127



4 Wired Y Series-Connectors

Box Qty.
200 Pcs

SKU Code: 3658
EAN Code: 3800157619134



4 Wired Y Series-Adaptor

Box Qty.
50 Pcs

SKU Code: 3659
EAN Code: 3800157619141



4 Wired Y Series-Adaptor

 Box Qty.
50 Pcs

 SKU Code: 3660
 EAN Code: 3800157619158


Track-Connectors-4X

 Box Qty.
10 Pcs

 SKU Code: 3527
 EAN Code: 3800230623256


Track-Connectors-4L

 Box Qty.
25 Pcs

 SKU Code: 3528
 EAN Code: 3800230623225


Track-Connectors-4L

 Box Qty.
25 Pcs

 SKU Code: 3529
 EAN Code: 3800230623263


Flexible Joint-4 Line

 Box Qty.
20 Pcs

 SKU Code: 3560
 EAN Code: 3800230628459


Hanging Trackline Kit-1 Meter

 Box Qty.
100 Pcs

 SKU Code: 3565
 EAN Code: 3800157600019


Hanging Trackline Kit-1 Meter

 Box Qty.
100 Pcs

 SKU Code: 3566
 EAN Code: 3800157600026



4 Core Track-1 Meter

Box Qty.
10 Pcs

SKU Code: **9944**
EAN Code: **3800230623133**



4 Core Track-1 Meter

Box Qty.
10 Pcs

SKU Code: **9945**
EAN Code: **3800230623164**



4 Core Track-1.5 Meter

Box Qty.
10 Pcs

SKU Code: **9952**
EAN Code: **3800230623140**



4 Core Track-1.5 Meter

Box Qty.
10 Pcs

SKU Code: **9953**
EAN Code: **3800230623171**



4 Core Track-2 Meter

Box Qty.
10 Pcs

SKU Code: **9954**
EAN Code: **3800230623157**



4 Core Track-2 Meter

Box Qty.
10 Pcs

SKU Code: **9955**
EAN Code: **3800230623188**



Track Fitting-Gu10

Box Qty.
20 Pcs VT-788

SKU Code: **3617**
EAN Code: **3800157607469**



Track Fitting-Gu10

Box Qty.
20 Pcs VT-789

SKU Code: **3618**
EAN Code: **3800157607476**



Track Fitting-Gu10

Box Qty.
10 Pcs VT-790

SKU Code: **3619**
EAN Code: **3800157607483**

LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long- lasting energy efficiency and instant brightness. Choose from a wide range of 3W to 40W



Product Features

- Innumerable styles & Elegant appearance
- Non - Flickering
- Best Quality LED Chips from companies like CREE & SAMSUNG
- Premium Quality Power Driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast Aluminium body
- Low Maintenance
- All down lights come with premium quality power

Applications

Residences, Showrooms, Hotels & Boutiques etc.

Reflector Series - High Lumen

10w VT-26101


Box Qty. **27 Pcs**



- 1270 - 3000K Warm White 3800157611923
- 1271 - 4000K Day White 3800157611930
- 1272 - 6400K White 3800157611947

120+ LUMENS PER WATT

SUPER EFFICIENT



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	1200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø135x71mm
PF	>0.5	Cutting Size:	Ø120mm

Reflector Series - High Lumen

20w VT-26201


Box Qty. **18 Pcs**



- 1273 - 3000K Warm White 3800157611954
- 1274 - 4000K Day White 3800157611961
- 1275 - 6400K White 3800157611978

120+ LUMENS PER WATT

SUPER EFFICIENT



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	2400lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø180x83mm
PF	>0.5	Cutting Size:	Ø167mm

Reflector Series - High Lumen


30w VT-26301

 Box Qty.
12 Pcs


1276 - 3000K Warm White
1277 - 4000K Day White
1278 - 6400K White

3800157611985
3800157611992
3800157612005

120 LUMENS
+ PER WATT

SUPER EFFICIENT


Sensor Compatible: Yes
Voltage/Frequency: AC:100-277V,50/60Hz
Luminous Flux: 3600lm
LED Type: COB
CRI: >80
PF >0.9

Beam Angle: 120°
Body Type: PKW
Color of Fixture: White
Shape: Round
Dimension: Ø220x103mm
Cutting Size: Ø207mm

Reflector Series - High Lumen


40w VT-26451

 Box Qty.
12 Pcs


1453 - 3000K Warm White
1279 - 4500K Day White

3800157635561
3800157612012

120 LUMENS
+ PER WATT

SUPER EFFICIENT


Sensor Compatible: Yes
Voltage/Frequency: AC:100-270V,50/60Hz
Luminous Flux: 4800lm
LED Type: COB
CRI: >80
PF >0.9

Beam Angle: 120°
Body Type: PKW
Color of Fixture: PKW
Shape: Round
Dimension: Ø220x103mm
Cutting Size: Ø207mm


Reflector Series

10w VT-2610

Box Qty.
27 Pcs

1100 - 6000K White

3800230622372



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **730lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **PKW**
Shape: **Round**
Dimension: **Ø135x71mm**
Cutting Size: **Ø105mm**


Reflector Series

20w VT-2620

Box Qty.
18 Pcs

1103 - 6000K White

3800230622402



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1500lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **PKW**
Shape: **Round**
Dimension: **Ø182x90mm**
Cutting Size: **Ø160mm**

Downlight-Moving Head-Round

3W

VT-1133RD

Box Qty.
100 Pcs

5094 - 6400K White

3800157609364

Sensor Compatible:	Yes	Beam Angle:	60°
Voltage/Frequency:	AC:220-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	55x42mm
PF	>0.5	Cutting Size:	Ø45mm

Downlight-Moving Head-Square

3W

VT-1133SQ

Box Qty.
100 Pcs

5095 - 2700K Warm White

3800157609371

5096 - 4000K Day White

3800157609388

5097 - 6400K White

3800157609395

Sensor Compatible:	Yes	Beam Angle:	60°
Voltage/Frequency:	AC:220-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Square
CRI:	>80	Dimension:	55x55x42mm
PF	>0.5	Cutting Size:	45 x 45mm

Downlight-Fixed Type-Square

3W VT-1123SQ

Box Qty.
100 Pcs



5110 - 6400K White

3800157609456

Sensor Compatible:	Yes	Beam Angle:	60°
Voltage/Frequency:	AC:85-265V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Square
CRI:	>80	Dimension:	45x45x35mm
PF	>0.5	Cutting Size:	36 x 36 mm

Downlight-Fixed Type-Square


8W VT-2908SQ

Box Qty.
12 Pcs



1115 - 6000K White

3800230625199



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Body Type:	Powder Coating Die cast
Luminous Flux:	530lm	Color of Fixture:	PKW
LED Type:	COB	Shape:	Square
CRI:	>70	Dimension:	103x103x75mm
PF	>0.8	Cutting Size:	90 x 90mm




Zoom Series - Rectangle

30W VT-2930

 Box Qty.
20 Pcs

1306 - 3000K Warm White 3800157619936
 1307 - 4000K Day White 3800157619943
 1289 - 6400K White 3800157619646



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2450lm**
 LED Type: **COB**
 CRI: **>80**
 PF **>0.9**

Beam Angle: **99°**
 Body Type: **Die Cast Aluminum**
 Color of Fixture: **White**
 Shape: **Rectangle**
 Dimension: **235x146x139mm**
 Cutting Size: **220 x 132mm**




Zoom Series - Round

33W VT-2933

 Box Qty.
20 Pcs

1304 - 3000K Warm White 3800157619912
 1305 - 4500K Day White 3800157619929
 1288 - 6400K White 3800157619639



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2650lm**
 LED Type: **COB**
 CRI: **>80**
 PF **>0.9**

Beam Angle: **24°**
 Body Type: **Die Cast Aluminum**
 Color of Fixture: **White**
 Shape: **Round**
 Dimension: **Ø165x140mm**
 Cutting Size: **Ø 155**




Step Light With Sensor

3W VT-8035

 Box Qty.
100 Pcs

5570 - 4000K Day White 3800157617291



Sensor Compatible: **Sensor Included**
 Voltage/Frequency: **AC:100-240V, 50/60Hz**
 Luminous Flux: **100lm**
 LED Type: **SMD**
 CRI: **>80**
 PF **>0.5**

Beam Angle: **45°**
 Body Type: **Die cast Aluminum**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **85x85x42mm**
 Cutting Size: **85x85mm**

Step Light-Rectangle-IP65

3W VT-1162-W

Box Qty.
50 Pcs

IP65
RATING



1327 - 3000K Warm White 3800157620550
1326 - 4000K Day White 3800157620543



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **110lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **White**
Shape: **Rectangle**
Dimension: **230x80x28mm**

Step Light-Rectangle-IP65

3W VT-1162-B

Box Qty.
50 Pcs

IP65
RATING



1329 - 3000K Warm White 3800157620574
1328 - 4000K Day White 3800157620567



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **110lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **Black**
Shape: **Rectangle**
Dimension: **230x80x28mm**

Step Light-Rectangle-IP65

3W VT-1162-G

Box Qty.
50 Pcs

IP65
RATING



1331 - 3000K Warm White 3800157620598
1330 - 4000K Day White 3800157620581




Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **110lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **Grey**
Shape: **Rectangle**
Dimension: **230x80x28mm**



Step Light-Round-IP65


2W **VT-1142-W**
 Box Qty.
50 Pcs
 **IP65**
 RATING

 1315 - 3000K Warm White 3800157620437
 1314 - 4000K Day White 3800157620420

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **White**
 Shape: **Round**
 Dimension: **150x27mm**


Step Light-Round-IP65


2W **VT-1142-B**
 Box Qty.
50 Pcs
 **IP65**
 RATING

 1317 - 3000K Warm White 3800157620451
 1316 - 4000K Day White 3800157620444

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **Black**
 Shape: **Round**
 Dimension: **150x27mm**


Step Light-Round-IP65

2W **VT-1142-G**
 Box Qty.
50 Pcs
 **IP65**
 RATING

 1319 - 3000K Warm White 3800157620475
 1318 - 4000K Day White 3800157620468

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **Grey**
 Shape: **Round**
 Dimension: **150x27mm**




Step Light-Square-IP65

2W VT-1152-W

Box Qty. 50 Pcs

IP65 RATING

1321 - 3000K Warm White 3800157620499
 1320 - 4000K Day White 3800157620482



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **124x124x27mm**




Step Light-Square-IP65

2W VT-1152-B

Box Qty. 50 Pcs

IP65 RATING

1323 - 3000K Warm White 3800157620512
 1322 - 4000K Day White 3800157620505



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **Black**
 Shape: **Square**
 Dimension: **124x124x27mm**




Step Light-Square-IP65

2W VT-1152-G

Box Qty. 50 Pcs

IP65 RATING

1325 - 3000K Warm White 3800157620536
 1324 - 4000K Day White 3800157620529



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **60lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **Grey**
 Shape: **Square**
 Dimension: **124x124x27mm**



Step Light - IP65

3W **VT-1172-B**
 Box Qty.
20 Pcs
 **IP65**
RATING

1398 - 3000K Warm White 3800157628310
1399 - 4000K Day White 3800157628327

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **Black**
Shape: **Square**
Dimension: **151x72x154mm**



Step Light - IP65

3W **VT-1172-G**
 Box Qty.
20 Pcs
 **IP65**
RATING

1400 - 3000K Warm White 3800157628334
1401 - 4000K Day White 3800157628341

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **Grey**
Shape: **Square**
Dimension: **151x72x154mm**



Step Light - IP65

3W **VT-1172-W**
 Box Qty.
20 Pcs
 **IP65**
RATING

1402 - 3000K Warm White 3800157628358
1403 - 4000K Day White 3800157628365

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **White**
Shape: **Square**
Dimension: **151x72x154mm**



Step Light-Round-IP65

3W VT-1182-B

Box Qty. 20 Pcs

IP65 RATING

1404 - 3000K Warm White 3800157628372
 1405 - 4000K Day White 3800157628389

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5		



Step Light-Round-IP65

3W VT-1182-G

Box Qty. 20 Pcs

IP65 RATING

1406 - 3000K Warm White 3800157628396
 1407 - 4000K Day White 3800157628402

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5		



Step Light-Round-IP65

3W VT-1182-W

Box Qty. 20 Pcs


IP65 RATING

1408 - 3000K Warm White 3800157628419
 1409 - 4000K Day White 3800157628426

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5		



Steplight-Square


3W **VT-1109**
 **Box Qty.**
100 Pcs
1209 - 3000K Warm White
1210 - 4200K Day White
3800157600255
3800157600262


Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **120lm**
 LED Type: **COB**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **15°**
 Body Type: **Aluminium**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **80x80x51mm**
 Cutting Size: **62x62mm**



Steplight-Round


3W **VT-1109RD**
 **Box Qty.**
100 Pcs
1207 - 3000K Warm White
1208 - 4200K Day White
3800157600231
3800157600248


Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **120lm**
 LED Type: **COB**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **15°**
 Body Type: **Aluminium**
 Color of Fixture: **White**
 Shape: **Round**
 Dimension: **Ø80x51mm**
 Cutting Size: **Ø62mm**



Steplight-Square

3W **VT-1143**
 **Box Qty.**
100 Pcs
1284 - 4000K Day White
3800157617307


Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **100lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **83°**
 Body Type: **Die Cast Aluminium**
 Color of Fixture: **White**
 Shape: **Square**
 Dimension: **84x84x43mm**
 Cutting Size: **72x72mm**

new!



Steplight-Rectangle

6W VT-856-B

Box Qty.
50 Pcs

8348 - 3000K Warm White 3800157633383
8349 - 4000K Day White 3800157633390

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm

new!



Steplight-Rectangle

6W VT-856-G

Box Qty.
50 Pcs

8350 - 3000K Warm White 3800157633406
8351 - 4000K Day White 3800157633413

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm

new!



Steplight-Rectangle

6W VT-856-W

Box Qty.
50 Pcs

8352 - 3000K Warm White 3800157633420
8353 - 4000K Day White 3800157633437

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm

LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These Compact and Easy to install lights make a perfect replacement for traditional Dome Lights.



Product Features

- 80% Electricity savings as compared to traditional Incandescent Bulbs
- Non - Flickering
- No UV Radiation
- Easy Installation
- Premium Quality LED Chip
- Premium Quality Power Driver
- Instant start 0-100% in 0.01 seconds
- Extreme Weather toleration (-20 to + 45 Degrees Centigrade)

Applications

Mostly used in Parking Lots, Passage's in big areas, Exterior Walls of Prestigious Buildings for ambience, Airports, Ports and Malls.

new!

Ceiling Lights - Round

14w VT-8073RD

 Box Qty.
20 Pcs

1428 - 3000K Warm White
1429 - 4000K Day White
1430 - 6400K White

3800157633147
3800157633154
3800157633161



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1000lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **257x65mm**



new!

Ceiling Lights - Round

20w VT-8074RD

 Box Qty.
10 Pcs

1431 - 3000K Warm White
1432 - 4000K Day White
1433 - 6400K White

3800157633178
3800157633185
3800157633192



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1500lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **290x65mm**



new!
Ceiling Lights - Square
20w VT-8074SQ
 Box Qty.
10 Pcs

1434 - 3000K Warm White
 1435 - 4000K Day White
 1436 - 6400K White

3800157633208
 3800157633215
 3800157633222



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1500lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Square**
 Dimension: **280x280x60mm**


new!
Ceiling Lights - Round
24w VT-8075RD
 Box Qty.
10 Pcs

1437 - 3000K Warm White
 1438 - 4000K Day White
 1439 - 6400K White

3800157633239
 3800157633246
 3800157633253



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **340x65mm**



new!

Ceiling Lights - Square

32w VT-8076SQ

Box Qty.
10 Pcs

- 1443 - 3000K Warm White
- 1444 - 4000K Day White
- 1445 - 6400K White

- 3800157633291
- 3800157633307
- 3800157633314



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2600lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Square
CRI:	>80	Dimension:	330x330x65mm
PF:	>0.5		



new!

Ceiling Lights - Round

32w VT-8076RD


Box Qty.
10 Pcs

- 1440 - 3000K Warm White
- 1441 - 4000K Day White
- 1442 - 6400K White

- 3800157633260
- 3800157633277
- 3800157633284



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø390x65mm
PF:	>0.5		



Ceiling Lights - Square

15w VT-8033SQ

 Box Qty.
20 Pcs

1390 - 3000K Warm White
 5567 - 4000K Day White
 1391 - 6400K White

3800157626477
 3800157610360
 3800157626484




TRIMLESS

Luxurious Finish
SURFACE MOUNTED

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **1250lm**
 IP Rating: **IP44**
 CRI: **>80**
 PF: **>0.6**

Beam Angle: **110°**
 Color of Fixture: **White**
 Body Type: **PC**
 Shape: **Square**
 Dimension: **200x200x47.5**



Ceiling Lights - Round

15w VT-8033RD

 Box Qty.
20 Pcs

1388 - 3000K Warm White
 5566 - 4000K Day White
 1389 - 6400K White

3800157626453
 3800157610353
 3800157626460




TRIMLESS

Luxurious Finish
SURFACE MOUNTED

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **1250lm**
 IP Rating: **IP44**
 CRI: **>80**
 PF: **>0.6**

Beam Angle: **110°**
 Color of Fixture: **White**
 Body Type: **PC**
 Shape: **Round**
 Dimension: **Ø200x47.5mm**



Ceiling Lights - Square

25w VT-8066SQ


Box Qty.
10 Pcs

- | | |
|-------------------------|---------------|
| 1395 - 3000K Warm White | 3800157628280 |
| 1396 - 4200K Day White | 3800157628297 |
| 1397 - 6500K White | 3800157628303 |



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Square
CRI:	>80	Dimension:	300x300x50mm
PF:	>0.9		



Ceiling Lights - Round

25w VT-8066RD


Box Qty.
10 Pcs

- | | |
|-------------------------|---------------|
| 1392 - 3000K Warm White | 3800157628259 |
| 1393 - 4200K Day White | 3800157628266 |
| 1394 - 6500K White | 3800157628273 |



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø300x50mm
PF:	>0.9		



Dome Series - Rectangle Oval

8W

VT-8038-B

Box Qty.
20 Pcs


1308 - 3000K Warm White
1309 - 4500K Day White
1310 - 6000K White

3800157620260
3800157620277
3800157620284



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **PC**
Shape: **Rectangle**
Dimension: **190x100x55mm**



Dome Series - Rectangle Oval

8W

VT-8038-W

Box Qty.
20 Pcs


1311 - 3000K Warm White
1312 - 4000K Day White
1313 - 6000K White

3800157620291
3800157620307
3800157620314



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Rectangle**
Dimension: **190x100x55mm**



Bling Star

8W VT-8061

Box Qty.
20 Pcs


1370 - 3000K Warm White
1371 - 4000K Day White
1372 - 6400K White

3800157626262
3800157626279
3800157626286



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **560lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø215x78mm**



Bling Star

12W VT-8062

Box Qty.
10 Pcs


1373 - 3000K Warm White
1374 - 4000K Day White
1375 - 6400K White

3800157626293
3800157626309
3800157626316



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **840lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø260x92mm**



Bling Star

18w VT-8063

 Box Qty.
10 Pcs


1376 - 3000K Warm White
 1377 - 4000K Day White
 1378 - 6400K White

3800157626323
 3800157626330
 3800157626347



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1260lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **Ø290x92mm**



Bling Star

24w VT-8064

 Box Qty.
10 Pcs


1379 - 3000K Warm White
 1380 - 4000K Day White
 1381 - 6400K White

3800157626354
 3800157626361
 3800157626378



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1680lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **Ø330x102mm**



Ceiling Lights - Round

12w VT-8031

Box Qty.
16 Pcs


1414 - 3000K Warm White
5563 - 4500K Day White
5562 - 6500K White

3800157630092
3800157610322
3800157610315



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **800lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Metal+PMMA**
Shape: **Round**
Dimension: **Ø250x80mm**



Ceiling Lights - Round

24w VT-8032

Box Qty.
10 Pcs


1415 - 3000K Warm White
5565 - 4500K Day White
5564 - 6500K White

3800157630108
3800157610346
3800157610339



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1700lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Metal+PMMA**
Shape: **Round**
Dimension: **Ø320x95mm**



Dome Series - Oval

8W

VT-8014-OV-B

Box Qty.
10 Pcs

1267 - 3000K Warm White
1266 - 4000K Day White
1268 - 6400K White

3800157611893
3800157611886
3800157611909



Sensor Compatible: Yes

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 560lm

IP Rating: IP54

CRI: >70

PF: >0.5


Beam Angle: 120°

Color of Fixture: Black

Body Type: Plastic CLAD Aluminium

Shape: Oval

Dimension: Ø126x76mm



Dome Series - Oval

8W

VT-8014-OV-W

Box Qty.
10 Pcs

1264 - 3000K Warm White
1263 - 4500K Day White
1265 - 6400K White

3800157611862
3800157611855
3800157611879



Sensor Compatible: Yes

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 560lm

IP Rating: IP54

CRI: >70

PF: >0.5


Beam Angle: 120°

Color of Fixture: White

Body Type: Plastic CLAD Aluminium

Shape: Oval

Dimension: Ø126x76mm



Dome Series - Round

8W

VT-8014-RD-W



Box Qty.
10 Pcs


4999 - 3000K Warm White
1259 - 4500K Day White
4997 - 6400K White

3800157602556
3800157611817
3800157602259



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø180x82mm**



Dome Series - Round

8W

VT-8014-RD-B



Box Qty.
10 Pcs


1261 - 3000K Warm White
1260 - 4000K Day White
1262 - 6000K White

3800157611831
3800157611824
3800157611848



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø180x82mm**



Dome Series - Oval

12W VT-8016-B
 Box Qty.
10 Pcs


5056 - 4500K Day White
 5055 - 6400K White

3800157603980
 3800157603348



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **840lm**
 IP Rating: **IP54**
 CRI: **>70**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **Black**
 Body Type: **Plastic CLAD Aluminium**
 Shape: **Oval**
 Dimension: **Ø245x96mm**



Dome Series - Oval

12W VT-8016-W
 Box Qty.
10 Pcs


5054 - 4500K Day White
 5053 - 6400K White

3800157603331
 3800157603324



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:200-240V,50/60Hz**
 Luminous Flux: **840lm**
 IP Rating: **IP54**
 CRI: **>70**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Plastic CLAD Aluminium**
 Shape: **Oval**
 Dimension: **Ø245x96mm**



Dome Series - Oval

12w VT-8015-B

Box Qty.
10 Pcs


1349 - 3000K Warm White
5052 - 4000K Day White
5051 - 6400K White

3800157624046
3800157603317
3800157603300



Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 840lm
IP Rating: IP54
CRI: >70
PF: >0.5

Beam Angle: 120°
Color of Fixture: Black
Body Type: Plastic CLAD Aluminium
Shape: Round
Dimension: Ø220x105mm



Dome Series - Round

12w VT-8015-W

Box Qty.
10 Pcs


4998 - 3000K Warm White
5050 - 4500K Day White
4996 - 6400K White

3800157602549
3800157603294
3800157602228



Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 840lm
IP Rating: IP54
CRI: >70
PF: >0.5

Beam Angle: 120°
Color of Fixture: White
Body Type: Plastic CLAD Aluminium
Shape: Round
Dimension: Ø220x105mm



Dome Series - Oval

12w VT-8010-B
 Box Qty.
10 Pcs


1350 - 3000K Warm White
 4973 - 4500K Day White
 1269 - 6400K White

3800157624053
 3800230629050
 3800157611916



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:200-240V,50/60Hz**
 Luminous Flux: **840lm**
 IP Rating: **IP54**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Color of Fixture: **Black**
 Body Type: **Plastic CLAD Aluminium**
 Shape: **Oval**
 Dimension: **Ø242x96mm**



Dome Series - Oval

12w VT-8010-W
 Box Qty.
10 Pcs


1351 - 3000K Warm White
 1352 - 4000K Day White
 1353 - 6000K White

3800157624060
 3800157624077
 3800157624084



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:200-240V,50/60Hz**
 Luminous Flux: **840lm**
 IP Rating: **IP54**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **110°**
 Color of Fixture: **White**
 Body Type: **Plastic CLAD Aluminium**
 Shape: **Oval**
 Dimension: **Ø242x96mm**



Dome Sensor Series

VT-8002C


Box Qty.
5 Pcs

4966

3800230625816



Sensor Type:	Microwave	Detection Distance:	1-8m(radius) adjustable
Color:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	Ø296x96mm
Rated Load:	Max. 60W	Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Watts:			



Dome Sensor Series

16w VT-8001C

Box Qty.
5 Pcs


1281 - 3000K Warm White
4965 - 4500K Day White
1282 - 6000K White

3800157612678
3800230625809
3800157612685



Built In LED

Sensor Type:	Microwave	Detection Distance:	1-8m(radius) adjustable
Color:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP54
Voltage:	AC:200-240V,50/60Hz	Dimension:	Ø296 x 96mm
Rated Load:	16w	Time Delay:	Min. 10 sec to 12 min
Watts:	16w		



Dome Sensor Series

12w VT-8017


Box Qty.
10 Pcs

5057 - 3000K Warm White
5058 - 4000K Day White
5059 - 6400K White

3800157605250
3800157605267
3800157605274



Sensor Type:	PIR	Detection Distance:	Max. 6m(<24°C)
Color:	White	Body Type:	Plastic CLAD Aluminium
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	Ø290x60mm
Rated Load:	12W(24PCS LED)	Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Watts:	12w		



LED Bulkhead

Mostly used in Parking Lots, Corridors, Exterior Walls, Airports, and Malls.



Sleek Design & Durability

Lightweight and energy efficient. Specially designed anti-glare diffuser.



2D LED Bulkhead



2D LED Bulkhead
Emergency Battery Back Up



360°
Detection Angle

2D LED Bulkhead
with Microwave Sensor



360°
Detection Angle

3IN1
2D LED Bulkhead
Built In Emergency Battery
Back Up & Microwave Sensor


2D Bulkhead

8W VT-8039

Box Qty. 10 Pcs

1345 - 4000K Day White

3800157623087



Watts: 8w
 Lumens: 720lm
 No. Of Led: 40
 Beam Angle: 120°
 Voltage/Frequency: AC:200-240V,50/60Hz

On/Off Time: < 0.5s
 Life Span: 30,000 Hours
 Unit Size: Ø260x90mm
 IP Rating: IP65
 Body Type: PC

2D Bulkhead-Microwave Sensor

8W VT-8041


Box Qty. 10 Pcs

1346 - 4000K Day White

3800157623094



Microwave Sensor



Watts: 8w
 Lumens: 720lm
 Voltage/Frequency: AC:200-240V,50/60Hz
 On/Off Time: < 0.5s
 Life Span: 30,000 Hours
 Unit Size: Ø260x90mm
 IP Rating: IP65
 Body Type: PC

Detection Angle: 120° / 360°
 Detection Distance: 3m, 5m, 8m, 10m (optional)
 Detection Range: Max D10Mx4M
 Hold Time: 10S, 1min, 5min, 10min customized
 Day light Sensor: Day, 10Lux, 30Lux, 50Lux optional
 Dimmable Function: Yes, 0, 10%, 20%, 30% optional
 Detection Motion Speed: 0.5~3m/s



2D Bulkhead-Emergency Pack

10w VT-8042

 Box Qty.
10 Pcs


1347 - 4000K Day White

3800157623100

3 YEAR WARRANTY

Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

IP65 RATING


Emergency Battery Backup

Watts:	10w
Lumens:	720lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	20,000 Hours
Unit Size:	Ø260x90mm
IP Rating:	IP65

Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.2 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 7.2V 1.0Ah
Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode



2D Bulkhead-Microwave Sensor-Emergency Pack

10w VT-8043

 Box Qty.
10 Pcs


1348 - 4000K Day White

3800157623117

3 YEAR WARRANTY

Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

IP65 RATING


**31 IN Battery Backup
Microwave Sensor**

Watts:	10w
Lumens:	720lm
Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s


IP Rating:	IP65
Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.2 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 7.2V 1.0Ah
Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode

2D Bulkhead
15w VT-8044

Box Qty.
10 Pcs

1341 - 4000K Day White 3800157623049



Watts:	15w	On/Off Time:	< 0.5s
Lumens:	1400lm	Life Span:	30,000 Hours
No. Of Led:	72	Unit Size:	320x100mm
Beam Angle:	120°	IP Rating:	IP65
Voltage/Frequency:	AC:200-240V,50/60Hz	Body Type:	PC

new!

2D Bulkhead
15w VT-8078

Box Qty.
10 Pcs

1447 - 4000K Day White 3800157632744



Watts:	15w	On/Off Time:	< 0.5s
Lumens:	1450lm	Life Span:	30,000 Hours
No. Of Led:	72	Unit Size:	280x80mm
Beam Angle:	120°	IP Rating:	IP65
Voltage/Frequency:	AC:200-240V,50/60Hz	Body Type:	ABS+PC




2D Bulkhead-Microwave Sensor

15w VT-8045

 Box Qty.
10 Pcs

1342 - 4000K Day White

3800157623056

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


Microwave Sensor

Watts:	15w
Lumens:	1400lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	30,000 Hours
Unit Size:	Ø320x100mm
IP Rating:	IP65
Body Type	PC

Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Yes, 0, 10%, 20%, 30% optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s



2D Bulkhead-Microwave Sensor

15w VT-8079

 Box Qty.
10 Pcs

1448 - 4000K Day White

3800157632751

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


Microwave Sensor

Watts:	15w
Lumens:	1450lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	30,000 Hours
Unit Size:	280x80mm
IP Rating:	IP65
Body Type	ABS+PC

Detection Angle:	360°(Ceiling)120°(Wall)
Detection Distance:	3M,5M,8M,10M optional
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Yes, 0, 10%, 20%, 30% optional
Dimmable Function:	N/A
Detection Motion Speed:	0.5-3m/s



2D Bulkhead-Emergency Pack

17W VT-8046

Box Qty. 10 Pcs


1343 - 4000K Day White

3800157623063

3 YEAR WARRANTY

*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

IP65 RATING



Emergency Battery Backup

Watts: 17w
 Lumens: 1400lm
 Voltage/Frequency: AC:200-240V,50/60Hz
 On/Off Time: <0.5s
 Life Span: 20,000 Hours
 Unit Size: Ø320x100mm
 IP Rating: IP65

Body Type: PC
 Emergency Operation time: >3 Hours
 Emergency Standby Watts: >1.5 Watts
 Battery Charging Current: 60mA
 Battery Discharging Current: 200mA
 Battery Type: Ni-CD AA, 9.6V 1.0Ah
 Charging indicate: Green LED

Including battery protection circuit & inhibiting mode

new!



2D Bulkhead-Emergency Pack

17W VT-8080

Box Qty. 10 Pcs

1449 - 4000K Day White

3800157632768

3 YEAR WARRANTY

*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

IP65 RATING

Emergency Battery Backup

Watts: 17w
 Lumens: 1450lm
 Voltage/Frequency: AC:200-240V,50/60Hz
 On/Off Time: <0.5s
 Life Span: 20,000 Hours
 Unit Size: 280x80mm
 IP Rating: IP65

Body Type: ABS+PC
 Emergency Operation time: >3 Hours
 Emergency Standby Watts: >1.5W
 Battery Charging Current: 60mA
 Battery Discharging Current: 200mA
 Battery Type: Ni-CDA,9.6V 1.0Ah
 Charging indicate: Green LED

Including battery protection circuit & inhibiting mode

2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8047


 Box Qty.
10 Pcs

1344 - 4000K Day White

3800157623070


31 Emergency Battery Backup
Microwave Sensor

3 YEAR
WARRANTY
Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

 IP65
RATING


Watts:	17w	IP Rating:	IP65
Lumens:	1400lm	Body Type:	PC
Detection Angle:	120° / 360°	Emergency Operation time:	> 3 Hours
Detection Distance:	3m, 5m, 8m, 10m (optional)	Emergency Standby Watts:	> 1.5W
Detection Range:	Max. D 10 x 4m	Battery Charging Current:	60mA
Hold Time:	10S, 1min, 5min, 10min customized	Battery Discharging Current:	200mA
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional	Battery Type:	Ni-CD AA, 9.6V 1.0 Ah
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional	Charging indicate:	Green LED
Detection Motion Speed:	0.5-3m/s		

Including battery protection circuit & inhibiting mode

new!

2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8081

 Box Qty.
10 Pcs

1450 - 4000K Day White

3800157632775


31 Emergency Battery Backup
Microwave Sensor

3 YEAR
WARRANTY
Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

 IP65
RATING

Watts:	17w	IP Rating:	IP65
Lumens:	1450lm	Body Type:	ABS+PC
Detection Angle:	360(Ceiling) 120(Wall)	Emergency Operation time:	> 3 Hours
Detection Distance:	3M,5M,8M,10M Optional	Emergency Standby Watts:	> 1.5W
Detection Range:	Max D10Mx4M	Battery Charging Current:	60mA
Hold Time:	10S, 1min, 5min, 10min customized	Battery Discharging Current:	200mA
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional	Battery Type:	Ni-CD AA, 9.6V 0.7Ah
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional	Charging indicate:	Green LED
Detection Motion Speed:	0.5-3m/s		

Including battery protection circuit & inhibiting mode





Fire Rated Light With Anti-glare Lens


- ✓ IP65 Rating.
- ✓ Integrated COB LED (Non-replaceable).
- ✓ Isolate driver with terminal for easy and speedy installation.
- ✓ Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

Color Changing

Easily can change Color from 2700-6500K

Dimmable

Controls brightness level from 0% To 100%





Optional Bezel Changeable:



Black
SKU- 1425



Brush Nickel
SKU - 1426



Polish Chrome
SKU- 1427



Fire Rated Downlight With White Bezel

10w **VT-7710**

Box Qty. **40 Pcs**

1424 - 3 IN 1 3800157633109

90 **MIN**
Fire Rated

IP65
RATING

Voltage/Frequency: AC:220-240V,50Hz
 Lumens: 850lm
 LED Type: COB
 Body Type: Aluminium
 Beam Angle: 38°
 Life Span: 30,000 Hours
 Unit Size: Ø83x57mm
 IP Rating: IP65



5 **V-TAC**[®] **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

new!

Fire Rated Downlight With White Bezel

7W

VT-7077-W

Box Qty.
50 Pcs

1416 - 2700K Warm White
1417 - 4000K Day White
1418 - 6400K White

3800157630344
3800157630351
3800157630368

Optional Bezel Changeable:



Satin Nickel SKU- 1422



Chrome SKU- 1423

90 MIN
Fire Rated



QUICK CONNECTOR

IP65
RATING

Voltage/Frequency:
Lumens:
LED Type:
Body Type:
Beam Angle:

AC:220-240V,50Hz
600lm
COB
Aluminium Alloy & Iron
38°

Life Span: 30,000 Hours
Unit Size: Ø85x52mm
Cutting Size: Ø72mm
IP Rating: IP65

new!

Fire Rated Downlight With Satin Nickel Bezel

7W

VT-7077-SN

Box Qty.
50 Pcs

1419 - 3000K Warm White
1420 - 4000K Day White
1421 - 6400K White

3800157630375
3800157630382
3800157630399

Optional Bezel Changeable:



Chrome SKU- 1423

90 MIN
Fire Rated



QUICK CONNECTOR

IP65
RATING

Voltage/Frequency:
Lumens:
LED Type:
Body Type:
Beam Angle:

AC:220-240V,50Hz
600lm
COB
Aluminium Alloy & Iron
38°

Life Span: 30,000 Hours
Unit Size: Ø85x52mm
Cutting Size: Ø72mm
IP Rating: IP65

new!

Fire Rated Fitting-GU10

VT-7011-W

 Box Qty.
50 Pcs

SKU: 3131 EAN: 3800157632621

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fxture: White
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

 **Twist & Lock**



new!

Fire Rated Fitting-GU10

VT-7011-SN

 Box Qty.
50 Pcs

SKU: 3132 EAN: 3800157632638

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fxture: Satin Nickel
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

 **Twist & Lock**



new!

Fire Rated Fitting-GU10

VT-7011

 Box Qty.
50 Pcs

SKU: 3133 EAN: 3800157632645

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fxture: Chrome
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

 **Twist & Lock**




Fire Rated Fitting-GU10

VT-701-SN

 Box Qty.
50 Pcs

SKU: 3680 EAN: 3800157626859

Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20



Fire Rated Fitting-GU10

VT-701-W

 Box Qty.
50 Pcs

SKU: 3681 EAN: 3800157626866

Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20




Fire Rated Fitting-GU10

VT-701-CH

 Box Qty.
50 Pcs

SKU: 3682 EAN: 3800157626873

Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20



Fire Rated Fitting-GU10

VT-702-SN

Box Qty.
40 Pcs



SKU: 3683 EAN: 3800157626880

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-702-W

Box Qty.
40 Pcs



SKU: 3684 EAN: 3800157626897

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-702-CH

Box Qty.
40 Pcs



SKU: 3685 EAN: 3800157626903

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-703-SN

 Box Qty.
40 Pcs


SKU: 3686	EAN: 3800157626910
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

Fire Rated Fitting-GU10

VT-703-W

 Box Qty.
40 Pcs


SKU: 3687	EAN: 3800157626927
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

Fire Rated Fitting-GU10

VT-703-CH

 Box Qty.
40 Pcs


SKU: 3688	EAN: 3800157626934
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

NEW FIRE-RATED DOWNLIGHT FITTING



Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.



Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

Applications

- Outdoor Areas like parking garages, Gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.

Infrared Sensor
Max 1000W(LED)


VT-8027-W

SKU-5086

3800157609173



 Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 1000W(LED)**

Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **625x220x265mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Infrared Sensor
Max 1000W(LED)

VT-8027-B

SKU-5087

3800157609180



 Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 1000W(LED)**

Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **625x220x265mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-Moving Head-IP44 Max 400W(LED)

VT-8028-W
SKU-5088 3800157609197


Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 400W(LED)**
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP44**
 Dimension: **445X345X19mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-Moving Head-IP44 Max 400W(LED)


VT-8028-B
SKU-5089 3800157609203


Sensor Type: **Infrared**
 Colour: **Black**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 400W(LED)**
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP44**
 Dimension: **445X345X19mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor Max 300W(LED)

VT-8029
SKU-5090 3800157609210


Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **360°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 300W(LED)**
 Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP20**
 Dimension: **76x75.6mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Infrared Sensor-Moving Head
Max 400W(LED)


VT-8030

SKU-5091

3800157609227



 Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 400W(LED)**

Detection Distance: **Max. 8m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **98x73x82mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Infrared Sensor-IP44
Max 300W(LED)

VT-8003-W

SKU-4967

3800230625823



 Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **180°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP44**

Dimension: **86.4x60.4x98mm**

Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

Infrared Sensor-IP44 Max 300W(LED)

VT-8003-B

SKU-5077

3800157606875



Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **180°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP44**

Dimension: **86.4x60.4x98mm**

Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

Infrared Sensor Max 300W(LED)


VT-8004

SKU-4968

3800230625830



Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **Ø88x55mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Infrared Sensor-E27

Max 60W

VT-8005

SKU-4982

3800157600071



Box Qty.
50 Pcs



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	Plastic
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	55.5x116.5mm
Rated Load:	Max 60W	Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Detection Distance:	Max. 6m(<24°C)		

Infrared Sensor-IP44

Max 300W(LED)

VT-8048

SKU-1354

3800157624794



Box Qty.
50 Pcs




Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.4x86.4x60.4mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Detection Distance:	Max. 12m(<24°C)		

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).



Infrared Sensor Max 300W(LED)

 Box Qty.
50 Pcs


VT-8049


SKU-1355 3800157624800

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	88x55mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 12m(<24°C)		

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Infrared Sensor Max 300W(LED)

 Box Qty.
50 Pcs


VT-8051

SKU-1356 3800157624817

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	76x75.6mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 6m(<24°C)		

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Day Light Sensor - 1-10V

VT-8059

Box Qty.
100 Pcs

SKU-1369 3800157625982

Colour: **White**
 Detection Range: **360°**
 Dimming Range: **1% - 100%**
 Voltage: **DC:1-10V**
 Body Type: **PC**
 IP Rating: **IP20**



Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.

Infrared-Hand Gesture Detection Max 200W(LED)




VT-8025

On/Off via Moving Hand

SKU-5084 3800157608046



Box Qty.
100 Pcs



Sensor Type:	Infrared	Body Type:	Plastic
Colour:	White	IP Rating:	IP20
Detection Range:	30°	Dimension:	35.5x78.2x20.6mm
Voltage:	AC:110-240V,50/60Hz		
Rated Load:	Max 200W(LED)		
Detection Distance:	5cm/6cm(<24°C)		



Infrared-Door Detection Max 200W(LED)

VT-8026

SKU-5085


3800157608053



Box Qty.
100 Pcs



On/Off via the opening
and closing of the door



Sensor Type: **Infrared**
Colour: **White**
Detection Range: **30°**
Voltage: **AC:110-240V,50/60Hz**
Rated Load: **Max 200W(LED)**
Detection Distance: **5cm/6cm(<24°C)**

Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **35.5x78.2x18.7mm**



Microwave Sensor-IP65 Max 200W(LED)

VT-8036-W

SKU-5571

3800157620246



Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **White**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 200W(LED)**
Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**
Body Type: **Plastic**
IP Rating: **IP65**
Dimension: **115x35x25mm**
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Microwave Sensor-IP65
Max 200W(LED)

VT-8036-B

SKU-5572

3800157620253



 Box Qty.
100 Pcs

 **IP65**
RATING



Sensor Type: **Microwave**
Colour: **Black**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 200W(LED)**
Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**
Body Type: **Plastic**
IP Rating: **IP65**
Dimension: **115x35x25mm**
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Microwave Sensor
Max 300W(LED)


VT-8018

SKU-5078

3800157606882



 Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **White**
Detection Range: **180° / 360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **1-8m(radius) adjustable**


Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **37x25x61.5mm**
Time Delay: **Min. 10sec±3sec, Max. 12min±1min**

Housing Case-IP65

 Box Qty.
50 Pcs
VT-8021

SKU-5079 3800157606899

Colour: **White**
 IP Rating: **IP65**
 Dimension: **134x66.5mm**



Photocell Sensor-IP44


VT-8019

SKU-5081 3800157608015

 Box Qty.
100 Pcs

Sensor Type: **Photocell**
 Colour: **White**
 Detection Range: **360°**
 Voltage: **AC:220-240V,50Hz**

Ambient Light: **<5-15LUX(adjustable)**
 Body Type: **Plastic**
 IP Rating: **IP44**
 Dimension: **35.5x46x44.1mm**
 Time Delay: **5 sec to 8 min (adjustable)**

Infrared Sensor-IP44
Max 200W(LED)**VT-8022**

SKU-5082 3800157608022

 Box Qty.
100 Pcs

Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **120°/360°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 200W(LED)**
 Detection Distance: **3/6m(<24°C)**

Ambient Light: **10LUX/2000LUX(choice)**
 Body Type: **Plastic**
 IP Rating: **IP20**
 Dimension: **36.8x25.5x55.4mm**
 Time Delay: **5s,30s,1min,3min,5min,8min(choice)**



new!



Microwave Sensor Max 300W(LED)


VT-8077

SKU-1446

3800157634755



Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **White**
Detection Range: **360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **1-8m(radius) Adjustable**

Ambient Light: **0<3-2000LUX(Adjustable)**
Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **80.7x42.1x43.8mm**
Time Delay: **Min. 10sec±3sec, Max.12min±1min**

Microwave Sensor Max 300W(LED)


VT-8023

SKU-5083

3800157608039



Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **White**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **5m-15m(adjustable)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **80x80x32mm**
Time Delay: **10 sec to 12 min (adjustable)**

LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.



Walls/Surface Mount
 2w | 120 lm



Walls/Surface Hanging
 2w | 120 lm



Recessed Hanging
 2w | 120 lm



Recessed Fixed
 2w | 120 lm



Bulkhead
 3w | 140 lm



Bulkhead
 4w | 190 lm



Wall Mounted
 7w | 600 lm

Salient Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⌚ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- ⚡ Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours

Exit Light - Surface


2W VT-519

Box Qty. 10 Pcs

8099 - 6000K White 3800157623155



24Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Surface/Ceiling Mounted
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 24 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained

new!

Exit Light - Surface


2W VT-519-12

Box Qty. 10 Pcs

8312 - 6000K White 3800157630764



12Hrs
CHARGING TIME




Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Surface/Ceiling Mounted
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-cd 4.8V,600mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained



Exit Light-Surface Hanging

2w **VT-520**
Box Qty.
10 Pcs
8100 - 6000K White 3800157623162

 24Hrs
CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained

new!


Exit Light-Surface Hanging

2w **VT-520-12**
Box Qty.
10 Pcs
8313 - 6000K White 3800157630771

 12Hrs
CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained




Exit Light-Hanging

2W VT-521

Box Qty. 10Pcs

8200 - 6000K White 3800157623179

24Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed Hanging
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 24 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained

new!




Exit Light-Hanging

2W VT-521-12

Box Qty. 10 Pcs

8314 - 6000K White 3800157630788

12Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed Hanging
 Viewing Distance: 22 Meters From Both Sides


Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained



Exit Light-Recessed

2w **VT-522**

 Box Qty.
10 Pcs
8201 - 6000K White 3800157623186

 24Hrs
CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides


Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained



Exit Light-Recessed

2w **VT-522-12**

 Box Qty.
10 Pcs
8315 - 6000K White 3800157630795

 12Hrs
CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained

 **24Hrs**
CHARGING TIME




Emergency -Bulkhead

3.8W VT-511

 Box Qty.
10 Pcs

8249 - 6000K White 3800157626491



Lumens: **110lm**
Input: **AC:220-240V,50/60Hz**
Protection Rating: **IP20**
Lamp Type: **20 SMD LEDs**
Exit Lamp Type: **Bulkhead**
Operation Time: **>3 Hours**

Charging Current: **200mA**
Discharging Current: **360mA**
Battery: **4V2.0AH Lead Acid battery**
Material: **ABS+PC**
Dimension: **292x79x102mm**
Mode Of Operation **Maintained/Non Maintained**

new!

 **12Hrs**
CHARGING TIME




Emergency -Bulkhead

3.8W VT-511-12

 Box Qty.
10 Pcs

8383 - 6000K White 3800157635554



Lumens: **110lm**
Input: **AC:220-240V,50/60Hz**
Protection Rating: **IP20**
Lamp Type: **20 SMD LEDs**
Exit Lamp Type: **Bulkhead**
Operation Time: **>3 Hours**

Charging Current: **200mA**
Discharging Current: **360mA**
Battery: **4V2.0AH Lead Acid battery**
Material: **ABS+PC**
Dimension: **292x79x102mm**
Mode Of Operation **Maintained/Non Maintained**




Emergency-Downlight

3W VT-503

 Box Qty.
20 Pcs

8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Moured:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA

Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained

Exit Light - Bulkhead

3W VT-523

 Box Qty.
12 Pcs

8096 - 6000K White 3800157623124






Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	> 3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained

new!

Exit Light - Bulkhead

3W VT-523-12


Box Qty. 12 Pcs

8311 - 6000K White 3800157630757



12Hrs
CHARGING TIME

IP65
RATING



Lamp Type: 16 SMD LEDs
 Lumens: 140lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 3.6v,1500mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Ways Legend Available
 Mode Of Operation: Maintained

Exit Light - Bulkhead

4W VT-524

Box Qty. 12 Pcs

8097 - 6000K White 3800157623131



24Hrs
CHARGING TIME

IP65
RATING



Lamp Type: 30 SMD LEDs
 Lumens: 190lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,900mAh
 Recharging Time: 24 Hours(intial charge 36 hours)
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Ways Legend Available
 Mode Of Operation: Maintained




Exit Light - Bulkhead

4W VT-524-12

 Box Qty.
12 Pcs

8382 - 6000K White 3800157635493



Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained

Emergency-Twin Spotlight

7W VT-526

 Box Qty.
5 Pcs

8098 - 6000K White 3800157623148





Lamp Type:	2x15 SMD LEDs
Lumens:	600lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 9.6V,2200mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained



LED Table Lamps

Most cozy and favorite corners, always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver very smooth lighting with suitable functions to set the right mood and ambiance.



Product Features

- Energy efficient ways of keeping it that way.
- Adjustable direction.
- Multiple functions like dimming, color changing.
- With USB charging functionality.
- Sleek and modern design.

Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. It is also a good accessory to be a part of the office decor.



Table Lamps-White+Silver

4W VT-1014-S

Box Qty. 25 Pcs

7098 - 3 IN 1 3800157616980



Rechargeable

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	120lm	Color:	White+Silver
CRI:	>80	Body Type:	ABS+PC+Aluminium
PF:	>0.45	Dimension:	200x50x263mm




Table Lamps-White+Gold

4W VT-1014-G

Box Qty. 25 Pcs

7099 - 3 IN 1 3800157616997



Rechargeable

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	120lm	Color:	White+Gold
CRI:	>80	Body Type:	ABS+PC+Aluminium
PF:	>0.45	Dimension:	200x50x263mm




Table Lamps-Black

4W VT-1014-B

Box Qty. 25 Pcs

8500 - 3 IN 1 3800157617215



Rechargeable

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	120lm	Color:	Black
CRI:	>80	Body Type:	ABS+PC+Aluminium
PF:	>0.45	Dimension:	200x50x263mm






Table Lamps-Grey

7W VT-1007D-G

 Box Qty.
8 Pcs

7034 - 5000K White 3800157603836



Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: AC:100-240V,50/60Hz

Beam Angle: 120°

Luminous Flux: 850lux

Color: Grey

CRI: >80

Body Type: ABS

PF: >0.45

Dimension: 330x130x380mm



Table Lamps-Pink

7W VT-1007D-P

 Box Qty.
8 Pcs

7042 - 5000K White 3800157605311



Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: AC:100-240V,50/60Hz

Beam Angle: 120°

Luminous Flux: 850lux

Color: Pink

CRI: >80

Body Type: ABS

PF: >0.45

Dimension: 330x130x380mm



Table Lamps-Blue

7W VT-1007D-B

 Box Qty.
8 Pcs

7043 - 5000K White 3800157605328



Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: AC:100-240V,50/60Hz

Beam Angle: 120°

Luminous Flux: 850lux

Color: Blue

CRI: >80

Body Type: ABS

PF: >0.45

Dimension: 330x130x380mm



Table Lamps-3 In 1-Dimmable


7W **VT-1009D-W**

Box Qty. **9 Pcs**

7039 - 3 IN 1 3800157605281



Dimmable



270°
ROTATING HEAD

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	650lux	Color:	White
CRI:	>80	Body Type:	ABS+Aluminium
PF:	>0.45	Dimension:	240x396x180mm



Table Lamps-3 In 1-Dimmable

7W **VT-1009D-B**

Box Qty. **9 Pcs**

7040 - 3 IN 1 3800157605298



Dimmable



270°
ROTATING HEAD

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	650lux	Color:	Black+White
CRI:	>80	Body Type:	ABS+Aluminium
PF:	>0.45	Dimension:	240x396x180mm



Table Lamps-3 In 1-Dimmable

10W **VT-1010D**

Box Qty. **12 Pcs**

7033 - 3 IN 1 3800157603829



Dimmable



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	700lm	Color:	White+Silver
CRI:	>80	Body Type:	ABS+Aluminium
PF:	>0.45	Dimension:	328x445x205mm



Table Lamps-3 In 1-Dimmable

7W VT-1008D

 Box Qty.
16 Pcs

7035 - 3 IN 1 3800157603843



Dimmable

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	400lm	Color:	White
CRI:	>80	Body Type:	ABS
PF:	>0.45	Dimension:	170x352x113mm



Desk Lamp-White


5W VT-1015-W

 Box Qty.
6 Pcs

7051 - 4000K Day white 3800157610650



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	White
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	210x136x32mm



Desk Lamp-Touch Dimming


5W VT-1015-B

 Box Qty.
6 Pcs

7052 - 4000K Day white 3800157610667



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Black
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	210x136x32mm




Table Lamps

5.5W VT-1046

Box Qty. **12 Pcs**

8514 - 3000K Warm White 3800157627245
 8515 - 4000K Day White 3800157627252



Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	420lm	Color:	White
CRI:	>80	Body Type:	Plastic+Metal
PF:	>0.5	Dimension:	142x101.8x310mm



Desk Lamp-White

7W VT-1017-W

Box Qty. **12 Pcs**

7053 - 4000K Day white 3800157610674



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Color:	White
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	376x166x270mm



Desk Lamp-Touch Dimming

7W VT-1017-B

Box Qty. **12 Pcs**

7054 - 4000K Day white 3800157610681



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Color:	Black
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	376x166x270mm



Table Lamps-Bakelite-E27

VT-7151-GR

 Box Qty.
6 Pcs

3912 3800157626071

Body Type: Glass+Metal
 Holder: E27
 Color: Green
 Dimension: 260x180x360mm




Table Lamps-Bakelite-E27

VT-7151-B

 Box Qty.
6 Pcs

3913 3800157626088

Body Type: Glass+Metal
 Holder: E27
 Color: Blue
 Dimension: 260x180x360mm





Table Lamps-Bakelite-E27

VT-7151-GD

 Box Qty.
6 Pcs

3914 3800157626095

Body Type: Glass+Metal
 Holder: E27
 Color: Yellow
 Dimension: 260x180x360mm



new!

Table Lamps+Speaker

3W

VT-1043D




Box Qty.
40 Pcs

8516 - 3000K+RGB 3800157632959



Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>70
Luminous Flux:	110lm	PF:	>0.6
Working Time:	2-3 Hours(Min) 15-20	Beam Angle:	360°
Battery Type:	Hours(Max)	Color:	White
Charging Time:	Lithium Battery -	Body Type:	ABS
USB Output	1500mAh	Dimension:	Ø95x122mm



- Compatible with all smart devices including smart phones, laptops, tablets, etc...
- Supports MP3 files stored in micro SD cards & USB drives
- Supports FM Function, FM Frequency Range 87-108MHZ.
- Easy to plug in your iPod, smart phones, tablets, computer & laptops and other MP3 players or any audio source that uses a standard 35mm jack
- Built-in micro phone for hands-free speaker phone calling which is easy to pair and does not require any code/pin
- Color changing and brightness adjusted by touching.
- USB cable for power, plug and play.

Desk Lamp-Purple Shade


5W VT-1035-P

 Box Qty.
6 Pcs

8501 - 4000K Day White 3800157620345



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	300lm	Color:	Chrome+Purple
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x233mm

Hanging Lamp-Purple Shade

7W VT-1036-P

 Box Qty.
9 Pcs

8504 - 4000K Day White 3800157620376



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Chrome+Purple
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x151x1241mm

Desk Lamp-White Shade


5w VT-1035-W

Box Qty.
6 Pcs

8502 - 4000K Day White 3800157620352



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	300lm	Color:	Chrome+White
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x233mm

Hanging Lamp-White Shade

7w VT-1036-W

Box Qty.
9 Pcs

8505 - 4000K Day White 3800157620383



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Chrome+White
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x151x1241mm

Desk Lamp-Blue Shade


5W VT-1035-B

 Box Qty.
6 Pcs

8503 - 4000K Day White 3800157620369




Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	300lm	Color:	Chrome+Blue
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x233mm

Hanging Lamp-Blue Shade

7W VT-1036-B

 Box Qty.
9 Pcs

8506 - 4000K Day White 3800157620390



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Chrome+Blue
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x151x1241mm




Floor Lamp-E27

VT-7500-B

Box Qty.
4 Pcs

7055 3800157610698

Max. Watts: **60W**
Body Type: **ABS+Metal**
Holder: **E27**
Color: **Black**
Dimension: **250x250x1800mm**




Floor Lamp-E27

VT-7500-S

Box Qty.
4 Pcs

7056 3800157610704

Max. Watts: **60W**
Body Type: **ABS+Metal**
Holder: **E27**
Color: **Silver**
Dimension: **250x250x1800mm**






Floor Lamp-E27

VT-7600-SB

3703 3800157610766

Max. Watts: **60W**
 Body Type: **Metal With Sand Finish**
 Holder: **E27**
 Color: **Sand Black+Satin Nickel**
 Dimension: **140x200x1600mm**

 Box Qty.
4 Pcs




Floor Lamp-E27

VT-7600-SW

3704 3800157610773

Max. Watts: **60W**
 Body Type: **Metal With Sand Finish**
 Holder: **E27**
 Color: **Sand White+Satin Nickel**
 Dimension: **140x200x1600mm**

 Box Qty.
4 Pcs





Floor Lamp


7W VT-7700-W

Box Qty.
3 Pcs

8507 3800157620406

Built In LED

Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 420lm
CRI: >80
PF: >0.5
Beam Angle: 120°
Color: White
Body Type: ABS+Metal
Dimension: Ø220x440x1405mm



Floor Lamp


7W VT-7700-B

Box Qty.
3 Pcs

8508 3800157620413

Built In LED

Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 420lm
CRI: >80
PF: >0.5
Beam Angle: 120°
Color: Black
Body Type: ABS+Metal
Dimension: Ø220x440x1405mm








LED Innovative Lights

An Innovative and sustainable way of lighting up your outdoors.V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day.Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.



Product Features

-  ZERO Electricity Cost
-  PIR Detective
-  Outdoor
-  Solar Powered
-  Light on/off automatically
-  Cordless

Applications

Suitable for Outdoor and Indoor Lighting




Solar Wall Light-IP65

1.5w VT-767-W

7096 - Day+Warm White

3800157616966

Box Qty. 20Pcs



Battery: 3.7V Lithium Battery 1200mAh
 Lumens: 200lm
 No. of LED: 10pcs (Front 8pcs, Back 2 pcs)
 Detecting Angle: 120°
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
 Working Time: Min 8 hrs and Max 24 hrs
 IP Rating: IP65
 Material: Mono Crystal Silicon
 Dimension: 152x96x83.4mm




Solar Wall Light-IP65

1.5w VT-767-2-W

8276 - 4000K Day White

3800157627931

Box Qty. 20Pcs



Battery: 3.7V Lithium Battery 1200mAh
 Lumens: 220lm
 No. of LED: 14pcs (Front 12pcs, Back 2 pcs)
 Detecting Angle: 120°
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
 Working Time: Min 8 hrs and Max 24 hrs
 IP Rating: IP65
 Material: ABS+PC
 Dimension: 144.5x96x79mm



Solar Wall Light-IP65

1.5w VT-767-2-B

8277 - 4000K Day White

3800157627948

Box Qty. 20Pcs



Battery: 3.7V Lithium Battery 1200mAh
 Lumens: 220lm
 No. of LED: 14pcs (Front 12pcs, Back 2 pcs)
 Detecting Angle: 120°
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
 Working Time: Min 8 hrs and Max 24 hrs
 IP Rating: IP65
 Material: ABS+PC
 Dimension: 144.5x96x79mm




Solar Wall Light-IP65

3w VT-768

7523 - Day+Warm White

3800157619363

 Box Qty.
12Pcs


Battery: 3.7V Lithium Battery 2000mAh
 Lumens: 400lm
 No. of LED: 30pcs (Front 28pcs, Back 2 pcs)
 Detecting Angle: 120°
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
 IP Rating: IP65
 Material: ABS+PC
 Dimension: 140x212x109.2mm
 Working Time: Min 5-8 hrs and Max 24 hrs




Solar Floodlight

10w VT-787-10

9869 - 4000K Day White

3800157636025

 Box Qty.
8Pcs


Battery: 3.7V Lithium Battery 8000mAh
 Lumens: 1100lm
 No. of LED: 60pcs
 Detecting Angle: 180°
 Sensing Range: ≤8mtrs

IP Rating: IP65
 Material: Aluminium
 Dimension: 175x43x266mm


Solar Wall Light-IP65

7W VT-767-7-W

Box Qty. 20Pcs

8278 - 4000K Day White

3800157627955



Battery: 3.7V Lithium Battery 4000mAh
 Lumens: 800lm
 No. of LED: 60pcs (Front 56pcs, Back 4 pcs)
 Detecting Angle: 120°
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
 IP Rating: IP65
 Material: ABS+PC
 Dimension: 270x221x109.2mm
 Working Time: Mode A: 5 hours, Mode B: 2~3 nights
 Mode C: 3~4 nights


Solar Wall Light-IP65

7W VT-767-7-B

Box Qty. 20Pcs

8279 - 4000K Day White

3800157627962



Battery: 3.7V Lithium Battery 4000mAh
 Lumens: 800lm
 No. of LED: 60pcs (Front 56pcs, Back 4 pcs)
 Detecting Angle: 120°
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
 IP Rating: IP65
 Material: ABS+PC
 Dimension: 270x221x109.2mm
 Working Time: Mode A: 5 hours, Mode B: 2~3 nights
 Mode C: 3~4 nights


No Wiring



Wireless



Battery Free



Switch - One Gang Set

Box Qty.
50**VT-541**

8229 3800157624336

Switch

Working Type:	Push -Button
Power Mode:	Self Powered
Control Distance:	Up to 30 meters
Switch Lifetime:	2,00,000
Operating Temp:	-5~40°C
Humidity:	0-95%RH
IP Rating:	IP20
Dimensions:	Ø70x15.5mm

Receiver

Input Voltage:	AC:200-265V,50/60Hz
Load Power:	Max 200W
Controller:	RF Receiver
Dimensions:	D:48x25mm

Switch - Mounting Base

Box Qty.
200**VT-540-1**

8231 3800157624350

Dimensions: 86x86x11mm




No Wiring




Wireless



Battery Free



Switch - Two Gang Set  Box Qty. **30**
VT-542


8230 3800157624343

Switch

Working Type:	Push -Button
Power Mode:	Self Powered
Control Distance:	Up to 30 meters
Switch Lifetime:	2,00,000
Operating Temp:	-5~40°C
Humidity:	0-95%RH
IP Rating:	IP20
Dimensions:	Ø70x15.5mm

Receiver

Input Voltage:	AC:200-265V,50/60Hz
Load Power:	Max 200W
Controller:	RF Receiver
Dimensions:	D:48x25mm

Switch - Mounting Base  Box Qty. **200**
VT-540

8231 3800157624350

Dimensions: **86x86x11mm**



LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.



Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to $+45^{\circ}$ without any adverse effects
- Specifically designed for Outdoor use
- IP65/67 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

Applications

Used for Gardens, Outdoor Residential Areas, Walkways & Passages, Driveways, Fountains, Lawns, Entrance, Patio or Terrace and similar environments



Wall Fitting-IP44-GU10-PIR

VT-7621PIR

7502 3800157617611



Box Qty.
24 Pcs

UP & DOWN LIGHTS

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 110x67x163mm



Wall Fitting-Up-Down-GU10-PIR

VT-7622PIR

7503 3800157617628



Box Qty.
12 Pcs

UP & DOWN LIGHTS

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 110x67x220mm



Wall Fitting-Up-Down-GU10-IP44

VT-7622

7500 3800157617598

Box Qty.
16 Pcs

UP & DOWN LIGHTS

Type: Wall Fixtures
Holder: 2XGU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 93x85x163mm



Wall Fitting-IP44-GU10

VT-7621

7501 3800157617604

Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 93x85x118mm



Wall Fitting-Up-Down-GU10-IP44

VT-7632

7504 3800157617635

 Box Qty.
12 Pcs



Type: **Wall Fixtures**
Holder: **2XGU10**
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**
IP Rating: **IP44**
Dimension: **110x60x178mm**



Wall Fitting-IP44-GU10

VT-7631

7505 3800157617642

 Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**
IP Rating: **IP44**
Dimension: **110x60x125mm**



Wall Light-IP44-GU10

VT-7641

7506 3800157617659

 Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**
IP Rating: **IP44**
Dimension: **105x76x118mm**



Wall Fitting-Up-Down-GU10

VT-7642

7507 3800157617666

 Box Qty.
16 Pcs



Type: **Wall Fixtures**
Holder: **2XGU10**
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**
IP Rating: **IP44**
Dimension: **105x76x207mm**



Wall Fitting-Round-IP44-GU10

VT-7651RD

7508 3800157617673

 Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **92x68x80mm**



Wall Fitting-Up-Down-GU10-IP44

VT-7652RD

7509 3800157617680

 Box Qty.
16 Pcs



Type: **Wall Fixtures**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **92x68x80mm**



Wall Fitting-Square-IP44-GU10

VT-7651SQ

7510 3800157617697

 Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **92x68x80mm**



Wall Fitting-Square-IP44-GU10

VT-7652SQ

7511 3800157617703

 Box Qty.
16 Pcs

Type: **Wall Fixtures**
Holder: **2XGU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **92x68x150mm**



Wall Fitting-Up-Down-GU10

VT-7662

7512 3800157617710

 Box Qty.
12 Pcs



Type: Wall Fixtures
Holder: 2XGU10
Material: Stainless Steel

Color of Fixture: Black
IP Rating: IP44
Dimension: 85x87x250mm

new!

Wall Fitting-Square-IP44-GU10

VT-7651SQ-W

7539 3800157630702

 Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 92x68x80mm

new!

Wall Fitting-Round-IP44-GU10

VT-7651RD-W

7540 3800157630719

 Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 92x68x80mm

new!

Wall Fitting-Square-IP44-GU10

VT-7652SQ-W

7541 3800157630726

 Box Qty.
16 Pcs



Type: Wall Fixtures
Holder: 2XGU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 92x68x150mm

new!



Wall Fitting-Up-Down-GU10-IP44

VT-7652RD-W

7542 3800157630733

 Box Qty.
16 Pcs



Type: **Wall Fixtures**
Holder: **2xGU10**
Material: **Aluminium**

Color of Fixture: **White**
IP Rating: **IP44**
Dimension: **92x68x80mm**

new!



Wall Fitting-Up-Down-GU10

VT-7662-W

7543 3800157630740

 Box Qty.
12 Pcs



Type: **Wall Fixtures**
Holder: **2XGU10**
Material: **Aluminium**

Color of Fixture: **White**
IP Rating: **IP44**
Dimension: **85x87x250mm**

new!



Wall Fitting-IP44-GU10

VT-7611

7553 3800157633574

 Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **100x66x92mm**

new!



Wall Fitting-IP44-GU10

VT-7612

7554 3800157633581

 Box Qty.
6 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **1170x50mm**



Underground Fitting-Round-GU10

VT-7677RD

7515 3800157617741

 Box Qty.
24 Pcs


Type: **Underground**
Holder: **Fittings**
Material: **GU10**

Color of Fixture: **Black**
IP Rating: **IP65**
Dimension: **110x110x-**



Underground Fitting-Square-GU10

VT-7677SQ

7516 3800157617758

 Box Qty.
24 Pcs


Type: **Underground**
Holder: **Fittings**
Material: **GU10**

Color of Fixture: **Black**
IP Rating: **IP65**
Dimension: **110x110x-**



Garden Spike-Single Head-E27

VT-728

7044 3800157606332

 Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **E27**
Material: **ABS**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **450x27mm**



Garden Spike-Double Head-E27

VT-729

7045 3800157606349

 Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **E27**
Material: **ABS**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **450x205mm**



Garden Spike-Black-IP44

VT-769

7517 3800157617765

 Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **95x95x335mm**



Garden Spike-White-IP44

VT-770

7518 3800157617772

 Box Qty.
8 Pcs

Type: **Garden Lamps**
Holder: **GU10**
Material: **Stainless Steel**

Color of Fixture: **Silver**
IP Rating: **IP44**
Dimension: **60x60x420mm**



new!

Garden Lamp

12w VT-857-B

Box Qty.
50 Pcs

7544 - 3000K Warm White 3800157633444
7545 - 4000K Day White 3800157633451
7546 - Green 3800157633468

IP65
RATING



Commercial Type: **Garden Spike Light**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **720lm**
Beam Angle: **30°**
PF **>0.6**

CRI: **>80**
IP Rating: **IP65**
Body Type: **Aluminium**
Dimension: **73x255mm**

new!

Garden Lamp

12w VT-857-W

Box Qty.
50 Pcs

7547 - 3000K Warm White 3800157633475
7548 - 4000K Day White 3800157633482
7549 - Green 3800157633499

IP65
RATING



Commercial Type: **Garden Spike Light**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **720lm**
Beam Angle: **30°**
PF **>0.6**

CRI: **>80**
IP Rating: **IP65**
Body Type: **Aluminium**
Dimension: **73x255mm**

new!

Garden Lamp

12w VT-857-G

Box Qty.
50 Pcs

7550 - 3000K Warm White 3800157633505
7551 - 4000K Day White 3800157633512
7552 - Green 3800157633529

IP65
RATING



Commercial Type: **Garden Spike Light**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **720lm**
Beam Angle: **30°**
PF **>0.6**

CRI: **>80**
IP Rating: **IP65**
Body Type: **Aluminium**
Dimension: **73x255mm**

new!

Pool Lights-PAR56

8W VT-1258

Box Qty.
12 Pcs


7556 - 3000K Warm White
7555 - 6400K White
7557 - Blue

3800157633789
3800157633772
3800157633796



IP68
RATING

Commercial Type: PAR56
Voltage/Frequency: AC/DC:12V,50Hz
Luminous Flux: 800lm
Beam Angle: 120°
CRI: >80
IP Rating: IP68
Body Type: Glass
Dimension: 178x114mm
Cutting Size: 275x145mm



new!

Pool Lights-PAR56-RGB

8W VT-1268

Box Qty.
12 Pcs


7558 - RGB

3800157633802



IP68
RATING

Commercial Type: PAR56
Voltage/Frequency: AC/DC:12V,50Hz
Luminous Flux: 800lm
Beam Angle: 120°
CRI: >80
IP Rating: IP68
Body Type: Glass
Dimension: 178x114mm
Cutting Size: 275x145mm




new!
Pool Lights-PAR56
12w VT-1262
 Box Qty.
12 Pcs

7560 - 3000K Warm White
 7559 - 6500K White
 7561 - Blue

3800157633826
 3800157633819
 3800157633833


IP68
 RATING

Commercial Type: PAR56
 Voltage/Frequency: AC/DC:12V,50Hz
 Luminous Flux: 1200lm
 Beam Angle: 120°
 CRI: >80
 IP Rating: IP68
 Body Type: Glass
 Dimension: 178x114mm
 Cutting Size: 275x145mm



new!
Pool Lights-PAR56-RGB
12w VT-1263
 Box Qty.
12 Pcs

7562 - RGB

3800157633840


IP68
 RATING

Commercial Type: PAR56
 Voltage/Frequency: AC/DC:12V,50Hz
 Luminous Flux: 1200lm
 Beam Angle: 120°
 CRI: >80
 IP Rating: IP68
 Body Type: Glass
 Dimension: 178x114mm
 Cutting Size: 275x145mm





Garden Lamps

V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.



Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Waterproof Lamps available in series of IP rating from IP 44 to IP 66
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

Applications

Suitable for Outdoor Lighting

Wall Lamp


VT-7670

 Box Qty. **12 Pcs**

7513

3800157617727

Voltage: **AC:220-240V,50Hz**
Max.Watts: **14W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Stainless Steel**
Body Type: **Stainless Steel+PC**
Size: **250x90x100mm**



Wall Lamp


VT-7680

 Box Qty. **12 Pcs**

7514


3800157617734

Voltage: **AC:220-240V**
Max.Watts: **14W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Stainless Steel**
Body Type: **Stainless Steel+PC**
Size: **250x90x100mm**



Wall Lamp


VT-745-B

 Box Qty. **12 Pcs**

7064

3800157614399

Voltage: **AC:220-240V,50Hz**
Max.Watts: **40W**
IP Rating: **IP54**
Holder: **E27**
Color of Fixture: **Matt Black**
Body Type: **Aluminium**
Size: **145X265mm**



Wall Lamp


VT-745-DG

 Box Qty.
12 Pcs

7065

3800157614405

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP54
 Holder: E27
 Color of Fixture: Dark Grey
 Body Type: Aluminium
 Size: 145X265mm



Wall Lamp


VT-754-MB

 Box Qty.
10 Pcs

7076

3800157616294

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 245x180x93mm



Wall Lamp


VT-754-MW

 Box Qty.
10 Pcs

7077

3800157616300

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 245x180x93mm



Wall Lamp


VT-760-B

 Box Qty.
12 Pcs

7519

3800157617789

Voltage: **AC:220-240V**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt Black**
Body Type: **Aluminium+Glass**
Size: **225x400x148mm**



Wall Lamp


VT-760-W

 Box Qty.
12 Pcs

7520

3800157617796

Voltage: **AC:220-240V**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt White**
Body Type: **Aluminium+Glass**
Size: **225x400x148mm**



Wall Lamp


VT-761-B

 Box Qty.
8 Pcs

7521

3800157617802

Voltage: **AC:220-240V**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt Black**
Body Type: **Aluminium+Glass**
Size: **245x445x185mm**



Wall Lamp


VT-761-W

Box Qty.
8 Pcs

7522

3800157617819

Voltage: AC:220-240V
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 245x445x185mm



Wall Lamp


VT-730

Box Qty.
6 Pcs

7046

3800157610391

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 200x238mm



Wall Lamp


VT-731

Box Qty.
6 Pcs

7047

3800157610407

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 200x238mm



Wall Lamp


VT-852

 Box Qty.
6 Pcs

7531

3800157630078

Voltage: AC:220-240V,50Hz
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium, Glass
Size: 290x250x525mm



Wall Lamp


VT-853

 Box Qty.
6 Pcs

7532

3800157630085

Voltage: AC:220-240V,50Hz
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium, Glass
Size: 290x250x525mm



Wall Lamp


VT-751-B

 Box Qty.
10 Pcs

7070

3800157616232

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 215x375x170mm



MOTION
PIR
SENSOR



Wall Lamp


VT-751-W

 Box Qty.
10 Pcs

7071

3800157616249

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 215x375x170mm




Wall Lamp


VT-749-B

 Box Qty.
10 Pcs

7066

3800157616195

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 208x360x170mm



Wall Lamp


VT-749-W

 Box Qty.
10 Pcs

7067

3800157616201

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 208x360x170mm



Wall Lamp


VT-750-B



3800157616218

7068

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 208x360x170mm



Wall Lamp


VT-750-W



3800157616225

7069

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt White
Body Type: Aluminium+Glass
Size: 208x360x170mm



Ceiling Lamp


VT-752-B



3800157616256

7072

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 170x840mm



Ceiling Lamp


VT-752-W

 Box Qty.
10 Pcs

7073

3800157616263

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: White
 Body Type: Aluminium+Glass
 Size: 170x840mm



Ceiling Lamp


VT-735

 Box Qty.
10 Pcs

7058

3800157612616

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 170x720mm



Stand Lamp


VT-736

 Box Qty.
10 Pcs

7059

3800157612623

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 170x600mm



Ceiling Lamp


VT-850

 Box Qty.
8 Pcs

7529

3800157630054

Voltage: **AC:200-240V,50Hz**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt Black**
Body Type: **Aluminium+PC**
Size: **250x890mm**



Pole Lamp


VT-851

 Box Qty.
1 Pcs

7530

3800157630061

Voltage: **AC:220-240V,50Hz**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Black**
Body Type: **Aluminium+PC**
Size: **250x1110mm**



Stand Lamp

VT-734


 Box Qty.
10 Pcs

7057

3800157612609

Voltage: **AC:220-240V,50Hz**
Max.Watts: **60W**
IP Rating: **IP65**
Holder: **E27**
Color of Fixture: **Black**
Body Type: **Aluminium+Glass**
Size: **170x290**

 **IP65**
RATING



Stand Lamp


VT-753-B

 Box Qty.
10 Pcs

7074

3800157616270

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 170x403mm



Stand Lamp


VT-753-W

 Box Qty.
10 Pcs

7075

3800157616287

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 170x403mm



Stand Lamp


VT-737

 Box Qty.
1 Pcs

7060

3800157612630

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 345x1365mm



Stand Lamp


VT-738

 Box Qty.
1 Pcs

7061

3800157612647

Voltage: AC:220-240V,50Hz
Max.Watts: 60Wx2
IP Rating: IP44
Holder: E27
Color of Fixture: Black
Body Type: Aluminium+Glass
Size: 480x1410mm



Stand Lamp


VT-739

 Box Qty.
1 Pcs

7062

3800157612654

Voltage: AC:220-240V,50Hz
Max.Watts: 60Wx2
IP Rating: IP44
Holder: E27
Color of Fixture: Black
Body Type: Aluminium+Glass
Size: 500x1990mm



Stand Lamp


VT-740

 Box Qty.
1 Pcs

7063

3800157612661

Voltage: AC:220-240V,50Hz
Max.Watts: 60Wx3
IP Rating: IP44
Holder: E27
Color of Fixture: Black
Body Type: Aluminium+Glass
Size: 500x1990mm



LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these Wall Lamps.



Product Features

- Modern Wall lights available in sleek and stylish designs.
- Adjustable Beam Angle.
- Available in Black, Grey & White Colors
- Easy installation
- Perfect for Halls, Pathways, Bedroom, Kitchen & Terrace

Applications

Suitable for Residential lighting, Hotels, Restaurants, Resorts, Residential Lighting and similar environment



White

- 8316 - 3000K Warm White 3800157632270
- 8317 - 4000K Day White 3800157632287
- 8318 - 5000K White 3800157632294

Black

- 8322 - 3000K Warm White 3800157632331
- 8323 - 4000K Day White 3800157632348
- 8324 - 5000K White 3800157632355

Grey

- 8319 - 3000K Warm White 3800157632300
- 8320 - 4000K Day White 3800157632317
- 8321 - 5000K White 3800157632324

new!


Wall Lights

10w VT-830

Box Qty. **8Pcs**

IP65 RATING

- | | | | |
|--------------------|---------------------|-------------|-----------|
| Sensor Compatible: | Yes | PF: | >0.5 |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 72° |
| Luminous Flux: | 450lm | Body Type: | Aluminium |
| IP Rating: | IP65 | Dimension: | 108x250mm |
| CRI: | >80 | | |





new!


Wall Lights
10w VT-820

Box Qty.
4Pcs

IP65
 RATING

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **450lm**
 IP Rating: **IP65**
 CRI: **> 80**

PF: **> 0.5**
 Beam Angle: **72°**
 Body Type: **Aluminium**
 Dimension: **108x800mm**





White

- 8334 - 3000K Warm White 3800157632454
- 8335 - 4000K Day White 3800157632461
- 8336 - 6400K White 3800157632478

Black

- 8340 - 3000K Warm White 3800157632515
- 8341 - 4000K Day White 3800157632522
- 8342 - 6400K White 3800157632539

Grey

- 8337 - 3000K Warm White 3800157632485
- 8338 - 4000K Day White 3800157632492
- 8339 - 6400K White 3800157632508


new!


Wall Lights
12w **VT-822**

 Box Qty.
20Pcs

 **IP65**
RATING

- | | | | |
|--------------------|---------------------|-------------|-----------|
| Sensor Compatible: | Yes | PF: | >0.5 |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 140° |
| Luminous Flux: | 750lm | Body Type: | PC |
| IP Rating: | IP65 | Dimension: | 130x160mm |
| CRI: | >80 | | |





Black

8211 - 3000K Warm White 3800157623285
8212 - 4000K Day White 3800157623292

White

8209 - 3000K Warm White 3800157623261
8210 - 4000K Day White 3800157623278

Square-IP65


4W VT-704

Box Qty.
20Pcs

 **IP65**
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 440lm
IP Rating: IP65
CRI: >80

PF: >0.5
Beam Angle: 360°
Body Type: Aluminium+Acrylic
Dimension: 150x150x50mm





Black

8215 - 3000K Warm White 3800157623322
8216 - 4000K Day White 3800157623339

White

8213 - 3000K Warm White 3800157623308
8214 - 4000K Day White 3800157623315

Round-IP65

4W

VT-706

Box Qty.
20Pcs



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **440lm**

IP Rating: **IP65**


CRI: **>80**

PF: **>0.5**

Beam Angle: **360°**

Body Type: **Aluminium+Acrylic**

Dimension: **150x50mm**



White

8280 - 3000K Warm White 3800157629744
8281 - 4000K Day White 3800157629751

Black

8282 - 3000K Warm White 3800157629768
8283 - 4000K Day White 3800157629775

Grey

8284 - 3000K Warm White 3800157629782
8285 - 4000K Day White 3800157629799

Modern Wall Lights

5w

VT-825

Box Qty.
20Pcs

IP65
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 550lm

IP Rating: IP65


CRI: >80

PF: >0.5

Beam Angle: 120°

Body Type: Aluminium

Dimension: 170x170x75mm






Triangle Light

6W VT-826

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	15/120°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	90x200x90mm
CRI:	>80		





Black

8288 - 3000K Warm White 3800157629829
8289 - 4000K Day White 3800157629836

White

8286 - 3000K Warm White 3800157629805
8287 - 4000K Day White 3800157629812

Grey

8290 - 3000K Warm White 3800157629843
8291 - 4000K Day White 3800157629850

Single Head-Rotatable

6W


VT-816

Box Qty.
20Pcs



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 660lm
IP Rating: IP65
CRI: >80

PF: >0.5
Beam Angle: 350°
Body Type: Aluminium
Dimension: 110x54x97mm





Black

7078 - 3000K Warm White 3800157616379
 7087 - 4000K Day White 3800157616874

White

7079 - 3000K Warm White 3800157616386
 7088 - 4000K Day White 3800157616881

Grey

7080 - 3000K Warm White 3800157616393
 7089 - 4000K Day White 3800157616898


Square-Bridgelux

6W VT-759

 Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	100x100x100mm
CRI:	>80		





Black

7081 - 3000K Warm White 3800157616409
7090 - 4000K Day White 3800157616904



White

7082 - 3000K Warm White 3800157616416
7091 - 4000K Day White 3800157616911



Grey

7083 - 3000K Warm White 3800157616423
7092 - 4000K Day White 3800157616928

Round-Bridgelux


6W VT-756

Box Qty.
20Pcs

IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 660lm
IP Rating: IP65
CRI: >80

PF: >0.45
Beam Angle: 120°
Body Type: Aluminium
Dimension: 140x115x100mm





Grey

8305 - 3000K Warm White 3800157629997
 8306 - 4000K Day White 3800157630009

Black

8303 - 3000K Warm White 3800157629973
 8304 - 4000K Day White 3800157629980

White

8301 - 3000K Warm White 3800157629959
 8302 - 4000K Day White 3800157629966


Round Light

6W VT-836

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	112x112x93mm
CRI:	>80		





Black

8219 - 3000K Warm White 3800157623360
8220 - 4000K Day White 3800157623377

White

8217 - 3000K Warm White 3800157623346
8218 - 4000K Day White 3800157623353


Ceiling-Blade Lights

7W

VT-707

Box Qty.
20Pcs

 **IP65**
RATING



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 770lm

IP Rating: IP65

CRI: >80

PF: >0.5

Beam Angle: 360°

Body Type: Aluminium

Dimension: 110x120x170mm



Round-Bridgelux

6W **VT-741**


 Box Qty.
20Pcs

7524 - 3000K Warm White 3800157620017
7525 - 4000K Day White 3800157620024

 **IP65**
RATING

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø135mm**



Ø 135 mm



Round-Bridgelux

9W **VT-743**


 Box Qty.
20Pcs

7526 - 3000K Warm White 3800157620031
7527 - 4000K Day White 3800157620048

 **IP65**
RATING

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø180mm**



Ø 180 mm




Up-Down Light-Medium

9w

VT-8056

 Box Qty.
20Pcs

8239 - 3000K Warm White 3800157625791
 8240 - 4000K Day White 3800157625807
 8241 - 6400K White 3800157625814

IP65
RATING


Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **400lm**
 IP Rating: **IP65**
 CRI: **>80**

PF: **>0.9**
 Beam Angle: **90°**
 Body Type: **PC**
 Dimension: **173x81x46mm**




Up-Down Light-Large

12w

VT-8057

 Box Qty.
20Pcs

8242 - 3000K Warm White 3800157625821
 8243 - 4000K Day White 3800157625838
 8244 - 6400K White 3800157625845

IP65
RATING


Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **600lm**
 IP Rating: **IP65**
 CRI: **>80**


PF: **>0.9**
 Beam Angle: **92°**
 Body Type: **PC**
 Dimension: **230x100x90mm**



Double Head-Rotatable

12w VT-814

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	350°
Luminous Flux:	1320lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	230x54x97mm
CRI:	>80		




Softlight-Bulkhead

12w VT-8058

 Box Qty.
20Pcs

8245 - 3000K Warm White	3800157625852
8246 - 4000K Day White	3800157625869
8247 - 6400K White	3800157625876

 **IP65**
RATING


Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 500lm

IP Rating: IP65

CRI: >80

PF: >0.9

Beam Angle: 130°

Body Type: PC

Dimension: 230x110x76mm




Landscape-Soft Light-Medium

12w VT-8054

Box Qty.
20Pcs

8233 - 3000K Warm White 3800157625739
 8234 - 4000K Day White 3800157625746
 8235 - 6400K White 3800157625753



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	600lm	Body Type:	PC
IP Rating:	IP65	Dimension:	265x120x81mm
CRI:	>80		




Landscape-Soft Light-Large

20w VT-8055

Box Qty.
20Pcs

8236 - 3000K Warm White 3800157625760
 8237 - 4000K Day White 3800157625777
 8238 - 6400K White 3800157625784



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	1000lm	Body Type:	PC
IP Rating:	IP65	Dimension:	319x170x114mm
CRI:	>80		

INDOOR WALL LIGHTS




Wall Lights

5W VT-705

 Box Qty.
20Pcs

8208 - 3000K Warm White 3800157623254
8232 - 4000K Day White 3800157624756

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	150°
Luminous Flux:	550lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	175x80x96mm
CRI:	>80		





White

8344 - 3000K Warm White 3800157633000
8345 - 4000K Day White 3800157633017

Black

8346 - 3000K Warm White 3800157633024
8347 - 4000K Day White 3800157633031

new!

Square-Bridgelux

3W

VT-803

 Box Qty.

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	300lm	Body Type:	Iron
IP Rating:	IP20	Dimension:	220x80x200mm
CRI:	>80		


Rotatable-360-White

5W

VT-757

Box Qty.
20Pcs

7086 - 3000K Warm White 3800157616454
7093 - 4000K Day White 3800157616935



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	10-360°
Luminous Flux:	560lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	140x105x140mm
CRI:	>80		


Square-Bridgelux

5W

VT-758-B

Box Qty.
20Pcs

7084 - 3000K Warm White 3800157616430
7094 - 4000K Day White 3800157616942



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	560lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	100x80x100mm
CRI:	>80		


Square-Bridgelux

5W

VT-758

Box Qty.
20Pcs

7085 - 3000K Warm White 3800157616447
7095 - 4000K Day White 3800157616959



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:100-240V	Beam Angle:	120°
Luminous Flux:	560lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	100x100x80mm
CRI:	>80		



White

8225 - 3000K Warm White 3800157623421
8226 - 4000K Day White 3800157623438

Black

8227 - 3000K Warm White 3800157623445
8228 - 4000K Day White 3800157623452


Modern Wall Lights

9W

VT-710

 Box Qty.
20Pcs

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	990lm	Body Type:	Aluminium+Acrylic
IP Rating:	IP20	Dimension:	210x80mm
CRI:	>80		





White

8221 - 3000K Warm White 3800157623384
8222 - 4000K Day White 3800157623391




Black

8223 - 3000K Warm White 3800157623407
8224 - 4000K Day White 3800157623414

Modern Wall Lights

9w VT-709

 Box Qty.
10Pcs



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 990lm
IP Rating: IP20
CRI: >80

PF: >0.5
Beam Angle: 360°
Body Type: Aluminium
Dimension: 440x335x75mm



White

8307 - 3000K Warm White 3800157630016
8308 - 4000K Day White 3800157630023


Black

8309 - 3000K Warm White 3800157630030
8310 - 4000K Day White 3800157630047

Modern Wall Lights

10w VT-811

 Box Qty.
20Pcs



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	1100lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	300x215x60mm
CRI:	>80		



Grey

8206 - 3000K Warm White 3800157623230
8207 - 4000K Day White 3800157623247



White

8202 - 3000K Warm White 3800157623193
8203 - 4000K Day White 3800157623209




Black

8204 - 3000K Warm White 3800157623216
8205 - 4000K Day White 3800157623223

Modern Wall Lights

12w VT-712

 Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium+Acrylic**
Dimension: **260x125x55mm**




Single Head

4.5w VT-805-W

Box Qty.
12Pcs

8262 - 3000K Warm White 3800157627122
8264 - 4000K Day White 3800157627146



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	360lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x94x45mm
CRI:	>80		




Single Head

4.5w VT-805-B

Box Qty.
12Pcs

8263 - 3000K Warm White 3800157627139
8265 - 4000K Day White 3800157627153



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	360lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x94x45mm
CRI:	>80		



Double Head

9w


VT-810-W

 Box Qty.
12Pcs

8266 - 3000K Warm White 3800157627160
8268 - 4000K Day White 3800157627184

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**



Double Head

9w


VT-810-B

 Box Qty.
12Pcs

8267 - 3000K Warm White 3800157627177
8269 - 4000K Day White 3800157627191

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**






Tripple Head

13.5w VT-813-W

Box Qty. **12Pcs**

8270 - 3000K Warm White 3800157627207
 8272 - 4000K Day White 3800157627221



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	1080lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	600x100x94mm
CRI:	>80		




Tripple Head

13.5w VT-813-B

Box Qty. **12Pcs**

8271 - 3000K Warm White 3800157627214
 8273 - 4000K Day White 3800157627238



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	1080lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	600x100x94mm
CRI:	>80		




Single Head

6W

VT-806-W

 Box Qty.
24Pcs

8250 - 3000K Warm White 3800157627009
8252 - 4000K Day White 3800157627023



Sensor Compatible:	Yes	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	480lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x93mm
CRI:	>80		




Single Head

6W

VT-806-B

 Box Qty.
24Pcs

8251 - 3000K Warm White 3800157627016
8253 - 4000K Day White 3800157627030



Sensor Compatible:	Yes	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	480lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x93mm
CRI:	>80		



Double Head


12w VT-812-W

Box Qty.
12Pcs

8254 - 3000K Warm White 3800157627047
8256 - 4000K Day White 3800157627061

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 960lm
IP Rating: IP20
CRI: >80

PF: >0.5
Beam Angle: 100°
Body Type: Plastic+Metal
Dimension: 405x100x93mm



Double Head


12w VT-812-B

Box Qty.
12Pcs

8255 - 3000K Warm White 3800157627054
8257 - 4000K Day White 3800157627078

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 960lm
IP Rating: IP20
CRI: >80

PF: >0.5
Beam Angle: 100°
Body Type: Plastic+Metal
Dimension: 405x100x93mm





Tripple Head


18w VT-818-W

 Box Qty.
12Pcs

8258 - 3000K Warm White 3800157627085
8260 - 4000K Day White 3800157627108

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1440lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **605x100x93mm**



Tripple Head


18w VT-818-B

 Box Qty.
12Pcs

8259 - 3000K Warm White 3800157627092
8261 - 4000K Day White 3800157627115

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1440lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **605x100x93mm**





LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.



Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



Indoor Display Screen

P5 Indoor LED Finished Cabinet

Box Qty.
6 Pcs

11077 3800157617468



Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Surport Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness):	15KM
IP(Front/rear):	100000hrs

LED Cabinet Parameter

Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

LED Module Parameter

Pixel Pitch:	5mm
Led Specification:	SMD3528
Led Configuration:	SMD 3 in 1
Module Size:	320*160mm
Module Resolution:	64*32=2048dot
Drive Method:	1/16 scan constant current
Drive IC:	SM16106

Sending Box

Box Qty.
20 Pcs

500082



Sending Card

Box Qty.
20 Pcs

500081





Stylish Pendants

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

Product Features

- Stylish pendant lamps available in various shapes, material and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.
- Applicable with E14 & E27 base.
- Pendant holders available in Bottle Shape, Chrome, Wooden, Concrete, Metal & Porcelain series.

Applications


Perfect choice for Hotels, Bars, Commercial & Residential Lighting.



VT-7350-HT
Diamond Cut Glass-Transparent

Box Qty.
8Pcs


SKU: 3879
EAN Code: 3800157620970
Material: Glass+Metal
Size: Ø330x260x1000mm



VT-7350-HB
Diamond Cut Glass-Black

Box Qty.
8Pcs

SKU: 3880
EAN Code: 3800157620987
Material: Glass+Metal
Size: 330x260x1000mm






VT-7254
Designer Glass-Transparent

Box Qty.
8Pcs


SKU: 3882
EAN Code: 3800157621007
Material: Glass+Metal
Size: Ø250x230x1000mm



VT-7306
Designer Glass-Transparent

Box Qty.
8Pcs

SKU: 3883
EAN Code: 3800157621014
Material: Glass
Size: Ø300x265x1000mm





VT-7305

Designer Glass-Transparent




Box Qty.
4Pcs

SKU: 3881

EAN Code: 3800157620994

Material: Glass

Size: Ø270x1280mm






VT-7292

Designer Glass-Gun Grey

Box Qty.
8Pcs

SKU: 3887
 EAN Code: 3800157621052
 Material: Glass
 Size: Ø300x265x1000mm




VT-7380

Designer Glass-Gun Grey

Box Qty.
4Pcs

SKU: 3888
 EAN Code: 3800157621069
 Material: Glass
 Size: Ø380x330x1000mm






VT-7303
Amber Glass-Metal Series

Box Qty.
8Pcs


SKU: 3866
EAN Code: 3800157620765
Material: Glass+Metal
Size: 300x280x1000mm



VT-7302
Transparent Glass-Metal Series

Box Qty.
8Pcs

SKU: 3865
EAN Code: 3800157620758
Material: Glass+Metal
Size: 300x280x1000mm






VT-7229
Transparent Glass-Metal Series

Box Qty.
8Pcs


SKU: 3867
EAN Code: 3800157620772
Material: Glass+Metal
Size: 265x190x1000mm



VT-7304-AW
Double Glass-Amber-White

Box Qty.
8Pcs

SKU: 3875
EAN Code: 3800157620932
Material: Glass+Metal
Size: Ø250x420x1000mm






VT-7181-AW
Double Glass-Amber-White

Box Qty.
9Pcs


SKU: 3878
EAN Code: 3800157620963
Material: Glass+Metal
Size: 180x350x1000mm



VT-7304-GW
Double Glass-Gungrey-White

Box Qty.
8Pcs

SKU: 3876
EAN Code: 3800157620949
Material: Glass+Metal
Size: 250x420x1000mm






VT-7181-GW
Double Glass-Gungrey-White

Box Qty.
9Pcs


SKU: 3877
EAN Code: 3800157620956
Material: Glass+Metal
Size: 180x350x1000mm



VT-7281-WG
Modern-White Glass Pendant

Box Qty.
4Pcs

SKU: 3884
EAN Code: 3800157621021
Material: Glass+Metal
Size: Ø285x440x1000mm






VT-7281-BG
Modern-Black Glass Pendant

Box Qty.
4Pcs


SKU: 3885
EAN Code: 3800157621038
Material: Glass+Metal
Size: 285x440x1000mm



VT-7281-AG
Modern-Amber Glass Pendant

Box Qty.
4Pcs

SKU: 3886
EAN Code: 3800157621045
Material: Glass+Metal
Size: 285x440x1000mm






VT-7210
Glass-Metal Series

Box Qty.
8Pcs


SKU: 3730
EAN Code: 3800157611039
Material: Glass+Metal
Size: 245x230x1100mm



VT-7140-A
Amber Glass-Metal Series

Box Qty.
12Pcs

SKU: 3736
EAN Code: 3800157611091
Material: Glass+Metal
Size: 140x240x1130mm






VT-7140-T
Transparent Glass-Metal Series

 Box Qty.
8Pcs


SKU: 3735
EAN Code: 3800157611084
Material: Glass+Metal
Size: 140x240x1130mm



VT-7185
Transparent Glass-Metal Series

 Box Qty.
12Pcs

SKU: 3738
EAN Code: 3800157611114
Material: Glass+Metal
Size: 180x230x1110mm






VT-7250
Transparent Glass-Metal Series

Box Qty.
8Pcs


SKU: 3739
EAN Code: 3800157611121
Material: Glass+Metal
Size: 250x330x1220mm



VT-7290
Amber Glass-Metal Series

Box Qty.
8Pcs

SKU: 3741
EAN Code: 3800157611145
Material: Glass+Metal
Size: 260x260x1150mm






VT-7300

Transparent Glass-Metal Series

Box Qty.
8Pcs

SKU: 3737
EAN Code: 3800157611107
Material: Glass+Metal
Size: 300x250x1150mm




VT-7320

Amber Glass-Metal Series

Box Qty.
8Pcs

SKU: 3740
EAN Code: 3800157611138
Material: Glass+Metal
Size: 250x280x1180mm






VT-7150-AG
Amber Glass-Metal Series

Box Qty.
12Pcs


SKU: 3732
EAN Code: 3800157611053
Material: Glass+Metal
Size: 145x160x1050mm



VT-7150-GG
Green Glass-Metal Series

Box Qty.
12Pcs

SKU: 3734
EAN Code: 3800157611077
Material: Glass+Metal
Size: 145x160x1050mm






VT-7150-RG
Red Glass-Metal Series

Box Qty.
12Pcs


SKU: 3731
EAN Code: 3800157611046
Material: Glass+Metal
Size: 145x160x1050mm



VT-7150-CG
Glass-Metal Series

Box Qty.
12Pcs

SKU: 3733
EAN Code: 3800157611060
Material: Glass+Metal
Size: 145x160x1050mm






VT-7220-A
Amber Glass Pendant

Box Qty.
8Pcs


SKU: 3726
EAN Code: 3800157610995
Material: Glass+Metal
Size: 220x280x1150mm



VT-7220-T
Transparent Glass Pendant

Box Qty.
8Pcs

SKU: 3727
EAN Code: 3800157611008
Material: Glass+Metal
Size: 220x280x1150mm






VT-7130
Transparent Glass-Wood Pendant

 Box Qty.
8Pcs


SKU: 3818
EAN Code: 3800157615433
Material: Glass+Wood
Size: 135x240x1150mm



VT-7170
Transparent Glass-Wood Pendant

 Box Qty.
8Pcs

SKU: 3819
EAN Code: 3800157615440
Material: Glass+Wood
Size: 165x220x1100mm






VT-7307

Trio Glass Pendant-Lampholder

Box Qty.
4Pcs

SKU: 3926
 EAN Code: 3800157626217
 Material: Glass+Wood
 Size: 300x1300mm




VT-7240

Transparent Glass-Wood Pendant

Box Qty.
8Pcs

SKU: 3820
 EAN Code: 3800157615457
 Material: Glass+Wood
 Size: 235x140x1050mm






VT-7015

3D Glass-Black Canopy

Box Qty.
10Pcs

SKU: 3830
EAN Code: 3800157616652
Material: Glass
Size: 150x140x1200mm






VT-7180

Transparent Glass-V Shape

Box Qty.
8Pcs

SKU: 3863
 EAN Code: 3800157620734
 Material: Glass+Metal
 Size: Ø250x90mm




VT-7226

Transparent Glass-Globe

Box Qty.
8Pcs

SKU: 3864
 EAN Code: 3800157620741
 Material: Glass+Metal
 Size: Ø250x230mm






VT-7142

Transparent Glass-Cone Shape

Box Qty.
8Pcs

SKU: 3861
EAN Code: 3800157620710
Material: Glass+Metal
Size: 140x160mm




VT-7143

Transparent Glass-V Shape

Box Qty.
8Pcs

SKU: 3862
EAN Code: 3800157620727
Material: Glass+Metal
Size: 185x140mm






VT-7400
6 Bulb Chandelier-Movable

Box Qty.
4Pcs

SKU: 3889
 EAN Code: 3800157621076
 Material: Metal
 Size: 791x900mm






VT-7422-B
Aluminium Shade-Black

Box Qty.
8Pcs


SKU: 3728
EAN Code: 3800157611015
Material: Aluminium
Size: 230x310x1150mm



VT-7422-WH
Aluminium Shade-White

Box Qty.
8Pcs

SKU: 3729
EAN Code: 3800157611022
Material: Aluminium
Size: 230x310x1150mm






VT-7200-MG
Mesh Metal-Grey

Box Qty.
8Pcs


SKU: 3822
EAN Code: 3800157616577
Material: Metal
Size: 200x270x1300mm



VT-7200-CG
Mesh Metal-Gold

Box Qty.
8Pcs

SKU: 3821
EAN Code: 3800157616560
Material: Metal
Size: 200x270x1300mm






VT-7200-MW
Mesh Metal-White

Box Qty.
8Pcs


SKU: 3823
EAN Code: 3800157616584
Material: Metal
Size: 200x270x1300mm



VT-7131-CG
Can Shape-Gold Pendant

Box Qty.
10Pcs

SKU: 3824
EAN Code: 3800157616591
Material: Metal
Size: 130x250x1300mm






VT-7131-MB
Can Shape-Black Pendant

Box Qty.
10Pcs


SKU: 3825
EAN Code: 3800157616607
Material: Metal
Size: 130x250x1300mm



VT-7131-MW
Can Shape-WhitePendant

Box Qty.
10Pcs

SKU: 3826
EAN Code: 3800157616614
Material: Metal
Size: 130x250x1300mm






VT-7132-CG
Can Shape-Gold Pendant

Box Qty.
10Pcs


SKU: 3827
EAN Code: 3800157616621
Material: Metal
Size: 130x220x1300mm



VT-7132-MB
Can Shape-Black Pendant

Box Qty.
10Pcs

SKU: 3828
EAN Code: 3800157616638
Material: Metal
Size: 130x220x1300mm






VT-7132-MW
Can Shape-WhitePendant

Box Qty.
10Pcs


SKU: 3829
EAN Code: 3800157616645
Material: Metal
Size: 130x220x1300mm



VT-7332
Mesh Metal-Globe

Box Qty.
8Pcs

SKU: 3859
EAN Code: 3800157620697
Material: Metal
Size: Ø290x1000x1340mm






VT-7252
Mesh Metal-GV Shape

Box Qty.
12Pcs

SKU: 3860
EAN Code: 3800157620703
Material: Metal
Size: 285x170x1000mm



VT-8255
Copper Series-Rose Gold

Box Qty.
4Pcs

SKU: 3709
EAN Code: 3800157610827
Material: Iron with electric copper paint
Size: Ø250mm





VT-8150-CO
Copper Series-Rose Gold

Box Qty.
10Pcs

SKU: 3713
EAN Code: 3800157610865
Material: Metal
Size: Ø150



VT-8300
Copper Series-Rose Gold

Box Qty.
4Pcs

SKU: 3710
EAN Code: 3800157610834
Material: Iron with electric copper paint
Size: Ø300





VT-8220

Copper Series-Rose Gold

Box Qty.
4Pcs

SKU: 3711
EAN Code: 3800157610841
Material: Iron with electric copper paint
Size: Ø220



VT-8150-CH

Copper Series-Rose Gold

Box Qty.
10Pcs

SKU: 3712
EAN Code: 3800157610858
Material: Iron with electric copper paint
Size: Ø150mm





VT-8180-CH
Copper Series-Chrome

Box Qty.
4Pcs

SKU: 3707
EAN Code: 3800157610803
Material: Iron with electric copper paint
Size: Ø180mm



VT-8180-CO
Copper Series-Rose Gold

Box Qty.
8Pcs

SKU: 3708
EAN Code: 3800157610810
Material: Iron with electric copper paint
Size: Ø180mm





VT-8170

Copper Series-Rose Gold

Box Qty.
8Pcs

SKU: 3714
EAN Code: 3800157610872
Material: Iron with electric copper paint
Size: Ø170mm



VT-8230

Copper Series-Rose Gold

Box Qty.
4Pcs

SKU: 3715
EAN Code: 3800157610889
Material: Iron with electric copper paint
Size: Ø230mm





VT-8175-CH
Copper Series-Chrome

Box Qty.
4Pcs

SKU: 3705
EAN Code: 3800157610780
Material: Iron with electric copper paint
Size: Ø170



VT-8175-CO
Copper Series-Rose Gold

Box Qty.
8Pcs

SKU: 3706
EAN Code: 3800157610797
Material: Iron with electric copper paint
Size: Ø170mm





VT-8200

Copper Series-Rose Gold

Box Qty.
4Pcs

SKU: 3716
EAN Code: 3800157610896
Material: Iron with electric copper paint
Size: Ø200mm



VT-8250

Copper Series-Rose Gold

Box Qty.
4Pcs

SKU: 3717
EAN Code: 3800157610902
Material: Iron with electric copper paint
Size: Ø250mm






VT-7205
White Glass-Wood Pendant

Box Qty.
8Pcs


SKU: 3759
EAN Code: 3800157611329
Material: Glass+Wood
Size: 190x320x1120mm



VT-7175
White Glass-Wood Pendant

Box Qty.
8Pcs

SKU: 3758
EAN Code: 3800157611312
Material: Glass+Wood
Size: 170x320x1120mm






VT-7177
White Glass-Wood Pendant

Box Qty.
8Pcs


SKU: 3760
EAN Code: 3800157611336
Material: Glass+Wood
Size: 170x320x1120mm



VT-7162-WH
Aluminum Pendant-White

Box Qty.
20Pcs

SKU: 3868
EAN Code: 3800157620789
Material: Aluminium
Size: Ø160x350x600mm






VT-7162-B
Aluminum Pendant-Black

Box Qty.
20Pcs


SKU: 3869
EAN Code: 3800157620796
Material: Aluminium
Size: Ø160x350x600mm



VT-7330
Concrete-Mesh

Box Qty.
4Pcs

SKU: 3849
EAN Code: 3800157618984
Material: Concrete+Iron
Size: 400x250x1100mm






VT-7121
Concrete-Mesh

Box Qty.
6Pcs


SKU: 3847
EAN Code: 3800157618960
Material: Concrete+Iron
Size: 120x380x1300mm



VT-7253
Concrete-Mesh

Box Qty.
4Pcs

SKU: 3848
EAN Code: 3800157618977
Material: Concrete+Iron
Size: 250x310x1200mm






VT-7155
Concrete-Lampshade

Box Qty.
6Pcs


SKU: 3850
EAN Code: 3800157618991
Material: Concrete
Size: 160x290x1250mm



VT-7202
Concrete-Lampshade

Box Qty.
4Pcs

SKU: 3853
EAN Code: 3800157619028
Material: Concrete
Size: 180x160x1100mm






VT-7291
Concrete-Acrylic

Box Qty.
4Pcs


SKU: 3854
EAN Code: 3800157619035
Material: Concrete+Wood
Size: 265x260x1050mm



VT-7301
Concrete-Wooden

Box Qty.
4Pcs

SKU: 3858
EAN Code: 3800157619073
Material: Concrete+Wood
Size: 290x250x1150mm






VT-7125-GY
Concrete-Wooden

Box Qty.
8Pcs


SKU: 3855
EAN Code: 3800157619042
Material: Concrete+Wood
Size: 120x210x1080mm



VT-7125-GN
Concrete-Wooden

Box Qty.
8Pcs

SKU: 3856
EAN Code: 3800157619059
Material: Concrete+Wood
Size: 120x210x1080mm






VT-7125-R
Concrete-Wooden

Box Qty.
8Pcs


SKU: 3857
EAN Code: 3800157619066
Material: Concrete+Wood
Size: 120x210x1080mm



VT-7160
Concrete-Table Lamp

Box Qty.
4Pcs

SKU: 3851
EAN Code: 3800157619004
Material: Concrete
Size: 160x150x2000mm






VT-7171
Concrete-Table Lamp

Box Qty.
8Pcs


SKU: 3852
EAN Code: 3800157619011
Material: Concrete
Size: 180x130x2000mm



VT-7141-CG
Geometric Series-Gold Canopy

Box Qty.
8Pcs

SKU: 3831
EAN Code: 3800157616669
Material: Metal
Size: 250x190x1250mm






VT-7141-MB

Geometric Series-Black Canopy

Box Qty.
8Pcs

SKU: 3832
EAN Code: 3800157616676
Material: Metal
Size: 250x190x1250mm




VT-7161-CG

Geometric Series-Gold Canopy

Box Qty.
10Pcs

SKU: 3833
EAN Code: 3800157616683
Material: Metal
Size: 225x225x1250mm






VT-7161-MB

Geometric Series-Black Canopy

Box Qty.
8Pcs

SKU: 3834
 EAN Code: 3800157616690
 Material: Metal
 Size: 225x225x1250mm




VT-7144

Geometric Series-Black Canopy

Box Qty.
4Pcs

SKU: 3927
 EAN Code: 3800157626224
 Material: Metal Finish
 Size: 300x1300mm






VT-7322-CG

Geometric Series-Gold Canopy

Box Qty.
10Pcs

SKU: 3835
EAN Code: 3800157616706
Material: Metal
Size: 320x320x1350mm




VT-7322-MB

Geometric Series-Black Canopy

Box Qty.
10Pcs

SKU: 3836
EAN Code: 3800157616713
Material: Metal
Size: 320x320x1350mm






VT-7321-CG
Geometric Series-Gold Canopy

Box Qty.
10Pcs


SKU: 3837
EAN Code: 3800157616720
Material: Metal
Size: 320x320x1350mm



VT-7321-MB
Geometric Series-Black Canopy

Box Qty.
10Pcs

SKU: 3838
EAN Code: 3800157616737
Material: Metal
Size: 320x320x1350mm






VT-7225

Danish Wood-Bronze Canopy

Box Qty.
8Pcs

SKU: 3816
EAN Code: 3800157612760
Material: Aluminium+SAND FINISH
Size: 260x330x1111mm




VT-7340

Danish Wood-Bronze Canopy

Box Qty.
4Pcs

SKU: 3817
EAN Code: 3800157612777
Material: Aluminium+SAND FINISH
Size: 360x420x1200mm






VT-7520-B
Aluminum-Sand finish-Black

 Box Qty.
4Pcs


SKU: 3700
EAN Code: 3800157610735
Material: Aluminium+ SAND FINISH
Size: 220x310x1375mm



VT-7520-G
Aluminum-Sand finish-Grey

 Box Qty.
4Pcs

SKU: 3701
EAN Code: 3800157610742
Material: Aluminium+SAND FINISH
Size: 220x310x1375mm





VT-7520-WH

Aluminum-Sand finish-White


Box Qty.
4Pcs

SKU: 3702

EAN Code: 3800157610759

Material: Aluminium+ SAND FINISH

Size: 220x310x1375mm






VT-7425-WH
Modern Wooden Top-White

Box Qty.
8Pcs


SKU: 3756
EAN Code: 3800157611299
Material: Aluminium+Wooden Top
Size: 250x200x1100mm



VT-7425-B
Modern Wooden Top-Black

Box Qty.
8Pcs

SKU: 3757
EAN Code: 3800157611305
Material: Aluminium+Wooden Top
Size: 250x200x1100mm






VT-7525-WH

Wooden Top Iron-White

Box Qty.
8Pcs

SKU: 3761
EAN Code: 3800157611343
Material: Iron+WOODEN TOP
Size: 250x400x1200mm




VT-7525-B

Wooden Top Iron-Black

Box Qty.
8Pcs

SKU: 3762
EAN Code: 3800157611350
Material: Iron+WOODEN TOP
Size: 250x400x1200mm






VT-7535-W
Wooden Top Iron-White

Box Qty.
8Pcs


SKU: 3763
EAN Code: 3800157611367
Material: Iron+WOODEN TOP
Size: 350x300x1100mm



VT-7535-B
Wooden Top Iron-Black

Box Qty.
8Pcs

SKU: 3764
EAN Code: 3800157611374
Material: Iron+WOODEN TOP
Size: 350x300x1100mm






VT-7545-WH

Wooden Top Iron-White

 Box Qty.
8Pcs

SKU: 3765
EAN Code: 3800157611381
Material: Iron+WOODEN TOP
Size: 350x300x1100mm




VT-7545-B

Wooden Top Iron-Black

 Box Qty.
8Pcs

SKU: 3766
EAN Code: 3800157611398
Material: Iron+WOODEN TOP
Size: 350x300x1100mm






VT-7100-WH
Pendant-Aluminium Shade-White

Box Qty.
12Pcs


SKU: 3920
EAN Code: 3800157626156
Material: Plastic+Aluminium
Size: 180x100x1200mm



VT-7100-B
Pendant-Aluminium Shade-Black

Box Qty.
12Pcs

SKU: 3921
EAN Code: 3800157626163
Material: Plastic+Aluminium
Size: 180x100x1200mm






VT-7100-G
Pendant-Aluminium Shade-Grey

Box Qty.
12Pcs


SKU: 3922
EAN Code: 3800157626170
Material: Plastic+Aluminium
Size: 180x100x1200mm



VT-7100-P
Pendant-Aluminium Shade-Pink

Box Qty.
12Pcs

SKU: 3923
EAN Code: 3800157626187
Material: Plastic+Aluminium
Size: 180x100x1200mm






VT-7100-R
Pendant-Aluminium Shade-Red

Box Qty.
12Pcs


SKU: 3924
EAN Code: 3800157626194
Material: Plastic+Aluminium
Size: 180x100x1200mm



VT-7100-BL
Pendant-Aluminium Shade-Blue

Box Qty.
12Pcs

SKU: 3925
EAN Code: 3800157626200
Material: Plastic+Aluminium
Size: 180x100x1200mm






VT-7777-RG
Metal Plate-Rose Gold



Box Qty.
20Pcs

SKU: 3751
EAN Code: 3800157611244
Material: Metal
Size: 300x90x1000mm




VT-7777-MG
Metal Plate-Matt Gold



Box Qty.
20Pcs

SKU: 3752
EAN Code: 3800157611251
Material: Metal
Size: 300x90x1000mm



new!



VT-7401-W
Net Prism-White Pendant

Box Qty.
2Pcs

SKU: 3943
EAN Code: 3800157630115
Material: Metal
Size: 400x540mm




new!



VT-7401-B
Net Prism-Black Pendant

Box Qty.

SKU: 3944
EAN Code: 3800157630122
Material: Metal
Size: 400x540mm



new!



VT-7401-BG
Net Prism-Black Pendant

Box Qty.
2Pcs

SKU: 3945
EAN Code: 3800157630139
Material: Metal
Size: 400x540mm



new!



VT-7310-B
Prism-Blue Pendant

Box Qty.
4Pcs

SKU: 3946
EAN Code: 3800157630146
Material: Metal
Size: 310x190mm



new!



VT-7310-Y
Prism-Yellow Pendant

Box Qty.
4Pcs

SKU: 3947
EAN Code: 3800157630153
Material: Metal
Size: 310x190mm



new!



VT-7310-W
Prism-White Pendant

Box Qty.
4Pcs

SKU: 3948
EAN Code: 3800157630160
Material: Metal
Size: 310x190mm



new!



VT-7323-W
Prism-Wooden-White

Box Qty.
4Pcs

SKU: 3949
EAN Code: 3800157630177
Material: Metal
Size: 320x270mm



new!



VT-7323-Y
Prism-Wooden-Yellow

Box Qty.
4Pcs

SKU: 3950
EAN Code: 3800157630184
Material: Metal
Size: 320x270mm



new!



VT-7323-P
Prism-Wooden-Pink

 Box Qty.
4Pcs

SKU: 3951
EAN Code: 3800157630191
Material: Metal
Size: 320x270mm



new!



VT-7255-W
Cone Prism-White

 Box Qty.
4Pcs

SKU: 3952
EAN Code: 3800157630207
Material: Metal
Size: 250x255mm



new!



VT-7255-B
Cone Prism-Blue

 Box Qty.


SKU: 3953
EAN Code: 3800157630214
Material: Metal
Size: 250x255mm



new!



VT-7255-Y
Cone Prism-Yellow

 Box Qty.

SKU: 3954
EAN Code: 3800157630221
Material: Metal
Size: 250x255mm




new!



VT-7334-T
Metal W/Crystal

Box Qty.
4Pcs

SKU: 3955
EAN Code: 3800157630238
Material: Metal
Size: 300x360mm



new!



VT-7334-M
Metal W/Crystal

Box Qty.
4Pcs

SKU: 3956
EAN Code: 3800157630245
Material: Metal
Size: 330x300mm



new!



VT-7334-B
Metal W/Crystal

Box Qty.
4Pcs

SKU: 3957
EAN Code: 3800157630252
Material: Metal
Size: 300x360mm






VT-7424
Vintage Metal

Box Qty.
12Pcs

SKU: 3753
EAN Code: 3800157611268
Material: Metal
Size: 260x170x1080mm




Adjustable
Height

VT-7201
Vintage Metal-Pulley

Box Qty.
8Pcs

SKU: 3845
EAN Code: 3800157617192
Material: Metal
Size: 220x140x600-1600mm






VT-7118

Pendant-Hemp Rope

Box Qty.
12Pcs

SKU: 3754
EAN Code: 3800157611275
Material: Rope
Size: 45x57x1500mm




VT-7251

Globe-Chrome Canopy

Box Qty.
4Pcs

SKU: 3839
EAN Code: 3800157616744
Material: Acrylic Glass
Size: 250x250x1300mm






VT-7558-GN
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Green**
SKU: **3767**
EAN Code: **3800157611404**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-BL
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Blue**
SKU: **3768**
EAN Code: **3800157611411**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-R
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Red**
SKU: **3769**
EAN Code: **3800157611428**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-A
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Amber**
SKU: **3770**
EAN Code: **3800157611435**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-T
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs


Color: **Transparent**
SKU: **3771**
EAN Code: **3800157611442**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-P
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Pink**
SKU: **3772**
EAN Code: **3800157611459**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-Y
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Yellow**
SKU: **3773**
EAN Code: **3800157611466**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-R0
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Rose**
SKU: **3774**
EAN Code: **3800157611473**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-GY
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Grey**
SKU: **3775**
EAN Code: **3800157611480**
Material: **Glass**
Size: **78x280x1150mm**



VT-7558-BR
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs


Color: **Brown**
SKU: **3776**
EAN Code: **3800157611497**
Material: **Glass**
Size: **72x280x1150mm**



Color: Red Bronze
 SKU: 3840
 EAN Code: 3800157617147
 Material: Metal
 Size: Ø50x90x900mm

VT-7555-RB
Metal Holder-Canopy

Box Qty.
30Pcs



VT-7555-BBR
Metal Holder-Canopy

Color: Brown Bronze
 SKU: 3841
 EAN Code: 3800157617154
 Material: Metal
 Size: Ø50x90x900mm

Box Qty.
30Pcs



VT-7555-BB
Metal Holder-Canopy

Color: Brass Bronze
 SKU: 3842
 EAN Code: 3800157617161
 Material: Metal
 Size: Ø50x90x900mm

Box Qty.
30Pcs



VT-7555-BR
Metal Holder-Canopy

Color: Bronze
 SKU: 3843
 EAN Code: 3800157617178
 Material: Metal
 Size: Ø50x90x900mm

Box Qty.
30Pcs



VT-7555-MG
Metal Holder-Canopy

Color: Gold
 SKU: 3844
 EAN Code: 3800157617185
 Material: Metal
 Size: Ø50x90x900mm


Box Qty.
30Pcs



VT-7999-G2
Metal Holder-Adjustable Canopy

 Box Qty.
60Pcs

Color: Gold Aluminum
SKU: 3811
EAN Code: 3800157612425
Material: Aluminium
Size: 50x100mm



VT-7999-G3
Metal Holder-Adjustable

 Box Qty.
60Pcs

Color: Gold Aluminum
SKU: 3812
EAN Code: 3800157612432
Material: Aluminium
Size: 50x100mm



VT-7999-B
Metal Holder-Adjustable

 Box Qty.
60Pcs

Color: Bronze Aluminum
SKU: 3813
EAN Code: 3800157612449
Material: Aluminium
Size: 50x100mm



VT-7999-BV
Metal Holder-Adjustable

 Box Qty.
60Pcs

Color: Bronze Aluminum
SKU: 3814
EAN Code: 3800157612456
Material: Aluminium
Size: 50x100mm



VT-7999
Metal Holder-Adjustable

 Box Qty.
60Pcs

Color: Rose Gold Aluminum
SKU: 3815
EAN Code: 3800157612463
Material: Aluminium
Size: 50x100mm



VT-7778-W
Wooden Holder-White Wire

 Box Qty.
50Pcs

Color: **White Wire**
SKU: **3720**
EAN Code: **3800157610933**
Material: **Wooden**
Size: **73x102x1000mm**



VT-7778-BK
Wooden Holder-Black Wire

 Box Qty.
50Pcs

Color: **Black Wire**
SKU: **3721**
EAN Code: **3800157610940**
Material: **Wooden**
Size: **73x102x1000mm**



VT-7778-BL
Wooden Holder-Blue Wire

 Box Qty.
50Pcs

Color: **Blue Wire**
SKU: **3722**
EAN Code: **3800157610957**
Material: **Wooden**
Size: **73x102x1000mm**



VT-7778-R
Wooden Holder-Red Wire

 Box Qty.
50Pcs

Color: **Red Wire**
SKU: **3723**
EAN Code: **3800157610964**
Material: **Wooden**
Size: **73x102x1000mm**



VT-7778-PR
Wooden Holder-Purple Wire

 Box Qty.
50Pcs

Color: **Purple Wire**
SKU: **3724**
EAN Code: **3800157610971**
Material: **Wooden**
Size: **73x102x1000mm**



VT-7778-GN
Wooden Holder-Green Wire

 Box Qty.
50Pcs

Color: **Green Wire**
SKU: **3725**
EAN Code: **3800157610988**
Material: **Wooden**
Size: **73x102x1000mm**



Pendant-Porcelain Set

VT-7998-W  Box Qty. **60Pcs**

Color: **White**
 SKU: **3803**
 EAN Code: **3800157612340**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BK  Box Qty. **60Pcs**

Color: **Black**
 SKU: **3804**
 EAN Code: **3800157612357**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-GN  Box Qty. **60Pcs**

Color: **Green**
 SKU: **3805**
 EAN Code: **3800157612364**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BL  Box Qty. **60Pcs**

Color: **Blue**
 SKU: **3806**
 EAN Code: **3800157612371**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-R  Box Qty. **60Pcs**

Color: **Red**
 SKU: **3807**
 EAN Code: **3800157612388**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-GY  Box Qty. **60Pcs**

Color: **Grey**
 SKU: **3808**
 EAN Code: **3800157612395**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998Y  Box Qty. **60Pcs**

Color: **Yellow**
 SKU: **3809**
 EAN Code: **3800157612401**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BR  Box Qty. **60Pcs**

Color: **Brown**
 SKU: **3810**
 EAN Code: **3800157612418**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Porcelain Holder

VT-799-W  Box Qty. **100Pcs**

Color: **White**
 SKU: **3795**
 EAN Code: **3800157612265**
 Material: **Porcelain**
 Size: **Ø47x64mm**



Porcelain Holder

VT-799-BK  Box Qty. **100Pcs**

Color: **Black**
 SKU: **3796**
 EAN Code: **3800157612272**
 Material: **Porcelain**
 Size: **Ø47x64mm**




Porcelain Holder

VT-799-GN  Box Qty. **100Pcs**

Color: **Green**
 SKU: **3797**
 EAN Code: **3800157612289**
 Material: **Porcelain**
 Size: **Ø47x64mm**



Porcelain Holder

VT-799-BL  Box Qty. **100Pcs**

Color: **Blue**
 SKU: **3798**
 EAN Code: **3800157612296**
 Material: **Porcelain**
 Size: **Ø47x64mm**



Porcelain Holder

VT-799-R  Box Qty. **100Pcs**

Color: **Red**
 SKU: **3799**
 EAN Code: **3800157612302**
 Material: **Porcelain**
 Size: **Ø47x64mm**



Porcelain Holder

VT-799-GY  Box Qty. **100Pcs**

Color: **Grey**
 SKU: **3800**
 EAN Code: **3800157612319**
 Material: **Porcelain**
 Size: **Ø47x64mm**



Porcelain Holder

VT-799-Y  Box Qty. **100Pcs**

Color: **Yellow**
 SKU: **3801**
 EAN Code: **3800157612326**
 Material: **Porcelain**
 Size: **Ø47x64mm**



Porcelain Holder

VT-799-BR  Box Qty. **100Pcs**

Color: **Brown**
 SKU: **3802**
 EAN Code: **3800157612333**
 Material: **Porcelain**
 Size: **Ø47x64mm**




Concrete Holder-Canopy

VT-7668-GN  Box Qty. **40Pcs**

Color: **Green**
 SKU: **3742**
 EAN Code: **3800157611152**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-R  Box Qty. **40Pcs**

Color: **Red**
 SKU: **3743**
 EAN Code: **3800157611169**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BL  Box Qty. **40Pcs**

Color: **Blue**
 SKU: **3744**
 EAN Code: **3800157611176**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-Y  Box Qty. **40Pcs**

Color: **Yellow**
 SKU: **3745**
 EAN Code: **3800157611183**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-W  Box Qty. **40Pcs**

Color: **White**
 SKU: **3746**
 EAN Code: **3800157611190**
 Material: **Concrete**
 Size: **50x95x1050mm**




Concrete Holder-Canopy

VT-7668-BK  Box Qty. **40Pcs**

Color: **Black**
 SKU: **3747**
 EAN Code: **3800157611206**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-GY  Box Qty. **40Pcs**

Color: **Grey**
 SKU: **3748**
 EAN Code: **3800157611213**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BR  Box Qty. **40Pcs**

Color: **Brown**
 SKU: **3749**
 EAN Code: **3800157611220**
 Material: **Concrete**
 Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BE  Box Qty. **40Pcs**

Color: **Beige**
 SKU: **3750**
 EAN Code: **3800157611237**
 Material: **Concrete**
 Size: **50x95x1050mm**



VT-7448
Gold Rose Holder

Color: **Rose Gold Set**
SKU: **3777**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611503



VT-7338-W
Chrome Holder

Color: **White**
SKU: **3755**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611282



VT-7338-BK
Chrome Holder

Color: **Black**
SKU: **3782**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611558



VT-7338-BL
Chrome Holder

Color: **Blue**
SKU: **3783**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611565



VT-7338-BN
Chrome Holder

Color: **Brown**
SKU: **3784**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611572



VT-7338-GN
Chrome Holder

Color: **Green**
SKU: **3785**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611589



VT-7338-GY
Chrome Holder

Color: **Grey**
SKU: **3786**
Box Qty. **1Pcs**
Size: **36x60mm**

EAN Code:
3800157611596



VT-7338-LB
Chrome Holder

Color: **Light Blue**
SKU: **3787**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611602



VT-7338-O
Chrome Holder

Color: **Orange**
SKU: **3788**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611619



VT-7338-PK
Chrome Holder

Color: **Pink**
SKU: **3789**
Box Qty. **1Pcs**
Size: **36x60mm**

EAN Code:
3800157611626



VT-7338-PE
Chrome Holder

Color: **Purple**
SKU: **3790**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611633



VT-7338-R
Chrome Holder

Color: **Red**
SKU: **3791**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611640



VT-7338-RR
Chrome Holder

Color: **Rose Red**
SKU: **3792**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611657



VT-7338-Y
Chrome Holder

Color: **Yellow**
SKU: **3793**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611664



VT-7338-BE
Chrome Holder

Color: **Beige**
SKU: **3794**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN Code:
3800157611671



VT-7228-BN
Silicone Series

Color: **Brown**
SKU: **3475**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157607919



VT-7228-BE
Silicone Series

Color: **Blue**
SKU: **3476**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157607926



VT-7228-W
Silicone Series

Color: **White**
SKU: **3477**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157607933



VT-7228-BK
Silicone Series

Color: **Black**
SKU: **3478**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157607940



VT-7228-PN
Silicone Series

Color: **Pink**
SKU: **3479**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157607957



VT-7228-R
Silicone Series

Color: **Red**
SKU: **3480**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157607964



VT-7228-GY
Silicone Series

Color: **Grey**
SKU: **3481**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157607971



VT-7228-LB
Silicone Series

Color: **Light Blue**
SKU: **3482**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157609463



VT-7228-PE
Silicone Series

Color: **Purple**
SKU: **3483**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157609470



VT-7228-O
Silicone Series

Color: **Orange**
SKU: **3484**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157609487



VT-7228-Y
Silicone Series

Color: **Yellow**
SKU: **3485**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157609494



VT-7228-GN
Silicone Series

Color: **Green**
SKU: **3486**
Box Qty. **100Pcs**
Size: **1000mm**

EAN Code:
3800157609500



Designer Sleek

LED Pendants



Built In LED


Designer Sleek Pendant-Chrome

18w VT-7018

Box Qty.
12Pcs

3890 - 4000K Day White

3800157621083



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 90 pcs

Luminous Flux: 1350lm

Material : Stainless Steel+Metal+PMMA

LED Type: SMD

Unit GW : 1.38 Kg

CRI: >80

Life Span: 20,000 Hours

PF: >0.8

Size : 940x55x800mm

Beam Angle: 120°



Built In **LED**


Designer Sleek Pendant-Chrome

24w VT-7024

Box Qty.
12Pcs

3891 - 4000K Day White

3800157621090



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1800lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **120 pcs**

Material : **Stainless Steel+Metal+PMMA**

Unit GW : **1.59 Kg**

Life Span: **20,000 Hours**

Size : **1220x55x800mm**



Built In LED


Designer Sleek Pendant-Chrome

36w VT-7036

Box Qty.
12Pcs

3892 - 4000K Day White

3800157621106



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+PMMA**

Unit GW : **1.82 Kg**

Life Span: **20,000 Hours**

Size : **1820x55x800mm**



Built In **LED**


Designer Sleek Pendant-Chrome

36w VT-7037

Box Qty.
6Pcs

3893 - 4000K Day White

3800157621113



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+PMMA**

Unit GW : **2.24 Kg**

Life Span: **20,000 Hours**

Size : **940x120x60mm**




Mirror Light-Picture Lamp-Chrome

8W **VT-7008**

Box Qty. **12Pcs**

3894 - 4000K Day White

3800157621120



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **40 pcs**

Luminous Flux: **600lm**

Material: **Metal+PMMA**

LED Type: **SMD**

Unit GW: **0.72 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.5**

Size: **500x55x185mm**

Beam Angle: **120°**

Built In **LED**




Mirror Light-Picture Lamp-Chrome

12W **VT-7012**

Box Qty. **12Pcs**

3895 - 4000K Day White

3800157621137



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **60 pcs**

Luminous Flux: **900lm**

Material: **Metal+PMMA**

LED Type: **SMD**

Unit GW: **0.82 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.5**

Size: **640x55x185mm**

Beam Angle: **120°**

Built In **LED**



Mirror Lamp-Movable


8W

VT-7009CH

Box Qty.
11Pcs

3900 - 4000K Day white

3800157621854



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 40 pcs

Luminous Flux: 600lm

Material : Stainless Steel+Aluminium+PMMA

LED Type: SMD

Unit GW : 0.8 Kg

CRI: >80

Life Span: 20,000 Hours

PF: >0.8

Size : 455x45x190mm

Beam Angle: 120°

Built In



Mirror Light-Picture Lamp-Golden


8W

VT-7009

Box Qty.
11Pcs

3901 - 4000K Day white

3800157621861



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 40 pcs

Luminous Flux: 600lm

Material : Stainless Steel+Aluminium+PMMA

LED Type: SMD

Unit GW : 0.8 Kg

CRI: >80

Life Span: 20,000 Hours

PF: >0.8

Size : 455x45x190mm

Beam Angle: 120°

Built In




Mirror Light - Chrome Cap

10w VT-7010-CH

Box Qty.
10Pcs

3916 - 4000K Day White
3917 - 6400K White

3800157626118
3800157626125



Voltage/Frequency:	AC:220-240V,50/60Hz	No. of LED:	N/A
Luminous Flux:	950lm	Material :	Aluminium+PC
LED Type:	SMD	Unit GW :	0.63 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	605x53.6x64.6mm
Beam Angle:	150°		

Built In **LED**




Mirror Light - White Cap

10w VT-7010-WH

Box Qty.
10Pcs

3918 - 4000K Day White
3919 - 6400K White

3800157626132
3800157626149



Voltage/Frequency:	AC:220-240V,50/60Hz	No. of LED:	N/A
Luminous Flux:	950lm	Material :	Aluminium+PC
LED Type:	SMD	Unit GW :	0.63 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	605x53.6x64.6mm
Beam Angle:	150°		

Built In **LED**




Mirror Light-Chrome

12w VT-7014

 Box Qty.
12Pcs

3902 - 4000K Day white

3800157621878



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 60 pcs

Luminous Flux: 900lm

Material: Stainless Steel+Metal+PMMA

LED Type: SMD

Unit GW: 1.08 Kg

CRI: >80

Life Span: 20,000 Hours

PF: >0.8

Size: 640x65x65mm

Beam Angle: 120°

Built In **LED**


Mirror Light-Chrome

18w VT-7021

 Box Qty.
12Pcs

3903 - 4000K Day white

3800157621885



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 90 pcs

Luminous Flux: 1350lm

Material: Stainless Steel+Metal+PMMA

LED Type: SMD

Unit GW: 1.28 Kg

CRI: >80

Life Span: 20,000 Hours

PF: >0.8

Size: 940x65x65mm

Beam Angle: 120°

Built In **LED**




Designer Bend Glass-Wall Pendant

12W VT-7013

Box Qty.
6Pcs

3896 - 4000K Day White

3800157621144



Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 900lm
LED Type: SMD
CRI: >80
PF: >0.8
Beam Angle: 120°

No. of LED: 60 pcs
Material: Stainless Steel+Metal+Glass
Unit GW: 1.01 Kg
Life Span: 20,000 Hours
Size: 685x55x65mm

Built In **LED**




Designer Bend Glass-Wall Pendant

18W VT-7019

Box Qty.
6Pcs

3897 - 4000K Day white

3800157621151



Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 1350lm
LED Type: SMD
CRI: >80
PF: >0.8
Beam Angle: 120°

No. of LED: 90 pcs
Material: Stainless Steel+Metal+Glass
Unit GW: 1.50 Kg
Life Span: 20,000 Hours
Size: 985x55x65mm

Built In **LED**



Built In **LED**


Designer Bend Glass-Hanging Pendant

18w VT-7020

 Box Qty.
6Pcs

3898 - 4000K Day white

3800157621168



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1350lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**


No. of LED: **90 pcs**

Material : **Stainless Steel+Metal+Glass**

Unit GW : **1.98 Kg**

Life Span: **20,000 Hours**

Size : **985x55x800mm**



Built In LED


Designer Bend Series - Chrome

36w VT-7038

Box Qty.
6Pcs

3899 - 4000K Day white

3800157621175



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+Glass**

Unit GW : **3.53 Kg**

Life Span: **20,000 Hours**

Size : **985x120x75mm**



Modern Circular

Chandeliers & Pendants

With Built in LED lights


Pendant Light-Gold Lamp Shade

7W **VT-7333-G**  Box Qty. **12Pcs**

3934 - 3000K Warm White 3800157628952
3928 - 4000K Day White 3800157626569

Built In LED

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	14 pcs
Luminous Flux:	400lm	Material :	Metal Finish
LED Type:	SMD	Unit GW :	1.4 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	Ø120xH190mm
Beam Angle:	120°		




Pendant Light-White Lamp Shade

7W **VT-7333-WH**  Box Qty. **12Pcs**

3935 - 3000K Warm White 3800157628969
3929 - 4000K Day White 3800157626576

Built In LED

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	14 pcs
Luminous Flux:	400lm	Material :	Metal Finish
LED Type:	SMD	Unit GW :	1.4 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	Ø120xH190mm
Beam Angle:	120°		



Pendant Light-Gold Lamp Shade

7W

VT-7444-G

 Box Qty.
8Pcs



3936 - 3000K Warm White
3930 - 4000K Day White

3800157628976
3800157626583

Built In **LED**

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
LED Type: SMD
CRI: >80
PF: >0.5
Beam Angle: 120°

No. of LED: 14 pcs
Material : Metal Finish
Unit GW : 1.9 Kg
Life Span: 30,000 Hours
Size : Ø250xH190mm



Pendant Light-White Lamp Shade

7W

VT-7444-WH

 Box Qty.
8Pcs



3937 - 3000K Warm White
3931 - 4000K Day White

3800157628983
3800157626590

Built In **LED**

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
LED Type: SMD
CRI: >80
PF: >0.5
Beam Angle: 120°

No. of LED: 14 pcs
Material : Metal Finish
Unit GW : 1.9 Kg
Life Span: 30,000 Hours
Size : Ø250xH190mm



Pendant Light-Gold Lamp Shade

7W

VT-7666-G

Box Qty.
4Pcs


3938 - 3000K Warm White
3932 - 4000K Day White

3800157628990
3800157626606

Built In **LED**

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
LED Type: SMD
CRI: >80
PF: >0.5
Beam Angle: 120°

No. of LED: 14 pcs
Material: Metal Finish
Unit GW: 2.4 Kg
Life Span: 30,000 Hours
Size: Ø340xH190mm



Pendant Light-White Lamp Shade

7W

VT-7666-WH

Box Qty.
4Pcs



3939 - 3000K Warm White
3933 - 4000K Day White

3800157629003
3800157626613

Built In **LED**

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
LED Type: SMD
CRI: >80
PF: >0.5
Beam Angle: 120°

No. of LED: 14 pcs
Material: Metal Finish
Unit GW: 2.4 Kg
Life Span: 30,000 Hours
Size: Ø340xH190mm





Built In LED

Chandelier Series

40w VT-40-1

3874 - 3000K Warm White

3800157620888


 Box Qty.
1Pcs
Voltage/Frequency: **AC:100-240V,50Hz**Luminous Flux: **2800lm**LED Type: **SMD**CRI: **>80**PF: **>0.9**Beam Angle: **120°**No. of LED: **240 pcs**Material : **Steel+PC**Unit GW : **3.90 Kg**Life Span: **20,000 Hours**Size : **400X210X1000mm**




Built In **LED**

Chandelier-3 Step
70w VT-70-3D

3904 - 3000K Warm White
3905 - 4000K Day White

3800157624633
3800157624640

Box Qty.
1Pcs



Voltage/Frequency: **AC:100-240V,50Hz**
Luminous Flux: **4900lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**

No. of LED: **360 pcs**
Material : **Acrylic+Aluminium**
Unit GW : **3.50 Kg**
Life Span: **20,000 Hours**
Size : **600x600x1200mm**




Built In **LED**

Chandelier-3 Step
80w VT-80-3D

3906 - 3000K Warm White
3907 - 4000K Day White


3800157624657
3800157624664

Box Qty.
1Pcs



Voltage/Frequency: **AC:100-240V,50Hz**
Luminous Flux: **5600lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**

No. of LED: **510 pcs**
Material : **Acrylic+Aluminium**
Unit GW : **4.7 Kg**
Life Span: **20,000 Hours**
Size : **600x600x1200mm**



Built In LED

Chandelier-3 Step
85W VT-85-3

3910 - 3000K Warm White
3911 - 4000K Day White

Box Qty.
1Pcs

3800157624695
3800157624701



Voltage/Frequency:	AC:100-240V,50Hz	No. of LED:	510 pcs
Luminous Flux:	5900lm	Material :	Acrylic+Aluminium
LED Type:	SMD	Unit GW :	5.5 Kg
CRI:	>80	Life Span:	20,000 Hours
PF:	>0.9	Size :	200x400x600mm
Beam Angle:	120°		

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
135	- 23	187	- 29	235	- 15	290	- 9	413	- 43	482	- 47
136	- 23	188	- 29	236	- 15	291	- 8	414	- 43	483	- 47
137	- 23	192	- 33	240	- 31	292	- 8	415	- 39	484	- 48
138	- 22	193	- 33	241	- 31	293	- 7	416	- 39	485	- 48
139	- 22	194	- 33	242	- 31	294	- 7	417	- 39	486	- 40
140	- 22	195	- 34	243	- 31	320	- 66	418	- 44	487	- 40
141	- 23	196	- 34	244	- 31	321	- 66	419	- 44	488	- 48
142	- 23	197	- 34	245	- 31	322	- 66	420	- 40	489	- 48
143	- 23	198	- 33	246	- 32	350	- 68	421	- 40	520	- 28
144	- 16	199	- 33	247	- 32	351	- 68	422	- 44	521	- 28
145	- 16	200	- 33	248	- 32	352	- 68	423	- 44	550	- 77
146	- 16	201	- 32	249	- 13	353	- 68	424	- 41	551	- 77
147	- 24	202	- 32	250	- 13	354	- 68	425	- 41	552	- 76
148	- 24	203	- 32	251	- 13	355	- 68	426	- 41	553	- 76
149	- 24	204	- 35	252	- 13	356	- 69	427	- 37	554	- 77
150	- 25	205	- 35	253	- 13	357	- 69	428	- 37	555	- 77
151	- 25	206	- 35	254	- 13	358	- 69	429	- 37	556	- 76
152	- 25	207	- 35	255	- 12	359	- 69	430	- 45	557	- 76
153	- 24	208	- 35	256	- 12	360	- 69	431	- 45	558	- 75
154	- 24	209	- 35	257	- 12	361	- 69	432	- 45	559	- 75
155	- 24	210	- 22	258	- 11	362	- 70	439	- 41	560	- 74
156	- 19	211	- 22	259	- 11	363	- 70	440	- 41	561	- 74
157	- 19	212	- 22	260	- 11	364	- 70	441	- 41	562	- 75
158	- 19	213	- 26	261	- 11	365	- 70	442	- 37	563	- 75
159	- 21	214	- 26	262	- 11	366	- 70	443	- 37	564	- 74
160	- 21	215	- 26	263	- 11	367	- 70	444	- 37	565	- 74
161	- 21	216	- 27	264	- 12	368	- 71	445	- 45	566	- 73
162	- 21	217	- 27	265	- 12	369	- 71	446	- 45	567	- 73
163	- 21	218	- 27	266	- 12	370	- 71	447	- 45	568	- 73
164	- 21	219	- 27	267	- 15	371	- 71	454	- 46	569	- 73
165	- 34	220	- 27	268	- 15	372	- 71	455	- 46	572	- 78
166	- 34	221	- 27	269	- 15	373	- 71	456	- 46	573	- 78
167	- 34	222	- 25	270	- 18	400	- 42	463	- 46	611	- 53
168	- 17	223	- 25	271	- 18	401	- 42	464	- 46	612	- 53
169	- 17	224	- 25	272	- 4	402	- 42	465	- 46	613	- 53
170	- 17	225	- 26	275	- 6	403	- 38	472	- 47	614	- 53
171	- 17	226	- 26	278	- 5	404	- 38	473	- 47	615	- 53
172	- 17	227	- 26	279	- 5	405	- 38	474	- 47	616	- 53
173	- 17	228	- 19	280	- 6	406	- 42	475	- 43	617	- 52
174	- 16	229	- 19	282	- 3	407	- 42	476	- 43	618	- 52
175	- 16	230	- 19	283	- 28	408	- 42	477	- 43	619	- 52
176	- 16	231	- 20	284	- 28	409	- 38	478	- 39	620	- 52
177	- 20	232	- 20	285	- 28	410	- 38	479	- 39	621	- 52
178	- 20	233	- 20	286	- 3	411	- 38	480	- 39	622	- 52
179	- 20	234	- 15	287	- 4	412	- 43	481	- 47	623	- 51

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
624	- 51	1191	- 369	1276	- 378	1325	- 385	1370	- 397	1417	- 416
625	- 51	1192	- 369	1277	- 378	1326	- 383	1371	- 397	1418	- 416
626	- 51	1202	- 369	1278	- 378	1327	- 383	1372	- 397	1419	- 416
627	- 51	1207	- 388	1279	- 378	1328	- 383	1373	- 397	1420	- 416
628	- 51	1208	- 388	1281	- 405	1329	- 383	1374	- 397	1421	- 416
632	- 50	1209	- 388	1282	- 405	1330	- 383	1375	- 397	1422	- 416
633	- 50	1210	- 388	1284	- 388	1331	- 383	1376	- 398	1423	- 416
634	- 50	1229	- 370	1285	- 371	1332	- 364	1377	- 398	1424	- 415
650	- 59	1230	- 370	1286	- 371	1333	- 364	1378	- 398	1425	- 415
651	- 59	1231	- 370	1287	- 371	1334	- 364	1379	- 398	1426	- 415
652	- 59	1232	- 370	1288	- 382	1335	- 364	1380	- 398	1427	- 415
653	- 59	1233	- 368	1289	- 382	1336	- 364	1381	- 398	1428	- 391
654	- 59	1234	- 368	1292	- 367	1337	- 364	1382	- 359	1429	- 391
655	- 59	1235	- 368	1293	- 367	1338	- 365	1383	- 359	1430	- 391
656	- 60	1236	- 368	1294	- 367	1339	- 365	1384	- 359	1431	- 391
657	- 60	1237	- 368	1295	- 367	1340	- 365	1385	- 359	1432	- 391
658	- 60	1238	- 368	1296	- 367	1341	- 409	1388	- 394	1433	- 391
659	- 55	1241	- 370	1297	- 367	1342	- 410	1389	- 394	1434	- 392
660	- 55	1242	- 370	1298	- 366	1343	- 411	1390	- 394	1435	- 392
661	- 55	1243	- 187	1299	- 366	1344	- 412	1391	- 394	1436	- 392
662	- 55	1244	- 187	1300	- 366	1345	- 407	1392	- 395	1437	- 392
663	- 55	1245	- 187	1301	- 366	1346	- 407	1393	- 395	1438	- 392
664	- 55	1246	- 187	1302	- 366	1347	- 408	1394	- 395	1439	- 392
665	- 56	1247	- 187	1303	- 366	1348	- 408	1395	- 395	1440	- 393
666	- 56	1248	- 187	1304	- 382	1349	- 403	1396	- 395	1441	- 393
667	- 56	1255	- 371	1305	- 382	1350	- 404	1397	- 395	1442	- 393
668	- 56	1256	- 371	1306	- 382	1351	- 404	1398	- 386	1443	- 393
669	- 56	1257	- 371	1307	- 382	1352	- 404	1399	- 386	1444	- 393
670	- 57	1259	- 401	1308	- 396	1353	- 404	1400	- 386	1445	- 393
671	- 57	1260	- 401	1309	- 396	1354	- 427	1401	- 386	1446	- 433
672	- 58	1261	- 401	1310	- 396	1355	- 428	1402	- 386	1447	- 409
673	- 58	1262	- 401	1311	- 396	1356	- 428	1403	- 386	1448	- 410
674	- 58	1263	- 400	1312	- 396	1357	- 361	1404	- 387	1449	- 411
675	- 58	1264	- 400	1313	- 396	1358	- 361	1405	- 387	1450	- 412
676	- 64	1265	- 400	1314	- 384	1359	- 361	1406	- 387	1451	- 359
677	- 64	1266	- 400	1315	- 384	1360	- 357	1407	- 387	1452	- 359
678	- 64	1267	- 400	1316	- 384	1361	- 357	1408	- 387	1453	- 378
679	- 64	1268	- 400	1317	- 384	1362	- 357	1409	- 387	1657	- 147
680	- 65	1269	- 404	1318	- 384	1363	- 358	1410	- 362	1658	- 147
681	- 65	1270	- 377	1319	- 384	1364	- 358	1411	- 362	1659	- 147
688	- 58	1271	- 377	1320	- 385	1365	- 358	1412	- 363	1663	- 148
689	- 58	1272	- 377	1321	- 385	1366	- 359	1413	- 363	1664	- 148
1100	- 379	1273	- 377	1322	- 385	1367	- 359	1414	- 399	1665	- 148
1103	- 379	1274	- 377	1323	- 385	1368	- 359	1415	- 399	1666	- 148
1115	- 381	1275	- 377	1324	- 385	1369	- 429	1416	- 416	1667	- 148

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
1668	- 148	2135	- 322	2535	- 334	3127	- 182	3249	- 355	3484	- 601
1669	- 151	2137	- 323	2536	- 334	3128	- 182	3250	- 353	3485	- 601
1670	- 151	2138	- 323	2537	- 334	3129	- 176	3251	- 353	3486	- 601
1671	- 151	2143	- 323	2538	- 334	3130	- 176	3252	- 353	3500	- 333
1672	- 147	2144	- 323	2539	- 334	3131	- 417	3253	- 349	3501	- 333
1673	- 147	2145	- 323	2540	- 334	3132	- 417	3254	- 349	3502	- 333
1674	- 147	2148	- 324	2541	- 334	3133	- 417	3256	- 350	3503	- 333
1682	- 151	2149	- 324	2542	- 334	3134	- 175	3257	- 350	3504	- 333
1683	- 151	2150	- 324	2543	- 334	3135	- 175	3258	- 350	3505	- 333
1684	- 151	2155	- 324	2544	- 320	3136	- 176	3300	- 339	3507	- 333
1685	- 149	2156	- 323	2545	- 320	3137	- 177	3303	- 339	3508	- 333
1686	- 149	2159	- 326	2546	- 320	3138	- 177	3307	- 339	3509	- 333
1687	- 149	2161	- 322	2548	- 319	3139	- 177	3309	- 341	3510	- 333
1688	- 151	2162	- 322	2549	- 319	3140	- 178	3312	- 339	3511	- 333
1689	- 151	2163	- 322	2550	- 319	3141	- 178	3318	- 339	3512	- 333
1690	- 151	2164	- 321	2551	- 319	3142	- 178	3319	- 340	3522	- 372
1693	- 148	2165	- 321	2552	- 326	3143	- 179	3320	- 340	3523	- 373
1694	- 148	2166	- 321	2553	- 326	3144	- 182	3321	- 341	3524	- 373
1695	- 148	2350	- 333	2554	- 342	3145	- 183	3322	- 341	3525	- 373
2002	- 325	2351	- 333	2555	- 342	3146	- 183	3326	- 341	3526	- 373
2005	- 324	2352	- 333	2556	- 342	3147	- 183	3327	- 341	3527	- 374
2009	- 324	2353	- 333	2557	- 342	3148	- 183	3331	- 332	3528	- 374
2011	- 324	2354	- 333	2558	- 320	3149	- 184	3333	- 332	3529	- 374
2013	- 324	2355	- 333	3009	- 340	3150	- 184	3334	- 332	3544	- 372
2015	- 324	2356	- 333	3018	- 340	3151	- 184	3337	- 343	3548	- 372
2016	- 324	2403	- 327	3035	- 355	3152	- 184	3338	- 343	3553	- 372
2025	- 325	2404	- 327	3057	- 348	3226	- 349	3339	- 343	3554	- 372
2031	- 325	2405	- 327	3101	- 352	3227	- 349	3340	- 343	3556	- 372
2032	- 325	2430	- 327	3110	- 239	3228	- 348	3420	- 145	3560	- 374
2034	- 325	2431	- 327	3111	- 175	3229	- 348	3423	- 185	3565	- 374
2035	- 325	2459	- 327	3112	- 176	3230	- 348	3469	- 168	3566	- 374
2036	- 325	2460	- 323	3113	- 177	3231	- 351	3470	- 168	3567	- 372
2037	- 326	2461	- 321	3114	- 178	3232	- 351	3471	- 168	3570	- 372
2038	- 326	2462	- 321	3115	- 179	3233	- 351	3472	- 169	3574	- 372
2041	- 324	2463	- 321	3116	- 179	3234	- 352	3473	- 169	3575	- 190
2042	- 325	2512	- 329	3117	- 179	3235	- 352	3474	- 169	3576	- 190
2043	- 325	2513	- 329	3118	- 180	3237	- 354	3475	- 601	3577	- 190
2044	- 326	2514	- 329	3119	- 180	3238	- 354	3476	- 601	3578	- 224
2118	- 323	2515	- 330	3120	- 180	3239	- 354	3477	- 601	3581	- 191
2120	- 323	2516	- 330	3121	- 180	3240	- 355	3478	- 601	3582	- 191
2122	- 323	2517	- 330	3122	- 181	3243	- 347	3479	- 601	3583	- 191
2124	- 322	2518	- 331	3123	- 181	3244	- 347	3480	- 601	3584	- 162
2126	- 323	2527	- 332	3124	- 181	3246	- 347	3481	- 601	3585	- 162
2128	- 323	2529	- 331	3125	- 181	3247	- 347	3482	- 601	3586	- 162
2133	- 322	2531	- 331	3126	- 182	3248	- 352	3483	- 601	3587	- 172

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3588	- 173	3641	- 161	3691	- 161	3740	- 535	3789	- 600	3834	- 568
3589	- 173	3642	- 163	3692	- 162	3741	- 534	3790	- 600	3835	- 569
3590	- 173	3643	- 163	3694	- 174	3742	- 599	3791	- 600	3836	- 569
3591	- 173	3644	- 164	3695	- 174	3743	- 599	3792	- 600	3837	- 570
3592	- 174	3645	- 164	3696	- 174	3744	- 599	3793	- 600	3838	- 570
3593	- 163	3646	- 164	3697	- 175	3745	- 599	3794	- 600	3839	- 591
3594	- 163	3647	- 164	3698	- 145	3746	- 599	3795	- 598	3840	- 594
3595	- 171	3648	- 159	3700	- 572	3747	- 599	3796	- 598	3841	- 594
3596	- 172	3649	- 159	3701	- 572	3748	- 599	3797	- 598	3842	- 594
3597	- 172	3650	- 159	3702	- 573	3749	- 599	3798	- 598	3843	- 594
3598	- 172	3651	- 160	3703	- 456	3750	- 599	3799	- 598	3844	- 594
3599	- 165	3652	- 160	3704	- 456	3751	- 581	3800	- 598	3845	- 590
3600	- 165	3653	- 160	3705	- 556	3752	- 581	3801	- 598	3847	- 561
3601	- 165	3654	- 161	3706	- 556	3753	- 590	3802	- 598	3848	- 561
3602	- 165	3655	- 373	3707	- 554	3754	- 591	3803	- 597	3849	- 560
3603	- 166	3656	- 373	3708	- 554	3755	- 600	3804	- 597	3850	- 562
3604	- 166	3657	- 373	3709	- 551	3756	- 574	3805	- 597	3851	- 565
3605	- 166	3658	- 373	3710	- 552	3757	- 574	3806	- 597	3852	- 566
3606	- 166	3659	- 373	3711	- 553	3758	- 558	3807	- 597	3853	- 562
3607	- 167	3660	- 374	3712	- 553	3759	- 558	3808	- 597	3854	- 563
3608	- 167	3663	- 343	3713	- 552	3760	- 559	3809	- 597	3855	- 564
3609	- 167	3664	- 158	3714	- 555	3761	- 575	3810	- 597	3856	- 564
3610	- 167	3665	- 158	3715	- 555	3762	- 575	3811	- 595	3857	- 565
3611	- 168	3666	- 158	3716	- 557	3763	- 576	3812	- 595	3858	- 563
3612	- 169	3667	- 159	3717	- 557	3764	- 576	3813	- 595	3859	- 550
3613	- 170	3668	- 317	3720	- 596	3765	- 577	3814	- 595	3860	- 551
3614	- 171	3669	- 170	3721	- 596	3766	- 577	3815	- 595	3861	- 543
3615	- 171	3673	- 145	3722	- 596	3767	- 592	3816	- 571	3862	- 543
3616	- 171	3674	- 161	3723	- 596	3768	- 592	3817	- 571	3863	- 542
3617	- 375	3675	- 157	3724	- 596	3769	- 592	3818	- 539	3864	- 542
3618	- 375	3676	- 157	3725	- 596	3770	- 592	3819	- 539	3865	- 527
3619	- 375	3677	- 158	3726	- 538	3771	- 592	3820	- 540	3866	- 527
3620	- 185	3678	- 242	3727	- 538	3772	- 593	3821	- 546	3867	- 528
3621	- 224	3679	- 243	3728	- 545	3773	- 593	3822	- 546	3868	- 559
3622	- 225	3680	- 418	3729	- 545	3774	- 593	3823	- 547	3869	- 560
3623	- 225	3681	- 418	3730	- 532	3775	- 593	3824	- 547	3874	- 618
3624	- 317	3682	- 418	3731	- 537	3776	- 593	3825	- 548	3875	- 528
3625	- 340	3683	- 419	3732	- 536	3777	- 600	3826	- 548	3876	- 529
3627	- 156	3684	- 419	3733	- 537	3782	- 600	3827	- 549	3877	- 530
3628	- 157	3685	- 419	3734	- 536	3783	- 600	3828	- 549	3878	- 529
3629	- 157	3686	- 420	3735	- 533	3784	- 600	3829	- 550	3879	- 523
3630	- 156	3687	- 420	3736	- 532	3785	- 600	3830	- 541	3880	- 523
3631	- 156	3688	- 420	3737	- 535	3786	- 600	3831	- 566	3881	- 525
3632	- 156	3689	- 170	3738	- 533	3787	- 600	3832	- 567	3882	- 524
3640	- 160	3690	- 170	3739	- 534	3788	- 600	3833	- 567	3883	- 524

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3884	- 530	3932	- 617	4255	- 188	4454	- 95	4802	- 263	4887	- 251
3885	- 531	3933	- 617	4256	- 188	4455	- 95	4803	- 262	4888	- 251
3886	- 531	3934	- 615	4257	- 188	4456	- 95	4804	- 262	4889	- 251
3887	- 526	3935	- 615	4259	- 133	4459	- 88	4805	- 262	4890	- 271
3888	- 526	3936	- 616	4274	- 109	4460	- 88	4806	- 263	4891	- 271
3889	- 544	3937	- 616	4276	- 109	4461	- 88	4807	- 263	4892	- 271
3890	- 603	3938	- 617	4277	- 109	4465	- 153	4808	- 263	4893	- 271
3891	- 604	3939	- 617	4278	- 109	4472	- 121	4809	- 262	4894	- 271
3892	- 605	3943	- 582	4301	- 136	4473	- 117	4810	- 262	4895	- 271
3893	- 606	3944	- 582	4302	- 138	4474	- 126	4811	- 262	4896	- 271
3894	- 607	3945	- 583	4308	- 137	4475	- 126	4812	- 263	4897	- 271
3895	- 607	3946	- 583	4361	- 123	4476	- 126	4813	- 263	4898	- 271
3896	- 611	3947	- 584	4362	- 123	4477	- 127	4814	- 263	4904	- 260
3897	- 611	3948	- 584	4365	- 135	4478	- 127	4815	- 262	4905	- 260
3898	- 612	3949	- 585	4366	- 139	4479	- 127	4816	- 262	4906	- 260
3899	- 613	3950	- 585	4368	- 122	4481	- 130	4817	- 262	4907	- 261
3900	- 608	3951	- 586	4369	- 107	4482	- 130	4818	- 253	4908	- 261
3901	- 608	3952	- 586	4388	- 138	4483	- 131	4821	- 253	4909	- 261
3902	- 610	3953	- 587	4389	- 107	4484	- 131	4824	- 254	4910	- 260
3903	- 610	3954	- 587	4390	- 107	4485	- 131	4825	- 254	4911	- 260
3904	- 619	3955	- 588	4394	- 142	4486	- 129	4826	- 254	4912	- 260
3905	- 619	3956	- 588	4399	- 143	4487	- 129	4827	- 254	4913	- 261
3906	- 620	3957	- 589	4407	- 134	4488	- 129	4830	- 255	4914	- 261
3907	- 620	4061	- 188	4409	- 134	4489	- 125	4833	- 255	4915	- 261
3910	- 621	4062	- 188	4417	- 144	4490	- 125	4854	- 248	4916	- 260
3911	- 621	4084	- 188	4418	- 144	4491	- 125	4855	- 248	4917	- 260
3912	- 450	7230	- 99	4419	- 144	4496	- 129	4856	- 248	4918	- 260
3913	- 450	7200	- 103	4420	- 144	4497	- 129	4857	- 248	4919	- 261
3914	- 450	4140	- 105	4421	- 124	4498	- 121	4858	- 248	4920	- 261
3916	- 609	43441	- 102	4426	- 142	4737	- 273	4859	- 248	4921	- 261
3917	- 609	7231	- 99	4427	- 140	4738	- 273	4860	- 249	4922	- 270
3918	- 609	7407	- 103	4428	- 140	4739	- 272	4861	- 249	4923	- 270
3919	- 609	7320	- 101	4431	- 137	4740	- 272	4862	- 249	4924	- 270
3920	- 578	7418	- 99	4432	- 137	4741	- 273	4863	- 250	4925	- 270
3921	- 578	4217	- 98	4438	- 152	4742	- 273	4864	- 250	4926	- 270
3922	- 579	4220	- 106	4439	- 152	4743	- 272	4865	- 250	4927	- 270
3923	- 579	4223	- 189	4440	- 99	4744	- 272	4866	- 250	4928	- 270
3924	- 580	4224	- 189	4441	- 98	4745	- 273	4867	- 250	4929	- 270
3925	- 580	4225	- 189	4444	- 135	4746	- 273	4868	- 250	4930	- 270
3926	- 540	4228	- 94	4445	- 135	4759	- 272	4869	- 251	4931	- 256
3927	- 568	4242	- 106	4446	- 135	4760	- 272	4870	- 251	4932	- 256
3928	- 615	4244	- 106	4447	- 89	4797	- 259	4871	- 251	4933	- 256
3929	- 615	4246	- 106	4448	- 89	4798	- 259	4872	- 249	4934	- 256
3930	- 616	4253	- 109	4449	- 89	4800	- 263	4873	- 249	4935	- 256
3931	- 616	4254	- 109	4453	- 95	4801	- 263	4874	- 249	4936	- 256

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
4937	- 257	5076	- 288	5472	- 315	5585	- 298	5787	- 213	5906	- 201
4938	- 257	5077	- 426	5475	- 315	5586	- 298	5788	- 213	5908	- 202
4939	- 257	5078	- 431	5476	- 315	5587	- 297	5800	- 195	5917	- 223
4940	- 257	5079	- 432	5477	- 316	5588	- 297	5801	- 215	5927	- 208
4941	- 257	5081	- 432	5487	- 311	5592	- 298	5804	- 213	5928	- 208
4942	- 257	5082	- 432	5488	- 311	5594	- 299	5805	- 213	5929	- 208
4943	- 258	5083	- 433	5489	- 311	5595	- 299	5806	- 213	5930	- 208
4944	- 258	5084	- 429	5490	- 311	5599	- 308	5818	- 196	5931	- 209
4945	- 258	5085	- 430	5491	- 312	5600	- 308	5819	- 216	5932	- 209
4946	- 258	5086	- 423	5492	- 312	5601	- 308	5821	- 216	5934	- 210
4947	- 258	5087	- 423	5493	- 312	5602	- 308	5822	- 214	5935	- 210
4948	- 258	5088	- 423	5494	- 312	5603	- 309	5823	- 214	5936	- 210
4949	- 259	5089	- 424	5495	- 313	5604	- 309	5824	- 214	5937	- 210
4965	- 405	5090	- 424	5496	- 313	5605	- 309	5826	- 193	5938	- 211
4966	- 405	5091	- 425	5497	- 313	5606	- 309	5827	- 193	5939	- 211
4967	- 425	5094	- 380	5498	- 313	5607	- 300	5837	- 216	5940	- 205
4968	- 426	5095	- 380	5499	- 314	5608	- 300	5838	- 216	5941	- 205
4973	- 404	5096	- 380	5500	- 314	5609	- 302	5839	- 216	5942	- 205
4982	- 427	5097	- 380	5501	- 316	5610	- 302	5840	- 214	5943	- 203
4987	- 286	5110	- 381	5550	- 297	5611	- 302	5841	- 214	5944	- 203
4996	- 403	5116	- 344	5554	- 301	5612	- 302	5842	- 214	5945	- 203
4997	- 401	5117	- 344	5555	- 301	5613	- 302	5844	- 193	5946	- 206
4998	- 403	5118	- 344	5557	- 303	5614	- 302	5845	- 193	5947	- 206
4999	- 401	5119	- 344	5558	- 303	5691	- 222	5853	- 196	5948	- 206
5031	- 259	5120	- 344	5559	- 303	5692	- 222	5854	- 196	5949	- 203
5032	- 259	5121	- 344	5560	- 303	5697	- 219	5858	- 194	5950	- 203
5033	- 259	5122	- 344	5562	- 399	5699	- 219	5860	- 194	5951	- 203
5050	- 403	5123	- 344	5563	- 399	5700	- 219	5864	- 197	5952	- 206
5051	- 403	5124	- 344	5564	- 399	5701	- 220	5876	- 198	5953	- 206
5052	- 403	5125	- 344	5565	- 399	5716	- 219	5877	- 198	5954	- 206
5053	- 402	5126	- 344	5566	- 394	5717	- 220	5883	- 198	5955	- 204
5054	- 402	5127	- 344	5567	- 394	5735	- 222	5884	- 199	5956	- 204
5055	- 402	5128	- 344	5570	- 382	5745	- 223	5885	- 199	5957	- 204
5056	- 402	5129	- 345	5571	- 430	5746	- 217	5886	- 199	5958	- 207
5057	- 405	5130	- 345	5572	- 431	5747	- 217	5889	- 199	5959	- 207
5058	- 405	5131	- 345	5574	- 304	5750	- 217	5891	- 200	5960	- 207
5059	- 405	5132	- 345	5575	- 304	5752	- 218	5893	- 200	5961	- 204
5068	- 288	5133	- 345	5576	- 304	5753	- 218	5894	- 220	5962	- 204
5069	- 288	5134	- 345	5577	- 305	5754	- 218	5895	- 221	5963	- 204
5070	- 288	5135	- 345	5578	- 305	5755	- 221	5896	- 224	5964	- 207
5071	- 288	5136	- 345	5580	- 305	5756	- 217	5897	- 224	5965	- 207
5072	- 288	5137	- 345	5581	- 306	5758	- 218	5899	- 201	5966	- 207
5073	- 288	5138	- 345	5582	- 306	5782	- 195	5900	- 201	5967	- 205
5074	- 288	5139	- 345	5583	- 306	5783	- 215	5904	- 201	5968	- 205
5075	- 288	5140	- 345	5584	- 306	5786	- 213	5905	- 201	5969	- 205

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
5970	- 194	6266	- 294	6324	- 284	6371	- 268	6427	- 240	7064	- 477
5971	- 194	6267	- 294	6325	- 284	6372	- 268	6428	- 252	7065	- 478
5972	- 194	6268	- 239	6326	- 284	6373	- 269	6429	- 252	7066	- 482
6018	- 241	6269	- 240	6327	- 243	6374	- 269	6430	- 252	7067	- 482
6019	- 239	6270	- 240	6328	- 240	6375	- 269	6431	- 252	7068	- 483
6026	- 236	6271	- 239	6329	- 236	6376	- 233	6432	- 238	7069	- 483
6029	- 239	6272	- 278	6332	- 237	6380	- 234	6433	- 238	7070	- 481
6053	- 285	6273	- 278	6333	- 237	6381	- 234	6436	- 239	7071	- 482
6054	- 285	6276	- 273	6334	- 264	6384	- 235	6437	- 240	7072	- 483
6055	- 285	6277	- 272	6335	- 264	6385	- 235	6438	- 61	7073	- 484
6056	- 285	6278	- 273	6336	- 264	6386	- 240	6439	- 61	7074	- 486
6057	- 285	6279	- 272	6337	- 266	6387	- 290	6440	- 62	7075	- 486
6062	- 294	6280	- 273	6338	- 266	6388	- 290	6441	- 62	7076	- 478
6166	- 287	6281	- 272	6339	- 266	6389	- 286	6442	- 61	7077	- 478
6167	- 287	6282	- 291	6340	- 264	6390	- 286	6443	- 61	7078	- 497
6168	- 287	6283	- 291	6341	- 264	6391	- 286	6444	- 62	7079	- 497
6169	- 287	6284	- 291	6342	- 264	6392	- 277	6445	- 62	7080	- 497
6170	- 287	6285	- 291	6343	- 266	6393	- 277	6446	- 295	7081	- 498
6171	- 287	6286	- 292	6344	- 266	6394	- 277	6447	- 295	7082	- 498
6172	- 287	6287	- 292	6345	- 266	6399	- 290	6448	- 295	7083	- 498
6173	- 287	6292	- 248	6346	- 265	6400	- 290	6449	- 295	7084	- 508
6174	- 287	6293	- 248	6347	- 265	6401	- 246	7033	- 447	7085	- 508
6184	- 293	6294	- 248	6348	- 265	6402	- 246	7034	- 446	7086	- 508
6185	- 293	6295	- 250	6349	- 267	6403	- 246	7035	- 448	7087	- 497
6198	- 292	6296	- 250	6350	- 267	6404	- 246	7039	- 447	7088	- 497
6199	- 292	6297	- 250	6351	- 267	6405	- 246	7040	- 447	7089	- 497
6200	- 293	6299	- 279	6352	- 265	6406	- 246	7042	- 446	7090	- 498
6201	- 293	6301	- 279	6353	- 265	6407	- 246	7043	- 446	7091	- 498
6217	- 231	6302	- 279	6354	- 265	6408	- 246	7044	- 470	7092	- 498
6221	- 231	6305	- 280	6355	- 267	6409	- 246	7045	- 470	7093	- 508
6222	- 231	6306	- 280	6356	- 267	6410	- 247	7046	- 480	7094	- 508
6229	- 277	6307	- 280	6357	- 267	6411	- 247	7047	- 480	7095	- 508
6230	- 277	6308	- 280	6358	- 268	6412	- 247	7051	- 448	7096	- 459
6231	- 277	6309	- 279	6359	- 268	6413	- 247	7052	- 448	7098	- 445
6238	- 233	6310	- 279	6360	- 268	6414	- 247	7053	- 449	7099	- 445
6239	- 233	6313	- 281	6361	- 269	6415	- 247	7054	- 449	7102	- 125
6250	- 282	6314	- 281	6362	- 269	6416	- 247	7055	- 455	7103	- 125
6251	- 282	6315	- 281	6363	- 269	6417	- 247	7056	- 455	7105	- 126
6256	- 235	6316	- 281	6364	- 268	6418	- 247	7057	- 485	7106	- 126
6257	- 235	6318	- 282	6365	- 268	6419	- 229	7058	- 484	7108	- 127
6258	- 235	6319	- 282	6366	- 268	6420	- 229	7059	- 484	7109	- 127
6262	- 278	6320	- 282	6367	- 269	6422	- 249	7060	- 486	7110	- 128
6263	- 278	6321	- 282	6368	- 269	6423	- 249	7061	- 487	7111	- 128
6264	- 278	6322	- 283	6369	- 269	6424	- 249	7062	- 487	7112	- 128
6265	- 279	6323	- 283	6370	- 268	6426	- 237	7063	- 487	7113	- 119

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
7114	- 120	7179	- 130	7241	- 93	7308	- 150	7366	- 81	7513	- 477
7115	- 120	7180	- 130	7242	- 93	7309	- 86	7367	- 81	7514	- 477
7116	- 120	7181	- 131	7246	- 95	7310	- 150	7368	- 83	7515	- 470
7121	- 88	7182	- 131	7251	- 118	7317	- 89	7399	- 97	7516	- 470
7123	- 107	7183	- 131	7252	- 118	43421	- 102	7400	- 97	7517	- 471
7124	- 107	7184	- 132	7253	- 154	7324	- 85	7401	- 96	7518	- 471
7126	- 149	7185	- 132	7254	- 154	7325	- 85	7402	- 96	7519	- 479
7127	- 149	7186	- 132	7255	- 154	7326	- 85	7403	- 96	7520	- 479
7128	- 149	7187	- 132	4207	- 102	7327	- 113	7404	- 96	7521	- 479
7132	- 110	7188	- 132	7260	- 93	7328	- 114	7405	- 96	7522	- 480
7133	- 110	7189	- 133	7261	- 93	7329	- 152	7406	- 96	7523	- 460
7134	- 110	7190	- 133	7262	- 93	7330	- 152	7363	- 103	7524	- 501
7142	- 118	7191	- 133	4122	- 100	7331	- 152	7364	- 103	7525	- 501
7143	- 119	7198	- 100	7263	- 100	7332	- 152	7199	- 103	7526	- 501
7144	- 119	4216	- 100	7264	- 100	7333	- 152	7410	- 141	7527	- 501
7145	- 117	4166	- 100	7266	- 93	7334	- 152	7411	- 141	7529	- 485
7146	- 116	7201	- 103	7269	- 149	7335	- 113	7412	- 141	7530	- 485
7147	- 116	4124	- 104	7270	- 149	7336	- 113	7413	- 142	7531	- 481
7148	- 116	42501	- 104	7271	- 149	7337	- 153	7414	- 136	7532	- 481
7150	- 88	7408	- 103	7275	- 110	7338	- 153	7415	- 117	7533	- 226
7151	- 88	7409	- 103	7276	- 110	7339	- 153	7416	- 123	7534	- 226
7153	- 132	7362	- 103	7277	- 110	7340	- 153	7417	- 90	7535	- 226
7154	- 132	7205	- 154	7282	- 81	7341	- 91	43431	- 102	7536	- 227
7155	- 124	7206	- 154	7283	- 82	7342	- 91	7419	- 98	7537	- 227
7156	- 124	7207	- 154	7284	- 82	7343	- 92	7420	- 122	7538	- 227
7157	- 121	7209	- 108	7285	- 85	7344	- 92	7421	- 122	7539	- 468
7158	- 111	7210	- 108	7286	- 85	7197	- 100	7422	- 96	7540	- 468
7159	- 111	7211	- 108	7287	- 85	7348	- 98	7423	- 139	7541	- 468
7160	- 111	7212	- 108	7288	- 85	7349	- 94	7424	- 139	7542	- 469
7161	- 111	7213	- 108	7289	- 85	7350	- 94	7425	- 139	7543	- 469
7162	- 111	7216	- 115	7290	- 85	7351	- 94	7426	- 90	7544	- 472
7163	- 111	7217	- 115	7291	- 83	7352	- 94	7427	- 143	7545	- 472
7164	- 111	7218	- 114	7292	- 83	7353	- 94	7500	- 465	7546	- 472
7165	- 111	7219	- 114	7293	- 83	7354	- 94	7501	- 465	7547	- 472
7166	- 111	7220	- 115	7295	- 84	7355	- 83	7502	- 465	7548	- 472
7167	- 147	7223	- 97	7296	- 84	7356	- 83	7503	- 465	7549	- 472
7168	- 147	7224	- 90	7297	- 84	7358	- 104	7504	- 466	7550	- 472
7169	- 147	7229	- 97	7298	- 84	7359	- 104	7505	- 466	7551	- 472
7170	- 135	7346	- 99	7299	- 84	7173	- 105	7506	- 466	7552	- 472
7202	- 102	7196	- 100	7300	- 86	7360	- 84	7507	- 466	7553	- 469
7203	- 102	7232	- 97	7303	- 150	7361	- 84	7508	- 467	7554	- 469
7204	- 102	7233	- 97	7304	- 150	42511	- 104	7509	- 467	7555	- 473
7176	- 128	7234	- 189	7305	- 150	42521	- 104	7510	- 467	7556	- 473
7177	- 128	7235	- 189	7306	- 150	7357	- 104	7511	- 467	7557	- 473
7178	- 130	7236	- 189	7307	- 150	7365	- 82	7512	- 468	7558	- 473

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
7559	- 474	8230	- 463	8275	- 244	8320	- 489	8515	- 449	7265	- 100
7560	- 474	8231	- 462	8276	- 459	8321	- 489	8516	- 451	4164	- 101
7561	- 474	8231	- 463	8277	- 459	8322	- 489	9104	- 225	4213	- 101
7562	- 474	8232	- 506	8278	- 461	8323	- 489	9546	- 225	43641	- 134
8070	- 274	8233	- 505	8279	- 461	8324	- 489	9869	- 209	43651	- 137
8073	- 274	8234	- 505	8280	- 494	8325	- 490	9869	- 460	43881	- 138
8074	- 274	8235	- 505	8281	- 494	8326	- 490	9944	- 375	44141	- 136
8075	- 274	8236	- 505	8282	- 494	8327	- 490	9945	- 375	44251	- 143
8076	- 274	8237	- 505	8283	- 494	8328	- 490	9947	- 337	44291	- 139
8096	- 440	8238	- 505	8284	- 494	8329	- 490	9952	- 375	44301	- 139
8097	- 441	8239	- 502	8285	- 494	8330	- 490	9953	- 375	44801	- 130
8098	- 442	8240	- 502	8286	- 496	8331	- 490	9954	- 375	44921	- 129
8099	- 435	8241	- 502	8287	- 496	8332	- 490	9955	- 375	44941	- 129
8100	- 436	8242	- 502	8288	- 496	8333	- 490	9956	- 336	60246	- 230
8119	- 243	8243	- 502	8289	- 496	8334	- 491	9957	- 337	60256	- 230
8200	- 437	8244	- 502	8290	- 496	8335	- 491	9968	- 241	60276	- 236
8201	- 438	8245	- 504	8291	- 496	8336	- 491	9969	- 241	60286	- 230
8202	- 512	8246	- 504	8292	- 503	8337	- 491	9970	- 242	60303	- 244
8203	- 512	8247	- 504	8293	- 503	8338	- 491	9981	- 335	60696	- 236
8204	- 512	8249	- 439	8294	- 503	8339	- 491	9982	- 335	62186	- 231
8205	- 512	8250	- 516	8295	- 495	8340	- 491	9983	- 335	62196	- 231
8206	- 512	8251	- 516	8296	- 495	8341	- 491	9984	- 335	62206	- 231
8207	- 512	8252	- 516	8297	- 495	8342	- 491	9985	- 336	62366	- 232
8208	- 506	8253	- 516	8298	- 495	8344	- 507	9986	- 336	62376	- 232
8209	- 492	8254	- 517	8299	- 495	8345	- 507	9987	- 336	62406	- 232
8210	- 492	8255	- 517	8300	- 495	8346	- 507	9989	- 241	62416	- 232
8211	- 492	8256	- 517	8301	- 499	8347	- 507	9990	- 337	62426	- 232
8212	- 492	8257	- 517	8302	- 499	8348	- 389	9991	- 337	62436	- 233
8213	- 493	8258	- 518	8303	- 499	8349	- 389	9992	- 338	63776	- 232
8214	- 493	8259	- 518	8304	- 499	8350	- 389	9993	- 338	63786	- 233
8215	- 493	8260	- 518	8305	- 499	8351	- 389	9994	- 338	63796	- 233
8216	- 493	8261	- 518	8306	- 499	8352	- 389	9995	- 338	71001	- 140
8217	- 500	8262	- 513	8307	- 511	8353	- 389	9997	- 242	71011	- 125
8218	- 500	8263	- 513	8308	- 511	8382	- 442	9999	- 242	71031	- 125
8219	- 500	8264	- 513	8309	- 511	8383	- 439	11077	- 521	71041	- 126
8220	- 500	8265	- 513	8310	- 511	8500	- 445	34235	- 185	71071	- 127
8221	- 510	8266	- 514	8311	- 441	8501	- 452	36265	- 185	71081	- 127
8222	- 510	8267	- 514	8312	- 435	8502	- 453	7174	- 105	71091	- 127
8223	- 510	8268	- 514	8313	- 436	8503	- 454	7175	- 105	71811	- 131
8224	- 510	8269	- 514	8314	- 437	8504	- 452	7256	- 105	500081	- 521
8225	- 509	8270	- 515	8315	- 438	8505	- 453	42591	- 134	500082	- 521
8226	- 509	8271	- 515	8316	- 489	8506	- 454	43001	- 143		
8227	- 509	8272	- 515	8317	- 489	8507	- 457	43011	- 136		
8228	- 509	8273	- 515	8318	- 489	8508	- 457	43061	- 140		
8229	- 462	8274	- 440	8319	- 489	8514	- 449	43071	- 137		

Certificates



DIALux Partner



TUV



RoHS



The LIA Member



CE / LVD

V-TAC[®]

PRO

^{*}
5 **YEAR**
WARRANTY
PRODUCTS

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Head Offices

Sofia | London

Europe Office

1, Iliansko Shanssee Blvd,
Sofia 1220, Bulgaria
www.v-tac.eu

UK Office

Unit No. 9, Armstrong Way,
Western Industrial Park,
Southall, London,
UB24SD, UK.
www.v-tac.co.uk

Middle East Office

Unit# 407/8/9 Jumeirah
Bay Towers,
Plot# X3, JLT,
P.O. Box 45244, Dubai.
www.vtacexports.com