

**V-TAC**<sup>®</sup>  
**INNOVATIVE LED LIGHTING**

**5** **YEAR**  
**WARRANTY**



Q-4 [2019]

LED TUBES

LED PANELS

HIGHBAYS

SMART LIGHTS

WALL LIGHTS

MOTION SENSORS

POWER BANK

STREET LIGHTS

EXIT LIGHTS

LED DOME LIGHTS


FLOODLIGHTS

LED DOWN LIGHTS

SMART HOME

LED BULBS

# OUR JOURNEY SO FAR.....



V-TAC was developed and designed by Energy and Lighting specialist to not only bring Sustainable LED Lighting Solutions to your homes but to Keep Adding Value and Live up to the expectations of our Customers and Distributors.

Thanks to our ceaseless innovation, our broad portfolio includes a diverse range of next-generation LED Lighting technologies designed to provide a Professional solution for Professionals. Introducing an enhanced product range with a 5-Year Warranty.

The V-TAC Pro Series is set to take the LED Market by storm with Samsung's reliable and efficient LED Chips. Creating a better world for Modern Lighting through innovative technology and modern components.

2018 has been a ground-breaking year here at V-TAC, with the introduction of our newest range of PRO-Series products. The range, which was developed in partnership with Samsung, was accepted with fervor and we offered a whole new variety of products to our consumers with the PRO-Series Range.

The PRO Series range offers V-TAC's core range of top-quality LED lighting products for professionals, by professionals. Now upgraded with LED provided by Samsung and coming with five (5) years of warranty, With the success of the PRO-Series, V-TAC is emboldened to take the brand onwards and upwards. The ever-expanding distribution network we have across Europe enables us to take to market innovative products. With that in mind, V-TAC is introducing a plethora of new product lines that will take V-TAC further into a bright future.



Following are the new series that we plan to develop more in the coming year.



WiFi-supported home lighting system simultaneously controlled through the VTAC app; works with Amazon Alexa & Google Home.



Long-lasting, fast-charging data cables for everyday use. Includes a wide range of cable finish and connectors for different usage types.



WiFi-supported home solutions to convert any device into a smart device, and ultimately convert any home into a smart home. Have a systematic, unified control on all your smart devices through the official V-TAC app, Amazon Alexa, and Google Home.



Power strips with surge protectors and lighted switches, cable reels, adapters, and direct USB ports -- all designed to bring convenience and safety to modern electrical needs.



Premium quality battery packs for any device with extensive features such as power capacity, battery indicators, and more to power up the modern lifestyle.



New series of wireless speakers devices with various modes & wireless controls for a dynamic sound experience & maximum portability.

Download Our Retail Catalog:  
<http://tiny.cc/9dgrcz>



## LED Flood Lights - 08

### LED Flood Lights

White | Grey | Black

NEW ADDITION



PAGE  
10

### LED Flood Lights

PIR Sensor White | Black



PAGE  
30

### LED Flood Lights

Rechargeable Flood Lights

NEW ADDITION



PAGE  
34

### LED Flood Lights

Sports Light



PAGE  
36

### LED Flood Lights

Super Pro Series



PAGE  
38

## LED Street Lights - 40

NEW

### Street Lights

Super Pro Series



PAGE  
42

### LED Garden Light

Super Pro Series



PAGE  
44

### Street Lights

140 Lumen/w

NEW ADDITION



PAGE  
46

### Street Lights

120 Lumen/w

NEW ADDITION



PAGE  
50

### Street Lights



PAGE  
54

## LED Highbays - 56

### LED Highbays

180 Lumen/w



PAGE  
58

### LED Highbays

120 Lumen/w

NEW ADDITION



PAGE  
60

### LED Highbays

120 Lumen/w



PAGE  
62

### LED Linear Lights

LED Low Bay Lights



PAGE  
66

### LED Highbays

LED Canopy Light



PAGE  
68

## LED Panels - 70

### LED Big Panels

Square Panels-60x60



PAGE  
72

### LED Mini Panels

Adjustable Panels



PAGE  
74

### LED Mini Panels

Premium Series Panels



PAGE  
78

### LED Mini Panels

Edge Series



PAGE  
82

## LED Tubes - 86

### LED Tubes

G13-T8 -Nano Plastic Tube



PAGE  
88

### Fixtures with LED

LED Prismatic Fittings



PAGE  
92

### Fixtures with LED

T5 Batten Fitting



PAGE  
96

### Fixtures with LED

CCT Changeable Batten Fitting



PAGE  
98

### Fixtures with LED

LED Waterproof Fittings

NEW ADDITION



PAGE  
102

## LED Linear Lights - 104

### Linear Lights

Linear Hanging Lights



PAGE  
106

### Linear Lights

Recessed Linear



PAGE  
116

### Linear Lights

Linear Trunking



PAGE  
120

### Magnetic Track Lights

Up-down Lights

NEW



PAGE  
124

### LED TrackLights

4 Line TrackLights

NEW ADDITION



PAGE  
130

## LED Bulkhead and DownLights - 138

### 2D Bulkhead

Emergency Battery Backup and Sensor

NEW ADDITION



PAGE  
**140**

### Reflector Downlight

12° & 38° Beam angles

NEW



PAGE  
**148**

### LED Down Lights

Fire Rated Downlight

NEW ADDITION



PAGE  
**151**

### LED Down Lights

LED Cabinet & Night Lights

NEW ADDITION



PAGE  
**155**

### LED Solar Lights

LED Solar Wall and Bollard Lights



PAGE  
**157**

## LED Emergency Lights - 158

### Exit Light

Surface & Recessed



PAGE  
**160**

### Exit Light

Bulkhead



PAGE  
**161**

## LED Strip Lights - 162

### LED Strip Lights

CRI >95



PAGE  
**164**

### LED Strip Lights

Neon Flex Light



PAGE  
**165**

## LED Spot Lights - 166

### LED Spot Lights

LED Capsules Lights



PAGE  
**168**

### LED Spot Lights

LED GU10 Lights



PAGE  
**169**

### LED Spot Lights

MR16 | GU10



PAGE  
**170**

## LED Filament Bulbs - 172

### LED Bulbs

Amber Filament Bulbs



PAGE  
**174**

### LED Filament Bulbs

Clear Filament Bulbs



PAGE  
**176**

## LED Plastic Bulbs - 179

### LED Plastic Bulbs

High Lumen Bulbs



PAGE  
**180**

### LED Plastic Bulbs

Candle | A58 | A65 | A80



PAGE  
**182**

### LED Plastic Bulbs

Reflectors & PAR Bulbs



PAGE  
**191**

### LED Plastic Bulbs

UFO Bulbs



PAGE  
**193**

### LED Plastic Bulbs

LED Big Bulb



NEW ADDITION

PAGE  
**195**

## LED Bulbs - 198

CRI > 95



LED Bulbs

NEW ADDITION




Blister Packing



Filament Special Bulbs

NEW ADDITION



Amber Cover

NEW ADDITION



Clear Filament



Accessory




## LED Spot Lights - 248

Capsules-G9



GU10

NEW ADDITION



GU10 Fitting

NEW ADDITION



LED PAR Lamps & AR111

NEW ADDITION



## LED Floodlights - 278

Slimline Floodlights



Solar Floodlight

NEW ADDITION



PIR Floodlights



SMART Floodlights



Accessory



## LED Panels - 292

Big Panels

NEW ADDITION



LED Mini Panels



## LED Tube Lights - 318

T8-Nano Plastic

NEW ADDITION



Grill Fitting

NEW



Fitting



Waterproof Fitting

NEW ADDITION



## LED Highbays - 332

UFO-High Lumen



Linear Highbay



## LED Street Lights - 336

CRI > 95



## LED Strip Lights - 340

LED Strip Lights

NEW ADDITION



PAGE  
341

Neon Flex



PAGE  
348

Aluminium Profile

NEW ADDITION



PAGE  
352

Power Supply

NEW ADDITION



PAGE  
361

## LED Track Lights - 367

Smart Color Changing



PAGE  
368

Tracklights



PAGE  
370

CRI >95



PAGE  
371

Accessory



PAGE  
374

## LED Downlights - 375

Hotel Downlight



PAGE  
376

Reflector Series



PAGE  
378

Step Light



PAGE  
380

## LED Dome Lights - 385

CCT Changeable

NEW ADDITION



PAGE  
386

Ceiling Lights



PAGE  
396

Dome Series



PAGE  
401

Fire Rated Downlight



PAGE  
405

Fire Rated Fitting



PAGE  
407

## Motion Sensors - 409

Infrared Sensor



PAGE  
410

## LED Emergency Lights - 416

Exit Light



PAGE  
417

Exit Light Bulkhead



PAGE  
418

## LED Floor & Table Lamps - 420

Floor Lamp  
Touch & Knob  
Dimming



PAGE  
421

Smart Table Lamps

NEW



PAGE  
424

Desk Lamps



PAGE  
426

Table Lamps



PAGE  
427

Table Lamps  
Speaker



PAGE  
431

Floor Lamp



PAGE  
432

## LED Innovative Lights - 434

Solar Wall Light



PAGE  
435

Smart Switches




PAGE  
436



works with  
amazon alexa

works with the  
Google Assistant

LED Smart Bulb



PAGE  
440

LED Smart  
Spotlight



PAGE  
443

LED Smart Panel  
LED Smart Striplight  
Kit



PAGE  
444

LED Smart  
Dome Light **NEW**



PAGE  
445

IR Remote Control



PAGE  
446

Gyro Robot  
Vacuum Cleaner



PAGE  
447

Smart Curtain Motor



PAGE  
448



works with  
amazon alexa

works with the  
Google Assistant

Touch Switches



PAGE  
449

Plugs



PAGE  
452

Power Strips



PAGE  
453

RF433 Gateway



PAGE  
454

## Smart Cameras - 455

Smart Cameras

NEW ADDITION



PAGE  
456

Video Doorbell & CHIME



PAGE  
461



## Sockets and Adapters - 462

Power Adapter



PAGE  
463

European Sockets

NEW ADDITION



PAGE  
465

Italian Sockets



PAGE  
475

## LED Wall Lights - 485

LED Wall Lights Water proof

NEW ADDITION



PAGE  
486

LED Wall Lights Indoor



PAGE  
498

## LED Outdoor Lights - 505

Wall Fitting



PAGE  
506

Garden Lamp



PAGE  
510

Pool Lights



PAGE  
513

## Garden Lamps - 514

Wall Lamp

NEW ADDITION



PAGE  
515

Ceiling Lamp



PAGE  
521

Stand Lamp



PAGE  
522

## LED Display Screen -525

P3 Indoor LED Display Screen



PAGE  
526

P4 Indoor LED Display Screen



PAGE  
527

P5 Indoor LED Display Screen



PAGE  
528

P6 Outdoor LED Finished Cabinet



PAGE  
529

## Pendants - 530

Pendants



PAGE  
530

Holders



PAGE  
566

LED Pendants

NEW ADDITION



PAGE  
572

Decorative Lights



PAGE  
598

Chandeliers



PAGE  
604



# LED FLOODLIGHTS

V-TAC's LED Floodlights are manufactured with industry-leading components to deliver an exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of diecast Aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also waterproof and dustproof.

This extensive range of floodlights is ready to impress in terms of efficiency brought by the Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

## APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas





## KEY FEATURES

- 10w to 1000w
- IP65 rating — high-quality components used to ensure waterproof/airtight performance
- Modern and strong diecast Aluminium enclosure with a minimalistic design, for high-end support and design
- Product category includes high-lumen, slimline, PIR series, rechargeable, work floodlight, and sports floodlights
- Select units are inclusive of a 1-metre wire for convenience and easy installation





IP65  
RATING

5  
YEAR  
WARRANTY\*

# LED FLOODLIGHTS

## Slimline-White Body-High Lumen




**120**  
lm/W

More bright, energy efficient  
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-56-W**


SKU: 762 | 4000K DAY WHITE  
 SKU: 763 | 6400K WHITE

**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-106-W**

SKU: 768 | 4000K DAY WHITE  
 SKU: 769 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

**1 METER WIRE**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-156-W**

SKU: 774 | 4000K DAY WHITE  
 SKU: 775 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

**1 METER WIRE**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-206-W**

SKU: 787 | 4000K DAY WHITE  
 SKU: 788 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

**1 METER WIRE**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-306-W**

SKU: 793 | 4000K DAY WHITE  
 SKU: 794 | 6400K WHITE

**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs

**1 METER WIRE**



# LED FLOODLIGHTS

## Slimline-Black Body-High Lumen




**120**  
lm/W

More bright, energy efficient  
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-56-B**


SKU: 760 | 4000K DAY WHITE  
 SKU: 761 | 6400K WHITE

**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-106-B**

SKU: 766 | 4000K DAY WHITE  
 SKU: 767 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-156-B**

SKU: 772 | 4000K DAY WHITE  
 SKU: 773 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-206-B**

SKU: 778 | 4000K DAY WHITE  
 SKU: 779 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-306-B**


SKU: 791 | 4000K DAY WHITE  
 SKU: 792 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-405**


SKU: 964 | 4000K DAY WHITE  
 SKU: 965 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
400w	48000	1 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-505**


SKU: 966 | 4000K DAY WHITE  
 SKU: 967 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
500w	60000	1 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-1055**

SKU: 968 | 4000K DAY WHITE  
 SKU: 969 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
1000w	120000	1 pcs



① METER WIRE






## LED FLOODLIGHTS

[www.v-tac.eu](http://www.v-tac.eu) | [www.vtacexports.com](http://www.vtacexports.com)



# LED FLOODLIGHTS

## Slimline-Grey Body-High Lumen




**120**  
lm/W

More bright, energy efficient  
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-56-G**


SKU: 764 | 4000K DAY WHITE  
 SKU: 765 | 6400K WHITE

**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-106-G**

SKU: 770 | 4000K DAY WHITE  
 SKU: 771 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

**1 METER WIRE**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-156-G**

SKU: 776 | 4000K DAY WHITE  
 SKU: 777 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

**1 METER WIRE**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-206-G**

SKU: 789 | 4000K DAY WHITE  
 SKU: 790 | 6400K WHITE


**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

**1 METER WIRE**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-306-G**

SKU: 795 | 4000K DAY WHITE  
 SKU: 796 | 6400K WHITE

**120**  
 Lumen/W



WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs

**1 METER WIRE**




# LED FLOODLIGHTS

## Slimline-White Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a clean and ivory white finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-10-W

SKU: 427 | 3000K WARM WHITE  
 SKU: 428 | 4000K DAY WHITE  
 SKU: 429 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-20-W

SKU: 442 | 3000K WARM WHITE  
 SKU: 443 | 4000K DAY WHITE  
 SKU: 444 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-30-W

SKU: 403 | 3000K WARM WHITE  
 SKU: 404 | 4000K DAY WHITE  
 SKU: 405 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

## VT-30-1-W


SKU: 950 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



**1 METER WIRE**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-50-W

SKU: 409 | 3000K WARM WHITE  
 SKU: 410 | 4000K DAY WHITE  
 SKU: 411 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-50-1-W


SKU: 952 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-100-W


SKU: 415 | 3000K WARM WHITE  
 SKU: 416 | 4000K DAY WHITE  
 SKU: 417 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-150-W


SKU: 478 | 3000K WARM WHITE  
 SKU: 479 | 4000K DAY WHITE  
 SKU: 480 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-200-W


SKU: 420 | 4000K DAY WHITE  
 SKU: 421 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-300-W

SKU: 486 | 4000K DAY WHITE  
 SKU: 487 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE





# LED FLOODLIGHTS


## Slimline-Black Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a classic, jet black finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-10-1-B**


SKU: 947 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-20-1-B**


SKU: 20012 | 4000K DAY WHITE  
 SKU: 948 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-30-1-B**


SKU: 20013 | 4000K DAY WHITE  
 SKU: 949 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




**NEW**

**VT-50-1-B**


SKU: 20014 | 4000K DAY WHITE  
 SKU: 951 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-10-B

- SKU: 424 | 3000K WARM WHITE
- SKU: 425 | 4000K DAY WHITE
- SKU: 426 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-20-B

- SKU: 439 | 3000K WARM WHITE
- SKU: 440 | 4000K DAY WHITE
- SKU: 441 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-30-B

- SKU: 400 | 3000K WARM WHITE
- SKU: 401 | 4000K DAY WHITE
- SKU: 402 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-50-B

- SKU: 406 | 3000K WARM WHITE
- SKU: 407 | 4000K DAY WHITE
- SKU: 408 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-100-B


SKU: 412 | 3000K WARM WHITE  
 SKU: 413 | 4000K DAY WHITE  
 SKU: 414 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-150-B


SKU: 475 | 3000K WARM WHITE  
 SKU: 476 | 4000K DAY WHITE  
 SKU: 477 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-200-B


SKU: 418 | 4000K DAY WHITE  
 SKU: 419 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-300-B

SKU: 422 | 4000K DAY WHITE  
 SKU: 423 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE




# LED FLOODLIGHTS

## Slimline-Grey Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a modern, neutral grey finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-10-G

- SKU: 430 | 3000K WARM WHITE
- SKU: 431 | 4000K DAY WHITE
- SKU: 432 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-20-G

- SKU: 445 | 3000K WARM WHITE
- SKU: 446 | 4000K DAY WHITE
- SKU: 447 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-30-G

- SKU: 454 | 3000K WARM WHITE
- SKU: 455 | 4000K DAY WHITE
- SKU: 456 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-50-G

- SKU: 463 | 3000K WARM WHITE
- SKU: 464 | 4000K DAY WHITE
- SKU: 465 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-100-G


SKU: 472 | 3000K WARM WHITE  
 SKU: 473 | 4000K DAY WHITE  
 SKU: 474 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-150-G


SKU: 481 | 3000K WARM WHITE  
 SKU: 482 | 4000K DAY WHITE  
 SKU: 483 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-200-G


SKU: 484 | 4000K DAY WHITE  
 SKU: 485 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-300-G

SKU: 488 | 4000K DAY WHITE  
 SKU: 489 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



## LED FLOODLIGHTS

[www.v-tac.eu](http://www.v-tac.eu) | [www.vtacexports.com](http://www.vtacexports.com)



# LED FLOODLIGHTS


## PIR Sensor White Body

Incorporating security functionalities, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LED for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, or industrial areas.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >70**
- **PF>0.7 for 10,20w; 0.9 for 30,50w**
- **On/Off cycle: >15000**
- **Instant start in <1sec**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Detection range:120°**
- **Detection distance:2-8m**
- **Time delay: MIN12+-3sec MAX6+-2min**
- **Installation height: 1.8-2.5m**




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### VT-10-S-W


SKU: 433 | 3000K WARM WHITE  
 SKU: 434 | 4000K DAY WHITE  
 SKU: 435 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### VT-20-S-W


SKU: 448 | 3000K WARM WHITE  
 SKU: 449 | 4000K DAY WHITE  
 SKU: 450 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### VT-30-S-W


SKU: 457 | 3000K WARM WHITE  
 SKU: 458 | 4000K DAY WHITE  
 SKU: 459 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### VT-50-S-W

SKU: 466 | 3000K WARM WHITE  
 SKU: 467 | 4000K DAY WHITE  
 SKU: 468 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	10 pcs



① METER WIRE




# LED FLOODLIGHTS

## PIR Sensor Black Body

Incorporating security functionalities, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LED for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, or industrial areas.

- SMD Samsung LED
- 30,000-hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >70
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die casting Aluminium Body
- Auto-cutoff function: disable sensor with a switch
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### VT-10-S-B


SKU: 436 | 3000K WARM WHITE  
 SKU: 437 | 4000K DAY WHITE  
 SKU: 438 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### VT-20-S-B


SKU: 451 | 3000K WARM WHITE  
 SKU: 452 | 4000K DAY WHITE  
 SKU: 453 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### VT-30-S-B


SKU: 460 | 3000K WARM WHITE  
 SKU: 461 | 4000K DAY WHITE  
 SKU: 462 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### VT-50-S-B

SKU: 469 | 3000K WARM WHITE  
 SKU: 470 | 4000K DAY WHITE  
 SKU: 471 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4400	10 pcs



① METER WIRE



**MICRO SOCKET**

# RECHARGEABLE FLOODLIGHT



Strong, reliable portable lamp — V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port making it perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

- **IP Rating - IP44**
- **AC: 100-240V**
- **On/Off cycle: >15000**
- **CRI>80**
- **Rechargeable**
- **30,000 Hours Life**
- **PF>0.9**
- **Beamangle: 100**

## VT-10-R

SKU:503 | 6400K WHITE



WATTS	LUMENS	BOX QTY.
10w	700	20 pcs



## VT-11-R

SKU:502 | 6400K WHITE



WATTS	LUMENS	BOX QTY.
10w	700	20 pcs



## VT-20-R

SKU:504 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1400	20 pcs





**NEW**

**DUAL VOLTAGE**  
**85V- 265V**

**3**  
**METER WIRE**

**EU PLUG**

# WORK FLOODLIGHT


Heavy-duty, reliable LED work floodlight — V-TAC’s LED Work Light is designed with dual voltage AC:85-265V and comes with 3-metre wire. Built with EU plug for direct connection, with adjustable stand and carry handle. Suitable for garages, workshops, basements, car repair shops and more.

- Input AC:85-265V,50Hz
- CRI >80
- PF >0.9
- 30,000 Life Hours

- 100° Beam Angle
- Material Die cast aluminium
- EU Plug with 3 Meter wire length

**5** YEAR  
**WARRANTY\***

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





**NEW**

## VT-51

SKU: 945 | 4000K DAY WHITE  
 SKU: 946 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs





DIMMABLE



Your Reliable Power Partner

**5** YEAR  
WARRANTY\*


# LED FLOODLIGHTS

## Sports Light



The new LED Sports Light with Samsung LED offers excellent energy efficiency, low maintenance, and an unbreakable, strong design that can eliminate chances of breaking at ball strikes compared to traditional fluorescent and HID options.




- Using **MEAN WELL** driver
- **No Lead or Mercury** content
- **Life Hours of 30,000 Hours**
- **LED provided by Samsung**
- **Saves 80% energy**
- **IP65 Rating**



**VT-500D**

SKU: 490 | 5000K WHITE



WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	45°	1 pcs



**VT-501D**

SKU: 493 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	110°	1 pcs





# LED FLOODLIGHTS

## LED Super Pro Floodlights



Available in 250W, 500W, and 1000W, our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency — these floodlights are equipped with highly acclaimed LEDs provided by Samsung and Mean Well drivers for energy saving and temperature dissipation excellence.

- AC: 100-277V
- IP66 Rating and strong die cast aluminum body for durability
- 50,000-hr lifespan
- 60° & 120° Beam Angle (Rotatable)
- CRI: >70
- PF: > 0.9



BEAM ANGLE 120°

### VT-253D


SKU: 494 | 4000K DAY WHITE  
SKU: 500 | 6400K WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
250w	30000	1 pcs	8KG

BEAM ANGLE 60°

### VT-252D

SKU: 495 | 4000K DAY WHITE  
SKU: 501 | 6400K WHITE



BEAM ANGLE 120°

### VT-503D


SKU: 496 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
500w	60000	1 pcs	20.5KG

BEAM ANGLE 60°

### VT-502D

SKU: 497 | 4000K DAY WHITE



BEAM ANGLE 120°

### VT-1003D


SKU: 498 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
1000w	120000	1 pcs	30.8KG

BEAM ANGLE 60°

### VT-1002D

SKU: 499 | 4000K DAY WHITE







## LED STREET LIGHTS

Light the path to a brighter future -- V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and Mean Well to provide uniform brightness and illumination on highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type 3 lenses.

### KEY FEATURES

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; longer lifespan
- Weatherproof body – IP65/66 sealed optical cavities
- Optically optimized glass lenses to prevent eye strains
- Uniformity in light distribution – maximizes efficiency
- Fully operational in extreme weather
- DALI, Inventronics, Mean Well drivers

### APPLICATION

Optimized and engineered for streets, public parks, roads & highways, crossroads, tunnels, car parks, industrial facilities, etc.



IP65  
RATING

130  
LUMENS/WATT

5  
YEAR  
WARRANTY\*



## LED STREETLIGHT CLASS II, TYPE III-M LENS



The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° — especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 80w to 200w, with select models available with DALI driver.

- CRI: >70
- PF: > 0.9
- Up to 26000 lumen output available
- AC: 175-265V, 50HZ
- IP66 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan
- 150 x 80° Beam Angle

## VT-80ST


SKU: 541 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
80w	10400	1 pcs

Available with



SKU: 546



## VT-120ST


SKU: 542 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
120w	15600	1 pcs

Available with



SKU: 547



## VT-160ST


SKU: 543 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
160w	20800	1 pcs

Available with




SKU: 548



## VT-200ST

SKU: 544 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
200w	26000	1 pcs





130  
LUMENS/WATT

5  
YEAR  
WARRANTY\*



# LED GARDEN LIGHT

## CLASS II, TYPE III-M LENS



The LED Garden Light series offers our high lumen 50W & 100W upright and suspended lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Mean Well, these efficient, energy-saving garden lights are a great alternative to traditional street lighting.


- **Instant start: 0-100% in <1sec**
- **On/off cycle: >20,000 times**
- **CRI: >70**
- **PF: > 0.9**
- **IK08 rating**
- **AC: 176-265V, 50HZ**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **Beam Angle: 150x80° | 160x100° (Suspended Light)**

Garden Light

**VT-55-1**

SKU: 782 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
50w	6500	8.36	1 pcs




Garden Light

**VT-105**

SKU: 783 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
100w	13000	13.28	1 pcs





Suspended Light

**VT-115ST**

SKU: 545 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
100w	13000	11.16	1 pcs





140<sup>+</sup>  
LUMENS/WATT

5<sup>+</sup>  
YEAR  
WARRANTY\*

# LED STREETLIGHT

## Class I, Inventronics Driver Streetlight

The LED Streetlight (Class I Type) offers a high-lumen output and highly efficient performance improved through the industry-leading Inventronics driver. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 50w to 150w.

- **CRI: >70**
- **PF: > 0.9**
- **AC: 90-305V,50Hz**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **153x70° Beam Angle**





**NEW**


**140**  
 Lumen/W

**VT-53ST**

SKU: 953 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
50w	7000	2 pcs

**INVENTRONICS**  
 DRIVER



**NEW**


**140**  
 Lumen/W

**VT-103ST**

SKU: 954 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
100w	14000	2 pcs

**INVENTRONICS**  
 DRIVER



**NEW**


**140**  
 Lumen/W


**VT-153ST**

SKU: 955 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
150w	21000	1 pcs

**INVENTRONICS**  
 DRIVER





140+  
+  
LUMENS/WATT

5 YEAR  
WARRANTY\*

## LED STREETLIGHT


Available in 100W to 200W, V-TAC's innovative range of streetlights introduces the new dimmable series with LEDs provided by Samsung and world-renowned Inventronics driver. These streetlights are recommendable to help streets easily adapt to the varied night lighting need of different areas or regions which can ultimately lead to even bigger savings in energy consumption.

- **CRI: >70**
- **PF: > 0.9**
- **Up to 28000 lumen output available**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **153x70° Beam Angle**

### VT-102ST

SKU: 883 | 4000K DAY WHITE  
 SKU: 884 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
100w	14000	1 pcs



### VT-122ST

SKU: 885 | 4000K DAY WHITE  
 SKU: 886 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
120w	16800	1 pcs



### VT-152ST

SKU: 887 | 4000K DAY WHITE  
 SKU: 888 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
150w	21000	1 pcs



### VT-202ST

SKU: 889 | 4000K DAY WHITE  
 SKU: 890 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	28000	1 pcs





IP65  
RATING

120+  
+  
LUMENS/WATT

5  
YEAR  
WARRANTY\*

# LED STREETLIGHT

## Slim Streetlight

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30w to 150w.

- 30,000 Life Hours
- 110° Beam Angle
- Material aluminium
- Input AC:220-240V,50Hz
- CRI >70
- PF >0.9




**NEW**

**120**  
 Lumen/W

**VT-34ST**

SKU: 956 | 4000K DAY WHITE  
 SKU: 957 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs




**NEW**

**120**  
 Lumen/W

**VT-54ST**

SKU: 958 | 4000K DAY WHITE  
 SKU: 959 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs




**NEW**

**120**  
 Lumen/W

**VT-104ST**

SKU: 960 | 4000K DAY WHITE  
 SKU: 961 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs




**NEW**

**120**  
 Lumen/W

**VT-154ST**

SKU: 962 | 4000K DAY WHITE  
 SKU: 963 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs






# LED STREETLIGHT

## Streetlight-Grey

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts of high-quality LEDs from Samsung and the Mean Well driver with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

- 110° Beam Angle
- CRI: >70
- PF: > 0.9
- Up to 18000 lumen output available
- AC: 175-265V,50Hz
- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-30ST

SKU: 525 | 4000K DAY WHITE  
 SKU: 526 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-50ST

SKU: 527 | 4000K DAY WHITE  
 SKU: 528 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-100ST

SKU: 529 | 4000K DAY WHITE  
 SKU: 530 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-150ST

SKU: 531 | 4000K DAY WHITE  
 SKU: 532 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs






## LED STREETLIGHT

Retaining the classic design of the V-TAC streetlight in Iron Grey finish, this series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000

- **CRI: >70**
- **PF: > 0.9**
- **30,000-hr lifespan**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **Beam Angle: 110° | 65x135° (with lens)**




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-31ST

SKU: 537 | 4000K DAY WHITE  
 SKU: 538 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3000	4 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-51ST

SKU: 539 | 4000K DAY WHITE  
 SKU: 540 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	5000	4 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-101ST

SKU: 535 | 4000K DAY WHITE  
 SKU: 536 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	10000	2 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-121ST

SKU: 533 | 4000K DAY WHITE  
 SKU: 534 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
120w	12000	2 pcs





## LED HIGHBAY

Our world-class highbay range includes models with drivers from Mean Well and Samsung -- both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today. Available in 100W to 500W.

## APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling





## KEY FEATURES

- Professional upgraded drivers from Mean Well and Samsung
- Strong and durable diecast aluminum body
- IP65 rating
- SMD LED
- Compatible with Daylight Sensors
- Up to 30,000-hr lifespan
- Available reflectors for a customized beam angle: aluminum & PC transparent



V-TAC PERFORMANCE  
**180**  
LUMENS/WATT

 **IP65**  
RATING

**MW**  
MEAN WELL  
*Your Reliable Power Partner*

**Optional**  
DAYLIGHT SENSOR  
SKU - 1369

 **1-10V**  
DIMMABLE



# REFLECTOR HIGHBAYS

## MEAN WELL Driver


Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of highbays with LEDs provided by Samsung is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible with daylight sensors, Aluminum and PC reflectors are also available for maximum directional customizability.

- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**

**5** YEAR  
WARRANTY\*


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-102	100w	18000	120°	2 pcs

SKU: 566 | 4000K DAY WHITE  
 SKU: 567 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-120	120w	21600	120°	2 pcs

SKU: 568 | 4000K DAY WHITE  
 SKU: 569 | 6400K WHITE



### COVER OPTIONS



Aluminum Reflector  
 90° SKU-570




Aluminum Reflector  
 120° SKU-571



PC Transparent Reflector  
 120° SKU-574



PC Dustproof Cover  
 120° SKU-586




# 120

LUMENS/WATT



Optional  
DAYLIGHT SENSOR  
SKU - 1369



## UFO HIGHBAYS

## MEAN WELL Driver

This advanced LED highbays from V-TAC's PRO series are ready to impress with its high-lumen rating of 120 lm/w and LED chip from Samsung. This range is equipped with drivers from Mean Well -- a key player in the LED driver industry for a strong and efficient performance.


**5** YEAR  
WARRANTY\*

- Available in 100 - 500 watts
- AC:95-265V,50/60Hz
- On/Off cycle: >25000
- PF: >0.9
- 50,000 hrs Lifespan
- Die cast Aluminum
- Instant start: 0-100% in <1s
- CRI:>80

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-106	100w	12000	120°	1 pcs

SKU:585 | 4000K DAY WHITE


**DALI**  
Dimming



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-100	100w	12000	90°	4 pcs


SKU: 564 | 4000K DAY WHITE

SKU: 565 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-150	150w	18000	90°	2 pcs

SKU: 560 | 4000K DAY WHITE  
 SKU: 561 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-101	100w	12000	120°	4 pcs

SKU: 562 | 4000K DAY WHITE  
 SKU: 563 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-151	150w	18000	120°	2 pcs

SKU: 558 | 4000K DAY WHITE  
 SKU: 559 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200N	200w	28000	120°	1 pcs

SKU: 58111 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200	200w	24000	120°	1 pcs

SKU: 580 | 4000K DAY WHITE  
 SKU: 581 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-500	500w	60000	120°	1 pcs

SKU: 509 | 4000K DAY WHITE



120  
LUMENS/WATT

IP65  
RATING

USING  
**SAMSUNG**  
POWER SUPPLY

Optional  
DAYLIGHT SENSOR  
SKU - 1369

1-10V  
DIMMABLE



## REFLECTOR Highbays

### SAMSUNG Power Supply

A new strong addition to V-TAC's PRO series are these LED highbays with Samsung drivers. With our latest in-branding program with Samsung, these highbays boasts of efficiency in every lumen with Samsung's cutting-edge drivers. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.


- 120 lm/w
- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

**5** YEAR  
WARRANTY\*




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-108	100w	18000	120°	1 pcs

SKU: 575 | 4000K DAY WHITE  
 SKU: 576 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-113	100w	16000	120°	1 pcs

SKU: 20024 | 4000K DAY WHITE  
 SKU: 20025 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-103	100w	12000	120°	1 pcs

SKU: 577 | 4000K DAY WHITE  
 SKU: 578 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-105	100w	12000	90°	1 pcs

SKU: 583 | 4000K DAY WHITE  
 SKU: 584 | 6400K WHITE



### COVER OPTIONS



Aluminum Reflector  
 90° SKU-570




Aluminum Reflector  
 120° SKU-571



PC Transparent Reflector  
 120° SKU-574



PC Dustproof Cover  
 120° SKU-586



## UFO HIGHBAYS


This new range of IP44-LED high bays from V-TAC's PRO series delivers strong lighting for spacious areas that require intense lighting from high ceilings like manufacturing facilities and construction/development areas. Equipped with the advanced, Samsung LED Chip, it has exceptional performance without flickers and warm-up periods.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**

**5** YEAR  
WARRANTY\*


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-98	100w	8000	90°	4 pcs

SKU: 556 | 4000K DAY WHITE  
 SKU: 557 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-148	150w	12000	90°	2 pcs

SKU: 552 | 4000K DAY WHITE  
 SKU: 553 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-99	100w	8000	120°	4 pcs

SKU: 554 | 4000K DAY WHITE  
 SKU: 555 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-149	150w	12000	120°	2 pcs

SKU: 550 | 4000K DAY WHITE  
 SKU: 551 | 6400K WHITE






## LED LINEAR LOW BAY

V-TAC's new series of LED Low Bay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories which is proven to be approximately 50% more efficient than a perpendicular lighting layout and also decreases eye strain. Available in 100w to 200w, our low bay series offers strong and ample light with promising 120 lumen-per-watt options and impressive energy-saving features compared to its traditional counterparts.

- **AC:220-240v,50HZ**
- **On/off: >20,000 times**
- **IP54 rating**
- **Lifespan - 30,000 hrs**
- **Aluminium body**
- **Heat and Shock Resistant.**
- **Low-maintenance**
- **Upgraded with premium-quality Samsung LEDs**
- **Ideal for workshops, supermarkets, warehouses, etc.**
- **High-lumen (120 lm/w) options available**


MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-112	100w	12000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 891 | 4000K DAY WHITE  
 SKU: 892 | 6000K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-152	150w	18000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 893 | 4000K DAY WHITE  
 SKU: 894 | 6000K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-202	200w	24000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 895 | 4000K DAY WHITE  
 SKU: 896 | 6000K WHITE






## LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the new LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-155	150w	18000	110°	2 pcs

SKU: 572 | 4000K DAY WHITE  
 SKU: 573 | 6400K WHITE





## LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffusers which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminum+PMMA+PP, and its energy-saving upgrade through the improved driver box and Samsung LED chip. Both frameless and big panels are inclusive of a quick connector for easy installation.

## APPLICATION

Widely used in offices, schools, hospitals, and commercial establishments

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING








## KEY FEATURES

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

**QUICK  
CONNECTOR**





QUICK CONNECTOR

# LED BIG PANELS

## Square Panels-60x60


Our 36w and 45w LED panels are made with high quality PMMA diffusers which prevents it from turning yellow over time and makes it emit strong and evenly distributed light. Also available is the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.

- Quick Connector
- SMD LED Type
- 30,000 hrs Lifespan
- 110° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- Aluminum+ PMMA+PP
- Flicker Free

**5** YEAR  
**WARRANTY\***

SKU:750 | 4000K DAY WHITE  
 SKU:751 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-636	36w	3600	6 pcs





## TP(A) POLYCARBONATE MICROPRISMATIC DIFFUSER

SKU: 632 | 3000K WARM WHITE  
 SKU: 633 | 4000K DAY WHITE  
 SKU:634 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-645	45w	3600	6 pcs

**PMMA Diffuser**





**QUICK  
CONNECTOR**



# LED BIG PANELS


## Rectangle Panels-120x60

**5** YEAR  
WARRANTY\*

SKU:748 | 4000K DAY WHITE  
SKU:749 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-646	45w	5400	2 pcs

**PMMA Diffuser**



# LED MINI PANELS

## Round Adjustable Panel


V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**
- **On/Off Cycle: >15000**

**5** YEAR  
WARRANTY\*

SKU: 727 | 3000K WARM WHITE  
SKU: 728 | 4000K DAY WHITE  
SKU: 729 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-610RD	12w	750	20 pcs



Cutting Size: 75-100mm

SKU: 733 | 3000K WARM WHITE  
SKU: 734 | 4000K DAY WHITE  
SKU: 735 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-619RD	18w	1350	20 pcs




Cutting Size: 75-100mm

SKU: 739 | 3000K WARM WHITE  
SKU: 740 | 4000K DAY WHITE  
SKU: 741 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625RD	24w	1800	20 pcs



Cutting Size: 75-200mm



# LED MINI PANELS

## Square Adjustable Panel


V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**
- **On/Off Cycle: >15000**

**5** YEAR  
WARRANTY\*

SKU: 730 | 3000K WARM WHITE  
SKU: 731 | 4000K DAY WHITE  
SKU: 732 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-610SQ	12w	750	20 pcs



Cutting Size: 75-100mm

SKU: 736 | 3000K WARM WHITE  
SKU: 737 | 4000K DAY WHITE  
SKU: 738 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-619SQ	18w	1350	20 pcs



Cutting Size: 75-100mm

SKU: 742 | 3000K WARM WHITE  
SKU: 743 | 4000K DAY WHITE  
SKU: 744 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625SQ	24w	1800	20 pcs



Cutting Size: 75-200mm



EXPANDABLE CLIPS TO ADJUST



# LED MINI PANELS

## Round Premium Series Panel


V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

**5** YEAR  
**WARRANTY\***

SKU: 706 | 3000K WARM WHITE  
 SKU: 707 | 4000K DAY WHITE  
 SKU: 708 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-606RD	6w	420	40 pcs



Cutting Size: ø110mm

SKU: 712 | 3000K WARM WHITE  
 SKU: 713 | 4000K DAY WHITE  
 SKU: 714 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-612RD	12w	1000	20 pcs



Cutting Size: ø160mm

SKU: 718 | 3000K WARM WHITE  
 SKU: 719 | 4000K DAY WHITE  
 SKU: 720 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-618RD	18w	1500	20 pcs



Cutting Size: ø210mm

SKU: 724 | 3000K WARM WHITE  
 SKU: 725 | 4000K DAY WHITE  
 SKU: 726 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624RD	24w	2000	10 pcs



Cutting Size: ø280mm





# LED MINI PANELS

## Square Premium Series Panel


V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

**5** YEAR  
WARRANTY\*

SKU: 703 | 3000K WARM WHITE  
SKU: 704 | 4000K DAY WHITE  
SKU: 705 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-606SQ	6w	420	40 pcs



Cutting Size: 110x110mm

SKU: 709 | 3000K WARM WHITE  
SKU: 710 | 4000K DAY WHITE  
SKU: 711 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-612SQ	12w	1000	20 pcs



Cutting Size: 160x160mm

SKU: 715 | 3000K WARM WHITE  
SKU: 716 | 4000K DAY WHITE  
SKU: 717 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-618SQ	18w	1500	20 pcs




Cutting Size: 210x210mm

SKU: 721 | 3000K WARM WHITE  
SKU: 722 | 4000K DAY WHITE  
SKU: 723 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624SQ	24w	2000	10 pcs



Cutting Size: 280x280mm



## LED PANELS

# LED MINI PANELS

## Round Edge Series


V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

**5** YEAR  
WARRANTY\*

SKU: 626 | 3000K WARM WHITE  
SKU: 627 | 4000K DAY WHITE  
SKU: 628 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-608RD	8w	800	100 pcs



Cutting Size: ø 70 mm

SKU: 620 | 3000K WARM WHITE  
SKU: 621 | 4000K DAY WHITE  
SKU: 622 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-615RD	15w	1500	40 pcs



Cutting Size: ø 95 mm

SKU: 614 | 3000K WARM WHITE  
SKU: 615 | 4000K DAY WHITE  
SKU: 616 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620RD	20w	2000	40 pcs



Cutting Size: ø 140 mm

Quick Connector



# LED MINI PANELS

## Square Edge Series


V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

**5** YEAR WARRANTY\*

SKU: 623 | 3000K WARM WHITE  
 SKU: 624 | 4000K DAY WHITE  
 SKU: 625 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-608SQ	8w	800	100 pcs



Cutting Size: 70 X 70mm

SKU: 617 | 3000K WARM WHITE  
 SKU: 618 | 4000K DAY WHITE  
 SKU: 619 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-615SQ	15w	1500	40 pcs



Cutting Size: 95X 95mm



SKU: 611 | 3000K WARM WHITE  
 SKU: 612 | 4000K DAY WHITE  
 SKU: 613 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620SQ	20w	2000	40 pcs



Cutting Size: 142X 142mm

Quick Connector





## LED TUBES & FIXTURES WITH LED

V-TAC's extensive range of efficient tubes & fixtures boasts of premium quality LED provided by Samsung, a staggering lifespan of up to 30,000 hours, unbreakable body built with the most durable materials in the market, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include

- 1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
- 2) Batten Fittings with CCT-changing Switch
- 3) Linkable T5 Batten Fittings, and more.

## APPLICATION

Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices


  
**INNOVATIVE LED LIGHTING**





## KEY FEATURES

- LED provided by Samsung
- Lasts up to 30,000 hrs
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models





# LED TUBES

## G13-T8 -Nano Plastic Tube



This modern range of high-lumen LED tubes with Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **>80 CRI**
- **>0.5 PF**
- **Nano Plastic Body**
- **<0.5 s Instant Start**

**5 YEAR**  
WARRANTY\*



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-062	10w	18w	1100	0.1264	25 pcs

SKU: 798 | 3000K WARM WHITE  
SKU: 686 | 4000K DAY WHITE  
SKU: 687 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-122	18w	45w	2250	0.1904	25 pcs

SKU: 688 | 3000K WARM WHITE  
SKU: 672 | 4000K DAY WHITE  
SKU: 673 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-152	22w	75w	3000	0.2572	25 pcs



SKU: 799 | 3000K WARM WHITE  
SKU: 674 | 4000K DAY WHITE  
SKU: 675 | 6400K WHITE



MODEL      WATTS      EQ.WATTS      LUMENS      WEIGHT-KG      BOX QTY.

**VT-061**      **10w**      **18w**      **850**      **0.1264**      **25 pcs**



SKU: 650 | 3000K WARM WHITE  
 SKU: 651 | 4000K DAY WHITE  
 SKU: 652 | 6400K WHITE



MODEL      WATTS      EQ.WATTS      LUMENS      WEIGHT-KG      BOX QTY.

**VT-121**      **18w**      **36w**      **1700**      **0.1904**      **25 pcs**



SKU: 653 | 3000K WARM WHITE  
 SKU: 654 | 4000K DAY WHITE  
 SKU: 655 | 6400K WHITE



MODEL      WATTS      EQ.WATTS      LUMENS      WEIGHT-KG      BOX QTY.

**VT-151**      **22w**      **58w**      **2000**      **0.2572**      **25 pcs**

SKU: 656 | 3000K WARM WHITE  
 SKU: 657 | 4000K DAY WHITE  
 SKU: 658 | 6400K WHITE



# LED BATTEN FITTINGS

## Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Nano Plastic Body**

**5** YEAR  
**WARRANTY\***



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12026	18w	1700	15000	>0.5	10 pcs

SKU: 6442 | 4000K DAY WHITE  
 SKU: 6443 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15023	22w	2000	15000	>0.5	10 pcs

SKU: 6438 | 4000K DAY WHITE  
 SKU: 6439 | 6400K WHITE





MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12027	36w	3400	15000	>0.5	10 pcs

SKU: 6444 | 4000K DAY WHITE  
 SKU: 6445 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15024	44w	4000	15000	>0.5	10 pcs

SKU: 6440 | 4000K DAY WHITE  
 SKU: 6441 | 6400K WHITE





# FIXTURES WITH LED

## LED Prismatic Fittings



Quick Connector


The reliable 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with quick connectors to lessen set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **>0.9 PF**
- **Plastic Body**
- **<0.5 s Instant Start**

**5** YEAR  
**WARRANTY\***


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-10	10w	1200	0.26	10 pcs

SKU: 659 | 3000K WARM WHITE  
 SKU: 660 | 4000K DAY WHITE  
 SKU: 661 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-20	20w	2400	0.42	10 pcs

SKU: 662 | 3000K WARM WHITE  
 SKU: 663 | 4000K DAY WHITE  
 SKU: 664 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-40	40w	4800	0.84	10 pcs

SKU: 665 | 3000K WARM WHITE  
 SKU: 666 | 4000K DAY WHITE  
 SKU: 667 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-50	50w	6000	1.00	10 pcs

SKU: 668 | 4000K DAY WHITE  
 SKU: 669 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-9-60	60w	7200	1.20	10 pcs

SKU: 670 | 4000K DAY WHITE  
 SKU: 671 | 6400K WHITE





# FIXTURES WITH LED

## LED Batten Fitting



V-TAC's all new range of LED Batten Fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional microwave sensor specially designed for LED Batten Fittings is also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**
- **Programmable DIP Switch Driver(Applicable for 60W and 80W only)**

**5** YEAR  
WARRANTY\*

**TP(a)**  
Polycarbonate




**Compatible Emergency Pack**



**Sensor Compatible**

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-42	40w	4800	1.40	10 pcs

SKU: 755 | 4000K DAY WHITE









MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-62	60w	6900	1.72	10 pcs

SKU: 756 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-80	80w	8600	2.07	10 pcs

SKU: 757 | 4000K DAY WHITE



## Emergency Pack (Optional)

m-pack SKU: 758 Compatible with Batten

Charging time::

≥24 HOURS

Charge current:

200 MA

Working time :

3 HOURS



## Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN





**LINKABLE**  
UP TO 100 WATTS TOGETHER

## FIXTURES WITH LED

### T5 Batten Fitting


**5** YEAR  
WARRANTY\*

The new T5 Batten Fittings retain the premium qualities of V-TAC's fixtures with LED. Each fitting is fully compatible & linkable; multiple batten fittings can be connected with each other, making it an efficient alternative lighting fixture for both small and big indoor spaces.

- **30,000 Life Hours**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Body:PC**
- **Input Voltage - AC:220-240V**
- **CRI - >80**
- **Instant start -0-100% in <1 sec**
- **Beam angle:120 °**


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-035	4w	360	0.065	25 pcs

SKU: 689 | 3000K WARM WHITE  
 SKU: 690 | 4000K DAY WHITE  
 SKU: 691 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-065	7w	630	0.112	25 pcs

SKU: 692 | 3000K WARM WHITE  
 SKU: 693 | 4000K DAY WHITE  
 SKU: 694 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-125	16w	1440	0.16	25 pcs

SKU: 695 | 3000K WARM WHITE  
 SKU: 696 | 4000K DAY WHITE  
 SKU: 697 | 6400K WHITE





EASY ACCESS FOR  
COLOR CHANGING  
WITH BUTTON



**CCT Changeable**



**FLICKER FREE**

## FIXTURES WITH LED

### LED Batten Fitting


**5** YEAR  
WARRANTY\*

The new Batten Fittings series from V-TAC boasts of its colour tuning feature with an easy-to-access, built-in switch — enabling users to gradually customise the light from a warm 3000-kelvin white light up to the standard 6400-kelvin white. Choose and switch to your preferred colour temperature anytime.

- **PC+Aluminium+Steel**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >20000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Beam angle:120 °**


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-43	40w	4000	1.68	10 pcs

SKU: 517 | 3IN1




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-53	50w	5000	2.06	10 pcs

SKU: 518 | 3IN1



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-63	60w	6000	2.42	10 pcs

SKU: 519 | 3IN1





# FIXTURES WITH LED

## LED Batten Fitting



V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**
- **Programmable DIP Switch Driver(Applicable for 60W only)**

**5** YEAR  
**WARRANTY\***


**TP(a)**  
 Polycarbonate



**Sensor Compatible**


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-41	40w	4800	2.90	4 pcs

SKU: 753 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-61	60w	7200	3.65	4 pcs

SKU: 754 | 4000K DAY WHITE



## Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

**Detection area:**

4M (@3M MOUNTING HEIGHT)

**Detection angle:**

150°(WALL) 360°(CEILING)

**Hold time:**

5S / 30S / 90S / 3MIN / 30MIN





# FIXTURES WITH LED

## LED Waterproof Fittings


With its IP65 rating and tough aluminum exterior, the new LED Tri-Proof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these high-lumen tri-proof fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.

- **SMD LED Type**
- **20,000 - 30,000 hrs Lifespan**
- **120° Beam Angle**
- **IP65 Rating**
- **AC:200-240V,50/60Hz**
- **CRI: >80**
- **PF: >0.9**


**5** YEAR  
**WARRANTY\***

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-180	60w	5400	15000	Plastic + ABS	>0.9	1.30	9 pcs

SKU: 680 | 4000K DAY WHITE  
 SKU: 681 | 6400K WHITE







Aluminum Body frame

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-160	60w	7200	15000	Plastic+Aluminium	>0.9	2.10	9 pcs

SKU: 678 | 4000K DAY WHITE  
 SKU: 679 | 6400K WHITE




FEET



RATING



Lumen/W



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-170	70w	8400	15000	Plastic+Aluminium	>0.9	2.67	9 pcs

SKU: 676 | 4000K DAY WHITE  
 SKU: 677 | 6400K WHITE




FEET



RATING



Lumen/W



# LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

## KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

## APPLICATION


Ideal for lighting applications in residential, commercial, and hospitality locations.



# COMPLETE RANGE OF LINEAR LIGHTS


## Up & Down Linear Lights (Non-Linkable)

One (1) metre stand-alone suspended up & down lighting with cutting-edge reflectors for a soft yet sufficient lighting effect; available in Silver & White




## Up & Down Linear Hanging Lights

Continuous suspended upward & downward lighting with a broad 160mm width for a wider scope; modern tech reflectors to distribute just the right amount of light; available in Silver & White




## Up & Down Linear Hanging Lights (Slim)

Continuous suspended up & down lighting with a 75mm body; available in Black, Silver, and White



## Linear Hanging Lights (Non-Dimmable)

Continuous suspended downward lighting with a narrow 35mm body for a leaner scope; competitively priced for professional task lighting in commercial areas; available in Black, Silver, & White




## Linear Hanging Lights (Dimmable)

Dimmable suspended downward lighting with a 50mm body for narrower aisles; continuous up to 12m; available in Silver & White




## LED Recessed Linear (Linkable)


Recessed version of our continuous downward linear lighting with a 70mm body; available in Silver & White



## LED Recessed Linear (Linkable)

A broader version of our recessed linear lighting at 90mm width; continuous up to 12 metres; available in White





**DIMMABLE**



## LINEAR HANGING LIGHTS-NON LINKABLE

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC: 100-240V, 50Hz**
- **Aluminum Body**
- **UGR<6**
- **I-10V Dimmable**


**5** YEAR  
WARRANTY\*

**SILVER** VT-7-61-S

SKU:607 | 4000K DAY WHITE

**WHITE** VT-7-61-W

SKU:606 | 4000K DAY WHITE



WATTS

UP 30w

DOWN 30w

LUMENS

UP-3300

DOWN-3300

SIZE



1179x64x35mm

BOX QTY.

8 pcs



## LED LINEAR LIGHTS




**DIMMABLE**

## LINEAR HANGING LIGHTS


This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-240V,50/60Hz**
- **Aluminum Body**
- **UGR<6**
- **Linkable with connectors**
- **I-10V Dimmable**

**5 YEAR WARRANTY\***



1190mm



**SILVER VT-7-62-S**

SKU:609 | 4000K DAY WHITE

**WHITE VT-7-62-W**

SKU:608 | 4000K DAY WHITE


WATTS	LUMENS
UP 30w	UP-3300
DOWN 30w	DOWN-3300

SIZE  
**1190x160x30mm**

BOX QTY.  
**4 pcs**



## LED LINEAR LIGHTS



**LINKABLE**  
UP TO 12 METERS TOGETHER

## LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

**5** YEAR  
WARRANTY\*

### BLACK VT-7-40-B

SKU:882 | 3000K WARM WHITE  
SKU:374 | 4000K DAY WHITE  
SKU:600 | 6000K WHITE

### SILVER VT-7-40-S

SKU:375 | 4000K DAY WHITE  
SKU:601 | 6000K WHITE



### WHITE VT-7-40-W

SKU:376 | 4000K DAY WHITE  
SKU:602 | 6000K WHITE

WATTS	LUMENS	SIZE
40w	3200	1200x35x67mm








C0(Max): —  
 C0/C180: —  
 C90/C270: —  
 Field angle(10% Imax):C0/180Left:79.2 Right:79.2  
 :C90/270Left:79.5 Right:79.5  
 Beam Angle(50% Imax):C0/180Left:53.4 Right:53.4  
 :C90/270Left:54.1 Right:54.1





**LINKABLE**  
UP TO 12 METERS TOGETHER

## LINEAR HANGING UP-DOWN LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Aluminum Body**
- **Linkable with connectors**
- **0-10V Dimmable**

**5** YEAR  
WARRANTY\*


**BLACK** VT-7-60-B  
SKU:379 | 4000K DAY WHITE


**SILVER** VT-7-60-S  
SKU:378 | 4000K DAY WHITE

**WHITE** VT-7-60-W  
SKU:377 | 4000K DAY WHITE

WATTS	LUMENS
UP 20w	UP-2000
DOWN 40w	DOWN-4000

SIZE  
1200x75x105mm







**LINKABLE**  
UP TO 12 METERS TOGETHER

# LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.



- **30,000 hrs Lifespan**
- **UGR<19**
- **Linkable with connectors**
- **Aluminum Body**
- **0-10V Dimmable**

**5** YEAR  
**WARRANTY\***

**SILVER**    **VT-7-43-S**    |    **WHITE**    **VT-7-43-W**  
SKU:384 | 4000K DAY WHITE    |    SKU:383 | 4000K DAY WHITE




WATTS	LUMENS	SIZE
40w	3400	1200x50x75mm



C180(Max): —  
 C0/C180: —  
 C90/C270: —  
 Field angle(10% I<sub>max</sub>):C0/180Left:81.0 Right:78.8  
                                   :C90/270Left:80.7 Right:80.0  
 Beam Angle(50% I<sub>max</sub>):C0/180Left:57.8 Right:55.7  
                                   :C90/270Left:57.6 Right:56.8





**LINKABLE**  
UP TO 12 METERS TOGETHER

## LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

**5** YEAR  
**WARRANTY\***


**SILVER**     **VT-7-41-S**

SKU:380 | 4000K DAY WHITE  
SKU:603 | 6000K WHITE

**WHITE**     **VT-7-41-W**


SKU:381 | 4000K DAY WHITE  
SKU:604 | 6000K WHITE

WATTS	LUMENS	SIZE
<b>40w</b>	<b>3200</b>	<b>1211x70x35mm</b>




**8W**  
 VT-7-41-L

SILVER: SKU:386 | 4000K DAY WHITE  
 WHITE: SKU:385 | 4000K DAY WHITE




**10W**  
 VT-7-41-LN

SILVER: SKU:388 | 4000K DAY WHITE  
 WHITE: SKU:387 | 4000K DAY WHITE




**12W**  
 VT-7-41-LW

SILVER: SKU:390 | 4000K DAY WHITE  
 WHITE: SKU:389 | 4000K DAY WHITE




**14W**  
 VT-7-41-T


SILVER: SKU:392 | 4000K DAY WHITE  
 WHITE: SKU:391 | 4000K DAY WHITE



**16W**  
 VT-7-41-X

SILVER: SKU:394 | 4000K DAY WHITE  
 WHITE: SKU:393 | 4000K DAY WHITE





## LINKABLE

UP TO 12 METERS TOGETHER

# LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

**5** YEAR  
WARRANTY\*


**WHITE**    **VT-7-42-W**

SKU:382 | 4000K DAY WHITE

WATTS	LUMENS	SIZE
40w	4000	1211x90x35mm









10W  
 VT-7-42-L

: SKU:395 | 4000K DAY WHITE




10W  
 VT-7-42-LN

: SKU:396 | 4000K DAY WHITE




12W  
 VT-7-42-LW

: SKU:397 | 4000K DAY WHITE




14W  
 VT-7-42-T

: SKU:398 | 4000K DAY WHITE



16W  
 VT-7-42-X

: SKU:399 | 4000K DAY WHITE





## LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

### High lumen output

output: 160 lm/W to meet different requirements



### Flexible Beam angle


90°, 120°, double-asymmetric



### Modular system

Continuous row system, seamless connection, max 3500W /row





V-TAC PERFORMANCE  
**160**  
 LUMENS/WATT

**PRO** series

MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4551D	50w	>80	8000	>0.9	1500mm


LINEAR MASTER TRUNKING  
 SKU: 1360 | 4000K DAY WHITE



90° LENS



DIMMABLE




LINEAR MASTER TRUNKING  
 SKU: 1361 | 4000K DAY WHITE



120° LENS



DIMMABLE




LINEAR MASTER TRUNKING  
 SKU: 1362 | 4000K DAY WHITE




DOUBLE ASYMMETRIC  
 LENS




DIMMABLE






MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4550D	50w	>80	8000	>0.9	1500mm

LINEAR FOLLOW TRUNKING  
 SKU: 1363 | 4000K DAY WHITE




LINEAR FOLLOW TRUNKING  
 SKU: 1364 | 4000K DAY WHITE



LINEAR FOLLOW TRUNKING  
 SKU: 1365 | 4000K DAY WHITE



DOUBLE ASYMMETRIC  
 LENS



## ACCESSORIES FOR LINEAR TRUNKING



LINEAR TRACK MODULE

SKU : 1382

---



END CAP-LINEAR LIGHT ACCESSORY

SKU : 1366

---



SUSPENDED CORD-LINEAR LIGHT ACCESSORY

SKU : 1367

---



8 WIRE-FEED IN MALE CONNECTOR-LINEAR

SKU : 1368

---



L NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1383

---



T NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1384

---



X NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1385

---



S LINE-FOLLOW TRUNKING RAIL

SKU : 1451

---



S LINE-PC BLANK COVER

SKU : 1452

---



## Magnetic Track Lights

Magnetic light is a kind of track light which is designed by using magnets fast adsorption characteristic. It consists of two parts: track magnet and light. The track has four ways: surface mounted, recessed, borderless embedded installation, suspension. The light consists of anti-glare line light, anti-glare high power light, soft light lamp, suspension light and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, surface combination, not only to meet the needs of various lighting effects, but also convenient installation, fashionable style, can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas and clubs.

Magnetic Linear Spotlight

1W VT-4141




SKU: 7958 - 3000K Warm White 3800157652766  
 SKU: 7959 - 4000K Day White 3800157652773

Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	30°
Luminous Flux:	35lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	45x35x59mm
Color of Fixture:	Black	Box Qty:	40 PCS



**3** YEAR WARRANTY\*

**UGR<19**



Magnetic Linear Spotlight

3W VT-4143




SKU: 7960 - 3000K Warm White 3800157652780  
 SKU: 7961 - 4000K Day White 3800157652797

Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	30°
Luminous Flux:	240lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	106x35x59mm
Color of Fixture:	Black	Box Qty:	36 PCS



**3** YEAR WARRANTY\*

**UGR<19**



Magnetic Gimbal Linear Light

10w VT-4210




SKU: 7962 - 3000K Warm White 3800157652803  
 SKU: 7963 - 4000K Day White 3800157652810

Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	30°
Luminous Flux:	700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	137x35x180mm
Color of Fixture:	Black	Box Qty:	16 PCS



**3** YEAR WARRANTY

**UGR<19**



Magnetic Gimbal Linear Light

20w VT-4220





SKU: 7964 - 3000K Warm White 3800157652827  
 SKU: 7965 - 4000K Day White 3800157652834

Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	30°
Luminous Flux:	1200lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	270x35x180mm
Color of Fixture:	Black	Box Qty:	8 PCS



**3** YEAR WARRANTY

**UGR<19**





Magnetic Linear Spotlight

15w VT-4215





SKU: 7966 - 3000K Warm White 3800157652841  
 SKU: 7967 - 4000K Day White 3800157652858

Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	36°
Luminous Flux:	900lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	166x100x55mm
Color of Fixture:	Black	Box Qty:	16 PCS



**3** YEAR WARRANTY\*

**UGR<19**



Magnetic Suspension Light

15w VT-4315




SKU: 7968 - 3000K Warm White 3800157652865  
 SKU: 7969 - 4000K Day White 3800157652872

Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	36°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	300x55mm
Color of Fixture:	Black	Box Qty:	12 PCS



**3** YEAR WARRANTY\*

**UGR<19**



Magnetic Linear Light

20W VT-4121




SKU: 7954 - 3000K Warm White 3800157652728  
 SKU: 7955 - 4000K Day White 3800157652735

Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	100°
Luminous Flux:	1600lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	652x35x59mm
Color of Fixture:	Black	Box Qty:	12 PCS



**3** YEAR WARRANTY\*



Magnetic Linear Light

30W VT-4131




















SKU: 7956 - 3000K Warm White 3800157652742  
 SKU: 7957 - 4000K Day White 3800157652759

Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	100°
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	970x35x59mm
Color of Fixture:	Black	Box Qty:	12 PCS



**3** YEAR WARRANTY\*



<p><b>NEW</b></p>  <p>Track Rail-0.5M                      SKU : 7950                      EAN : 3800157652681                      Box Qty: 9 PCS</p>	<p><b>NEW</b></p>  <p>Track Rail-1M                      SKU : 7951                      EAN : 3800157652698                      Box Qty: 9 PCS</p>	<p><b>NEW</b></p>  <p>Track Rail-1.5M                      SKU : 7953                      EAN : 3800157652711                      Box Qty: 6 PCS</p>	<p><b>NEW</b></p>  <p>Track Rail-2M                      SKU : 7952                      EAN : 3800157652704                      Box Qty: 6 PCS</p>
<p><b>NEW</b></p>  <p>Recessed Kit for Magnetic Tracklight                      SKU : 7970                      EAN : 3800157652889                      Box Qty: 75 PCS</p>	<p><b>NEW</b></p>  <p>Track Connector                      SKU : 7971                      EAN : 3800157652896                      Box Qty: 180 PCS</p>	<p><b>NEW</b></p>  <p>90'D Corner Connector                      SKU : 7972                      EAN : 3800157652902                      Box Qty: 27 PCS</p>	<p><b>NEW</b></p>  <p>Outer Corner Connector                      SKU : 7973                      EAN : 3800157652919                      Box Qty: 27 PCS</p>
<p><b>NEW</b></p>  <p>Cross Connector                      SKU : 7974                      EAN : 3800157652926                      Box Qty: 36 PCS</p>	<p><b>NEW</b></p>  <p>T Type Connector                      SKU : 7975                      EAN : 3800157652933                      Box Qty: 36 PCS</p>	<p><b>NEW</b></p>  <p>Pendant Track Rail Accessory                      SKU : 7977                      EAN : 3800157652957                      Box Qty: 150 PCS</p>	<p><b>NEW</b></p>  <p>Track Cover                      SKU : 7978                      EAN : 3800157652964                      Box Qty: 200 PCS</p>
<p><b>NEW</b></p>  <p>Live End Connector                      SKU : 7979                      EAN : 3800157652971                      Box Qty: 200 PCS</p>	<p><b>NEW</b></p>  <p>Transformer                      SKU : 11144      Watts : 100w                      EAN : 3800157652988      Input : AC:86-265V,50/60Hz                      Box Qty: 30 PCS      Current: 4.16A                      Output: DC:24V</p>		<p><b>NEW</b></p>  <p>Transformer                      SKU : 11145      Watts : 200w                      EAN : 3800157652995      Input : AC:86-265V,50/60Hz                      Box Qty: 30 PCS      Current: 8.33A                      Output: DC:24V</p>



# LED TRACK LIGHTS

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premiere choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-linear track lights are included in this new generation of track lights from V-TAC.

## APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





## KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

**NEW**

**5** YEAR  
WARRANTY\*

## LED TRACKLIGHTS

### Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hrs Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminum Body
- UGR<19




**UGR<19**




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-416-B	12W	960	>0.5	>90	40 pcs	30°

SKU: 20000 | 2700K WARM WHITE  
SKU: 20001 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-431-B	25W	2000	>0.9	>90	20 pcs	30°

SKU: 20006 | 2700K WARM WHITE  
SKU: 20007 | 4000K DAY WHITE



**NEW**

**5** YEAR  
WARRANTY\*

## LED TRACKLIGHTS

### Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hrs Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminum Body
- UGR<19




**UGR<19**




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-416-W	12W	960	>0.5	>90	40 pcs	30°

SKU: 20003 | 2700K WARM WHITE  
SKU: 20004 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-431-W	25W	2000	>0.9	>90	20 pcs	30°

SKU: 20009 | 2700K WARM WHITE  
SKU: 20010 | 4000K DAY WHITE



## LED TRACKLIGHTS

### 4 Line Tracklights-Black Body

**5** YEAR  
**WARRANTY\***


A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-B	7w	420	>0.5	>90	40 pcs	24°

SKU: 353 | 3000K WARM WHITE  
 SKU: 354 | 4000K DAY WHITE  
 SKU: 355 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-B	15w	1050	>0.5	>90	40 pcs	24°

SKU: 359 | 3000K WARM WHITE  
 SKU: 360 | 4000K DAY WHITE  
 SKU: 361 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-B	20w	1400	>0.9	>90	40 pcs	24°

SKU: 365 | 3000K WARM WHITE  
 SKU: 366 | 4000K DAY WHITE  
 SKU: 367 | 5000K WHITE





## LED TRACKLIGHTS

### 4 Line Tracklights-White Body

**5** YEAR  
WARRANTY\*


A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.



- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-W	7w	490	>0.5	>90	40 pcs	24°

SKU: 350 | 3000K WARM WHITE  
SKU: 351 | 4000K DAY WHITE  
SKU: 352 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-W	15w	1200	>0.5	>90	40 pcs	24°

SKU: 356 | 3000K WARM WHITE  
SKU: 357 | 4000K DAY WHITE  
SKU: 358 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-W	20w	1600	>0.9	>90	40 pcs	24°

SKU: 362 | 3000K WARM WHITE  
SKU: 363 | 4000K DAY WHITE  
SKU: 364 | 5000K WHITE



**NEW**

**5** YEAR WARRANTY\*

## LED TRACKLIGHTS

### 4 line Tracklights-Black Body

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **High CRI of > 90**
- **Aluminum Body**



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-418	18w	1260	>0.9	>90	20 pcs	24°

SKU: 939 | 3000K WARM WHITE


SKU: 940 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-430	30w	2100	>0.9	>90	20 pcs	24°

SKU: 941 | 3000K WARM WHITE

SKU: 942 | 4000K DAY WHITE



## LED TRACKLIGHTS

### LED Shutter Tracklights

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24°-60° Adjustable**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**



**5** YEAR  
**WARRANTY\***


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-B	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

- SKU: 371 | 3000K WARM WHITE
- SKU: 372 | 4000K DAY WHITE
- SKU: 373 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-W	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

- SKU: 368 | 3000K WARM WHITE
- SKU: 369 | 4000K DAY WHITE
- SKU: 370 | 5000K WHITE





## LED BULKHEAD LIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120°D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

### APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

  
**INNOVATIVE LED LIGHTING**





## KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.

  
Microwave Sensor



  
Emergency Battery Backup

**31**  Emergency Battery Backup  
 Microwave Sensor

## 2D BULKHEAD

EMERGENCY  
BATTERY  
BACKUP 

  
MICROWAVE  
SENSOR

**31** IN   
EMERGENCY  
BATTERY  
BACKUP  
  
MICROWAVE SENSOR

  
IP65  
RATING



# LED DOME LIGHTS

## 2D Bulkhead


Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- **AC:200-240V,50/60Hz**
- **PC Body type**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **PC Body type**
- **SMD LED Type**
- **20,000 hrs Lifespan**


## 2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 815   4000K DAY WHITE
VT-08	8w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 801   4000K DAY WHITE SKU: 802   6400K WHITE
VT-15	15w	1400	10 pcs	



## 2D Bulkhead with Emergency Battery Backup


**Emergency  Battery Backup**

These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.


- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

**3 YEAR WARRANTY\***

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 816   4000K DAY WHITE
VT-11	10w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 806   4000K DAY WHITE
VT-17	17w	1400	10 pcs	



## 2D Bulkhead with Sensor



### Microwave Sensor


This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- **AC:200-240V,50/60Hz**
- **120° / 360° Detection Angle**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **Max D10Mx4M Detection Range**
- **10S, 1min, 5min, 10min customized Hold Time**
- **Day, 10Lux, 30Lux, 50Lux optional Day light Sensor**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

**5** YEAR  
WARRANTY\*


MODEL	WATTS	LUMENS	BOX QTY.
VT-09	8w	720	10 pcs

SKU: 818 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-16	15w	1400	10 pcs


SKU: 803 | 3000K WARM WHITE  
SKU: 804 | 4000K DAY WHITE  
SKU: 805 | 6400K WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-22	15w	1450l	10 pcs

SKU:819 | 4000K DAY WHITE

**VANDAL-PROOF**







## 2D Bulkhead with Emergency Battery Backup and Sensor

**3 IN 1** Emergency Battery Backup  
 Microwave Sensor


Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **120° / 360° Detection Angle**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **30,000 hrs Lifespan**

**3 YEAR**  
**WARRANTY\***


MODEL	WATTS	LUMENS	BOX QTY.
VT-12	10w	720	10 pcs

SKU: 817 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-19	17w	1400	10 pcs

SKU: 812 | 4000K DAY WHITE



EMERGENCY  
BATTERY  
BACKUP 

  
MICROWAVE  
SENSOR

**31** IN   
EMERGENCY BATTERY BACKUP  
  
MICROWAVE SENSOR

 **IP65**  
RATING



# SLIM DOMELIGHT


A new addition to our Bulkhead Lights series, V-TAC's new Slim IP65 LED bulkheads are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.

## Slim Domelight

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65

**5** YEAR  
WARRANTY\*

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 935   3000K WARM WHITE
VT-12S	12w	1440	10 pcs	SKU: 820   4000K DAY WHITE
				SKU: 936   6400K DAY WHITE




## Slim Domelight with Emergency Backup

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA

**3** YEAR  
WARRANTY\*

Emergency   
Battery Backup

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 822   4000K DAY WHITE
VT-12SE	14w	1440	10 pcs	




## Slim Domelight with Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed - 0.5-3m/s
- Hold Time - 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override by dial switch
- Stand by period - 0s, 10s, 10m optional

**5** YEAR  
WARRANTY\*

  
Microwave Sensor



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 937   3000K WARM WHITE SKU: 821   4000K DAY WHITE SKU: 938   6400K DAY WHITE
VT-12SS	12w	1440	10 pcs	




## Slim Domelight with Emergency+Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day: 7-20LUX
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override
- Standby - 0s, 10s, 10m optional

**3** YEAR  
WARRANTY\*

**31** IN   
Emergency Battery Backup  
  
Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 823   4000K DAY WHITE
VT-12SES	14w	1440	10 pcs	



**NEW**



## Bulkhead CCT Changeable With Switch

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust. This new model has an easy switch for colour temperature tuning to achieve any lighting mood in any room. No need to worry about which colour temperature for any room when you can have it all – readily available with just a flick of a switch.

- AC:200-240V,50/60Hz
- CRI >80
- 30,000 Life Hours
- 120° Beam Angle
- PC Material
- Built in Switch for CCT Changing



EASY ACCESS FOR  
 COLOR CHANGING  
 WITH BUTTON



**CCT Changeable**



MODEL	WATTS	LUMENS	BOX QTY.
VT-2-17	15w	1400	10 pcs


SKU: 20016 | 3 IN 1



## Domelight - Sensor

- Input: AC:110-240V, 50/60Hz
- 120° Beam Angle
- 20,000 Hours
- SMD LED Chip
- CRI >80
- 3 year warranty

- Detection Distance - 6m Max
- Detection Range - 360°
- Time Delay - Min-10sec±3sec, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating



MODEL	WATTS	LUMENS	BOX QTY.
VT-13	12w	800	10 pcs

- SKU: 807 | 3000K WARM WHITE
- SKU: 808 | 4000K DAY WHITE
- SKU: 809 | 6400K WHITE



FLICKER FREE

UGR < 19



## Reflector Downlight

Introducing V-TAC's LED reflector downlights — available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- 30,000 Life Hours
- Input Voltage - AC:220-240V,50Hz
- Body Material - Aluminium
- Includes Quick Connector for easy wiring

NEW




MODEL VT-2-04 12°

SKU: 972 | 2700K WARM WHITE  
SKU: 971 | 4000K DAY WHITE  
SKU: 970 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
4w	320	100 pcs

MODEL VT-2-04-1 38°

SKU: 987 | 2700K WARM WHITE  
SKU: 986 | 4000K DAY WHITE  
SKU: 985 | 5700K WHITE



Cutting Size



NEW




MODEL VT-2-12 12°

SKU: 975 | 2700K WARM WHITE  
SKU: 974 | 4000K DAY WHITE  
SKU: 973 | 5700K WHITE


WATTS	LUMENS	BOX QTY.
12w	960	50 pcs

MODEL VT-2-12-1 38°

SKU: 990 | 2700K WARM WHITE  
SKU: 989 | 4000K DAY WHITE  
SKU: 988 | 5700K WHITE



Cutting Size



**NEW**



MODEL  
**VT-2-16**

**12°**


SKU: 978 | 2700K WARM WHITE  
 SKU: 977 | 4000K DAY WHITE  
 SKU: 976 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
<b>16w</b>	<b>1280</b>	<b>50 pcs</b>


MODEL  
**VT-2-16-1**

**38°**

SKU: 993 | 2700K WARM WHITE  
 SKU: 992 | 4000K DAY WHITE  
 SKU: 991 | 5700K WHITE



Cutting Size



**NEW**



MODEL  
**VT-2-21**

**12°**


SKU: 981 | 2700K WARM WHITE  
 SKU: 980 | 4000K DAY WHITE  
 SKU: 979 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
<b>20w</b>	<b>1600</b>	<b>20 pcs</b>


MODEL  
**VT-2-21-1**

**38°**

SKU: 996 | 2700K WARM WHITE  
 SKU: 995 | 4000K DAY WHITE  
 SKU: 994 | 5700K WHITE



Cutting Size



**NEW**



MODEL  
**VT-2-36**

**12°**


SKU: 984 | 2700K WARM WHITE  
 SKU: 983 | 4000K DAY WHITE  
 SKU: 982 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
<b>36w</b>	<b>2880</b>	<b>20 pcs</b>

MODEL  
**VT-2-36-1**

**38°**

SKU: 999 | 2700K WARM WHITE  
 SKU: 998 | 4000K DAY WHITE  
 SKU: 997 | 5700K WHITE



Cutting Size






## Reflector Downlight

Our new reflector downlights feature a quick connector for easy wiring and installation. The beam angle direction can be also be easily adjusted by tilting the downlight itself.

- **Adjustable Angle**
- **AC:85-265V,50/60Hz**
- **Body type Aluminium**
- **120° Beam Angle**
- **LED (COB chip) provided by Samsung**
- **CRI >80**

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-10	10w	900	40 pcs


SKU: 839 | 3000K WARM WHITE  
 SKU: 840 | 4000K DAY WHITE  
 SKU: 841 | 6400K WHITE



Cutting Size:  $\varnothing$ 80mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-20	20w	1600	20 pcs


SKU: 842 | 3000K WARM WHITE  
 SKU: 843 | 4000K DAY WHITE  
 SKU: 844 | 6400K WHITE



Cutting Size:  $\varnothing$ 145 mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-30	30w	2400	10 pcs

SKU: 845 | 3000K WARM WHITE  
 SKU: 846 | 4000K DAY WHITE  
 SKU: 832 | 6400K WHITE



Cutting Size:  $\varnothing$ 195 mm



**5** YEAR  
**WARRANTY\***



## Fire Rated Downlight

Our new Fire-Rated Spotlight Fittings are available in Chrome, Nickel, and White finish. With 3000K, 4000K and 6400K CCT options, built with Aluminium alloy and iron. Efficient replacement for traditional downlight fittings.

- 70° Beam Angle
- IP rating IP65
- Iron+Aluminium Alloy
- CRI >80
- LED provided by Samsung
- 30,000 Hours



**30-60-90 MIN**  
**Fire Rated**



**QUICK**  
**CONNECTOR**



**DIMMABLE**  
**LIGHT CONTROL**

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8175   3000K WARM WHITE
VT-885-C	5w	500	Chrome	60 pcs	SKU: 8176   4000K DAY WHITE SKU: 8180   6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm


MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8173   3000K WARM WHITE
VT-885-N	5w	500	Nickel	60 pcs	SKU: 8174   4000K DAY WHITE SKU: 8179   6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8177   3000K WARM WHITE
VT-885-W	5w	500	White	60 pcs	SKU: 8178   4000K DAY WHITE SKU: 8181   6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

**NEW**

## Fire Rated Downlight-3PC Pack



**30-60-90 MIN**  
**Fire Rated**




**QUICK**  
CONNECTOR



**DIMMABLE**  
LIGHT CONTROL

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8874   3000K WARM WHITE
VT-885-C	5w	500	Chrome	20 pcs	SKU: 8875   4000K DAY WHITE SKU: 8876   6400K WHITE




Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8197   3000K WARM WHITE
VT-885-N	5w	500	Nickel	20 pcs	SKU: 8198   4000K DAY WHITE SKU: 8199   6400K WHITE



Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8182   3000K WARM WHITE
VT-885-W	5w	500	White	20 pcs	SKU: 8183   4000K DAY WHITE SKU: 8184   6400K WHITE



Cutting Size: Ø57mm

**NEW**

## Fire Rated Downlight-10PC Pack



**30-60-90 MIN**  
**Fire Rated**




**QUICK**  
CONNECTOR



**DIMMABLE**  
LIGHT CONTROL

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8913   3000K WARM WHITE SKU: 8914   4000K DAY WHITE
VT-885-C	5w	500	Chrome	6 pcs	




Ø81.5mm  
Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8890   3000K WARM WHITE SKU: 8891   4000K DAY WHITE
VT-885-N	5w	500	Nickel	6 pcs	



Ø81.5mm  
Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8887   3000K WARM WHITE SKU: 8888   4000K DAY WHITE
VT-885-W	5w	500	White	6 pcs	



Ø81.5mm  
Cutting Size: Ø57mm



**Included Bezels**



## Fire Rated Downlight

An innovative addition to our Fire-Rated Downlight series, this new model has an accessible switch for colour temperature tuning so users can easily achieve any lighting mood in any room.



EASY ACCESS FOR  
 COLOR CHANGING  
 WITH BUTTON



**CCT Changeable**

- IP65 Rating.
- Integrated SMD LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation
- Dimmable
- AC:200-240V,50Hz
- Body Type: Aluminium

- 60° Beam Angle
- CRI >80
- LED provided by Samsung
- 30,000 Hours
- Cutting size:75mm

**30** MIN

**60** MIN

**90** MIN

**Fire Rated**

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 881   3IN1
VT-18D	8w	720	30 pcs	

(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)



# LED CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

- Easy to mount
- Automatic sensing
- Uses battery instead of power supply, no wires
- Ideal for wardrobes, bookcases, cupboards, and more...


**2** YEAR  
**WARRANTY\***

## VT-80

SKU: 813 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	80	50 pcs

3xAAA (Battery not included)




## VT-81

SKU: 814 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	135	50 pcs


4xAA (Battery not included)



## LED Night Light

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- **Voltage/Frequency:** 220-240V, 50Hz
- **Power:** 0.45W
- **RA:** >80
- **Body material:** ABS+PC
- **Box Qty:** 50pcs



### VT-82RD


SKU: 824 | 3000K WARM WHITE  
 SKU: 825 | 4000K DAY WHITE

SIZE  
 ø65x53.4mm

### VT-82SQ

SKU: 826 | 3000K WARM WHITE  
 SKU: 827 | 4000K DAY WHITE

SIZE  
 65x65x53.4mm



### VT-83RD


SKU: 828 | 3000K WARM WHITE  
 SKU: 829 | 4000K DAY WHITE

SIZE  
 ø60x54.5mm

### VT-83SQ

SKU: 830 | 3000K WARM WHITE  
 SKU: 831 | 4000K DAY WHITE

SIZE  
 60x60x54.5mm



**USB charging ports to charge USB chargeable devices simultaneously**

### VT-84RD


SKU: 505 | 3000K WARM WHITE  
 SKU: 506 | 4000K DAY WHITE

SIZE  
 ø60x54.5mm

### VT-84SQ

SKU: 507 | 3000K WARM WHITE  
 SKU: 508 | 4000K DAY WHITE

SIZE  
 60x60x54.5mm



### VT-86RD

SKU: 20019 | 3000K WARM WHITE  
 SKU: 20020 | 4000K DAY WHITE

SIZE  
 65x50mm

### VT-86SQ

SKU: 20018 | 3000K WARM WHITE  
 SKU: 20017 | 4000K DAY WHITE

SIZE  
 65x65x50mm

## LED Solar Wall and Bollard Lights

- Min 3hrs / Max 12hrs Working Time
- IP65 Rating
- AL+PC Material
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- 2Watts
- 50pcs of LED
- 5.5V 3 W Solar Panel

### VT-77

SKU: 784 | 3000K WARM WHITE

LUMENS      BEAM ANGLE

**220**          **170°**

BOX QTY.    SIZE

**10 pcs**      **140x140x290mm**



### VT-66

SKU: 785 | 3000K WARM WHITE

LUMENS      BEAM ANGLE

**280**          **120°**

BOX QTY.    SIZE

**10 pcs**      **140x140x500mm**



## LED Wall Light



### VT-7-06

SKU: 780 | 3000K WARM WHITE

SKU: 781 | 4000K DAY WHITE

WATTS      LUMENS      BEAM ANGLE    BOX QTY.    SIZE

**10w**          **800**          **110°**          **20 pcs**      **300x55x194mm**



- AC220-240V,50/60Hz
- CRI: >80
- 15,000 times On/Off
- 20,000 hrs. Life span
- PC Material
- IP54 Rating



# LED EMERGENCY LIGHTS

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated.

V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

## APPLICATION

Offices, hospitals, corporate buildings, schools, and commercial establishments








## KEY FEATURES

- Thermoplastic PC built
- High quality Ni-Cd batteries made for longevity & low maintenance reliable emergency backup of 3 hours
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on print circuit board
- 12-24-hour recharge after more than 3-hour discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode

**Exit Light - Surface**

**VT-519-S-12** SKU: 836 - 6000K WHITE

Box Qty: 10pcs



Lumens: 140lm  
 IP Rating: IP20  
 Material: PC  
 Exit Lamp Type: Wall/Ceiling  
 Battery: Ni-Cd 3.6V,900mAh  
 Recharging Time: 12 Hours  
 Stickers: 3 Stickers  
 Watts: 2w


Viewing Distance: 24 Meters From Both Sides  
 Test Button: Green Light Indicator Test Button  
 Legends: 3 Way Legend Available  
 Input Voltage: AC:220-240V,50/60Hz  
 Mode Of Operation: Maintained  
 Emergency Operation Time: >3 Hours  
 Lamp Type: 16 SMD LEDs

**12Hrs**  
 CHARGING TIME

**Exit Light-Recessed**

**VT-522-S-12** SKU: 835 - 6000K WHITE

Box Qty: 10pcs



Lumens: 140lm  
 IP Rating: IP20  
 Material: PC  
 Exit Lamp Type: Recessed/Ceiling  
 Battery: Ni-Cd 3.6V,900mAh  
 Recharging Time: 12 Hours  
 Stickers: 3 Stickers  
 Watts: 2w

Viewing Distance: 24 Meters From Both Sides  
 Test Button: Green Light Indicator Test Button  
 Legends: 3 Way Legend Available  
 Input Voltage: AC:220-240V,50/60Hz  
 Mode Of Operation: Maintained  
 Emergency Operation Time: >3 Hours  
 Lamp Type: 16 SMD LEDs

**12Hrs**  
 CHARGING TIME

**NEW**

**Exit Light - Bulkhead**

**VT-511-S** SKU: 899 - 6000K WHITE

Box Qty: 10 Pcs



Lumens: 110lm  
 IP Rating: IP20  
 Material: ABS+PC  
 Exit Lamp Type: Bulkhead  
 Watts: 3.8w

Input Voltage: AC:220-240V,50/60Hz  
 Mode Of Operation: Maintained/Non Maintained  
 Emergency Operation Time: >3 Hours  
 Lamp Type: 20 SMD LEDs  
 Battery: 4V2.0AH Lead Acid battery  
 Recharging Time: 12 Hours


**12Hrs**  
 CHARGING TIME



**Exit Light - Bulkhead**

VT-523-S-12 SKU: 837 - 6000K WHITE

**12Hrs**  
 CHARGING TIME



**Exit Light - Bulkhead**

VT-523-S-24 SKU: 847 - 6000K WHITE

**24Hrs**  
 CHARGING TIME

Watts: 3w  
 Lamp Type: 16 SMD LEDs  
 Lumens: 140lm  
 Input Voltage: AC:220-240V,50/60Hz  
 IP Rating: IP65  
 Material : PC  
 Exit Lamp Type: Wall - Bulkhead  
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 3.6v, 1500mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained  
 Box Qty: 12pcs



**Exit Light - Bulkhead**

VT-524-S-12 SKU: 838 - 6000K WHITE

**12Hrs**  
 CHARGING TIME



Watts: 4w  
 Lamp Type: 30 SMD LEDs  
 Lumens: 190lm  
 Input Voltage: AC:220-240V,50/60Hz  
 IP Rating: IP65  
 Material : PC  
 Exit Lamp Type: Wall - Bulkhead  
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,900mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 3 Stickers  
 Legends: 3 Way Legend Available  
 Mode Of Operation: Maintained  
 Box Qty: 12pcs



# LED STRIP LIGHTS

V-TAC's efficient LED strip lights is an effective solution to light up tight spaces, or in simply decorating your kitchen, bedroom, and even your garden. Applicable both for accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard color temperatures.

## APPLICATION


Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas





## KEY FEATURES

- Easy installation
- Available in 5m and 10m
- Exceptionally low power consumption



# LED STRIP & NEON FLEX LIGHTS

This range includes up to 18 watt dust and moisture-rated LED strip lights, equipped with Samsung LED Chips for an even further advanced and vivid performance. It also has our IP65 neon flex LED strip light that is specially designed for outdoor resistance. Available in 3000K Warm White, 4000K Day White, and 6400K White, we have the optimal range of low-energy consuming and easy-to-install strip lights with vibrant lighting.

- LED strip is a low voltage flexible ribbon available in 24v and 12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

**3** YEAR  
WARRANTY\*

**CRI >95**


MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 331   3000K WARM WHITE
VT-10-240-1	18w	1800	DC:24V	40 Packets	SKU: 332   4000K DAY WHITE SKU: 333   6400K WHITE

**10**  
METER ROLL

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 320   3000K WARM WHITE
VT-10-240	15w	1600	DC:24V	80 Packets	SKU: 321   4000K DAY WHITE SKU: 322   6400K WHITE



MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 323   3000K WARM WHITE
VT-5-120	12w	1200	DC:12V	80 Packets	SKU: 324   4000K DAY WHITE SKU: 325   6400K WHITE



ULTRA THIN  
 JUST 6 X 12MM

**WATERPROOF LED NEON FLEX**



MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 326   3000K WARM WHITE
VT-55	10w	300	DC:12V	40 Packets	SKU:327   4000K DAY WHITE SKU:328   6400K WHITE





## LED SPOT LIGHTS

Our new range of LED spotlights with Samsung LEDs is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

## APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING









## KEY FEATURES

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 38°D to 300°D
- Set the right tone: dimmable options available



## LED SPOTLIGHTS

### LED Capsules Lights

Our newly improved range of capsule lights are the ideal choice for replacing Halogen counterparts. Now equipped with LEDs provided by Samsung for maximum efficiency.

- 30,000-hr lifespan
- DC: 12V for G4
- AC: 220-240V, 50Hz for G9
- CRI: >80

**5** YEAR  
**WARRANTY\***



G4



G4





G9



G9



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
<b>VT-201</b>	<b>1.5w</b>	<b>10w</b>	<b>100</b>	<b>G4</b>	<b>200 pcs</b>

- SKU: 240 | 3000K WARM WHITE
- SKU: 241 | 4000K DAY WHITE
- SKU: 242 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
<b>VT-234</b>	<b>3.2w</b>	<b>30w</b>	<b>385</b>	<b>G4</b>	<b>200 pcs</b>

- SKU: 131 | 3000K WARM WHITE
- SKU: 132 | 4000K DAY WHITE
- SKU: 133 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
<b>VT-203</b>	<b>2.5w</b>	<b>20w</b>	<b>200</b>	<b>G9</b>	<b>200 pcs</b>

- SKU: 243 | 3000K WARM WHITE
- SKU: 244 | 4000K DAY WHITE
- SKU: 245 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
<b>VT-204</b>	<b>3w</b>	<b>25w</b>	<b>300</b>	<b>G9</b>	<b>200 pcs</b>

- SKU: 246 | 3000K WARM WHITE
- SKU: 247 | 4000K DAY WHITE
- SKU: 248 | 6400K WHITE



## LED SPOTLIGHTS

### LED GU10 Lights

Achieve a warm soft glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life.

- Clear and frost cover options
- Available in 38°D or 110°D beam angle
- Dimmable options available
- 30,000-hr lifespan
- DC: 12V for GU5.3
- AC: 220-240V, 50Hz for GU10
- CRI: >80

**5** YEAR WARRANTY\*



GU10





GU10



GU10



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-232	2w	15w	180	GU10	200 pcs

SKU: 869 | 3000K WARM WHITE  
 SKU: 870 | 4000K DAY WHITE  
 SKU: 871 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-205	5w	35w	400	GU10	200 pcs

SKU: 201 | 3000K WARM WHITE  
 SKU: 202 | 4000K DAY WHITE  
 SKU: 203 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-275	5w	40w	380	GU10		192 pcs

SKU: 108 | 3000K WARM WHITE  
 SKU: 797 | 4000K DAY WHITE  
 SKU: 511 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-275D	5w	35w	380	GU10		192 pcs

SKU: 109 | 3000K WARM WHITE  
 SKU: 512 | 4000K DAY WHITE  
 SKU: 897 | 6400K WHITE



LED SPOTLIGHTS  
 MR16 | GU10

**5** YEAR  
 WARRANTY\*





GU5.3



GU10



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-257	6.5w	55w	450	GU5.3	200 pcs

- SKU: 204 | 3000K WARM WHITE
- SKU: 205 | 4000K DAY WHITE
- SKU: 206 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-267	6.5w	40w	450	GU5.3	200 pcs

- SKU: 207 | 3000K WARM WHITE
- SKU: 208 | 4000K DAY WHITE
- SKU: 209 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247	6.5w	60w	480	GU10	200 pcs

- SKU: 192 | 3000K WARM WHITE
- SKU: 193 | 4000K DAY WHITE
- SKU: 194 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-227	6.5w	60w	480	GU10	200 pcs

- SKU: 189 | 3000K WARM WHITE
- SKU: 190 | 4000K DAY WHITE
- SKU: 191 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-247D 6.5w 55w 450 GU10 200 pcs**

SKU: 198 | 3000K WARM WHITE  
 SKU: 199 | 4000K DAY WHITE  
 SKU: 200 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-227D 6.5w 35w 450 GU10 200 pcs**

SKU: 195 | 3000K WARM WHITE  
 SKU: 196 | 4000K DAY WHITE  
 SKU: 197 | 6400K WHITE




MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-277 7w 65w 480 GU10 200 pcs**

SKU: 165 | 3000K WARM WHITE  
 SKU: 166 | 4000K DAY WHITE  
 SKU: 167 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-291 8w 80w 720 GU10 200 pcs**

SKU: 875 | 3000K WARM WHITE  
 SKU: 876 | 4000K DAY WHITE  
 SKU: 877 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-292 8w 80w 720 GU10 200 pcs**

SKU: 872 | 3000K WARM WHITE  
 SKU: 873 | 4000K DAY WHITE  
 SKU: 874 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-271 10w 70w 1000 GU10 200 pcs**

SKU: 878 | 3000K WARM WHITE  
 SKU: 879 | 4000K DAY WHITE  
 SKU: 880 | 6400K WHITE





## LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. With our recent in-branding program with Samsung, all LED chips used in the PRO Series lamp range.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range to replace 60w to 150w traditional lamps for your home, office, or business.

## APPLICATION

General lighting in residential, commercial, and industrial areas





## KEY FEATURES

- Includes Amber & Clear Filament Bulbs, High-Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
- Lightweight yet durable body: made of Aluminum + ASA plastic
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hr lifespan: remarkable performance than conventional and other LED lamps



LM/WATT



DIMMABLE



ENERGY RATING

## LED AMBER FILAMENT

### A60

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**3** YEAR  
**WARRANTY\***





A60 | E27



A60 | B22



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-214	4w	30w	350	E27	A60	50 pcs

SKU: 282 | 2200K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-266	6w	55w	725	E27	A60	50 pcs

SKU: 286 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-228	4w	35w	350	B22	A60	96 pcs

SKU:107 | 2200K WARM WHITE





## LED AMBER FILAMENT

### G95 | G125 | ST64

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**3** YEAR  
**WARRANTY\***



G95





G125



ST64


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-296	6w	55w	725	E27	G95	20 pcs

SKU: 293 | 2200K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-297	6w	55w	725	E27	G125	20 pcs

SKU: 291 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-276	6w	55w	725	E27	ST64	50 pcs

SKU: 290 | 2200K WARM WHITE



## LED CLEAR FILAMENT

### A60

V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**3 TO 5**  
 YEAR  
 WARRANTY\*





A60 | E27



A60 | B22



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-256	6w	60w	806	E27	A60	50 pcs

SKU: 287 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-208	4w	40w	400	B22	A60	96 pcs

SKU: 106 | 3000K WARM WHITE



# LED CLEAR FILAMENT

## Candle



Candle | B22



Candle | E14





Twist Candle



Flame Candle



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-222	4w	40w	400	B22	Candle	192 pcs

SKU: 105 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254	4w	35w	400	E14	Candle	100 pcs

SKU: 272 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254D	4w	30w	350	E14	Candle	100 pcs

SKU: 278 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-274	4w	35w	400	E14	Candle	100 pcs

SKU: 279 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-264	4w	35w	400	E14	Candle	100 pcs

SKU: 275 | 2700K WARM WHITE



LED CLEAR FILAMENT  
 Candle | G45 | G95 | G125

**3 TO 5** YEAR WARRANTY\*



Candle



G45



G95





G125

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-284D	4w	30w	350	B15	100 pcs

SKU: 862 | 3000K WARM WHITE





DIMMABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-244	4w	35w	400	E27	G45	100 pcs

SKU: 280 | 2700K WARM WHITE

SKU: 944 | 4000K DAY WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-286	6w	60w	806	E27	G95	20 pcs

SKU: 294 | 2700K WARM WHITE



120 LM/WATT





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-287	6w	60w	806	E27	G125	20 pcs

SKU: 292 | 2700K WARM WHITE




120 LM/WATT



# High Lumen Bulbs

Adequate light at an optimal cost – equipped with **Samsung LED chip**, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of modern LED lighting technology at 120 lumens per watt. Better design, quality, and performance; truly an innovative take on traditional lamps.

120 ±  
LUMENS/ WATT  
SUPER EFFICIENT



## HIGH LUMEN BULBS

### C37 | G45 | P45

Available in warm to bright color temperatures, this high-lumen range includes candelabra-style C37 lamps, 45mm diameter spheroid/ping pong G45 bulbs, and 45mm pear-shaped bulbs for a complete selection of lamps to meet a desired combination for mood and task lighting in residential and commercial spaces.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

**5** YEAR  
**WARRANTY\***



C37





G45



P45



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-255	4.5w	40w	470	E14	Candle	200 pcs

- SKU: 258 | 3000K WARM WHITE
- SKU: 259 | 4000K DAY WHITE
- SKU: 260 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-245	4.5w	40w	470	E27	G45	200 pcs

- SKU: 261 | 3000K WARM WHITE
- SKU: 262 | 4000K DAY WHITE
- SKU: 263 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-225	4.5w	40w	470	E14	P45	200 pcs

- SKU: 264 | 3000K WARM WHITE
- SKU: 265 | 4000K DAY WHITE
- SKU: 266 | 6400K WHITE



HIGH LUMEN BULBS

A60 | A65 | G120

**5** YEAR  
**WARRANTY\***



A60





A65



G120


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-265	6.5w	60w	806	E27	A60	100 pcs

- SKU: 255 | 3000K WARM WHITE
- SKU: 256 | 4000K DAY WHITE
- SKU: 257 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-285	8.5w	75w	1055	E27	A60	100 pcs

- SKU: 252 | 3000K WARM WHITE
- SKU: 253 | 4000K DAY WHITE
- SKU: 254 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-295	12w	100w	1521	E27	A65	100 pcs

- SKU: 249 | 3000K WARM WHITE
- SKU: 250 | 4000K DAY WHITE
- SKU: 251 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-242	22w	160	2650	E27	G120	20 pcs

- SKU: 20021 | 3000K WARM WHITE
- SKU: 20022 | 4000K DAY WHITE
- SKU: 20023 | 6400K WHITE





# LED Plastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures
- Set the right tone: dimmable options available
- Customized exterior for a stronger body



## LED PLASTIC BULBS

### ST26 | T37

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.

- **ST26, T37, C37, and G45 shapes available**
- **On/Off cycles: >20000**
- **Standard color temperatures**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

**5** YEAR  
**WARRANTY\***



ST26





T37





T37



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-202	2w	20w	180	E14	ST26	400 pcs
SKU: 234   3000K WARM WHITE SKU: 235   4000K DAY WHITE SKU: 236   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-248	8w	50w	660	E14	T37	200 pcs
SKU: 267   3000K WARM WHITE SKU: 268   4000K DAY WHITE SKU: 269   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-237	8w	50w	660	E27	T37	200 pcs
SKU: 144   3000K WARM WHITE SKU: 145   4000K DAY WHITE SKU: 146   6400K WHITE						



LED PLASTIC BULBS  
 Candle C37

**5** YEAR  
 WARRANTY\*



Candle | E14



Candle | E27





Flame Candle




Candle | E14



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-226	5.5w	40w	470	E14	Candle	200 pcs
SKU: 171   3000K WARM WHITE SKU: 172   4000K DAY WHITE SKU: 173   6400K WHITE						




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-294D	5.5w	40w	470	E14	Candle	200 pcs
SKU: 859   3000K WARM WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-289	5.5w	40w	470	E27	Candle	200 pcs
SKU: 858   3000K WARM WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-258	5.5w	40w	470	E14	Candle	200 pcs
SKU: 117   3000K WARM WHITE SKU: 118   4000K DAY WHITE SKU: 119   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-268	7w		600	E14	Candle	200 pcs
SKU: 111   3000K WARM WHITE SKU: 112   4000K DAY WHITE SKU: 113   6400K WHITE						



# LED PLASTIC BULBS

G45 | P45

**5** YEAR WARRANTY\*





G45



P45



MODEL WATTS EQ.WATTS LUMENS BASE SHAPE BOX QTY.  
**VT-246 5.5w 40w 470 E27 G45 200 pcs**

SKU: 174 | 3000K WARM WHITE  
 SKU: 175 | 4000K DAY WHITE  
 SKU: 176 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE SHAPE BOX QTY.  
**VT-283 5.5w 40w 470 E27 G45 200 pcs**

SKU: 857 | 3000K WARM WHITE





MODEL WATTS EQ.WATTS LUMENS BASE SHAPE BOX QTY.  
**VT-290 7w 45w 600 E27 G45 200 pcs**

SKU: 866 | 3000K WARM WHITE  
 SKU: 867 | 4000K DAY WHITE  
 SKU: 868 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE SHAPE BOX QTY.  
**VT-236 5.5w 40w 470 E14 P45 200 pcs**

SKU: 168 | 3000K WARM WHITE  
 SKU: 169 | 4000K DAY WHITE  
 SKU: 170 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE SHAPE BOX QTY.  
**VT-282 5.5w 40w 470 E14 P45 200 pcs**

SKU: 856 | 3000K WARM WHITE



MODEL WATTS EQ.WATTS LUMENS BASE SHAPE BOX QTY.  
**VT-270 7w 45w 600 E14 P45 200 pcs**

SKU: 863 | 3000K WARM WHITE  
 SKU: 864 | 4000K DAY WHITE  
 SKU: 865 | 6400K WHITE



## LED BULBS

## LED PLASTIC BULBS

A58 | A60

**5** YEAR  
**WARRANTY\***



A58 | E14





A58 | E27



A60 | E27



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-269	9w	60w	806	E14	A58	100 pcs

SKU: 114 | 3000K WARM WHITE  
 SKU: 115 4000K DAY WHITE  
 SKU: 116 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-210	9w	60w	806	E27	A58	100 pcs

SKU: 228 | 3000K WARM WHITE  
 SKU: 229 | 4000K DAY WHITE  
 SKU: 230 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-212	11w	75w	1055	E27	A60	100 pcs

SKU: 231 | 3000K WARM WHITE  
 SKU: 232 | 4000K DAY WHITE  
 SKU: 233 | 6400K WHITE



LED PLASTIC BULBS

A65 | A80

**5** YEAR  
**WARRANTY\***





A60 | E27





A80 | E27



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-215	15w	85w	1250	E27	A65	100 pcs
SKU: 159   3000K WARM WHITE SKU: 160   4000K DAY WHITE SKU: 161   6400K WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-217	17w	100w	1521	E27	A65	100 pcs
SKU: 162   3000K WARM WHITE SKU: 163   4000K DAY WHITE SKU: 164   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-298	18w	125w	2000	E27	A80	100 pcs
SKU: 126   3000K WARM WHITE SKU: 127   4000K DAY WHITE SKU: 128   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-233	20w	150w	2452	E27	A80	50 pcs
SKU: 237   3000K WARM WHITE SKU: 238   4000K DAY WHITE SKU: 239   6400K WHITE						



## LED PLASTIC BULBS

Candle | G45



BAYONET

**5** YEAR  
WARRANTY\*



Candle | B15



Candle | B22



G45

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299	5.5w	40w	470	B15	Candle	200 pcs



SKU: 860 | 3000K WARM WHITE



BAYONET



12 PACK  
ALSO AVIALABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299D	5.5w	40w	470	B15	Candle	200 pcs

SKU: 861 | 3000K WARM WHITE





BAYONET



DIMMABLE



12 PACK  
ALSO AVIALABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-223	5.5w	40w	470	B22	Candle	192 pcs



SKU: 103 | 3000K WARM WHITE



BAYONET



12 PACK  
ALSO AVIALABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-221	5.5w	40w	470	B22	G45	192 pcs



SKU: 104 | 3000K WARM WHITE



BAYONET



12 PACK  
ALSO AVIALABLE



LED PLASTIC BULBS  
**A58**





**5** YEAR  
**WARRANTY\***



A58



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-229	9w	60w	806	B22	A58	96 pcs

SKU: 101 | 3000K WARM WHITE  
 SKU:850 | 4000K DAY WHITE  
 SKU: 851 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-219	9w	60w	806	B22	A58	100 pcs

SKU: 270 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-259D	9w	60	806	B22	A58	100 pcs

SKU: 852 | 3000K WARM WHITE



LED PLASTIC BULBS

A60 | A65



**5** YEAR  
**WARRANTY\***





A60



A65


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-213	11w	75w	1055	B22	A60	100 pcs

SKU: 271 | 3000K WARM WHITE  
 SKU:110 | 4000K DAY WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-231	11w	75w	1055	B22	A60	96 pcs

SKU: 102 | 3000K WARM WHITE  
 SKU: 853 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-281	15w	85w	1250	B22	A65	100 pcs

SKU: 854 | 3000K WARM WHITE  
 SKU:943 | 4000K DAY WHITE  
 SKU: 855 | 6400K WHITE





## LED REFLECTOR BULB

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.

- Available in E14 and E27
- 30,000-hr lifespan
- 120° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**5** YEAR  
**WARRANTY\***



R39



R50





R63





R80



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-239	3w	25w	250	E14	R39	200 pcs
SKU: 210   3000K WARM WHITE SKU: 211   4000K DAY WHITE SKU: 212   6400K WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-250	6w	40w	470	E14	R50	200 pcs
SKU: 138   3000K WARM WHITE SKU: 139   4000K DAY WHITE SKU: 140   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-263	8w	60w	570	E27	R63	200 pcs
SKU: 141   3000K WARM WHITE SKU: 142   4000K DAY WHITE SKU: 143   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-280	10w	75w	800	E27	R80	200 pcs
SKU: 135   3000K WARM WHITE SKU: 136   4000K DAY WHITE SKU: 137   6400K WHITE						



## LED PAR BULB

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.

- Uses IP-protected Samsung LED chip
- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**5** YEAR  
**WARRANTY\***



PAR20





PAR30



PAR38



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-220	7w	65w	495	E27	PAR20	100 pcs

- SKU: 147 | 3000K WARM WHITE
- SKU: 148 | 4000K DAY WHITE
- SKU: 149 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-230	11w	95w	825	E27	PAR30	30 pcs

- SKU: 153 | 3000K WARM WHITE
- SKU: 154 | 4000K DAY WHITE
- SKU: 155 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-238	14w	120w	1100	E27	PAR38	30 pcs

- SKU: 150 | 3000K WARM WHITE
- SKU: 151 | 4000K DAY WHITE
- SKU: 152 | 6400K WHITE



## LED BULBS

### UFO Bulb

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**

**5** YEAR  
**WARRANTY\***



F150





F200





F250



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-216</b>	<b>15w</b>	<b>80w</b>	<b>1200</b>	<b>E27</b>	<b>F150</b>	<b>20 pcs</b>
SKU: 213   3000K WARM WHITE SKU: 214   4000K DAY WHITE SKU: 215   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-224</b>	<b>24w</b>	<b>120w</b>	<b>1900</b>	<b>E27</b>	<b>F200</b>	<b>20 pcs</b>
SKU: 216   3000K WARM WHITE SKU: 217   4000K DAY WHITE SKU: 218   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-235</b>	<b>36w</b>	<b>170w</b>	<b>2900</b>	<b>E27</b>	<b>F250</b>	<b>20 pcs</b>
SKU: 219   3000K WARM WHITE SKU: 220   4000K DAY WHITE SKU: 221   6400K WHITE						



LED BULBS  
 PAR Bulb | G120

**5** YEAR  
 WARRANTY\*





GX53




G120



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
<b>VT-207</b>	<b>7w</b>	<b>45w</b>	<b>550</b>	<b>GX53</b>	<b>200 pcs</b>
SKU: 222	3000K WARM WHITE				
SKU: 223	4000K DAY WHITE				
SKU: 224	6400K WHITE				



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-218</b>	<b>17w</b>	<b>100w</b>	<b>1521</b>	<b>E27</b>	<b>G120</b>	<b>20 pcs</b>
SKU: 225	3000K WARM WHITE					
SKU: 226	4000K DAY WHITE					
SKU: 227	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-288</b>	<b>18w</b>		<b>2000</b>	<b>E27</b>	<b>G120</b>	<b>20 pcs</b>
SKU: 123	3000K WARM WHITE					
SKU: 124	4000K DAY WHITE					
SKU: 125	6400K WHITE					



LED BULBS

LED Big Bulb | Lowbay

**5** YEAR  
**WARRANTY\***



E27



E40




E40

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-240	36w	3960	E27	20 pcs


- SKU: 283 | 3000K WARM WHITE
- SKU: 284 | 4000K DAY WHITE
- SKU: 285 | 6400K WHITE

**2** YEAR  
**WARRANTY\***



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-260	60w	4800	E40	20 pcs

- SKU: 186 | 3000K WARM WHITE
- SKU: 187 | 4000K DAY WHITE
- SKU: 188 | 6400K WHITE



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-85	85w	6800	E40	4 pcs

- SKU: 520 | 4000K DAY WHITE
- SKU: 521 | 6400K WHITE



## LED BIG BULBS

### Acrylic Bulbs



V-TAC's Acrylic Bulb range with its unique designs, all with significantly greater luminous flux. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **PF >0.5**
- **120° Beam Angle**
- **Acrylic+Aluminum+Plastic Material**





11w



18w



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-2311	11w	70w	900	E27	18 pcs

- SKU: 2781 | 3000K WARM WHITE
- SKU: 2782 | 4000K DAY WHITE
- SKU: 2783 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-2318	18w	90w	1200	E27	18 pcs

- SKU: 2784 | 3000K WARM WHITE
- SKU: 2785 | 4000K DAY WHITE
- SKU: 2786 | 6400K WHITE



## LED BULBS

### LED Emergency Bulb

Multi-Functional LED Bulb — Our Emergency Light Bulb is portable, and can be used as camping light, flashlight, hook light, warehouse light and use as normal bulb aswell.

- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- CRI: >80
- 200° Beam Angle



#### Emergency Specs

- 280lm Lumens
- Power:3W
- 3 Hour Working Time
- 6 Hour Charging Time:
- Lithium Battery DC:3.7V, 1800mAh



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-2309	9w	806	E27	50 pcs

- SKU: 2371 | 3000K WARM WHITE
- SKU: 2372 | 4000K DAY WHITE
- SKU: 2373 | 6400K WHITE



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### ESSENTIALS

THE ESSENTIALS SERIES CONTAINS OUR EXTENSIVE RANGE OF OVER 1800 INNOVATIVE LED LIGHTING PRODUCTS AT COMPETITIVE PRICES – PROVIDING A COMPLETE ARRAY OF OPTIONS VARYING ON FUNCTIONALITY & APPLICATION – FOR AN EFFICIENT LIGHTING SYSTEM IN RESIDENTIAL, COMMERCIAL, AND INDUSTRIAL APPLICATIONS SPACES. THIS RANGE HAS TWO TO FIVE YEARS OF WARRANTY.



## LED Thermoplastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

## Product Features

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.



# Witness the True to Life Colors



Our highest CRI rating yet – V-TAC's new generation of CRI>95 spotlights & bulbs is a must in commercial lighting.

A CRI of 85 to 90 percent is considered good at color rendering, while a CRI of 90 percent or above is considered excellent. A CRI index of 90 or above should be used for tasks requiring the most accurate color discrimination.

- Outstandingly engineered to show only the truest of colors
- Emphasize vivid colors to increase appeal of any product to its consumers and contribute to purchasing decisions
- Recommended for restaurants, apparel shops, supermarkets, and other retail areas

**Conventional Light**



**CRI > 95 light**







Bulbs-P45-E14-CRI>95

5.5W VT-2236

SKU: 7488 - 2700K Warm White 3800157640749  
 SKU: 7489 - 4000K Day White 3800157640756  
 SKU: 7490 - 6400K White 3800157640763

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E14



Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	45x81mm
Box Qty:	200 Pcs




Bulbs-G45-E27-CRI>95

5.5W VT-2216

SKU: 7491 - 2700K Warm White 3800157640770  
 SKU: 7492 - 4000K Day White 3800157640787  
 SKU: 7493 - 6400K White 3800157640794

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	G45

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27



Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	45x81mm
Box Qty:	200 Pcs





Bulbs-Candle-E14-CRI>95

5.5W VT-2226

SKU: 7494 - 2700K Warm White 3800157640800  
 SKU: 7495 - 4000K Day White 3800157640817  
 SKU: 7496 - 6400K White 3800157640824

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E14



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	37x100mm
Box Qty:	200 Pcs





Bulbs-A60-E27-CRI>95

**10w** VT-2210

SKU: 7479 - 2700K Warm White 3800157640657  
 SKU: 7480 - 4000K Day White 3800157640664  
 SKU: 7481 - 6400K White 3800157640671

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	60x112mm
Box Qty:	100 Pcs





Bulbs-A60-E27-CRI>95

**12w** VT-2212

SKU: 7482 - 2700K Warm White 3800157640688  
 SKU: 7483 - 4000K Day White 3800157640695  
 SKU: 7484 - 6400K White 3800157640701

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	60x120mm
Box Qty:	100 Pcs





Bulbs-A65-E27-CRI>95

**17w** VT-2217

SKU: 7485 - 2700K Warm White 3800157640718  
 SKU: 7486 - 4000K Day White 3800157640725  
 SKU: 7487 - 6400K White 3800157640732

EQ. Watts:	100w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1521lm
Commercial Type:	A65

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	65x135mm
Box Qty:	100 Pcs

NEW

### Bulbs-A60-E27-Microwave Sensor


9W VT-2219

SKU: 2760 -3000K Warm White 3800157646567  
 SKU: 2761 -4000K Day White 3800157646574  
 SKU: 2762 -6400K White 3800157646581



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60



1. Auto Switch on at dusk and Switches off at dawn.
2. Built-in Daylight Sensor



### MICROWAVE SENSOR BULB

LED Type:	SMD	Beam Angle:	200°
CRI:	>80	Body Type:	Thermoplastic
PF:	>0.5	Dimension:	Ø60x112mm
Base:	E27	Box Qty:	100pcs

3. Automatically Switches On when room light is less
4. Light stays for 60 seconds upon detection of movement



NEW

### Bulbs-A60-E27-Microwave Sensor


11W VT-2211

SKU: 2763 -3000K Warm White 3800157646598  
 SKU: 2764 -4000K Day White 3800157646604  
 SKU: 2765 -6400K White 3800157646611



EQ. Watts:	75w
Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	1055lm
Commercial Type:	A60



1. Auto Switch on at dusk and Switches off at dawn.
2. Built-in Daylight Sensor



### MICROWAVE SENSOR BULB

LED Type:	SMD	Beam Angle:	200°
CRI:	>80	Body Type:	Thermoplastic
PF:	>0.5	Dimension:	Ø60x120mm
Base:	E27	Box Qty:	100pcs

3. Automatically Switches On when room light is less
4. Light stays for 60 seconds upon detection of movement



NEW

### Bulbs-A60-E27-RF

9W VT-2229

SKU: 2766 -RGB+3000K 3800157646697  
 SKU: 2767 -RGB+4000K 3800157646703  
 SKU: 2768 -RGB+6400K 3800157646710



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode





## RGB RF CONTROL



DIMMABLE

LED Type:	SMD	Beam Angle:	200°
CRI:	>80	Body Type:	Thermoplastic
PF:	>0.5	Dimension:	Ø60x112mm
Base:	E27	Box Qty:	100pcs



NEW

### Bulbs-Candle-E14-RF

3.5W VT-2214

SKU: 2769 -RGB+3000K 3800157646727  
 SKU: 2770 -RGB+4000K 3800157646734  
 SKU: 2771 -RGB+6400K 3800157646741



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode





## RGB RF CONTROL



DIMMABLE

LED Type:	SMD	Beam Angle:	200°
CRI:	>80	Body Type:	Thermoplastic
PF:	>0.4	Dimension:	37x100mm
Base:	E14	Box Qty:	200pcs




NEW



Bulbs-G45-E27-RF

3.5W VT-2224


SKU: 2772 -RGB+3000K 3800157646758  
 SKU: 2773 -RGB+4000K 3800157646765  
 SKU: 2774 -RGB+6400K 3800157646772



EQ. Watts: 30w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 320lm  
 Commercial Type: G45

LED Type: SMD  
 CRI: >80  
 PF: >0.4  
 Base: E27

Beam Angle: 180°  
 Body Type: Thermoplastic  
 Dimension: Ø45x81mm  
 Box Qty: 200pcs



- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode




NEW



Bulbs-P45-E14-RF

3.5W VT-2234


SKU: 2775 -RGB+3000K 3800157646789  
 SKU: 2776 -RGB+4000K 3800157646796  
 SKU: 2777 -RGB+6400K 3800157646802



EQ. Watts: 30w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 320lm  
 Commercial Type: P45

LED Type: SMD  
 CRI: >80  
 PF: >0.4  
 Base: E14

Beam Angle: 180°  
 Body Type: Thermoplastic  
 Dimension: Ø45x81mm  
 Box Qty: 200pcs



- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



Bulbs-A60-E27-RGB

6W VT-2022


SKU: 7121 - 2700K Warm White 3800157609975  
 SKU: 7150 - 4000K Day White 3800157610711  
 SKU: 7151 - 6400K White 3800157610728



EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x112mm  
 Box Qty: 100 Pcs



- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice



Bulbs-A60-E27-Sensor

9W VT-2016


SKU: 4459 - 2700K Warm White 3800157608237  
 SKU: 4460 - 4000K Day White 3800157608244  
 SKU: 4461 - 6000K White 3800157608251



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x122mm  
 Box Qty: 100 Pcs



Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.






### Bulbs-A60-E27-3 Step Dimming

9W VT-2011


SKU: 4447 - 2700K Warm White 3800157607988  
 SKU: 4448 - 4000K Day White 3800157607995  
 SKU: 4449 - 6400K White 3800157608008



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs




Smart Dimming Technology Without A Dimmer!  
 At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.



### Bulbs-A60-E27-Color Changing

9W VT-2119


SKU: 7317 - 3 IN 1 3800157624497



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs




HOW IT WORKS  
 1. Switch the light on for cool white.  
 2. Turn the Switch off and on again for warm white.  
 3. Turn the Switch off and on again for day white.  
 4. Switch between these to select your ideal colour.



### Bulbs-A60-E27

9W VT-2000R

SKU: 7341 - Red 3800157626033



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	270lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27

9w VT-2000Y

SKU: 7342 - Yellow 3800157626040



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	570lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27

9w VT-2000G

SKU: 7343 - Green 3800157626057



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	310lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27

9w VT-2000B

SKU: 7344 - Blue 3800157626064



EQ. Watts:	15w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	120lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



LED Bulbs-E27

5w VT-2055


SKU: 7266 - 2700K Warm White 3800157622981



EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	420lm
Commercial Type:	A55

LED Type:	SMD
CI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	55x106mm
Box Qty:	30 Pcs



### LED Bulbs-E27

9W VT-1900


SKU: 7240 - 2700K Warm White 3800157620130  
 SKU: 7241 - 4000K Day White 3800157620147  
 SKU: 7242 - 6400K White 3800157620154



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x104mm  
 Box Qty: 20 Pcs



### LED Bulbs-B22

9W VT-2069-3PC



SKU: 7246 - 2700K Warm White 3800157620192



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: B22

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x106mm  
 Box Qty: 20 Pcs



### Bulbs-A60-E27

9W VT-2099



SKU: 7260 - 2700K Warm White 3800157622110  
 SKU: 7261 - 4000K Day White 3800157622127  
 SKU: 7262 - 6400K White 3800157622134



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x112mm  
 Box Qty: 100 Pcs



### Bulbs-A60-B22

9W VT-1853



SKU: 7402 - 4000K Day White 3800157629270  
 SKU: 7403 - 6400K White 3800157629287



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: B22

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x104mm  
 Box Qty: 100 Pcs



### Bulbs-A60-B22

9W VT-2189



SKU: 7422 - 2700K Warm White 3800230626295



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: B22

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x104mm  
 Box Qty: 100 Pcs





LED Bulbs-E27

11W VT-2113




SKU: 7352 - 2700K Warm White 3800157627412  
 SKU: 7353 - 4000K Day White 3800157627429  
 SKU: 7354 - 6400K White 3800157627436



EQ. Watts: 75w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1055lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x120mm  
 Box Qty: 40 Pcs



Bulbs-A60-E27

11W VT-2112




SKU: 7350 - 2700K Warm White 3800157627399  
 SKU: 7349 - 4000K Day White 3800157627320  
 SKU: 7351 - 6400K White 3800157627405



EQ. Watts: 75w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1055lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x120mm  
 Box Qty: 100 Pcs




Bulbs-A60-E27

12W VT-1864D




SKU: 7193 - 6400K White 3800157615693



EQ. Watts: 75w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1055lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x120mm  
 Box Qty: 100 Pcs



Bulbs-A65-B22

15W VT-2015-B22




SKU: 7229 - 2700K Warm White 3800157619554



EQ. Watts: 90w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1350lm  
 Commercial Type: A65

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: B22

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 66.5x134mm  
 Box Qty: 100 Pcs



Bulbs-A65-E27

15W VT-2015-E27




SKU: 4453 - 2700K Warm White 3800157608091  
 SKU: 4454 - 4000K Day White 3800157608107  
 SKU: 4455 - 6400K White 3800157608114



EQ. Watts: 90w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1350lm  
 Commercial Type: A65

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 66.5x134mm  
 Box Qty: 100 Pcs





**Bulbs-A65-E27**  
**17W** VT-2017

SKU: 4456 - 2700K Warm White 3800157608121  
SKU: 4457 - 4000K Day White 3800157608138  
SKU: 4458 - 6400K White 3800157608145

EQ. Watts: **100w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1521lm**  
Commercial Type: **A65**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **200°**  
Body Type: **ThermoPlastic**  
Dimension: **66.5x134mm**  
Box Qty: **100 Pcs**





**Bulbs-A80-E27**  
**18W** VT-2218

SKU: 2707 - 3000K Warm White 3800157641838  
SKU: 2708 - 4000K Day White 3800157641845  
SKU: 2709 - 6400K White 3800157641852

EQ. Watts: **125w**  
Voltage/Frequency: **AC:220-240V, 50Hz**  
Luminous Flux: **2000lm**  
Commercial Type: **A80**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **200°**  
Body Type: **Thermoplastic**  
Dimension: **80x142mm**  
Box Qty: **50 Pcs**





**Bulbs-A80-E27**  
**20W** VT-2220

SKU: 2710 - 3000K Warm White 3800157643917  
SKU: 2711 - 4000K Day White 3800157643924  
SKU: 2712 - 6400K White 3800157643931

EQ. Watts: **150w**  
Voltage/Frequency: **AC:220-240V, 50Hz**  
Luminous Flux: **2452lm**  
Commercial Type: **A80**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **200°**  
Body Type: **Thermoplastic**  
Dimension: **80x149mm**  
Box Qty: **20 Pcs**





**Bulbs-G45-E27**  
**3W** VT-2053-E27

SKU: 7202 - 2700K Warm White 3800157615860  
SKU: 7203 - 4000K Day White 3800157615877  
SKU: 7204 - 6400K White 3800157615884

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **G45**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.4**  
Base: **E27**

Beam Angle: **180°**  
Body Type: **ThermoPlastic**  
Dimension: **45x76mm**  
Box Qty: **200 Pcs**





**Bulbs-G45-E27**  
**4W** VT-1830

SKU: 4160 - 2700K Warm White 3800230621047  
SKU: 4162 - 4000K Day White 3800230621054  
SKU: 4207 - 6400K White 3800230624611

EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
Commercial Type: **G45**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.4**  
Base: **E27**

Beam Angle: **180°**  
Body Type: **ThermoPlastic**  
Dimension: **45x82mm**  
Box Qty: **200 Pcs**






**Bulbs-G45-E27**  
**5.5W** VT-1879N

SKU: 7407 - 2700K Warm White 3800157629485  
SKU: 7408 - 4000K Day White 3800157629492  
SKU: 7409 - 6400K White 3800157629508

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **180°**  
Body Type: **ThermoPlastic**  
Dimension: **45x82mm**  
Box Qty: **200 Pcs**





**Bulbs-G45 - 3Pc Pack**  
**5.5W** VT-2176

SKU: 7362 - 2700K Warm White 3800157628204  
SKU: 7363 - 4000K Day White 3800157628211  
SKU: 7364 - 6400K White 3800157628228

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **180°**  
Body Type: **ThermoPlastic**  
Dimension: **45x82mm**  
Box Qty: **60 Pcs**




**Bulbs-G45-6Pc Pack**  
**5.5W** VT-2256

SKU: 2730 - 2700K Warm White 3800157645201  
SKU: 2731 - 4000K Day White 3800157645218  
SKU: 2732 - 6400K White 3800157645225

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **180°**  
Body Type: **Thermoplastic**  
Dimension: **45x82mm**  
Box Qty: **30 Pcs**



**Bulbs-G45-B22**  
**5.5W** VT-2197D



SKU: 7419 - 2700K Warm White 3800157633079



EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.7**  
Base: **B22**

Beam Angle: **200°**  
Body Type: **ThermoPlastic**  
Dimension: **45x81mm**  
Box Qty: **100 Pcs**



**Bulbs-G45-B22**  
**6W** VT-1973



SKU: 4441 - 2700K Warm White 3800157607674



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **B22**

Beam Angle: **180°**  
Body Type: **ThermoPlastic**  
Dimension: **45x80mm**  
Box Qty: **100 Pcs**






**Bulbs-Candle-B22**

**3W** VT-2073


SKU: 7230 - 2700K Warm White 3800157619578  
SKU: 7231 - 6400K White 3800157619585



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	250lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	B22


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x102mm
Box Qty:	200 Pcs



**Bulbs-Candle-E14**

**3W** VT-2033


SKU: 7196 - 2700K Warm White 3800157615808  
SKU: 7197 - 4000K Day White 3800157615815  
SKU: 7198 - 6400K White 3800157615822



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	250lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	200 Pcs



**Bulbs-Candle-E14**

**4W** VT-1818


SKU: 4216 - 2700K Warm White 3800230624796  
SKU: 4166 - 4000K Day White 3800230620675  
SKU: 4122 - 6400K White 3800230620668



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	200 Pcs



**Bulbs-Candle-E14**

**4W** VT-1818TP


SKU: 4164 - 2700K Warm White 3800230620743  
SKU: 4156 - 4000K Day White 3800230620736



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x124mm
Box Qty:	200 Pcs



**Bulbs-Candle-E14**

**5.5W** VT-1855


SKU: 42151 - 2700K Warm White 3800157639316  
SKU: 42581 - 4000K Day White 3800157639323  
SKU: 42411 - 6400K White 3800157624411



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	37x100mm
Box Qty:	200 Pcs



Candle-E14 - 3Pc Pack

5.5W VT-2076





SKU: 7263 - 2700K Warm White 3800157622950  
 SKU: 7264 - 4000K Day White 3800157622967  
 SKU: 7265 - 6400K White 3800157622974

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: Candle

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E14

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 37x100mm  
 Box Qty: 60 Pcs



Bulbs-Candle-6Pc Pack

5.5W VT-2246





SKU: 2736 - 2700K Warm White 3800157645263  
 SKU: 2737 - 4000K Day White 3800157645270  
 SKU: 2738 - 6400K White 3800157645287

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: Candle

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E14

Beam Angle: 200  
 Body Type: Thermoplastic  
 Dimension: 37x100mm  
 Box Qty: 30 Pcs



Bulbs-Candle-E27



5.5W VT-1821N

SKU: 43421 - 2700K Warm White 3800157624381  
 SKU: 43431 - 4000K Day White 3800157624398  
 SKU: 43441 - 6400K White 3800157624404

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: Candle

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 37x100mm  
 Box Qty: 200 Pcs



Bulbs-Candle-B22

5.5W VT-2196D



SKU: 7418 - 2700K Warm White 3800157633062



EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: Candle

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: B22

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 37x100mm  
 Box Qty: 200 Pcs



Bulbs-Candle-B22

6W VT-1965



SKU: 4440 - 2700K Warm White 3800157607667  
 SKU: 7346 - 6400K White 3800157627283



EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: Candle

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: B22

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 37x102mm  
 Box Qty: 200 Pcs







**Bulbs-Candle-E14**  
**7W** VT-2097

SKU: 7320 - 6400K White 3800157624527

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	200 Pcs





**Bulbs-P45-E14**  
**3W** VT-2043

SKU: 7199 - 2700K Warm White 3800157615839  
SKU: 7200 - 4000K Day White 3800157615846  
SKU: 7201 - 6400K White 3800157615853

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	250lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x81mm
Box Qty:	200 Pcs





**Bulbs-P45-E14**  
**4W** VT-1819

SKU: 4123 - 2700K Warm White 3800230620996  
SKU: 4174 - Day White 3800230621009  
SKU: 4124 - 6400K White 3800230621016

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	45x82mm
Box Qty:	200 Pcs





**Bulbs-P45-E14**  
**5.5W** VT-1880N

SKU: 42501 - 2700K Warm White 3800157624367  
SKU: 42511 - 4000K Day White 3800157626408  
SKU: 42521 - 6400K White 3800157624374

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x81mm
Box Qty:	200 Pcs




**Bulbs-P45-6Pc Pack**  
**5.5W** VT-2266

SKU: 2733 - 2700K Warm White 3800157645232  
SKU: 2734 - 4000K Day White 3800157645249  
SKU: 2735 - 6400K White 3800157645256

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	180
Body Type:	Thermoplastic
Dimension:	45x81mm
Box Qty:	30 Pcs





LED Bulbs-E14



5.5W VT-2156

SKU: 7357 - 2700K Warm White 3800157628150  
 SKU: 7358 - 4000K Day White 3800157628167  
 SKU: 7359 - 6400K White 3800157628174

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: P45

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E14

Beam Angle: 180°  
 Body Type: ThermoPlastic  
 Dimension: 45x81mm  
 Box Qty: 60 Pcs



Bulbs-R39-E14


3W VT-1861

SKU: 4220 - 4000K Day White 3800230625489  
 SKU: 4242 - 6400K White 3800230626806

EQ. Watts: 25w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 210lm  
 Commercial Type: R39

LED Type: SMD  
 CRI: >80  
 PF: >0.4  
 Base: E14

Beam Angle: 120°  
 Body Type: ThermoPlastic  
 Dimension: 39x67mm  
 Box Qty: 200 Pcs



Bulbs-R50-E14


6W VT-1876

SKU: 4246 - 6400K White 3800230626813

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 Commercial Type: R50

LED Type: SMD  
 CRI: >80  
 PF: >0.4  
 Base: E14

Beam Angle: 120°  
 Body Type: ThermoPlastic  
 Dimension: 50x86mm  
 Box Qty: 200 Pcs



Bulbs-R63-E27



8W VT-1862

SKU: 4140 - 4000K Day White 3800230620903  
 SKU: 4244 - 6400K White 3800230626820

EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 500lm  
 Commercial Type: R63

LED Type: SMD  
 CRI: >80  
 PF: >0.4  
 Base: E27

Beam Angle: 120°  
 Body Type: ThermoPlastic  
 Dimension: 63x100mm  
 Box Qty: 200 Pcs



Bulbs-R7S



7W VT-1917

SKU: 7123 - 3000K Warm White 3800157610032  
 SKU: 7124 - 4000K Day White 3800157610049

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: R7S

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: R7S

Beam Angle: 360°  
 Body Type: ThermoPlastic  
 Dimension: 25x118mm  
 Box Qty: 100 Pcs





Bulbs-R7S



10W VT-1990

SKU: 4369 - 3000K Warm White 3800157602952  
 SKU: 4389 - 4000K Day White 3800157604130  
 SKU: 4390 - 6400K White 3800157604147

EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1000lm  
 Commercial Type: R7S

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: R7S

Beam Angle: 360°  
 Body Type: ThermoPlastic  
 Dimension: 25x118mm  
 Box Qty: 100 Pcs



Bulbs-R7S



7W VT-2237

SKU: 2713 - 3000K Warm White 3800157644365  
 SKU: 2714 - 4000K Day White 3800157644372  
 SKU: 2715 - 6400K White 3800157644389

EQ. Watts: 45w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 580lm  
 Commercial Type: R7S

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: R7S

Beam Angle: 360°  
 Body Type: Plastic  
 Dimension: 28x78mm  
 Box Qty: 200 Pcs



Bulbs-R7S



13W VT-2213

SKU: 2716 - 3000K Warm White 3800157644396  
 SKU: 2717 - 4000K Day White 3800157644402  
 SKU: 2718 - 6400K White 3800157644419

EQ. Watts: 80w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1200lm  
 Commercial Type: R7S

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: R7S

Beam Angle: 360°  
 Body Type: Plastic  
 Dimension: 28x118mm  
 Box Qty: 200 Pcs



Bulbs-T37-E14



9W VT-2029

SKU: 7173 - 2700K Warm White 3800157615495

EQ. Watts: 50w  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 750lm  
 Commercial Type: T37

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E14

Beam Angle: 230°  
 Body Type: ThermoPlastic  
 Dimension: 37x115mm  
 Box Qty: 200 Pcs



PAR38 Bulbs-E27


15W VT-1125-G

SKU: 4418 - Green 3800157606318  
 SKU: 4419 - Red 3800157606325  
 SKU: 4420 - Blue 3800157606301

EQ. Watts: 100w  
 Voltage/Frequency: AC:180-240V,50/60Hz  
 Luminous Flux: 1200lm  
 Commercial Type: PAR38

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 40°  
 Body Type: Plastic Coated Aluminium  
 Dimension: 120x133mm  
 Box Qty: 40 Pcs







PAR38 Bulbs-E27


17W VT-1227

SKU: 45681 - 3000K Warm White 3800157641234  
SKU: 45691 - 4000K Day White 3800157641241

EQ. Watts:	95w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1300lm
Commercial Type:	PAR38

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	100°
Body Type:	Thermoplastic
Dimension:	120x132mm
Box Qty:	40 Pcs



Bulbs-Globe-E27



10W VT-1893

SKU: 4276 - 3000K Warm White 3800230627889  
SKU: 4277 - 4000K Day White 3800230627896  
SKU: 4278 - 6400K White 3800230627902

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	810lm
Commercial Type:	G95

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	95x140mm
Box Qty:	12 Pcs



Bulbs-Globe-E27



13W VT-1883

SKU: 4274 - 6400K White 3800230627865

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	G120

LED Type:	SMD
CRI:	>80
PF:	>0.7
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	120x164mm
Box Qty:	12 Pcs



Bulbs-Globe-E27



13W VT-1884D

SKU: 4254 - 2700K Warm White 3800230627100  
SKU: 7194 - 4000K Day White 3800157615709  
SKU: 7195 - 6000K White 3800157615716

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	G120

LED Type:	SMD
CRI:	>80
PF:	>0.7
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	120x164mm
Box Qty:	12 Pcs



UFO-F150-E27



15W VT-2116

SKU: 7159 - 4000K Day White 3800157612500  
SKU: 7160 - 6400K White 3800157612517

EQ. Watts:	90w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1350lm
Commercial Type:	F150

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	120°
Body Type:	Plastic
Dimension:	150x80mm
Box Qty:	20 Pcs



### UFO-F150-E27

24W VT-2124


SKU: 7161 - 3000K Warm White 3800157612524  
SKU: 7163 - 6400K White 3800157612548



EQ. Watts:	160w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2610lm
Commercial Type:	F150

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	120°
Body Type:	Plastic
Dimension:	200x80mm
Box Qty:	20 Pcs



### UFO-F150-E27

36W VT-2136


SKU: 7164 - 3000K Warm White 3800157612555  
SKU: 7166 - 6400K White 3800157612579



EQ. Watts:	190w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Commercial Type:	F150

LED Type:	SMD
CRI:	>80
PF:	>0.9
Base:	E27


Beam Angle:	120°
Body Type:	Plastic
Dimension:	250x80mm
Box Qty:	20 Pcs



### Bulbs-ED90-E27

40W VT-1940


SKU: 7133 - 4000K Day White 3800157610292  
SKU: 7134 - 6500K White 3800157610308



EQ. Watts:	250w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3500lm
Commercial Type:	ED-90

LED Type:	SMD2835
CRI:	>80
PF:	>0.9
Base:	E27

Beam Angle:	235°
Body Type:	Aluminium+PC
Dimension:	90x212mm
Box Qty:	30 Pcs



### LED Bulbs-E14

4W VT-2184

SKU: 7366 - 2700K Warm White 3800157628570



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	50 Pcs



### LED Bulbs-E27

4W VT-2194

SKU: 7367 - 2700K Warm White 3800157628587



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	50 Pcs





LED Candle Filament Bulbs



4w VT-2104

SKU: 7282 - 2700K Warm White 3800157623728

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	50 Pcs



LED Candle Filament Bulbs



4w VT-2134D

SKU: 7284 - 2700K Warm White 3800157623742

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	50 Pcs



LED Candle Filament Bulbs



4w VT-2174

SKU: 7365 - 2700K Warm White 3800157628563

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	50 Pcs



LED Filament Bulbs



4w VT-2114

SKU: 7283 - 2700K Warm White 3800157623735

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	25 Pcs



LED Bulbs-E27


6w VT-2186

SKU: 7368 - 2700K Warm White 3800157628594

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	25 Pcs





### LED Candle Bulbs



## 5.5W VT-2106

SKU: 7291 - 2700K Warm White 3800157623810  
 SKU: 7292 - 4000K Day White 3800157623827  
 SKU: 7293 - 6400K White 3800157623834

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **Candle**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E14**

Beam Angle: **200°**  
 Body Type: **ThermoPlastic**  
 Dimension: **37x100mm**  
 Box Qty: **50 Pcs**



### LED Bulbs-E14



## 5.5W VT-2146

SKU: 7355 - 2700K Warm White 3800157628136  
 SKU: 7356 - 4000K Day White 3800157628143

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **P45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E14**

Beam Angle: **180°**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x81mm**  
 Box Qty: **50 Pcs**



### LED Bulbs-E27



## 5.5W VT-2166

SKU: 7360 - 2700K Warm White 3800157628181  
 SKU: 7361 - 4000K Day White 3800157628198

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **G45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E27**

Beam Angle: **180°**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x82mm**  
 Box Qty: **50 Pcs**



### LED Bulbs-E27


## 6W VT-2022BP

SKU: 7324 - 2700K Warm White 3800157624602  
 SKU: 7325 - 4000K Day White 3800157624619  
 SKU: 7326 - 6400K White 3800157624626

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **A60**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E27**

Beam Angle: **200°**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**  
 Box Qty: **40 Pcs**



### LED Bulbs-E27


## 9W VT-2139

SKU: 7295 - 4000K Day White 3800157623858  
 SKU: 7296 - 6400K White 3800157623865

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **806lm**  
 Commercial Type: **A60**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E27**

Beam Angle: **200°**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**  
 Box Qty: **25 Pcs**






LED Bulbs-E27

9w VT-2109


SKU: 7285 - 2700K Warm White 3800157623759  
 SKU: 7286 - 4000K Day White 3800157623766  
 SKU: 7287 - 6400K White 3800157623773



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x122mm  
 Box Qty: 25 Pcs



LED Bulbs-E27

9w VT-2129


SKU: 7288 - 2700K Warm White 3800157623780  
 SKU: 7289 - 4000K Day White 3800157623797  
 SKU: 7290 - 6400K White 3800157623803



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27


Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x112mm  
 Box Qty: 25 Pcs



LED Bulbs-E27

9w VT-2149


SKU: 7309 - 3 IN 1 3800157623995



EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27


Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x112mm  
 Box Qty: 25 Pcs



LED Bulbs-E27

11w VT-2111


SKU: 7297 - 2700K Warm White 3800157623872  
 SKU: 7298 - 4000K Day White 3800157623889



EQ. Watts: 75w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1055lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x120mm  
 Box Qty: 25 Pcs



LED Bulbs-E27

15w VT-2117


SKU: 7300 - 2700K Warm White 3800157623902  
 SKU: 7301 - 4000K Day White 3800157623919  
 SKU: 7302 - 6400K White 3800157623926



EQ. Watts: 90w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1350lm  
 Commercial Type: A65

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 66.5x134mm  
 Box Qty: 25 Pcs



# LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options




SpecialBulbs

3D Filament-A60-E27

3W VT-2203

SKU: 2704 - 3000K Warm White 3800157641524



EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	20lm
Commercial Type:	A60

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø64x145mm
Box Qty:	100 Pcs




SpecialBulbs

3D Filament-ST64-E27

3W VT-2223

SKU: 2705 - 3000K Warm White 3800157641531



EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	25lm
Commercial Type:	ST64

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø64x135mm
Box Qty:	100 Pcs




**SpecialBulbs**

3D Filament-G125-E27

**3W** VT-2233

SKU: 2706 - 3000K Warm White 3800157641548



EQ. Watts:	
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	40lm
Commercial Type:	G125

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø125x170mm
Box Qty:	50 Pcs




**SpecialBulbs**

Filament-G125-E27

**5W** VT-2205

SKU: 2700 - 2200K Warm White 3800157641487



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	70lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø125x175mm
Box Qty:	50 Pcs





**SpecialBulbs**

Amber-G165-E27

**8W** VT-2159

SKU: 45641 - 2200K Warm White 3800157641197



Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	620lm
Commercial Type:	G165

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø165x295mm
Box Qty:	6 Pcs




**SpecialBulbs**

Smoky-G165-E27

**8W** VT-2159-S

SKU: 45651 - 2200K Warm White 3800157641203



Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	240lm
Commercial Type:	G165

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø165x295mm
Box Qty:	6 Pcs



SpecialBulbs

Amber-S180-E27



8W VT-2169

SKU: 45661 - 2200K Warm White 3800157641210

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 620lm

Commercial Type: S180



LED Type: Filament

CRI: >80

PF: >0.45

Base: E27

Beam Angle: 300°

Body Type: Glass

Dimension: Ø195x400mm

Box Qty: 6 Pcs



SpecialBulbs

Smoky-S180-E27



8W VT-2169-S

SKU: 45671 - 2200K Warm White 3800157641227

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 240lm

Commercial Type: S180



LED Type: Filament

CRI: >80

PF: >0.45

Base: E27

Beam Angle: 300°

Body Type: Glass

Dimension: Ø195X400mm

Box Qty: 6 Pcs



SpecialBulbs

Filament-G100-E27

5W VT-2235



SKU: 2748 - 2200K Warm White 3800157645447

EQ. Watts: 25w

Voltage/Frequency: AC:170-240V,50Hz

Luminous Flux: 250lm

Commercial Type: G100



LED Type: SMD

CRI: >80

PF: >0.5

Base: E27

Beam Angle: 300°

Body Type: Glass

Dimension: Ø100x190mm

Box Qty: 20 Pcs



SpecialBulbs

Amber Cover -Filament-T60-E27

5W VT-2245



SKU: 2749 - 2200K Warm White 3800157645454

EQ. Watts: 25w

Voltage/Frequency: AC:170-240V,50Hz

Luminous Flux: 250lm

Commercial Type: T60



LED Type: SMD

CRI: >80

PF: >0.5

Base: E27

Beam Angle: 300°

Body Type: Glass

Dimension: Ø60x183mm


Box Qty: 35 Pcs





**SpecialBulbs**

Filament-A165-E27  
**8W** VT-2138D  
 SKU: 7461 - 2000K Warm White 3800157637367



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	A165


LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	160x298mm
Box Qty:	6 Pcs



**SpecialBulbs**

Filament-G200-E27  
**8W** VT-2158D  
 SKU: 7462 - 2000K Warm White 3800157637374



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	G200


LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	200x280mm
Box Qty:	4 Pcs



**SpecialBulbs**

Filament-BF180-E27  
**8W** VT-2168D  
 SKU: 7463 - 2000K Warm White 3800157637381



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	BF180



LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x360mm
Box Qty:	6 Pcs



**SpecialBulbs**

Filament-BF180-E27  
**8W** VT-2178D  
 SKU: 7464 - 2000K Warm White 3800157637398



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	BF180

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x360mm
Box Qty:	6 Pcs



SpecialBulbs

Smoky Filament-S200-E27


8W VT-2188D

SKU: 7465 - 2000K Warm White 3800157637404

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	S200

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x390mm
Box Qty:	4 Pcs



SpecialBulbs

Filament-R125-E27



8W VT-2198D

SKU: 7468 - 6500K White 3800157639187  
 SKU: 7466 - 2700K Warm White 3800157639163  
 SKU: 7467 - 4000K Day White 3800157639170

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	R125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	110°
Body Type:	Glass
Dimension:	125x182mm
Box Qty:	24 Pcs



NEW



SpecialBulbs

Filament-T180-E27


8W VT-2308

SKU: 2790 - 2200K Warm White 3800157648592

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	620lm
Commercial Type:	T180

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	D:180x190mm
Box Qty:	6 Pcs



Amber Cover -Filament-A60-E27



3W VT-2063

SKU: 7219 - 2200K Warm White 3800157617277

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	150lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x105mm
Box Qty:	100 Pcs





Amber Cover -LED Filament Bulbs

4W VT-2154

SKU: 7335 - 2200K Warm White 3800157625197

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	360lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x98mm
Box Qty:	50 Pcs



Filament-A60-E27


4W VT-2164

SKU: 7336 - 2700K Warm White 3800157625203

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x98mm
Box Qty:	50 Pcs



Amber Cover -Filament-A60-E27

4W VT-1954

SKU: 4498 - 2200K Warm White 3800157609739

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Amber Cover -Filament-A60-E27


8W VT-1958

SKU: 4472 - 2200K Warm White 3800157609067

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	720lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Amber Cover -Filament-A67-E27


10W VT-2028

SKU: 7157 - 2200K Warm White 3800157612227

EQ. Watts:	65w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs





Amber Filament-A70-E27



12.5W VT-2123

SKU: 7457 - 2200K Warm White 3800157637862

EQ. Watts:	85w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1240lm
Commercial Type:	A70

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	70x132mm
Box Qty:	50 Pcs



Filament-ST64-E27



4W VT-2185

SKU: 7474 - 1800K Warm White 3800157640312

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	200lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x150mm
Box Qty:	50 Pcs



Amber Cover -Filament-ST64-E27

4W VT-2144

SKU: 7327 - 2200K Warm White 3800157624718



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



DIMMABLE



Amber Cover -Filament-ST64-B22

4W VT-2145

SKU: 7421 - 2200K Warm White 3800157633093



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100 Pcs



Bayonet Holder



Amber Cover -Filament-ST64-B22

4W VT-2145D

SKU: 7420 - 2200K Warm White 3800157633086

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	B22



Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100 Pcs



Bayonet Holder



DIMMABLE





Amber Cover -Filament-ST64-E27

4W VT-1964D


SKU: 4368 - 2200K Warm White 3800157602945

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27

DIMMABLE

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27


4W VT-1964

SKU: 4361 - 2200K Warm White 3800157602747

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	50 Pcs



Amber Cover -Filament-ST64-E27


5W VT-2065

SKU: 7218 - 2200K Warm White 3800157617260

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27

5W VT-2066

SKU: 7220 - 2200K Warm White 3800157617284

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27

5W VT-2065D


SKU: 7416 - 2200K Warm White 3800157632003

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

DIMMABLE

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs





Amber Cover -Filament-ST64-E27



6W VT-1966

SKU: 4362 - 2200K Warm White 3800157602754

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	50 Pcs



Amber Cover -Filament-ST64-E27


8W VT-1968

SKU: 4421 - 2200K Warm White 3800157606356

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	700lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27



4W VT-2004

SKU: 7148 - 2200K Warm White 3800157610636

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
Commercial Type:	G80

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	80x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-Globe-E27

4W VT-2024

SKU: 7146 - 2200K Warm White 3800157610612

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27


5W VT-2075

SKU: 7217 - 2200K Warm White 3800157617253

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x138mm
Box Qty:	50 Pcs






Amber Cover -Filament-Globe-E27

**6W** VT-2026D

SKU: 7156 - 2200K Warm White 3800157612210




DIMMABLE



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x135mm
Box Qty:	12 Pcs



Amber Cover -Filament-Globe-E27

**7W** VT-2027


SKU: 7147 - 2200K Warm White 3800157610629



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	700lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27

**8W** VT-2019


SKU: 7145 - 2200K Warm White 3800157610605



EQ. Watts:	65w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



Filament-Globe-E27

**4W** VT-2195

SKU: 7475 - 1800K Warm White 3800157640329



EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	200lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	132x178mm
Box Qty:	20 Pcs



Amber Cover -Filament-Globe-E27

**4W** VT-1956


SKU: 4473 - 2200K Warm White 3800157609074



EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	550lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x165mm
Box Qty:	12 Pcs





Amber Cover -Filament-Globe-E27



5W VT-2085

SKU: 7216 - 2200K Warm White 3800157617246

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	20 Pcs



Amber Cover -Filament-Globe-E27


5W VT-2085D

SKU: 7415 - 2200K Warm White 3800157631990

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	20 Pcs



Amber Cover -Filament-Globe-E27


6W VT-2126

SKU: 7328 - 2200K Warm White 3800157624725

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	480lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>70
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	100 Pcs



Amber Cover -Filament-Globe-E27

8W VT-2018D

SKU: 7155 - 2200K Warm White 3800157612203

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	700lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	12 Pcs



Filament-G125-E27



12.5W VT-2153

SKU: 7456 - 2200K Warm White 3800157637855

EQ. Watts:	85w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1240lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	125x178mm
Box Qty:	25 Pcs







Amber Cover -Filament-T30-E27


2W VT-2162

SKU: 7473 - 1800K Warm White 3800157640305

EQ. Watts:	9w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	65lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x190mm
Box Qty:	100 Pcs



Amber Cover -Filament-T30-E27



2W VT-2052

SKU: 7252 - 2200K Warm White 3800157620833

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x136mm
Box Qty:	100 Pcs



Filament-T20-E14



4W VT-2204

SKU: 2701 - 2700K Warm White 3800157641494  
 SKU: 2702 - 4000K Day White 3800157641500  
 SKU: 2703 - 6000K White 3800157641517

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
Commercial Type:	T20

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E14

Beam Angle:	360°
Body Type:	Glass
Dimension:	20x135mm
Box Qty:	100 Pcs



Filament-T30-E27



2W VT-2042

SKU: 7251 - 2700K Warm White 3800157620826

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x136mm
Box Qty:	100 Pcs



Amber Cover -Filaments-T30-E27



5W VT-2005

SKU: 7142 - 2200K Warm White 3800157610575

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x300mm
Box Qty:	100 Pcs





Amber Cover -Filaments-T30-E27



6W VT-2006

SKU: 7143 - 2200K Warm White 3800157610582

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	600lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x185mm
Box Qty:	100 Pcs



Amber Cover -Filaments-T30-E27



7W VT-2008

SKU: 7144 - 2200K Warm White 3800157610599

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	700lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x300mm
Box Qty:	100 Pcs



Amber Filament



4W VT-1957

SKU: 7100 - 2200K Warm White 3800157609753

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Amber Filament



4W VT-1953

SKU: 4499 - 2200K Warm White 3800157609746

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



Filament-Candle-E14


2W VT-2152

SKU: 7472 - 1800K Warm White 3800157640299

EQ. Watts:	9w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	65lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x105mm
Box Qty:	200 Pcs





Amber Cover -Filament-Candle-E14



4W VT-1955

SKU: 7113 - 2200K Warm White 3800157609883

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Amber Cover -Filament-Candle-E14



4W VT-1949

SKU: 7114 - 2200K Warm White 3800157609890

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Amber Cover -Filament-Candle-E14



4W VT-1948

SKU: 7115 - 2200K Warm White 3800157609906

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Amber Cover -Filament-Candle-E14



4W VT-1947

SKU: 7116 - 2200K Warm White 3800157609913

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



White Cover -Filament-A60-E27



4W VT-1939

SKU: 4489 - 2700K Warm White 3800157609647  
 SKU: 4490 - 4000K Day White 3800157609654  
 SKU: 4491 - 6400K White 3800157609661

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs







White Cover -Filament-Candle-E14  
4W VT-1924

SKU: 7103 - 6400K White 3800157609784

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs





Cross Filament-Candle-E14  
4W VT-1924C

SKU: 71011 - 2700K Warm White 3800157628617  
SKU: 71031 - 6400K White 3800157624244

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs





White Cover -Filament-Candle-E14  
4W VT-1927

SKU: 7106 - 6400K White 3800157609814

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs




Cross Filament-Candle-E14  
4W VT-1927C

SKU: 71041 - 2700K Warm White 3800157624299

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs





Frost Cover -Filament-Candle-E14  
4W VT-1936

SKU: 4474 - 2700K Warm White 3800157609081  
SKU: 4475 - 4000K Day White 3800157609098  
SKU: 4476 - 6400K White 3800157609104

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs





Frost Cover -Filament-Candle-E14


4W VT-1937

SKU: 4477 - 2700K Warm White 3800157609111  
 SKU: 4478 - 4000K Day White 3800157609128  
 SKU: 4479 - 6400K White 3800157609135

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14



4W VT-1928

SKU: 7109 - 6400K White 3800157609845

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Cross Filament-Candle-E14



4W VT-1928C

SKU: 71071 - 2700K Warm White 3800157624213  
 SKU: 71081 - 4000K Day White 3800157624220  
 SKU: 71091 - 6400K White 3800157624237

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14



4W VT-1923

SKU: 7110 - 2700K Warm White 3800157609852  
 SKU: 7111 - 4000K Day White 3800157609869  
 SKU: 7112 - 6400K White 3800157609876

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14

4W VT-2054D



SKU: 7176 - 2700K Warm White 3800157615525

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs





Frost Cover -Filament-Candle-E14

4W VT-2056D


SKU: 7177 - 2700K Warm White 3800157615532



EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14


Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Globe-E27

4W VT-1974


SKU: 4497 - 6400K White 3800157609722



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Frost Cover -Filament-P45-E14

4W VT-1835C


SKU: 44941 - 6400K White 3800157624268  
3800157624282



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14


Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



Frost Cover -Filament-A60-E27

4W VT-1934


SKU: 4486 - 2700K Warm White 3800157609616  
SKU: 4487 - 4000K Day White 3800157609623  
SKU: 4488 - 6400K White 3800157609630



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27


Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27

5W VT-2045


SKU: 7178 - 2700K Warm White 3800157615549  
SKU: 7179 - 4000K Day White 3800157615556  
SKU: 7180 - 6400K White 3800157615563



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	600lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs





Frost Cover -Filament-A60-E27


6W VT-1935C

SKU: 44801 - 2700K Warm White 3800157624091

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27

6W VT-1935

SKU: 4482 - 6400K White 3800157609166

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27

7W VT-2047

SKU: 7181 - 2700K Warm White 3800157615570  
SKU: 7182 - 4000K Day White 3800157615587  
SKU: 7183 - 6400K White 3800157615594

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27

7W VT-2047C

SKU: 71811 - 2700K Warm White 3800157624107

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A67-E27


8W VT-1938

SKU: 4483 - 2700K Warm White 3800157609586  
SKU: 4484 - 4000K Day White 3800157609593  
SKU: 4485 - 6400K White 3800157609609

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs





Frost Cover -Filament-A67-E27



10W VT-2023

SKU: 7153 - 4000K Day White 3800157612180  
SKU: 7154 - 6400K White 3800157612197

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Frost Cover -Filament-A67-E27



9W VT-2049

SKU: 7184 - 2700K Warm White 3800157615600  
SKU: 7185 - 4000K Day White 3800157615617  
SKU: 7186 - 6400K White 3800157615624

EQ. Watts:	80w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Frost Cover -Filament-Globe-E27


7W VT-2057

SKU: 7187 - 2700K Warm White 3800157615631  
SKU: 7188 - 6400K White 3800157615648

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x135mm
Box Qty:	12 Pcs



Frost Cover -Filament-Globe-E27


7W VT-2067

SKU: 7189 - 2700K Warm White 3800157615655  
SKU: 7190 - 6400K White 3800157615662

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	12 Pcs



Frost Cover -Filament-Globe-E27

7W VT-2067D

SKU: 7191 - 2700K Warm White 3800157615679


EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	750lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	12 Pcs



DIMMABLE







Clear Glass-Filament-ST64-E27



4W VT-2105D

SKU: 7414 - 2700K Warm White 3800157630320

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	490lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x145mm
Box Qty:	100 Pcs



Clear Glass-Filament-A60-E27



4W VT-1885

SKU: 4259 - 2700K Warm White 3800230627179  
 SKU: 7119 - 4000K Day White 3800157609951  
 SKU: 7120 - 6400K White 3800157609968

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A60-E27


4W VT-1885C

SKU: 42591 - 2700K Warm White 3800157624312

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A60-E27


4W VT-1885D

SKU: 4364 - 2700K Warm White 3800157602907

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A60-E27



4W VT-1885DC

SKU: 43641 - 2700K Warm White 3800157624305

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs





Clear Glass-Filament-A60-B22

5W VT-2035



SKU: 7170 - 2700K Warm White 3800157615464



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A67-E27



8W VT-1978

SKU: 4407 - 2700K Warm White 3800157606165  
 SKU: 4408 - 4000K Day White 3800157606172  
 SKU: 4409 - 6400K White 3800157606189

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	100 Pcs



Clear Glass-Filament-A67-E27


10W VT-1981

SKU: 4410 - 2700K Warm White 3800157606196

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Clear Filament-A70-E27



12.5W VT-2133

SKU: 7460 - 6500K White 3800157637893  
 SKU: 7458 - 3000K Warm White 3800157637879  
 SKU: 7459 - 4000K Day White 3800157637886

EQ. Watts:	100w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1550lm
Commercial Type:	A70

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	70x132mm
Box Qty:	50 Pcs



NEW



Clear Filament-A67-E27


18W VT-2328

SKU: 2802 - 3000K Warm White 3800157652568

EQ. Watts:	150w
Voltage/Frequency:	AC:220-240V
Luminous Flux:	2520lm
Commercial Type:	A67

LED Type:	Filament
CRI:	80
PF:	0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs





Clear Glass-Filament-ST26-E14



2W VT-1952

SKU: 4444 - 2700K Warm White 3800157607858  
 SKU: 4445 - 4000K Day White 3800157607865  
 SKU: 4446 - 6400K White 3800157607872

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	180lm
Commercial Type:	ST26

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	26x58mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1986

SKU: 4301 - 2700K Warm White 3800230629951  
 SKU: 4413 - 4000K Day White 3800157606226  
 SKU: 4414 - 6400K White 3800157606233

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1986C

SKU: 43011 - 2700K Warm White 3800157624114

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1986D

SKU: 4365 - 2700K Warm White 3800157602914


EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



DIMMABLE



Clear Glass-Filament-Candle-E14

4W VT-1986DC

SKU: 43651 - 2700K Warm White 3800157624176


EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



DIMMABLE





Clear Glass-Filament-Candle-E14



4W VT-1985

SKU: 4307 - 2700K Warm White 3800157600347

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Filament

4W VT-1985D



SKU: 4367 - 2700K Warm White 3800157602938

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1985C

SKU: 43071 - 2700K Warm White 3800157624183

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1995

SKU: 4308 - 2700K Warm White 3800157600354  
 SKU: 4431 - 4000K Day White 3800157606455  
 SKU: 4432 - 6400K White 3800157606462

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1995D


SKU: 4388 - 2700K Warm White 3800157603973

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs





Clear Glass-Filament-Candle-E14

4W VT-1995DC



SKU: 43881 - 2700K Warm White 3800157624251

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14


4W VT-1997

SKU: 4302 - 2700K Warm White 3800230629968  
SKU: 4429 - 4000K Day White 3800157606431

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	50 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1997D



SKU: 4366 - 2700K Warm White 3800157602921

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



6W VT-2127

SKU: 7423 - 3000K Warm White 3800157632577  
SKU: 7425 - 6400K White 3800157632591

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	200 Pcs



Clear Glass-Filament-Globe-E27


4W VT-1980

SKU: 4427 - 4000K Day White 3800157606417  
SKU: 4428 - 6400K White 3800157606424

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs





Color Bulbs-G45-E27

2W VT-2132-P

SKU: 7410 - Pink

3800157630269

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Color Bulbs-G45-E27

2W VT-2132-G

SKU: 7411 - Green

3800157630276

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Color Bulbs-G45-E27

2W VT-2132-B


SKU: 7412 - Blue

3800157630283

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Color Bulbs-G45-E27

2W VT-2132-R


SKU: 7413 - Red

3800157630290

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Clear Glass-Filament-P45-E14

4W VT-1996D

SKU: 4394 - 2700K Warm White

3800157604314



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



DIMMABLE





Clear Glass-Filament-P45-E14


4W VT-1996

SKU: 4300 - 2700K Warm White 3800230629944  
SKU: 4426 - 6400K White 3800157606394

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



Clear Glass-Filament-P45-E14


4W VT-1996C

SKU: 43001 - 2700K Warm White 3800157624138

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



Clear Glass-Filament-Globe-E27


4W VT-1994D

SKU: 4399 - 2700K Warm White 3800157605021

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	20 Pcs



Clear Glass-Filament-Globe-E27

6W VT-2147

SKU: 7427 - 6400K White 3800157635288

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	20 Pcs



Clear Glass-Filament-Globe-E27

12.5W VT-2143

SKU: 7455 - 6500K White 3800157637848  
SKU: 7453 - 3000K Warm White 3800157637824  
SKU: 7454 - 4000K Day White 3800157637848

EQ. Watts:	100w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1550lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	25 Pcs




NEW




Clear Glass-Filament-Globe-E27

18W VT-2338

SKU: 2803 - 3000K Warm White 3800157652575



EQ. Watts:	150w
Voltage/Frequency:	AC:220-240V
Luminous Flux:	2520lm
Commercial Type:	G95
LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle: Body	330°
Type:	Glass
Dimension:	95x135mm
Box Qty:	25 Pcs



## Accessories

Lamp Holder-E27



SKU: 8750

EAN: 3800157642620

Box Qty. **400 Pcs**

Bakelite Powder

Lamp Holder-E14



SKU: 8751

EAN: 3800157642637

Box Qty. **400 Pcs**

Bakelite Powder

Lamp Holder-E27



SKU: 8752

EAN: 3800157642644

Box Qty. **400 Pcs**

PET+Nylon

Lamp Holder-E14



SKU: 8753

EAN: 3800157642651

Box Qty. **400 Pcs**

PET+Nylon





VT-71510  
**String Light-LED-5M** 0.6w  
 SKU: 2728 - 3000K Warm White 3800157644549

- 5 Meter Long String
- 10 Bulbs included
- 0.6 watts per Bulb
- 300 Degree Beam Angle
- IP rating IP40
- 10 Pcs In Cartoon

VT-71010  
**Solar String Light** 1w  
 SKU: 8559 - 3000K Warm White 3800157641432

- 2 Meter Long String
- 1 watts per Bulb
- 10 Bulbs included
- 6-8 Hours Working Time
- 8-12 Hours Charging Time
- Battery 1XAA Ni-MH, 1.2V/300mAh
- IP rating IP54
- 10 Pcs In Cartoon



VT-70510  
**String Light-LED-5M** 0.5w  
 SKU: 7437 - 6000K White 3800157637473  
 SKU: 7436 - 3000K Warm White 3800157637466  
 SKU: 7435 - RGB+Yellow 3800157637459

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Holders with 0.5 Meter Distance
- IP rating IP40
- 10 Pcs In Cartoon

VT-71020  
**String Light-LED-10M** 0.5w  
 SKU: 7440 - 6000K White 3800157637503  
 SKU: 7439 - 3000K Warm White 3800157637497  
 SKU: 7438 - RGB+Yellow 3800157637480

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Holders with 0.5 Meter Distance
- IP rating IP40
- 5 Pcs In Cartoon



VT-7135  
**String Light-WP Socket-E27**  
 SKU: 3698 3800157634182

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max

VT-713  
**String Light-WP Socket-E27**  
 SKU: 3673 3800157625173

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max



## LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)

### Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

### Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

Capsules-G9-Blister Pack

2W VT-2102BP



SKU: 7340 - 3000K Warm White 3800157625630



EQ. Watts:	20w
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	230lm
LED Type:	COB

CRI:	>80
PF:	>0.7
Base:	G9
Beam Angle:	230°

Body Type:	Glass
Dimension:	14.5x43.5mm
Box Qty:	400 Pcs



Capsules-G9

2W VT-2102



SKU: 7337 - 3000K Warm White 3800157625210  
 SKU: 7338 - 4000K Day White 3800157625227  
 SKU: 7339 - 6000K White 3800157625234



EQ. Watts:	20w
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	230lm
LED Type:	COB

CRI:	>80
PF:	>0.7
Base:	G9
Beam Angle:	230°

Body Type:	Glass
Dimension:	14.5x43.5mm
Box Qty:	400 Pcs



Capsules-G9

2.5W VT-1946



SKU: 4466 - 3000K Warm White 3800157609005  
 SKU: 4467 - 4000K Day White 3800157609012  
 SKU: 4468 - 6400K White 3800157609029



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	200lm
LED Type:	SMD

CRI:	>80
PF:	>0.4
Base:	G9
Beam Angle:	300°

Body Type:	Plastic
Dimension:	16.5x46.5mm
Box Qty:	400 Pcs



Capsules-G9

3W VT-2103



SKU: 7476 - 3000K Warm White 3800157640336  
 SKU: 7477 - 4000K Day White 3800157640343  
 SKU: 7478 - 6400K White 3800157640350



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Luminous Flux:	330lm
LED Type:	COB

CRI:	>80
PF:	>0.7
Base:	G9
Beam Angle:	300°

Body Type:	Glass
Dimension:	14.5x61mm
Box Qty:	450 Pcs



Capsules-G9-6Pc Pack

3W VT-2243


SKU: 2745 - 3000K Warm White 3800157645416  
 SKU: 2746 - 4000K Day White 3800157645423  
 SKU: 2747 - 6400K White 3800157645430



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	300lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	G9
Beam Angle:	300°

Body Type:	Plastic
Dimension:	17x49mm
Box Qty:	300 Pcs





## Capsules-G9



**4W** VT-2254

SKU: 2742 - 2700K Warm White 3800157645324  
 SKU: 2743 - 4000K Day White 3800157645331  
 SKU: 2744 - 6400K White 3800157645348

EQ. Watts: **35w**  
 Voltage/Frequency: **AC:230V**  
 Luminous Flux: **410lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.7**  
 Base: **G9**  
 Beam Angle: **300°**

Body Type: **Glass**  
 Dimension: **16x58mm**  
 Box Qty: **400 Pcs**



## Capsules-G9

**5W** VT-2175D

SKU: 7429 - 3000K Warm White 3800157637046  
 SKU: 7430 - 4000K Day White 3800157637053  
 SKU: 7431 - 6400K White 3800157637060


EQ. Watts: **50w**  
 Voltage/Frequency: **AC:200-240V,50/60Hz**  
 Luminous Flux: **500lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.4**  
 Base: **G9**  
 Beam Angle: **300°**

Body Type: **Ceramic**  
 Dimension: **22x60mm**  
 Box Qty: **600 Pcs**



DIMMABLE



## Capsules-G9


**5.5W** VT-2177

SKU: 7432 - 3000K Warm White 3800157637077  
 SKU: 7433 - 4000K Day White 3800157637084  
 SKU: 7434 - 6400K White 3800157637091

EQ. Watts: **50w**  
 Voltage/Frequency: **AC:200-240V,50/60Hz**  
 Luminous Flux: **550lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.4**  
 Base: **G9**  
 Beam Angle: **300°**

Body Type: **Ceramic**  
 Dimension: **16x63mm**  
 Box Qty: **600 Pcs**



## Capsules-G9



**6W** VT-2227

SKU: 2719 - 3000K Warm White 3800157644426  
 SKU: 2720 - 4000K Day White 3800157644433  
 SKU: 2721 - 6400K White 3800157644440

EQ. Watts: **45**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **550lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.5**  
 Base: **G9**  
 Beam Angle: **300°**

Body Type: **Plastic**  
 Dimension: **19x68mm**  
 Box Qty: **200 Pcs**



## Capsules-G9



**7W** VT-2228

SKU: 2722 - 3000K Warm White 3800157644457  
 SKU: 2723 - 4000K Day White 3800157644464  
 SKU: 2724 - 6400K White 3800157644471

EQ. Watts: **50**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **650lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.5**  
 Base: **G9**  
 Beam Angle: **300°**

Body Type: **Plastic**  
 Dimension: **23x70mm**  
 Box Qty: **200 Pcs**





Spotlights-GU10-Lens-38°


2W VT-2002

SKU: 7169 - 6400K White 3800157612821

EQ. Watts:	15w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	180lm
LED Type:	SMD

CRI:	>80
PF:	>0.4
Base:	GU10
Beam Angle:	38°

Body Type:	Plastic
Dimension:	35x46.5mm
Box Qty:	200 Pcs



**NEW**



Spotlights-GU10-Lens-38°



5W VT-2305

SKU: 2796 - 3000K Warm White 3800157651653  
 SKU: 2797 - 4000K Day White 3800157651660  
 SKU: 2798 - 6400K White 3800157651677

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	380lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°

Body Type:	Plastic
Dimension:	50x55mm
Box Qty:	200 Pcs



Spotlights-GU10-Lens-38°

5W VT-2165D

SKU: 7428 - 3000K Warm White 3800157636247





DIMMABLE

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	380lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°

Body Type:	Plastic
Dimension:	ø50x55mm
Box Qty:	200 Pcs



Spotlights-GU10-Lens-38°

6W VT-2206


SKU: 7497 - 3000K Warm White 3800157640831  
 SKU: 7498 - 4000K Day White 3800157640848  
 SKU: 7499 - 6400K White 3800157640855



EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD

CRI:	>95
PF:	>0.5
Base:	GU10
Beam Angle:	38°

Body Type:	Plastic
Dimension:	ø50x58mm
Box Qty:	200 Pcs



Spotlights-GU10-Lens-110°


7W VT-2778

SKU: 1672 - 3000K Warm White 3800157602136  
 SKU: 1673 - 4500K Day White 3800157602143  
 SKU: 1674 - 6400K White 3800157602150

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°

Body Type:	Plastic
Dimension:	50x57mm
Box Qty:	200 Pcs





## Spotlights-GU10-Lens-38°



7W VT-2666

SKU: 1657 - 3000K Warm White 3800157601641  
 SKU: 1658 - 4500K Day White 3800157601658  
 SKU: 1659 - 6000K White 3800157601665

EQ. Watts: 50w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 200 Pcs



## Spotlights-GU10-Lens-38°



7W VT-2886D

SKU: 1666 - 3000K Warm White 3800157602075  
 SKU: 1667 - 4500K Day White 3800157602082  
 SKU: 1668 - 6000K White 3800157602099

EQ. Watts: 50w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 200 Pcs



## Spotlights-MR16-Lens-38°



7W VT-1967

SKU: 1663 - 3000K Warm White 3800157602044  
 SKU: 1664 - 4500K Day White 3800157602051  
 SKU: 1665 - 6000K White 3800157602068

EQ. Watts: 50w  
 Voltage/Frequency: AC/DC:12V,50Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: MR16  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x50mm  
 Box Qty: 200 Pcs



## Spotlights-GU10-Lens-38°



8W VT-2889

SKU: 1693 - 3000K Warm White 3800157608947  
 SKU: 1695 - 6400K White 3800157608961

EQ. Watts: 80w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 750lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x55mm  
 Box Qty: 200 Pcs



NEW



## GU10-RGB With Remote Control

3.5W VT-2244

SKU: 2778 - RGB+3000K Warm White 3800157646819  
 SKU: 2779 - RGB+4000K Day White 3800157646826  
 SKU: 2780 - RGB+6400K White 3800157646833



EQ. Watts: 25w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 290lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x56.5mm  
 Box Qty: 200 Pcs



- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode





Spotlights-GU10-Milky Cover-110°


**3W** VT-1933

SKU: 7126 - 3000K Warm White 3800157610148  
 SKU: 7127 - 4000K Day White 3800157610155  
 SKU: 7128 - 6400K White 3800157610162

EQ. Watts: **25w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **210lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.4**  
 Base: **GU10**  
 Beam Angle: **110°**

Body Type: **Plastic**  
 Dimension: **50x57mm**  
 Box Qty: **200 Pcs**



Spotlights-GU10-Milky Cover-110°


**5W** VT-1975

SKU: 1685 - 3000K Warm White 3800157606240  
 SKU: 1686 - 4000K Day White 3800157606257  
 SKU: 1687 - 6000K White 3800157606264

EQ. Watts: **35w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.4**  
 Base: **GU10**  
 Beam Angle: **110°**

Body Type: **Plastic**  
 Dimension: **50x57mm**  
 Box Qty: **200 Pcs**



Spotlights-GU10-Lens-110°


**7W** VT-2779

SKU: 1683 - 4500K Day White 3800157605366

EQ. Watts: **45w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **500lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.5**  
 Base: **GU10**  
 Beam Angle: **110°**

Body Type: **Plastic**  
 Dimension: **50x57mm**  
 Box Qty: **200 Pcs**



Spotlights-GU10-Lens-110°

**7W** VT-2887D

SKU: 1669 - 3000K Warm White 3800157602105  
 SKU: 1670 - 4500K Day White 3800157602112  
 SKU: 1671 - 6000K White 3800157602129





DIMMABLE

EQ. Watts: **45w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **500lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.5**  
 Base: **GU10**  
 Beam Angle: **110°**

Body Type: **Plastic**  
 Dimension: **50x57mm**  
 Box Qty: **200 Pcs**



Spotlights-MR16-Milky Cover-110°


**7W** VT-1977

SKU: 1688 - 3000K Warm White 3800157606950  
 SKU: 1690 - 6000K White 3800157606974

EQ. Watts: **45w**  
 Voltage/Frequency: **AC/DC:12V,50Hz**  
 Luminous Flux: **500lm**  
 LED Type: **SMD**

CRI: **>80**  
 PF: **>0.5**  
 Base: **MR16**  
 Beam Angle: **110°**

Body Type: **Plastic**  
 Dimension: **50x50mm**  
 Box Qty: **200 Pcs**



## Reflector-Round

5W VT-1100RD



SKU: 7329 - 3000K Warm White 3800157624824  
 SKU: 7331 - 6400K White 3800157624848



EQ. Watts: 35w  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 350lm  
 LED Type: SMD

CRI: >80  
 PF: >0.4  
 Base: N/A  
 Beam Angle: 68°

Body Type: ABS+PC  
 Dimension: Ø90x 45mm  
 Box Qty: 100 Pcs



## Reflector-Square

5W VT-1100SQ



SKU: 7332 - 3000K Warm White 3800157624855  
 SKU: 7333 - 4000K Day White 3800157624862  
 SKU: 7334 - 6400K White 3800157624879



EQ. Watts: 35w  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 350lm  
 LED Type: SMD

CRI: >80  
 PF: >0.4  
 Base: N/A  
 Beam Angle: 68°

Body Type: ABS+PC  
 Dimension: 90x90x45mm  
 Box Qty: 50 Pcs



## PAR-GX53

7W VT-1969



SKU: 4439 - 6000K White 3800157607056



EQ. Watts: 45w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GX53  
 Beam Angle: 110°

Body Type: Thermoplastic  
 Dimension: 75x29mm  
 Box Qty: 100 Pcs



NEW

## GU10-3PC Pack-Fitting

5W VT-3333


SKU: 8881 - 3000K Warm White 3800157650038  
 SKU: 8882 - 4000K Day White 3800157650045  
 SKU: 8883 - 6400K White 3800157650052



EQ. Watts: 35w  
 Voltage/Frequency: AC:200-240V,50/60Hz  
 Luminous Flux: 400lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic + Ferrum  
 Dimension: 120x99mm  
 Box Qty: 20 Pcs



NEW

## GU10-3PC Pack-Fitting

5W VT-4444


SKU: 8884 - 3000K Warm White 3800157650069  
 SKU: 8885 - 4000K Day White 3800157650076  
 SKU: 8886 - 6400K White 3800157650083



EQ. Watts: 35w  
 Voltage/Frequency: AC:200-240V,50/60Hz  
 Luminous Flux: 400lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic + Ferrum  
 Dimension: 120x99mm  
 Box Qty: 20 Pcs





Spotlights-GU10-3PC Pack

5W VT-2095


SKU: 7269 - 3000K Warm White 3800157623018  
 SKU: 7270 - 4000K Day White 3800157623025  
 SKU: 7271 - 6400K White 3800157623032



EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 60 Pcs



Spotlights-GU10-6PC Pack

5W VT-2225


SKU: 2739 - 3000K Warm White 3800157645294  
 SKU: 2740 - 4000K Day White 3800157645300  
 SKU: 2741 - 6400K White 3800157645317



EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 30 Pcs



NEW

GU10- 38°-10PC Pack

5W VT-2305-10PC


SKU: 2799 - 3000K Warm White 3800157651684  
 SKU: 2800 - 4000K Day White 3800157651691  
 SKU: 2801 - 6400K White 3800157651707



EQ. Watts: 50w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 380lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x55mm  
 Box Qty: 20 Pcs



Spotlights-GU10-Blister Pack

6W VT-2107


SKU: 7303 - 3000K Warm White 3800157623933  
 SKU: 7304 - 4000K Day White 3800157623940  
 SKU: 7305 - 6400K White 3800157623957



EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 500lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 50 Pcs



Spotlights-GU10-Blister Pack

6.5W VT-2108D


SKU: 7306 - 3000K Warm White 3800157623964  
 SKU: 7307 - 4000K Day White 3800157623971  
 SKU: 7308 - 6400K White 3800157623988




EQ. Watts: 55w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 450lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 50 Pcs





**SURFACE MOUNTED  
GU10 FITTINGS**

Easy Installation  
*Elegant Design*

Fitting Square-GU10

**NEW**



Model No	VT-883-B
SKU:	8598
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black frame + Black reflector
Dimension:	83x40.7mm
Cutting Size:	75x75mm
EAN:	3800157652032
Box Qty:	50 Pcs

Fitting Square-GU10

**NEW**



Model No	VT-883-WB
SKU:	8597
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Black reflector
Dimension:	83x40.7mm
Cutting Size:	75x75mm
EAN:	3800157652025
Box Qty:	50 Pcs

Fitting Round-GU10

**NEW**



Model No	VT-884-WB
SKU:	8599
Base:	GU10
Material:	Aluminium + PC
Shape:	Half Circle
Color of Fxture:	White frame + Black reflector
Dimension:	83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652049
Box Qty:	50 Pcs

Fitting Round-GU10

**NEW**



Model No	VT-884-B
SKU:	8608
Base:	GU10
Material:	Aluminium + PC
Shape:	Half Circle
Color of Fxture:	Black frame + Black reflector
Dimension:	83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652056
Box Qty:	50 Pcs

Fitting Square-GU10

**NEW**



Model No	VT-886
SKU:	8877
Base:	2xGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White+Black
Dimension:	185x100x45mm
Cutting Size:	175x85mm
EAN:	3800157648646
Box Qty:	20 Pcs

Fitting Square-GU10

**NEW**



Model No	VT-887
SKU:	8878
Base:	3xGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White+Black
Dimension:	270x100x45mm
Cutting Size:	256x85mm
EAN:	3800157648653
Box Qty:	20 Pcs

Fitting Round-GU10

**NEW**



Model No	VT-889
SKU:	8879
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White Frame+Chrome Reflector
Dimension:	ø140x50mm
Cutting Size:	ø85/90mm
EAN:	3800157648660
Box Qty:	50 Pcs

Fitting Square-GU10

**NEW**



Model No	VT-890
SKU:	8880
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White Frame+Chrome Reflector
Dimension:	128x75x55mm
Cutting Size:	79/85x75mm
EAN:	3800157648677
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WB
SKU:	3153
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638968
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WG
SKU:	3154
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638975
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WR
SKU:	3155
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638982
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WC
SKU:	3156
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638999
Box Qty:	50 Pcs

Fitting Round-GU10

NEW



Model No	VT-873
SKU:	8595
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black frame + Black reflector
Dimension:	ø83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652001
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WB
SKU:	3157
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639002
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WG
SKU:	3158
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639019
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WR
SKU:	3159
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639026
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WC
SKU:	3160
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639033
Box Qty:	50 Pcs

Fitting Round-GU10

NEW




Model No	VT-874
SKU:	8596
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black frame + Black reflector
Dimension:	ø83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652018
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WB
SKU:	3161
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639040
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WG
SKU:	3162
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639057
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WR
SKU:	3163
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639064
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WC
SKU:	3164
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639071
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WB
SKU:	3165
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Black
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639088
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-875-WG
SKU:	3166
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639095
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WR
SKU:	3167
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Rose Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639101
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WC
SKU:	3168
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639118
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-876-RD
SKU:	3169
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	85x32mm
Cutting Size:	75mm
EAN:	3800157639125
Box Qty:	50 Pcs

## Fitting Square-GU10



Model No	VT-876-SQ
SKU:	3170
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	85x85x32mm
Cutting Size:	75mm
EAN:	3800157639132
Box Qty:	50 Pcs

## Fitting-Square-GU10




Model No	VT-797-WH
SKU:	3630
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	142x100x100mm
Cutting Size:	N/A
EAN:	3800157612074
Box Qty:	50 Pcs

## Fitting-Square-GU10



Model No	VT-797-B
SKU:	3631
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	Black
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612081
Box Qty:	50 Pcs

## Fitting-Square-GU10



Model No	VT-797-SN
SKU:	3632
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612098
Box Qty:	50 Pcs

## Fitting-Round-GU10



Model No	VT-796-WH
SKU:	3627
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612043
Box Qty:	50 Pcs

## Fitting-Round-GU10



Model No	VT-796-B
SKU:	3628
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612050
Box Qty:	50 Pcs

## Fitting-Round-GU10



Model No	VT-796-SN
SKU:	3629
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612067
Box Qty:	50 Pcs

## GX53-Accessory



Model No	VT-715-W
SKU:	3675
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	White
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625241
Box Qty:	50 Pcs

## GX53-Accessory



Model No	VT-715-G
SKU:	3676
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	Gold
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625258
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-CH
SKU:	3677
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625265
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-727SQ
SKU:	3664
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	70x70x75mm
Cutting Size:	N/A
EAN:	3800157624589
Box Qty:	36 Pcs

Fitting-Round-GU10




Model No	VT-727RD
SKU:	3665
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø70x75mm
Cutting Size:	N/A
EAN:	3800157624596
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-716SQ
SKU:	3666
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	75x75x75mm
Cutting Size:	N/A
EAN:	3800157624732
Box Qty:	36 Pcs

Fitting-Round-GU10



Model No	VT-716RD
SKU:	3667
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø70x75mm
Cutting Size:	N/A
EAN:	3800157624749
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-762
SKU:	3648
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	215x120x60mm
Cutting Size:	218x123mm
EAN:	3800157618588
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-763
SKU:	3649
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN:	3800157618595
Box Qty:	24 Pcs

Fitting-Round-GU10



Model No	VT-764
SKU:	3650
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø140x40mm
Cutting Size:	Ø140mm
EAN:	3800157618601
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-765
SKU:	3651
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	100x100x30mm
Cutting Size:	103x103mm
EAN:	3800157618618
Box Qty:	30 Pcs

Fitting-Round-GU10




Model No	VT-771
SKU:	3652
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø100x30mm
Cutting Size:	Ø103mm
EAN:	3800157618625
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-772
SKU:	3653
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	132x132x74mm
Cutting Size:	135x135mm
EAN:	3800157618632
Box Qty:	20 Pcs

Fitting-Round-GU10



Model No	VT-776RD
SKU:	3640
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø120x40mm
Cutting Size:	Ø123mm
EAN:	3800157616348
Box Qty:	24 Pcs

Fitting-Square-GU10



Model No	VT-776SQ
SKU:	3641
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN:	3800157616355
Box Qty:	24 Pcs

Fitting-Round-GU10



Model No	VT-773
SKU:	3654
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø132x74mm
Cutting Size:	Ø132mm
EAN:	3800157618649
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-714
SKU:	3674
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x45mm
Cutting Size:	123x123mm
EAN:	3800157625180
Box Qty:	24 Pcs

Fitting-Square-GU10-Frost Glass



Model No	VT-801SQ
SKU:	3691
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x60mm
Cutting Size:	123x123mm
EAN:	3800157628938
Box Qty:	24 Pcs

Fitting-Round-GU10-Frost Glass



Model No	VT-801RD
SKU:	3692
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø120x60mm
Cutting Size:	Ø123mm
EAN:	3800157628945
Box Qty:	24 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-WH
SKU:	3584
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607131
Box Qty:	200 Pcs



Fitting-Round-GU10-2Pc Pack



Model No	VT-778-SN
SKU:	3585
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607148
Box Qty:	200 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-CH
SKU:	3586
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607155
Box Qty:	200 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-WH
SKU:	3593
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607223
Box Qty:	100 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-SN
SKU:	3594
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607230
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-WH
SKU:	3642
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617086
Box Qty:	100 Pcs

Fitting-Round-GU10




Model No	VT-774-SN
SKU:	3643
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617093
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-MG
SKU:	3644
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Metallic Grey
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617109
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-WH
SKU:	3645
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617116
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-SN
SKU:	3646
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617123
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-MG
SKU:	3647
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Metallic Grey
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617130
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-WH
SKU:	3599
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607285
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-AB
SKU:	3600
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Aluminium Brush
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607292
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-783RD-WH
SKU:	3601
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607308
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-783RD-AB
SKU:	3602
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607315
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-784RD-WH
SKU:	3603
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	255x91x25
Cutting Size:	235x75mm
EAN:	3800157607322
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-784RD-AB
SKU:	3604
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607339
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-WH
SKU:	3605
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	91x91x25mm
Cutting Size:	75x75mm
EAN:	3800157607346
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-AB
SKU:	3606
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	91x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607353
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-WH
SKU:	3607
Base:	2XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607360
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-AB
SKU:	3608
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607377
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-WH
SKU:	3609
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607384
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-AB
SKU:	3610
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607391
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-WH
SKU:	3469
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605885
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-SN
SKU:	3470
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605892
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-SS
SKU:	3471
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Stainless Steel
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605908
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-7227SQ-WH
SKU:	3472
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605915
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-7227SQ-SN
SKU:	3473
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605922
Box Qty:	100 Pcs

## Fitting-Square-GU10




Model No	VT-7227SQ-SS
SKU:	3474
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	Stainless Steel
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605939
Box Qty:	100 Pcs

## Fitting-Round-GU10




Model No	VT-785
SKU:	3611
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607407
Box Qty:	100 Pcs

## Fitting-Round-GU10



Model No	VT-786
SKU:	3612
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607414
Box Qty:	100 Pcs

## Fitting-Round-GU10



Model No	VT-711-W-RD
SKU:	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	82x101mm
Cutting Size:	N/A
EAN:	3800157625135
Box Qty:	50 Pcs

## Zoom Fitting



Model No	VT-700W
SKU:	3689
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628501
Box Qty:	50 Pcs

## Zoom Fitting



Model No	VT-700S
SKU:	3690
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628518
Box Qty:	50 Pcs

## Fitting-Square-GU10



Model No	VT-787RD-WH
SKU:	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607421
Box Qty:	100 Pcs

## Fitting-Round-GU10




Model No	VT-787RD-SN
SKU:	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607438
Box Qty:	100 Pcs

## Fitting-Square-GU10



Model No	VT-787SQ-WH
SKU:	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607445
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-787SQ-SN
SKU:	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607452
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-WH
SKU:	3595
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607247
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-SN
SKU:	3596
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607254
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-781SQ-WH
SKU:	3597
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607261
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-781SQ-SN
SKU:	3598
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607278
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-WH-RD
SKU:	3587
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	White
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607162
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-SN-RD
SKU:	3588
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607179
Box Qty:	100 Pcs

Fitting Round-GU10



Model No	VT-779-B
SKU:	8580
Base:	GU10
Material:	Zinc alloy
Shape:	Round
Color of Fxture:	Bronze
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157651851
Box Qty:	100 Pcs

Fitting Round-GU10



Model No	VT-779-G
SKU:	8579
Base:	GU10
Material:	Zinc alloy
Shape:	Round
Color of Fxture:	Gold
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157651844
Box Qty:	100 Pcs

## Fitting-Round-GU10



Model No	VT-779-CH-RD
SKU:	3589
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	Chrome
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607186
Box Qty:	100 Pcs

## Fitting-Square-GU10



Model No	VT-779-WH-SQ
SKU:	3590
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	White
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157607193
Box Qty:	100 Pcs

## Fitting-Square-GU10



Model No	VT-779-SN-SQ
SKU:	3591
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607209
Box Qty:	100 Pcs

## Fitting-Square-GU10




Model No	VT-779-CH-SQ
SKU:	3592
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	Chrome
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607216
Box Qty:	100 Pcs

## Fitting Square-GU10



Model No	VT-779-SB
SKU:	8582
Base:	GU10
Material:	Zinc alloy
Shape:	Square
Color of Fixture:	Bronze
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157651875
Box Qty:	100 Pcs

## Fitting Square-GU10




Model No	VT-779-SG
SKU:	8581
Base:	GU10
Material:	Zinc alloy
Shape:	Square
Color of Fixture:	Gold
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157651868
Box Qty:	100 Pcs

## Fitting-Round-G9




Model No	VT-858RD
SKU:	3694
Base:	G9
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	70x90x95mm
Cutting Size:	N/A
EAN:	3800157633536
Box Qty:	24 Pcs

## Fitting-Square-G9




Model No	VT-858SQ
SKU:	3695
Base:	G9
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	70x100x100mm
Cutting Size:	N/A
EAN:	3800157633543
Box Qty:	24 Pcs

## Fitting-Square-GU10




Model No	VT-859SQ
SKU:	3696
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	100x100x40mm
Cutting Size:	103x103mm
EAN:	3800157633550
Box Qty:	40 Pcs

Fitting-Round-GU10




Model No	VT-859RD
SKU:	3697
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	ø100x40mm
Cutting Size:	ø103
EAN:	3800157633567
Box Qty:	40 Pcs

Fitting-Suspended-GU10



Model No	VT-864-G
SKU:	3111
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634366
Box Qty:	9 Pcs

Fitting-Pendant Metal-1XGU10




Model No	VT-864-GBC
SKU:	3134
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635332
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10




Model No	VT-864CHC
SKU:	3135
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635349
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-GB
SKU:	3112
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634373
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10




Model No	VT-864-CH
SKU:	3129
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634540
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-MR
SKU:	3130
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635325
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865-GBM
SKU:	3136
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635356
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-MRC
SKU:	3137
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635363
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865CHC
SKU:	3138
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635370
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865-GBC
SKU:	3139
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635387
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865-MRM
SKU:	3113
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634380
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865CHM
SKU:	3114
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634397
Box Qty:	9 pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-GB
SKU:	3140
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635394
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-MRM
SKU:	3141
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635400
Box Qty:	12pcs

Fitting-Square Metal-1XGU10




Model No	VT-860-CHM
SKU:	3142
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635417
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-GBM
SKU:	3143
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635424
Box Qty:	12pcs


Fitting-Square Metal-1XGU10



Model No	VT-860-MR
SKU:	3115
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634403
Box Qty:	12pcs




Fitting-Square Metal-1XGU10




Model No	VT-860-CH
SKU:	3116
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634410
Box Qty:	12pcs

Fitting Square-GU10




Model No	VT-882-B
SKU:	8584
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Black reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651899
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-882-C
SKU:	8585
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Chrome reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651905
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-882-G
SKU:	8586
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Gold reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651912
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-882-SRG
SKU:	8587
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Rose gold reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651929
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-882-SW
SKU:	8583
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + White reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651882
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RB
SKU:	8589
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + Black reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651943
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RC
SKU:	8590
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + Chrome reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651950
Box Qty:	50 Pcs


Fitting Round-GU10



Model No	VT-882-RG
SKU:	8591
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + Gold reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651967
Box Qty:	50 Pcs

## Fitting Round-GU10


NEW



Model No	VT-882-RRG
SKU:	8592
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + Rose gold reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651974
Box Qty:	50 Pcs

## Fitting Round-GU10

NEW



Model No	VT-882-RW
SKU:	8588
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + White reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651936
Box Qty:	50 Pcs

## Fitting-Recessed-1XGU10



Model No	VT-862-MRW
SKU:	3117
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634427
Box Qty:	24 pcs

## Fitting-Recessed-1XGU10



Model No	VT-862-MRG
SKU:	3118
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634434
Box Qty:	24 pcs

## Fitting-Recessed-1XGU10



Model No	VT-862-CHW
SKU:	3119
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634441
Box Qty:	24 pcs

## Fitting-Recessed-1XGU10



Model No	VT-862-CHG
SKU:	3120
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634458
Box Qty:	24 pcs

## Fitting-Recessed-1XGU10



Model No	VT-862-MRR
SKU:	3121
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Off White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634465
Box Qty:	24 pcs

## Fitting-Recessed-1XGU10



Model No	VT-862-CHR
SKU:	3122
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Off White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634472
Box Qty:	24 pcs

## Fitting-Recessed-1XGU10



Model No	VT-862-MRP
SKU:	3123
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634489
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MGRD
SKU:	3124
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634496
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRC
SKU:	3125
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Off White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634502
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRD
SKU:	3126
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Off White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634519
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CRD
SKU:	3127
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634526
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MG
SKU:	3128
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634533
Box Qty:	24 pcs

Fitting-Ceiling Metal-1XGU10



Model No	VT-863
SKU:	3144
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White
Dimension:	200x200mm
Cutting Size:	206x206mm
EAN:	3800157634557
Box Qty:	12 pcs

Fitting-Recessed-Black Metal-Round



Model No	VT-866-BRD
SKU:	3145
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Black
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635592
Box Qty:	30 pcs

Fitting-Recessed-Chrome Metal-Round



Model No	VT-866-CRD
SKU:	3146
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635608
Box Qty:	30 pcs

Fitting-Recessed-Matt Rose Gold Metal-Round



Model No	VT-866-MRD
SKU:	3147
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635615
Box Qty:	30 pcs

## Fitting-Recessed-Black Metal-Square



Model No	VT-866-BSQ
SKU:	3148
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Black
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635622
Box Qty:	30 pcs

## Fitting-Recessed-Chrome Metal-Square



Model No	VT-866-CSQ
SKU:	3149
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635639
Box Qty:	30 pcs

## Fitting-Recessed-Matt Rose Gold-Square



Model No	VT-866-GSQ
SKU:	3150
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635646
Box Qty:	30 pcs

## Fitting-Recessed-Square



Model No	VT-867-SQ
SKU:	3151
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White
Dimension:	ø120x120mm
Cutting Size:	125x125mm
EAN:	3800157635653
Box Qty:	24 Pcs

## Fitting-Recessed-Round



Model No	VT-867-RD
SKU:	3152
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White
Dimension:	ø120mm
Cutting Size:	ø125mm
EAN:	3800157635660
Box Qty:	24 Pcs

## Gu10-Holder-PVC Cable



Model No	PVC Cable-5pc
SKU:	34235
Base:	GU10
Material:	Ceramic
Color of Fixture:	White
Wire length:	150mm
EAN:	3800157609982
Box Qty:	100 Pcs

## GU10 Silicon Wire-5Pc Pack



Model No	VT-791
SKU:	36205
Base:	GU10
Material:	Aluminium Ceramic
Color of Fixture:	White
Wire length:	158mm
EAN:	3800157636063
Box Qty:	500 Pcs

## Gu10-Holder-PVC Cable



Model No	PVC Cable
SKU:	3423
Base:	GU10
Material:	Ceramic
Color of Fixture:	White
Wire length:	150mm
EAN:	3800157607827
Box Qty:	500 Pcs

## GU10 Silicon Wire



Model No	VT-791-W
SKU:	3620
Base:	GU10
Material:	Aluminium Ceramic
Color of Fixture:	White
Wire length:	158mm
EAN:	3800157607704
Box Qty:	500 Pcs



## LED PAR Lamps & AR111

V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.

### Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

### Applications

Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting

**NEW**



Including 2 reflectors  
(40° already mounted)



20°



40°



#### Instructions to change the reflector




AR111 Downlight

20W VT-1121

SKU: 2792	3000K Warm White	3800157650090
SKU: 2793	4000K Day White	3800157650106
SKU: 2794	6400K White	3800157650113

EQ. Watts:	130w	Base:	N/A
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	40°/20°
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Dimension:	Ø111x53mm
CRI:	>80	Box Qty:	50 Pcs
PF:	>0.9		



## AR111 Downlight

20W VT-1120-20



SKU: 1243 - 3000K Warm White 3800157606004  
 SKU: 1244 - 4500K Day White 3800157606011  
 SKU: 1245 - 6000K White 3800157606028



EQ. Watts: **100w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1800lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.7**  
 Base: **N/A**  
 Beam Angle: **20°**

Body Type: **Die Cast Aluminium**  
 Dimension: **Ø111x53mm**  
 Box Qty: **50 Pcs**



## AR111 Downlight

20W VT-1120-40



SKU: 1246 - 3000K Warm White 3800157606035  
 SKU: 1247 - 4500K Day White 3800157606042  
 SKU: 1248 - 6000K White 3800157606059



EQ. Watts: **100w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1800lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.7**  
 Base: **N/A**  
 Beam Angle: **40°**

Body Type: **Die Cast Aluminium**  
 Dimension: **Ø111x53mm**  
 Box Qty: **50 Pcs**



## AR111-G53

15W VT-1110-20

SKU: 4084 - 3000K Warm White 3800230620064  
 SKU: 4062 - 4000K Day White 3800230620057  
 SKU: 4061 - 6400K White 3800230620040





EQ. Watts: **75w**  
 Voltage/Frequency: **AC/DC:12V,50Hz**  
 Luminous Flux: **950lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.9**  
 Base: **G53**  
 Beam Angle: **20°**

**20°**  
 BEAM ANGLE

Body Type: **Plastic Clad Aluminium**  
 Dimension: **Ø111x86x63mm**  
 Box Qty: **60 Pcs**



## AR111-G53

15W VT-1110-40

SKU: 4257 - 3000K Warm White 3800230628664  
 SKU: 4256 - 4000K Day White 3800230628657  
 SKU: 4255 - 6400K White 3800230628640





EQ. Watts: **25w**  
 Voltage/Frequency: **AC/DC:12V,50Hz**  
 Luminous Flux: **950lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.9**  
 Base: **G53**  
 Beam Angle: **40°**

**40°**  
 BEAM ANGLE

Body Type: **Plastic Clad Aluminium**  
 Dimension: **Ø111x86x63mm**  
 Box Qty: **60 Pcs**



## AR111-GU10

12W VT-1112



SKU: 4224 - 2700K Warm White 3800230626257  
 SKU: 4223 - 4000K Day White 3800230626219  
 SKU: 4225 - 6400K White 3800230626264



EQ. Watts: **60w**  
 Voltage/Frequency: **AC:200-240V,50Hz**  
 Luminous Flux: **900lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.9**  
 Base: **GU10**  
 Beam Angle: **40°**


Body Type: **Plastic Clad Aluminium**  
 Dimension: **Ø111x86mm**  
 Box Qty: **60 Pcs**





AR111-GU10  
12W VT-1112D



SKU: 7234 - 3000K Warm White 3800157620055  
SKU: 7235 - 4500K Day White 3800157620062  
SKU: 7236 - 6000K White 3800157620079



EQ. Watts: 60w  
Voltage/Frequency: AC:200-240V,50Hz  
Luminous Flux: 900lm  
LED Type: COB

CRI: >80  
PF: >0.9  
Base: GU10  
Beam Angle: 40°



Body Type: Plastic Clad Aluminium  
Dimension: Ø111x86mm  
Box Qty: 60 Pcs



AR111-Accessories

Model No: VT-7221-W  
SKU: 3575  
Base: 1XAR111  
Material: Aluminium  
Color of Fixture: White


Dimension: 174x174 mm  
Cutting Size: 163x163mm  
EAN: 3800157604765  
Box Qty: 24 Pcs



AR111-Accessories

Model No: VT-7222-W  
SKU: 3576  
Base: 2XAR111  
Material: Aluminium  
Color of Fixture: White


Dimension: 325x174mm  
Cutting Size: 167x305mm.  
EAN: 3800157604772  
Box Qty: 12 Pcs



AR111-Accessories

Model No: VT-7223-W  
SKU: 3577  
Base: 3XAR111  
Material: Aluminium  
Color of Fixture: White


Dimension: 475x174mm  
Cutting Size: 168x455mm  
EAN: 3800157604789  
Box Qty: 12 Pcs



AR111-Accessories

Model No: VT-7221-B  
SKU: 3581  
Base: 1XAR111  
Material: Aluminium  
Color of Fixture: Black



Dimension: 174x174 mm  
Cutting Size: 163x163mm  
EAN: 3800157607063  
Box Qty: 24 Pcs



AR111-Accessories

Model No: VT-7222-B  
SKU: 3582  
Base: 2XAR111  
Material: Aluminium  
Color of Fixture: Black

Dimension: 325x174 mm  
Cutting Size: 167x305mm.  
EAN: 3800157607070  
Box Qty: 12 Pcs



AR111-Accessories

Model No: VT-7223-B  
SKU: 3583  
Base: 3XAR111  
Material: Aluminium  
Color of Fixture: Black

Dimension: 475x174mm  
Cutting Size: 168x455mm  
EAN: 3800157607087  
Box Qty: 12 Pcs



## LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens and buildings. These energy efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

### Product Features

- Available from 10w up to 1000w
- Premium quality aluminium alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof / airtight performance
- High power led chip
- Built in constant current driver
- Built in power supply, no external ballast required

### Applications

Widely used for lighting driveways, gardens & buildings, commercial bill boards & hoardings, sports grounds & parking lots





Slimline-White Body-White Wire



50w VT-4955W

SKU: 5827 - 6400K White 3800157615013

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **4250lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
 Dimension: **237x194x38mm**  
 Box Qty: **10 Pcs**



Slimline-White Body-White Wire



100w VT-49100W

SKU: 5844 - 4000K Day White 3800157615181

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **8500lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
 Dimension: **293x41x231mm**  
 Box Qty: **4 Pcs**



Slimline-White Body-White Wire




100w VT-49101W

SKU: 5970 - 3000K Warm White 3800157626231  
 SKU: 5971 - 4000K Day White 3800157626248  
 SKU: 5972 - 6400K White 3800157626255

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **8500lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
 Dimension: **291x240x30mm**  
 Box Qty: **4 Pcs**



I Series-White Body



50w VT-4651W

SKU: 5906 - 6000K White 3800157619394

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:200-240V,50Hz**  
 Luminous Flux: **4250lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**

Body Type: **Aluminium**  
 Dimension: **255x196x36mm**  
 Box Qty: **10 Pcs**



E Series-White Body



10w VT-4011W

SKU: 5943 - 3000K Warm White 3800157625364  
 SKU: 5944 - 4000K Day White 3800157625371  
 SKU: 5945 - 6500K White 3800157625388

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **850lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**

Body Type: **Aluminium**  
 Dimension: **110x112x22mm**  
 Box Qty: **40 Pcs**






### E Series-White Body 20W VT-4021W

SKU: 5949 - 3000K Warm White 3800157625425  
SKU: 5950 - 4000K Day White 3800157625432  
SKU: 5951 - 6500K White 3800157625449

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1700lm**  
Color of Fixture: **White**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **150x143x26mm**  
Box Qty: **20 Pcs**





### E Series-White Body 30W VT-4031W

SKU: 5955 - 3000K Warm White 3800157625487  
SKU: 5956 - 4000K Day White 3800157625494  
SKU: 5957 - 6500K White 3800157625500

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **2550lm**  
Color of Fixture: **White**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **185x163x26mm**  
Box Qty: **20 Pcs**





### E Series-White Body 50W VT-4051W

SKU: 5961 - 3000K Warm White 3800157625548  
SKU: 5962 - 4000K Day White 3800157625555  
SKU: 5963 - 6500K White 3800157625562

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **4250lm**  
Color of Fixture: **White**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **245x192x28mm**  
Box Qty: **10 Pcs**





### E Series-White Body 100W VT-40101W

SKU: 5967 - 3000K Warm White 3800157625609  
SKU: 5968 - 4000K Day White 3800157625616  
SKU: 5969 - 6500K White 3800157625623

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **8500lm**  
Color of Fixture: **White**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **330x271x33mm**  
Box Qty: **5 Pcs**




### E Series-Black Body 10W VT-4011B

SKU: 5940 - 3000K Warm White 3800157625333  
SKU: 5941 - 4000K Day White 3800157625340  
SKU: 5942 - 6500K White 3800157625357

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **850lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **110x112x22mm**  
Box Qty: **40 Pcs**





E Series-Black Body  
20w VT-4021B

SKU: 5946 - 3000K Warm White 3800157625395  
SKU: 5947 - 4000K Day White 3800157625401  
SKU: 5948 - 6500K White 3800157625418

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1700lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **150x143x26mm**  
Box Qty: **20 Pcs**





E Series-Black Body  
30w VT-4031B

SKU: 5952 - 3000K Warm White 3800157625456  
SKU: 5953 - 4000K Day White 3800157625463  
SKU: 5954 - 6500K White 3800157625470

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **2550lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **185x163x26mm**  
Box Qty: **20 Pcs**





E Series-Black Body  
50w VT-4051B

SKU: 5958 - 3000K Warm White 3800157625517  
SKU: 5959 - 4000K Day White 3800157625524  
SKU: 5960 - 6500K White 3800157625531

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **4250lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **245x192x28mm**  
Box Qty: **10 Pcs**





E Series-Black Body  
100w VT-40101B

SKU: 5964 - 3000K Warm White 3800157625579  
SKU: 5965 - 4000K Day White 3800157625586  
SKU: 5966 - 6500K White 3800157625593

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **8500lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **330x271x33mm**  
Box Qty: **5 Pcs**




E Series-Black Body  
10w VT-4011

SKU: 5988 - Green 3800157625333  
SKU: 5989 - Red 3800157625340  
SKU: 5990 - Blue 3800157625357

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**



Body Type: **Aluminium**  
Dimension: **110x112x22mm**  
Box Qty: **40 Pcs**




## E Series-Black Body

20W VT-4021

SKU: 5991 - Green  
SKU: 5992 - Red  
SKU: 5993 - Blue



3800157625395  
3800157625401  
3800157625418



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**

Body Type: **Aluminium**  
Dimension: **150x143x26mm**  
Box Qty: **20 Pcs**





## Floodlight With Stand- EU Plug

30W VT-4230

SKU: 5927 - 4000K Day White  
SKU: 5928 - 6400K White

3800157622837  
3800157622844

EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **2550lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
Dimension: **243x275x184mm**  
Box Qty: **10 Pcs**





## Floodlight With Stand- EU Plug

50W VT-4250

SKU: 5929 - 4000K Day White  
SKU: 5930 - 6400K White

3800157622851  
3800157622868

EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **4250lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
Dimension: **278x313x183mm**  
Box Qty: **10 Pcs**





## Floodlight With Stand- BS Plug

50W VT-4251

SKU: 5933 - 6400K White

3800157622899

BS PLUG 3 METER WIRE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **4250lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
Dimension: **278x313x183mm**  
Box Qty: **10 Pcs**




## Floodlight With Stand- EU Plug

100W VT-42100

SKU: 5931 - 4000K Day White  
SKU: 5932 - 6400K White

3800157622875  
3800157622882

EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **8500lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
Dimension: **354x378x184mm**  
Box Qty: **4 Pcs**



Rechargeable-IP44  
20W VT-4822

SKU: 5692 - 4000K Day White 3800157603515  
SKU: 5735 - 6000K White 3800157606929



Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>70	Battery Capacity:	3.7V,8800mAh
Luminous Flux:	1600lm	IP Rating:	IP44	Charging Time:	5-6 Hours
Color of Fixture:	Green	Beam Angle:	100°	Working Time:	High Light 2-3 Hours/ Low Light 6Hours
Body Type:	Plastic+Aluminium	Box Qty:	10 Pcs	Dimension:	208x204x355mm

Solar-Floodlight  
5W VT-777-5

SKU: 8547 - 4000K Day White 3800157639194



Battery:	3000mAh	Charging Time:	6-7 Hours	CRI:	>70
Luminous Flux:	500lm	Working Time:	Max 36 Hours	Body Type:	ABS+PC
Color of Fixture:	Black	IP Rating:	IP65	Dimension:	217.4x149.3x33.7mm
		Beam Angle:	90°	Box Qty:	18Pcs

Solar-Floodlight  
10W VT-787-10

SKU: 8550 - 4000K Day White 3800157639224



Battery:	3000mAh	Charging Time:	6-7 Hours	CRI:	>70
Luminous Flux:	1100lm	Working Time:	Max 24 Hours	Body Type:	ABS+PC
Color of Fixture:	Black	IP Rating:	IP65	Dimension:	300x215x35mm
		Beam Angle:	90°	Box Qty:	8Pcs

NEW

Solar-Floodlight  
10W VT-788-10

SKU: 8674 - 4000K Day White 3800157652629




Battery:	7200mAh	Charging Time:	6-7 Hours	CRI:	>80
Luminous Flux:	1100lm	Working Time:	Max 24 Hours	Body Type:	Aluminium
Color of Fixture:	Black	IP Rating:	IP65	Dimension:	232x166x33mm
		Beam Angle:	90°	Box Qty:	10 Pcs

12W Solar Panel with LED Floodlight

VT-25W


SKU: 8573 - 4000K Day White 3800157645584  
SKU: 94006 - 6000K White 3800157645744



Battery:	5000mAh	Charging Time:	4 Hours	CRI:	>70
Voltage/Frequency:	DC:3.2V	Working Time:	8 Hours	Body Type:	Aluminium
Luminous Flux:	550lm	IP Rating:	IP65	Dimension:	205x50x170mm
Color of Fixture:	Black	Beam Angle:	120°	Box Qty:	8Pcs

## 16W Solar Panel with LED Floodlight

VT-40W

SKU: 8574 - 4000K Day White  
SKU: 94008 - 6000K White3800157645591  
3800157645751Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 10000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:3.2V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 1050lm

IP Rating: IP65

Dimension: 247x65x210mm


Color of Fixture: Black

Beam Angle: 120°

Box Qty: 6Pcs

## 20W Solar Panel with LED Floodlight

VT-60W

SKU: 8575 - 4000K Day White  
SKU: 94010 - 6000K White3800157645607  
3800157645768Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 10000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:6.4V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 1650lm

IP Rating: IP65

Dimension: 270x70x238mm


Color of Fixture: Black

Beam Angle: 120°

Box Qty: 5Pcs

## 35W Solar Panel with LED Floodlight

VT-100W

SKU: 8576 - 4000K Day White  
SKU: 94012 - 6000K White3800157645614  
3800157645775Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 15000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:6.4V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 2450lm

IP Rating: IP65

Dimension: 325x85x280mm


Color of Fixture: Black

Beam Angle: 120°

Box Qty: 2Pcs

## 40W Solar Panel with LED Floodlight

VT-200W

SKU: 8577 - 4000K Day White  
SKU: 94026 - 6000K White3800157645621  
3800157645782Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 20000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:10V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 3100lm

IP Rating: IP65

Dimension: 353x90x304mm


Color of Fixture: Black

Beam Angle: 120°

Box Qty: 2Pcs

## 50W Solar Panel with LED Floodlight

VT-300W

SKU: 8578 - 4000K Day White  
SKU: 94027 - 6000K White3800157645638  
3800157645799Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 25000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:10V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 4200lm

IP Rating: IP65

Dimension: 437x90x356mm

Color of Fixture: Black

Beam Angle: 120°

Box Qty: 2Pcs




Floodlight-Infrared-RGB

10w VT-4711RF

SKU: 5894 - RGB

3800157617512



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Color of Fixture:	White

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	87X115X85mm
Box Qty:	20 Pcs




Floodlight-Infrared-RGB

10w VT-4711F

SKU: 5895 - RGB

3800157617529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Color of Fixture:	Grey

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	87X115X85mm
Box Qty:	20 Pcs




Floodlight-Remote Control-RGB

30w VT-4732

SKU: 5755 - RGB

3800157609517



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V
Luminous Flux:	2400lm
Color of Fixture:	Grey

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	136x227x206mm
Box Qty:	6 Pcs



High Lumen-Meanwell Driver


1000w VT-491001

SKU: 5938 - 4000K Day White

3800157625005

SKU: 5939 - 6000K White

3800157625012



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120000lm
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	60°
Body Type:	Die Cast Aluminium
Dimension:	748x762x154mm
Box Qty:	1 Pc

## LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.



PIR-Slimline-White Body


20W VT-4922PIRW

SKU: 5806 - 6000K White 3800157614801

Detection Angle: 120°  
 Detection Distance: 2-8m  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 1600lm




CRI: >70  
 PF: >0.9  
 IP Rating: IP44  
 Beam Angle: 100°



Body Type: Die Cast Aluminium  
 Dimension: 181x205x57mm  
 Box Qty: 20 Pcs

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-White Body


30W VT-4933PIRW

SKU: 5824 - 6400K White 3800157614986

Detection Angle: 120°  
 Detection Distance: 2-8m  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 2550lm




CRI: >70  
 PF: >0.9  
 IP Rating: IP44  
 Beam Angle: 100°



Body Type: Die Cast Aluminium  
 Dimension: 217x231x59mm  
 Box Qty: 20 Pcs

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-White Body


30W VT-4830PIRW

SKU: 5752 - 6000K White 3800157608893

Detection Angle: 120°  
 Detection Distance: 2-8m  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 2400lm




CRI: >70  
 PF: >0.9  
 IP Rating: IP44  
 Beam Angle: 100°



Body Type: Die Cast Aluminium  
 Dimension: 217x231x51mm  
 Box Qty: 10 Pcs

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-Black Body


30W VT-4830PIRB

SKU: 5699 - 3000K Warm White 3800157604352

Detection Angle: 120°  
 Detection Distance: 2-8m  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 2400lm



CRI: >70  
 PF: >0.9  
 IP Rating: IP44  
 Beam Angle: 100°



Body Type: Die Cast Aluminium  
 Dimension: 217x231x51mm  
 Box Qty: 10 Pcs

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM










## PIR Sensor-WIFI-Camera

18W VT-4818W

SKU: 5745 - 6000K White

3800157608268


Video Compression: **H.264 / MJPEG dual video stream**PF: **>0.5**Image Resolution: **1280\*720**Beam Angle: **180°**Image sensor: **1/4 " 1Megapixel CMOS**Color of Fixture: **White**Pixels: **1 million pixels**Body Type: **ABS+Aluminium**Delay Time: **0-30S**IP Rating: **IP20**Voltage/Frequency: **AC:100-240V,50/60Hz**Dimension: **248x 162x 181mm**Luminous Flux: **600lm**Box Qty: **4 Pcs**CRI: **>70**

## PIR Sensor-WIFI-Camera

18W VT-4818B

SKU: 5917 - 6000K White

3800157620925


Video Compression: **H.264 / MJPEG dual video stream**PF: **>0.5**Image Resolution: **1280\*720**Beam Angle: **180°**Image sensor: **1/4 " 1Megapixel CMOS**Color of Fixture: **Black**Pixels: **1 million pixels**Body Type: **ABS+Aluminium**Delay Time: **0-30S**IP Rating: **IP20**Voltage/Frequency: **AC:100-240V,50/60Hz**Dimension: **248x162x181mm**Luminous Flux: **600lm**Box Qty: **4 Pcs**CRI: **>70**

## Bluetooth Floodlight

20W VT-5020-W

SKU: 5984 - RGB+W/WW/DW

3800157640411



**CCT AND DIMMING  
VIA SMART PHONE APP**
Voltage/Frequency: **AC:220-240V**IP Rating: **IP65**Luminous Flux: **1400lm**Beam Angle: **100°**Color of Fixture: **White**Body Type: **Aluminium**CRI: **>80**Dimension: **141.6x42.7x126.3mm**PF: **>0.9**Box Qty: **20 Pcs**

## Bluetooth Floodlight

20W VT-5020-B

SKU: 5985 - RGB+W/WW/DW

3800157640428


**CCT AND DIMMING  
VIA SMART PHONE APP**
Voltage/Frequency: **AC:220-240V**IP Rating: **IP65**Luminous Flux: **1400lm**Beam Angle: **100°**Color of Fixture: **Black**Body Type: **Aluminium**CRI: **>80**Dimension: **141.6x42.7x126.3mm**PF: **>0.9**Box Qty: **20 Pcs**



**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	PP
Size:	Ø65.33x46.31mm
Wire range:	0.5-2.5mm <sup>2</sup>
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	150 Pcs

VT-881

SKU: 5987 3800157642835




**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5-1.5mm <sup>2</sup>
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000 Pcs

VT-868-w

SKU: 5986 3800157642828




**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5-1.5mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000

VT-868

SKU: 5977 3800157636070



**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-B

SKU: 5978 3800157636087



**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-W

SKU: 5979 3800157636094



## Waterproof Box Terminal Block

VT-870-B

SKU: 5980 3800157636100

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



## Waterproof Box Terminal Block

VT-870-W

SKU: 5981 3800157636117

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



## Waterproof Box Terminal Block

VT-871-B

SKU: 5982 3800157636124

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



## Waterproof Box Terminal Block

VT-871-W

SKU: 5983 3800157636131

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



## Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm <sup>2</sup>
Box Qty:	160 Pcs



## Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs



## Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm <sup>2</sup>
Box Qty:	240 Pcs



## Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs



**Tripod Stand-Yellow**

VT-41150Y

SKU: 9104 3800230626202

Size: 900x940-1800mm  
Box Qty: 8 Pcs



**Tripod Stand-Black**

VT-41150B

SKU: 9546 3800157604925

Size: 900x940-1800mm  
Box Qty: 8 Pcs



**Billboard Stand**

VT-793

SKU: 3622 3800157607803

Size: 870x200mm  
Box Qty: 4 Pcs

87cm Suitable For:  
70w - 100w - 120w - 150w - 200w



**Billboard Stand**

VT-794

SKU: 3623 3800157607810

Size: 850x150mm  
Box Qty: 4 Pcs

85cm Suitable For:  
10w - 20w - 30w - 50w



**Floodlight Spike-Grey**

VT-854-G

SKU: 7533 3800157630467



Size: Ø35xH150mm  
Box Qty: 200 Pcs  
Body Type: Aluminium



**Floodlight Spike-White**

VT-854-W

SKU: 7534 3800157630474



Size: Ø35xH150mm  
Box Qty: 200 Pcs  
Body Type: Aluminium



**Floodlight Spike-Black**

VT-854-B

SKU: 7535 3800157630481



Size: Ø35xH150mm  
Box Qty: 200 Pcs  
Body Type: Aluminium



**Floodlight Spike-Grey**

VT-855-G

SKU: 7536 3800157630498



Size: Ø60xH265mm  
Box Qty: 100 Pcs  
Body Type: Aluminium



**Floodlight Spike-White**

VT-855-W

SKU: 7537 3800157630504



Size: Ø60xH265mm  
Box Qty: 100 Pcs  
Body Type: Aluminium



**Floodlight Spike-Black**

VT-855-B

SKU: 7538 3800157630511



Size: Ø60xH265mm  
Box Qty: 100 Pcs  
Body Type: Aluminium





## LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

### Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

### Applications


Offices, conference room, hospitals, hotels, shopping malls, showroom, kitchen and domestic lighting etc.

**NEW**



Super **BRIGHT**  
**160**  
LUMENS/W

**2 IN 1**  
RECESSED OR SURFACE



Big Panels-Surfaced/Recessed-60x60

**25W VT-6125**

SKU: 6600 - 3000K Warm White 3800157649636  
SKU: 6601 - 4000K Day White 3800157649643  
SKU: 6602 - 6400K White 3800157649650

Emergency Pack: **NA**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **4000lm**  
Beam Angle: **120°**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**  
Shape: **Square**

Body Type: **FE+PS**  
Dimension: **595x595x55mm**  
Box Qty: **1 pc**


**NEW**



**Witness the True to Life Colors**

A CRI score of 95 is considered very high, and indicates that a light source will make objects appear very similar to how they would look under natural lighting conditions.

Without a high CRI light source, objects can appear faded, dull or inaccurate.



Big Panels-60x60-CRI>95

**45W VT-6245**


SKU: 8086 - 3000K Warm White 3800157648363  
SKU: 8087 - 4000K Day White 3800157648370  
SKU: 8088 - 6400K White 3800157648387

Emergency Pack: **Available**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **3600lm**  
Beam Angle: **120°**

LED Type: **SMD**  
CRI: **>95**  
PF: **>0.9**  
Shape: **Square**

Body Type: **Aluminium+PMMA+PP**  
Dimension: **595x595x14mm**  
Box Qty: **6 Pcs**

**NEW**



Big Panels-60x60-IP65

**40W VT-6140**

SKU: 6603 - 4000K Day White 3800157652100  
SKU: 6604 - 6400K White 3800157652117

Emergency Pack:	NA
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PS
Dimension:	595x595x11mm
Box Qty:	6 Pcs


**NEW**



Big Panels-60x60-Lifud Driver

**36W VT-6236**

SKU: 8082 - 4000K Day White 3800157646857  
SKU: 8081 - 6400K White 3800157646840



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PS+PP
Dimension:	595x595x8.5mm
Box Qty:	6 Pcs


**NEW**



Big Panels-60x60

**36W VT-6237**

SKU: 8083 - 3000K Warm White 3800157646925  
SKU: 8084 - 4000K Day White 3800157646932  
SKU: 8085 - 6400K White 3800157646949



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PS+PP
Dimension:	595x595x8.5mm
Box Qty:	6 Pcs





Big Panels-60x60  
45w VT-6165

SKU: 6420 - 4000K Day White 3800157626835



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°


LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA
Dimension:	595x595x14mm
Box Qty:	6 Pcs



Big Panels-60x60  
45w VT-6060-6

SKU: 60286 - 3000K Warm White 3800230624482  
SKU: 60246 - 4000K Day White 3800230623652  
SKU: 60256 - 6400K White 3800230623584



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°


LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x14mm
Box Qty:	6 Pcs



Big Panels-UGR<19-60x60  
45w VT-6068-6

SKU: 62206 - 3000K Warm White 3800157619516  
SKU: 62186 - 4000K Day White 3800157609265  
SKU: 62196 - 6400K White 3800157609272



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°


LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x14mm
Box Qty:	6 Pcs



Big Panels-UGR<19-62x62  
45w VT-6069

SKU: 6222 - 3000K Warm White 3800157604918  
SKU: 6217 - 4000K Day White 3800157604857  
SKU: 6221 - 6400K White 3800157604901



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	90°


LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	620x620x13mm
Box Qty:	6 Pcs



Big Panels-High Lumen-62x62  
29w VT-6262

SKU: 6471 - 4000K Day White 3800157641012



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3480lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PMMA
Dimension:	620x620x15.5mm
Box Qty:	6 Pcs



Big Panels-High Lumen-60x60

**29W VT-6129-6**

SKU: 62406 - 3000K Warm White 3800157619608  
 SKU: 62416 - 4000K Day White 3800157609289  
 SKU: 62426 - 6400K White 3800157609296



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3480lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x13mm
Box Qty:	6 Pcs



Big Panels-High Lumen-60x60

**45W VT-6145-6**

SKU: 63776 - 3000K Warm White 3800157622158  
 SKU: 62366 - 4000K Day White 3800157615723  
 SKU: 62376 - 6400K White 3800157615730



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	5400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x13mm
Box Qty:	6 Pcs



Big Panels-High Lumen-60x60

**36W VT-6136**

SKU: 6376 - 3000K Warm White 3800157622141  
 SKU: 6238 - 4000K Day White 3800157607636  
 SKU: 6239 - 6400K White 3800157607643



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4320lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PMMA+PC
Dimension:	595x595x13mm
Box Qty:	6 Pcs



Big Panels-High Lumen-62x62

**36W VT-6137**

SKU: 62436 - 4000K Day White 3800157619622  
 SKU: 63796 - 6400K White 3800157622172



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4320lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PMMA+PC
Dimension:	620x620x13mm
Box Qty:	6 Pcs



Big Panels-Surfaced/Recessed-60x60

**36W VT-6139**

SKU: 6380 - 4000K Day White 3800157624008  
 SKU: 6381 - 6400K White 3800157624015



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2880lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Iron+PS
Dimension:	595x595x19mm
Box Qty:	4 Pcs




Surface/Recessed Panel-60x60

40w VT-6142-1

SKU: 64511 - 4000K Day White 3800157644990  
SKU: 64521 - 6500K White 3800157645003

Emergency Pack:	NA
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	FE+PP
Dimension:	595x595x29mm
Box Qty:	4 Pcs




Surface/Recessed Panel-60x60

40w VT-6142

SKU: 6451 - 4000K Day White 3800157636438  
SKU: 6452 - 6500K White 3800157636421

Emergency Pack:	NA
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4000lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	FE+PP
Dimension:	595x595x29mm
Box Qty:	6 Pcs




Surface/Recessed Panel-60x60

70w VT-6170

SKU: 6453 - 4000K Day White 3800157636452  
SKU: 6454 - 6000K White 3800157636445

Emergency Pack:	NA
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	5950lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square




Body Type:	FE+PP
Dimension:	595x595x29mm
Box Qty:	6 Pcs



Transparent Panel-120x30

40w VT-6144

SKU: 6458 - 4000K Day White 3800157638098



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3200lm
Beam Angle:	140°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle


Body Type:	Aluminium+PC
Dimension:	1210x319mm
Box Qty:	4 Pcs



Big Panels-High Lumen-120x30

29w VT-12031

SKU: 6256 - 3000K Warm White 3800157610414  
 SKU: 6257 - 4000K Day White 3800157610421  
 SKU: 6258 - 6400K White 3800157610438



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3480lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle


Body Type:	Aluminium+PMMA+PS
Dimension:	1195x295x14mm
Box Qty:	6 Pcs



Big Panel-High Lumen-120x30

45w VT-12046

SKU: 6384 - 4000K Day White 3800157624770  
 SKU: 6385 - 6000K White 3800157624787



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	5400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle


Body Type:	Aluminium+PMMA+PS
Dimension:	1195x295x14mm
Box Qty:	6 Pcs



Big Panels-120x30

45w VT-12030

SKU: 60696 - 3000K Warm White 3800157609326  
 SKU: 60266 - 4000K Day White 3800230623638  
 SKU: 60276 - 6400K White 3800157609319



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle


Body Type:	Aluminium+PMMA+PS
Dimension:	1195x295x14mm
Box Qty:	6 Pcs



Big Panels-UGR<19-120x30

45w VT-12032


SKU: 6329 - 4000K Day White 3800157619615



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle


Body Type:	Aluminium+PMMA+PS
Dimension:	1195x295x14mm
Box Qty:	6 Pcs



Big Panels-High Lumen-120x60

45w VT-12045

SKU: 6332 - 4000K Day White 3800157620321  
 SKU: 6333 - 6400K White 3800157620338



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	5400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle

Body Type:	Aluminium+PMMA+PS
Dimension:	1195x595x14mm
Box Qty:	2 Pcs



Round-Suspended Panel

40w VT-6141B

SKU: 6433 - 4000K Day White 3800157628129

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø400mm
Luminous Flux:	3200lm	PF:	>0.9	Box Qty:	1 Pcs
Beam Angle:	120°	Shape:	Round		



Round-Suspended Panel

40w VT-6141

SKU: 6432 - 4000K Day White 3800157628112

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø400mm
Luminous Flux:	3200lm	PF:	>0.9	Box Qty:	1 Pcs
Beam Angle:	120°	Shape:	Round		

## DRIVERS FOR BIG PANELS Voltage: AC:220-240V,50/60Hz



Watts:	45w
SKU:	6019
Dimmable:	Yes
EAN:	3800157604017
Box Qty:	50 Pcs



Watts:	29w
SKU:	6268
Dimmable:	Yes
EAN:	3800157614412
Box Qty:	20 Pcs



Watts:	29w
SKU:	6271
Dimmable:	No
EAN:	3800157614443
Box Qty:	50 Pcs



Watts:	36w
SKU:	6436
Dimmable:	No
EAN:	3800157629386
Box Qty:	20 Pcs



Watts:	42w
SKU:	6029
Dimmable:	No
EAN:	3800157608626
Box Qty:	50 Pcs



Watts:	45w
SKU:	6450
Dimmable:	No
EAN:	3800157635677
Box Qty:	50 Pcs



Watts:	45w
SKU:	6437
Dimmable:	Yes
EAN:	3800157630337
Box Qty:	20 Pcs



Watts:	45w
SKU:	6386
Dimmable:	No
EAN:	3800157624886
Box Qty:	50 Pcs



Watts:	45w
SKU:	6427
Dimmable:	No
EAN:	3800157626996
Box Qty:	50 Pcs



Watts:	45w
SKU:	6270
Dimmable:	No
EAN:	3800157614436
Box Qty:	50 Pcs





Watts: 72w

SKU: 6328

Dimmable: No

EAN: 3800157619592

Box Qty: 50 Pcs

**5**  
YEAR  
WARRANTY

## MOUNTING KITS FOR PANELS



## Suspended Mounting

SKU: 6018

EAN: 3800230623669

Box Qty: 100 Pcs

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is

• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600




## Surface Mounting-30x30

SKU: 9970

EAN: 3800230623690

Box Qty: 5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.



## Waterproof Suspension Kit

SKU: 8119

EAN: 3800157624763

Box Qty:



## Surface Mounting-60x60

SKU: 9999

EAN: 3800230623676

Box Qty: 5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.




## Surface Mounting-62x62

SKU: 9997

EAN: 3800157633130

Box Qty: 5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.



## Surface Mounting-60x60

SKU: 8156

EAN: 3800157640213

Box Qty: 10 Pcs

**IMPROVED**  
**MATERIAL**  
**MORE STRONG**


## Surface Mounting-62x62

SKU: 8157

EAN: 3800157640220

Box Qty: 10 Pcs

**IMPROVED**  
**MATERIAL**  
**MORE STRONG**


## Surface Mounting-120x30

SKU: 9969

EAN: 3800230623683

Box Qty: 6 Pcs



## Surface Mounting-120x60

SKU: 9989

EAN: 3800230623614

Box Qty: 5 Pcs




## Surface Mounting-120x30

SKU: 8158

EAN: 3800157640237

Box Qty: 10 Pcs

**IMPROVED**  
**MATERIAL**  
**MORE STRONG**



**Emergency Pack-6W to 24W**


**VT-525**

SKU: 8275 3800157627474

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:20-80V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 hours
Battery:	Ni-Cd7.2V/2000mAh

Color of Fixture:	Silver
Body Type:	Aluminium
Size:	455x52x33mm
Emergency switch on time:	< 1s
Box Qty:	20 Pcs



**Emergency Pack-29W to 45W**

**VT-518**

SKU: 60303 3800157617451

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:30-42V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 Hours
Battery:	NI-CD, 7.2V, 4000 mAh

Color of Fixture:	Silver
Body Type:	Aluminium
Size:	465x52x33mm
Emergency switch on time:	< 1s
Box Qty:	12 Pcs



## Linear Lights

## 10W VT-10001

SKU: 6401 - 3000K Warm White 3800157626620  
 SKU: 6402 - 4000K Day White 3800157626637  
 SKU: 6403 - 6400K White 3800157626644

Cutting Size:  
 138x32mm

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 750lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Shape: Rectangle

Body Type: Aluminium  
 Dimension: 160x45x65mm  
 Box Qty: 20 Pcs



## Linear Lights

## 20W VT-20001

SKU: 6404 - 3000K Warm White 3800157626651  
 SKU: 6405 - 4000K Day White 3800157626668  
 SKU: 6406 - 6400K White 3800157626675

Cutting Size:  
 170x32mm

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1600lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Shape: Rectangle

Body Type: Aluminium  
 Dimension: 290x45x65mm  
 Box Qty: 20 Pcs



## Linear Lights

## 30W VT-30001

SKU: 6407 - 3000K Warm White 3800157626682  
 SKU: 6408 - 4000K Day White 3800157626699  
 SKU: 6409 - 6400K White 3800157626705

Cutting Size:  
 405x32mm

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 2400lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Rectangle

Body Type: Aluminium  
 Dimension: 430x45x65mm  
 Box Qty: 10 Pcs



## Linear Lights

## 10W VT-10002

SKU: 6410 - 3000K Warm White 3800157626712  
 SKU: 6411 - 4000K Day White 3800157626729  
 SKU: 6412 - 6400K White 3800157626736

Cutting Size:  
 138x32mm

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 700lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Shape: Rectangle

Body Type: Aluminium  
 Dimension: 160x45x72mm  
 Box Qty: 20 Pcs





Linear Lights

20w VT-20002



SKU: 6413 - 3000K Warm White 3800157626743  
 SKU: 6414 - 4000K Day White 3800157626750  
 SKU: 6415 - 6400K White 3800157626767

Cutting Size:  
 170x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	290x45x72mm
Luminous Flux:	1400lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Linear Lights

30w VT-30002



SKU: 6416 - 3000K Warm White 3800157626774  
 SKU: 6417 - 4000K Day White 3800157626781  
 SKU: 6418 - 6400K White 3800157626798

Cutting Size:  
 405x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	430x45x72mm
Luminous Flux:	2100lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Rectangle		




Premium Series-Round

3w VT-307RD



SKU: 6292 - 3000K Warm White 3800157616751  
 SKU: 6293 - 4000K Day White 3800157616768  
 SKU: 6294 - 6400K White 3800157616775

Cutting Size:  
 Ø73mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø84x12mm
Luminous Flux:	210lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		


Premium Series-Round

6w VT-607RD



SKU: 4854 - 3000K Warm White 3800230629753  
 SKU: 4855 - 4000K Day White 3800230629760  
 SKU: 4856 - 6400K White 3800230629777

Cutting Size:  
 Ø110mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø120x12mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		




## Premium Series-Round

### 12W VT-1207RD

SKU: 4857 - 3000K Warm White 3800230629784  
 SKU: 4858 - 4000K Day White 3800230629791  
 SKU: 4859 - 6400K White 3800230629807

Cutting Size:  
 Ø155mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1000lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.6**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø170x12mm**  
 Box Qty: **20 Pcs**




## Premium Series-Round

### 18W VT-1807RD

SKU: 4860 - 3000K Warm White 3800230629814  
 SKU: 4861 - 4000K Day White 3800230629821  
 SKU: 4862 - 6400K White 3800230629838

Cutting Size:  
 Ø210mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.6**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø225x12mm**  
 Box Qty: **20 Pcs**




## Premium Series-Round

### 22W VT-2207RD

SKU: 6422 - 3000K Warm White 3800157626941  
 SKU: 6423 - 4000K Day White 3800157626958  
 SKU: 6424 - 6400K White 3800157626965

Cutting Size:  
 Ø220 mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1800lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø240x12mm**  
 Box Qty: **20 Pcs**




## Premium Series-Round

### 24W VT-2407RD

SKU: 4872 - 3000K Warm White 3800157601559  
 SKU: 4873 - 4000K Day White 3800157601566  
 SKU: 4874 - 6400K White 3800157601573

Cutting Size:  
 Ø280mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2000lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø300x12mm**  
 Box Qty: **10 Pcs**




## Premium Series-Round

### 30W VT-3107RD

SKU: 6428 - 4000K Day White 3800157628075  
 SKU: 6429 - 6400K White 3800157628082

Cutting Size:  
 Ø280mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2400lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø300x12mm**  
 Box Qty: **10 Pcs**




Premium Series-Square

3W VT-3075Q

SKU: 6295 - 3000K Warm White 3800157616782  
 SKU: 6296 - 4000K Day White 3800157616799  
 SKU: 6297 - 6400K White 3800157616805

Cutting Size:  
74x73mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	210lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Square

Body Type:	Aluminium
Dimension:	84x84x12mm
Box Qty:	40 Pcs




Premium Series-Square

6W VT-6075Q

SKU: 4863 - 3000K Warm White 3800230629845  
 SKU: 4864 - 4000K Day White 3800230629852  
 SKU: 4865 - 6400K White 3800230629869


Cutting Size:  
110mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	420lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.7
Shape:	Square

Body Type:	Aluminium
Dimension:	120x120x12mm
Box Qty:	40 Pcs




Premium Series-Square

12W VT-12075Q

SKU: 4866 - 3000K Warm White 3800230629876  
 SKU: 4867 - 4000K Day White 3800230629883  
 SKU: 4868 - 6400K White 3800230629890

Cutting Size:  
155x155mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1000lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.6
Shape:	Square

Body Type:	Aluminium
Dimension:	170x170x12mm
Box Qty:	20 Pcs




Premium Series-Square

18W VT-18075Q

SKU: 4869 - 3000K Warm White 3800230629906  
 SKU: 4870 - 4000K Day White 3800230629913  
 SKU: 4871 - 6400K White 3800230629920

Cutting Size:  
205x205mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.6
Shape:	Square

Body Type:	Aluminium
Dimension:	225x225x12mm
Box Qty:	20 Pcs




Premium Series-Square

24W VT-24075Q

SKU: 4887 - 3000K Warm White 3800157602198  
 SKU: 4888 - 4000K Day White 3800157602204  
 SKU: 4889 - 6400K White 3800157602211

Cutting Size:  
280x280mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2000lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium
Dimension:	300x300x12mm
Box Qty:	10 Pcs




## Premium Series-Square

36W VT-3107SQ

SKU: 6430 - 4000K Day White 3800157628099  
 SKU: 6431 - 6400K White 3800157628105


Cutting Size:  
280x280mm



Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 2400lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square

Body Type: Aluminium  
 Dimension: 300x300x12mm  
 Box Qty: 10 Pcs




## SG Series-Square

8W VT-800 SQ

SKU: 4818 - 6400K White 3800230622563

Cutting Size:  
125x125mm



Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 800lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square

Body Type: Aluminium(PKW)  
 Dimension: 145x145x20mm  
 Box Qty: 20 Pcs




## SG Series-Round

8W VT-800 RD

SKU: 4821 - 6400K White 3800230622587

Cutting Size:  
Ø105mm



Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 800lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Round

Body Type: Aluminium(PKW)  
 Dimension: Ø120x20mm  
 Box Qty: 20 Pcs




## SG Series-Square

15W VT-1500 SQ

SKU: 4826 - 3000K Warm White 3800230622617  
 SKU: 4824 - 6400K White 3800230624994  
 3800230622600

Cutting Size:  
140x140mm



Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1500lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square


Body Type: Aluminium(PKW)  
 Dimension: 160x160x20mm  
 Box Qty: 20 Pcs



SG Series-Round

**22w VT-2200 RD**

SKU: 4833 - 6400K White 3800230622662



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium(PKW)
Dimension:	Ø240x20mm
Box Qty:	20 Pcs



Trimless Panel-Round

**8w VT-888RD**

SKU: 4931 - 3000K Warm White 3800157606479  
 SKU: 4932 - 4000K Day White 3800157606486  
 SKU: 4933 - 6400K White 3800157606493



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium
Dimension:	Ø90x8mm
Box Qty:	100 Pcs



Trimless Panel-Round

**15w VT-1515RD**

SKU: 4934 - 3000K Warm White 3800157606509  
 SKU: 4935 - 4000K Day White 3800157606516  
 SKU: 4936 - 6400K White 3800157606523



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium
Dimension:	Ø146x8mm
Box Qty:	40 Pcs



Trimless Panel-Round

**22w VT-2222RD**

SKU: 4937 - 3000K Warm White 3800157606530  
 SKU: 4938 - 4000K Day White 3800157606547  
 SKU: 4939 - 6400K White 3800157606554



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium
Dimension:	Ø170x8mm
Box Qty:	40 Pcs




## Trimless Panel-Round

## 29W VT-2929RD

SKU: 4940 - 3000K Warm White 3800157606561  
 SKU: 4941 - 4000K Day White 3800157606578  
 SKU: 4942 - 6400K White 3800157606585

Cutting Size:  
 Ø195mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2900lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø220x8mm**  
 Box Qty: **40 Pcs**




## Trimless Panel-Square

## 8W VT-888SQ

SKU: 4943 - 3000K Warm White 3800157606592  
 SKU: 4944 - 4000K Day White 3800157606608  
 SKU: 4945 - 6400K White 3800157606615

Cutting Size:  
 75x75mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **800lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Body Type: **Aluminium**  
 Dimension: **90x90x8mm**  
 Box Qty: **100 Pcs**




## Trimless Panel-Square

## 15W VT-1515SQ

SKU: 4946 - 3000K Warm White 3800157606622  
 SKU: 4947 - 4000K Day White 3800157606639  
 SKU: 4948 - 6400K White 3800157606646

Cutting Size:  
 130x130mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Body Type: **Aluminium**  
 Dimension: **146x146x8mm**  
 Box Qty: **40 Pcs**




## Trimless Panel-Square

## 22W VT-2222SQ

SKU: 4949 - 3000K Warm White 3800157606653  
 SKU: 4797 - 4000K Day White 3800157606660  
 SKU: 4798 - 6400K White 3800157606677

Cutting Size:  
 155x155mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2200lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Body Type: **Aluminium**  
 Dimension: **170x170x8mm**  
 Box Qty: **40 Pcs**




## Trimless Panel-Square

## 29W VT-2929SQ

SKU: 5031 - 3000K Warm White 3800157606660  
 SKU: 5032 - 4000K Day White 3800157606677  
 SKU: 5033 - 6400K White 3800157606684

Cutting Size:  
 195x195mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2900lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Body Type: **Aluminium**  
 Dimension: **220x220x8mm**  
 Box Qty: **40 Pcs**




Slim Surface-Round

**6w VT-605RD**

SKU: 4904 - 3000K Warm White 3800157605380  
 SKU: 4905 - 4000K Day White 3800157605397  
 SKU: 4906 - 6400K White 3800157605403

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	420lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round



Body Type:	Aluminium
Dimension:	Ø90x24mm
Box Qty:	40 Pcs




Slim Surface-Round

**12w VT-1205 RD**

SKU: 4910 - 3000K Warm White 3800157605441  
 SKU: 4911 - 4000K Day White 3800157605458  
 SKU: 4912 - 6400K White 3800157605465

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round



Body Type:	Aluminium
Dimension:	Ø140x24mm
Box Qty:	40 Pcs




Slim Surface-Round

**18w VT-1805RD**

SKU: 4916 - 3000K Warm White 3800157605502  
 SKU: 4917 - 4000K Day White 3800157605519  
 SKU: 4918 - 6400K White 3800157605526

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1440lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round



Body Type:	Aluminium
Dimension:	Ø190x24mm
Box Qty:	20 Pcs




Slim Surface-Square

**6w VT-605SQ**

SKU: 4907 - 3000K Warm White 3800157605410  
 SKU: 4908 - 4000K Day White 3800157605427  
 SKU: 4909 - 6400K White 3800157605434

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	420lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	90x90x24mm
Box Qty:	40 Pcs




## Slim Surface-Square

### 12w VT-1205 SQ

SKU: 4913 - 3000K Warm White 3800157605472  
 SKU: 4914 - 4000K Day White 3800157605489  
 SKU: 4915 - 6400K White 3800157605496

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **900lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**



Body Type: **Aluminium**  
 Dimension: **140x140x24mm**  
 Box Qty: **40 Pcs**




## Slim Surface-Square

### 18w VT-1805SQ

SKU: 4919 - 3000K Warm White 3800157605533  
 SKU: 4920 - 4000K Day White 3800157605540  
 SKU: 4921 - 6400K White 3800157605557

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1440lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**



Body Type: **Aluminium**  
 Dimension: **190x190x24mm**  
 Box Qty: **20 Pcs**




## Surface Series-Round

### 8w VT-1408 RD

SKU: 4805 - 3000K Warm White 3800230622730  
 SKU: 4804 - 4000K Day White 3800230622723  
 SKU: 4803 - 6400K White 3800230622716

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **800lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**



Body Type: **Aluminium**  
 Dimension: **Ø110x35mm**  
 Box Qty: **20 Pcs**




## Surface Series-Round

### 15w VT-1415 RD

SKU: 4811 - 3000K Warm White 3800230622792  
 SKU: 4810 - 4000K Day White 3800230622785  
 SKU: 4809 - 6400K White 3800230622778

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**



Body Type: **Aluminium**  
 Dimension: **Ø160x35mm**  
 Box Qty: **20 Pcs**




## Surface Series-Round

### 22w VT-1422 RD

SKU: 4817 - 3000K Warm White 3800230622853  
 SKU: 4816 - 4000K Day White 3800230622846  
 SKU: 4815 - 6400K White 3800230622839


Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2200lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**



Body Type: **Aluminium**  
 Dimension: **Ø205x35mm**  
 Box Qty: **20 Pcs**






Surface Series-Square

8W VT-1408 SQ


SKU: 4802 - 3000K Warm White 3800230622709  
 SKU: 4801 - 4000K Day White 3800230622693  
 SKU: 4800 - 6400K White 3800230622686

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	107x107x35mm
Box Qty:	40 Pcs




Surface Series-Square

15W VT-1415 SQ

SKU: 4808 - 3000K Warm White 3800230622761  
 SKU: 4807 - 4000K Day White 3800230622754  
 SKU: 4806 - 6400K White 3800230622747

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	155x155x35mm
Box Qty:	20 Pcs




Surface Series-Square

22W VT-1422 SQ


SKU: 4814 - 3000K Warm White 3800230622822  
 SKU: 4813 - 4000K Day White 3800230622815  
 SKU: 4812 - 6400K White 3800230622808

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	205x205x35mm
Box Qty:	20 Pcs



Slim Series-Chrome-Round


6W VT-607CH

SKU: 6334 - 3000K Warm White 3800157621182

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	420lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Round

Cutting Size:  
 Ø105mm




Body Type:	Aluminium+Chrome
Dimension:	Ø120x25mm
Box Qty:	40 Pcs



## Slim Series-Chrome-Round

12W VT-1207CH

SKU: 6340 - 3000K Warm White 3800157621243

Cutting Size:  
Ø155mm

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1000lm  
Beam Angle: 120°


LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Body Type: Aluminium+Chrome  
Dimension: Ø170x25mm  
Box Qty: 20 Pcs



## Slim Series-Chrome-Round

18W VT-1807CH

SKU: 6346 - 3000K Warm White 3800157621304  
SKU: 6347 - 4000K Day White 3800157621311  
SKU: 6348 - 6400K White 3800157621328Cutting Size:  
Ø205mm

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1500lm  
Beam Angle: 120°


LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Body Type: Aluminium+Chrome  
Dimension: Ø225x25mm  
Box Qty: 20 Pcs



## Slim Series-Chrome-Round

24W VT-2407CH

SKU: 6352 - 3000K Warm White 3800157621366  
SKU: 6353 - 4000K Day White 3800157621373  
SKU: 6354 - 6400K White 3800157621380Cutting Size:  
Ø285mm

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 2000lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round


Body Type: Aluminium+Chrome  
Dimension: Ø300x25mm  
Box Qty: 10 Pcs



## Slim Series-Satin Nickel-Round

6W VT-607SN

SKU: 6338 - 4000K Day White 3800157621229

Cutting Size:  
Ø105mm

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 420lm  
Beam Angle: 120°


LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Body Type: Aluminium+Satin Nickel  
Dimension: Ø120x25mm  
Box Qty: 40 Pcs



## Slim Series-Satin Nickel-Round

18W VT-1807SN

SKU: 6349 - 3000K Warm White 3800157621335  
SKU: 6350 - 4000K Day White 3800157621342Cutting Size:  
Ø205mm

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1500lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Body Type: Aluminium+Satin Nickel  
Dimension: Ø225x25mm  
Box Qty: 20 Pcs




Slim Series-Satin Nickel-Round

24w VT-2407SN

SKU: 6355 - 3000K Warm White 3800157621397  
 SKU: 6356 - 4000K Day White 3800157621403  
 SKU: 6357 - 6400K White 3800157621410

Cutting Size:  
 Ø285mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2000lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Round


Body Type:	Aluminium+Satin Nickel
Dimension:	Ø300x25mm
Box Qty:	10 Pcs



Slim Surface-Chrome-Round

6w VT-605CH

SKU: 6358 - 3000K Warm White 3800157621427  
 SKU: 6359 - 4000K Day White 3800157621434



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	420lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Round


Body Type:	Aluminium+Chrome
Dimension:	Ø90x24mm
Box Qty:	40 Pcs



Slim Surface-Chrome-Round

12w VT-1205CH

SKU: 6364 - 3000K Warm White 3800157621489  
 SKU: 6365 - 4000K Day White 3800157621496  
 SKU: 6366 - 6400K White 3800157621502



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1000lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.6
Shape:	Round


Body Type:	Aluminium+Chrome
Dimension:	Ø140x24mm
Box Qty:	40 Pcs



Slim Surface-Chrome-Round

18w VT-1805CH

SKU: 6370 - 3000K Warm White 3800157621540  
 SKU: 6371 - 4000K Day White 3800157621557  
 SKU: 6372 - 6400K White 3800157621564



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.6
Shape:	Round


Body Type:	Aluminium+Chrome
Dimension:	Ø190x24mm
Box Qty:	20 Pcs



Slim Surface-Satin Nickel-Round

6w VT-605SN

SKU: 6361 - 3000K Warm White 3800157621458  
 SKU: 6363 - 6400K White 3800157621472



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	420lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Round

Body Type:	Aluminium+Satin Nickel
Dimension:	Ø90x24mm
Box Qty:	40 Pcs




## Slim Surface-Satin Nickel-Round

12w VT-1205SN

SKU: 6367 - 3000K Warm White 3800157621519  
 SKU: 6368 - 4000K Day White 3800157621526  
 SKU: 6369 - 6400K White 3800157621533

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1000lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.6  
 Shape: Round



Body Type: Aluminium+Satin Nickel  
 Dimension: Ø140x24mm  
 Box Qty: 40 Pcs




## Slim Surface-Satin Nickel-Round

18w VT-1805SN



SKU: 6373 - 3000K Warm White 3800157621571  
 SKU: 6375 - 6400K White 3800157621595

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1500lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.6  
 Shape: Round



Body Type: Aluminium+Satin Nickel  
 Dimension: Ø190x24mm  
 Box Qty: 20 Pcs




## Twin LED-Square

8w VT-809SQ

SKU: 4922 - 3000K Warm White 3800157605564  
 SKU: 4923 - 4000K Day White 3800157605571  
 SKU: 4924 - 6400K White 3800157605588

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 800lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square



Body Type: Aluminium  
 Dimension: 142x142x40mm  
 Box Qty: 20 Pcs




## Twin LED-Square

15w VT-1509SQ

SKU: 4925 - 3000K Warm White 3800157605595  
 SKU: 4926 - 4000K Day White 3800157605601  
 SKU: 4927 - 6400K White 3800157605618

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1500lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square



Body Type: Aluminium  
 Dimension: 192x192x40mm  
 Box Qty: 20 Pcs




Twin LED-Square  
**22W VT-2209SQ**

SKU: 4928 - 3000K Warm White 3800157605625  
SKU: 4929 - 4000K Day White 3800157605632  
SKU: 4930 - 6400K White 3800157605649

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	240x240x40mm
Box Qty:	20 Pcs




Twin LED-Round  
**8w VT-809RD**

SKU: 4890 - 3000K Warm White 3800157602594  
SKU: 4891 - 4000K Day White 3800157602600  
SKU: 4892 - 6400K White 3800157602617

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round



Body Type:	Aluminium
Dimension:	142x40mm
Box Qty:	20 Pcs




Twin LED-Round  
**15w VT-1509RD**

SKU: 4893 - 3000K Warm White 3800157602624  
SKU: 4894 - 4000K Day White 3800157602631  
SKU: 4895 - 6400K White 3800157602648

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round



Body Type:	Aluminium
Dimension:	192x40mm
Box Qty:	20 Pcs




Twin LED-Round  
**22w VT-2209RD**

SKU: 4896 - 3000K Warm White 3800157602655  
SKU: 4897 - 4000K Day White 3800157602662  
SKU: 4898 - 6400K White 3800157602679

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round



Body Type:	Aluminium
Dimension:	240x40mm
Box Qty:	20 Pcs






## Glass Panel-Round

**6W VT-602G RD**

SKU: 4740 - 3000K Warm White 3800230622891  
 SKU: 6277 - 4000K Day White 3800157615754  
 SKU: 4739 - 6400K White 3800230622884

Cutting Size:  
 Ø75mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **420lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium+Glass**  
 Dimension: **Ø100x40mm**  
 Box Qty: **40 Pcs**




## Glass Panel-Round

**12W VT-1202G RD**

SKU: 4744 - 3000K Warm White 3800230622938  
 SKU: 6279 - 4000K Day White 3800157615778  
 SKU: 4743 - 6400K White 3800230622921

Cutting Size:  
 Ø120mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **840lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium+Glass**  
 Dimension: **Ø160x40mm**  
 Box Qty: **20 Pcs**




## Glass Panel-Round

**18W VT-1881G RD**

SKU: 4760 - 3000K Warm White 3800230622976  
 SKU: 6281 - 4000K Day White 3800157615792  
 SKU: 4759 - 6400K White 3800230622969


Cutting Size:  
 Ø145mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **1260lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium+Glass**  
 Dimension: **Ø198x40mm**  
 Box Qty: **20 Pcs**




## Glass Panel-Square

**6W VT-602G SQ**

SKU: 4738 - 3000K Warm White 3800230622877  
 SKU: 6276 - 4000K Day White 3800157615747  
 SKU: 4737 - 6400K White 3800230622860

Cutting Size:  
 75x75mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **420lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Body Type: **Aluminium+Glass**  
 Dimension: **100x100x40mm**  
 Box Qty: **40 Pcs**




## Glass Panel-Square

**12W VT-1202G SQ**

SKU: 4742 - 3000K Warm White 3800230622914  
 SKU: 6278 - 4000K Day White 3800157615761  
 SKU: 4741 - 6400K White 3800230622907


Cutting Size:  
 120x120mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **840lm**  
 Beam Angle: **120°**


LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Body Type: **Aluminium+Glass**  
 Dimension: **160x160x40mm**  
 Box Qty: **20 Pcs**



Glass Panel-Square  
**18w VT-1881G SQ**

SKU: 4746 - 3000K Warm White 3800230622952  
 SKU: 6280 - 4000K Day White 3800157615785  
 SKU: 4745 - 6400K White 3800230622945



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	198x198x40mm
Luminous Flux:	1260lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		



**DRIVERS FOR MINI PANELS**

Voltage: AC:180-240V,50/60Hz



Watts: **6w**  
 SKU: **8073**  
 Dimmable: **Yes**  
 EAN: **3800157605823**  
 Box Qty: **200 Pcs**



Watts: **12w**  
 SKU: **8074**  
 Dimmable: **Yes**  
 EAN: **3800157605830**  
 Box Qty: **200 Pcs**



Watts: **18w**  
 SKU: **8075**  
 Dimmable: **Yes**  
 EAN: **3800157605847**  
 Box Qty: **200 Pcs**



Watts: **18/24w**  
 SKU: **8070**  
 Dimmable: **Yes**  
 EAN: **3800157616836**  
 Box Qty: **50 Pcs**



Watts: **24w**  
 SKU: **8076**  
 Dimmable: **Yes**  
 EAN: **3800157605946**  
 Box Qty: **200 Pcs**





## LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

### Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

### Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.



**NEW**

T8-Nano Plastic-60cm

7W VT-1607


SKU: 6474 | 3000K Warm White 3800157647632  
 SKU: 6475 | 4000K Day White 3800157647649  
 SKU: 6476 | 6400K White 3800157647656

 Dummy Starter  
Included

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1120lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	115g
Dimension:	27.9x600mm
Box Qty:	25 Pcs



SuperBRIGHT  
**160**  
LUMENS/W

**5** YEAR  
WARRANTY\*



**NEW**

T8-Nano Plastic-120cm

12w VT-1612


SKU: 6477 | 3000K Warm White 3800157647663  
 SKU: 6478 | 4000K Day White 3800157647670  
 SKU: 6479 | 6400K White 3800157647687

 Dummy Starter  
Included

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1920lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	193g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs



SuperBRIGHT  
**160**  
LUMENS/W

**5** YEAR  
WARRANTY\*



**NEW**

T8-Nano Plastic-150cm

15w VT-1615


SKU: 6480 | 3000K Warm White 3800157647694  
 SKU: 6481 | 4000K Day White 3800157647700  
 SKU: 6482 | 6400K White 3800157647717

 Dummy Starter  
Included

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2400lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	261g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs



SuperBRIGHT  
**160**  
LUMENS/W

**5** YEAR  
WARRANTY\*



## T8-Nano Plastic-Rotatable-High Lumen-60cm


9w VT-6085

SKU: 6299 - 3000K Warm White 3800157617345

**5**  
YEAR  
WARRANTY

**Dummy Starter  
Included**


ROTATABLE



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
LED Type:	SMD
CRI:	>80


PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs


## T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R

SKU: 6229 - 3000K Warm White 3800157605212  
SKU: 6231 - 6400K White 3800157605236
**3**  
YEAR  
WARRANTY

**Dummy Starter  
Included**


ROTATABLE



EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

## T8-Nano Plastic-60cm

10w VT-6072-NR

SKU: 6392 - 3000K Warm White 3800157625296  
SKU: 6393 - 4000K Day White 3800157625302  
SKU: 6394 - 6400K White 3800157625319
**3**  
YEAR  
WARRANTY

**Dummy Starter  
Included**


EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80


PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

## T8-Nano Plastic-90cm

14w VT-9077

SKU: 6272 - 4000K Day White 3800157615419  
SKU: 6262 - 6400K White 3800157612128
**3**  
YEAR  
WARRANTY

**Dummy Starter  
Included**


EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs



T8-Nano Plastic-120cm

18W VT-1277

SKU: 6263 - 3000K Warm White 3800157612135  
 SKU: 6273 - 4000K Day White 3800157615426  
 SKU: 6264 - 6400K White 3800157612142



Dummy Starter Included



EQ. Watts:	36w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	200g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs



T8-Nano Plastic-150cm

22W VT-1577

SKU: 6265 - 3000K Warm White 3800157612159  
 SKU: 6309 - 4000K Day White 3800157617437  
 SKU: 6310 - 6400K White 3800157617444



Dummy Starter Included



EQ. Watts:	58w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	283.4g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs


T8-Nano Plastic-High Lumen-150cm

22W VT-1585

SKU: 6306 - 3000K Warm White 3800157617406



Dummy Starter Included



EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	1000g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

T8-Nano Plastic-60cm

18W VT-6077

SKU: 6313 - 4000K Day White 3800157618656  
 SKU: 6314 - 6400K White 3800157618663



EQ. Watts:	36w
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2500lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	290g
Dimension:	18.5x549mm
Box Qty:	10 Pcs



## T5-Glass Plastic-60cm



8W VT-6005

SKU: 6318 - 4000K Day White 3800157619271  
SKU: 6319 - 6500K White 3800157619288

EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs



## T5-Glass Plastic-120cm



16w VT-1225

SKU: 6320 - 4000K Day White 3800157619295  
SKU: 6321 - 6500K White 3800157619301

EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs



## T8-Aluminium Plastic-180cm



40w VT-1840

SKU: 6251 - 4500K Day White 3800157607841  
SKU: 6250 - 6000K White 3800157607834

EQ. Watts:	80w
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	3800lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium+PC
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	800g
Dimension:	28x1800mm
Box Qty:	25 Pcs



## T8 Bread Tube-120cm



18w VT-1228-B

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



## T8 Meat Tube-120cm



18w VT-1228-M

SKU: 6323 3800157619325

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Vegetable Tube-120cm


18w VT-1228-V

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs




T8 Seafood Tube-120cm


18w VT-1228-S

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Plant Tube-120cm


18w VT-1228-P

SKU: 6326 3800157619356

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	860lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



Tube-Batten Fitting

VT-16010



SKU:	6052
Body Type:	Aluminium
Size:	600mm
EAN:	3800230624642
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-12020



SKU:	6054
Body Type:	Aluminium
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-15020



SKU:	6056
Body Type:	Aluminium
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-16011



SKU:	6053
Body Type:	Aluminium
Size:	600x2mm
EAN:	3800230624659
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-12021



SKU:	6055
Body Type:	Aluminium
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting

VT-15021



SKU:	6057
Body Type:	Aluminium
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs

NEW

Grill Fitting-High Lumen

15w VT-8315

SKU: 6487 - 3000K Warm White 3800157650144  
 SKU: 6488 - 4000K Day White 3800157650151  
 SKU: 6489 - 6400K White 3800157650168


SuperBRIGHT  
**160**  
 LUMENS/W

**5** YEAR  
 WARRANTY\*

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **2400lm**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **Plastic**  
 On/Off: **>15000**  
 Life span: **30,000 Hours**

Gross weight: **192g**  
 Dimension: **600x24.4x74.1mm**  
 Box Qty: **30 Pcs**



NEW

Grill Fitting-High Lumen

30w VT-8330

SKU: 6490 - 3000K Warm White 3800157650175  
 SKU: 6491 - 4000K Day White 3800157650182  
 SKU: 6492 - 6400K White 3800157650199


SuperBRIGHT  
**160**  
 LUMENS/W

**5** YEAR  
 WARRANTY\*

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **4800lm**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **Plastic**  
 On/Off: **>15000**  
 Life span: **30,000 Hours**

Gross weight: **350g**  
 Dimension: **1200x24.4x74.1mm**  
 Box Qty: **30 Pcs**



NEW

Grill Fitting-High Lumen

38w VT-8338

SKU: 6493 - 3000K Warm White 3800157650205  
 SKU: 6494 - 4000K Day White 3800157650212  
 SKU: 6495 - 6400K White 3800157650229


SuperBRIGHT  
**160**  
 LUMENS/W

**5** YEAR  
 WARRANTY\*

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **6080lm**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **Plastic**  
 On/Off: **>15000**  
 Life span: **30,000 Hours**


Gross weight: **570g**  
 Dimension: **1500x24.4x74.1mm**  
 Box Qty: **30 Pcs**



Prismatic Fitting-30cm

10w VT-8013

SKU: 4987 - 3000K Warm White 3800157601955




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	110°

Body Type:	Aluminium+Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	260g
Dimension:	300x75x25mm
Box Qty:	10 Pcs

Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714  
 SKU: 5069 - 4500K Day White 3800157606721  
 SKU: 5070 - 6000K White 3800157606738




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	Aluminium Body, Plastic Diffuser
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	600g
Dimension:	579x78x35mm
Box Qty:	12 Pcs

Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745  
 SKU: 5072 - 4500K Day White 3800157606752  
 SKU: 5073 - 6000K White 3800157606769




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	240g
Dimension:	600x32x25mm
Box Qty:	25 Pcs

Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776  
 SKU: 5075 - 4500K Day White 3800157606783  
 SKU: 5076 - 6000K White 3800157606790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	370g
Dimension:	1200x32x25mm
Box Qty:	25 Pcs



## LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

### Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

### Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.



**NEW**

Waterproof Fitting-X Series

24W VT-1524

SKU: 6485 - 4500K Day White 3800157648417  
 SKU: 6486 - 6400K White 3800157648424

*Super* **BRIGHT**  
**160**  
**LUMENS/W**




**5** YEAR  
**WARRANTY\***

**IP65**  
**RATING**

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3840lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	PC+ABS
On/Off:	>15,000

Life span:	30,000 Hours
Gross weight:	0.60 kg
Dimension:	1200x65x58mm
Box Qty:	12 Pcs



**NEW**

Waterproof Fitting-X Series

32W VT-1532

SKU: 6483 - 4500K Day White 3800157648394  
 SKU: 6484 - 6400K White 3800157648400

*Super* **BRIGHT**  
**160**  
**LUMENS/W**




**5** YEAR  
**WARRANTY\***

**IP65**  
**RATING**

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	5120lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	PC+ABS
On/Off:	>15,000

Life span:	30,000 Hours
Gross weight:	1.1 kg
Dimension:	1500x65x58mm
Box Qty:	12 Pcs




**1 LED TUBE INCLUDED**

## Waterproof Fitting-Tubes


**10w VT-6028**

 SKU: 6463 - 4000K Day White 3800157639767  
 SKU: 6464 - 6400K White 3800157639750


Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	0.70 kg
Dimension:	666x68x58mm
Box Qty:	16pcs


**2 LED TUBES INCLUDED**

## Waterproof Fitting-Tubes


**2x10w VT-6029**

 SKU: 6465 - 4000K Day White 3800157639781  
 SKU: 6466 - 6400K White 3800157639774


Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	666x96x58mm
Box Qty:	12pcs


**1 LED TUBE INCLUDED**

## Waterproof Fitting-Tubes

**18w VT-12028**

 SKU: 6459 - 4000K Day White 3800157639729  
 SKU: 6460 - 6400K White 3800157639712


Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	1276x68x58mm
Box Qty:	16pcs


**1 LED TUBE INCLUDED**

## Waterproof Fitting-Tubes

**22w VT-15028**

 SKU: 6461 - 4000K Day White 3800157639743  
 SKU: 6462 - 6400K White 3800157639736


Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1.2 kg
Dimension:	1576x68x58mm
Box Qty:	16pcs



Waterproof Fitting-Tubes

36w VT-12023

SKU: 6387 - 4000K Day White 3800157625036  
SKU: 6399 - 6400K White 3800157626385




2 LED TUBES INCLUDED



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	30,000 Hours
Gross weight:	1.33 kg
Dimension:	1260x112x63mm
Box Qty:	10 Pcs



Waterproof Fitting-Tubes

44w VT-15022

SKU: 6388 - 4000K Day White 3800157625043  
SKU: 6400 - 6400K White 3800157626392




2 LED TUBES INCLUDED



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	30,000 Hours
Gross weight:	1.65 kg
Dimension:	1560x112x63mm
Box Qty:	10 Pcs



Waterproof Fitting-G Series

18w VT-6076


SKU: 6283 - 4000K Day White 3800157616478  
SKU: 6282 - 6400K White 3800157616461



Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1440lm
LED Type:	SMD
CRI:	>70

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	0.60 kg
Dimension:	600x65x58mm
Box Qty:	12 Pcs



Waterproof Fitting-G Series

36w VT-1249


SKU: 6285 - 4000K Day White 3800157616492  
SKU: 6284 - 6400K White 3800157616485



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	0.60 kg
Dimension:	1200x65x58mm
Box Qty:	12 Pcs



Waterproof Fitting-G Series

48w VT-1574


SKU: 6287 - 4000K Day White 3800157616515  
SKU: 6286 - 6400K White 3800157616508



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3840lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.1 kg
Dimension:	1500x65x58mm
Box Qty:	12 Pcs



## Waterproof Fitting-S Series

18W VT-1518

SKU: 6472 - 4000K Day White 3800157647199  
SKU: 6473 - 6500K White 3800157647205



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 1530lm

LED Type: SMD2835

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

Body Type: PC

On/Off: &gt;15,000




Life span: 20,000 Hours

Gross weight: 0.25 kg

Dimension: 600x60x35mm

Box Qty: 20 Pcs



## Waterproof Fitting-S Series

36W VT-1239

SKU: 6469 - 4000K Day White 3800157640992  
SKU: 6470 - 6500K White 3800157641005



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3000lm

LED Type: SMD2835

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

Body Type: PC

On/Off: &gt;15,000




Life span: 20,000 Hours

Gross weight: 0.448 kg

Dimension: 1200x60x35mm

Box Qty: 20 Pcs



## Waterproof Fitting-S Series

48W VT-1549

SKU: 6467 - 4000K Day White 3800157640978  
SKU: 6468 - 6500K White 3800157640985



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 4000lm

LED Type: SMD2835

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

Body Type: PC

On/Off: &gt;15,000




Life span: 20,000 Hours

Gross weight: 0.558 kg

Dimension: 1500x60x35mm

Box Qty: 20 Pcs



## Waterproof-Emergency Kit

36W VT-1250

SKU: 6448 - 4000K Day White 3800157632126  
SKU: 6449 - 6400K White 3800157632133



### Waterproof Emergency Kit

Charging Time: 24 Hours

Emergency Operation Time: 3 Hours

Emergency Switch on time: &lt;1 Second



Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: &gt;10,000

Life span: 20,000 Hours

Gross weight: 1.9 kg

Dimension: 1200x76x66mm

Box Qty: 12 Pcs



## Waterproof-Emergency Kit

48W VT-1550

SKU: 6446 - 4000K Day White 3800157632102  
SKU: 6447 - 6400K White 3800157632119



### Waterproof Emergency Kit

Charging Time: 24 Hours

Emergency Operation Time: 3 Hours

Emergency Switch on time: &lt;1 Second



Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 3920lm

LED Type: SMD

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: ABS+PC


On/Off: &gt;10,000

Life span: 20,000 Hours

Gross weight: 2.35 kg

Dimension: 1500x76x66mm

Box Qty: 12 Pcs





Waterproof Fitting  
**18w VT-6048**


SKU: 6198 - 4500K Day White 3800157603256  
SKU: 6199 - 6000K White 3800157603263



Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	1440lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	0.80 kg
Dimension:	600x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting  
**36w VT-1248**


SKU: 6200 - 4500K Day White 3800157603270  
SKU: 6201 - 6000K White 3800157603287



Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.42 kg
Dimension:	1200x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting  
**48w VT-1548**


SKU: 6184 - 4500K Day White 3800157602389  
SKU: 6185 - 6000K White 3800157602396



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3840lm
LED Type:	SMD
CRI:	>70


PF:	>0.7
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.86 kg
Dimension:	1480x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting  
**70w VT-1573**


SKU: 6266 - 4000K Day White 3800157612586



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	8400lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+Aluminium
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	2.75 kg
Dimension:	1500x86x70mm
Box Qty:	6 Pcs





## LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.

### Product Features

- Powerful led light source with a unique design
- Extensive options can replace all types of standard MH highbays
- Aluminium diffuser with multiple beam angle's to choose from 45° / 90° / 120°
- Shatter proof perspex lens
- high thermal conductivity, low luminous decay, pure Colours & no heavy shade
- The unique design of radiator fuses with the lamp box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp



### Applications

Perfect fit for industrial usage, warehouse & super markets, workshops, factories, warehouses, highway, toll stations, gas stations, malls, exhibition halls, stadiums & other vast areas.



UFO-High Lumen-Meanwell Driver  
**100w VT-9107**

SKU: 5588 - 6400K White      3800157622301



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD

CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium



IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs

**5 YEAR WARRANTY\***



UFO-High Lumen-Meanwell Driver  
**100w VT-9117**

SKU: 5586 - 6400K White      3800157622271  
3800157622288



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD

CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium



IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs

**5 YEAR WARRANTY\***



UFO-High Lumen-Meanwell Driver  
**500w VT-9500**

SKU: 5607 - 4000K Day White      3800157625050  
SKU: 5608 - 6400K White      3800157625067



Sensor Compatible:	Yes
Voltage/Frequency:	AC:90-295V,50Hz
Luminous Flux:	65000lm
LED Type:	SMD

CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium

IP Rating:	IP65
Dimension:	Ø360
Box Qty:	1 Pcs

**5 YEAR WARRANTY\***




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	Ø221x85mm
Box Qty:	4 Pcs

UFO-Highbay-120°

50w VT-9053

SKU: 5554 - 4500K Day White  
SKU: 5555 - 6400K White3800157620895  
3800157620901





Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-120°

50w VT-9065-W

SKU: 5609 - 3000K Warm White  
SKU: 5610 - 4000K Day White  
SKU: 5611 - 6400K White3800157626507  
3800157626514  
3800157626521





Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	280x131mm
Box Qty:	2 Pcs

UFO-Highbay-120°

100w VT-9115-W

SKU: 5612 - 3000K Warm White

3800157626538




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-120°

50w VT-9065

SKU: 5558 - 6400K White

3800157621953




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-90°

50w VT-9055

SKU: 5560 - 6400K White

3800157621977





### Emergency Kit-Highbay 100w VT-599

SKU:8384

3800157639309

Box Qty.  
**6 Pcs**

Voltage/Frequency: AC:220-240V,50/60Hz  
 IP Rating: IP44  
 Load Voltage: DC:40-50V  
 Emergency Duration: 180mins  
 Battery: DC:11.1V 6600mAh, Li-ion  
 Charging Time: 24 Hours  
 LED Driver Output Current: 2A Max  
 Output Emergency Power: 20W  
 Tc Max: 65  
 Ambient Temperature: -5 to +40




### LED Highbays 100w VT-9-109

100° BEAM ANGLE

3 YEAR WARRANTY

SKU: 589 - 4000K Day White  
 SKU: 590 - 6000K White

3800157643146  
 3800157643153



Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 9000lm  
 LED Type: SMD  
 CRI: >80

PF: >0.9  
 Beam Angle: 100°  
 Body Type: Aluminium  
 IP Rating: IP54  
 Dimension: 530x103.5x73.5mm  
 Box Qty: 10 Pcs




### Linear Highbay 150w VT-9159

100° BEAM ANGLE

SKU: 56011 - 4000K Day White  
 SKU: 56021 - 6000K White

3800157624923  
 3800157624930



Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 13500lm  
 LED Type: SMD  
 CRI: >80

PF: >0.9  
 Beam Angle: 100°  
 Body Type: Die Cast Aluminium  
 IP Rating: IP54  
 Dimension: 790X103.5X73.5mm  
 Box Qty: 1 Pcs




### Linear Highbay- 200w VT-9209

100° BEAM ANGLE


SKU: 56031 - 4000K Day White  
 SKU: 56041 - 6000K White

3800157624947  
 3800157624954



Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 18000lm  
 LED Type: SMD  
 CRI: >80

PF: >0.9  
 Beam Angle: 100°  
 Body Type: Die Cast Aluminium  
 IP Rating: IP54  
 Dimension: 1045x103.5x73.5mm  
 Box Qty: 1 Pcs



# LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.

## Product Features

- Perfect replacement for traditional lights
- Saves 80% electricity cost, better efficiency and Longer life span
- Dedicated ip65 sealed optical cavities
- Optically optimized glass lenses
- Uniformity in light distribution - maximizes efficiency
- Fully operational in extreme weather up to -25° celsius
- Low maintenance & low power consumption
- Reduced co<sup>2</sup> emissions

## Applications

Out door applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.

Streetlight-Photo Cell Sensor

30w VT-15031ST



SKU: 5489 - 4000K Day White 3800157623483  
SKU: 5490 - 6400K White 3800157623490



**PHOTOCELL SENSOR**  
Auto Turns On At Night  
Auto Turns Off At Day Time



**IP65 RATING**



Sensor Compatible:	Yes
Voltage/Frequency:	AC:190-240V,50/60Hz
Luminous Flux:	2400lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	175x373x52mm

CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs

Streetlight-Photo Cell Sensor

50w VT-15052ST



SKU: 5493 - 4000K Day White 3800157623520  
SKU: 5494 - 6400K White 3800157623537



**PHOTOCELL SENSOR**  
Auto Turns On At Night  
Auto Turns Off At Day Time



**IP65 RATING**



Sensor Compatible:	Yes
Voltage/Frequency:	AC:190-240V,50/60Hz
Luminous Flux:	4000lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	213.5x460x62mm

CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs

50W Solar Panel With Streetlight

VT-ST200

SKU: 5502 - 4000K Day White 3800157652339



Battery:	Li-ion 6.4V/27.5AH Battery
Charging Time:	4-6 hrs Sunlight Charging
Working Time/Volt:	12-15Hours
age/Frequency:	DC:3.2V
Luminous Flux:	4000lm
LED Type:	SMD

IP Rating:	IP65
CRI:	>70
Beam Angle:	120°
Body Type:	Aluminium
Box Qty:	1 Pcs



Solar Streetlight-Black Cover

15w VT-ST15

SKU: 8549 - 4000K Day White 3800157639200  
SKU: 8548 - 6000K White 3800157639217

Battery:	7.4V Lithium Battery,10800mAh
Lumens:	1600lm
No. of LED:	40
Detecting Angle:	120°
Sensing Range:	3-8M



Charging Time:	6-7 Hours
IP Rating:	IP65
Material:	ABS+PC
Dimension:	413x232x58mm
Working Time:	2-36 Hours
Box Qty:	10 Pcs



## Streetlight

50W VT-15050ST

SKU: 9757 - 6000K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	4250lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	495x210x55mm



CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs



## Streetlight-High Lumen

100W VT-15105ST

SKU: 5501 - 3000K Warm White 3800157634595



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	12400lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	566x268x62mm

CRI:	>70
PF:	>0.90
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs




# ADAPTERS FOR STREET LIGHTS



Adapter  
**VT-795**

Box Qty.  
**10 Pcs**

SKU: 3624      3800157608152



Compatible with 100W, 120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



Adapter  
**VT-795-1**

Box Qty.  
**12 Pcs**

SKU: 3668      3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.





## LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

### Product Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

### Applications

Outdoor applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.



Strip-2835-Sensor

2.4w VT-8082

SKU: 2573 - 2700K Warm White 3800157639330  
SKU: 2574 - 4000K Day White 3800157639347

Watts:	2.4w
Voltage:	DC:6V
lm/M:	200lm
Roll:	1 Meter
Sensor Type:	Motion Sensor
Detection Range:	2-5 M
Battery Type:	4xAAA(Not Included)
Box Qty:	50 Pcs



Blister Pack



Bed Lights-PIR Sensor

3w VT-8067

SKU: 2548 - 3000K Warm White 3800157628433  
SKU: 2549 - 4500K Day White 3800157628440

Watts:	3w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x1
Sensor Distance:	2-5m
Delay time:	30sec, 130sec, 380sec
Box Qty:	25 Pcs



Blister Pack



Bed Lights-PIR Sensor

6w VT-8068

SKU: 2550 - 3000K Warm White 3800157628457  
SKU: 2551 - 4500K Day White 3800157628464

Watts:	6w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x2
Sensor Distance:	2-5 m
Delay time:	30sec, 130sec, 380sec
Box Qty:	18 Pcs

Strip-2835 60 LEDs

4w VT-2835 60 -S

SKU: 2559 - 3000K Warm White 3800157637244  
SKU: 2560 - 4000K Day White 3800157637251  
SKU: 2561 - 6400K White 3800157637268



LED Type:	SMD
Watt/M:	4w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	300lm
lm/LED:	5-8lm
Beam Angle:	120°
IP Rating:	IP20
Width:	6mm
Box Qty:	400 Meters



## Strip Sets-5050 60 LEDs

## 10w VT-5050 60 IP20-Set

SKU: 2545 - 3000K Warm White 3800157626804  
 SKU: 2546 - 6000K White 3800157626811  
 SKU: 2544 - RGB 3800157625975

BS PLUG



LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	AC:100-265V,50/60Hz
LED Qty/M:	60

lm/M:	1000lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 Pcs

## Strip Sets-5050 60 LEDs

## 10w VT-5050 60 IP20-RGB Set

SKU: 2558-RGB 3800157634144

EU PLUG



LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	AC:100-265V,50/60Hz
LED Qty/M:	60

lm/M:	1000lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 Pcs

## Strip-2216 360 LEDs

## 30w VT-2216 360

SKU: 2580 - 3000K Warm White 3800157642033  
 SKU: 2581 - 4000K Day White 3800157642040  
 SKU: 2582 - 6000K White 3800157642057



LED Type:	SMD
Watt/M:	30w
Current/M:	1.25A
Voltage:	DC:24V
LED Qty/M:	360

lm/M:	2400lm
lm/LED:	6-7lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	250 Meters

## LED strips-2835 240 LEDs-High Lumen

## 18w VT-2835 240-H

SKU: 2164 - 3000K Warm White 3800157610117  
 SKU: 2165 - 4500K Day White 3800157610124  
 SKU: 2166 - 6000K White 3800157610131

3000 LUMENS  
PER METER  
SUPER EFFICIENT



LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty/M:	240

lm/M:	3000lm
lm/LED:	20-22lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-2835 204 LEDs

18w VT-2835 204

SKU: 2461 - 3000K Warm White 3800157612234  
 SKU: 2462 - 4500K Day White 3800157612241  
 SKU: 2463 - 6000K White 3800157612258



LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty/M:	204

lm/M:	1700lm
lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5730 120 LEDs-High Lumen

18w VT-5730 120

SKU: 2162 - 3000K Warm White 3800157610094  
 SKU: 2163 - 4500K Day White 3800157610100  
 SKU: 2161 - 6000K White 3800157610087



LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty/M:	120

lm/M:	3000lm
lm/LED:	20-22lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



LED Strip-2835 126 LEDs

8w VT-2835 126-24V

SKU: 2593 | 3000K Warm White 3800157653121  
 SKU: 2594 | 4000K Day White 3800157653138  
 SKU: 2595 | 6400K White 3800157653145



NEW



LED Type:	SMD
Watt/M:	8w
Current/M:	0.33A
Voltage:	DC:24V
LED Qty/M:	126

lm/M:	1200lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED Strip-2835 168 LEDs

11w VT-2835 168-24V

SKU: 2596 | 3000K Warm White 3800157653152  
 SKU: 2597 | 4000K Day White 3800157653169  
 SKU: 2598 | 6400K White 3800157653176



NEW



LED Type:	SMD
Watt/M:	11w
Current/M:	0.45A
Voltage:	DC:24V
LED Qty/M:	168

lm/M:	1650lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



## LED Strip-2835 238 LEDs

## 17W VT-2835 238-24V

SKU: 2599 | 3000K Warm White 3800157653183  
 SKU: 2600 | 4000K Day White 3800157653190  
 SKU: 2601 | 6400K White 3800157653206



LED Type:	SMD
Watt/M:	17w
Current/M:	0.7A
Voltage:	DC:24V
LED Qty/M:	238

lm/M:	2550lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

**NEW**



## LED strips-5050 30 LEDs

## 4.8W VT-5050 30-IP20

SKU: 2135 - 3000K Warm White 3800230621405  
 SKU: 2133 - 6000K White 3800230621382  
 SKU: 2124 - RGB 3800230621535



LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty/M:	30

lm/M:	500lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



## LED strips-5050 30 LEDs

## 4.8W VT-5050 30-IP65

SKU: 2145 - 3000K Warm White 3800230621412  
 SKU: 2460 - 4500K Day White 3800157612166  
 SKU: 2144 - 6000K White 3800230621399  
 SKU: 2118 - RGB 3800230621528



LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty/M:	30

lm/M:	500lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters



## LED strips-5050 60 LEDs

## 10.8W VT-5050 60-IP20

SKU: 2122 - 3000K Warm White 3800230621504  
 SKU: 2143 - 4500K Day White 3800230621467  
 SKU: 2126 - 6000K White 3800230621481  
 SKU: 2120 - RGB 3800230621542  
 SKU: 2128 - Red 3800230624468  
 SKU: 2137 - Blue 3800230621429  
 SKU: 2138 - Green 3800230621443  
 SKU: 2156 - Yellow 3800230628824  
 SKU: 2547 - 2200K Warm White 3800157627313



LED Type:	SMD
Watt/M:	10.8w
Current/M:	0.9A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	1000lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

10.8w VT-5050 60-IP65

SKU: 2149 - 3000K Warm White 3800230621511  
 SKU: 2150 - 4500K Day White 3800230621474  
 SKU: 2148 - 6000K White 3800230621498  
 SKU: 2155 - RGB 3800230621559



LED Type:	SMD
Watt/M:	10.8w
Current/M:	0.9A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	1000lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters



LED strips-3528 60 LEDs

3.6w VT-3528 60-IP20

SKU: 2016 - 3000K Warm White 3800230621160  
 SKU: 2041 - 4500K Day White 3800230621184  
 SKU: 2005 - 6000K White 3800230621153  
 SKU: 2015 - Red 3800230621269  
 SKU: 2013 - Blue 3800230621252  
 SKU: 2011 - Green 3800230621221  
 SKU: 2009 - Yellow 3800230621214



LED Type:	SMD
Watt/M:	3.6w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	400lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



LED strips-3528 60 LEDs

3.6w VT-3528 60-IP65

SKU: 2032 - 3000K Warm White 3800230621177  
 SKU: 2043 - 4500K Day White 3800230621191  
 SKU: 2031 - 6000K White 3800230621146  
 SKU: 2036 - Red 3800230621276  
 SKU: 2035 - Blue 3800230621245  
 SKU: 2034 - Green 3800230621238



LED Type:	SMD
Watt/M:	3.6w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	400lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters



LED strips-3528 120 LEDs

7.2w VT-3528 120-IP20

SKU: 2025 - 3000K Warm White 3800230621306  
 SKU: 2042 - 4500K Day White 3800230621320  
 SKU: 2002 - 6000K White 3800230621283



LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty/M:	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



## LED strips-3528 120 LEDs

## 7.2w VT-3528 120-IP65

SKU: 2038 - 3000K Warm White 3800230621313  
 SKU: 2044 - 4500K Day White 3800230621337  
 SKU: 2037 - 6000K White 3800230621290



LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty/M:	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters



## LED strips-5050 60 LEDs

## 10.8w VT-5050 60RGBW

SKU: 2159 - RGB+White 3800230629623  
 SKU: 2552 - RGB+Day White 3800157630306  
 SKU: 2553 - RGB+Warm White 3800157630313



LED Type:	SMD
Watt/M:	10.8w
Current/M:	1.2A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	900lm
lm/LED:	15lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



## LED strips-3014 204 LEDs

## 18w VT-3014 204

SKU: 2404 - 3000K Warm White 3800230628060  
 SKU: 2405 - 4500K Day White 3800157600309  
 SKU: 2403 - 6000K White 3800230628053



LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty/M:	204

lm/M:	1700lm
lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



## LED strips-5050 60 LEDs

## 9w VT-5050 60-24V-5M

SKU: 2431 - 3000K Warm White 3800230621573  
 SKU: 2459 - 4500K Day White 3800157612036  
 SKU: 2430 - 6000K White 3800230621566  
 SKU: 2591 - RGB 3800157653008



LED Type:	SMD
Watt/M:	9w
Current/M:	0.3A
Voltage:	DC:24V
LED Qty/M:	60

lm/M:	600lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	200 Meters



LED strips-5050 60 LEDs

9w VT-5050 60-24V-10M

SKU: 2592 - RGB 3800157653015

**NEW**



LED Type:	SMD
Watt/M:	9w
Current/M:	0.3A
Voltage:	DC:24V
LED Qty/M:	60

lm/M:	600lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	200 Meters

Tape-5050 60 LEDs

9w VT-5050 60-24V-IP65

SKU: 2562 - 3000K Warm White 3800157637534  
 SKU: 2563 - 4000K Day White 3800157637541  
 SKU: 2564 - 6400K White 3800157637558



LED Type:	SMD
Watt/M:	9w
Current/M:	0.375A
Voltage:	DC:24V
LED Qty/M:	60

lm/M:	500lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	200 Meters



Plug-Pin

SKU : 2565  
 EAN : 3800157637565  
 Box Qty: \_\_\_\_\_



Fixing Clip

SKU : 2566  
 EAN : 3800157637572  
 Box Qty: \_\_\_\_\_



End Cup

SKU : 2567  
 EAN : 3800157637589  
 Box Qty: \_\_\_\_\_





## Neon Flex-White

8W

VT-555W



SKU:	2512 - 6000K White
EAN:	3800157605656
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



## Neon Flex-Warm White

8W

VT-555WW



SKU:	2513 - 3000K Warm White
EAN:	3800157605663
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



## Neon Flex-Day White

8W

VT-555DW



SKU:	2514 - 4500K Day White
EAN:	3800157605670
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



## Neon Flex-Blue

8W

VT-555B



SKU:	2515 - Blue
EAN:	3800157605687
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Red

8W VT-555R



SKU:	2516 - Red
EAN:	3800157605694
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Green

8W VT-555G



SKU:	2517 - Green
EAN:	3800157605700
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Yellow

8W VT-555Y



SKU:	2518 - Yellow
EAN:	3800157605717
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Pink

8W VT-555P



SKU:	2529 - Pink
EAN:	3800157619523
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Violet

8W VT-555V



SKU:	2531 - Violet
EAN:	3800157619547
Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



## Backlite Silicon Neon Flex

13w VT-559

2570 - 5000K White 3800157637657  
 2568 - 3000K Warm White 3800157637633  
 2569 - 4000K Day White 3800157637640



LED Type:	SMD
Watt/M:	13w
Voltage:	DC:24V
lm/M:	1000
CRI:	>80

Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	200 Meters



## Aluminium Profiles

SKU : 2527  
 EAN : 3800157608404  
 Box Qty: 2200Pcs



## Neon Power Cord

SKU : 3331  
 EAN : 3800157616829  
 Box Qty: 500 Pcs



## Neon Connector

SKU : 3333  
 EAN : 3800157607889  
 Box Qty: 3000 Pcs



## Neon End Safe Cap

SKU : 3334  
 EAN : 3800157607896  
 Box Qty: 2 Pcs



## Plastic Profile

SKU : 2571  
 EAN : 3800157637664  
 Box Qty:

## LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



SKU	Description:	EAN :	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

## Strip Connectors



SKU	Description:	EAN :	BOX Qty:
2587	Flexible Connector - LED Strip 5050 RGB+White	3800157644655	2500 Pcs
2588	Flexible Connector - 5050 RGB+White With Pin	3800157644662	2000 Pcs
2589	Connector - LED Strip 5050 RGB+White	3800157644679	3000 Pcs
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3509	Connector - LED Strip 3528 Cross Type	3800157608473	100 Pcs
3510	Connector - LED Strip 5050 Cross Type	3800157608480	200 Pcs
3511	Connector - LED Strip 5050 L Type	3800157608497	250 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs



**2**  
PCS PACK

Bar 4014 144 LEDs

**18w**      **VT-4014 144-2Pc**

SKU: 2535 - 3000K Warm White      3800157625883  
 SKU: 2536 - 4000K Day White      3800157625890  
 SKU: 2537 - 6400K White      3800157625906

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	125 Pcs



**10**  
PCS PACK

Bar 4014 144 LEDs

**18w**      **VT-4014 144-10Pc**

SKU: 2538 - 3000K Warm White      3800157625913  
 SKU: 2539 - 4000K Day White      3800157625920  
 SKU: 2540 - 6400K White      3800157625937

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	50 Pcs




Bar 4014 144 LEDs

**18w**      **VT-4014 144-P**

SKU: 2541 - 3000K Warm White      3800157625944  
 SKU: 2542 - 4500K Day White      3800157625951  
 SKU: 2543 - 6400K White      3800157625968

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	100 Pcs





## PROFILES AND ACCESSORIES

V-TAC's range of strip lights and aluminum profiles were developed with the sole purpose of adding a constantly stylish way of lighting. Coupled with our diverse range of accessories and controllers, these stylish lights can be installed in a variety of ways and applications.



Lighting Flexibility




Elegant Lighting



Easy to Install

**NEW**



with 30 mm wide,  
Perfect for double  
row LED Strip

### Aluminium Profiles-Milky

Model No: **VT-8118**

SKU: **3371**


Dimension: **2000x30x20mm**

Color of Fixture: **Milky**

EAN: **3800157648431**

Box Qty. **50 Pcs**

**NEW**



### Aluminium Profiles-Milky

Model No: **VT-8119**


SKU: **3372**

Dimension: **2000x30x20mm**

Color of Fixture: **Milky**


EAN: **3800157648448**

Box Qty. **60 Pcs**



**Aluminium Profiles-Milky**

Model No:	VT-9327
SKU:	3370
Dimension:	x2000x16mmx7mm
Color of Fixture:	Milky
EAN:	3800157645553
Box Qty.	200 Pcs





**Aluminium Profiles-Milky**

Model No:	VT-8106
SKU:	3350
Dimension:	2000x24.7x7mm
Color of Fixture:	Milky
EAN:	3800157636780

**Aluminium Profiles-White Housing**


Model No:	VT-8106-W
SKU:	3368
Dimension:	2000x24.7x7mm
Color of Fixture:	White
EAN:	3800157640183

Box Qty. 180 Pcs



**Aluminium Profiles-Milky**

Model No:	VT-8107
SKU:	3351
Dimension:	2000x23x15.5mm
Color of Fixture:	Milky
EAN:	3800157636797
Box Qty.	120 Pcs





**Aluminium Profiles-Milky**

Model No:	VT-8108
SKU:	3352
Dimension:	2000x23.5x10mm
Color of Fixture:	Milky
EAN:	3800157636803

**Aluminium Profiles-White Housing**

Model No:	VT-8108-W
SKU:	3367
Dimension:	2000x23.5x10mm
Color of Fixture:	White
EAN:	3800157640176

Box Qty. 120 Pcs




**Aluminium Profiles-Milky**

Model No:	VT-8109
SKU:	3353
Dimension:	2000x15.8x15.8mm
Color of Fixture:	Milky
EAN:	3800157636810

**Aluminium Profiles-White Housing**

Model No:	VT-8109-W
SKU:	3369
Dimension:	2000x15.8x15.8mm
Color of Fixture:	White
EAN:	3800157640190

Box Qty. 160 Pcs




Box Qty. 120 Pcs

## Aluminium Profiles-Milky

Model No:	VT-8110
SKU:	3354
Dimension:	2000x17.2x15.5mm
Color of Fixture:	Milky
EAN:	3800157636827

## Aluminium Profiles-White Housing

Model No:	VT-8110-W
SKU:	3366
Dimension:	2000x17.2x15.5mm
Color of Fixture:	White
EAN:	3800157640169




Box Qty. 180 Pcs

## Aluminium Profiles-Milky

Model No:	VT-8113
SKU:	3355
Dimension:	2000x17.4x7mm
Color of Fixture:	Milky
EAN:	3800157636834

## Aluminium Profiles-White Housing

Model No:	VT-8113-W
SKU:	3365
Dimension:	2000x17.4x7mm
Color of Fixture:	White
EAN:	3800157640152




Box Qty. 120 Pcs

## Aluminium Profiles-Milky

Model No:	VT-8114
SKU:	3356
Dimension:	2000x19x19mm
Color of Fixture:	Milky
EAN:	3800157636841

## Aluminium Profiles-White Housing

Model No:	VT-8114-W
SKU:	3364
Dimension:	2000x19x19mm
Color of Fixture:	White
EAN:	3800157640145




Box Qty. 120 Pcs

## Aluminium Profiles-Milky

Model No:	VT-8115
SKU:	3357
Dimension:	2000x24.5x12.2mm
Color of Fixture:	Milky
EAN:	3800157636858

Box Qty. 120 Pcs




Box Qty. 120 Pcs

## Aluminium Profiles-Milky


Model No:	VT-8116
SKU:	3358
Dimension:	2000x17.4x12.1mm
Color of Fixture:	Milky
EAN:	3800157636865

Box Qty. 120 Pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8101
SKU:	3359
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157636995
Box Qty.	30 Pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8102
SKU:	3360
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637008
Box Qty.	50 pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8103
SKU:	3361
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637015
Box Qty.	40 Pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8104
SKU:	3362
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637022
Box Qty.	30 Pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8105
SKU:	3363
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637039
Box Qty.	30 Pcs




### Aluminium Profile-Transparent

Model No:	VT-7101-T
SKU:	9981
Dimension:	16.76x10.3x1000mm
Color of Fixture:	Transparent
EAN:	3800230622129
Box Qty.	100 Pcs




### Aluminium Profile-Matt

Model No:	VT-7101-M
SKU:	9982
Dimension:	16.76x10.3x1000mm
Color of Fixture:	Matt
EAN:	3800230622136
Box Qty.	100 Pcs




### Aluminium Profile-Transparent

Model No:	VT-7102-T
SKU:	9983
Dimension:	16.9x12.48x1000mm
Color of Fixture:	Transparent
EAN:	3800230622143
Box Qty.	140 Pcs




### Aluminium Profile-Matt

Model No:	VT-7102-M
SKU:	9984
Dimension:	16.9x12.48x1000mm
Color of Fixture:	Matt
EAN:	3800230622150
Box Qty.	140 Pcs




### Aluminium Profile-Transparent

Model No:	VT-7103-T
SKU:	9985
Dimension:	26.5x9x1000mm
Color of Fixture:	Transparent
EAN:	3800230622150
Box Qty.	90 Pcs



**Aluminium Profile-Matt**


Model No:	VT-7103-M
SKU:	9986
Dimension:	26.5x9x1000mm
Color of Fixture:	Matt
EAN:	3800230622174
Box Qty.	90 Pcs



**2**  
PCS PACK

**Aluminium Profile-2 Meters**


Model No:	VT-7104
SKU:	9956
Dimension:	19x19x2000mm
Color of Fixture:	Milky
EAN:	3800157635509
Box Qty.	40 Pcs



**2**  
PCS PACK


**Aluminium Profile-2 Meters**

Model No:	VT-7109-2Pc
SKU:	9957
Dimension:	22x17x2000mm
Color of Fixture:	Milky
EAN:	3800157617208
Box Qty.	150 Pcs



**Aluminium Profile-Milky**

Model No:	VT-7109
SKU:	9947
Dimension:	22x17x1000mm
Color of Fixture:	Milky
EAN:	3800157617208
Box Qty.	150 Pcs



**Aluminium Profile-Milky**

Model No:	VT-7105
SKU:	9990
Dimension:	24.6x7.85x1000mm
Color of Fixture:	Milky
EAN:	3800230628077
Box Qty.	150 Pcs



### Strip-Controller-Dimmer

Model:	VT-2402
SKU:	3300
Max Current /Watt:	8A   96/192W
Input Voltage:	DC:12/24V
EAN:	3800230622198
Box Qty.	50 Pcs



### Strip-Controller-Radio

Model:	VT-2404
SKU:	3303
Max Current /Watt:	12A, 144W
Input Voltage:	DC:12/24V
EAN:	3800230622204
Box Qty.	100 Pcs



### Strip-Controller-DMX 512

Model:	VT-DM X 512
SKU:	3307
Max Current /Watt:	4A x3   144/288W
Input Voltage:	DC:12V
EAN:	3800230622266
Box Qty.	50 Pcs



### Strip-Controller-Radio

Model:	VT-2405
SKU:	3312
Max Current /Watt:	4A x3   144/288W
Input Voltage:	DC:12/24V
EAN:	3800230622273
Box Qty.	20 Pcs



### Strip-Controller-Radio

Model:	VT-2406
SKU:	3318
Max Current /Watt:	500W
Input Voltage:	DC:12/24V
EAN:	3800230622235
Box Qty.	50 Pcs



### Strip-Controller-RF

Model:	3320
SKU:	3320
Max Current /Watt:	N/A
Input Voltage:	DC:12V
EAN:	3800230628022
Box Qty.	500 Pcs



### Strip-Controller-Infrared

Model:	VT-2472
SKU:	3625
Max Current /Watt:	72/144w
Input Voltage:	DC:12/24V
EAN:	3800230629630
Box Qty.	100 Pcs



### Strip-Amplifier-5050

Model:	3009
SKU:	3009
Max Current /Watt:	6A, 72W
Input Voltage:	DC:12V
EAN:	3800230622259
Box Qty.	100 Pcs



### Strip-Amplifier-5050

Model:	3018
SKU:	3018
Input Voltage:	DC:12V
EAN:	3800230622242
Box Qty.	1000 Pcs



### Strip-Controller

Model:	3319
SKU:	3319
Input Voltage:	DC:12V
EAN:	3800230628015
Box Qty.	500 Pcs



### Strip-Controller-Wifi

Model:	3321
SKU:	3321
Input Voltage:	DC:12V
EAN:	3800230628039
Box Qty.	50 Pcs



### Strip-Controller-Wifi RGB

Model:	3322
SKU:	3322
Input Voltage:	DC:12V
EAN:	3800230628046
Box Qty.	50 Pcs



### Strip-Controller-5050

Model:	3326
SKU:	3326
Input Voltage:	DC:12/24V
EAN:	3800230629630
Box Qty.	100 Pcs



### Strip-Amplifier

Model:	VT-2408
SKU:	3327
Input Voltage:	DC:12/24V
EAN:	380015761047
Box Qty.	100 Pcs



### Strip-Amplifier


Model:	VT-2407
SKU:	3309
Input Voltage:	DC:12/24V
EAN:	3800157620819
Box Qty.	100Pcs



### Bed Light-Sensor

Model:	VT-8069
SKU:	2554
Input voltage:	DC:12V
Sensing Distance:	2-5m
DeLay Time:	3s-6min
EAN:	3800157632690
Box Qty.	400Pcs






**Bed Light-Touch Sensor**

Model:	VT-8071
SKU:	2556
Input voltage:	DC:12V
EAN:	3800157632713
Box Qty.	100Pcs



**Bed Light-Hand Wave Sensor**

Model:	VT-8072
SKU:	2557
Input voltage:	DC:12V
EAN:	3800157632720
Box Qty.	100Pcs



**Strip-Controller-Dimmer**

Model:	VT-2411
SKU:	3341
Input voltage:	DC:12V
EAN:	3800157636148
Box Qty.	500Pcs



**Bed Light-Connector Terminal**

Model:	VT-8070
SKU:	2555
EAN:	3800157632706
Box Qty.	400Pcs



**Strip-Controller-Dimmer**

Model:	VT-2410
SKU:	3663
Max Current /Watt:	6A 216W/432W
Input Voltage:	DC:12/24V
EAN:	3800157619509
Box Qty.	100 Pcs



**LED Sync Controller- Dimmer**

Model:	VT-2414
SKU:	3337
Input Voltage:	DC:12/24V
EAN:	3800157634601
Box Qty.	50Pcs



**LED Sync Controller- RGBW/WW**

Model:	VT-2424
SKU:	3338
Input Voltage:	DC:12/24V
EAN:	3800157634618
Box Qty.	60Pcs



**LED Sync Controller- RGB**

Model:	VT-2420
SKU:	3339
Input Voltage:	DC:12/24V
EAN:	3800157634625
Box Qty.	60Pcs



**LED Sync Controller- RGB**

Model:	
SKU:	3340
Input Voltage:	DC:12/24V
EAN:	3800157634632
Box Qty.	100Pcs

**NEW**



**Strip Dimmer- Touch Remote Control**

**3 single color channels, <6A/channel  
DC 12V:<216W/DC 24V:<432W**

Model:	VT-5115
SKU:	2590
Input Voltage:	DC:12/24V
EAN:	3800157649445
Box Qty.	50 Pcs

**Modules-3 SMD-IP67**

0.72w VT-50303

Voltage/Frequency:	DC:12V
Luminous Flux:	66lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	67x15x8.5mm
IP Rating:	IP67
Box Qty.	2000 Pcs



SKU: 5116 - 6000K White	3800157610209
SKU: 5117 - Red	3800157610216
SKU: 5118 - Blue	3800157610223
SKU: 5119 - Green	3800157610230




### Modules-3 SMD-IP67

**1w**      **VT-28353**



Voltage/Frequency:	DC:12V
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	53x12x4.6mm
IP Rating:	IP67
Box Qty.	200 Pcs

SKU: 5120 - 6000K White      3800157610247  
 SKU: 5121 -Red      3800157610254  
 SKU: 5123 - Green      3800157610261  
 3800157610278



### Modules-3 SMD-IP67

**1.5w**      **VT-28356**



Voltage/Frequency:	DC:12V
Luminous Flux:	120-150lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	87x15x10mm
IP Rating:	IP67
Box Qty.	2000 Pcs

SKU: 5124 - 3000K Warm White      3800157621687  
 SKU: 5127 - Blue      3800157621694  
 SKU: 5128 - Green      3800157621700  
 3800157621717  
 3800157621724



### Modules-4 SMD-IP68

**1.44w**      **VT-28358**



Voltage/Frequency:	DC:12V
Luminous Flux:	120-135lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	37x37x6.8mm
IP Rating:	IP68
Box Qty.	100Pcs

SKU: 5129 - 3000K Warm White      3800157621731  
 SKU: 5130 - 6000K White      3800157621748  
 SKU: 5131 -Red      3800157621755  
 SKU: 5132 - Blue      3800157621762  
 SKU: 5133 - Green      3800157621779



### Modules-3 SMD-IP67

**0.72w**      **VT-50506**



Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	68x19.5x5.7mm
IP Rating:	IP67
Box Qty.	100 Pcs

SKU: 5134 - RGB      3800157621786



Modules-SMD-IP68

0.24w VT-50501



Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	12x22mm
IP Rating:	IP68
Box Qty.	320 Pcs

SKU: 5135 - 3000K Warm white	3800157621793
SKU: 5136 - 6000K White	3800157621809
SKU: 5137 - Red	3800157621816
SKU: 5139 - Blue	3800157621830
SKU: 5140 - Green	3800157621847
SKU: 5138 - Yellow	3800157621823

## Power Supply

For LED Strip Lights

**Slim Power Supply VT-20062**

SKU :	<b>3246</b>	Output:	<b>DC:12V</b>
Watts:	<b>60w</b>	Unit Size:	<b>130x50x31mm</b>
Current Capacity:	<b>5A</b>	EAN:	<b>3800157628549</b>
Input Power:	<b>AC:85-265V,50/60Hz</b>	Box Qty.	<b>36 Pcs</b>

**24V**

**Slim Power Supply VT-24061**

SKU :	<b>3261</b>	Output:	<b>DC:24V</b>
Watts:	<b>60w</b>	Unit Size:	<b>130x50x31mm</b>
Current Capacity:	<b>2.5A</b>	EAN:	<b>3800157640367</b>
Input Power:	<b>AC:85-265V,50/60Hz</b>	Box Qty.	<b>36 Pcs</b>

**Slim Power Supply VT-20077**

With short circuit protection, over load protection, stable output voltage

SKU :	<b>3247</b>	Output:	<b>DC:12V</b>
Watts:	<b>75w</b>	Unit Size:	<b>130x50x31mm</b>
Current Capacity:	<b>6A</b>	EAN:	<b>3800157628556</b>
Input Power:	<b>AC:85-265V,50/60Hz</b>	Box Qty.	<b>60 Pcs</b>

**Slim Power Supply VT-20122**

Built in EMI Filter

SKU :	<b>3243</b>	Output:	<b>DC:12V</b>
Watts:	<b>120w</b>	Unit Size:	<b>190x50x31mm</b>
Current Capacity:	<b>10A</b>	EAN:	<b>3800157628525</b>
Input Power:	<b>AC:85-265V,50/60Hz</b>	Box Qty.	<b>80 Pcs</b>



24V

**Slim Power Supply  
VT-24120**

SKU :	<b>3262</b>	Built in EMI Filter
Watts:	120w	Output: <b>DC:24V</b>
Current Capacity:	5A	Unit Size: <b>190x50x31mm</b>
Input Power:	AC:85-265V,50/60Hz	EAN: <b>3800157640374</b>
		Box Qty. <b>80 Pcs</b>



**Slim Power Supply  
VT-20152**

SKU :	<b>3244</b>	High efficiency, low temperature
Watts:	150w	Output: <b>DC:12V</b>
Current Capacity:	12.5A	Unit Size: <b>200x62x31mm</b>
Input Power:	AC:85-265V,50/60Hz	EAN: <b>3800157628532</b>
		Box Qty. <b>60 Pcs</b>



**Slim Power Supply  
VT-20352**

SKU :	<b>3259</b>	Output: <b>DC:12V</b>
Watts:	350w	Unit Size: <b>208x82x32MM</b>
Current Capacity:	30A	EAN: <b>3800157636766</b>
Input Power:	AC:200-240V,50/60 Hz	Box Qty. <b>30 Pcs</b>



24V

**Slim Power Supply  
VT-24350**

SKU :	<b>3263</b>	Output: <b>DC:24V</b>
Watts:	350w	Unit Size: <b>208x82x32MM</b>
Current Capacity:	15A	EAN: <b>3800157640381</b>
Input Power:	AC:200-240V,50/60 Hz	Box Qty. <b>30 Pcs</b>



**Power Supply-Metal  
VT-20026**

SKU :	<b>3228</b>	100% load tested
Watts:	25w	Output: <b>DC:12V</b>
Current Capacity:	2.1A	Unit Size: <b>140x33x27mm</b>
Input Power:	AC:85-265V,50/60Hz	EAN: <b>3800157622929</b>
		Box Qty. <b>100 Pcs</b>



**Power Supply-Metal  
VT-20350**

SKU :	<b>3057</b>	Output: <b>DC:12V</b>
Watts:	350w	Unit Size: <b>215x115x50mm</b>
Current Capacity:	30A	EAN: <b>3800230621795</b>
Input Power:	AC:110-220V,50/60Hz	Box Qty. <b>20 Pcs</b>



**Power Supply-Metal  
VT-20061**

SKU :	<b>3229</b>	Output: <b>DC:12V</b>
Watts:	60w	Unit Size: <b>160x40x32mm</b>
Current Capacity:	5A	EAN: <b>3800157622936</b>
Input Power:	AC:85-265V,50/60Hz	Box Qty. <b>100 Pcs</b>



**Power Supply-Metal  
VT-20076**

SKU :	<b>3230</b>	Output: <b>DC:12V</b>
Watts:	75w	Unit Size: <b>188x47x35mm</b>
Current Capacity:	6A	EAN: <b>3800157622943</b>
Input Power:	AC:85-265V,50/60Hz	Box Qty. <b>60 Pcs</b>



**Power Supply-Metal  
VT-20121**

SKU :	<b>3226</b>	Output:	<b>DC:12V</b>
Watts:	<b>120w</b>	Unit Size:	<b>188x47x35mm</b>
Current Capacity:	<b>10A</b>	EAN:	<b>3800157622905</b>
Input Power:	<b>AC:85-265V,50/60Hz</b>	Box Qty.	<b>36 Pcs</b>



**Power Supply-Metal  
VT-20151**

SKU :	<b>3227</b>	Output:	<b>DC:12V</b>
Watts:	<b>150w</b>	Unit Size:	<b>200x58x40mm</b>
Current Capacity:	<b>12.5A</b>	EAN:	<b>3800157622912</b>
Input Power:	<b>AC:85-265V,50/60Hz</b>	Box Qty.	<b>50 Pcs</b>



**Power Supply-Metal  
VT-20153**

SKU :	<b>3253</b>	Output:	<b>DC:24V</b>
Watts:	<b>150w</b>	Unit Size:	<b>253x72x45mm</b>
Current Capacity:	<b>6.5A</b>	EAN:	<b>3800157635233</b>
Input Power:	<b>AC:85-265V,50/60Hz</b>	Box Qty.	<b>50 Pcs</b>



**Power Supply-Metal  
VT-20027**

SKU :	<b>3254</b>	Output:	<b>DC:12V</b>
Watts:	<b>25w</b>	Unit Size:	<b>140x33x27mm</b>
Current Capacity:	<b>2A</b>	EAN:	<b>3800157635264</b>
Input Power:	<b>AC:85-265V,50/60Hz</b>	Box Qty.	<b>100 Pcs</b>




**LED Power Supply-TRIAC Dimmable  
VT-20101D**

SKU :	<b>3256</b>	Output:	<b>DC:12V</b>
Watts:	<b>100w</b>	Unit Size:	<b>199x98x42mm</b>
Current Capacity:	<b>8.5A</b>	EAN:	<b>3800157635523</b>
Input Power:	<b>AC:200-240V,50/60 Hz</b>	Box Qty.	<b>50 Pcs</b>




**LED Power Supply-TRIAC Dimmable  
VT-20154D**

SKU :	<b>3257</b>	Output:	<b>DC:12V</b>
Watts:	<b>150w</b>	Unit Size:	<b>199x98x42mm</b>
Current Capacity:	<b>12.5A</b>	EAN:	<b>3800157635530</b>
Input Power:	<b>AC:200-240V,50/60 Hz</b>	Box Qty.	<b>50 Pcs</b>




**LED Power Supply-TRIAC Dimmable  
VT-20155D**

SKU :	<b>3258</b>	Output:	<b>DC:24V</b>
Watts:	<b>150w</b>	Unit Size:	<b>199x98x42mm</b>
Current Capacity:	<b>6.25A</b>	EAN:	<b>3800157635547</b>
Input Power:	<b>AC:200-240V,50/60 Hz</b>	Box Qty.	<b>50 Pcs</b>





**LED Power Supply-Rainproof-IP45  
VT-21060**

SKU :	<b>3070</b>	Output:	<b>DC:12V</b>
Watts:	<b>60w</b>	Unit Size:	<b>155x105x50mm</b>
Current Capacity:	<b>5A</b>	EAN:	<b>3800230621801</b>
Input Power:	<b>AC:200-240V,50Hz</b>	Box Qty.	<b>30 Pcs</b>



**IP45**  
RATING

**LED Power Supply-Rainproof-IP45  
VT-21151**

SKU : **3231**  
Watts: **150w**  
Current Capacity: **12.5A**  
Input Power: **AC: 100-264V,50/60Hz**

Output: **DC:12V**  
Unit Size: **207x74x42mm**  
EAN: **3800157627979**  
Box Qty. **40 Pcs**



**IP45**  
RATING

**LED Power Supply-Rainproof-IP45  
VT-21251**

SKU : **3232**  
Watts: **250w**  
Current Capacity: **20A**  
Input Power: **AC: 100-264V,50/60Hz**

Output: **DC:12V**  
Unit Size: **218x95x50mm**  
EAN: **3800157627986**  
Box Qty. **25 Pcs**



**IP45**  
RATING

**LED Power Supply-Rainproof-IP45  
VT-21401**

SKU : **3233**  
Watts: **400w**  
Current Capacity: **33A**  
Input Power: **AC: 100-264V,50/60Hz**

Output: **DC:12V**  
Unit Size: **223x118x50mm**  
EAN: **3800157627993**  
Box Qty. **20 Pcs**



**IP45**  
RATING

**24V**

**LED Power Supply-Rainproof-IP45  
VT-26400**

SKU : **3265**  
Watts: **400w**  
Current Capacity: **16.6A**  
Input Power: **AC: 100-264V,50/60Hz**

Output: **DC:24V**  
Unit Size: **223x118x50mm**  
EAN: **3800157640404**  
Box Qty. **20 Pcs**



**IP65**  
RATING

**Power Supply-Waterproof-IP65  
VT-22101**

SKU : **3101(24v) - 3236 (12v)**  
Watts: **100w**  
Current Capacity: **4.2A**  
Input Power: **AC: 100-264V,50/60Hz**

Unit Size: **201x30.5x20mm**  
EAN: **3800157605991**  
Box Qty. **20 Pcs**

**NEW**



**IP65**  
RATING

**Power Supply-Waterproof-IP65  
VT-22030**

SKU : **3100**  
Watts: **30w**  
Current Capacity: **2.5A**  
Input Power: **AC:90-265V,50/60Hz**

Output: **DC:12V**  
Unit Size: **201x30.5x20mm**  
EAN: **3800230621900**  
Box Qty. **80 Pcs**



**IP67**  
RATING

**Power Supply-Waterproof-IP67  
VT-22061**

SKU : **3234**  
Watts: **60w**  
Current Capacity: **5A**  
Input Power: **AC: 100-264V,50/60Hz**

Output: **DC:12V**  
Unit Size: **166x43x33mm**  
EAN: **3800157628006**  
Box Qty. **40 Pcs**



**IP67**  
RATING

**Power Supply-Waterproof-IP67  
VT-22075**

SKU : **3235**  
Watts: **75w**  
Current Capacity: **6A**  
Input Power: **AC: 100-264V,50/60Hz**

Output: **DC:12V**  
Unit Size: **166x43x33mm**  
EAN: **3800157628013**  
Box Qty. **40 Pcs**

**NEW**



**IP67 RATING**

**Power Supply-Waterproof-IP67  
VT-21030**


SKU :	<b>3271</b>	Output:	<b>DC:12V</b>
Watts:	<b>30w</b>	Unit Size:	<b>150x40x30mm</b>
Current Capacity:	<b>2.5A</b>	EAN:	<b>3800157649186</b>
Input Power:	<b>AC:100-240V50/60Hz</b>	Box Qty.	<b>60 Pcs</b>



**IP67 RATING**

**Power Supply-Waterproof-IP67  
VT-22153**

SKU :	<b>3248</b>	Output:	<b>DC:12V</b>
Watts:	<b>150w</b>	Unit Size:	<b>192x52x37mm</b>
Current Capacity:	<b>12.5A</b>	EAN:	<b>3800157629362</b>
Input Power:	<b>AC: 100-264V,50/60Hz</b>	Box Qty.	<b>15 Pcs</b>




**IP67 RATING**

**5 YEAR WARRANTY**

**Power Supply-Waterproof-IP67  
VT-22155**

SKU :	<b>3250</b>	Output:	<b>DC:12V</b>
Watts:	<b>150w</b>	Unit Size:	<b>192x52x37mm</b>
Current Capacity:	<b>12.5A</b>	EAN:	<b>3800157630436</b>
Input Power:	<b>AC: 100-264V,50/60Hz</b>	Box Qty.	<b>20 Pcs</b>




**IP67 RATING**

**5 YEAR WARRANTY**

**Power Supply-Waterproof-IP67  
VT-22105**

SKU :	<b>3251</b>	Output:	<b>DC:12V</b>
Watts:	<b>100w</b>	Unit Size:	<b>192x52x37mm</b>
Current Capacity:	<b>8.3A</b>	EAN:	<b>3800157630443</b>
Input Power:	<b>AC: 100-264V,50/60Hz</b>	Box Qty.	<b>25 Pcs</b>








**IP67 RATING**

**5 YEAR WARRANTY**

**Power Supply-Waterproof-IP67  
VT-22065**

SKU :	<b>3252</b>	Output:	<b>DC:12V</b>
Watts:	<b>60w</b>	Unit Size:	<b>166x43x33mm</b>
Current Capacity:	<b>5A</b>	EAN:	<b>3800157630450</b>
Input Power:	<b>AC: 100-264V,50/60Hz</b>	Box Qty.	<b>40 Pcs</b>

	<p><b>Power Supply-Plastic-IP44 VT-23019</b></p> <p>SKU : <b>3237</b></p> <p>Watts: <b>18w</b></p> <p>Current Capacity: <b>1.5A</b></p> <p>Input Power: <b>AC: 100-264V,50/60Hz</b></p> <p>Output: <b>DC:12V</b></p> <p>Unit Size: <b>73x27x43mm</b></p> <p>EAN: <b>3800157628037</b></p> <p>Box Qty. <b>120 Pcs</b></p> <p>Plug <b>EU Plug</b></p>	<p><b>LED Power Supply-Plastic VT-23005</b></p> <p>SKU : <b>3260</b></p> <p>Watts: <b>5w</b></p> <p>Current Capacity: <b>1A</b></p> <p>Input Power: <b>AC:100-265V 50/60 Hz</b></p> <p>Output: <b>DC:+5V</b></p> <p>Unit Size: <b>73x27x43mm</b></p> <p>EAN: <b>3800157637992</b></p> <p>Box Qty. <b>120 Pcs</b></p> <p>Plug <b>EU Plug</b></p>
	<p><b>Power Supply-Plastic-IP44 VT-23031</b></p> <p>SKU : <b>3238</b></p> <p>Watts: <b>30w</b></p> <p>Current Capacity: <b>2.5A</b></p> <p>Input Power: <b>AC: 100-264V,50/60Hz</b></p> <p>Output: <b>DC:12V</b></p> <p>Unit Size: <b>119x52x32mm</b></p> <p>EAN: <b>3800157628044</b></p> <p>Box Qty. <b>50 Pcs</b></p> <p>Plug <b>EU Plug</b></p>	<p><b>Power Supply-Plastic-IP44 VT-23061</b></p> <p>SKU : <b>3239</b></p> <p>Watts: <b>60w</b></p> <p>Current Capacity: <b>5A</b></p> <p>Input Power: <b>AC: 100-264V,50/60Hz</b></p> <p>Output: <b>DC:12V</b></p> <p>Unit Size: <b>119x52x32mm</b></p> <p>EAN: <b>3800157628051</b></p> <p>Box Qty. <b>50 Pcs</b></p> <p>Plug <b>EU Plug</b></p>
<p><b>24V</b></p> 	<p><b>Power Supply-Plastic-IP44 VT-25060</b></p> <p>SKU : <b>3264</b></p> <p>Watts: <b>60w</b></p> <p>Current Capacity: <b>2.5A</b></p> <p>Input Power: <b>AC: 100-264V,50/60Hz</b></p> <p>Output: <b>DC:24V</b></p> <p>Unit Size: <b>119x52x32mm</b></p> <p>EAN: <b>3800157640398</b></p> <p>Box Qty. <b>50 Pcs</b></p> <p>Plug <b>EU Plug</b></p>	<p><b>Power Supply-Plastic-IP44 VT-23079</b></p> <p>SKU : <b>3240</b></p> <p>Watts: <b>78w</b></p> <p>Current Capacity: <b>6,5A</b></p> <p>Input Power: <b>AC: 100-264V,50/60Hz</b></p> <p>Output: <b>DC:12V</b></p> <p>Unit Size: <b>119x52x32mm</b></p> <p>EAN: <b>3800157628068</b></p> <p>Box Qty. <b>50 Pcs</b></p> <p>Plug <b>EU Plug</b></p>
	<p><b>Power Supply-Plastic-IP44 VT-23043</b></p> <p>SKU : <b>3249</b></p> <p>Watts: <b>42w</b></p> <p>Current Capacity: <b>3.5A</b></p> <p>Input Power: <b>AC:100-265V 50/60 Hz</b></p> <p>Output: <b>DC:12V</b></p> <p>Unit Size: <b>119x52x32mm</b></p> <p>EAN: <b>3800157629379</b></p> <p>Box Qty. <b>50 Pcs</b></p> <p>Plug <b>EU Plug</b></p>	<p><b>Power Supply-Plastic VT-23060</b></p> <p>SKU : <b>3035</b></p> <p>Watts: <b>60w</b></p> <p>Current Capacity: <b>5A</b></p> <p>Input Power: <b>AC:100-265V 50/60 Hz</b></p> <p>Output: <b>DC:12V</b></p> <p>Unit Size: <b>130x90x45mm</b></p> <p>EAN: <b>3800157601085</b></p> <p>Box Qty. <b>50 Pcs</b></p> <p>Plug <b>BS Plug</b></p>
<p><b>NEW</b></p> 	<p><b>Power Supply-Plastic-IP44 VT-23060-W</b></p> <p>SKU : <b>3269</b></p> <p>Watts: <b>60w</b></p> <p>Current Capacity: <b>5A</b></p> <p>Input Power: <b>AC:100-264V</b></p> <p>Output: <b>DC:12V</b></p> <p>Unit Size: <b>119x52x32mm</b></p> <p>EAN: <b>3800157642668</b></p> <p>Box Qty. <b>50 Pcs</b></p> <p>Plug <b>BS Plug</b></p>	<p><b>NEW</b></p> <p><b>Power Supply-Plastic-IP44 VT-23061-W</b></p> <p>SKU : <b>3270</b></p> <p>Watts: <b>60w</b></p> <p>Current Capacity: <b>5A</b></p> <p>Input Power: <b>AC:100-264V</b></p> <p>Output: <b>DC:12V</b></p> <p>Unit Size: <b>119x52x32mm</b></p> <p>EAN: <b>3800157642675</b></p> <p>Box Qty. <b>50 Pcs</b></p> <p>Plug <b>EU Plug</b></p>





## LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

### Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

### Applications

Perfect choice for exhibition stands, hotels, bars, commercial & residential lighting.





Tracklights-Smart Color Changing

15w VT-7715-W

SKU: 1456 - 3 IN 1 3800157637909

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	650
LED Type:	COB
CRI:	>80
PF:	>0.5



CCT AND DIMMING  
VIA SMART PHONE APPCCT Adjustable  
2800K/4000K/6000K

Tracklights-Smart Color Changing

15w VT-7715-B

SKU: 1457 - 3 IN 1 3800157637916

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500
LED Type:	COB
CRI:	>80
PF:	>0.5



CCT AND DIMMING  
VIA SMART PHONE APPCCT Adjustable  
2800K/4000K/6000K

Tracklights-Smart Color Changing

35w VT-7735-W

SKU: 1458 - 3 IN 1 3800157637923

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2350
LED Type:	COB
CRI:	>80
PF:	>0.9



CCT AND DIMMING  
VIA SMART PHONE APPCCT Adjustable  
2800K/4000K/6000K

Tracklights-Smart Color Changing

35w VT-7735-B

SKU: 1459 - 3 IN 1 3800157637930

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1950
LED Type:	COB
CRI:	>80
PF:	>0.9

CCT AND DIMMING  
VIA SMART PHONE APPCCT Adjustable  
2800K/4000K/6000K



Tracklights-Color Changing  
18w VT-4718-W

SKU: 1410 - 3 IN 1 3800157629324


CCT Adjustable  
2800K/4000K/6000K

Lens Angle Adjustable  
20°-60°

Triac Dimmable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1450lm
LED Type:	COB
CRI:	>95
PF:	>0.9

Beam Angle:	20° ~ 60° (Adjustable)
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	Ø93x93.5x203mm
Box Qty:	20 Pcs



**5** YEAR WARRANTY\*



Tracklights-Color Changing  
18w VT-4718-B

SKU: 1411 - 3 IN 1 3800157629331


CCT Adjustable  
2800K/4000K/6000K

Lens Angle Adjustable  
20°-60°

Triac Dimmable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1450lm
LED Type:	COB
CRI:	>95
PF:	>0.9

Beam Angle:	20° ~ 60° (Adjustable)
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	Ø93x93.5x203mm
Box Qty:	20 Pcs



**5** YEAR WARRANTY\*



Tracklights-Color Changing  
35w VT-4745-W

SKU: 1412 - 3 IN 1 3800157629348

CCT Adjustable  
2800K/4000K/6000K

Lens Angle Adjustable  
20°-60°

Triac Dimmable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	COB
CRI:	>95
PF:	>0.9

Beam Angle:	20° ~ 60° (Adjustable)
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	Ø100x196x262mm
Box Qty:	8 Pcs



**5** YEAR WARRANTY\*



Tracklights-Color Changing  
35w VT-4745-B

SKU: 1413 - 3 IN 1 3800157629355


CCT Adjustable  
2800K/4000K/6000K

Lens Angle Adjustable  
20°-60°

Triac Dimmable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	COB
CRI:	>95
PF:	>0.9

Beam Angle:	20° ~ 60° (Adjustable)
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	Ø100x196x262mm
Box Qty:	8 Pcs



**5** YEAR WARRANTY\*


## Tracklights-Black-White Body

10w VT-4512

SKU: 1332 - 3000K Warm White 3800157620604  
 SKU: 1333 - 4000K Day White 3800157620611  
 SKU: 1334 - 6000K White 3800157620628



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x65x163mm
PF:	>0.9	Box Qty:	40 Pcs




## Tracklights-Black-White Body

25w VT-4528

SKU: 1335 - 3000K Warm White 3800157620635  
 SKU: 1336 - 4000K Day White 3800157620642  
 SKU: 1337 - 6000K White 3800157620659



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2100lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x85x187mm
PF:	>0.9	Box Qty:	20 Pcs




## Tracklights-Black-White Body

35w VT-4537

SKU: 1338 - 3000K Warm White 3800157620666  
 SKU: 1339 - 4000K Day White 3800157620673  
 SKU: 1340 - 6000K White 3800157620680



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2850lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	224x100x215mm
PF:	>0.9	Box Qty:	10 Pcs



## Tracklights-CREE COB-15° to 60°

35w VT-4735


SKU: 1357 - 3000K Warm White 3800157625074  
 SKU: 1358 - 4000K Day White 3800157625081  
 SKU: 1359 - 6400K White 3800157625098



**15° to 60°**  
 Beam Angle  
 Adjustable by Rotating



Sensor Compatible:	Yes	Beam Angle:	15°-60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Aluminium
LED Type:	COB(CREE)	Life span:	30,000 Hours
CRI:	>80	Dimension:	178.4x197.7x95mm
PF:	>0.9	Box Qty:	8 Pcs







**Tracklights-White Body**  
**15w VT-4615W**

SKU: 1298 - 3000K Warm White 3800157619851  
 SKU: 1299 - 4000K Day White 3800157619868  
 SKU: 1300 - 6400K White 3800157619875



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs



**Tracklights-Black Body**  
**15w VT-4615B**

SKU: 1301 - 3000K Warm White 3800157619882  
 SKU: 1302 - 4000K Day White 3800157619899  
 SKU: 1303 - 6400K White 3800157619905



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs



**Tracklights-White Body**  
**30w VT-4635W**

SKU: 1292 - 3000K Warm White 3800157619790  
 SKU: 1293 - 4000K Day White 3800157619806  
 SKU: 1294 - 6400K White 3800157619813


Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs



**Tracklights-Black Body**  
**30w VT-4635B**

SKU: 1295 - 3000K Warm White 3800157619820  
 SKU: 1296 - 4000K Day White 3800157619837  
 SKU: 1297 - 6400K White 3800157619844

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs







### Tracklights-Black Body 33W VT-4535

SKU: 1233 - 3000K Warm White  
SKU: 1234 - 4000K Day White  
SKU: 1235 - 5000K White

3800157603720  
3800157603737  
3800157603744

Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	112x165x205mm
PF:	>0.9	Box Qty:	8 Pcs





### Tracklights-Black Body 45W VT-4545

SKU: 1236 - 3000K Warm White  
SKU: 1237 - 4000K Day White  
SKU: 1238 - 5000K White

3800157603751  
3800157603768  
3800157603775

Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	123x165x218mm
PF:	>0.9	Box Qty:	8 Pcs





### Tracklights-Black Body 20W VT-4521T

SKU: 1202 - 5000K Day White

3800157600187

Sensor Compatible:	Yes	Beam Angle:	46°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1500lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	Ø80x185mm
PF:	>0.9	Box Qty:	8 Pcs





### Tracklights-Black Body 40W VT-4540T

SKU: 1191 - 3000K Warm White  
SKU: 1192 - 5000K Day White

3800230629548  
3800230629555

Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2600lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>70	Dimension:	225x185x138mm
PF:	>0.9	Box Qty:	8 Pcs







**Tracklights-White Body**  
**33W VT-4534W**

SKU: 1241 - 3000K Warm White 3800157603997  
 SKU: 1229 - 4000K Day White 3800157602501  
 SKU: 1230 - 5000K White 3800157602518



Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs



**Tracklights-Black Body**  
**33W VT-4534B**

SKU: 1242 - 3000K Warm White 3800157604000  
 SKU: 1231 - 4000K Day White 3800157602525  
 SKU: 1232 - 5000K White 3800157602532



Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs



**Tracklights-White Body**  
**35W VT-4536W**

SKU: 1255 - 3000K Warm White 3800157607551  
 SKU: 1256 - 4500K Day White 3800157607568  
 SKU: 1257 - 6000K White 3800157607575



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs
































**Tracklights-Black Body**  
**35W VT-4536B**


SKU: 1285 - 3000K Warm White 3800157618694  
 SKU: 1286 - 4000K Day White 3800157618700  
 SKU: 1287 - 6000K White 3800157618717

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs



 <p>Track Fittings-4Line-PAR20 Model: VT-7112-4W SKU : 3554 EAN : 3800230628398 Box Qty: 18 Pcs</p>	 <p>Track Fittings-4Line-PAR20 Model: VT-7112-4B SKU : 3553 EAN : 3800230628381 Box Qty: 18 Pcs</p>	 <p>Track Fittings-4Line-PAR38 Model: VT-7116-4W SKU : 3570 EAN : 3800157604252 Box Qty: 18 Pcs</p>	 <p>Track-Connectors-4I SKU : 3522 EAN : 3800230623232 Box Qty: 50 Pcs</p>	 <p>Track-Connectors-4I SKU : 3523 EAN : 3800230623195 Box Qty: 50 Pcs</p>	 <p>Track-Connectors-4T SKU : 3524 EAN : 3800230623201 Box Qty: 25 Pcs</p>
 <p>Track-Connectors-4T SKU : 3525 EAN : 3800230623249 Box Qty: 25 Pcs</p>	 <p>Track-Connectors-4X SKU : 3526 EAN : 3800230623218 Box Qty: 10 Pcs</p>	 <p>4 Wired Y Series-Connectors SKU : 3655 EAN : 3800157619103 Box Qty: 100 Pcs</p>	 <p>4 Wired Y Series-Connectors SKU : 3656 EAN : 3800157619110 Box Qty: 100 Pcs</p>	 <p>4 Wired Y Series-Connectors SKU : 3657 EAN : 3800157619127 Box Qty: 200 Pcs</p>	 <p>4 Wired Y Series-Connectors SKU : 3658 EAN : 3800157619134 Box Qty: 200 Pcs</p>
 <p>4 Wired Y Series-Adaptor SKU : 3659 EAN : 3800157619141 Box Qty: 50 Pcs</p>	 <p>4 Wired Y Series-Adaptor SKU : 3660 EAN : 3800157619158 Box Qty: 50 Pcs</p>	 <p>Track-Connectors-4X SKU : 3527 EAN : 3800230623256 Box Qty: 10 Pcs</p>	 <p>Track-Connectors-4L SKU : 3528 EAN : 3800230623225 Box Qty: 25 Pcs</p>	 <p>Track-Connectors-4L SKU : 3529 EAN : 3800230623263 Box Qty: 25 Pcs</p>	 <p>Flexible Joint-4 Line SKU : 3560 EAN : 3800230628459 Box Qty: 20 Pcs</p>
 <p>Hanging Trackline Kit-1 Meter SKU : 3565 EAN : 3800157600019 Box Qty: 100 Pcs</p>	 <p>Hanging Trackline Kit-1 Meter SKU : 3566 EAN : 3800157600026 Box Qty: 100 Pcs</p>	 <p>4 Core Track-1 Meter SKU : 9944 EAN : 3800230623133 Box Qty: 10 Pcs</p>	 <p>4 Core Track-1 Meter SKU : 9945 EAN : 3800230623164 Box Qty: 10 Pcs</p>	 <p>4 Core Track-1.5 Meter SKU : 9952 EAN : 3800230623140 Box Qty: 10 Pcs</p>	 <p>4 Core Track-1.5 Meter SKU : 9953 EAN : 3800230623171 Box Qty: 10 Pcs</p>
 <p>4 Core Track-2 Meter SKU : 9954 EAN : 3800230623157 Box Qty: 10 Pcs</p>	 <p>4 Core Track-2 Meter SKU : 9955 EAN : 3800230623188 Box Qty: 10 Pcs</p>	 <p>Track Fitting-Gu10 Model: VT-788 SKU : 3617 EAN : 3800157607469 Box Qty: 20 Pcs</p>	 <p>Track Fitting-Gu10 Model: VT-789 SKU : 3618 EAN : 3800157607476 Box Qty: 20 Pcs</p>	 <p>Track Fitting-Gu10 Model: VT-790 SKU : 3619 EAN : 3800157607483 Box Qty: 10 Pcs</p>	





## LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

### Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

### Applications

Residences, showrooms, hotels & boutiques etc.


NEW

UGR &lt; 19

Adjustable Angle  
0-27°


Hotel Downlight-COB

6w VT-2907

SKU: 1479 - 3000K Warm White 3800157644242  
SKU: 1480 - 4000K Day White 3800157644259Cutting Size  
Ø55mmSensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 400lm  
LED Type: COB-CREE  
CRI: >95  
PF: >0.6Beam Angle: 0-27°  
Body Type: Aluminium  
Dimension: Ø65x82mm  
Cutting Size: Ø55mm  
Box Qty: 24 Pcs


Hotel Downlight-COB

10w VT-2911

SKU: 1481 - 3000K Warm White 3800157644068  
SKU: 1482 - 4000K Day White 3800157644075Cutting Size  
Ø75mmSensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 650lm  
LED Type: COB-CREE  
CRI: >95  
PF: >0.6Beam Angle: 0-27°  
Body Type: Aluminium  
Dimension: Ø85x96mm  
Cutting Size: Ø75mm  
Box Qty: 16 Pcs


Hotel Downlight-COB

15w VT-2916

SKU: 1483 - 3000K Warm White 3800157644082  
SKU: 1484 - 4000K Day White 3800157644099Cutting Size  
Ø95mmSensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 100lm  
LED Type: COB-CREE  
CRI: >95  
PF: >0.6Beam Angle: 0-27°  
Body Type: Aluminium  
Dimension: Ø105x113mm  
Cutting Size: Ø105mm  
Box Qty: 12 Pcs

Hotel Downlight-COB

35w VT-2936

SKU: 1477 - 3000K Warm White 3800157644105  
SKU: 1478 - 4000K Day White 3800157644112Cutting Size  
Ø150mmSensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 2300lm  
LED Type: COB-CREE  
CRI: >95  
PF: >0.6Beam Angle: 0-27°  
Body Type: Aluminium  
Dimension: Ø160x176mm  
Cutting Size: Ø150mm  
Box Qty: 8 Pcs

**NEW**



Side Light  
3W VT-2903

SKU: 1485 - 3000K Warm White 3800157642675

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	Black
Dimension:	80x80x25mm
Cutting Size:	N/A
Box Qty:	40 Pcs

**NEW**



Side Light  
3W VT-2913

SKU: 1486 - 3000K Warm White 3800157644327

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	90x60x30mm
Cutting Size:	N/A
Box Qty:	40 Pcs

**NEW**



Side Light  
3W VT-2943

SKU: 1487 - 3000K Warm White 3800157644334

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	120x120x45mm
Cutting Size:	N/A
Box Qty:	20 Pcs

**NEW**



Side Light  
3+6W VT-2953

SKU: 1488 - 3000K Warm White 3800157644341

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180+500lm
LED Type:	CREE Chip
CRI:	>80
PF	>0.6

Beam Angle:	120°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	300x50x35mm
Cutting Size:	N/A
Box Qty:	30 Pcs

**NEW**



Side Light  
3+6W VT-2963

SKU: 1489 - 3000K Warm White 3800157644358

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180+500lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6


Beam Angle:	120°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	140x30mm
Cutting Size:	N/A
Box Qty:	30 Pcs



## Reflector Series - High Lumen

10W VT-26101

SKU: 1270 - 3000K Warm White 3800157611923  
 SKU: 1271 - 4000K Day White 3800157611930  
 SKU: 1272 - 6400K White 3800157611947



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	1200lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø120mm
Box Qty:	27 Pcs



## Reflector Series - High Lumen

20W VT-26201

SKU: 1273 - 3000K Warm White 3800157611954  
 SKU: 1274 - 4000K Day White 3800157611961  
 SKU: 1275 - 6400K White 3800157611978



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	2400lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø180x83mm
Cutting Size:	Ø167mm
Box Qty:	18 Pcs



## Reflector Series - High Lumen

30W VT-26301

SKU: 1276 - 3000K Warm White 3800157611985  
 SKU: 1277 - 4000K Day White 3800157611992  
 SKU: 1278 - 6400K White 3800157612005



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	3600lm
LED Type:	COB
CRI:	>80
PF:	>0.9


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



## Reflector Series - High Lumen

40W VT-26451

SKU: 1453 - 3000K Warm White 3800157635561  
 SKU: 1279 - 4500K Day White 3800157612012  
 SKU: 1280 - 6400K White 3800157612029



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-270V,50/60Hz
Luminous Flux:	4800lm
LED Type:	COB
CRI:	>80
PF:	>0.9


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



## Reflector Series

10W VT-2610

SKU: 1100 - 6000K White 3800230622372



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	730lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø105mm
Box Qty:	27 Pcs

Reflector Series

SKU: 1103 - 6000K White

3800230622402

20w VT-2620



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø182x90mm
Cutting Size:	Ø160mm
Box Qty:	18 Pcs

Zoom Series - Rectangle

SKU: 1306 - 3000K Warm White  
SKU: 1307 - 4000K Day White  
SKU: 1289 - 6400K White

3800157619936  
3800157619943  
3800157619646

30w VT-2930



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2450lm
LED Type:	COB
CRI:	>80
PF:	>0.9


Beam Angle:	99°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Rectangle
Dimension:	235x146x139mm
Cutting Size:	220 x 132mm
Box Qty:	20 Pcs

Zoom Series - Round

SKU: 1304 - 3000K Warm White  
SKU: 1305 - 4500K Day White  
SKU: 1288 - 6400K White

3800157619912  
3800157619929  
3800157619639

33w VT-2933



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2650lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	24°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Round
Dimension:	Ø165x140mm
Cutting Size:	Ø 155
Box Qty:	20 Pcs

Downlight-Moving Head-Square

SKU: 5096 - 4000K Day White  
SKU: 5097 - 6400K White

3800157609371  
3800157609388  
3800157609395

3w VT-1133SQ



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	55x55x42mm
Cutting Size:	45 x 45mm
Box Qty:	100 Pcs

Downlight-Fixed Type-Square

SKU: 5110 - 6400K White

3800157609456

3w VT-1123SQ



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	45x45x35mm
Cutting Size:	36 x 36 mm
Box Qty:	100 Pcs




## Step Light With Sensor

SKU: 5570 - 4000K Day White

3800157617291

3W VT-8035



Sensor Compatible: **Sensor Included**Voltage/Frequency: **AC:100-240V, 50/60Hz**Luminous Flux: **100lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **45°**Body Type: **Die cast Aluminium**Color of Fixture: **White**Shape: **Square**Dimension: **85x85x42mm**Cutting Size: **85x85mm**Box Qty: **100 Pcs**

## Steplight-Square

SKU: 1284 - 4000K Day White

3800157617307

3W VT-1143

Sensor Compatible: **Yes**Voltage/Frequency: **AC:85-265V,50/60Hz**Luminous Flux: **100lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **83°**Body Type: **Die Cast Aluminium**Color of Fixture: **White**Shape: **Square**Dimension: **84x84x43mm**Cutting Size: **72x72mm**Box Qty: **100 Pcs**

## Steplight-Square

SKU: 1209 - 3000K Warm White  
SKU: 1210 - 4200K Day White3800157600255  
3800157600262


3W VT-1109

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **120lm**LED Type: **COB**CRI: **>80**PF: **>0.5**Beam Angle: **15°**Body Type: **Aluminium**Color of Fixture: **White**Shape: **Square**Dimension: **80x80x51mm**Cutting Size: **62x62mm**Box Qty: **100 Pcs**

## Steplight-Round

SKU: 1207 - 3000K Warm White  
SKU: 1208 - 4200K Day White3800157600231  
3800157600248

3W VT-1109RD

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **120lm**LED Type: **COB**CRI: **>80**PF: **>0.5**Beam Angle: **15°**Body Type: **Aluminium**Color of Fixture: **White**Shape: **Round**Dimension: **Ø80x51mm**Cutting Size: **Ø62mm**Box Qty: **100 Pcs**

Step Light-Rectangle-IP65  
3W VT-1162-W

SKU: 1327 - 3000K Warm White 3800157620550  
SKU: 1326 - 4000K Day White 3800157620543



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65  
3W VT-1162-B

SKU: 1329 - 3000K Warm White 3800157620574  
SKU: 1328 - 4000K Day White 3800157620567



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65  
3W VT-1162-G

SKU: 1331 - 3000K Warm White 3800157620598  
SKU: 1330 - 4000K Day White 3800157620581




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65  
2W VT-1142-W

SKU: 1315 - 3000K Warm White 3800157620437  
SKU: 1314 - 4000K Day White 3800157620420




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65  
2W VT-1142-B

SKU: 1317 - 3000K Warm White 3800157620451  
SKU: 1316 - 4000K Day White 3800157620444




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65  
2W VT-1142-G

SKU: 1319 - 3000K Warm White 3800157620475  
SKU: 1318 - 4000K Day White 3800157620468




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-W

SKU: 1321 - 3000K Warm White 3800157620499  
SKU: 1320 - 4000K Day White 3800157620482




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-B

SKU: 1323 - 3000K Warm White 3800157620512  
SKU: 1322 - 4000K Day White 3800157620505




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-G

SKU: 1325 - 3000K Warm White 3800157620536  
SKU: 1324 - 4000K Day White 3800157620529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs





Step Light - IP65  
3W VT-1172-B

SKU: 1398 - 3000K Warm White 3800157628310  
SKU: 1399 - 4000K Day White 3800157628327



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65  
3W VT-1172-G

SKU: 1400 - 3000K Warm White 3800157628334  
SKU: 1401 - 4000K Day White 3800157628341



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65  
3W VT-1172-W

SKU: 1402 - 3000K Warm White 3800157628358  
SKU: 1403 - 4000K Day White 3800157628365



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-B

SKU: 1404 - 3000K Warm White 3800157628372  
SKU: 1405 - 4000K Day White 3800157628389



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-G

SKU: 1406 - 3000K Warm White 3800157628396  
SKU: 1407 - 4000K Day White 3800157628402



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Steplight-Rectangle  
6W VT-856-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

Steplight-Rectangle  
6W VT-856-G



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

Steplight-Rectangle  
6W VT-856-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs



## LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

### Product Features

- Non - flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)

### Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.

NEW

STARY COVER


EASY ACCESS FOR  
COLOR CHANGING  
WITH BUTTON

CCT Changeable

Smart Domelight-CCT Changeable by  
Switch

12w VT-8412-S

SKU: 7602 - 3IN1 3800157652179




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø255x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by  
Switch

18w VT-8418-S

SKU: 7604 - 3IN1 3800157652193




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø310x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by  
Switch

24w VT-8424-S

SKU: 7606 - 3IN1 3800157652216




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø350x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by  
Switch

36w VT-8436-S

SKU: 7608 - 3IN1 3800157652230



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2160lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø480x65mm
Box Qty:	5 Pcs

**NEW**

**MILKY COVER**



**EASY ACCESS FOR  
COLOR CHANGING  
WITH BUTTON**




**CCT Changeable**

Smart Domelight-CCT Changeable by Switch

**12w VT-8412-M**

SKU: 7603 - 3IN1 3800157652186




Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:175-265V,50/60Hz**  
Luminous Flux: **720lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic**  
Shape: **Round**  
Dimension: **Ø255x55mm**  
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

**18w VT-8418-M**

SKU: 7605 - 3IN1 3800157652209




Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:175-265V,50/60Hz**  
Luminous Flux: **1080lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic**  
Shape: **Round**  
Dimension: **Ø310x55mm**  
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

**24w VT-8424-M**

SKU: 7607 - 3IN1 3800157652223




Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:175-265V,50/60Hz**  
Luminous Flux: **1440lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic**  
Shape: **Round**  
Dimension: **Ø350x55mm**  
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

**36w VT-8436-M**

SKU: 7609 - 3IN1 3800157652247



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:175-265V,50/60Hz**  
Luminous Flux: **2160lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic**  
Shape: **Round**  
Dimension: **Ø480x65mm**  
Box Qty: **5 Pcs**

NEW

HUGE SIZE Ø83 CM




## Domelight-Remote Control-CCT Changeable

72W VT-8472

SKU: 1495 - 3IN1

3800157648783



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	5040lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø670x75mm
Box Qty:	5 Pcs




## Domelight-Remote Control-CCT Changeable

80W VT-8480

SKU: 1496 - 3IN1

3800157648790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	5600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø830x85mm
Box Qty:	2 Pcs



**NEW**


**DIAMOND COVER**



Domelight-Remote Control-CCT Changeable

**40w VT-8404**

SKU: 1493 - 3IN1 3800157648769




Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Shape:	Diamond Cover
CRI:	>80	Dimension:	Ø388.5x70mm
PF:	>0.9	Box Qty:	5 Pcs



Domelight-Remote Control-CCT Changeable

**60w VT-8557**

SKU: 1492 - 3IN1 3800157648752



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	4200lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Shape:	Diamond Cover
CRI:	>80	Dimension:	Ø496.6x70mm
PF:	>0.9	Box Qty:	5 Pcs



NEW

STARY COVER




Domelight-Remote Control-CCT Changeable

40w VT-8405

SKU: 1494 - 3IN1

3800157648776



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø397x70mm
Box Qty:	5 Pcs




Domelight-Remote Control-CCT Changeable

60w VT-8556

SKU: 1491 - 3IN1

3800157648745



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø493.9x70mm
Box Qty:	5 Pcs








Domelight-Remote Control-CCT Changeable

**48w VT-8448**

SKU: 7600 - 3IN1

3800157649490



Sensor Compatible:	Yes	Beam Angle:	150°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2400lm	Body Type:	PMMA+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø492x100mm
PF:	>0.9	Box Qty:	6 Pcs



Domelight-Remote Control-CCT Changeable

**65w VT-8473**

SKU: 7601 - 3IN1

3800157649506

Sensor Compatible:	Yes	Beam Angle:	150°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	PMMA+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø480x75mm
PF:	>0.9	Box Qty:	6 Pcs



## Smart Domelight-Speaker-CCT Changeable

36w VT-5500

SKU:1490- RGB+3IN1

3800157645386



Sensor Compatible:	N/A
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø500x65mm
Box Qty:	8 Pcs



## Domelight-Remote Control-CCT Changeable

60w VT-8555

SKU:1455- 3IN1

3800157637701

DIMMABLE  
WITH REMOTECOLOR  
CHANGING  
WITH REMOTE

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø572.5x70mm
Box Qty:	6 Pcs






Domelight-Remote Control-CCT Changeable

40w VT-8401

SKU:1474-3IN1

3800157643559



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:467x70mm
Box Qty:	10 Pcs




Domelight-Remote Control-CCT Changeable

65w VT-8501

SKU:1473-3IN1

3800157643542



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	8 Pcs





## Domelight-Remote Control-CCT Changeable


40w VT-8402

SKU:1476-3IN1

3800157643573

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400x60mm
Box Qty:	10 Pcs

DIMMABLE  
WITH REMOTE

## Domelight-Remote Control-CCT Changeable


65w VT-8502

SKU:1475-3IN1

3800157643566

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500x70mm
Box Qty:	6 Pcs

DIMMABLE  
WITH REMOTE




Domelight-Remote Control-CCT Changeable

40w VT-8403

SKU:1460-3IN1

3800157643580



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400x60mm
Box Qty:	10 Pcs




Domelight-Remote Control-CCT Changeable

65w VT-8503

SKU:1461-3IN1


3800157643597



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500x65mm
Box Qty:	10 Pcs





## Domelight-Remote Control-CCT Changeable

65w VT-8504

SKU:1462- 3IN1

3800157643603

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:510x90mm
Box Qty:	6 Pcs

## Ceiling Lights - Round

14w VT-8073RD

SKU: 1428 - 3000K Warm White	3800157633147
SKU: 1429 - 4000K Day White	3800157633154
SKU: 1430 - 6400K White	3800157633161



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1000lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	257x65mm
Box Qty:	20 Pcs



## Ceiling Lights - Round

20w VT-8074RD

SKU: 1431 - 3000K Warm White	3800157633178
SKU: 1432 - 4000K Day White	3800157633185
SKU: 1433 - 6400K White	3800157633192



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	290x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

20w VT-8074SQ

SKU: 1434 - 3000K Warm White 3800157633208  
 SKU: 1435 - 4000K Day White 3800157633215  
 SKU: 1436 - 6400K White 3800157633222



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	280x280x60mm
Box Qty:	10 Pcs



Ceiling Lights - Round


24w VT-8075RD

SKU: 1437 - 3000K Warm White 3800157633239  
 SKU: 1438 - 4000K Day White 3800157633246  
 SKU: 1439 - 6400K White 3800157633253



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	340x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

32w VT-8076SQ

SKU: 1443 - 3000K Warm White 3800157633291  
 SKU: 1444 - 4000K Day White 3800157633307  
 SKU: 1445 - 6400K White 3800157633314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	330x330x65mm
Box Qty:	10 Pcs



Ceiling Lights - Round

32w VT-8076RD

SKU: 1440 - 3000K Warm White 3800157633260  
 SKU: 1441 - 4000K Day White 3800157633277  
 SKU: 1442 - 6400K White 3800157633284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø390x65mm
Box Qty:	10 Pcs



## Ceiling Lights - Square

15W VT-8033SQ


SKU: 1390 - 3000K Warm White 3800157626477  
 SKU: 5567 - 4000K Day White 3800157610360  
 SKU: 1391 - 6400K White 3800157626484

TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	200x200x47.5
Box Qty:	20 Pcs



## Ceiling Lights - Round

15W VT-8033RD


SKU: 1388 - 3000K Warm White 3800157626453  
 SKU: 5566 - 4000K Day White 3800157610353  
 SKU: 1389 - 6400K White 3800157626460

TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø200x47.5mm
Box Qty:	20 Pcs



## Ceiling Lights - Square

25W VT-8066SQ


SKU: 1395 - 3000K Warm White 3800157628280  
 SKU: 1396 - 4200K Day White 3800157628297  
 SKU: 1397 - 6500K White 3800157628303

TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	300x300x50mm
Box Qty:	10 Pcs



## Ceiling Lights - Round

25W VT-8066RD


SKU: 1392 - 3000K Warm White 3800157628259  
 SKU: 1393 - 4200K Day White 3800157628266  
 SKU: 1394 - 6500K White 3800157628273

TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø300x50mm
Box Qty:	10 Pcs





Dome Series - Rectangle Oval

8W VT-8038-B




SKU: 1308 - 3000K Warm White 3800157620260  
 SKU: 1309 - 4500K Day White 3800157620277  
 SKU: 1310 - 6000K White 3800157620284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Dome Series - Rectangle Oval

8W VT-8038-W




SKU: 1311 - 3000K Warm White 3800157620291  
 SKU: 1312 - 4000K Day White 3800157620307  
 SKU: 1313 - 6000K White 3800157620314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Bling Star


8W VT-8061



SKU: 1370 - 3000K Warm White 3800157626262  
 SKU: 1371 - 4000K Day White 3800157626279  
 SKU: 1372 - 6400K White 3800157626286

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	560lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø215x78mm
Box Qty:	20 Pcs



Bling Star


12W VT-8062



SKU: 1373 - 3000K Warm White 3800157626293  
 SKU: 1374 - 4000K Day White 3800157626309  
 SKU: 1375 - 6400K White 3800157626316

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	840lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø260x92mm
Box Qty:	10 Pcs



## Bling Star


18W VT-8063

SKU: 1376 - 3000K Warm White 3800157626323  
 SKU: 1377 - 4000K Day White 3800157626330  
 SKU: 1378 - 6400K White 3800157626347



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1260lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø290x92mm
Box Qty:	10 Pcs



## Bling Star


24W VT-8064

SKU: 1379 - 3000K Warm White 3800157626354  
 SKU: 1380 - 4000K Day White 3800157626361  
 SKU: 1381 - 6400K White 3800157626378



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1680lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø330x102mm
Box Qty:	10 Pcs



## Ceiling Lights - Round


12W VT-8031

SKU: 1414 - 3000K Warm White 3800157630092  
 SKU: 5563 - 4500K Day White 3800157610322  
 SKU: 5562 - 6500K White 3800157610315



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø250x80mm
Box Qty:	16 Pcs



## Ceiling Lights - Round


24W VT-8032

SKU: 1415 - 3000K Warm White 3800157630108  
 SKU: 5565 - 4500K Day White 3800157610346  
 SKU: 5564 - 6500K White 3800157610339



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø320x95mm
Box Qty:	10 Pcs



Dome Series - Oval


8W VT-8014-OV-B

SKU: 1267 - 3000K Warm White 3800157611893  
 SKU: 1266 - 4000K Day White 3800157611886  
 SKU: 1268 - 6400K White 3800157611909



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø126x76mm
Box Qty:	10 Pcs



Dome Series - Oval


8W VT-8014-OV-W

SKU: 1264 - 3000K Warm White 3800157611862  
 SKU: 1263 - 4500K Day White 3800157611855  
 SKU: 1265 - 6400K White 3800157611879



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø126x76mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8016-B

SKU: 5056 - 4500K Day White 3800157603980



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø245x96mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8016-W

SKU: 5053 - 6400K White 3800157603324



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø245x96mm
Box Qty:	10 Pcs



## Dome Series - Round


8W VT-8014-RD-W

SKU: 4999 - 3000K Warm White 3800157602556  
 SKU: 1259 - 4500K Day White 3800157611817  
 SKU: 4997 - 6400K White 3800157602259



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø180x82mm
Box Qty:	10 Pcs



## Dome Series - Round


8W VT-8014-RD-B

SKU: 1261 - 3000K Warm White 3800157611831  
 SKU: 1260 - 4000K Day White 3800157611824  
 SKU: 1262 - 6000K White 3800157611848



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø180x82mm
Box Qty:	10 Pcs



## Dome Series - Oval


12W VT-8015-B

SKU: 1349 - 3000K Warm White 3800157624046  
 SKU: 5052 - 4000K Day White 3800157603317  
 SKU: 5051 - 6400K White 3800157603300



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø220x105mm
Box Qty:	10 Pcs



## Dome Series - Round


12W VT-8015-W

SKU: 4998 - 3000K Warm White 3800157602549  
 SKU: 5050 - 4500K Day White 3800157603294



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø220x105mm
Box Qty:	10 Pcs



Dome Series - Oval


12w VT-8010-B

SKU: 1350 - 3000K Warm White 3800157624053  
 SKU: 4973 - 4500K Day White 3800230629050  
 SKU: 1269 - 6400K White 3800157611916



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Series - Oval


12w VT-8010-W

SKU: 1351 - 3000K Warm White 3800157624060  
 SKU: 1353 - 6000K White 3800157624084



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9


Beam Angle:	110°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816




Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max. 60W(E27)

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP44
Dimension:	Ø296x96mm
Time Delay:	Min. 10sec±3sec,Max. 12min±1min
Box Qty:	5 Pcs

Dome Sensor Series

16w VT-8001C

SKU: 1281 - 3000K Warm White 3800157612678  
 SKU: 1282 - 6000K White 3800230625809  
 3800157612685




Built In LED



Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:200-240V,50/60Hz
Rated Load:	16w
Watts:	16w


Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP54
Dimension:	Ø296 x 96mm
Time Delay:	Min. 10 sec to 12 min
Box Qty:	5 Pcs



## Dome Sensor Series

12w VT-8017

SKU: 5057 - 3000K Warm White 3800157605250  
 SKU: 5058 - 4000K Day White 3800157605267  
 SKU: 5059 - 6400K White 3800157605274



Sensor Type:	PIR	Detection Distance:	Max. 6m(<24°C)
Color:	White	Body Type:	Plastic CLAD Aluminium
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	Ø290x60mm
Rated Load:	12W(24PCS LED)	Time Delay:	Min. 10sec±3sec,Max. 12min±1min
Watts:	12w	Box Qty:	10 Pcs





**5** YEAR  
WARRANTY\*



## Fire Rated Light With Anti-glare Lens


- ✓ IP65 Rating.
- ✓ Integrated COB LED (Non-replaceable).
- ✓ Isolate driver with terminal for easy and speedy installation.
- ✓ Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

## Color Changing

Easily can change Color from  
2700-6500K

## Dimmable

Controls brightness level from  
0% To 100%





**5** YEAR WARRANTY\*

Fire Rated Downlight With White Bezel

10w VT-7710

SKU: 1424 - 3 IN 1

3800157633109

**Changeable bezel options:**



Black  
SKU- 1425



Brush Nickel  
SKU - 1426



Polish Chrome  
SKU- 1427

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	850lm
LED Type:	COB
Body Type:	Aluminium
Beam Angle:	38°
Life Span:	30,000 Hours
Unit Size:	Ø83x57mm
IP Rating:	IP65
Box Qty:	40 Pcs



**CCT AND DIMMING**  
VIA SMART PHONE APP



DIMMABLE



**QUICK**  
CONNECTOR



Fire Rated Downlight  
With Satin Nickel Bezel

7W VT-7077-SN

SKU: 1421 - 6400K White

3800157630399



**QUICK**  
CONNECTOR

**Optional Bezel Changeable:**



Chrome SKU- 1423

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	600lm
LED Type:	COB
Body Type:	Aluminium Alloy & Iron
Beam Angle:	38°

Life Span:	30,000 Hours
Unit Size:	Ø85x52mm
Cutting Size:	Ø72mm
IP Rating:	IP65
Box Qty:	50 Pcs



**90 MIN Fire Rated**

**Twist & Lock**

**Fire Rated Fitting-GU10**  
 SKU: 3131 EAN: 3800157634793

Model:	VT-7011-W
Base:	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	White

IP Rating:	IP20
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
Box Qty:	50 Pcs

**90 MIN Fire Rated**

**Twist & Lock**

**Fire Rated Fitting-GU10**  
 SKU: 3132 EAN: 3800157634809

Model:	VT-7011-SN
Base:	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	Satin Nickel

IP Rating:	IP20
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
Box Qty:	50 Pcs

**90 MIN Fire Rated**

**Twist & Lock**

**Fire Rated Fitting-GU10**  
 SKU: 3133 EAN: 3800157634816

Model:	VT-7011
Base:	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	Chrome

IP Rating:	IP20
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
Box Qty:	50 Pcs

**90 MIN Fire Rated**

**IP65 RATING**

**Fire Rated Fitting-GU10**  
 SKU: 3683 EAN: 3800157626880

Model:	VT-702-SN
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel

IP Rating:	IP65
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
Box Qty:	40 Pcs

**90 MIN Fire Rated**

**IP65 RATING**

**Fire Rated Fitting-GU10**  
 SKU: 3684 EAN: 3800157626897

Model:	VT-702-W
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White

IP Rating:	IP65
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
Box Qty:	40 Pcs


**90 MIN Fire Rated**

**IP65 RATING**

**Fire Rated Fitting-GU10**  
 SKU: 3685 EAN: 3800157626903

Model:	VT-702-CH
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome

IP Rating:	IP65
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
Box Qty:	40 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3686 EAN: 3800157626910

Model:	VT-703-SN
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel

IP Rating:	IP20
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
Box Qty:	40 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3687 EAN: 3800157626927

Model:	VT-703-W
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White

IP Rating:	IP20
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
Box Qty:	40 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3688 EAN: 3800157626934

Model:	VT-703-CH
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome

IP Rating:	IP20
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
Box Qty:	40 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3680 EAN: 3800157626859

Model:	VT-701-SN
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel

IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3681 EAN: 3800157626866

Model:	VT-701-W
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White

IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs



**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3682 EAN: 3800157626873

Model:	VT-701-CH
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome

IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs



# Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

## Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

## Applications

- Outdoor Areas like parking garages, gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.

**Infrared Sensor**  
Max 1000W(LED)


**VT-8027-W**

SKU: 5086 3800157609173



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 1000W(LED)
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	115x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor**  
Max 1000W(LED)

**VT-8027-B**

SKU: 5087 3800157609180



Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 1000W(LED)
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	115x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor-Moving Head-IP44**  
Max 400W(LED)

**VT-8028-W**

SKU: 5088 3800157609197



Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor-Moving Head-IP44**  
Max 400W(LED)

**VT-8028-B**

SKU: 5089 3800157609203



Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor**  
Max 300W(LED)


**VT-8029**

SKU: 5090 3800157609210



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor-Moving Head**  
Max 400W(LED)


**VT-8030**

SKU: 5091 3800157609227



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 8m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	98x73x82mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor-IP44**  
Max 300W(LED)

**VT-8003-W**

SKU: 4967 3800230625823



Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x60.4x98mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Box Qty:	50 Pcs



**Infrared Sensor-IP44**  
Max 300W(LED)

**VT-8003-B**

SKU: 5077 3800157606875



Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x60.4x98mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Box Qty:	50 Pcs



**Infrared Sensor**  
Max 300W(LED)

**VT-8004**

SKU: 4968 3800230625830



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor-E27**  
Max 60W


**VT-8005**

SKU: 4982 3800157600071



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 60W
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	55.5x116.5mm
Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Box Qty:	50 Pcs





## Infrared Sensor-IP44

Max 300W(LED)

VT-8048

SKU: 1354 3800157624794

Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Ambient Light: &lt;3-2000LUX(adjustable)

Body Type: PC

IP Rating: IP44

Dimension: 86.4x86.4x60.4mm

Time Delay: Min. 10sec±3sec, Max. 7min±2min

Box Qty: 50 Pcs



## Infrared Sensor

Max 300W(LED)

VT-8049

SKU: 1355 3800157624800

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Ambient Light: &lt;3-2000LUX(adjustable)

Body Type: PC

IP Rating: IP20

Dimension: 88x55mm

Time Delay: Min. 10sec±3sec, Max. 15min±2min

Box Qty: 50 Pcs



## Infrared Sensor

Max 300W(LED)

VT-8051

SKU: 1356 3800157624817

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 6m(<24°C)

## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Ambient Light: &lt;3-2000LUX(adjustable)

Body Type: PC

IP Rating: IP20

Dimension: 76x75.6mm

Time Delay: Min. 10sec±3sec, Max. 15min±2min

Box Qty: 50 Pcs



75.6 mm

Ø 76 mm



## Day Light Sensor - 1-10V

VT-8059

SKU: 1369 3800157625982

Colour:	White
Detection Range:	360°
Dimming Range:	1% - 100%
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20
Box Qty:	100 Pcs

Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.


**NEW**



Infrared Sensor  
1000w(LED)

**VT-8083-B**  
SKU: 15011 3800157641265

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.5x56x712.5mm
Rated Load:	1000w(LED)	Time Delay:	Min.10sec±3sec, Max. 30min±2min
Detection Distance:	20m(max)	Box Qty:	50 Pcs




**NEW**



Infrared Sensor  
1000w(LED)

**VT-8083-W**  
SKU: 1500 3800157641258

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.5x56x712.5mm
Rated Load:	1000w(LED)	Time Delay:	Min.10sec±3sec, Max. 30min±2min
Detection Distance:	20m(max)	Box Qty:	50 Pcs



**NEW**




Microwave Sensor  
300w(LED)

**VT-8084-B**  
SKU: 15031 3800157641289



Sensor Type:	Microwave	Ambient Light:	<3-2000LUX (adjustable)
Colour:	Black	Body Type:	PC+Glass
Detection Range:	180°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	95x50x95mm
Rated Load:	300w(LED)	Time Delay:	Min.10sec±3sec, Max. 12min±1min
Detection Distance:	5-15m	Box Qty:	50 Pcs



**NEW**




Microwave Sensor  
300w(LED)

**VT-8084-W**  
SKU: 15021 3800157641272



Sensor Type:	Microwave	Ambient Light:	<3-2000LUX (adjustable)
Colour:	White	Body Type:	PC+Glass
Detection Range:	180°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	95x50x95mm
Rated Load:	300w(LED)	Time Delay:	Min.10sec±3sec, Max. 12min±1min
Detection Distance:	5-15m	Box Qty:	50 Pcs



### Infrared-Hand Gesture Detection Max 200W(LED)

**VT-8025**

SKU: 5084 3800157608046




Sensor Type:	Infrared
Colour:	White
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5cm/6cm(<24°C)

Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x20.6mm
Box Qty:	100 Pcs



On/Off via Moving Hand



### Infrared-Door Detection Max 200W(LED)

**VT-8026**

SKU: 5085 3800157608053




Sensor Type:	Infrared
Colour:	White
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5cm/6cm(<24°C)

Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x18.7mm
Box Qty:	100 Pcs



On/Off via the opening and closing of the door



### Microwave Sensor-IP65 Max 200W(LED)

**VT-8036-W**

SKU: 5571 3800157620246



Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5m/10m

Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	100 Pcs



### Microwave Sensor-IP65 Max 200W(LED)

**VT-8036-B**

SKU: 5572 3800157620253



Sensor Type:	Microwave
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5m/10m

Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	100 Pcs



### Microwave Sensor Max 300W(LED)


**VT-8018**

SKU: 5078 3800157606882



Sensor Type:	Microwave
Colour:	White
Detection Range:	180° / 360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	1-8m(radius) adjustable

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	37x25x61.5mm
Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Box Qty:	100 Pcs








**Housing Case-IP65**

**VT-8021**

SKU: 5079 3800157606899

Colour:	White
IP Rating:	IP65
Dimension:	134x66.5mm
Box Qty:	50 Pcs




**Photocell Sensor-IP44**

**VT-8019**

SKU: 5081 3800157608015

Sensor Type:	Photocell
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50Hz
Ambient Light:	<5-15LUX(adjustable)

Body Type:	Plastic
IP Rating:	IP44
Dimension:	35.5x46x44.1mm
Time Delay:	5 sec to 8 min (adjustable)
Box Qty:	100 Pcs




**Infrared Sensor  
Max 200W(LED)**

**VT-8022**

SKU: 5082 3800157608022

Sensor Type:	Infrared
Colour:	White
Detection Range:	120°/360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	3/6m(<24°C)

Ambient Light:	10LUX/2000LUX(choice)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	36.8x25.5x55.4mm
Time Delay:	5s,30s,1min,3min,5min,8min(choice)
Box Qty:	100 Pcs




**Microwave Sensor  
Max 300W(LED)**

**VT-8077**

SKU: 1446 3800157634755

Sensor Type:	Microwave
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	1-8m(radius) Adjustable

Ambient Light:	0<3-2000LUX(Adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80.7x42.1x43.8mm
Time Delay:	Min. 10sec±3sec, Max.12min±1min
Box Qty:	100 Pcs




**Microwave Sensor  
Max 300W(LED)**

**VT-8023**

SKU: 5083 3800157608039

Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	5m-15m(adjustable)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80x80x32mm
Time Delay:	10 sec to 12 min (adjustable)
Box Qty:	100 Pcs





## LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.


### Product Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⊕ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- 🕒 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- 🔩 Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✅ Reliable Emergency backup of 3 hours



Exit Light - Surface  
**2W VT-519-12**  
 SKU: 8312 - 6000K White 3800157630764

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides




Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs



Exit Light-Surface Hanging  
**2W VT-520-12**  
 SKU: 8313 - 6000K White 3800157630771

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides




Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs



Exit Light-Hanging  
**2W VT-521-12**  
 SKU: 8314 - 6000K White 3800157630788

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Hanging
Viewing Distance:	22 Meters From Both Sides




Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs



Exit Light-Recessed  
**2W VT-522-12**  
 SKU: 8315 - 6000K White 3800157630795

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides




Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs


## Emergency -Bulkhead

3.8w VT-511

SKU: 8249 - 6000K White 3800157635554



Lamp Type:	20 SMD LEDs
Lumens:	110lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	ABS+PC
Exit Lamp Type:	Bulkhead
Viewing Distance:	



Emergency Operation Time:	>3 Hours
Battery:	4V2.0AH Lead Acid battery
Recharging Time:	12 hours
Mode Of Operation:	Maintained/Non Maintained
Box Qty:	10 Pcs

## Exit Light - Bulkhead

3w VT-523-12

SKU: 8311 - 6000K White 3800157630757



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	12 Hours

Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs



NEW

## Emergency -Bulkhead

3w VT-533


SKU:8437 - 6400K White 3800157641296



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	ABS+PC

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours

Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs



## Exit Light - Bulkhead

3w VT-543

SKU: 83111 - 6000K White 3800157650137



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours

Test Button:	Green Light Indicator Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs




Exit Light - Bulkhead

4w VT-524-12

SKU: 8382 - 6000K White 3800157635493

**12Hrs**  
CHARGING TIME

**IP65**  
RATING



Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 hours

Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs


Emergency-Downlight

3w VT-503

SKU: 8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Mounted:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA
Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained
Box Qty:	20 Pcs




Emergency-Twin Spotlight

6w VT-526-IP65

SKU: 80981 - 6000K White 3800157623148

**24Hrs**  
CHARGING TIME

**IP65**  
RATING



Lamp Type:	2x6 SMD LEDs
Lumens:	300lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6V,300mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained
Box Qty:	5 Pcs



# LED Floor & Table Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

## Product Features

- Energy efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color changing, and more
- With USB charging functionality
- Sleek and modern design

## Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. Also a good accessory to be a part of the office decor.





Floor Lamp-Touch Dimming  
80w

Silver	<b>VT-8400D-S</b>
SKU: 8521 4000K Day White	3800157638104
White	<b>VT-8400D-W</b>
SKU: 8522 4000K Day White	3800157638111

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	UP:4200/Down:3800
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Color:	Silver
Body Type:	Aluminium Alloy+PC
Dimension:	310x52x1950mm
Box Qty:	1 Pc



UP-DOWN LIGHTS





Floor Lamp-Knob Dimming-Round corner  
80w

Silver **VT-8500D-S**

SKU: 8523 4000K Day White 3800157638128

White **VT-8500D-W**

SKU: 8524 4000K Day White 3800157638135

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **UP:5200/Down:3600**

CRI: **>80**

PF: **>0.9**

Beam Angle: **110°/90°**

Color: **Silver**

Body Type: **Aluminium Alloy+PC**


Dimension: **280x35x1950mm**

Box Qty: **1 Pc**



**Knob  
DIMMING**

**UP-DOWN  
LIGHTS**








Floor Lamp-Knob Dimming-Square corner  
80w

Silver	<b>VT-8600D-S</b>
SKU: 8526 4000K Day White	3800157638142
White	<b>VT-8600D-W</b>
SKU: 8526 4000K Day White	3800157638159

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	UP:5200/Down:3600
CRI:	>80
PF:	>0.9
Beam Angle:	110°/90°
Color:	Silver
Body Type:	Aluminium Alloy+PC
Dimension:	280x35x1950mm
Box Qty:	1 Pc



UP-DOWN  
LIGHTS



**NEW**



**WIRELESS CHARGING**

**ANDROID & IPHONE**

**BRIGHTNESS ADJUSTABLE**

**ENERGY CONSERVATION**

**EYE PROTECTION**

**TIMER POWER OFF**

**USB OUTPUT**

**LIGHTING ADJUSTMENT**

**3.0A 18W Fast Charger Included**

**Table Lamps**

**5w VT-7705-B**

Black: **SKU: 8604 - 3IN1** 3800157650571  
 White: **SKU: 8605 - 3IN1** 3800157650588

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 0.8A(4W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Touch Dimming
- Fast charger included 3.0A 18W

**Voltage/Frequency:** AC:100-240V,50/60Hz

**Luminous Flux:** 800 Lux

**CRI:** >80

**Body Type:** ABS+Aluminium

**Dimension:** 142x124x476mm

**Box Qty:** 10 Pcs

**NEW**



**WIRELESS CHARGING**

**ANDROID & IPHONE**

**BRIGHTNESS ADJUSTABLE**

**ENERGY CONSERVATION**

**EYE PROTECTION**

**TIMER POWER OFF**

**USB OUTPUT**

**LIGHTING ADJUSTMENT**

**3.0A 18W Fast Charger Included**

**Table Lamps**

**5w VT-7505-B**

Black: **SKU: 8602 - 3IN1** 3800157650557  
 White: **SKU: 8603 - 3IN1** 3800157650564

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

**Voltage/Frequency:** AC:100-240V,50/60Hz

**Luminous Flux:** 800 Lux

**CRI:** >80

**Body Type:** ABS+Aluminium

**Dimension:** 440x120x40mm

**Box Qty:** 10 Pcs



WIRELESS CHARGING	ANDROID & IPHONE	BRIGHTNESS ADJUSTABLE	ENERGY CONSERVATION	EYE PROTECTION	TIMER POWER OFF	USB OUTPUT	LIGHTING ADJUSTMENT	<b>3.0A 18W</b> Fast Charger Included
-------------------	------------------	-----------------------	---------------------	----------------	-----------------	------------	---------------------	--

Table Lamps

**5W VT-7405-B**

Black: SKU: 8600 - 3IN1 3800157650533  
 White: SKU: 8601 - 3IN1 3800157650540

- Rating input 5V/3A
- 4 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	800 Lux
CRI:	>80

Body Type:	ABS+Aluminium
Dimension:	440x120x40mm
Box Qty:	10 Pcs



Table Lamps

**17W VT-7312-B**

Black: SKU: 40311 - 3000K Warm White 3800157648455  
 White: SKU: 40321 - 3000K Warm White 3800157648462

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1300lm
CRI:	>80

Body Type:	Silicone+Aluminium
Dimension:	210x350mm
Box Qty:	20 Pcs

**NEW**



**Desk Lamps**

**7W VT-7507**

White: SKU: 8673 - 3000K Warm White 3800157652612



Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	400lm	Dimension:	150x150x580mm
CRI:	>80	Box Qty:	6 Pcs



**NEW**



**Clip Lamps**

**7W VT-7407**


White: SKU: 8672 - 3000K Warm White 3800157652605



Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	400lm	Dimension:	64x300x300mm
CRI:	>80	Box Qty:	8 Pcs



**NEW**



**Desk Lamps**

**3.6w VT-7403**

White: SKU: 8671 - 3000K Warm White 3800157652599



Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	260lm	Dimension:	280x100x350mm
CRI:	>80	Box Qty:	8 Pcs



**NEW**




**Mirro Lamps**

**5W VT-7905**

White: SKU: 8670 - 3000K Warm White 3800157652582



Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Glass
Luminous Flux:	200lm	Dimension:	∅196x310mm
CRI:	>80	Box Qty:	10 Pcs



**Table Lamps-Slim**

**6.5w**    **VT-1037**    **SKU: 8520 3IN 1**  
3800157637718

- Flexible LED Table Lamp bends 0-180 degrees on both sides.
- Touch power switch and dimmer
- Color temperature Switch

Voltage/Frequency:	<b>DC:12V,1A</b>
Luminous Flux:	<b>110lm</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>
Beam Angle:	<b>120°</b>

Color:	<b>White</b>
Body Type:	<b>PC-Rubber Finish</b>
Dimension:	<b>562x65x21mm</b>
Box Qty:	<b>10 Pcs</b>



**Table Lamps-Wireless Charging**

**16w**    **VT-1027**    **SKU: 8519 - 3 IN 1**  
3800157637527

- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:1.2V/1.5A
- 2s to reach full brightness
- 270 Degree Rotatable Head

Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>
Luminous Flux:	<b>1000lux</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>
Beam Angle:	<b>120°</b>

Color:	<b>White</b>
Body Type:	<b>ABS+Aluminium</b>
Dimension:	<b>240x396x180mm</b>
Box Qty:	<b>12 Pcs</b>



**Table Lamps-White+Silver**


**4w**    **VT-1014-S**  
**SKU: 7098 - 3 IN 1**    3800157616980

Voltage/Frequency:	<b>DC:5V,1A</b>
Luminous Flux:	<b>120lm</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.45</b>



**Rechargeable**

Beam Angle:	<b>120°</b>
Color:	<b>White+Silver</b>
Body Type:	<b>ABS+PC+Aluminium</b>
Dimension:	<b>200x50x263mm</b>
Box Qty:	<b>25 Pcs</b>



**Table Lamps-White+Gold**


**4w**    **VT-1014-G**  
**SKU: 7099 - 3 IN 1**    3800157616997

Voltage/Frequency:	<b>DC:5V,1A</b>
Luminous Flux:	<b>120lm</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.45</b>



**Rechargeable**

Beam Angle:	<b>120°</b>
Color:	<b>White+Gold</b>
Body Type:	<b>ABS+PC+Aluminium</b>
Dimension:	<b>200x50x263mm</b>
Box Qty:	<b>25 Pcs</b>



**Table Lamps-Black**


**4w**    **VT-1014-B**  
**SKU: 8500 - 3 IN 1**    3800157617215

Voltage/Frequency:	<b>DC:5V,1A</b>
Luminous Flux:	<b>120lm</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.45</b>



**Rechargeable**

Beam Angle:	<b>120°</b>
Color:	<b>Black</b>
Body Type:	<b>ABS+PC+Aluminium</b>
Dimension:	<b>200x50x263mm</b>
Box Qty:	<b>25 Pcs</b>





## Table Lamps-Grey

7W VT-1007D-G

SKU: 7034 - 5000K White 3800157603836

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 850lux

CRI: &gt;80

PF: &gt;0.45



Touch Control



6 Steps Dimming



1 hour timer



Eye Protection



Anti-radiation


Beam Angle: 120°

Color: Grey

Body Type: ABS

Dimension: 330x130x380mm

Box Qty: 8 Pcs



## Table Lamps-Pink

7W VT-1007D-P

SKU: 7042 - 5000K White 3800157605311

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 850lux

CRI: &gt;80

PF: &gt;0.45



Touch Control



6 Steps Dimming



1 hour timer



Eye Protection



Anti-radiation


Beam Angle: 120°

Color: Pink

Body Type: ABS

Dimension: 330x130x380mm

Box Qty: 8 Pcs



## Table Lamps-Blue

7W VT-1007D-B

SKU: 7043 - 5000K White 3800157605328

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 850lux

CRI: &gt;80

PF: &gt;0.45



Touch Control



6 Steps Dimming



1 hour timer



Eye Protection



Anti-radiation


Beam Angle: 120°

Color: Blue

Body Type: ABS

Dimension: 330x130x380mm

Box Qty: 8 Pcs



## Table Lamps-3 In 1-Dimmable

7W VT-1009D-W

SKU: 7039 - 3 IN 1 3800157605281

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 650lux

CRI: &gt;80

PF: &gt;0.45



DIMMABLE


Beam Angle: 120°

Color: White

Body Type: ABS+Aluminium

Dimension: 240x396x180mm

Box Qty: 9 Pcs



## Table Lamps-3 In 1-Dimmable

7W VT-1009D-B

SKU: 7040 - 3 IN 1 3800157605298

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 650lux

CRI: &gt;80

PF: &gt;0.45



DIMMABLE

Beam Angle: 120°

Color: Black+White

Body Type: ABS+Aluminium

Dimension: 240x396x180mm

Box Qty: 9 Pcs






Table Lamps-3 In 1-Dimmable

**10W** VT-1010D

SKU: 7033 - 3 IN 1 3800157603829

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	700lm
CRI:	>80
PF:	>0.45



Beam Angle:	120°
Color:	White+Silver
Body Type:	ABS+Aluminium
Dimension:	328x445x205mm
Box Qty:	12 Pcs




Table Lamps-3 In 1-Dimmable

**7W** VT-1008D

SKU: 7035 - 3 IN 1 3800157603843

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	400lm
CRI:	>80
PF:	>0.45



Beam Angle:	120°
Color:	White
Body Type:	ABS
Dimension:	170x352x113mm
Box Qty:	16 Pcs

Desk Lamp-White

**5W** VT-1015-W


SKU: 7051 - 4000K Day white  
3800157610650

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45



Touch Control

Beam Angle:	90°
Color:	White
Body Type:	ABS+Metal
Dimension:	210x136x32mm
Box Qty:	6 Pcs



Desk Lamp-Touch Dimming

**5W** VT-1015-B

SKU: 7052 - 4000K Day white  
3800157610667

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45



Touch Control

Beam Angle:	90°
Color:	Black
Body Type:	ABS+Metal
Dimension:	210x136x32mm
Box Qty:	6 Pcs





Table Lamps

**5.5W** VT-1046

SKU: 8514 - 3000K Warm White  
3800157627245

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.5

Beam Angle:	110°
Color:	White
Body Type:	Plastic+Metal
Dimension:	142x101.8x310mm
Box Qty:	12 Pcs





## Desk Lamp-White

7W VT-1017-W

SKU: 7053 - 4000K Day white  
3800157610674

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White
Body Type:	ABS+Metal
Dimension:	376x166x270mm
Box Qty:	12 Pcs



## Desk Lamp-Touch Dimming

7W VT-1017-B

SKU: 7054 - 4000K Day white  
3800157610681

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black
Body Type:	ABS+Metal
Dimension:	376x166x270mm
Box Qty:	12 Pcs




## Table Lamps-Bakelite-E27

VT-7151-GR

SKU: 3912 3800157626071

Body Type:	Glass+Metal
Holder:	E27
Color:	Green
Dimension:	260x180x360mm
Box Qty:	6 Pcs




## Table Lamps-Bakelite-E27

VT-7151-B

SKU: 3913 3800157626088

Body Type:	Glass+Metal
Holder:	E27
Color:	Blue
Dimension:	260x180x360mm
Box Qty:	6 Pcs



## Table Lamps-Bakelite-E27

VT-7151-GD

SKU: 3914 3800157626095

Body Type:	Glass+Metal
Holder:	E27
Color:	Yellow
Dimension:	260x180x360mm
Box Qty:	6 Pcs







Table Lamps+Speaker

2\*3W VT-6211

Voltage/Frequency:	DC:5V
Working Time:	2-3 Hours
Battery Type:	Lithium 1800mAh
Charging Time:	3 Hours
Dimension:	Ø92x218mm
Box Qty:	12 Pcs

- LED wireless speaker with Bluetooth technology
- Output of 2x3W
- Dancing RGB colorful lights
- Soft rubber finish with touch buttons
- USB & TF card slot
- Built in 3.5mm Aux input
- Rechargeable Lithium battery
- Battery capacity 1800 mAh



SKU: 8571 | Red Body  
3800157645140



SKU: 8569 | Blue Body  
3800157645157



SKU: 8570 | Black Body  
3800157645164



Floor Lamp

7W VT-7700

- SKU White: 8507 - 4000K Day White 3800157620406
- SKU Black: 8508 - 4000K Day White 3800157620413

Built In **LED**

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.5
Beam Angle:	120°
Body Type:	ABS+Metal
Dimension:	Ø220x440x1405mm
Box Qty:	3 Pcs




## Floor Lamp-E27

## VT-7451

SKU: 8564 Black 3800157644167  
SKU: 8565 Ivory 3800157644174

Max. Watts:	60W
Body Type:	Marble+Metal
Holder:	E27
Dimension:	1920x1960mm
Box Qty:	1 Pc



## Floor Lamp-E27

## VT-7500

SKU Black: 7055 3800157610698  
SKU Silver: 7056 3800157610704

Max. Watts:	60W
Body Type:	ABS+Metal
Holder:	E27
Dimension:	250x250x1800mm
Box Qty:	4 Pcs




## Floor Lamp-E27

## VT-7600

SKU Black: 3703 3800157610766  
SKU White: 3704 3800157610773

Max. Watts:	60W
Body Type:	Metal With Sand Finish
Holder:	E27
Dimension:	140x200x1600mm
Box Qty:	4 Pcs



Desk Lamp



Touch Control

5W VT-1035

SKU Purple : 8501 - 4000K Day White 3800157620345  
 SKU Blue: 8503 - 4000K Day White 3800157620369

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	300lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Body Type:	PC+Metal
Dimension:	Ø150x233mm
Box Qty:	6 Pcs

Hanging Lamp

7W VT-1036

SKU Purple: 8504 - 4000K Day White 3800157620376  
 SKU White: 8505 - 4000K Day White 3800157620383  
 SKU Blue: 8506 - 4000K Day White 3800157620390



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45
Beam Angle:	90°
Body Type:	PC+Metal
Dimension:	Ø150x151x1241mm
Box Qty:	9 Pcs











## LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

### Product Features


-  ZERO Electricity Cost
-  Solar Powered
-  PIR Detective
-  Outdoor
-  Light on/off automatically
-  Cordless

### Applications

Suitable for Outdoor and Indoor Lighting

Solar Wall Light-IP65  
1.5W VT-767-2-W

SKU: 8276 - 4000K Day White 3800157627931




Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs

Solar Wall Light-IP65  
1.5W VT-767-2-B

SKU: 8277 - 4000K Day White 3800157627948




Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs

Solar Wall Light-IP65  
3W VT-768

SKU: 7523 - Day+Warm White 3800157619363





Battery:	3.7V Lithium Battery 2000mAh
Lumens:	400lm
No. of LED:	30pcs (Front 28pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	140x212x109.2mm
Working Time:	Min 5-8 hrs and Max 24 hrs
Box Qty:	12Pcs

Solar Wall Light-IP65  
7W VT-767-7-W

SKU: 8278 - 4000K Day White 3800157627955




Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights
Box Qty:	20Pcs

## Solar Wall Light-IP65

7W VT-767-7-B

SKU: 8279 - 4000K Day White 3800157627962

Solar  
LightsPIR  
MOTION  
SENSORUV  
PROTECTIONIP65  
RATING

Battery: 3.7V Lithium Battery 4000mAh

Lumens: 800lm

No. of LED: 60pcs (Front 56pcs, Back 4 pcs)

Detecting Angle: 120°

Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging

IP Rating: IP65

Material: ABS+PC

Dimension: 270x221x109.2mm

Working Time: Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights

Box Qty: 20Pcs

# Wireless Smart Lights Switches



Introducing the next generation self powered wireless switches, functions using RF receiver making it a hassle free experience. Offering a push-touch button and remote features.



**NEW**



Switch-One Gang  
**VT-5131 White**  
 SKU: 8460 3800157644914

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m   Indoor >40m

**NEW**



Switch-Two Gang  
**VT-5132 White**  
 SKU: 8461 3800157644921

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m   Indoor >40m

**NEW**



Switch-Three Gang  
**VT-5133 White**  
 SKU: 8462 3800157644938

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m   Indoor >40m

**NEW**



Remote Three Gang  
**VT-5143**  
 SKU: 8463 3800157644945

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	62x30x12mm
Box Qty:	364
Remote Distance	Outdoor >160m   Indoor >20m

**NEW**



Receiver  
**VT-5129**  
 SKU: 8458 3800157644891

Input Power:	AC:180-240V
Load Power:	1000W(Max)
Body Type:	PC
Dimensions:	39x23x22 mm
Box Qty:	364
Remote Distance	Outdoor >600m   Indoor >40m

**NEW**



works with

works with the

Wifi Receiver  
**VT-5130**  
 SKU: 8459 3800157644907

Input Power:	AC:85-265V
Load Power:	1000W(Max)
Body Type:	PC
Dimensions:	75x28x28.5 mm
Box Qty:	196
Remote Distance	Outdoor >500m   Indoor >40m



VT-5111-B Black

SKU: 8385 3800157635714



VT-5111-W White

SKU: 8354 3800157634953

## Touch Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5112-B Black

SKU: 8387 3800157635738



VT-5112-W White

SKU: 8357 3800157634984

## Touch Switch 2Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-1000W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5121-B Black

SKU: 8389 3800157635752



VT-5121-W White

SKU: 8360 3800157635011

## Touch Switch 1Gang-2Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100





**VT-5311-B Black**  
SKU: 8395 3800157635813



**VT-5311-W White**  
SKU: 8369 3800157635103

**Remote Dimmer 1Gang-1Way**

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



**VT-5411-B Black**  
SKU: 8397 3800157635837



**VT-5411-W White**  
SKU: 8372 3800157635134

**Doorbell-Switch 1Gang-1Way**

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



**VT-5811-B Black**  
SKU: 8401 3800157635875



**VT-5811-W White**  
SKU: 8402 3800157635882

**Socket EU-2 Way**

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	60




**VT-5711 Black**  
SKU: 8399 3800157635851



**VT-5711-W White**  
SKU: 8379 3800157635202

**Socket EU-Glass Panel**

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	80



LED Light Control

Curtain Control


TV Control

Vacuum Control

Sockets Control

## Smart Home

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of WiFi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.

works with  
 amazon alexa

 works with the  
Google Assistant



**NEW**



LED Smart Bulb-E14

5W **VT-5114**

SKU: 2754 RGB+2700k-6400K EAN: 3800157646659

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa

works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E14
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	37x100mm
Box Qty:	200 pcs

**NEW**



LED Smart Bulb-E27

5W **VT-5124**

SKU: 2755 RGB+2700K-6400K EAN: 3800157646666

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa

works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	180°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø45x81mm
Box Qty:	200 pcs

**NEW**



LED Smart Bulb-E14

5W **VT-5154**

SKU: 2756 RGB+2700k-6400K EAN: 3800157646673

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa

works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	180°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E14
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø45x81mm
Box Qty:	200 pcs



LED Smart Bulb-B22

9w **VT-5011**

SKU: 7471 6000K RGB+White EAN: 3800157639699

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa

works with the Google Assistant



Voltage/Frequency:	AC:85-265V 50/60Hz
Luminous Flux:	800lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	20,000 Hours
Dimension:	Ø60x112mm
Box Qty:	60 pcs

NEW



## LED Smart Bulb-B22

10w VT-5110

SKU: 2791 RGB+2700K-6400K EAN: 3800157649544

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	806lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	B22
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs

NEW



## LED Smart Bulb-E27

10W VT-5119

SKU: 2751 RGB+2700k-6400K EAN: 3800157646628

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	806lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs

NEW



## LED Smart Bulb-E27

11W VT-5113

SKU: 2752 RGB+2700k-6400K EAN: 3800157646635

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	1055lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs

NEW



## LED Smart Bulb-E27

15W VT-5117

SKU: 2753 RGB+2700k-6400K EAN: 3800157646642

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	1300lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø65x135mm
Box Qty:	100 pcs



LED Smart Bulb-E27

20w VT-5021

SKU:7470 RGB+WW+W EAN: 3800157639361

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:170-265v, 50/60Hz
Luminous Flux:	1400lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø95x164mm
Box Qty:	50 pcs

NEW



LED Smart Spotlight

4.5W VT-5174

SKU: 2750 3000K-6400K EAN: 3800157646550

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	300lm
CRI:	>80
Beam Angle:	110°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	Plastic
Life Span:	30,000 Hours
Dimension:	50x57mm
Box Qty:	200 pcs

NEW



LED Smart Spotlight

5W VT-5164

SKU: 2757 RGB+2700K-6400K EAN: 3800157646680

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	400lm
CRI:	>80
Beam Angle:	110°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	Plastic
Life Span:	30,000 Hours
Dimension:	50x57mm
Box Qty:	200 pcs

LED Smart Spotlight

4.5w VT-5015

SKU: 8436 - 3 in 1 EAN: 3800157641326

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa | works with the Google Assistant



Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
Beam Angle:	100°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	PBT Aluminium
Life Span:	30,000 Hours
Dimension:	70x50mm
Box Qty:	100 pcs

## LED Smart Panel

40w **VT-5140**

SKU:8080 3IN1

EAN: 3800157646215



Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	4800lm
Beam Angle:	120°
Wireless Frequency:	2.4GHz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Aluminium
Dimension:	595x595mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with  
 amazon alexaworks with the  
 Google AssistantWifi-Controller  
Included

## LED Smart Striplight Kit

LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	DC:12V
lm/M:	1000
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 pcs

works with  
 amazon alexaworks with the  
 Google Assistant

10w

VT-5050 60

SKU: 2583 RGB  
SKU: 2584 RGB+WEAN: 3800157642682  
EAN: 3800157642699

EU PLUG



10w

VT-5050 60

SKU: 2585 RGB  
SKU: 2586 RGB+WEAN: 3800157643795  
EAN: 3800157643801

BS PLUG



Controller-Wifi

SKU: 2575 RGB  
SKU: 2576 RGBWVT-5014 Strip Compatibility RGB  
and VT-5016 Strip Compatibility  
RGBW

NEW

Smart Light

40w VT-5141

SKU: 1497 3IN1

EAN: 3800157648806



Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
Beam Angle:	120°
Wireless Frequency:	2.4Ghz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Plastic+Metal
Dimension:	Ø:467x70mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming



works with  
 amazon alexa

works with the  
 Google Assistant

NEW

Smart Light

60w VT-5161

SKU: 1498 3IN1

EAN: 3800157648813



Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
Beam Angle:	120°
Wireless Frequency:	2.4Ghz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Plastic+Metal
Dimension:	Ø572.5x70mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming









works with  
 amazon alexa

works with the  
 Google Assistant

NEW



-   
**Real-Time Control**
-   
**Multi-Brand**
-   
**Set Timer**
-   
**Cloud Panel**
-   
**Power Save**
-   
**Smart Scene**



Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.

IR Remote Control

VT-5151

SKU: 8651 EAN: 3800157650021

Box Qty: 100 pcs

- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Infrared Range: ≤ 8meters

works with  
amazon alexa

works with the  
Google Assistant



NEW

Automatic Return to Dock Base for Self-Charging



SMART CLEAN

Smart, Self-Programmed Cleaning Path Navigation



MULTI CLEANER

Hardwood, Tile, Marble & Hard Carpet Floors



SMART CONNECT

Wireless WIFI App Remote Control

MOTOR SUCTION POWER  
**1800 PA**



- Smart Robot Vacuum
- Charging Dock Base
- Digital Remote Control
- Removable Dust Bin
- (2) Sweep Brushes
- (2) HEPA Filters
- (2) 'AAA' Batteries
- Cleaning Brush
- Power Adapter

SMART NAVIGATION GYROSCOPE

Robot learns the layout of your home and cleans in S path to more efficiently cover large areas on a single charge.



SMART GYRO  
ROBOT VACUUM  
DIGITAL ROBOT CLEANING VACUUM WITH WIFI APP  
AND WIRELESS REMOTE CONTROL



- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- Versatile & Convenient Floor Clean Ability
- Smart, Self-Programmed Cleaning Path Navigation
- WiFi Wireless Network for Hassle-Free Device Pairing
- Take Control of the Vacuum via Remote Control or App
- Preset Multi-Clean Modes: Auto, Single Room, Edge
- Automatic Return to Dock Base for Self-Charging
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Slim Low-Profile Housing Slides Underneath Furniture
- Perfect for the Home or Office

Gyro Robot Vacuum Cleaner

VT-5555-W

SKU: 8649 White  
SKU: 8650 Black


Box Qty: 4 pcs

EAN: 3800157649780  
EAN: 3800157649797

works with  
amazon alexa

works with the  
Google Assistant

NEW



- Input: AC100- 240V,50/60 Hz
- Rated current: 2A
- Rated torque: 1. 5N.m- 2Nm
- Rated speed: 116rpm
- Working time: S3 50% (No heat protection)
- Degree of protection: IP41
- Receiving frequency: 433.92MHz, 75KHz
- Receive bandwidth: 150KHz
- Receive modulation: OOK/ASK
- Sensitivity: - 107dBm
- Receiving channel: 10

- Quiet, DC motor
- Full automatic setting of the limits
- V-TAC app control
- Works with Amazon Alexa, Google Assistant, IFTTT
- Overload shutdown
- Operating the curtain manually in case of power failure
- Touch control function can be switched on and off.
- Remote control
- Dry contact function



Super Quiet



Smooth Running

## WIFI RF Curtain Motor

## VT-5666

SKU: 7903 EAN: 3800157651530

Box Qty: 20 pcs

works with  
amazon alexaworks with the  
Google Assistant



works with  
amazon alexa

works with the  
Google Assistant

Touch Switch-Wifi

**VT-5003**

SKU: 8417 EAN: 3800157637305

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant

Touch Switch-Wifi

**VT-5004**

SKU: 8418 EAN: 3800157637312

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant

Touch Switch-Wifi

**VT-5005**

SKU: 8419 EAN: 3800157637329

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant

Touch Switch-Wifi

**VT-5003-BS**

SKU: 8429 EAN: 3800157639828

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant

## Touch Switch-Wifi

## VT-5004-BS

SKU: 8430 EAN: 3800157639835

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant

## Touch Switch-Wifi

## VT-5005-BS

SKU: 8431 EAN: 3800157639842

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant

## Touch Switch-Wifi

## VT-5003-B

SKU: 8423 EAN: 3800157637411

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa


works with the  
Google Assistant

## Touch Switch-Wifi

## VT-5004-B

SKU: 8424 EAN: 3800157637428

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant

Touch Switch-Wifi

**VT-5005-B**

SKU: 8425 EAN: 3800157637510

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



Wifi Dimmer Switch-EU

**VT-5013-Black**

SKU: 8432 EAN: 3800157640954

works with  
amazon alexa

works with the  
Google Assistant

**VT-5013-White**

SKU: 8433 EAN: 3800157640961

Voltage/Frequency:	AC:90-250V
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	100 pcs



Wall Socket-Wifi(EU)

**VT-5134-Black**

SKU: 8797 EAN: 3800157645393

works with  
amazon alexa

works with the  
Google Assistant

**VT-5134-White**

SKU: 8798 EAN: 3800157645409

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	86x86x45mm
Box Qty:	60 pcs



works with  
amazon alexa

works with the  
Google Assistant

Wall Socket-Wifi(BS)

**VT-5017**

SKU: 8446 EAN: 3800157644648

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4Ghz
Max Watts:	2900w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	146x86x32mm
Box Qty:	100 pcs

2 5V/2.1A USB Port



works with  
amazon alexa

works with the  
Google Assistant

#### Online Switch-Wifi

##### VT-5008

SKU: 8422 EAN: 3800157637350

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	90x40x25mm
Box Qty:	100 pcs



works with  
amazon alexa

works with the  
Google Assistant

#### Waterproof Socket

##### VT-5000

SKU: 8414 EAN: 3800157637275

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP54
Dimension:	86x71x68mm
Box Qty:	50 pcs



BS Plug SKU: 8427



works with  
amazon alexa

works with the  
Google Assistant

#### Plug-Wifi

##### VT-5001

SKU: 8415 EAN: 3800157637282

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant

#### Plug-Wifi-Italian

##### VT-5148

SKU: 8470 EAN: 3800157645133

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs



BS Plug SKU: 8428



works with  
amazon alexa

works with the  
Google Assistant

Mini Plug-Wifi

VT-5002

SKU: 8416 EAN: 3800157637299

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	63x45x30mm
Box Qty:	100 pcs



works with  
amazon alexa

works with the  
Google Assistant

Power Strip-Wifi

VT-5006

SKU: 8420 EAN: 3800157637336

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	32x60x48mm
Box Qty:	25 pcs



works with  
amazon alexa

works with the  
Google Assistant

4 5V/5A  
USB Port  
1.8M Cable Length

Power Strip-Wifi(EU)

VT-5018

SKU: 8447 EAN: 3800157644631

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4Ghz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	305x58x43mm
Box Qty:	25 pcs



works with  
amazon alexa

works with the  
Google Assistant

E27 Lamp Holder-Wifi

VT-5007

SKU: 8421 EAN: 3800157637343

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	20w(LED Bulb)
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	67x67x102mm
Box Qty:	50 pcs



works with  
 amazon alexa

works with the  
 Google Assistant

#### RF433 Gateway

**VT-5144**

SKU: 8466 EAN: 3800157645096

- Input Voltage: 90-250V
- Max Current: 13A
- Wireless Standard Wi-Fi 2.4Ghz
- Box Qty: 100 pcs
- Material: PC
- Power supply: Micro USB 5V/1A
- RF: 433MHz
- Control Mode: VTAC Smartphone App

*RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.*



works with  
 amazon alexa

works with the  
 Google Assistant

#### Temperature Humidity Scheduler

**VT-5145**

SKU: 8467 EAN: 3800157645102

- Max. Current: 16A
- Material: PC
- Input: AC: 90-250V, 50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Box Qty: 100 pcs



works with  
 amazon alexa

works with the  
 Google Assistant

#### Temperature & Humidity Sensor

**VT-5146**

SKU: 8468 EAN: 3800157645119

- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Box Qty: 200 pcs



works with  
 amazon alexa

works with the  
 Google Assistant

#### Waterproof Temperature Probe

**VT-5147**

SKU: 8469 EAN: 3800157645126

- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Box Qty: 200 pcs





## Smart Cameras

V-TAC introduces its all-new extensive range of smart cameras - fully compatible with any smart device (mobile phones, tablets, or PCs) through WiFi integration. These cameras offer detection alerts via email -- all available in standard UK & EU plugs for compatibility.

### Product Features

- Standard wireless frequencies for WiFi transmission
- Equipped with premium quality image sensors - high definition, high resolution videos at standard frames per second,
- Supports iOS & Android devices
- Real-time alerts sent straight to your mobile for motion detected
- Night Vision
- Two-Way Audio
- Video storage: Micro SD storage or cloud transmission

### Applications

Designed to add an extra layer of security in houses, condominiums, restaurants, retail shops, office spaces, and more high-definition video feed in real-time, including two-way audio, full security camera sets, motion



Surveillance Camera

**VT-5125**

SKU: 8474 EAN: 3800157647878

Box Qty: 80 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Lens - 2.8mm @F1.8
- Material - ABS
- Audio - No
- Sensor Type - 2.0MP1/2.7" CMOS
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output(75Ω/BNC)
- IR Distance - 20 to 30 meters



Night Vision



Surveillance Camera

**VT-5126**

SKU: 8475 EAN: 3800157647885

Box Qty: 50 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 2.0MP 1/2.7" Low illumination CMOS Sensor
- Lens - 2.8mm@F1.8
- Audio - No
- IP Rating - IP65
- Built with Aluminium
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output(75Ω/BNC)
- IR Distance - 20 to 30 meters



Night Vision



IP66 RATING



**4CH DVR  
VT-5127**

SKU: 8476 EAN: 3800157647892

Box Qty: 10 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 2.0MP 1/2.7" Low illumination CMOS Sensor
- Lens - 2.8mm@F1.8
- Audio - No
- IP Rating - IP65
- Built with Aluminium
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON), 0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output (75Ω/BNC)
- IR Distance - 20 to 30 meters



**18 Meter Wire**  
SKU: 8477

- Video power cable security camera wire cord extension cable designed for CCTV DVR surveillance system.
- Cable Length 60ft(18M)
- All in one video and power security camera cable.
- Compatible with all TVI, CVI, AHD, CVBS CCTV surveillance DVR Camera system
- Transmits video signals and supplies DC power for security cameras.
- Plug and Play red, for the camera with DC power only.
- Gold plated core riveted joint type BNC male connector
- Nickel plated male and female DC connectors.

**Security Camera  
VT-5135**

SKU: 8478 EAN: 3800157647915

Box Qty: 50 pcs



- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 1/2.8" Low illumination CMOS Sensor
- Lens - 3.6mm@F1.8
- Minimum illumination - Color-0.01Lux @(F1.2,AGC ON); 0 Lux with IR
- Black and White - 0.001 Lux @ (F1.2, AGC ON), 0 Lux with IR
- Shutter - 1/50 (1/60) seconds to 1/10,000 seconds
- Designed with Lens Type M12
- Day and night conversion mode - Supports IR-CUT
- Frame rate 1080P@20fps
- Supports Protocols - TCP/IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP, NTP
- Communication interface - 1 10/100Mbps adaptive Ethernet port, RJ45 interface
- Infrared distance of 20-30 meters
- Audio - No
- IP Rating - IP65





Security Camera

**VT-5136**

SKU: 8479

EAN: 3800157647922

Box Qty: 20 pcs

- Input Power - DC:12V
- Resolution - 1920x1080
- Image Sensor - 1/2.7" CMOS 0.001LUX/F1.2(Colorful)
- Video Compression - 32kbps-8mbps
- 2.0 Mega pixel
- Electronic Shutter - 1/25--1/10000 Second
- Day and night conversion mode - Full Color
- 3D DNR (Digital noise reduction)
- H.265 encoding type - Profile\_Baseline
- Intelligent Alarm - Motion detection, occlusion alarm, video loss, network cable disconnection, IP address conflict
- Support Protocols - TCP/IP, DHCP, HTTP, DNS, RTP RTSP
- Docking Protocols - ONVIF, Hikvision, Dahua
- Universal feature - One-click recovery, dual stream, heartbeat, mirroring, video masking, anonymous access
- Communication interface - 1 RJ45 10M / 100M adaptive Ethernet port

OTHER CAMERAS

FULL COLOR CAMERA



Indoor Camera-EU

**VT-5120**

SKU: 8377

EAN: 3800157640626

Box Qty: 36 pcs

EU PLUG



VT-5120-BS

SKU: 8464

EAN: 3800157644969

Box Qty: 36 pcs

BS PLUG



- Image Sensor: 1/4 color CMOS
- 1.0 Mega Pixels camera, Infrared Lens
- 10 meters Night Vision
- 2 Way voice, built in speaker & microphone
- 720P resolution
- Horizontal 355°/Vertical 120° Pan/Tilt
- Network by cable or WiFi
- TCP/UDP/IP/ICMP/DHCP/DNS/HTTP/FTP/SMTP/NTP/UPNP/DDNS/RTSP
- 6w/4w (Infrared on/off) power consumption
- DC 5V, 2.0A with adapter
- Motion detection, alarm via email.
- Supports Android & IOS devices





Wireless NVR Camera-EU

**VT-5188**

SKU: 8400 EAN: 3800157643757

Box Qty: 4 pcs

EU PLUG



VT-5188-BS

SKU: 8465 EAN: 3800157644969

Box Qty: 4 pcs

BS PLUG



- Transmission distance more than 800 meters in open space with no obstacles
- Built-in security wireless WIFI module with stable signal transmission and strong anti-interference ability
- No need setting WIFI, plug and play
- P2P remote viewing in seconds with high-definition video quality
- Support motion detection alarm
- Support buzzer/Email alarm
- Support Android/IOS devices



Indoor Camera-EU

**VT-5122**

SKU: 8439 EAN: 3800157644136

Box Qty: 50 pcs

EU PLUG



VT-5122-BS

SKU: 8438 EAN: 3800157644129

Box Qty: 50 pcs

BS PLUG



- DC:5V±5% Input Power
- Auto tracking
- Motion Detection
- 2.4~2.4835 Ghz Wireless Frequency
- 355°/85° Pan/Tilt
- 1920×1080P Resolution
- 2.0M pixel HD cmos Image Sensor
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 64gb Storage
- Indoor Use only - IP20
- Supports Android & IOS devices





## Remote Viewing

View on your iPhone, iPad, or Android devices with the app



### Outdoor Camera-EU

**VT-5123**

SKU: 8441 EAN: 3800157644150

Box Qty: 30 pcs

EU PLUG



VT-5123-BS

SKU: 8440 EAN: 3800157644143

Box Qty: 30 pcs

BS PLUG



- DC:12V±5% Input Power
- Motion detection
- 2.4~2.4835 Ghz Wireless Frequency
- Alarm motion detection
- Lan port RJ-45
- 1920×1080P Resolution
- 2.0M pixel HD cmos
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 64gb Storage
- IP65(Indoor & Outdoor use)
- Supports Android & IOS devices



Night Vision



Two Way Audio



Motion Detection




Doorbell  
VT-5412

SKU: 8355 EAN: 3800157634960

Box Qty: 50 pcs



- Two-way audio
- IR Distance: dual IR cut filter with auto switch, max 5 meters
- Motion detection: alerts users with a push notification
- Remote operation-system settings, account management, stream code setting
- ABS+PC Body Type
- 75×40×143mm
- -10°C ~+50°C Working Temperature
- 1280×720P Resolution
- Rechargeable 18650 Battery 3350mAh or AC 8~24V Power
- HD720P@25FPS Frame Rate
- 166 Degree Field View
- Max 64GB TF Card Storage



Including 8GB  
Micro SD Card



Including  
Rechargeable  
Batteries



Chimes-EU  
VT-5415

SKU: 8445 EAN: 3800157644594

Box Qty: 100 pcs

EU PLUG



VT-5413

SKU: 8359 EAN: 3800157635004

Box Qty: 100 pcs

BS PLUG



- 5 levels of volume
- 55 ringtones
- Voltage: AC100~265V
- Protection Rating: IP54
- Wireless range up to 250 mtrs
- Directly plug into an electrical outlet



**55** melodious  
Ringtones



## Italian & European Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian & European socket and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

- 3/4/5/6/8-way sockets - sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types





## POWER ADAPTORS



USB TRAVEL ADAPTOR

**VT-1024-W**

SKU: 8791  
EAN: 3800157644266

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27×47×70mm
Input Current:	0.25A

Output Current:	2A
Rated Load:	10W
Box Qty:	48 pcs



USB TRAVEL ADAPTOR

**VT-1024-B**

SKU: 8792  
EAN: 3800157644273

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27×47×70mm
Input Current:	0.25A

Output Current:	2A
Rated Load:	10W
Box Qty:	48 pcs




USB QC3.0 TRAVEL ADAPTOR

**VT-1026-W**

SKU: 8793  
EAN: 3800157644280

Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42×57×24mm
Input Current:	0.2A

Output Current:	3.0A
Rated Load:	18W
Box Qty:	48 pcs



USB QC3.0 TRAVEL ADAPTOR

**VT-1026-B**

SKU: 8794  
EAN: 3800157644297

Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42×57×24mm
Input Current:	0.2A

Output Current:	3.0A
Rated Load:	18W
Box Qty:	48 pcs



UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU: 8704  
EAN: 3800157642163

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95×50×40mm
Input Current:	10A

Output Current:	10A
Rated Load:	2500W
Box Qty:	48 pcs


**UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION**

 SKU: 8705  
 EAN: 3800157642170

Input Power:	AC:110-250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	2500W
Dimension:	70x50x40mm	Box Qty:	100 pcs
Input Current:	10A		


**CABLE REEL WITH 4 SOCKET**
**VT-6002**

 SKU: 8781  
 EAN: 3800157643528

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	Black
Dimension:	20X27X6.5mm	Box Qty:	5 pcs


**CABLE REEL WITH 4 SOCKET**
**VT-6003**

 SKU: 8782  
 EAN: 3800157643535

Wire Length:	25M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	Black
Dimension:	24X13X33mm	Box Qty:	1 pcs


**Extension Cord**
**VT-3001-3**

 SKU: 8778  
 EAN: 3800157643498

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	250x200x150mm	Box Qty:	30 pcs


**Extension Cord**
**VT-3001-5**

 SKU: 8779  
 EAN: 3800157643504

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	200X160X90mm	Box Qty:	30 pcs


**Extension Cord**
**VT-3001-10**

 SKU: 8780  
 EAN: 3800157643511

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	200x110x40mm	Box Qty:	15 pcs

**1.4M Wire**



**3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)**

**VT-1153-2**  
SKU: 8799  
EAN: 3800157645669

Wire Length:	1.4M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PC	Color:	White
Dimension:	130X138.30X42mm	Box Qty:	40 pcs

**1.4M Wire**



**4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)**

**VT-1154-2**  
SKU: 8800  
EAN: 3800157645676

Wire Length:	1.4M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PC	Color:	White
Dimension:	77X77X82.8mm	Box Qty:	40 pcs

**1.5M Wire**

**LIGHTED SWITCH**



**4 HOLES SOCKET WITH SWITCH**

**VT-1117-4**  
SKU: 8770  
EAN: 3800157643412

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	40 pcs

**1.5M Wire**

**LIGHTED SWITCH**



**4 HOLES SOCKET WITH SWITCH**

**VT-1117-2**  
SKU: 8771  
EAN: 3800157643429

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	174x45x40mm	Box Qty:	40 pcs

**1.5M Wire**

**LIGHTED SWITCH**



**8 HOLES SOCKET WITH SWITCH**

**VT-1118-8**  
SKU: 8772  
EAN: 3800157643436

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186x45x40mm	Box Qty:	40 pcs

**1.5M Wire**

**LIGHTED SWITCH**



**8 HOLES SOCKET WITH SWITCH**

**VT-1118-2**  
SKU: 8773  
EAN: 3800157643443

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	186x45x40mm	Box Qty:	40 pcs

1.5M  
Wire

LIGHTED  
SWITCH

2  
USB PORT



3WAYS SOCKET WITH SWITCH AND 2USB **VT-1124-2**

SKU: 8774  
EAN: 3800157643450

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	40 pcs

5M  
Wire

LIGHTED  
SWITCH

2  
USB PORT



3WAYS SOCKET WITH SWITCH AND 2USB **VT-1124-5**

SKU: 8775  
EAN: 3800157643467

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	20 pcs

1.5M  
Wire

LIGHTED  
SWITCH

2  
USB PORT



3WAYS SOCKET WITH SWITCH AND 2USB **VT-1125-2**

SKU: 8776  
EAN: 3800157643474

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	178x45x40mm	Box Qty:	40 pcs

5M  
Wire

LIGHTED  
SWITCH

2  
USB PORT



3WAYS SOCKET WITH SWITCH AND 2USB **VT-1125-5**

SKU: 8777  
EAN: 3800157643481

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	178x45x40mm	Box Qty:	20 pcs

1.5M  
Wire



3 WAYS SOCKET

**VT-1103-2**  
SKU: 8754  
EAN: 3800157643252

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x45x40mm	Box Qty:	40 pcs

3M  
Wire



3 WAYS SOCKET

**VT-1103-3**  
SKU: 8755  
EAN: 3800157643269

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x45x40mm	Box Qty:	30 pcs

**1.5M Wire**



4 WAYS SOCKET

**VT-1104-2**

SKU: 8756  
EAN: 3800157643276

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	40 pcs

**3M Wire**



4 WAYS SOCKET

**VT-1104-3**

SKU: 8757  
EAN: 3800157643283

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	30 pcs

**1.5M Wire**



5 WAYS SOCKET

**VT-1105-2**

SKU: 8758  
EAN: 3800157643290

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	40 pcs

**3M Wire**



5 WAYS SOCKET

**VT-1105-3**

SKU: 8759  
EAN: 3800157643306

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	30 pcs

**1.5M Wire**



6 WAYS SOCKET

**VT-1106-2**

SKU: 8760  
EAN: 3800157643313

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182x45x40mm	Box Qty:	40 pcs

**3M Wire**



6 WAYS SOCKET

**VT-1106-3**

SKU: 8761  
EAN: 3800157643320

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182x45x40mm	Box Qty:	30 pcs

1.5M  
Wire

LIGHTED  
SWITCH



3WAYS SOCKET WITH SWITCH

VT-1113-2

SKU: 8762

EAN: 3800157643337

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	40 pcs

5M  
Wire

LIGHTED  
SWITCH



3WAYS SOCKET WITH SWITCH

VT-1113-5

SKU: 8763

EAN: 3800157643344

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	20 pcs

1.5M  
Wire

LIGHTED  
SWITCH



4WAYS SOCKET WITH SWITCH

VT-1114-2

SKU: 8764

EAN: 3800157643351

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	40 pcs

5M  
Wire

LIGHTED  
SWITCH



4WAYS SOCKET WITH SWITCH

VT-1114-5

SKU: 8765

EAN: 3800157643368

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	20 pcs

1.5M  
Wire

LIGHTED  
SWITCH



5WAYS SOCKET WITH SWITCH

VT-1115-2

SKU: 8766

EAN: 3800157643375

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	40 pcs

5M  
Wire

LIGHTED  
SWITCH



5WAYS SOCKET WITH SWITCH

VT-1115-5

SKU: 8767

EAN: 3800157643382

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	20 pcs

**1.5M Wire**

**LIGHTED SWITCH**



6WAYS SOCKET WITH SWITCH

**VT-1116-2**

SKU: 8768  
EAN: 3800157643399

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186×45×40mm	Box Qty:	40 pcs

**5M Wire**

**LIGHTED SWITCH**



6WAYS SOCKET WITH SWITCH

**VT-1116-5**

SKU: 8769  
EAN: 3800157643405

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186×45×40mm	Box Qty:	20 pcs

**1.4M Wire**

**LIGHTED SWITCH**

**2 USB PORT**



**SURGE PROTECTION**



3 WAYS DESK SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

**VT-1133-2**

SKU: 8817  
EAN: 3800157648981

Wire Length:	1.4M	Input Current:	3×16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PC,PVC, COPPER	Color:	Black
Dimension:	225×65×73mm	Box Qty:	20 pcs

**1.4M Wire**

**LIGHTED SWITCH**

**2 USB PORT**



4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

**VT-1144-2**

SKU: 8808  
EAN: 3800157648882

Wire Length:	1.4M	Input Current:	4×16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PC,PVC, COPPER	Color:	White
Dimension:	307×46×42mm	Box Qty:	20 pcs

**3M Wire**

**LIGHTED SWITCH**

**2 USB PORT**



5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

**VT-1115-3**

SKU: 8807  
EAN: 3800157648875

Wire Length:	3M	Input Current:	5×16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PP,PVC, COPPER	Color:	White
Dimension:	365×53×44mm	Box Qty:	20 pcs

**1.4M Wire**

**LIGHTED SWITCH**



**SURGE PROTECTION**



**OVERLOAD PROTECTION**



5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

**VT-1135-2**

SKU: 8818  
EAN: 3800157648998

Wire Length:	1.4M	Input Current:	5×16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,PVC, COPPER	Color:	White
Dimension:	330×55×41mm	Box Qty:	20 pcs



### 2 WAYS ADAPTER WITH EARTHING CONTACT

**VT-1006-2**

SKU: 8783  
EAN: 3800157643986

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	98×46×74.6mm
Input Current:	16A

Output Current:	2×16A
Rated Load:	2300W
Box Qty:	100 pcs



### ADAPTER WITH 2 EURO-SOCKET

**VT-1005-2**

SKU: 8784  
EAN: 3800157643993

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1×48×75.3mm
Input Current:	16A

Output Current:	16A+2×2.5A
Rated Load:	3680W
Box Qty:	100 pcs



### 4 WAYS ADAPTER WITH EARTHING CONTACT

**VT-1004-4**

SKU: 8785  
EAN: 3800157644006

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	91.2×49×78.1mm
Input Current:	16A

Output Current:	4×2.5A
Rated Load:	3680W
Box Qty:	100 pcs



### 2 WAYS ADAPTER WITH EARTHING CONTACT

**VT-1008-2**

SKU: 8786  
EAN: 3800157644013

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5×45.8×99.5mm
Input Current:	16A

Output Current:	3×16A
Rated Load:	3680W
Box Qty:	100 pcs



### 3 WAYS ADAPTER WITH EARTHING CONTACT

**VT-1009-3**

SKU: 8787  
EAN: 3800157644020

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	92.8×72.4×86.1mm
Input Current:	16A

Output Current:	3×16A
Rated Load:	3680W
Box Qty:	100 pcs



### 3 OUTLET POWER ADAPTER WITH EARTH CONTACT AND SWITCH

**VT-1010-3**

SKU: 8788  
EAN: 3800157644037

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1×69.7×76.5mm
Input Current:	16A

Output Current:	16A+2×2.5A
Rated Load:	3680W
Box Qty:	100 pcs





**3 OUTLET POWER ADAPTER WITH EARTH CONTACT VT-1011-3**  
 SKU: 8789  
 EAN: 3800157644044

Input Power:	AC:250V, 16A	Output Current:	3×16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	133.6×49.5×76.9mm	Box Qty:	100 pcs
Input Current:	16A		



**3 OUTLET POWER ADAPTER VT-1012-3**  
 SKU: 8790  
 EAN: 3800157644051

Input Power:	AC:250V, 16A	Output Current:	3×16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	87.5×84.98×59.4mm	Box Qty:	100 pcs
Input Current:	16A		



**2 OUTLET ADAPTER 2.5A VT-1022**  
 SKU: 8801  
 EAN: 3800157645683

Input Power:	AC:230V	Output Current:	5A
Body Type:	PP	Rated Load:	1100W
Dimension:	44X39X61mm	Box Qty:	200 pcs
Input Current:	16A		



**3 OUTLET ADAPTER 2.5A VT-1023**  
 SKU: 8802  
 EAN: 3800157645690

Input Power:	AC:230V	Output Current:	7.5A
Body Type:	PP	Rated Load:	1700W
Dimension:	65×47×72mm	Box Qty:	200 pcs
Input Current:	16A		



**ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH EARTHING CONTACT VT-1053**  
 SKU: 8804  
 EAN: 3800157645713

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3500W
Dimension:	92×47.5×75mm	Box Qty:	200 pcs
Input Current:	16A		



**2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A VT-1042**  
 SKU: 8805  
 EAN: 3800157645720

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3680W
Dimension:	92×50×75mm	Box Qty:	200 pcs
Input Current:	16A		



4 OUTLET ADAPTER 2.5A

VT-1054

SKU: 8803  
EAN: 3800157645706

Input Power:	AC:230V
Body Type:	PP
Dimension:	83×47×72mm
Input Current:	16A

Output Current:	10A
Rated Load:	2300W
Box Qty:	200 pcs

ADAPTER WITH 2 SOCKET 2.5A,1  
SOCKET 16A WITH SWITCH & EARTHING  
CONTACT 16A

VT-1063

SKU: 8806  
EAN: 3800157645737

Input Power:	AC:230V
Body Type:	PP
Dimension:	95×70×74mm
Input Current:	16A

Output Current:	16A
Rated Load:	3500W
Box Qty:	200 pcs

ADAPTER WITH EARTHING CONTACT &  
CHARGING

VT-1044-W

SKU: 8795  
EAN: 3800157644303

Input Power:	AC:110-230V,50/60Hz
Body Type:	ABS
Dimension:	107×54.2×74.2mm
Input Current:	16A

Output Current:	16A+2.1A
Rated Load:	3680W
Box Qty:	60 pcs

ADAPTER WITH EARTHING CONTACT &  
CHARGING

VT-1044-B

SKU: 8796  
EAN: 3800157644310

Input Power:	AC:110-230V,50/60Hz
Body Type:	ABS
Dimension:	107×54.2×74.2mm
Input Current:	16A

Output Current:	16A+2.1A
Rated Load:	3680W
Box Qty:	60 pcs



1 WAY ADAPTER-16A

VT-1101-1

SKU: 8809  
EAN: 3800157648899

Input Power:	AC:200-240V,50Hz
Body Type:	PP COPPER
Dimension:	80×55×72mm
Input Current:	16A

Output Current:	16A
Rated Load:	3680W
Box Qty:	100 pcs





2 WAYS ADAPTER-16A-IP44

**VT-1102-2**

SKU: 8812  
EAN: 3800157648929

Wire Length:	NA	Input Current:	2x16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PP COPPER	Color:	Green
Dimension:	105x66x106mm	Box Qty:	100 pcs

3M Wire



2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

**VT-1112-3**

SKU: 8811  
EAN: 3800157648912

Wire Length:	3M	Input Current:	2x16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PP,RUBBER, COPPER	Color:	Green
Dimension:	403x145x113mm	Box Qty:	8 pcs

3M Wire



4 WAYS GARDEN SPIKE SOCKET-IP44

**VT-1114-3**

SKU: 8810  
EAN: 3800157648905

Wire Length:	3M	Input Current:	4x16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PP,RUBBER, COPPER	Color:	Green
Dimension:	403x145x113mm	Box Qty:	8 pcs



WATERPROOF SAFE BOX-IP44

SKU: 8819  
EAN: 3800157648950

Input Power:	AC:230V	Output Current:	NA
Body Type:	PP	Rated Load:	NA
Dimension:	212x82x72mm	Box Qty:	40 pcs
Input Current:	16A		

3M Wire



4 WAYS SOCKET-IP44

**VT-1124-3**

SKU: 8814  
EAN: 3800157648943

Wire Length:	3M	Input Current:	4x16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,RUBBER, COPPER	Color:	Black+Yellow
Dimension:	230x71x94mm	Box Qty:	10 pcs

3M Wire

LIGHTED SWITCH



5 WAYS SOCKET WITH LIGHTED SWITCH-IP44

**VT-1125-3**

SKU: 8813  
EAN: 3800157648936

Wire Length:	3M	Input Current:	5x16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,RUBBER, COPPER	Color:	Black+Yellow
Dimension:	403x73x49.5mm	Box Qty:	10 pcs

15M  
Wire

EXTENSION CORD-1 WAY-16A-IP44

VT-3002-15

SKU: 8816

EAN: 3800157648974

Wire Length:	15M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PVC, COPPER,PP	Color:	Orange+Black
Dimension:	357×130×130mm	Box Qty:	8 pcs

30M  
Wire


EXTENSION CORD-1 WAY-16A-IP44

VT-3002-30

SKU: 8815

EAN: 3800157648967

Wire Length:	30M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PVC, COPPER,PP	Color:	Orange+Black
Dimension:	473×128×150mm	Box Qty:	4 pcs




2 WAYS GARDEN SOCKET IP44

VT-1155-2

SKU: 8820

EAN: 3800157652452

Input Power:	2 Way-	Rated Load:	16A3680W
Body Type:	AC:220-240V,50Hz	Color:	Dark Grey
Dimension:	Stainless Steel	Box Qty:	8820
	127×300mm		




4 WAYS GARDEN SOCKET IP44

VT-1155-4

SKU: 8821

EAN: 3800157652469

Input Power:	4 Way-	Rated Load:	16A3680W
Body Type:	AC:220-240V,50Hz	Color:	Dark Grey
Dimension:	Stainless Steel	Box Qty:	8821
	157×395mm		



E27  
HOLDER

2 WAYS GARDEN SOCKET WITH LAMP  
IP44

VT-1156-2

SKU: 8822

EAN: 3800157652476

Input Power:	2 Way-	Rated Load:	16A3680W
Body Type:	AC:220-240V,50Hz	Color:	Dark Grey
Dimension:	Stainless Steel+PC	Box Qty:	8822
	127×455mm		



# ITALIAN SOCKETS

**1.5M Wire**



Multipresa, 3 pos. 10/16A prese Bipasso  
Con attacco a parete

SKU: 8706  
EAN: 3800157642187

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	115x47x22mm	Box Qty:	50 pcs

**1.5M Wire**



Multipresa, 4 pos. 10/16A prese Bipasso  
Con attacco a parete

SKU: 8707  
EAN: 3800157642194

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	135x47x22mm	Box Qty:	50 pcs

**1.5M Wire**



Multipresa, 5 pos. 10/16A prese Bipasso  
Con attacco a parete

SKU: 8708  
EAN: 3800157642200

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	155x47x22mm	Box Qty:	40 pcs

**1.5M Wire**



Multipresa, 6 pos. 10/16A prese Bipasso  
Con attacco a parete

SKU: 8709  
EAN: 3800157642217

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x47x22mm	Box Qty:	40 pcs



3 pos. con interruttore luminoso  
10/16A Bipasso/schuko

SKU: 8710  
EAN: 3800157642224

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×55×45mm	Box Qty:	50 pcs



4 POS. CON INTERRUOTORE LUMINOSO  
10/16A BIPASSO/SCHUKO

SKU: 8711  
EAN: 3800157642231

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	245×55×45mm	Box Qty:	40 pcs



5 pos. con interruttore luminoso  
10/16A Bipasso/schuko

SKU: 8712  
EAN: 3800157642248

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	280×55×45mm	Box Qty:	30 pcs



6 pos. con interruttore luminoso  
10/16A Bipasso/schuko

SKU: 8713  
EAN: 3800157642255

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	325×55×45mm	Box Qty:	30 pcs



7 pos. con interruttore luminoso  
10/16A Bipasso/schuko

SKU: 8714  
EAN: 3800157642262

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	370×55×45mm	Box Qty:	30 pcs



5pos. con interruttore luminoso  
10/16A Bipasso/schuko + con 2  
connessioni USB

SKU: 8715  
EAN: 3800157642279

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	335×55×45mm	Box Qty:	30 pcs

**1.5M Wire**

**LIGHTED SWITCH**



4 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

SKU: 8748  
EAN: 3800157642606

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	160x100x45mm	Box Qty:	40 pcs

**1.5M Wire**

**LIGHTED SWITCH**



6 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

SKU: 8749  
EAN: 3800157642613

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200x100x45mm	Box Qty:	30 pcs

**3M Wire**



2 prese 2p+t 10/16A Bipasso  
1 prese Bipasso/Schuko

SKU: 8733  
EAN: 3800157642453

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	100x47x52mm	Box Qty:	50 pcs

**1.5M Wire**

**LIGHTED SWITCH**



4 prese 2p+t 10/16A Bipasso  
2 prese 10/16A Bipasso/Schuko

SKU: 8734  
EAN: 3800157642460

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	150x47x45mm	Box Qty:	25 pcs

**1.5M Wire**

**LIGHTED SWITCH**



6 prese 2p+t 10/16A Bipasso  
3 prese 10/16A Bipasso/Schuko

SKU: 8735  
EAN: 3800157642477

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	195x47x45mm	Box Qty:	25 pcs

**1.5M Wire**

**LIGHTED SWITCH**



8 prese 2p+T10/16A Bipasso  
4 prese Bipasso/Schuko

SKU: 8736  
EAN: 3800157642484

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	240x47x45mm	Box Qty:	30 pcs

1.5M  
Wire

LIGHTED  
SWITCH



4 pos. 10/16A Bipasso/Schuko  
Con protezione sovratensionni e  
interruttore generale luminoso e  
4 interruttori indipendenti

SKU: 8737  
EAN: 3800157642491

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	225*72*40mm	Box Qty:	30 pcs

1.5M  
Wire

LIGHTED  
SWITCH



5 pos. 10/16A Bipasso/Schuko  
Con protezione sovratensionni e  
interruttore generale luminoso e  
5 interruttori indipendenti

SKU: 8738  
EAN: 3800157642507

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	260*72*40mm	Box Qty:	30 pcs

1.5M  
Wire

LIGHTED  
SWITCH



6 pos. 10/16A Bipasso/Schuko  
Con protezione sovratensionni e  
interruttori generale luminoso e  
6 interruttore indipendenti

SKU: 8739  
EAN: 3800157642514

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	305*70*35mm	Box Qty:	30 pcs

1.5M  
Wire

LIGHTED  
SWITCH

2  
USB PORT



2 presa 2p+T10/16A Bipasso + 1 presa  
Bipasso/schuko  
con protezione sovraccarico / con 2USB

SKU: 8745  
EAN: 3800157642576

Wire Length:	1.5M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	145*50*40mm	Box Qty:	40 pcs

1.5M  
Wire

LIGHTED  
SWITCH



4 pos. Con interruttore  
luminoso 10/16A Bipasso  
Con attacco a parete

SKU: 8740  
EAN: 3800157642521

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	160*50*30mm	Box Qty:	30 pcs

1.5M  
Wire

LIGHTED  
SWITCH



5 pos. Con interruttore  
luminoso 10/16A Bipasso  
Con attacco a parete

SKU: 8741  
EAN: 3800157642538

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	180*47*30mm	Box Qty:	30 pcs



**1.5M  
Wire**

**LIGHTED  
SWITCH**



6 pos. Con interruttore luminoso 10/16A Bipasso  
Con attacco a parete

SKU: 8742  
EAN: 3800157642545

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×50×30mm	Box Qty:	30 pcs



**5M  
Wire**



2 prese 2P+T 10/16A Bipasso  
Con protezione termica ripristinabile

SKU: 8700  
EAN: 3800157642125

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	200×160×90mm	Box Qty:	10 pcs

**10M  
Wire**



4 prese Bipasso/Schuko  
Con protezione termica ripristinabile

SKU: 8701  
EAN: 3800157642132

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	250×200×150mm	Box Qty:	6 pcs

**15M  
Wire**



4 prese Bipasso/Schuko  
Con protezione termica ripristinabile

SKU: 8702  
EAN: 3800157642149

Wire Length:	15M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	240×190×160mm	Box Qty:	6 pcs

**25M  
Wire**



4 prese Bipasso/Schuko  
Con protezione termica ripristinabile

SKU: 8703  
EAN: 3800157642156

Wire Length:	25M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	300×240×190mm	Box Qty:	4 pcs

15M  
Wire



Prolunga, 1 via 10/16A presa italiana/  
Schuko con cavo VDE H05VV-F  
3G1.5mm<sup>2</sup> 15m, con spina italiana 16A,  
con telaio portacavi

SKU: 8834  
EAN: 3800157648868

Input Power:	AC:230V	Output Current:	
Body Type:	PVC, COPPER,PP	Rated Load:	2500W
Dimension:	357×130×130mm	Box Qty:	8 pcs
Input Current:	10/16A		

30M  
Wire



Prolunga, 1 via 10/16A presa italiana/  
Schuko con cavo VDE H05VV-F  
3G1.5mm<sup>2</sup> 30m, con spina italiana 16A,  
con telaio portacavi

SKU: 8833  
EAN: 3800157648851

Input Power:	AC:230V	Output Current:	2500W
Body Type:	PVC, COPPER,PP	Rated Load:	4 pcs
Dimension:	473×128×150mm	Box Qty:	
Input Current:	10/16A		

3M  
Wire



Prolunga lineare  
spina 10A,2p+T prese 10A

SKU: 8729  
EAN: 3800157642415

Wire Length:	3M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	2300W
Body Type:	PC+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	30 pcs

5M  
Wire



Prolunga lineare  
spina 10A,2p+T prese 10A

SKU: 8730  
EAN: 3800157642422

Wire Length:	5M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	2300W
Body Type:	PC+COPPER	Color:	White
Dimension:	230×110×60mm	Box Qty:	30 pcs

3M  
Wire



Prolunga lineare  
spina 16A,2p+T prese 10/16Aa

SKU: 8731  
EAN: 3800157642439

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PC+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	50 pcs

5M  
Wire



Prolunga lineare  
spina 16A,2p+T prese 10/16Aa

SKU: 8732  
EAN: 3800157642446

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PC+COPPER	Color:	White
Dimension:	230×110×60mm	Box Qty:	30 pcs



**LIGHTED SWITCH**



Adattatore spina 16A 2 prese 2P+T 10/16A +  
1 presa/Schuko con interruttore

SKU: 8716  
EAN: 3800157642286

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	85×75×50mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore rotante, Spina 10A  
2 prese 2P+T 10/16A Bipasso+  
1 presa Bipasso/Schuko  
Con protezione de sovraccarico

SKU: 8744  
EAN: 3800157642569

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	80×75×48mm	Box Qty:	60 pcs
Input Current:	10A		



Adattatore Spina 10A  
4 prese 10/16A Bipasso  
Con protezione de sovraccarico

SKU: 8746  
EAN: 3800157642583

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×70×70mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore Spina 10A  
2 prese 2P+T 10/16A Bipasso+  
1 presa Bipasso/Schuko  
Con protezione de sovraccarico

SKU: 8743  
EAN: 3800157642552

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×50×40mm	Box Qty:	200 pcs
Input Current:	10A		

**Universal Adapter**



UNIVERSAL ADAPTOR  
10A 250V~

SKU: 8747  
EAN: 3800157642590

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70×55×50mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore  
2 vie 10 / 16A presa Italiana e  
1 via 10 / 16A presa Italiano / Schuko  
con  
interruttore due porte di ricarica USB  
2.1A

SKU: 8830  
EAN: 3800157648820

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC COPPER	Rated Load:	1500W
Dimension:	120×84×54mm	Box Qty:	100 pcs
Input Current:	10/16A		



Adattatore 3 vie 10 / 16A presa Italiana  
con interruttore, con spina Italiana 16A

SKU: 8831  
EAN: 3800157648837

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC COPPER	Rated Load:	1500W
Dimension:	70×64×54mm	Box Qty:	100 pcs
Input Current:	10/16A		



Adattatore presa Italiana 1 via 10 / 16A,  
con protezione contro le sovratensioni,  
con spina Italiana da 16A

SKU: 8832  
EAN: 3800157648844

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC PP COPPER	Rated Load:	3680W
Dimension:	80×55×72mm	Box Qty:	100 pcs
Input Current:	10/16A		



Spina 2p+t 10A

SKU: 8717  
EAN: 3800157642293

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×32×15mm	Box Qty:	200 pcs
Input Current:	10A		



Spina 2p+t 16A

SKU: 8718  
EAN: 3800157642309

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70×43×20mm	Box Qty:	200 pcs
Input Current:	16A		



Spina 2p+t 10A

SKU: 8719  
EAN: 3800157642316

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70x40x40mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A  
presa 2p+T 10A schuko

SKU: 8720  
EAN: 3800157642323

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75x40x40mm	Box Qty:	200 pcs
Input Current:	16A		



10A adattatore spina 10 A  
3 prese 10 A

SKU: 8721  
EAN: 3800157642330

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	60x50x48mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A  
3 presa 10A /16A Bipasso

SKU: 8722  
EAN: 3800157642347

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	60x47x40mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore spina 10A  
2presa 10/ 10A schuko

SKU: 8723  
EAN: 3800157642354

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75x50x40mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A  
2presa 10/ 16A Bipasso + 1 Bipasso /  
schuko

SKU: 8724  
EAN: 3800157642361

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75x50x40mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore spina 10A  
4 prese 10A

SKU: 8725  
EAN: 3800157642378

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×60×45mm	Box Qty:	200 pcs
Input Current:	10A		



Spina 2p+t 16A

SKU: 8726  
EAN: 3800157642385

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×60×45mm	Box Qty:	200 pcs
Input Current:	16A		



Spina 2p+t 10A

SKU: 8727  
EAN: 3800157642392

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×35×25mm	Box Qty:	200 pcs
Input Current:	10A		



Prese 10A /16A Bipasso  
2p+T

SKU: 8728  
EAN: 3800157642408

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×43×25mm	Box Qty:	200 pcs
Input Current:	16A		





# LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

## Product Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle.
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

## Applications


Suitable for residential lighting, hotels, restaurants, resorts, residential lighting and similar environment

**NEW**




**VT-846-B**

SKU: 8615 - 3000K Warm White 3800157652278  
SKU: 8616 - 4000K Day White 3800157652285



**VT-846-W**

SKU: 8613 - 3000K Warm White 3800157652254  
SKU: 8614 - 4000K Day White 3800157652261




Up-Down Lights  
6W

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	540lm
IP Rating:	IP54
CRI:	>80

PF:	>0.6
Beam Angle:	Up150° / Down150°
Body Type:	Aluminium
Dimension:	170x40x80mm
Box Qty:	20 Pcs




**NEW**




**VT-848-B**

SKU: 8619 - 3000K Warm White 3800157652315  
SKU: 8620 - 4000K Day White 3800157652322



**VT-848-W**

SKU: 8617 - 3000K Warm White 3800157652292  
SKU: 8618 - 4000K Day White 3800157652308



Up-Down Lights  
8W

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP54
CRI:	>80

PF:	>0.6
Beam Angle:	Up150° / Down150°
Body Type:	Aluminium
Dimension:	220x48x90mm
Box Qty:	20 Pcs



**VT-844-B**

SKU: 8563 - 3000K White 3800157643740  
SKU: 8561 - 6400K White 3800157643726



**VT-844-W**

SKU: 8562 - 3000K Warm White 3800157643733  
SKU: 8560 - 6400K White 3800157643719



LED Wall Lights  
4W

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	150lm
IP Rating:	IP65
CRI:	>80
PF:	>0.4
Beam Angle:	41°
Body Type:	Nylon
Dimension:	83x123x30mm
Box Qty:	10 Pcs





**NEW**



LED Wall Lights

7W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
IP Rating:	IP65
CRI:	>80
PF:	>0.6
Beam Angle:	128°
Body Type:	PC
Dimension:	133x133mmx67m
Box Qty:	20 Pcs

**VT-831-CRD**

SKU: 8609 - 3000K Warm White 3800157652063

**VT-831-CSQ**

SKU: 8610 - 3000K Warm White 3800157652070



LED Wall Lights

12w



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	650lm
IP Rating:	IP65
CRI:	>80
PF:	>0.5
Beam Angle:	128°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs

**VT-827-RD**

SKU: 8537 - 3000K Warm White 3800157638869  
SKU: 8538 - 4000K Day White 3800157638876

**VT-827-SQ**


SKU: 8539 - 3000K Warm White 3800157638883  
SKU: 8540 - 4000K Day White 3800157638890




**NEW**

**VT-831-RD**

SKU: 8611 - 3000K Warm White 3800157652087



**VT-831-SQ**


SKU: 8612 - 3000K Warm White 3800157652094


**LED Wall Lights**
**7W**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	550lm
IP Rating:	IP65
CRI:	>80
PF:	>0.6
Beam Angle:	128°
Body Type:	PC
Dimension:	133x133mx67m
Box Qty:	20 Pcs


**VT-828-RD**

 SKU: 8541 - 3000K Warm White 3800157638906  
 SKU: 8542 - 4000K Day White 3800157638913

**VT-828-SQ**

 SKU: 8543 - 3000K Warm White 3800157638920  
 SKU: 8544 - 4000K Day White 3800157638937

**LED Wall Lights**
**12w**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	900lm
IP Rating:	IP65
CRI:	>80
PF:	>0.5
Beam Angle:	128°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs





**White**


SKU: 8316 - 3000K Warm White 3800157632270  
 SKU: 8317 - 4000K Day White 3800157632287  
 SKU: 8318 - 6400K White 3800157632294

**Black**

SKU: 8322 - 3000K Warm White 3800157632331  
 SKU: 8323 - 4000K Day White 3800157632348  
 SKU: 8324 - 6400K White 3800157632355

**Grey**

SKU: 8319 - 3000K Warm White 3800157632300  
 SKU: 8320 - 4000K Day White 3800157632317  
 SKU: 8321 - 6400K White 3800157632324



Bollard Lights  
 10w VT-830

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	72°
Luminous Flux:	450lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	108x250mm
CRI:	>80	Box Qty:	8 Pcs



**White**


SKU: 8325 - 3000K Warm White 3800157632362  
 SKU: 8326 - 4000K Day White 3800157632379  
 SKU: 8327 - 6400K White 3800157632386

**Black**

SKU: 8331 - 3000K Warm White 3800157632423  
 SKU: 8332 - 4000K Day White 3800157632430  
 SKU: 8333 - 6400K White 3800157632447

**Grey**


SKU: 8328 - 3000K Warm White 3800157632393  
 SKU: 8329 - 4000K Day White 3800157632409  
 SKU: 8330 - 6400K White 3800157632416



Bollard Lights  
 10w VT-820

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	72°
Luminous Flux:	450lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	108x800mm
CRI:	>80	Box Qty:	4 Pcs





### White


SKU: 8334 - 3000K Warm White	3800157632454
SKU: 8335 - 4000K Day White	3800157632461
SKU: 8336 - 6400K White	3800157632478

### Black

SKU: 8340 - 3000K Warm White	3800157632515
SKU: 8341 - 4000K Day White	3800157632522
SKU: 8342 - 6400K White	3800157632539

### Grey

SKU: 8337 - 3000K Warm White	3800157632485
SKU: 8338 - 4000K Day White	3800157632492
SKU: 8339 - 6400K White	3800157632508




Wall Lights

12w VT-822

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	750lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	140°
Body Type:	PC
Dimension:	130x160mm
Box Qty:	20 Pcs




### White

SKU: 8209 - 3000K Warm White	3800157623261
SKU: 8210 - 4000K Day White	3800157623278

### Black

SKU: 8211 - 3000K Warm White	3800157623285
SKU: 8212 - 4000K Day White	3800157623292




Square-IP65

4w VT-704

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	4*60°
Body Type:	Aluminium+Acrylic
Dimension:	150x150x50mm
Box Qty:	20 Pcs






**White**

SKU: 8213 - 3000K Warm White 3800157623308  
 SKU: 8214 - 4000K Day White 3800157623315

**Black**


SKU: 8215 - 3000K Warm White 3800157623322  
 SKU: 8216 - 4000K Day White 3800157623339



Round-IP65  
**4W** VT-706

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	4*60°
Body Type:	Aluminium+Acrylic
Dimension:	150x50mm
Box Qty:	20 Pcs




**White**

SKU: 8551 - 3000K Warm White 3800157640459  
 SKU: 8552 - 4000K Day White 3800157640466

**Black**

SKU: 8553 - 3000K Warm White 3800157640473  
 SKU: 8554 - 4000K Day White 3800157640480



Round-IP65  
**4W** VT-834-W

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	4*90°
Body Type:	Aluminum
Dimension:	Ø112mm
Box Qty:	20 Pcs




Modern Wall Lights

5w VT-825

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	550lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	170x170x75mm
Box Qty:	20 Pcs




Triangle Light

6w VT-826

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	Up15°-Down120°
Body Type:	Aluminium
Dimension:	90x200x90mm
Box Qty:	20 Pcs



### White

SKU: 8280 - 3000K Warm White	3800157629744
SKU: 8281 - 4000K Day White	3800157629751

### Black

SKU: 8282 - 3000K Warm White	3800157629768
SKU: 8283 - 4000K Day White	3800157629775

### Grey

SKU: 8284 - 3000K Warm White	3800157629782
SKU: 8285 - 4000K Day White	3800157629799

### White

SKU: 8295 - 3000K Warm White	3800157629898
SKU: 8296 - 4000K Day White	3800157629904

### Black

SKU: 8297 - 3000K Warm White	3800157629911
SKU: 8298 - 4000K Day White	3800157629928

### Grey


SKU: 8299 - 3000K Warm White	3800157629935
SKU: 8300 - 4000K Day White	3800157629942



Single Head-Rotatable  
6W VT-816

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80


PF:	>0.5
Beam Angle:	350°
Body Type:	Aluminium
Dimension:	110x54x97mm
Box Qty:	20 Pcs



Double Head-Rotatable  
12W VT-814

Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	1320lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	350°
Body Type:	Aluminium
Dimension:	230x54x97mm
Box Qty:	20 Pcs



**White**

SKU: 8292 - 3000K Warm White 3800157629867

**Black**

SKU: 8293 - 3000K Warm White 3800157629874

**Grey**

SKU: 8294 - 3000K Warm White 3800157629881



### White


SKU: 7079 - 3000K Warm White 3800157616386  
SKU: 7088 - 4000K Day White 3800157616881

### Black

SKU: 7078 - 3000K Warm White 3800157616379  
SKU: 7087 - 4000K Day White 3800157616874

### Grey

SKU: 7080 - 3000K Warm White 3800157616393  
SKU: 7089 - 4000K Day White 3800157616898



Square-Bridgelux  
6w VT-759

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **660lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.45**  
Beam Angle: **Adjustable 5°-120°**  
Body Type: **Aluminium**  
Dimension: **100x100x100mm**  
Box Qty: **20 Pcs**



### White


SKU: 8527 - 3000K Warm White 3800157638616  
SKU: 8528 - 4000K Day White 3800157638623

### Black

SKU: 8529 - 3000K Warm White 3800157638630  
SKU: 8530 - 4000K Day White 3800157638647

### Grey

SKU: 8531 - 3000K Warm White 3800157638654  
SKU: 8532 - 4000K Day White 3800157638661



Square-Bridgelux  
12w VT-759-12

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1100lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.45**  
Beam Angle: **Adjustable 5°-120°**  
Body Type: **Aluminium**  
Dimension: **100x100x100mm**  
Box Qty: **20 Pcs**







**White**


SKU: 7082 - 3000K Warm White 3800157616416  
 SKU: 7091 - 4000K Day White 3800157616911

**Black**

SKU: 7081 - 3000K Warm White 3800157616409  
 SKU: 7090 - 4000K Day White 3800157616904

**Grey**


SKU: 7083 - 3000K Warm White 3800157616423  
 SKU: 7092 - 4000K Day White 3800157616928



Round-Bridgelux  
 6W VT-756

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	Adjustable 5°-120°
Body Type:	Aluminium
Dimension:	140x115x100mm
Box Qty:	20 Pcs



**White**


SKU: 8305 - 3000K Warm White 3800157629997  
 SKU: 8306 - 4000K Day White 3800157630009

**Black**

SKU: 8303 - 3000K Warm White 3800157629973  
 SKU: 8304 - 4000K Day White 3800157629980

**Grey**

SKU: 8301 - 3000K Warm White 3800157629959  
 SKU: 8302 - 4000K Day White 3800157629966



Round Light  
 6W VT-836

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	Up-Down 90°
Body Type:	Aluminium
Dimension:	112x112x93mm
Box Qty:	20 Pcs




### White

SKU: 8217 - 3000K Warm White 3800157623346  
SKU: 8218 - 4000K Day White 3800157623353

### Black

SKU: 8219 - 3000K Warm White 3800157623360  
SKU: 8220 - 4000K Day White 3800157623377



#### Ceiling-Blade Lights

7W VT-707

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **770lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Body Type: **Aluminium**  
Dimension: **110x120x170mm**  
Box Qty: **20 Pcs**




#### Round-Bridgelux

6W VT-741

SKU: 7524 - 3000K Warm White 3800157620017  
SKU: 7525 - 4000K Day White 3800157620024

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **660lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.55**  
Beam Angle: **360°**  
Body Type: **Aluminium**  
Dimension: **Ø135mm**  
Box Qty: **20 Pcs**




#### Round-Bridgelux

9W VT-743

SKU: 7526 - 3000K Warm White 3800157620031  
SKU: 7527 - 4000K Day White 3800157620048

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **990lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.55**  
Beam Angle: **360°**  
Body Type: **Aluminium**  
Dimension: **Ø180mm**  
Box Qty: **20 Pcs**






Up-Down Light-Medium  
9w VT-8056

SKU: 8239 - 3000K Warm White  
SKU: 8240 - 4000K Day White  
SKU: 8241 - 6400K White

3800157625791  
3800157625807  
3800157625814

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	400lm
IP Rating:	IP65
CRI:	>80

PF:	>0.9
Beam Angle:	90°
Body Type:	PC
Dimension:	173x81x46mm
Box Qty:	20 Pcs




Up-Down Light-Large  
12w VT-8057

SKU: 8242 - 3000K Warm White  
SKU: 8243 - 4000K Day White  
SKU: 8244 - 6400K White

3800157625821  
3800157625838  
3800157625845

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
IP Rating:	IP65
CRI:	>80

PF:	>0.9
Beam Angle:	92°
Body Type:	PC
Dimension:	230x100x90mm
Box Qty:	20 Pcs




Softlight-Bulkhead  
12w VT-8058

SKU: 8245 - 3000K Warm White  
SKU: 8246 - 4000K Day White  
SKU: 8247 - 6400K White

3800157625852  
3800157625869  
3800157625876

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	500lm
IP Rating:	IP65
CRI:	>80

PF:	>0.9
Beam Angle:	130°
Body Type:	PC
Dimension:	230x110x76mm
Box Qty:	20 Pcs




Landscape-Soft Light-Medium  
12w VT-8054

SKU: 8233 - 3000K Warm White  
SKU: 8234 - 4000K Day White  
SKU: 8235 - 6400K White

3800157625739  
3800157625746  
3800157625753

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
IP Rating:	IP65
CRI:	>80

PF:	>0.9
Beam Angle:	110°
Body Type:	PC
Dimension:	265x120x81mm
Box Qty:	20 Pcs





## Landscape-Soft Light-Large


20w VT-8055

SKU: 8236 - 3000K Warm White  
SKU: 8237 - 4000K Day White  
SKU: 8238 - 6400K White


3800157625760  
3800157625777  
3800157625784

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **1000lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **110°**  
Body Type: **PC**  
Dimension: **319x170x114mm**  
Box Qty: **20 Pcs**



## Indoor Wall Lights



## Wall Lights


5w VT-705

SKU: 8208 - 3000K Warm White  
SKU: 8232 - 4000K Day White

3800157623254  
3800157624756

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **550lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **150°**  
Body Type: **Aluminium**  
Dimension: **175x80x96mm**  
Box Qty: **20 Pcs**



## Rotatable-360-White


5w VT-757

SKU: 7086 - 3000K Warm White  
SKU: 7093 - 4000K Day White

3800157616454  
3800157616935

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:110-240V,50/60Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.45**  
Beam Angle: **10-360°**  
Body Type: **Aluminium**  
Dimension: **140x105x140mm**  
Box Qty: **20 Pcs**




**White**

SKU: 8344 - 3000K Warm White 3800157633000  
 SKU: 8345 - 4000K Day White 3800157633017

**Black**

SKU: 8346 - 3000K Warm White 3800157633024  
 SKU: 8347 - 4000K Day White 3800157633031



Square-Bridgelux  
 3W VT-803

Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	300lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Iron
Dimension:	220x80x200mm
Box Qty:	20 Pcs




**White**

SKU: 8225 - 3000K Warm White 3800157623421  
 SKU: 8226 - 4000K Day White 3800157623438

**Black**

SKU: 8227 - 3000K Warm White 3800157623445  
 SKU: 8228 - 4000K Day White 3800157623452



Modern Wall Lights  
 9W VT-710

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	990lm
IP Rating:	IP20
CRI:	>80



PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium+Acrylic
Dimension:	210x80mm
Box Qty:	20 Pcs

### White

SKU: 8221 - 3000K Warm White 3800157623384  
SKU: 8222 - 4000K Day White 3800157623391

### Black

SKU: 8223 - 3000K Warm White 3800157623407  
SKU: 8224 - 4000K Day White 3800157623414



Modern Wall Lights

9w VT-709

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	990lm
IP Rating:	IP20
CRI:	>80


PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium
Dimension:	440x335x75mm
Box Qty:	10 Pcs

### White

SKU: 8307 - 3000K Warm White 3800157630016  
SKU: 8308 - 4000K Day White 3800157630023

### Black Grey

SKU: 8309 - 3000K Warm White 3800157630030  
SKU: 8310 - 4000K Day White 3800157630047




Modern Wall Lights

10w VT-811

Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	1100lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	360°
Body Type:	Aluminium
Dimension:	300x215x60mm
Box Qty:	20 Pcs



**White**


SKU: 8202 - 3000K Warm White 3800157623193  
 SKU: 8203 - 4000K Day White 3800157623209

**Black**

SKU: 8204 - 3000K Warm White 3800157623216  
 SKU: 8205 - 4000K Day White 3800157623223

**Grey**

SKU: 8206 - 3000K Warm White 3800157623230  
 SKU: 8207 - 4000K Day White 3800157623247




Modern Wall Lights

12w VT-712

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1100lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium+Acrylic
Dimension:	260x125x55mm
Box Qty:	20 Pcs




Adjustable Modern Wall Lights

18w VT-819-W

SKU: 8533 - 3000K Warm White 3800157638678  
 SKU: 8534 - 4000K Day White 3800157638685

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP44
CRI:	>80

PF:	>0.5
Beam Angle:	Adjustable 5°-90°
Body Type:	Aluminium
Dimension:	600x100x42mm
Box Qty:	10 Pcs



Modern Wall Lights

20w VT-821-W

SKU: 8535 - 3000K Warm White 3800157638692  
 SKU: 8536 - 4000K Day White 3800157638708

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2000
IP Rating:	IP44
CRI:	>80

PF:	>0.5
Beam Angle:	150°
Body Type:	Aluminium
Dimension:	610x90x35mm
Box Qty:	20 Pcs



## Single Head


4.5W VT-805-W

SKU: 8262 - 3000K Warm White  
SKU: 8264 - 4000K Day White

3800157627122  
3800157627146

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x94x45mm
Box Qty:	12 Pcs



## Single Head


4.5W VT-805-B

SKU: 8263 - 3000K Warm White  
SKU: 8265 - 4000K Day White

3800157627139  
3800157627153

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x94x45mm
Box Qty:	12 Pcs



## Double Head


9W VT-810-W

SKU: 8266 - 3000K Warm White  
SKU: 8268 - 4000K Day White

3800157627160  
3800157627184

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	400x100x94mm
Box Qty:	12 Pcs



## Double Head


9W VT-810-B

SKU: 8267 - 3000K Warm White  
SKU: 8269 - 4000K Day White

3800157627177  
3800157627191

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	400x100x94mm
Box Qty:	12 Pcs








Tripple Head  
13.5W VT-813-W

SKU: 8270 - 3000K Warm White  
SKU: 8272 - 4000K Day White

3800157627207  
3800157627221

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs




Tripple Head  
13.5W VT-813-B

SKU: 8271 - 3000K Warm White  
SKU: 8273 - 4000K Day White

3800157627214  
3800157627238

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs




Single Head  
6W VT-806-W

SKU: 8250 - 3000K Warm White  
SKU: 8252 - 4000K Day White

3800157627009  
3800157627023

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs




Single Head  
6W VT-806-B

SKU: 8251 - 3000K Warm White  
SKU: 8253 - 4000K Day White

3800157627016  
3800157627030

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs





Double Head

# 12w


 VT-812-W

 SKU: 8254 - 3000K Warm White  
 SKU: 8256 - 4000K Day White

 3800157627047  
 3800157627061

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	960lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	405x100x93mm
Box Qty:	12 Pcs



Double Head

# 12w


 VT-812-B

 SKU: 8255 - 3000K Warm White  
 SKU: 8257 - 4000K Day White

 3800157627054  
 3800157627078

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	960lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	405x100x93mm
Box Qty:	12 Pcs



Triple Head

# 18w


 VT-818-W

 SKU: 8258 - 3000K Warm White  
 SKU: 8260 - 4000K Day White

 3800157627085  
 3800157627108

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	605x100x93mm
Box Qty:	12 Pcs



Triple Head

# 18w


 VT-818-B

 SKU: 8259 - 3000K Warm White  
 SKU: 8261 - 4000K Day White

 3800157627092  
 3800157627115

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	605x100x93mm
Box Qty:	12 Pcs





# LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

## Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

## Applications

Used for gardens, outdoor residential areas, walkways & passages, driveways, fountains, lawns, entrance, patio or terrace and similar environments



Wall Fitting-IP44-GU10-PIR

**VT-7621PIR**

SKU: 7502 3800157617611



Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x163mm
Box Qty:	24 Pcs



Wall Fitting-Up-Down-GU10-PIR

**VT-7622PIR**

SKU: 7503 3800157617628



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x220mm
Box Qty:	12 Pcs



Wall Fitting-Up-Down-GU10-IP44

**VT-7622**

SKU: 7500 3800157617598



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs



Wall Fitting-IP44-GU10

**VT-7621**

SKU: 7501 3800157617604

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x118mm
Box Qty:	24 Pcs



Wall Fitting-Up-Down-GU10-IP44

**VT-7632**

SKU: 7504 3800157617635



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x178mm
Box Qty:	12 Pcs



Wall Fitting-IP44-GU10

**VT-7631**

SKU: 7505 3800157617642

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x125mm
Box Qty:	24 Pcs



Wall Light-IP44-GU10

**VT-7641**

SKU: 7506 3800157617659

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x118mm
Box Qty:	24 Pcs



Wall Fitting-Up-Down-GU10

**VT-7642**

SKU: 7507 3800157617666




Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x207mm
Box Qty:	16 Pcs



**Wall Fitting-Round-IP44-GU10**  
**VT-7651RD**  
 SKU: 7508 3800157617673

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs



**Wall Fitting-Up-Down-GU10-IP44**  
**VT-7652RD**  
 SKU: 7509 3800157617680

**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	16 Pcs



**Wall Fitting-Square-IP44-GU10**  
**VT-7651SQ**  
 SKU: 7510 3800157617697

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs



**Wall Fitting-Up-Down-GU10-IP44**  
**VT-7652SQ**  
 SKU: 7511 3800157617703

**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs



**Wall Fitting-Up-Down-GU10-IP44**  
**VT-7662**  
 SKU: 7512 3800157617710

**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs



**Wall Fitting-Up-Down-GU10**  
**VT-7662-W**  
 SKU: 7543 3800157630740

**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs



**Wall Fitting-Square-IP44-GU10**  
**VT-7651SQ-W**  
 SKU: 7539 3800157630702

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs



**Wall Fitting-Round-IP44-GU10**  
**VT-7651RD-W**  
 SKU: 7540 3800157630719

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

## Wall Fitting-Square-IP44-GU10

## VT-7652SQ-W

SKU: 7541 3800157630726



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs



## Wall Fitting-Up-Down-GU10-IP44

## VT-7652RD-W

SKU: 7542 3800157630733



Type:	Wall Fixtures
Holder:	2xGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	16 Pcs



## Wall Fitting-Up-Down-GU10

## VT-7622-W

SKU: 7570 3800157640442



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Matt White
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs



## Wall Fitting-Up-Down-GU10

## VT-7622-B

SKU: 7569 3800157640435



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Matt Black
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs



## Wall Fitting-IP44-GU10

## VT-7611

SKU: 7553 3800157633574

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	100x66x92mm
Box Qty:	24 Pcs



## Wall Fitting-IP44-GU10

## VT-7612

SKU: 7554 3800157633581

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	1170x50mm
Box Qty:	6 Pcs



## Underground Fittings-MR16

## VT-7678-1

SKU: 8567 3800157644518



Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs



## Underground Fittings-MR16

## VT-7678-2

SKU: 8568 3800157644525



Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs



**NEW**

Wall Fitting-IP44-GU10  
**VT-841**  
 SKU: 8626 3800157652483

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium+Glass
Color of Fixture:	Dark Grey
IP Rating:	IP44
Dimension:	63x99x120mm
Box Qty:	24 Pcs

**NEW**

Wall Fitting-Up-Down-GU10  
**VT-842**  
 SKU: 8627 3800157652490

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium+Glass
Color of Fixture:	Dark Grey
IP Rating:	IP44
Dimension:	63x99x170mm
Box Qty:	24 Pcs

Underground Fittings-MR16  
**VT-7678-3**  
 SKU:8566 3800157644532

**IP67 RATING**

Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs

Underground Fitting-Round-GU10  
**VT-7677RD**  
 SKU: 7515 3800157617741

**IP65 RATING**

Type:	Underground Fittings
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP65
Dimension:	110x110x120mm
Box Qty:	24 Pcs

Underground Fitting-Square-GU10  
**VT-7677SQ**  
 SKU: 7516 3800157617758

**IP65 RATING**

Type:	Underground Fittings
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP65
Dimension:	110x110x120mm
Box Qty:	24 Pcs

Garden Spike-Single Head-E27  
**VT-728**  
 SKU: 7044 3800157606332

Type:	Garden Lamps
Holder:	E27
Material:	ABS
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	450x27mm
Box Qty:	12 Pcs

Garden Spike-Double Head-E27  
**VT-729**  
 SKU: 7045 3800157606349

Type:	Garden Lamps
Holder:	E27
Material:	ABS
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	450x205mm
Box Qty:	12 Pcs



Garden Spike-Black-IP44

VT-769

SKU: 7517 3800157617765

Type:	Garden Lamps
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	95x95x335mm
Box Qty:	12 Pcs



Garden Spike-White-IP44

VT-770

SKU: 7518 3800157617772

Type:	Garden Lamps
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Silver
IP Rating:	IP44
Dimension:	60x60x420mm
Box Qty:	8 Pcs



Garden Lamp

12w VT-857-B

SKU: 7544 - 3000K Warm White 3800157633444  
 SKU: 7545 - 4000K Day White 3800157633451  
 SKU: 7546 - Green 3800157633468

Commercial Type:	Garden Spike Light
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	720lm
Beam Angle:	30°
PF	>0.6



CRI:	>80
IP Rating:	IP65
Body Type:	Aluminium
Dimension:	73x255mm
Box Qty:	50 Pcs



Garden Lamp

12w VT-857-W

SKU: 7547 - 3000K Warm White 3800157633475  
 SKU: 7548 - 4000K Day White 3800157633482  
 SKU: 7549 - Green 3800157633499

Commercial Type:	Garden Spike Light
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	720lm
Beam Angle:	30°
PF	>0.6



CRI:	>80
IP Rating:	IP65
Body Type:	Aluminium
Dimension:	73x255mm
Box Qty:	50 Pcs



Garden Lamp

12w VT-857-G

SKU: 7550 - 3000K Warm White 3800157633505  
 SKU: 7551 - 4000K Day White 3800157633512  
 SKU: 7552 - Green 3800157633529

Commercial Type:	Garden Spike Light
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	720lm
Beam Angle:	30°
PF	>0.6



CRI:	>80
IP Rating:	IP65
Body Type:	Aluminium
Dimension:	73x255mm
Box Qty:	50 Pcs





**NEW**

Underground Light- Oblique Angle

8w VT-7679

SKU: 8621 - 4000K Day White 3800157652407

Commercial Type:	Underground Light
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Beam Angle:	20°
PF	>0.5

**IP67 RATING**



CRI:	>80
IP Rating:	IP67
Body Type:	Stainless Steel+Aluminium+Glass Cover
Dimension:	Ø150X153mm
Box Qty:	12 Pcs



**NEW**

Underground Light

12w VT-7681

SKU: 8622 - 4000K Day White 3800157652414

Commercial Type:	Underground Light
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	750lm
Beam Angle:	40°
PF	>0.7

**IP67 RATING**

CRI:	>80
IP Rating:	IP67
Body Type:	Stainless Steel+Aluminium+Glass Cover
Dimension:	Ø150X153mm
Box Qty:	12 Pcs



Underground Light

0.5w VT-1141

SKU: 1463 - 3000K Warm White 3800157643610

Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	5lm
Beam Angle:	90°
PF	>0.4

**IP67 RATING**

CRI:	>80
IP Rating:	IP67
Body Type:	PC
Dimension:	Ø26X82mm
Box Qty:	50 Pcs



Underground Light

1w VT-1151

SKU: 1464 - 6500K White 3800157643627

Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	50lm
Beam Angle:	90°
PF	>0.4

**IP67 RATING**

CRI:	>80
IP Rating:	IP67
Body Type:	PC
Dimension:	Ø48X82mm
Box Qty:	50 Pcs



## Underground Light

1W VT-1161-W

SKU: 1465 - 3000K Warm White  
SKU: 1467 - 6500K White

3800157643658  
3800157643634



Commercial Type: **Underground Light**

Voltage/Frequency: **DC:12V**

Luminous Flux: **10lm**

Beam Angle: **90°**

PF **>0.4**

CRI: **>80**

IP Rating: **IP67**

Body Type: **PC+AL**

Dimension: **Ø60X93mm**

Box Qty: **50 Pcs**



## Underground Light

1W VT-1161-B

SKU: 1466 - 3000K Warm White  
SKU: 1468 - 6500K White

3800157643665  
3800157643641



Commercial Type: **Underground Light**

Voltage/Frequency: **DC:12V**

Luminous Flux: **10lm**

Beam Angle: **90°**

PF **>0.4**

CRI: **>80**

IP Rating: **IP67**

Body Type: **PC+AL**

Dimension: **Ø60X93mm**

Box Qty: **50 Pcs**



## Underground Light

1W VT-1171-W

SKU: 1469 - 3000K Warm White  
SKU: 1471 - 6500K White

3800157643696  
3800157643672



Commercial Type: **Underground Light**

Voltage/Frequency: **DC:12V**

Luminous Flux: **10lm**

Beam Angle: **90°**

PF **>0.4**

CRI: **>80**

IP Rating: **IP67**

Body Type: **PC+AL**

Dimension: **Ø60X93mm**

Box Qty: **50 Pcs**



## Underground Light

1W VT-1171-B

SKU: 1470 - 3000K Warm White  
SKU: 1472 - 6500K White

3800157643702  
3800157643689



Commercial Type: **Underground Light**

Voltage/Frequency: **DC:12V**

Luminous Flux: **10lm**

Beam Angle: **90°**

PF **>0.4**

CRI: **>80**

IP Rating: **IP67**

Body Type: **PC+AL**


Dimension: **Ø60X93mm**

Box Qty: **50 Pcs**



Pool Lights-PAR56  
**8W VT-1258**

SKU: 7556 - 3000K Warm White 3800157633789  
SKU: 7555 - 6400K White 3800157633772  
SKU: 7557 - Blue 3800157633796




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs



Pool Lights-PAR56-RGB  
**8W VT-1268**

SKU: 7558 - RGB 3800157633802




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs



Pool Lights-PAR56  
**12W VT-1262**

SKU: 7560 - 3000K Warm White 3800157633826  
SKU: 7559 - 6500K White 3800157633819  
SKU: 7561 - Blue 3800157633833




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs



Pool Lights-PAR56-RGB  
**12W VT-1263**

SKU: 7562 - RGB 3800157633840



Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs



## Garden Lamps


V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.

### Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

### Applications

Suitable for Outdoor Lighting




**NEW**

Wall Fittings-E27  
VT-832

SKU: 8623      3800157652421

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White+Stainless Steel
Body Type:	Stainless Steel+PC
Size:	76x376mm
Box Qty:	12 Pcs



**NEW**

Wall Fittings-E27  
VT-833

SKU: 8624      3800157652438

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White+Stainless Steel
Body Type:	Stainless Steel+PC
Size:	76x140x335mm
Box Qty:	12 Pcs



**NEW**

Bollard Lamp  
VT-838


SKU: 8625      3800157652445

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White+Stainless Steel
Body Type:	Stainless Steel+PC
Size:	Ø110X800mm
Box Qty:	6 Pcs



Wall Lamp  
VT-837-B

SKU: 8517      3800157637435




Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs




Wall Lamp  
VT-837

SKU: 8518      3800157637442



Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs



## Wall Fittings GU10

VT-7613

SKU: 7563

3800157636360



Voltage: AC:220-240V/50-60HZ

Max.Watts: 35W

IP Rating: IP54


Holder: GU10

Color of Fixture: Black

Body Type: Aluminium body+clear PC diffuser

Size: 121x80x250mm

Box Qty: 6 Pcs



## Garden Lamps GU10

VT-7614

SKU: 7564

3800157636377



Voltage: AC:220-240V,50-60Hz

Max.Watts: 35W

IP Rating: IP54


Holder: GU10

Color of Fixture: Black

Body Type: Aluminium body+clear PC diffuser

Size: 80x80x500mm

Box Qty: 4 Pcs



## Garden Lamps GU10

VT-7615

SKU: 7565

3800157636384



Voltage: AC:220-240V,50-60Hz

Max.Watts: 35W

IP Rating: IP54


Holder: GU10

Color of Fixture: Black

Body Type: Aluminium body+clear PC diffuser

Size: 80x80x800mm

Box Qty: 4 Pcs



## Wall Fittings GU10

VT-7616

SKU: 7566

3800157636391



Voltage: AC:220-240V,50-60Hz

Max.Watts: 35W

IP Rating: IP54


Holder: GU10

Color of Fixture: Black

Body Type: Aluminium body+opal PC diffuser

Size: 121x80x220mm

Box Qty: 6 Pcs



## Garden Lamps GU10

VT-7617

SKU: 7567

3800157636407



Voltage: AC:220-240V,50-60Hz

Max.Watts: 35W

IP Rating: IP54


Holder: GU10

Color of Fixture: Black

Body Type: Aluminium body+opal PC diffuser

Size: 80x500mm

Box Qty: 4 Pcs




Garden Lamps GU10

**VT-7618**

SKU: 7568 3800157636414



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x800mm
Box Qty:	4 Pcs




Wall Lamp

**VT-7670**

SKU: 7513 3800157617727



Voltage:	AC:220-240V,50Hz
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs




Wall Lamp

**VT-7680**

SKU: 7514 3800157617734



Voltage:	AC:220-240V
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs




Wall Lamp

**VT-745-B**

SKU: 7064 3800157614399



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs




Wall Lamp

**VT-745-DG**

SKU: 7065 3800157614405



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs



## Wall Lamp

## VT-754-MB

SKU: 7076

3800157616294

Voltage: AC:220-240V,50Hz

Max.Watts: 40W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt Black

Body Type: Aluminium+Glass

Size: 245x180x93mm

Box Qty: 10 Pcs



## Wall Lamp

## VT-754-MW

SKU: 7077

3800157616300

Voltage: AC:220-240V,50Hz

Max.Watts: 40W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt White

Body Type: Aluminium+Glass

Size: 245x180x93mm

Box Qty: 10 Pcs



## Wall Lamp

## VT-760-B

SKU: 7519

3800157617789

Voltage: AC:220-240V

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt Black

Body Type: Aluminium+Glass

Size: 225x400x148mm

Box Qty: 12 Pcs



## Wall Lamp

## VT-760-W

SKU: 7520

3800157617796

Voltage: AC:220-240V

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt White

Body Type: Aluminium+Glass

Size: 225x400x148mm

Box Qty: 12 Pcs



## Wall Lamp

## VT-761-B

SKU: 7521

3800157617802

Voltage: AC:220-240V

Max.Watts: 60W

IP Rating: IP44

Holder: E27


Color of Fixture: Matt Black

Body Type: Aluminium+Glass

Size: 245x445x185mm

Box Qty: 8 Pcs






Wall Lamp  
**VT-761-W**

SKU: 7522 3800157617819


Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	245x445x185mm
Box Qty:	8 Pcs



Wall Lamp  
**VT-730**

SKU: 7046 3800157610391


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs



Wall Lamp  
**VT-731**

SKU: 7047 3800157610407


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs



Wall Lamp  
**VT-852**

SKU: 7531 3800157630078

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs



Wall Lamp  
**VT-853**

SKU: 7532 3800157630085

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs




Wall Lamp  
VT-751-B

SKU: 7070

3800157616232



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs




Wall Lamp  
VT-751-W

SKU: 7071

3800157616249



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs




Wall Lamp  
VT-749-B

SKU: 7066

3800157616195

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs




Wall Lamp  
VT-749-W

SKU: 7067

3800157616201

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs




Wall Lamp  
VT-750-B

SKU: 7068

3800157616218

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs




**NEW**

Wall Lamp  
**VT-835**

SKU: 8628      3800157652506


Voltage:	AC:220-240V,50Hz
Max.Watts:	40w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Stainless Steel+PC
Size:	148x165x245mm
Box Qty:	6 Pcs



Wall Lamp  
**VT-750-W**

SKU: 7069      3800157616225


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Ceiling Lamp  
**VT-752-B**

SKU: 7072      3800157616256


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp  
**VT-752-W**

SKU: 7073      3800157616263


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp  
**VT-735**

SKU: 7058      3800157612616


Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x720mm
Box Qty:	10 Pcs

**NEW**

Pole Lamp  
VT-839

SKU: 8629 3800157652513


Voltage:	AC:220-240V,50Hz
Max.Watts:	40w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Stainless Steel+PC
Size:	Ø148X800mm
Box Qty:	6 Pcs



Stand Lamp  
VT-736

SKU: 7059 3800157612623


Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x600mm
Box Qty:	10 Pcs



Ceiling Lamp  
VT-850

SKU: 7529 3800157630054


Voltage:	AC:200-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+PC
Size:	250x290mm
Box Qty:	8 Pcs



Pole Lamp  
VT-851

SKU: 7530 3800157630061

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+PC
Size:	250x1110mm
Box Qty:	1 Pcs




Stand Lamp  
VT-734

SKU: 7057 3800157612609



Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP65
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x290
Box Qty:	10 Pcs




Stand Lamp

**VT-753-B**

SKU: 7074

3800157616270

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs




Stand Lamp

**VT-753-W**

SKU: 7075

3800157616287

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs




Stand Lamp

**VT-737**

SKU: 7060

3800157612630

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	345x1365mm
Box Qty:	1 Pcs




Stand Lamp

**VT-738**

SKU: 7061

3800157612647

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	480x1410mm
Box Qty:	1 Pcs




Stand Lamp

**VT-739**

SKU: 7062

3800157612654

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs



## Stand Lamp


VT-740

SKU: 7063

3800157612661

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx3
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs





# LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

## Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

## Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



## Indoor Display Screen

**P3 Indoor LED Display Screen**

SKU: 11109 3800157644686

 Box Qty.  
**6 Pcs**


Pixel pitch	3mm	Brightness	≥1100 CD/M2
Panel size	L192xH192xT13mm	Working environment temperature	-10 to +40°C
Physical density	111111/M2	Working environment humidity	10%~70% RH
Pixel configuration	1,1,1(R,G,B)	Display working voltage	AC46~4HZ,220V±15%/110V±15%
Driving method	1/16 Constant current	Color temperature	8500K-11500K
LED Chip Type	SMD2121	Gray scale/color	≥16.7M color
Display resolution	4096(64x64)dots	Input signal	RF\ S-Video\ RGB etc
Module weight	0.35Kg	Control system	PCTV nonlinearity card, DVI Display card, Linsn control system
Module port	HUB75-B	Mean free error time	>5000 Hours
Module working voltage	5VDC	Life Hours	100000 Hours
Power	30W	Steel box weight	40 Kg/M2
Viewing angle	120 Degrees	Steel box size	L576Xh768x80mm
Option distance	3-45M		
Driving device	5020		
Every square metre module	27.13 PCS		
Maximum power	1000 W/M2		
Frame Frequency	60Hz		
Refresh frequency	400-800 Hz/S		





Indoor Display Screen

**P4 Indoor LED Display Screen**

Box Qty.  
**6 Pcs**

SKU: 11079 3800157619493



- Plug & Play
- Ideal For Renting Purpose
- Portable Moving For Events

### Screen Parameter

Pixel Density	62500dots/sqm
Brightness	1100nits
Optimum View Distance	more than 5m
Gray Scale	16bits
Display Color	281 trillions(synchronized)
Operation Power	AC 220V-240V/ 50/60Hz
Power Consumption	300W/cabinet
Control Mode	Synchronized
Refresh Frequency	400-700HZ
Support Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	UTP140M,SINGLE MODE FIBER 15KM
Life Span(50% Brightness)	100000hrs
IP(Front)	IP40
Control System	PCTV nonlinearity card, DVI display card Linsn control system

### LED Cabinet Parameter

Cabinet Size(L*h*d)	512*512*85mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	2*4=8
Power Consumption	300w/cabinet
Cabinet Material	Iron
Cabinet Weight	8kg/cabine

### LED Module Parameter

Pixel Pitch	4mm
Led Specification	SMD2121
Led Configuration	SMD 3 in 1
Module Size	256*128mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106
Power Consumption	25-30W



## Indoor Display Screen

**P5 Indoor LED Finished Cabinet**
 Box Qty.  
**6 Pcs**

SKU: 11077 3800157617468

## Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Surport Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER 15KM
Life Span(50% Brightness):	100000hrs
IP(Front/rear):	IP20

## LED Cabinet Parameter

Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

## LED Module Parameter

Pixel Pitch:	5mm
Led Specification:	SMD3528
Led Configuration:	SMD 3 in 1
Module Size:	320*160mm
Module Resolution:	64*32=2048dot
Drive Method:	1/16 scan constant current
Drive IC:	SM16106

**COM700-MEDIA PLAYER**

SKU: 11088 3800157622820

## LED Display Player with Industrial PC

- One TS802 sending card inside
- Dual Display - Supports Max 1280\*800
- Supports SD Memory Card/USB/HDMI Out/Internet
- USB and SD Card Memory Playing
- Compact and Easy to Install
- 7" Touch Screen with windows 10 Inside
- Size - 320\*180\*50mm
- Input - AC:120-260V
- 1 x Audio In
- 1 x Audio Out
- 1 x DVI In
- 1 x HDMI Out
- 4 USB Interface

Sending Box Box Qty.  
**20 Pcs**

SKU: 500082


Sending Card Box Qty.  
**20 Pcs**

SKU: 500081





Outdoor Display Screen

**P6 Outdoor LED Finished Cabinet**  Box Qty. **6 Pcs**

SKU: 11078 3800157617475



### Screen Parameter

Pixel Density	27777dots/sqm
Brightness	6500nits
Optimum View Distance	more than 6m
Gray Scale	16bits
Display Color	281 Trillions(synchronized)
Operation Power	220V-240V
Max Power Consumption	1350W/sqm
Control Mode	Synchronized
Refresh Frequency	400-800HZ
Fram Frequency	60HZ
Support Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	Utp140m, Single Mode Fiber 15km
Operating Humidity	10%-90%
Life Span(50% Brightness)	100000hrs
IP(Front/rear)	IP65/IP45

### LED Cabinet Parameter

Cabinet Size(L*h*d)	768*768mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	4*4=16
Average Power Consumption	800w/cabinet
Cabinet Material	Iron
Cabinet Size	25kg/cabinet

### LED Module Parameter

Pixel Pitch	6mm
Led Specification	SMD3535
Led Configuration	SMD 3 in 1
Module Size	192*192mm
Module Resolution	32*32=1024dot
Drive Method	1/8 scan constant current
Drive IC	SM16106



# Stylish Pendants

---


Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).


## Product Features

- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

## Applications


Perfect choice for Hotels, Bars, Commercial & Residential Lighting.






**Diamond Cut Glass-Transparent**

Model:	VT-7350-HT
SKU:	3879
EAN:	3800157620970
Size:	Ø330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Diamond Cut Glass-Black**

Model:	VT-7350-HB
SKU:	3880
EAN:	3800157620987
Size:	330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



**Designer Glass-Transparent**

Model:	VT-7254
SKU:	3882
EAN:	3800157621007
Size:	Ø250x230x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Designer Glass-Transparent**

Model:	VT-7306
SKU:	3883
EAN:	3800157621014
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass




**Designer Glass-Transparent**

Model:	VT-7305
SKU:	3881
EAN:	3800157620994
Size:	Ø270x1280mm
Box Qty:	4Pcs
Material:	Glass




**Designer Glass-Gun Grey**

Model:	VT-7292
SKU:	3887
EAN:	3800157621052
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass




**Designer Glass-Gun Grey**


Model:	VT-7380
SKU:	3888
EAN:	3800157621069
Size:	Ø380x330x1000mm
Box Qty:	4Pcs
Material:	Glass



**Amber Glass-Metal Series**


Model:	VT-7303
SKU:	3866
EAN:	3800157620765
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal






Transparent Glass-Metal Series

Model:	VT-7302
SKU:	3865
EAN:	3800157620758
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Metal Series

Model:	VT-7229
SKU:	3867
EAN:	3800157620772
Size:	265x190x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Double Glass-Amber-White

Model:	VT-7304-AW
SKU:	3875
EAN:	3800157620932
Size:	Ø250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Double Glass-Amber-White

Model:	VT-7181-AW
SKU:	3878
EAN:	3800157620963
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal




Double Glass-Gungrey-White

Model:	VT-7304-GW
SKU:	3876
EAN:	3800157620949
Size:	250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Double Glass-Gungrey-White

Model:	VT-7181-GW
SKU:	3877
EAN:	3800157620956
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal




Modern-White Glass Pendant

Model:	VT-7281-WG
SKU:	3884
EAN:	3800157621021
Size:	Ø285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal



Modern-Black Glass Pendant

Model:	VT-7281-BG
SKU:	3885
EAN:	3800157621038
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal









**Modern-Amber Glass Pendant**

Model:	VT-7281-AG
SKU:	3886
EAN:	3800157621045
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal




**Glass-Metal Series**

Model:	VT-7210
SKU:	3730
EAN:	3800157611039
Size:	245x230x1100mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Amber Glass-Metal Series**


Model:	VT-7140-A
SKU:	3736
EAN:	3800157611091
Size:	140x240x1130mm
Box Qty:	12Pcs
Material:	Glass+Metal



**Transparent Glass-Metal Series**


Model:	VT-7140-T
SKU:	3735
EAN:	3800157611084
Size:	140x240x1130mm
Box Qty:	8Pcs
Material:	Glass+Metal






**Transparent Glass-Metal Series**

Model:	VT-7185
SKU:	3738
EAN:	3800157611114
Size:	180x230x1110mm
Box Qty:	12Pcs
Material:	Glass+Metal




**Transparent Glass-Metal Series**

Model:	VT-7250
SKU:	3739
EAN:	3800157611121
Size:	250x330x1220mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Amber Glass-Metal Series**

Model:	VT-7290
SKU:	3741
EAN:	3800157611145
Size:	260x260x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Transparent Glass-Metal Series**

Model:	VT-7300
SKU:	3737
EAN:	3800157611107
Size:	300x250x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Amber Glass-Metal Series**

Model:	VT-7320
SKU:	3740
EAN:	3800157611138
Size:	250x280x1180mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Amber Glass-Metal Series**

Model:	VT-7150-AG
SKU:	3732
EAN:	3800157611053
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



**Green Glass-Metal Series**

Model:	VT-7150-GG
SKU:	3734
EAN:	3800157611077
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




**Red Glass-Metal Series**

Model:	VT-7150-RG
SKU:	3731
EAN:	3800157611046
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




**Glass-Metal Series**

Model:	VT-7150-CG
SKU:	3733
EAN:	3800157611060
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




**Amber Glass Pendant**

Model:	VT-7220-A
SKU:	3726
EAN:	3800157610995
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Transparent Glass Pendant**

Model:	VT-7220-T
SKU:	3727
EAN:	3800157611008
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



**Transparent Glass-Wood Pendant**


Model:	VT-7130
SKU:	3818
EAN:	3800157615433
Size:	135x240x1150mm
Box Qty:	8Pcs
Material:	Glass+Wood






Transparent Glass-Wood Pendant

Model:	VT-7170
SKU:	3819
EAN:	3800157615440
Size:	165x220x1100mm
Box Qty:	8Pcs
Material:	Glass+Wood




Trio Glass Pendant-Lampholder

Model:	VT-7307
SKU:	3926
EAN:	3800157626217
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Glass+Wood



Transparent Glass-Wood Pendant


Model:	VT-7240
SKU:	3820
EAN:	3800157615457
Size:	235x140x1050mm
Box Qty:	8Pcs
Material:	Glass+Wood





3D Glass-Black Canopy

Model:	VT-7015
SKU:	3830
EAN:	3800157616652
Size:	150x140x1200mm
Box Qty:	10Pcs
Material:	Glass




**NEW**



3D Glass-Black Canopy

Model:	VT-7152
SKU:	40111
EAN:	3800157640619
Size:	ø150x100x1020mm
Box Qty:	8Pcs
Material:	Glass




**NEW**



3D Glass-Black Canopy

Model:	VT-7206
SKU:	40121
EAN:	3800157640626
Size:	ø200x100x1070mm
Box Qty:	8Pcs
Material:	Glass




**NEW**



3D Glass-Black Canopy


Model:	VT-7256
SKU:	40131
EAN:	3800157640633
Size:	ø250x100x1110mm
Box Qty:	8Pcs
Material:	Glass






Transparent Glass-V Shape

Model:	VT-7180
SKU:	3863
EAN:	3800157620734
Size:	Ø250x90mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Globe

Model:	VT-7226
SKU:	3864
EAN:	3800157620741
Size:	Ø250x230mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Cone Shape

Model:	VT-7142
SKU:	3861
EAN:	3800157620710
Size:	140x160mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-V Shape


Model:	VT-7143
SKU:	3862
EAN:	3800157620727
Size:	185x140 mm
Box Qty:	8Pcs
Material:	Glass+Metal






6 Bulb Chandelier-Movable

Model:	VT-7400
SKU:	3889
EAN:	3800157621076
Size:	791x900mm
Box Qty:	4Pcs
Material:	Metal




Aluminium Shade-Black

Model:	VT-7422-B
SKU:	3728
EAN:	3800157611015
Size:	230x310x1150mm
Box Qty:	8Pcs
Material:	Aluminium




Aluminium Shade-White

Model:	VT-7422-WH
SKU:	3729
EAN:	3800157611022
Size:	230x310x1150mm
Box Qty:	8Pcs
Material:	Aluminium









**Mesh Metal-Grey**

Model:	VT-7200-MG
SKU:	3822
EAN:	3800157616577
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal




**Mesh Metal-Gold**

Model:	VT-7200-CG
SKU:	3821
EAN:	3800157616560
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



**Mesh Metal-White**

Model:	VT-7200-MW
SKU:	3823
EAN:	3800157616584
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal




**Can Shape-Gold Pendant**

Model:	VT-7131-CG
SKU:	3824
EAN:	3800157616591
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-Black Pendant

Model:	VT-7131-MB
SKU:	3825
EAN:	3800157616607
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-WhitePendant

Model:	VT-7131-MW
SKU:	3826
EAN:	3800157616614
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-Gold Pendant

Model:	VT-7132-CG
SKU:	3827
EAN:	3800157616621
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Black Pendant


Model:	VT-7132-MB
SKU:	3828
EAN:	3800157616638
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal






Can Shape-WhitePendant

Model:	VT-7132-MW
SKU:	3829
EAN:	3800157616645
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal




Mesh Metal-Globe

Model:	VT-7332
SKU:	3859
EAN:	3800157620697
Size:	Ø290x1000x1340mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-GV Shape

Model:	VT-7252
SKU:	3860
EAN:	3800157620703
Size:	285x170x1000mm
Box Qty:	12Pcs
Material:	Metal



Copper Series-Rose Gold

Model:	VT-8150-CO
SKU:	3713
EAN:	3800157610865
Size:	Ø150
Box Qty:	10Pcs
Material:	Metal





Copper Series-Rose Gold

Model:	VT-8300
SKU:	3710
EAN:	3800157610834
Size:	Ø300
Box Qty:	4Pcs
Material:	Iron with electric copper paint



Copper Series-Rose Gold

Model:	VT-8220
SKU:	3711
EAN:	3800157610841
Size:	Ø220
Box Qty:	4Pcs
Material:	Iron with electric copper paint



Copper Series-Rose Gold

Model:	VT-8255
SKU:	3709
EAN:	3800157610827
Size:	Ø250mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint



Copper Series-Rose Gold

Model:	VT-8150-CH
SKU:	3712
EAN:	3800157610858
Size:	Ø150mm
Box Qty:	10Pcs
Material:	Iron with electric copper paint





**Copper Series-Chrome**

Model: VT-8180-CH  
 SKU: 3707  
 EAN: 3800157610803  
 Size: Ø180mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8180-CO  
 SKU: 3708  
 EAN: 3800157610810  
 Size: Ø180mm  
 Box Qty: 8Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8170  
 SKU: 3714  
 EAN: 3800157610872  
 Size: Ø170mm  
 Box Qty: 8Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8230  
 SKU: 3715  
 EAN: 3800157610889  
 Size: Ø230mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint





**Copper Series-Chrome**

Model: VT-8175-CH  
 SKU: 3705  
 EAN: 3800157610780  
 Size: Ø170  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8175-CO  
 SKU: 3706  
 EAN: 3800157610797  
 Size: Ø170mm  
 Box Qty: 8Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8200  
 SKU: 3716  
 EAN: 3800157610896  
 Size: Ø200mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**


Model: VT-8250  
 SKU: 3717  
 EAN: 3800157610902  
 Size: Ø250mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint






White Glass-Wood Pendant

Model:	VT-7205
SKU:	3759
EAN:	3800157611329
Size:	190x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood




White Glass-Wood Pendant

Model:	VT-7175
SKU:	3758
EAN:	3800157611312
Size:	170x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood




White Glass-Wood Pendant

Model:	VT-7177
SKU:	3760
EAN:	3800157611336
Size:	170x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood



Aluminum Pendant-White


Model:	VT-7162-WH
SKU:	3868
EAN:	3800157620789
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium






**Aluminum Pendant-Black**

Model:	VT-7162-B
SKU:	3869
EAN:	3800157620796
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium




**Concrete-Mesh**

Model:	VT-7330
SKU:	3849
EAN:	3800157618984
Size:	400x250x1100mm
Box Qty:	4Pcs
Material:	Concrete+Iron




**Concrete-Mesh**

Model:	VT-7121
SKU:	3847
EAN:	3800157618960
Size:	120x380x1300mm
Box Qty:	6Pcs
Material:	Concrete+Iron




**Concrete-Mesh**

Model:	VT-7253
SKU:	3848
EAN:	3800157618977
Size:	250x310x1200mm
Box Qty:	4Pcs
Material:	Concrete+Iron









**Concrete-Lampshade**

Model:	VT-7155
SKU:	3850
EAN:	3800157618991
Size:	160x290x1250mm
Box Qty:	6Pcs
Material:	Concrete




**Concrete-Lampshade**

Model:	VT-7202
SKU:	3853
EAN:	3800157619028
Size:	180x160x1100mm
Box Qty:	4Pcs
Material:	Concrete



**Concrete-Acrylic**

Model:	VT-7291
SKU:	3854
EAN:	3800157619035
Size:	265x260x1050mm
Box Qty:	4Pcs
Material:	Concrete+Wood





**Concrete-Wooden**

Model:	VT-7301
SKU:	3858
EAN:	3800157619073
Size:	290x250x1150mm
Box Qty:	4Pcs
Material:	Concrete+Wood




**Concrete-Wooden**

Model:	VT-7125-GY
SKU:	3855
EAN:	3800157619042
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood




**Concrete-Wooden**

Model:	VT-7125-GN
SKU:	3856
EAN:	3800157619059
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood




**Concrete-Wooden**

Model:	VT-7125-R
SKU:	3857
EAN:	3800157619066
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood



**Concrete-Table Lamp**


Model:	VT-7160
SKU:	3851
EAN:	3800157619004
Size:	160x150x2000mm
Box Qty:	4Pcs
Material:	Concrete






Concrete-Table Lamp

Model:	VT-7171
SKU:	3852
EAN:	3800157619011
Size:	180x130x2000mm
Box Qty:	8Pcs
Material:	Concrete




Geometric Series-Gold Canopy

Model:	VT-7141-CG
SKU:	3831
EAN:	3800157616669
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal




Geometric Series-Black Canopy

Model:	VT-7141-MB
SKU:	3832
EAN:	3800157616676
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Gold Canopy


Model:	VT-7161-CG
SKU:	3833
EAN:	3800157616683
Size:	225x225x1250mm
Box Qty:	10Pcs
Material:	Metal







Geometric Series-Black Canopy

Model:	VT-7161-MB
SKU:	3834
EAN:	3800157616690
Size:	225x225x1250mm
Box Qty:	8Pcs
Material:	Metal




Geometric Series-Black Canopy

Model:	VT-7144
SKU:	3927
EAN:	3800157626224
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Metal Finish




Geometric Series-Gold Canopy

Model:	VT-7322-CG
SKU:	3835
EAN:	3800157616706
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal



Geometric Series-Black Canopy


Model:	VT-7322-MB
SKU:	3836
EAN:	3800157616713
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal






**Geometric Series-Gold Canopy**

Model:	<b>VT-7321-CG</b>
SKU:	<b>3837</b>
EAN:	<b>3800157616720</b>
Size:	<b>320x320x1350mm</b>
Box Qty:	<b>10Pcs</b>
Material:	<b>Metal</b>




**Geometric Series-Black Canopy**

Model:	<b>VT-7321-MB</b>
SKU:	<b>3838</b>
EAN:	<b>3800157616737</b>
Size:	<b>320x320x1350mm</b>
Box Qty:	<b>10Pcs</b>
Material:	<b>Metal</b>




**Danish Wood-Bronze Canopy**

Model:	<b>VT-7225</b>
SKU:	<b>3816</b>
EAN:	<b>3800157612760</b>
Size:	<b>260x330x1111mm</b>
Box Qty:	<b>8Pcs</b>
Material:	<b>Aluminium+Sand Finish</b>



**Danish Wood-Bronze Canopy**


Model:	<b>VT-7340</b>
SKU:	<b>3817</b>
EAN:	<b>3800157612777</b>
Size:	<b>360x420x1200mm</b>
Box Qty:	<b>4Pcs</b>
Material:	<b>Aluminium+Sand Finish</b>






Aluminum-Sand finish-Black

Model:	VT-7520-B
SKU:	3700
EAN:	3800157610735
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish




Aluminum-Sand finish-Grey


Model:	VT-7520-G
SKU:	3701
EAN:	3800157610742
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+Sand Finish



Aluminum-Sand finish-White


Model:	VT-7520-WH
SKU:	3702
EAN:	3800157610759
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish






Modern Wooden Top-White

Model:	VT-7425-WH
SKU:	3756
EAN:	3800157611299
Size:	250x200x1100mm
Box Qty:	8Pcs
Material:	Aluminium+Wooden Top




Modern Wooden Top-Black

Model:	VT-7425-B
SKU:	3757
EAN:	3800157611305
Size:	250x200x1100mm
Box Qty:	8Pcs
Material:	Aluminium+Wooden Top



Wooden Top Iron-White

Model:	VT-7525-WH
SKU:	3761
EAN:	3800157611343
Size:	250x400x1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-Black

Model:	VT-7525-B
SKU:	3762
EAN:	3800157611350
Size:	250x400x1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-White

Model: VT-7535-W  
 SKU: 3763  
 EAN: 3800157611367  
 Size: 350x300x1100mm  
 Box Qty: 8Pcs  
 Material: Iron+Wooden Top




Wooden Top Iron-Black

Model: VT-7535-B  
 SKU: 3764  
 EAN: 3800157611374  
 Size: 350x300x1100mm  
 Box Qty: 8Pcs  
 Material: Iron+Wooden Top




Wooden Top Iron-White

Model: VT-7545-WH  
 SKU: 3765  
 EAN: 3800157611381  
 Size: 350x300x1100mm  
 Box Qty: 8Pcs  
 Material: Iron+Wooden Top




Wooden Top Iron-Black

Model: VT-7545-B  
 SKU: 3766  
 EAN: 3800157611398  
 Size: 350x300x1100mm  
 Box Qty: 8Pcs  
 Material: Iron+Wooden Top









Pendant-Aluminium Shade-White

Model:	VT-7100-WH
SKU:	3920
EAN:	3800157626156
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Black

Model:	VT-7100-B
SKU:	3921
EAN:	3800157626163
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Grey

Model:	VT-7100-G
SKU:	3922
EAN:	3800157626170
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Pink

Model:	VT-7100-P
SKU:	3923
EAN:	3800157626187
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Red

Model:	VT-7100-R
SKU:	3924
EAN:	3800157626194
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Blue

Model:	VT-7100-BL
SKU:	3925
EAN:	3800157626200
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium



Metal Plate-Rose Gold

Model:	VT-7777-RG
SKU:	3751
EAN:	3800157611244
Size:	300x90x1000mm
Box Qty:	20Pcs
Material:	Metal



Metal Plate-Matt Gold

Model:	VT-7777-MG
SKU:	3752
EAN:	3800157611251
Size:	300x90x1000mm
Box Qty:	20Pcs
Material:	Metal



Net Prism-White Pendant

Model:	VT-7401-W
SKU:	3943
EAN:	3800157630115
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Net Prism-Black Pendant

Model:	VT-7401-B
SKU:	3944
EAN:	3800157630122
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Net Prism-Black Pendant

Model:	VT-7401-BG
SKU:	3945
EAN:	3800157630139
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Prism-Blue Pendant

Model:	VT-7310-B
SKU:	3946
EAN:	3800157630146
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



**Prism-Yellow Pendant**

Model:	VT-7310-Y
SKU:	3947
EAN:	3800157630153
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



**Prism-White Pendant**

Model:	VT-7310-W
SKU:	3948
EAN:	3800157630160
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



**Prism-Wooden-White**

Model:	VT-7323-W
SKU:	3949
EAN:	3800157630177
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal



**Prism-Wooden-Yellow**

Model:	VT-7323-Y
SKU:	3950
EAN:	3800157630184
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal





**Prism-Wooden-Pink**

Model:	VT-7323-P
SKU:	3951
EAN:	3800157630191
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal



**Cone Prism-White**

Model:	VT-7255-W
SKU:	3952
EAN:	3800157630207
Size:	250x255mm
Box Qty:	4Pcs
Material:	Metal



**Cone Prism-Blue**

Model:	VT-7255-B
SKU:	3953
EAN:	3800157630214
Size:	250x255mm
Box Qty:	
Material:	Metal




**Cone Prism-Yellow**

Model:	VT-7255-Y
SKU:	3954
EAN:	3800157630221
Size:	250x255mm
Box Qty:	
Material:	Metal



**Metal W/Crystal**

Model:	VT-7334-T
SKU:	3955
EAN:	3800157630238
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal



**Metal W/Crystal**

Model:	VT-7334-M
SKU:	3956
EAN:	3800157630245
Size:	330x300mm
Box Qty:	4Pcs
Material:	Metal



**Metal W/Crystal**


Model:	VT-7334-B
SKU:	3957
EAN:	3800157630252
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal





**Vintage Metal**


Model:	VT-7424
SKU:	3753
EAN:	3800157611268
Size:	260x170x1080mm
Box Qty:	12Pcs
Material:	Metal



**Vintage Metal-Pulley**

Model:	VT-7201
SKU:	3845
EAN:	3800157617192
Size:	220x140x600-1600mm
Box Qty:	8Pcs
Material:	Metal

Adjustable Height




**Pendant-Hemp Rope**

Model:	VT-7118
SKU:	3754
EAN:	3800157611275
Size:	45x57x1500mm
Box Qty:	12Pcs
Material:	Rope



**Globe-Chrome Canopy**

Model:	VT-7251
SKU:	3839
EAN:	3800157616744
Size:	250x250x1300mm
Box Qty:	4Pcs
Material:	Acrylic Glass





Pendant Holder-Bottle-E14

Model:	VT-7558-GN
Color:	Green
SKU:	3767
EAN:	3800157611404
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-BL
Color:	Blue
SKU:	3768
EAN:	3800157611411
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-R
Color:	Red
SKU:	3769
EAN:	3800157611428
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-A
Color:	Amber
SKU:	3770
EAN:	3800157611435
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-T
Color:	Transparent
SKU:	3771
EAN:	3800157611442
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-P
Color:	Pink
SKU:	3772
EAN:	3800157611459
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-Y
Color:	Yellow
SKU:	3773
EAN:	3800157611466
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-RO
Color:	Rose
SKU:	3774
EAN:	3800157611473
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs




Pendant Holder-Bottle-E14

Model:	VT-7558-GY
Color:	Grey
SKU:	3775
EAN:	3800157611480
Material:	Glass
Size:	78x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-BR
Color:	Brown
SKU:	3776
EAN:	3800157611497
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs







**Metal Holder-Canopy**

Model:	VT-7555-RB
Color:	Red Bronze
SKU:	3840
EAN:	3800157617147
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



**Metal Holder-Canopy**

Model:	VT-7555-BBR
Color:	Brown Bronze
SKU:	3841
EAN:	3800157617154
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



**Metal Holder-Canopy**

Model:	VT-7555-BB
Color:	Brass Bronze
SKU:	3842
EAN:	3800157617161
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



**Metal Holder-Canopy**

Model:	VT-7555-BR
Color:	Bronze
SKU:	3843
EAN:	3800157617178
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



**Metal Holder-Canopy**

Model:	VT-7555-MG
Color:	Gold
SKU:	3844
EAN:	3800157617185
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



**Wooden Holder-White Wire**

Model:	VT-7778-W
Color:	White Wire
SKU:	3720
EAN:	3800157610933
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



**Wooden Holder-Black Wire**

Model:	VT-7778-BK
Color:	Black Wire
SKU:	3721
EAN:	3800157610940
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



**Wooden Holder-Blue Wire**

Model:	VT-7778-BL
Color:	Blue Wire
SKU:	3722
EAN:	3800157610957
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



**Wooden Holder-Red Wire**

Model:	VT-7778-R
Color:	Red Wire
SKU:	3723
EAN:	3800157610964
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



**Wooden Holder-Purple Wire**

Model:	VT-7778-PR
Color:	Purple Wire
SKU:	3724
EAN:	3800157610971
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



**Wooden Holder-Green Wire**

Model:	VT-7778-GN
Color:	Green Wire
SKU:	3725
EAN:	3800157610988
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Pendant-Porcelain Set

Model:	VT-7998-W
Color:	White
SKU:	3803
EAN:	3800157612340
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BK
Color:	Black
SKU:	3804
EAN:	3800157612357
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-GN
Color:	Green
SKU:	3805
EAN:	3800157612364
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BL
Color:	Blue
SKU:	3806
EAN:	3800157612371
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-R
Color:	Red
SKU:	3807
EAN:	3800157612388
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-GY
Color:	Grey
SKU:	3808
EAN:	3800157612395
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998Y
Color:	Yellow
SKU:	3809
EAN:	3800157612401
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BR
Color:	Brown
SKU:	3810
EAN:	3800157612418
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Porcelain Holder

Model:	VT-799-W
Color:	White
SKU:	3795
EAN:	3800157612265
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BK
Color:	Black
SKU:	3796
EAN:	3800157612272
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-GN
Color:	Green
SKU:	3797
EAN:	3800157612289
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BL
Color:	Blue
SKU:	3798
EAN:	3800157612296
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-R
Color:	Red
SKU:	3799
EAN:	3800157612302
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-GY
Color:	Grey
SKU:	3800
EAN:	3800157612319
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-Y
Color:	Yellow
SKU:	3801
EAN:	3800157612326
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BR
Color:	Brown
SKU:	3802
EAN:	3800157612333
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Concrete Holder-Canopy

Model:	VT-7668-GN
Color:	Green
SKU:	3742
EAN:	3800157611152
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-R
Color:	Red
SKU:	3743
EAN:	3800157611169
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BL
Color:	Blue
SKU:	3744
EAN:	3800157611176
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-Y
Color:	Yellow
SKU:	3745
EAN:	3800157611183
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-W
Color:	White
SKU:	3746
EAN:	3800157611190
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BK
Color:	Black
SKU:	3747
EAN:	3800157611206
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-GY
Color:	Grey
SKU:	3748
EAN:	3800157611213
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BR
Color:	Brown
SKU:	3749
EAN:	3800157611220
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BE
Color:	Beige
SKU:	3750
EAN:	3800157611237
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Gold Holder-Gold Canopy

Model:	VT-7448
Color:	Rose Gold Set
SKU:	3777
EAN:	3800157611503
Material:	
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-W
Color:	White
SKU:	3755
EAN:	3800157611282
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BK
Color:	Black
SKU:	3782
EAN:	3800157611558
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BL
Color:	Blue
SKU:	3783
EAN:	3800157611565
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BN
Color:	Brown
SKU:	3784
EAN:	3800157611572
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-GN
Color:	Green
SKU:	3785
EAN:	3800157611589
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-GY
Color:	Grey
SKU:	3786
EAN:	3800157611596
Material:	Chrome
Size:	36x60mm
Box Qty:	1Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-LB
Color:	Light Blue
SKU:	3787
EAN:	3800157611602
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-O
Color:	Orange
SKU:	3788
EAN:	3800157611619
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-PK
Color:	Pink
SKU:	3789
EAN:	3800157611626
Material:	Chrome
Size:	36x60mm
Box Qty:	1Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-PE
Color:	Purple
SKU:	3790
EAN:	3800157611633
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-R
Color:	Red
SKU:	3791
EAN:	3800157611640
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-RR
Color:	Rose Red
SKU:	3792
EAN:	3800157611657
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-Y
Color:	Yellow
SKU:	3793
EAN:	3800157611664
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BE
Color:	Beige
SKU:	3794
EAN:	3800157611671
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Pendant-Silicone

Model:	VT-7228-BN
Color:	Brown
SKU:	3475
EAN:	3800157607919
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-BE
Color:	Blue
SKU:	3476
EAN:	3800157607926
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-W
Color:	White
SKU:	3477
EAN:	3800157607933
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-BK
Color:	Black
SKU:	3478
EAN:	3800157607940
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-PN
Color:	Pink
SKU:	3479
EAN:	3800157607957
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-R
Color:	Red
SKU:	3480
EAN:	3800157607964
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-GY
Color:	Grey
SKU:	3481
EAN:	3800157607971
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-LB
Color:	Light Blue
SKU:	3482
EAN:	3800157609463
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-PE
Color:	Purple
SKU:	3483
EAN:	3800157609470
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-O
Color:	Orange
SKU:	3484
EAN:	3800157609487
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-Y
Color:	Yellow
SKU:	3485
EAN:	3800157609494
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone


Model:	VT-7228-GN
Color:	Green
SKU:	3486
EAN:	3800157609500
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Sleek Designer

# LED Pendants

Offering cutting edge designs as per your mood. From warm to bright task lighting, our pendants come in a wide variety of styles, colors and materials



Designer Sleek Pendant-Chrome

18w VT-7018

Built In LED

SKU: 3890 - 4000K Day White

3800157621083

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED: 90 pcs



Material : Stainless Steel+Metal+PMMA

Unit GW : 1.38 Kg

Life Span: 20,000 Hours

Size : 940x55x800mm

Box Qty: 12Pcs



Designer Sleek Pendant-Chrome

24w VT-7024

Built In LED

SKU: 3891 - 4000K Day White

3800157621090

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED: 120 pcs



Material : Stainless Steel+Metal+PMMA

Unit GW : 1.59 Kg

Life Span: 20,000 Hours

Size : 1220x55x800mm

Box Qty: 12Pcs



Designer Sleek Pendant-Chrome

36w VT-7036


Built In LED

SKU: 3892 - 4000K Day White

3800157621106

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.82 Kg
Life Span:	20,000 Hours
Size :	1820x55x800mm
Box Qty:	12Pcs



Designer Sleek Chrome Surface Lamp

36w VT-7037

Built In LED


SKU: 3893 - 4000K Day White

3800157621113

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	2.24 Kg
Life Span:	20,000 Hours
Size :	940x120x60mm
Box Qty:	6Pcs






Mirror Light-Picture Chrome Wall Lamp

8w VT-7008 Built In LED

SKU: 3985 - 3000K Warm White 3800157637978  
SKU: 3894 - 4000K Day White 3800157621120

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Metal+PMMA
Unit GW :	0.72 Kg
Life Span:	20,000 Hours
Size :	500x55x185mm
Box Qty:	12Pcs





Mirror Light-Picture Chrome Wall Lamp

12w VT-7012 Built In LED

SKU: 3982 - 3000K Warm White 3800157637947  
SKU: 3895 - 4000K Day White 3800157621137

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Metal+PMMA
Unit GW :	0.82 Kg
Life Span:	20,000 Hours
Size :	640x55x185mm
Box Qty:	12Pcs




Mirror Movable Wall Lamp

8w VT-7009CH Built In LED

SKU: 3984 - 3000K Warm White 3800157637961  
SKU: 3900 - 4000K Day white 3800157621854

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs





Mirror Movable Wall Lamp Golden

8w VT-7009 Built In LED

SKU: 3983 - 3000K Warm White 3800157637954  
SKU: 3901 - 4000K Day white 3800157621861

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs



Mirror Surface Light - Chrome Cap

10w VT-7010-CH Built In LED

SKU: 3916 - 4000K Day White 3800157626118  
SKU: 3917 - 6400K White 3800157626125

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs




Mirror Surface Light - White Cap

10w VT-7010-WH Built In LED

SKU: 3918 - 4000K Day White 3800157626132  
SKU: 3919 - 6400K White 3800157626149

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs





Mirror Surface Light-Chrome

12w VT-7014 **Built In LED**

SKU: 3902 - 4000K Day white 3800157621878

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.08 Kg
Life Span:	20,000 Hours
Size :	640x65x65mm
Box Qty:	12Pcs




Mirror Surface Light-Chrome

18w VT-7021 **Built In LED**

SKU: 3903 - 4000K Day white 3800157621885

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.28 Kg
Life Span:	20,000 Hours
Size :	940x65x65mm
Box Qty:	12Pcs




Designer Bend Glass-Surface Lamp

12w VT-7013 **Built In LED**

SKU: 3896 - 4000K Day White 3800157621144

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.01 Kg
Life Span:	20,000 Hours
Size :	685x55x65mm
Box Qty:	6Pcs





Designer Bend Glass-Surface Lamp

18w VT-7019 Built In LED

SKU: 3897 - 4000K Day white 3800157621151

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.50 Kg
Life Span:	20,000 Hours
Size :	985x55x65mm
Box Qty:	6Pcs




Designer Bend Glass-Hanging Pendant

18w VT-7020 Built In LED

SKU: 3898 - 4000K Day white 3800157621168

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.98 Kg
Life Span:	20,000 Hours
Size :	985x55x800mm
Box Qty:	6Pcs




Designer Bend Series - Surface Chrome

36w VT-7038 Built In LED

SKU: 3899 - 4000K Day white 3800157621175

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	3.53 Kg
Life Span:	20,000 Hours
Size :	985x120x75mm
Box Qty:	6Pcs




Pendant Light-Gold Lamp Shade

7W VT-7333-G Built In LED

SKU: 3934 - 3000K Warm White 3800157628952  
SKU: 3928 - 4000K Day White 3800157626569

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs




Pendant Light-White Lamp Shade

7W VT-7333-WH Built In LED

SKU: 3935 - 3000K Warm White 3800157628969  
SKU: 3929 - 4000K Day White 3800157626576

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs




Pendant Light-Gold Lamp Shade

7W VT-7444-G Built In LED

SKU: 3936 - 3000K Warm White 3800157628976  
SKU: 3930 - 4000K Day White 3800157626583

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.9 Kg
Life Span:	30,000 Hours
Size :	Ø250xH190mm
Box Qty:	8Pcs



## Pendant Light-White Lamp Shade

7W VT-7444-WH Built In LED

SKU: 3937 - 3000K Warm White 3800157628983  
SKU: 3931 - 4000K Day White 3800157626590

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 1.9 Kg

Life Span: 30,000 Hours

Size : Ø250xH190mm

Box Qty: 8Pcs



## Pendant Light-Gold Lamp Shade

7W VT-7666-G Built In LED

SKU: 3938 - 3000K Warm White 3800157628990  
SKU: 3932 - 4000K Day White 3800157626606

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 2.4 Kg

Life Span: 30,000 Hours

Size : Ø340xH190mm

Box Qty: 4Pcs



## Pendant Light-White Lamp Shade

7W VT-7666-WH Built In LED

SKU: 3939 - 3000K Warm White 3800157629003  
SKU: 3933 - 4000K Day White 3800157626613

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 2.4 Kg

Life Span: 30,000 Hours

Size : Ø340xH190mm

Box Qty: 4Pcs




Pendant Light-White

20w VT-25-1-W Built In LED

SKU: 3992 -3000K Warm White 3800157638777

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Pendant Light-Black

20w VT-25-1-B Built In LED

SKU: 3993 -3000K Warm White 3800157638784

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Pendant Light-Coffee

20w VT-25-1-C Built In LED

SKU: 3994 -3000K Warm White 3800157638791

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs



## Pendant Light-White

30w VT-32-1-W Built In LED

SKU: 3995 -3000K Warm White 3800157638807

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 180 pcs


Material : Iron+Acrylic

Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs



## Pendant Light-Black

30w VT-32-1-B Built In LED

SKU: 3996 -3000K Warm White 3800157638814

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 180 pcs


Material : Iron+Acrylic

Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs



## Pendant Light-Coffee

30w VT-32-1-C Built In LED

SKU: 3997 -3000K Warm White 3800157638821

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 180 pcs

Material : Iron+Acrylic


Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs






Designer Series-TRIAC Dimmable

**25w** VT-7351

SKU: 40021 - 3000K Warm White 3800157640503

Voltage/Frequency:	AC:220-240V
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	132 pcs
Material :	PC + Iron
Unit GW :	2.2 kgs
Life Span:	30,000 Hours
Size :	ø350x2000mm
Box Qty:	1Pcs





Designer Series-TRIAC Dimmable

**40w** VT-7502

SKU: 40031 - 3000K Warm White 3800157640510

Voltage/Frequency:	AC:220-240V
Luminous Flux:	3200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	216 pcs
Material :	PC + Iron
Unit GW :	3.8 kgs
Life Span:	30,000 Hours
Size :	ø500x2000mm
Box Qty:	1Pcs



Designer Series-TRIAC Dimmable

**72w** VT-7390

SKU: 40011 - 3000K Warm White 3800157640497

Voltage/Frequency:	AC:220-240V
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	432 pcs
Material :	PC + Iron
Unit GW :	6.2 kgs
Life Span:	30,000 Hours
Size :	ø390x2000mm
Box Qty:	1Pcs

## Wall Lamp-TRIAC Dimmable

12W VT-7203

SKU: 40041 - 3000K Warm White 3800157640527

Voltage/Frequency: AC:220-240V

Luminous Flux: 1000lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 72 pcs


Material: PC + Iron

Unit GW: 1.2 kgs

Life Span: 30,000 Hours

Size: ø200x125mm

Box Qty: 1Pcs



## Wall Lamp-TRIAC Dimmable

25W VT-7352

SKU: 40051 - 3000K Warm White 3800157640534

Voltage/Frequency: AC:220-240V

Luminous Flux: 2100lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 132 pcs



Material: PC + Iron

Unit GW: 2.1 kgs

Life Span: 30,000 Hours

Size: ø350x168mm

Box Qty: 1Pcs



## Wall Lamp-TRIAC Dimmable

40W VT-7503

SKU: 40061 - 3000K Warm White 3800157640541

Voltage/Frequency: AC:220-240V

Luminous Flux: 3100lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 216 pcs


Material: PC + Iron


Unit GW: 3.8 kgs

Life Span: 30,000 Hours

Size: ø500x215mm

Box Qty: 1Pcs






Wall Lamp-TRIAC Dimmable

20w VT-7331

SKU: 40091 - 3000K Warm White 3800157640572

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC + Iron
Unit GW :	0.187 kgs
Life Span:	30,000 Hours
Size :	330x380x230mm
Box Qty:	6Pcs



Designer Series-TRIAC Dimmable

105w VT-7910

SKU: 40101 - 3000K Warm White 3800157640589

Voltage/Frequency:	AC:220-240V
Luminous Flux:	6300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	576 pcs
Material :	PC + Iron
Unit GW :	11.05 kgs
Life Span:	30,000 Hours
Size :	910x2000mm
Box Qty:	1Pcs




Table Lamps

12w VT-7204

SKU: 40071 - 3000K Warm White 3800157640558

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	72 pcs
Material :	PC + Iron
Unit GW :	0.483 kgs
Life Span:	30,000 Hours
Size :	ø200x335mm
Box Qty:	6Pcs

## Table Lamps

25W VT-7353

SKU: 40081 - 3000K Warm White 3800157640565

Voltage/Frequency: AC:220-240V

Luminous Flux: 2550lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 132 pcs


Material: PC + Iron

Unit GW: 5.5 kgs

Life Span: 30,000 Hours

Size: ø350x365mm

Box Qty: 1Pcs



## Designer Series Pendant-Color Changing

32W VT-7460

SKU: 3958 -3IN1 3800157636520

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3100lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 320 pcs


Material: PC

Unit GW: 2.20 kgs

Life Span: 30,000 Hours

Size: 460x2000mm

Box Qty: 1Pcs



## Designer Series Pendant-Color Changing

38W VT-7605

SKU: 3959 -3IN1 3800157636537

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3300lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material: PC

Unit GW: 3.90 kgs

Life Span: 30,000 Hours

Size: 600x2000mm

Box Qty: 1Pcs



Designer Series Pendant-Color Changing

82W VT-7750

SKU: 3960 -3IN1

3800157636544

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 7300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs


Material : PC

Unit GW : 6.85 kgs

Life Span: 30,000 Hours

Size : 795x2000mm

Box Qty: 1Pcs



Designer Series Pendant-Color Changing

40W VT-7461

SKU: 3962 -3IN1

3800157636568

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 3.00 kgs

Life Span: 30,000 Hours

Size : 460x460x2000mm

Box Qty: 1Pcs



Designer Series Pendant-Color Changing

42W VT-7607

SKU: 3963 -3IN1

3800157636575

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 4.80 kgs

Life Span: 30,000 Hours

Size : 600x600x2000mm

Box Qty: 1Pcs



## Designer Series Pendant-Color Changing

80W VT-7751

SKU: 3964 -3IN1

3800157636582

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6600lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 768 pcs



Material : PC

Unit GW : 7.00 kgs

Life Span: 30,000 Hours

Size : 750x750x2000mm

Box Qty: 1Pcs



**COLOR  
CHANGING  
WITH REMOTE**

## Designer Series Pendant-Color Changing

60W VT-7606

SKU: 3961 -3IN1

3800157636551

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 5400lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 604 pcs


Material : PC

Unit GW : 7.5 kgs

Life Span: 30,000 Hours

Size : 600x300x2000mm

Box Qty: 1Pcs



**COLOR  
CHANGING  
WITH REMOTE**

## Designer Series Pendant-Color Changing

68W VT-7608

SKU: 3965 -3IN1

3800157636599

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6000lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 624 pcs



Material : PC

Unit GW : 6.50 kgs

Life Span: 30,000 Hours

Size : 600x300x2000mm

Box Qty: 1Pcs



**COLOR  
CHANGING  
WITH REMOTE**

Designer Series Surface-Color Changing

22W VT-7308

SKU: 3966 -3IN1

3800157636605

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs


Material : PC

Unit GW : 16.50 kgs

Life Span: 30,000 Hours

Size : 300x85mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

32W VT-7462

SKU: 3967 -3IN1

3800157636612

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material : PC

Unit GW : 2.90 kgs

Life Span: 30,000 Hours

Size : 460x100mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

38W VT-7609

SKU: 3968 -3IN1

3800157636629

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material : PC

Unit GW : 4.90 kgs

Life Span: 30,000 Hours

Size : 600x120mm

Box Qty: 1Pcs



## Designer Series Surface-Color Changing

82W VT-7752

SKU: 3969 -3IN1

3800157636636

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 7300lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 768 pcs


Material : PC

Unit GW : 9.65 kgs

Life Span: 30,000 Hours

Size : 750x130mm

Box Qty: 1Pcs



## Designer Series Surface-Color Changing

26W VT-7309

SKU: 3970 -3IN1

3800157636643

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2600lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 240 pcs


Material : PC

Unit GW : 18.50 kgs

Life Span: 30,000 Hours

Size : 300x300x80mm

Box Qty: 1Pcs



## Designer Series Surface-Color Changing

40W VT-7463

SKU: 3971 -3IN1

3800157636650

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3600lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 3.95 kgs

Life Span: 30,000 Hours

Size : 460x460x95mm

Box Qty: 1Pcs





Designer Series Surface-Color Changing

42W VT-7610

SKU: 3972 -3IN1

3800157636667

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 6.55 kgs

Life Span: 30,000 Hours

Size : 600x600x115mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

80W VT-7753

SKU: 3973 -3IN1

3800157636674

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs




Material : PC

Unit GW : 10.50 kgs

Life Span: 30,000 Hours

Size : 750x750x125mm

Box Qty: 1Pcs



Designer Series Pendant-TRIAC Dimmable

32W VT-7049

SKU: 3978 -3000K Warm White

3800157636728

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 200 pcs

Material : PC


Unit GW : 2.6 kgs

Life Span: 30,000 Hours

Size : 890x125x2000mm

Box Qty: 1Pcs






Designer Series Pendant-TRIAC Dimmable

52w VT-7072

SKU: 3979 -3000K Warm White 3800157636735

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	300 pcs
Material :	PC
Unit GW :	3.5 kgs
Life Span:	30,000 Hours
Size :	1310x125x2000mm
Box Qty:	1Pcs




Designer Series Pendant-TRIAC Dimmable

18w VT-7027

SKU: 3980 -3000K Warm White 3800157636742

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x2500mm
Box Qty:	1Pcs



Designer Series Pendant-TRIAC Dimmable

32w VT-7050

SKU: 3981 -3000K Warm White 3800157636759

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	2.60 kgs
Life Span:	30,000 Hours
Size :	ø125x2900mm
Box Qty:	1Pcs

Wall Lamp-TRIAC Dimmable

18w VT-7025

SKU: 3974 - 3000K Warm White 3800157636681

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC+Iron
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x530mm
Box Qty:	1Pcs




Table Lamps

18w VT-7026

SKU: 3975 3000K Warm White 3800157636698

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.80 kgs
Life Span:	30,000 Hours
Size :	130x480mm
Box Qty:	1Pcs




Floor Lamps

32w VT-7048

SKU: 3976 3000K Warm White 3800157636704

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	5.60 kgs
Life Span:	30,000 Hours
Size :	200x900mm
Box Qty:	1Pcs



## Floor Lamps

65W VT-7096

SKU: 3977 3000K Warm White

3800157636711

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 4300lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 864 pcs


Material : PC

Unit GW : 6.50 Kgs

Life Span: 30,000 Hours

Size : 120x1790mm

Box Qty: 1Pcs



## Table Lamps

VT-7402

SKU: 40431

Watts: Max 60W

Material: Metal

Base: E27


Color: Chrome

Input Power: AC:220-240V,50Hz

EAN: 3800157648578

Size: 610x220x330mm

Box Qty: 6Pcs



## Table Lamps

VT-7513-W

SKU: 40371

Watts: Max 60W

Material: Metal

Base: E27

Color: White

Input Power: AC:220-240V,50Hz

EAN: 3800157648516

Size: 360x155x730mm

Box Qty: 6Pcs




Table Lamps

**VT-7513-B**

SKU:	40361
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648509
Size:	360x155x730mm
Box Qty:	6Pcs




Table Lamps

**VT-7512-W**

SKU:	40351
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	White
Input Power:	AC:220-240V,50Hz
EAN:	3800157648493
Size:	380x155x440mm
Box Qty:	6Pcs





Table Lamps

**VT-7512-B**

SKU:	40341
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648486
Size:	380x155x440mm
Box Qty:	6Pcs





NEW




## Table Lamps

## VT-7412

SKU:	40331
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Red+Bronze
Input Power:	AC:220-240V,50Hz
EAN:	3800157648479
Size:	150x420mm
Box Qty:	4Pcs



NEW




## Table Lamps

## VT-7712

SKU:	40381
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648523
Size:	320x200x570mm
Box Qty:	1Pcs



NEW



## Table Lamps


## VT-7713

SKU:	40391
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648530
Size:	300x180x550mm
Box Qty:	1Pcs

Floor Lamps

**VT-7912**


SKU:	<b>40401</b>
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648547
Size:	450x300x1630mm
Box Qty:	1Pcs



Floor Lamps

**VT-7913**


SKU:	<b>40411</b>
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648554
Size:	450x285x1620mm
Box Qty:	1Pcs



Floor Lamps

**VT-7702**

SKU:	<b>40421</b>
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black+Chrome
Input Power:	AC:220-240V,50Hz
EAN:	3800157648561
Size:	140x200x1540mm
Box Qty:	4Pcs






**Ball Light**  
**VT-7801**  
SKU: 40141 - RGB 3800157641029

Watts:	1w
Luminous Flux:	18lm
Size :	200x200x140mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	8Pcs

**RGB**  RECHARGEABLE



**Stone Light**  
**VT-7802**  
SKU: 40151 - RGB 3800157641036

Watts:	1w
Luminous Flux:	18lm
Size :	280x210x170mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	8Pcs

**RGB**  RECHARGEABLE






**Ball Light**  
**VT-7803**  
SKU: 40161 - RGB 3800157641043

Watts:	1w
Luminous Flux:	18lm
Size :	300x300x290mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	1Pcs

**RGB** RECHARGEABLE



**Stone Light**  
**VT-7804**  
SKU: 40171 - RGB 3800157641050

Watts:	1w
Luminous Flux:	18lm
Size :	320x250x170mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	1Pcs

**RGB** RECHARGEABLE



**Pot Light**  
**VT-7805**  
SKU: 40181 - RGB 3800157641067

Watts:	1w
Luminous Flux:	18lm
Size :	280x280x290mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** RECHARGEABLE



**Pot Light**  
**VT-7808**  
SKU: 40211 - RGB 3800157641098

Watts:	1.5w
Luminous Flux:	54lm
Size :	355x355x325mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** RECHARGEABLE




**Ice Bucket Light**  
**VT-7806**

SKU: 40191 - RGB 3800157641074



Watts:	1.5w
Luminous Flux:	54lm
Size :	290x330x350mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs



**Ball Light**  
**VT-7807**

SKU: 40201 - RGB 3800157641081



Watts:	3w
Luminous Flux:	54lm
Size :	400x400x390mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs



**Ball Light**  
**VT-7809**

SKU: 40221 - RGB 3800157641104



Watts:	6w
Luminous Flux:	108lm
Size :	500x500x260mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs




**Stool Light**  
**VT-7810**

SKU: 40231 - RGB 3800157641111



Watts:	3w
Luminous Flux:	54lm
Size :	400x400x360mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs



Cube Light

VT-7811

SKU: 40241 - RGB 3800157641128



Watts:	3w
Luminous Flux:	108lm
Size :	400x400x400mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs



Table Light

VT-7812

SKU: 40251 - RGB 3800157641135



Watts:	6w
Luminous Flux:	108lm
Size :	720x720x580mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs




Table Light

VT-7813

SKU: 40261 - RGB 3800157641142



Watts:	5w
Luminous Flux:	100lm
Size :	600x600x1100mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 5200mAh
IP Rating:	IP54
Box Qty:	1Pcs



Stool Light

VT-7814

SKU: 40271 - RGB 3800157641159




Watts:	5w
Luminous Flux:	100lm
Size :	500x560x1100mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 5200mAh
IP Rating:	IP54
Box Qty:	1Pcs



Starlight-Ceiling  
**VT-7128-W**

SKU: 40281 - 3IN1 3800157641166

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs



Starlight-Ceiling  
**VT-7128-B**

SKU: 40291 - 3IN1 3800157641173

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs



Starlight-Ceiling  
**VT-7128-G**

SKU: 40301 - 3IN1 3800157641180

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs



Solar Egg Light

VT-7815

SKU: 8557 - RGB+WW

3800157641418

Watts:	0.2W
Luminous Flux:	4lm
Size :	D:188x395mm
Material :	PC
Life Span:	20000 Hours
Battery:	1xAA BATTERY, 1.2V/500mAH NI-MH
IP Rating:	IP44
Box Qty:	4Pcs



Solar Lights

2IN1 COLOR CHANGING + WARM WHITE



Solar Wall Light-Flame

VT-719

SKU: 8558 - 2200K Warm White

3800157641425

Watts:	0.4W
Luminous Flux:	5lm
Size :	100x100x650mm
Material :	PC
Life Span:	20000 Hours
Battery:	3.7V/500mAH Lithium Battery,
IP Rating:	IP44
Box Qty:	12Pcs



Solar Lights


- STAND
- MOUNT
- SPIKE
- HANGING



Modern Circular

# Chandeliers & Pendants

With Built in LED lights



White Chandelier-2 Step-Dimmable

115W VT-101-2-W

Built In LED

SKU: 3986 - 3000K Warm White

3800157638715

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 7500lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 600 pcs


Material : Aluminium+Acrylic

Unit GW : 4.7 Kg

Life Span: 25,000 Hours

Size : 600/400/200mm

Box Qty: 1Pcs



Black Chandelier-2 Step-Dimmable

115W VT-101-2-B

Built In LED

SKU: 3987 - 3000K Warm White

3800157638722

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 7500lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 600 pcs


Material : Aluminium+Acrylic

Unit GW : 4.7 Kg

Life Span: 25,000 Hours

Size : 600/400/200mm

Box Qty: 1Pcs



Coffee Chandelier-2 Step-Dimmable

115w VT-101-2-C


Built In LED

SKU: 3988 - 3000K Warm White

3800157638739

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	600 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/400/200mm
Box Qty:	1Pcs



White Chandelier-3 Step-Dimmable

92w VT-82-3-W

Built In LED


SKU: 3989 - 3000K Warm White

3800157638746

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5925lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs






Black Chandelier-3 Step-Dimmable

92w VT-82-3-B **Built In LED**  
 SKU: 3990 - 3000K Warm White 3800157638753

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5925lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs




Coffee Chandelier-3 Step-Dimmable

92w VT-82-3-C **Built In LED**  
 SKU: 3991 - 3000K Warm White 3800157638760

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5925lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs



Chandelier Series

40w VT-40-1


Built In LED

SKU: 3874 - 3000K Warm White

3800157620888

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	2800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	240 pcs
Material :	Steel+PC
Unit GW :	3.90 Kg
Life Span:	20,000 Hours
Size :	400X210X1000mm
Box Qty:	1Pcs



Chandelier-3 Step

70w VT-70-3D


Built In LED

SKU: 3904 - 3000K Warm White  
SKU: 3905 - 4000K Day White

3800157624633  
3800157624640

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	4900lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	360 pcs
Material :	Acrylic+Aluminium
Unit GW :	3.50 Kg
Life Span:	20,000 Hours
Size :	600x600x1200mm
Box Qty:	1Pcs



Chandelier-3 Step

80w VT-80-3D

Built In LED

SKU: 3906 - 3000K Warm White  
SKU: 3907 - 4000K Day White

3800157624657  
3800157624664

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	5600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED: 510 pcs

Material : Acrylic+Aluminium

Unit GW : 4.7 Kg

Life Span: 20,000 Hours

Size : 600x600x1200mm

Box Qty: 1Pcs



Ceiling Light-3 Step

85w VT-85-3

Built In LED

SKU: 3910 - 3000K Warm White  
SKU: 3911 - 4000K Day White

3800157624695  
3800157624701

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	5900lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED: 510 pcs

Material : Acrylic+Aluminium

Unit GW : 5.5 Kg

Life Span: 20,000 Hours

Size : 200x400x600mm

Box Qty: 1Pcs

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
101	189	186	195	253	181	370	137	437	33	506	156	602	110	693	97
102	190	187	195	254	181	371	137	438	33	507	156	603	116	694	97
103	188	188	195	255	181	372	137	439	24	508	156	604	116	695	97
104	188	189	170	256	181	373	137	440	24	509	61	606	106	696	97
105	177	190	170	257	181	374	110	441	24	511	169	607	106	697	97
106	176	191	170	258	180	375	110	442	19	512	169	608	108	703	80
107	174	192	170	259	180	376	110	443	19	517	99	609	108	704	80
108	169	193	170	260	180	377	112	444	19	518	99	611	84	705	80
109	169	194	170	261	180	378	112	445	27	519	99	612	84	706	78
110	190	195	171	262	180	379	112	446	27	520	195	613	84	707	78
111	184	196	171	263	180	380	116	447	27	521	195	614	82	708	78
112	184	197	171	264	180	381	116	448	31	525	53	615	82	709	80
113	184	198	171	265	180	382	118	449	31	526	53	616	82	710	80
114	186	199	171	266	180	383	114	450	31	527	53	617	84	711	80
115	186	200	171	267	183	384	114	451	33	528	53	618	84	712	78
116	186	201	169	268	183	385	117	452	33	529	53	619	84	713	78
117	184	202	169	269	183	386	117	453	33	530	53	620	82	714	78
118	184	203	169	270	189	387	117	454	27	531	53	621	82	715	80
119	184	204	170	271	190	388	117	455	27	532	53	622	82	716	80
123	194	205	170	272	177	389	117	456	27	533	55	623	84	717	80
124	194	206	170	275	177	390	117	457	31	534	55	624	84	718	78
125	194	207	170	278	177	391	117	458	31	535	55	625	84	719	78
126	187	208	170	279	177	392	117	459	31	536	55	626	82	720	78
127	187	209	170	280	178	393	117	460	33	537	55	627	82	721	80
128	187	210	191	282	174	394	117	461	33	538	55	628	82	722	80
131	168	211	191	283	195	395	119	462	33	539	55	632	72	723	80
132	168	212	191	284	195	396	119	463	27	540	55	633	72	724	78
133	168	213	193	285	195	397	119	464	27	541	43	634	72	725	78
135	191	214	193	286	174	398	119	465	27	542	43	650	89	726	78
136	191	215	193	287	176	399	119	466	31	543	43	651	89	727	74
137	191	216	193	290	175	400	24	467	31	544	43	652	89	728	74
138	191	217	193	291	175	401	24	468	31	545	45	653	89	729	74
139	191	218	193	292	178	402	24	469	33	550	65	654	89	730	76
140	191	219	193	293	175	403	19	470	33	551	65	655	89	731	76
141	191	220	193	294	178	404	19	471	33	552	65	656	89	732	76
142	191	221	193	320	141	405	19	472	28	553	65	657	89	733	74
143	191	222	194	321	141	406	24	473	28	554	65	658	89	734	74
144	183	223	194	322	141	407	24	474	28	555	65	659	92	735	74
145	183	224	194	323	141	408	24	475	25	556	65	660	92	736	76
146	183	225	194	324	141	409	20	476	25	557	65	661	92	737	76
147	192	226	194	325	141	410	20	477	25	558	61	662	93	738	76
148	192	227	194	326	141	411	20	478	20	559	61	663	93	739	74
149	192	228	186	327	141	412	25	479	20	560	61	664	93	740	74
150	192	229	186	328	141	413	25	480	20	561	61	665	93	741	74
151	192	230	186	331	140	414	25	481	28	562	61	666	93	742	76
152	192	231	186	332	140	415	20	482	28	563	61	667	93	743	76
153	192	232	186	333	140	416	20	483	28	564	60	668	93	744	76
154	192	233	186	350	135	417	20	484	28	565	60	669	93	748	73
155	192	234	183	351	135	418	25	485	28	566	59	670	93	749	73
159	187	235	183	352	135	419	25	486	21	567	59	671	93	750	72
160	187	236	183	353	134	420	21	487	21	568	59	672	88	751	72
161	187	237	187	354	134	421	21	488	28	569	59	673	88	753	100
162	187	238	187	355	134	422	25	489	28	572	69	674	88	754	101
163	187	239	187	356	135	423	25	490	37	573	69	675	88	755	94
164	187	240	168	357	135	424	24	493	37	575	63	676	103	756	95
165	171	241	168	358	135	425	24	494	39	576	63	677	103	757	95
166	171	242	168	359	134	426	24	495	39	577	63	678	103	758	95
167	171	243	168	360	134	427	19	496	39	578	63	679	103	759	101
168	185	244	168	361	134	428	19	497	39	580	61	680	102	760	13
169	185	245	168	362	135	429	19	498	39	581	61	681	102	761	13
170	185	246	168	363	135	430	27	499	39	583	63	686	88	762	11
171	184	247	168	364	135	431	27	500	39	584	63	687	88	763	11
172	184	248	168	365	134	432	27	501	39	585	60	688	88	764	17
173	184	249	181	366	134	433	31	502	34	589	335	689	97	765	17
174	185	250	181	367	134	434	31	503	34	590	335	690	97	766	13
175	185	251	181	368	137	435	31	504	34	600	110	691	97	767	13
176	185	252	181	369	137	436	33	505	156	601	110	692	97	768	11

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
769	11	842	150	947	23	1234	372	1313	399	1391	398	1469	512	2037	346
770	17	843	150	948	23	1235	372	1314	381	1392	398	1470	512	2038	346
771	17	844	150	949	23	1236	372	1315	381	1393	398	1471	512	2041	345
772	13	845	150	950	19	1237	372	1316	381	1394	398	1472	512	2042	345
773	13	846	150	951	23	1238	372	1317	381	1395	398	1473	393	2043	345
774	11	847	161	952	20	1241	373	1318	382	1396	398	1474	393	2044	346
775	11	850	189	953	47	1242	373	1319	382	1397	398	1475	394	2118	344
776	17	851	189	954	47	1243	276	1320	382	1398	383	1476	394	2120	344
777	17	852	189	955	47	1244	276	1321	382	1399	383	1477	376	2122	344
778	13	853	190	956	51	1245	276	1322	382	1400	383	1478	376	2124	344
779	13	854	190	957	51	1246	276	1323	382	1401	383	1479	376	2126	344
780	157	855	190	958	51	1247	276	1324	382	1402	383	1480	376	2128	344
781	157	856	185	959	51	1248	276	1325	382	1403	383	1481	376	2133	344
782	45	857	185	960	51	1255	373	1326	381	1404	383	1482	376	2135	344
783	45	858	184	961	51	1256	373	1327	381	1405	383	1483	376	2137	344
784	157	859	184	962	51	1257	373	1328	381	1406	383	1484	376	2138	344
785	157	860	188	963	51	1259	402	1329	381	1407	383	1485	377	2143	344
787	11	861	188	964	14	1260	402	1330	381	1408	384	1486	377	2144	344
788	11	862	178	965	14	1261	402	1331	381	1409	384	1487	377	2145	344
789	17	863	185	966	14	1262	402	1332	370	1410	369	1488	377	2148	345
790	17	864	185	967	14	1263	401	1333	370	1411	369	1489	377	2149	345
791	14	865	185	968	14	1264	401	1334	370	1412	369	1490	392	2150	345
792	14	866	185	969	14	1265	401	1335	370	1413	369	1491	390	2155	345
793	11	867	185	970	148	1266	401	1336	370	1414	400	1492	389	2156	344
794	11	868	185	971	148	1267	401	1337	370	1415	400	1493	389	2159	346
795	17	869	169	972	148	1268	401	1338	370	1421	406	1494	390	2161	343
796	17	870	169	973	148	1269	403	1339	370	1423	406	1495	388	2162	343
797	169	871	169	974	148	1270	378	1340	370	1424	406	1496	388	2163	343
798	88	872	171	975	148	1271	378	1349	402	1425	406	1497	445	2164	342
799	88	873	171	976	149	1272	378	1350	403	1426	406	1498	445	2165	342
801	141	874	171	977	149	1273	378	1351	403	1427	406	1500	413	2166	342
802	141	875	171	978	149	1274	378	1353	403	1428	396	1657	252	2350	350
803	142	876	171	979	149	1275	378	1354	412	1429	396	1658	252	2351	350
804	142	877	171	980	149	1276	378	1355	412	1430	396	1659	252	2352	350
805	142	878	171	981	149	1277	378	1356	412	1431	396	1663	252	2353	350
806	141	879	171	982	149	1278	378	1357	370	1432	396	1664	252	2354	350
807	147	880	171	983	149	1279	378	1358	370	1433	396	1665	252	2355	350
808	147	881	154	984	149	1280	378	1359	370	1434	397	1666	252	2356	350
809	147	882	110	985	148	1281	403	1360	121	1435	397	1667	252	2371	197
812	143	883	49	986	148	1282	403	1361	121	1436	397	1668	252	2372	197
813	155	884	49	987	148	1284	380	1362	121	1437	397	1669	253	2373	197
814	155	885	49	988	148	1285	373	1363	122	1438	397	1670	253	2403	346
815	141	886	49	989	148	1286	373	1364	122	1439	397	1671	253	2404	346
816	141	887	49	990	148	1287	373	1365	122	1440	397	1672	251	2405	346
817	143	888	49	991	149	1288	379	1366	123	1441	397	1673	251	2430	346
818	142	889	49	992	149	1289	379	1367	123	1442	397	1674	251	2431	346
819	142	890	49	993	149	1292	371	1368	123	1443	397	1683	253	2459	346
820	144	891	67	994	149	1293	371	1369	412	1444	397	1685	253	2460	344
821	145	892	67	995	149	1294	371	1370	399	1445	397	1686	253	2461	343
822	145	893	67	996	149	1295	371	1371	399	1446	415	1687	253	2462	343
823	145	894	67	997	149	1296	371	1372	399	1451	123	1688	253	2463	343
824	156	895	67	998	149	1297	371	1373	399	1452	123	1690	253	2512	348
825	156	896	67	999	149	1298	371	1374	399	1453	378	1693	252	2513	348
826	156	897	169	1100	378	1299	371	1375	399	1455	392	1695	252	2514	348
827	156	899	160	1103	379	1300	371	1376	400	1456	368	2002	345	2515	348
828	156	935	144	1191	372	1301	371	1377	400	1457	368	2005	345	2516	349
829	156	936	144	1192	372	1302	371	1378	400	1458	368	2009	345	2517	349
830	156	937	145	1202	372	1303	371	1379	400	1459	368	2011	345	2518	349
831	156	938	145	1207	380	1304	379	1380	400	1460	395	2013	345	2527	350
832	150	939	136	1208	380	1305	379	1381	400	1461	395	2015	345	2529	349
835	160	940	136	1209	380	1306	379	1382	123	1462	396	2016	345	2531	349
836	160	941	136	1210	380	1307	379	1383	123	1463	511	2025	345	2535	351
837	161	942	136	1229	373	1308	399	1384	123	1464	511	2031	345	2536	351
838	161	943	190	1230	373	1309	399	1385	123	1465	512	2032	345	2537	351
839	150	944	178	1231	373	1310	399	1388	398	1466	512	2034	345	2538	351
840	150	945	35	1232	373	1311	399	1389	398	1467	512	2035	345	2539	351
841	150	946	35	1233	372	1312	399	1390	398	1468	512	2036	345	2540	351

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
2541	351	2713	214	2786	196	3157	258	3334	350	3529	374	3645	263	3723	567
2542	351	2714	214	2790	224	3158	258	3337	359	3553	374	3646	263	3724	567
2543	351	2715	214	2791	442	3159	258	3338	359	3554	374	3647	264	3725	567
2544	342	2716	214	2792	275	3160	258	3339	359	3560	374	3648	261	3726	538
2545	342	2717	214	2793	275	3161	259	3340	359	3565	374	3649	261	3727	538
2546	342	2718	214	2794	275	3162	259	3341	359	3566	374	3650	261	3728	542
2547	344	2719	250	2796	251	3163	259	3350	353	3570	374	3651	261	3729	542
2548	341	2720	250	2797	251	3164	259	3351	353	3575	277	3652	262	3730	535
2549	341	2721	250	2798	251	3165	259	3352	353	3576	277	3653	262	3731	537
2550	341	2722	250	2799	255	3166	259	3353	353	3577	277	3654	262	3732	537
2551	341	2723	250	2800	255	3167	259	3354	354	3578	290	3655	374	3733	538
2552	346	2724	250	2801	255	3168	259	3355	354	3581	277	3656	374	3734	537
2553	346	2728	247	2802	240	3169	259	3356	354	3582	277	3657	374	3735	535
2554	358	2730	209	2803	246	3170	260	3357	354	3583	277	3658	374	3736	535
2555	359	2731	209	3009	358	3226	363	3358	354	3584	262	3659	374	3737	536
2556	359	2732	209	3018	358	3227	363	3359	355	3585	263	3660	374	3738	536
2557	359	2733	212	3035	366	3228	362	3360	355	3586	263	3663	359	3739	536
2558	342	2734	212	3057	362	3229	362	3361	355	3587	267	3664	261	3740	537
2559	341	2735	212	3070	363	3230	362	3362	355	3588	267	3665	261	3741	536
2560	341	2736	211	3100	364	3231	364	3363	355	3589	268	3666	261	3742	569
2561	341	2737	211	3101	364	3232	364	3364	354	3590	268	3667	261	3743	569
2562	347	2738	211	3111	269	3233	364	3365	354	3591	268	3668	339	3744	569
2563	347	2739	255	3112	269	3234	364	3366	354	3592	268	3669	266	3745	569
2564	347	2740	255	3113	270	3235	364	3367	353	3593	263	3673	247	3746	569
2568	350	2741	255	3114	270	3236	364	3368	353	3594	263	3674	262	3747	569
2569	350	2742	250	3115	270	3237	366	3369	353	3595	267	3675	260	3748	569
2570	350	2743	250	3116	271	3238	366	3370	353	3596	267	3676	260	3749	569
2571	350	2744	250	3117	272	3239	366	3371	352	3597	267	3677	261	3750	569
2573	341	2745	249	3118	272	3240	366	3372	352	3598	267	3680	408	3751	560
2574	341	2746	249	3119	272	3243	361	3423	274	3599	264	3681	408	3752	560
2575	444	2747	249	3120	272	3244	362	3469	265	3600	264	3682	408	3753	565
2576	444	2748	222	3121	272	3246	361	3470	265	3601	264	3683	407	3754	565
2580	342	2749	222	3122	272	3247	361	3471	265	3602	264	3684	407	3755	569
2581	342	2750	443	3123	272	3248	365	3472	265	3603	264	3685	407	3756	557
2582	342	2751	442	3124	273	3249	366	3473	265	3604	264	3686	408	3757	557
2583	444	2752	442	3125	273	3250	365	3474	266	3605	264	3687	408	3758	549
2584	444	2753	442	3126	273	3251	365	3475	570	3606	264	3688	408	3759	549
2585	444	2754	441	3127	273	3252	365	3476	570	3607	265	3689	266	3760	549
2586	444	2755	441	3128	273	3253	363	3477	570	3608	265	3690	266	3761	557
2587	350	2756	441	3129	269	3254	363	3478	570	3609	265	3691	262	3762	557
2588	350	2757	443	3130	269	3256	363	3479	570	3610	265	3692	262	3763	558
2589	350	2760	202	3131	407	3257	363	3480	571	3611	266	3694	268	3764	558
2590	359	2761	202	3132	407	3258	363	3481	571	3612	266	3695	268	3765	558
2591	346	2762	202	3133	407	3259	362	3482	571	3613	266	3696	268	3766	558
2592	347	2763	202	3134	269	3260	366	3483	571	3614	266	3697	269	3767	566
2593	343	2764	202	3135	269	3261	361	3484	571	3615	266	3698	247	3768	566
2594	343	2765	202	3136	269	3262	362	3485	571	3616	267	3700	556	3769	566
2595	343	2766	202	3137	269	3263	362	3486	571	3617	374	3701	556	3770	566
2596	343	2767	202	3138	270	3264	366	3500	350	3618	374	3702	556	3771	566
2597	343	2768	202	3139	270	3265	364	3501	350	3619	374	3703	432	3772	566
2598	343	2769	202	3140	270	3269	366	3502	350	3620	274	3704	432	3773	566
2599	344	2770	202	3141	270	3270	366	3503	350	3621	290	3705	548	3774	566
2600	344	2771	202	3142	270	3271	365	3504	350	3622	291	3706	548	3775	566
2601	344	2772	203	3143	270	3300	358	3505	350	3623	291	3707	547	3776	566
2700	221	2773	203	3144	273	3303	358	3507	350	3624	339	3708	547	3777	569
2701	231	2774	203	3145	273	3307	358	3508	350	3625	358	3709	546	3782	569
2702	231	2775	203	3146	273	3309	358	3509	350	3627	260	3710	546	3783	569
2703	231	2776	203	3147	273	3312	358	3510	350	3628	260	3711	546	3784	569
2704	220	2777	203	3148	274	3318	358	3511	350	3629	260	3712	546	3785	570
2705	220	2778	252	3149	274	3319	358	3512	350	3630	260	3713	545	3786	570
2706	221	2779	252	3150	274	3320	358	3522	374	3631	260	3714	547	3787	570
2707	208	2780	252	3151	274	3321	358	3523	374	3632	260	3715	547	3788	570
2708	208	2781	196	3152	274	3322	358	3524	374	3640	262	3716	548	3789	570
2709	208	2782	196	3153	257	3326	358	3525	374	3641	262	3717	548	3790	570
2710	208	2783	196	3154	258	3327	358	3526	374	3642	263	3720	567	3791	570
2711	208	2784	196	3155	258	3331	350	3527	374	3643	263	3721	567	3792	570
2712	208	2785	196	3156	258	3333	350	3528	374	3644	263	3722	567	3793	570

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3794	570	3867	533	3944	561	4207	208	4459	203	4857	304	4941	308	5131	360
3795	568	3868	549	3945	561	4216	210	4460	203	4858	304	4942	308	5132	360
3796	568	3869	550	3946	561	4220	213	4461	203	4859	304	4943	308	5133	360
3797	568	3874	608	3947	562	4223	276	4466	249	4860	304	4944	308	5134	360
3798	568	3875	533	3948	562	4224	276	4467	249	4861	304	4945	308	5135	361
3799	568	3876	534	3949	562	4225	276	4468	249	4862	304	4946	308	5136	361
3800	568	3877	534	3950	562	4242	213	4472	225	4863	305	4947	308	5137	361
3801	568	3878	533	3951	563	4244	213	4473	229	4864	305	4948	308	5138	361
3802	569	3879	531	3952	563	4246	213	4474	234	4865	305	4949	308	5139	361
3803	568	3880	531	3953	563	4254	215	4475	234	4866	305	4966	403	5140	361
3804	568	3881	532	3954	563	4255	276	4476	234	4867	305	4967	411	5489	337
3805	568	3882	531	3955	564	4256	276	4477	235	4868	305	4968	411	5490	337
3806	568	3883	531	3956	564	4257	276	4478	235	4869	305	4973	403	5493	337
3807	568	3884	534	3957	564	4259	239	4479	235	4870	305	4982	411	5494	337
3808	568	3885	534	3958	586	4274	215	4482	237	4871	305	4987	325	5501	338
3809	568	3886	535	3959	586	4276	215	4483	237	4872	304	4997	402	5502	337
3810	568	3887	532	3960	587	4277	215	4484	237	4873	304	4998	402	5554	334
3816	555	3888	532	3961	588	4278	215	4485	237	4874	304	4999	402	5555	334
3817	555	3889	542	3962	587	4300	245	4486	236	4887	305	5031	308	5558	334
3818	538	3890	573	3963	587	4301	241	4487	236	4888	305	5032	308	5560	334
3819	539	3891	573	3964	588	4302	243	4488	236	4889	305	5033	308	5562	400
3820	539	3892	574	3965	588	4307	242	4489	233	4890	315	5050	402	5563	400
3821	543	3893	574	3966	589	4308	242	4490	233	4891	315	5051	402	5564	400
3822	543	3894	575	3967	589	4361	227	4491	233	4892	315	5052	402	5565	400
3823	543	3895	575	3968	589	4362	228	4497	236	4893	315	5053	401	5566	398
3824	543	3896	577	3969	590	4364	239	4498	225	4894	315	5056	401	5567	398
3825	544	3897	578	3970	590	4365	241	4499	232	4895	315	5057	404	5570	380
3826	544	3898	578	3971	590	4366	243	4737	316	4896	315	5058	404	5571	414
3827	544	3899	578	3972	591	4367	242	4738	316	4897	315	5059	404	5572	414
3828	544	3900	575	3973	591	4368	227	4739	316	4898	315	5068	325	5586	333
3829	545	3901	576	3974	593	4369	214	4740	316	4904	309	5069	325	5588	333
3830	540	3902	577	3975	593	4388	242	4741	316	4905	309	5070	325	5607	333
3831	553	3903	577	3976	593	4389	214	4742	316	4906	309	5071	325	5608	333
3832	553	3904	608	3977	594	4390	214	4743	316	4907	309	5072	325	5609	334
3833	553	3905	608	3978	591	4394	244	4744	316	4908	309	5073	325	5610	334
3834	554	3906	609	3979	592	4399	245	4745	317	4909	309	5074	325	5611	334
3835	554	3907	609	3980	592	4407	240	4746	317	4910	309	5075	325	5612	334
3836	554	3910	609	3981	592	4408	240	4759	316	4911	309	5076	325	5692	283
3837	555	3911	609	3982	575	4409	240	4760	316	4912	309	5077	411	5699	286
3838	555	3912	430	3983	576	4410	240	4797	308	4913	310	5078	414	5735	283
3839	565	3913	430	3984	575	4413	241	4798	308	4914	310	5079	415	5745	288
3840	567	3914	430	3985	575	4414	241	4800	311	4915	310	5081	415	5752	286
3841	567	3916	576	3986	605	4418	214	4801	311	4916	309	5082	415	5755	285
3842	567	3917	576	3987	605	4419	214	4802	311	4917	309	5083	415	5806	286
3843	567	3918	576	3988	606	4420	214	4803	310	4918	309	5084	414	5824	286
3844	567	3919	576	3989	606	4421	228	4804	310	4919	310	5085	414	5827	279
3845	565	3920	559	3990	607	4426	245	4805	310	4920	310	5086	410	5844	279
3847	550	3921	559	3991	607	4427	243	4806	311	4921	310	5087	410	5894	285
3848	550	3922	559	3992	581	4428	243	4807	311	4922	314	5088	410	5895	285
3849	550	3923	559	3993	581	4429	243	4808	311	4923	314	5089	410	5896	290
3850	551	3924	560	3994	581	4431	242	4809	310	4924	314	5090	410	5897	290
3851	552	3925	560	3995	582	4432	242	4810	310	4925	314	5091	411	5906	279
3852	553	3926	539	3996	582	4439	254	4811	310	4926	314	5096	379	5917	288
3853	551	3927	554	3997	582	4440	211	4812	311	4927	314	5097	379	5927	282
3854	551	3928	579	4061	276	4441	209	4813	311	4928	315	5110	379	5928	282
3855	552	3929	579	4062	276	4444	241	4814	311	4929	315	5116	359	5929	282
3856	552	3930	579	4084	276	4445	241	4815	310	4930	315	5117	359	5930	282
3857	552	3931	580	4122	210	4446	241	4816	310	4931	307	5118	359	5931	282
3858	551	3932	580	4123	212	4447	204	4817	310	4932	307	5119	359	5932	282
3859	545	3933	580	4124	212	4448	204	4818	306	4933	307	5120	360	5933	282
3860	545	3934	579	4140	213	4449	204	4821	306	4934	307	5121	360	5938	285
3861	541	3935	579	4156	210	4453	207	4824	306	4935	307	5123	360	5939	285
3862	541	3936	579	4160	208	4454	207	4826	306	4936	307	5124	360	5940	280
3863	541	3937	580	4162	208	4455	207	4833	307	4937	307	5127	360	5941	280
3864	541	3938	580	4164	210	4456	208	4854	303	4938	307	5128	360	5942	280
3865	533	3939	580	4166	210	4457	208	4855	303	4939	307	5129	360	5943	279
3866	532	3943	561	4174	212	4458	208	4856	303	4940	308	5130	360	5944	279

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
5945	279	6250	322	6359	313	6447	330	7056	432	7151	203	7269	255	7365	217
5946	281	6251	322	6361	313	6448	330	7057	522	7153	238	7270	255	7366	216
5947	281	6256	298	6363	313	6449	330	7058	521	7154	238	7271	255	7367	216
5948	281	6257	298	6364	313	6450	299	7059	522	7155	230	7282	217	7368	217
5949	280	6258	298	6365	313	6451	297	7060	523	7156	229	7283	217	7402	206
5950	280	6262	320	6366	313	6452	297	7061	523	7157	225	7284	217	7403	206
5951	280	6263	321	6367	314	6453	297	7062	523	7159	215	7285	219	7407	209
5952	281	6264	321	6368	314	6454	297	7063	524	7160	215	7286	219	7408	209
5953	281	6265	321	6369	314	6458	297	7064	517	7161	216	7287	219	7409	209
5954	281	6266	331	6370	313	6459	328	7065	517	7163	216	7288	219	7410	244
5955	280	6268	299	6371	313	6460	328	7066	520	7164	216	7289	219	7411	244
5956	280	6270	299	6372	313	6461	328	7067	520	7166	216	7290	219	7412	244
5957	280	6271	299	6373	314	6462	328	7068	520	7169	251	7291	218	7413	244
5958	281	6272	320	6375	314	6463	328	7069	521	7170	240	7292	218	7414	239
5959	281	6273	321	6376	296	6464	328	7070	520	7173	214	7293	218	7415	230
5960	281	6276	316	6380	296	6465	328	7071	520	7176	235	7295	218	7416	227
5961	280	6277	316	6381	296	6466	328	7072	521	7177	236	7296	218	7418	211
5962	280	6278	316	6384	298	6467	330	7073	521	7178	236	7297	219	7419	209
5963	280	6279	316	6385	298	6468	330	7074	523	7179	236	7298	219	7420	226
5964	281	6280	317	6386	299	6469	330	7075	523	7180	236	7300	219	7421	226
5965	281	6281	316	6387	329	6470	330	7076	518	7181	237	7301	219	7422	206
5966	281	6282	329	6388	329	6471	295	7077	518	7182	237	7302	219	7423	243
5967	280	6283	329	6392	320	6472	330	7078	494	7183	237	7303	255	7425	243
5968	280	6284	329	6393	320	6473	330	7079	494	7184	238	7304	255	7427	245
5969	280	6285	329	6394	320	6474	319	7080	494	7185	238	7305	255	7428	251
5970	279	6286	329	6399	329	6475	319	7081	495	7186	238	7306	255	7429	250
5971	279	6287	329	6400	329	6476	319	7082	495	7187	238	7307	255	7430	250
5972	279	6292	303	6401	302	6477	319	7083	495	7188	238	7308	255	7431	250
5977	289	6293	303	6402	302	6478	319	7086	498	7189	238	7309	219	7432	250
5978	289	6294	303	6403	302	6479	319	7087	494	7190	238	7317	204	7433	250
5979	289	6295	305	6404	302	6480	319	7088	494	7191	238	7320	212	7434	250
5980	290	6296	305	6405	302	6481	319	7089	494	7193	207	7324	218	7435	247
5981	290	6297	305	6406	302	6482	319	7090	495	7194	215	7325	218	7436	247
5982	290	6299	320	6407	302	6483	327	7091	495	7195	215	7326	218	7437	247
5983	290	6306	321	6408	302	6484	327	7092	495	7196	210	7327	226	7438	247
5984	288	6309	321	6409	302	6485	327	7093	498	7197	210	7328	230	7439	247
5985	288	6310	321	6410	302	6486	327	7098	427	7198	210	7331	254	7440	247
5986	289	6313	321	6411	302	6487	324	7099	427	7199	212	7332	254	7453	245
5987	289	6314	321	6412	302	6488	324	7100	232	7200	212	7333	254	7454	245
5988	281	6318	322	6413	303	6489	324	7103	234	7201	212	7334	254	7455	245
5989	281	6319	322	6414	303	6490	324	7106	234	7202	208	7335	225	7456	230
5990	281	6320	322	6415	303	6491	324	7109	235	7203	208	7336	225	7457	226
5991	282	6321	322	6416	303	6492	324	7110	235	7204	208	7337	249	7458	240
5992	282	6322	322	6417	303	6493	324	7111	235	7216	230	7338	249	7459	240
5993	282	6323	322	6418	303	6494	324	7112	235	7217	228	7339	249	7460	240
6018	300	6324	323	6420	295	6495	324	7113	233	7218	227	7340	249	7461	223
6019	299	6325	323	6422	304	6600	293	7114	233	7219	224	7341	204	7462	223
6029	299	6326	323	6423	304	6601	293	7115	233	7220	227	7342	205	7463	223
6052	323	6328	300	6424	304	6602	293	7116	233	7229	207	7343	205	7464	223
6053	323	6329	298	6427	299	6603	294	7119	239	7230	210	7344	205	7465	224
6054	323	6332	298	6428	304	6604	294	7120	239	7231	210	7346	211	7466	224
6055	323	6333	298	6429	304	7033	429	7121	203	7234	277	7349	207	7467	224
6056	323	6334	311	6430	306	7034	428	7123	213	7235	277	7350	207	7468	224
6057	323	6338	312	6431	306	7035	429	7124	213	7236	277	7351	207	7470	443
6184	331	6340	312	6432	299	7039	428	7126	253	7240	206	7352	207	7471	441
6185	331	6346	312	6433	299	7040	428	7127	253	7241	206	7353	207	7472	232
6198	331	6347	312	6436	299	7042	428	7128	253	7242	206	7354	207	7473	231
6199	331	6348	312	6437	299	7043	428	7133	216	7246	206	7355	218	7474	226
6200	331	6349	312	6438	90	7044	509	7134	216	7251	231	7356	218	7475	229
6201	331	6350	312	6439	90	7045	509	7142	231	7252	231	7357	213	7476	249
6217	295	6352	312	6440	91	7046	519	7143	232	7260	206	7358	213	7477	249
6221	295	6353	312	6441	91	7047	519	7144	232	7261	206	7359	213	7478	249
6222	295	6354	312	6442	90	7051	429	7145	229	7262	206	7360	218	7479	201
6229	320	6355	313	6443	90	7052	429	7146	228	7263	211	7361	218	7480	201
6231	320	6356	313	6444	91	7053	430	7147	229	7264	211	7362	209	7481	201
6238	296	6357	313	6445	91	7054	430	7148	228	7265	211	7363	209	7482	201
6239	296	6358	313	6446	330	7055	432	7150	203	7266	205	7364	209	7483	201



SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
7484	201	7552	510	8083	294	8247	497	8315	417	8423	450	8538	487	8614	486
7485	201	7553	508	8084	294	8249	418	8316	489	8424	450	8539	487	8615	486
7486	201	7554	508	8085	294	8250	503	8317	489	8425	451	8540	487	8616	486
7487	201	7555	513	8086	293	8251	503	8318	489	8427	452	8541	488	8617	486
7488	200	7556	513	8087	293	8252	503	8319	489	8428	453	8542	488	8618	486
7489	200	7557	513	8088	293	8253	503	8320	489	8429	449	8543	488	8619	486
7490	200	7558	513	8119	300	8254	504	8321	489	8430	450	8544	488	8620	486
7491	200	7559	513	8156	300	8255	504	8322	489	8431	450	8547	283	8621	511
7492	200	7560	513	8157	300	8256	504	8323	489	8432	451	8548	337	8622	511
7493	200	7561	513	8158	300	8257	504	8324	489	8433	451	8549	337	8623	515
7494	200	7562	513	8173	151	8258	504	8325	489	8436	443	8550	283	8624	515
7495	200	7563	516	8174	151	8259	504	8326	489	8437	418	8551	491	8625	515
7496	200	7564	516	8175	151	8260	504	8327	489	8438	459	8552	491	8626	509
7497	251	7565	516	8176	151	8261	504	8328	489	8439	459	8553	491	8627	509
7498	251	7566	516	8177	151	8262	502	8329	489	8440	460	8554	491	8628	521
7499	251	7567	516	8178	151	8263	502	8330	489	8441	460	8557	603	8629	522
7500	506	7568	517	8179	151	8264	502	8331	489	8445	461	8558	603	8649	447
7501	506	7569	508	8180	151	8265	502	8332	489	8446	451	8559	247	8650	447
7502	506	7570	508	8181	151	8266	502	8333	489	8447	453	8560	486	8651	446
7503	506	7600	391	8182	152	8267	502	8334	490	8458	437	8561	486	8670	426
7504	506	7601	391	8183	152	8268	502	8335	490	8459	437	8562	486	8671	426
7505	506	7602	386	8184	152	8269	502	8336	490	8460	437	8563	486	8672	426
7506	506	7603	387	8197	152	8270	503	8337	490	8461	437	8564	432	8673	426
7507	506	7604	386	8198	152	8271	503	8338	490	8462	437	8565	432	8674	283
7508	507	7605	387	8199	152	8272	503	8339	490	8463	437	8566	509	8700	479
7509	507	7606	386	8202	501	8273	503	8340	490	8464	458	8567	508	8701	479
7510	507	7607	387	8203	501	8274	419	8341	490	8466	454	8568	508	8702	479
7511	507	7608	386	8204	501	8275	301	8342	490	8467	454	8569	431	8703	479
7512	507	7609	387	8205	501	8276	435	8344	499	8468	454	8570	431	8704	463
7513	517	7903	448	8206	501	8277	435	8345	499	8469	454	8571	431	8705	464
7514	517	7950	129	8207	501	8278	435	8346	499	8470	452	8573	283	8706	475
7515	509	7951	129	8208	498	8279	436	8347	499	8474	456	8574	284	8707	475
7516	509	7952	129	8209	490	8280	492	8348	384	8475	456	8575	284	8708	475
7517	510	7953	129	8210	490	8281	492	8349	384	8476	457	8576	284	8709	475
7518	510	7954	128	8211	490	8282	492	8350	384	8477	457	8577	284	8710	476
7519	518	7955	128	8212	490	8283	492	8351	384	8478	457	8578	284	8711	476
7520	518	7956	128	8213	491	8284	492	8352	384	8479	458	8579	267	8712	476
7521	518	7957	128	8214	491	8285	492	8353	384	8500	427	8580	267	8713	476
7522	519	7958	125	8215	491	8286	493	8354	438	8501	433	8581	268	8714	476
7523	435	7959	125	8216	491	8287	493	8355	461	8503	433	8582	268	8715	476
7524	496	7960	125	8217	496	8288	493	8357	438	8504	433	8583	271	8716	481
7525	496	7961	125	8218	496	8289	493	8359	461	8505	433	8584	271	8717	482
7526	496	7962	126	8219	496	8290	493	8360	438	8506	433	8585	271	8718	482
7527	496	7963	126	8220	496	8291	493	8369	439	8507	431	8586	271	8719	483
7529	522	7964	126	8221	500	8292	493	8372	439	8508	431	8587	271	8720	483
7530	522	7965	126	8222	500	8293	493	8377	458	8514	429	8588	272	8721	483
7531	519	7966	127	8223	500	8294	493	8379	439	8517	515	8589	271	8722	483
7532	519	7967	127	8224	500	8295	492	8382	419	8518	515	8590	271	8723	483
7533	291	7968	127	8225	499	8296	492	8384	335	8519	427	8591	271	8724	483
7534	291	7969	127	8226	499	8297	492	8385	438	8520	427	8592	272	8725	484
7535	291	7970	129	8227	499	8298	492	8387	438	8521	421	8595	258	8726	484
7536	291	7971	129	8228	499	8299	492	8389	438	8522	421	8596	258	8727	484
7537	291	7972	129	8232	498	8300	492	8395	439	8523	422	8597	257	8728	484
7538	291	7973	129	8233	497	8301	495	8397	439	8524	422	8598	257	8729	480
7539	507	7974	129	8234	497	8302	495	8399	439	8525	423	8599	257	8730	480
7540	507	7975	129	8235	497	8303	495	8400	459	8526	423	8600	425	8731	480
7541	508	7977	129	8236	498	8304	495	8401	439	8527	494	8601	425	8732	480
7542	508	7978	129	8237	498	8305	495	8402	439	8528	494	8602	424	8733	477
7543	507	7979	129	8238	498	8306	495	8414	452	8529	494	8603	424	8734	477
7544	510	8070	317	8239	497	8307	500	8415	452	8530	494	8604	424	8735	477
7545	510	8073	317	8240	497	8308	500	8416	453	8531	494	8605	424	8736	477
7546	510	8074	317	8241	497	8309	500	8417	449	8532	494	8608	257	8737	478
7547	510	8075	317	8242	497	8310	500	8418	449	8533	501	8609	487	8738	478
7548	510	8076	317	8243	497	8311	418	8419	449	8534	501	8610	487	8739	478
7549	510	8080	444	8244	497	8312	417	8420	453	8535	501	8611	488	8740	478
7550	510	8081	294	8245	497	8313	417	8421	453	8536	501	8612	488	8741	478
7551	510	8082	294	8246	497	8314	417	8422	452	8537	487	8613	486	8742	479

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
8743	481	8810	473	11145	129	40411	597	500081	528						
8744	481	8811	473	15011	413	40421	597	500082	528						
8745	478	8812	473	15021	413	40431	594								
8746	481	8813	473	15031	413	42151	210								
8747	481	8814	473	20000	132	42411	210								
8748	477	8815	474	20001	132	42501	212								
8749	477	8816	474	20003	133	42511	212								
8750	246	8817	469	20004	133	42521	212								
8751	246	8818	469	20006	132	42581	210								
8752	246	8819	473	20007	132	42591	239								
8753	246	8820	474	20009	133	43001	245								
8754	466	8821	474	20010	133	43011	241								
8755	466	8822	474	20012	23	43071	242								
8756	467	8830	482	20013	23	43421	211								
8757	467	8831	482	20014	23	43431	211								
8758	467	8832	482	20016	146	43441	211								
8759	467	8833	480	20017	156	43641	239								
8760	467	8834	480	20018	156	43651	241								
8761	467	8874	152	20019	156	43881	243								
8762	468	8875	152	20020	156	44801	237								
8763	468	8876	152	20021	181	44941	236								
8764	468	8877	257	20022	181	45641	221								
8765	468	8878	257	20023	181	45651	221								
8766	468	8879	257	20024	63	45661	222								
8767	468	8880	257	20025	63	45671	222								
8768	469	8881	254	34235	274	45681	215								
8769	469	8882	254	36205	274	45691	215								
8770	465	8883	254	40011	583	56011	335								
8771	465	8884	254	40021	583	56021	335								
8772	465	8885	254	40031	583	56031	335								
8773	465	8886	254	40041	584	56041	335								
8774	466	8887	153	40051	584	58111	61								
8775	466	8888	153	40061	584	60246	295								
8776	466	8890	153	40071	585	60256	295								
8777	466	8891	153	40081	586	60266	298								
8778	464	8913	153	40091	585	60276	298								
8779	464	8914	153	40101	585	60286	295								
8780	464	9104	291	40111	540	60303	301								
8781	464	9546	291	40121	540	60696	298								
8782	464	9757	338	40131	540	62186	295								
8783	470	9944	374	40141	598	62196	295								
8784	470	9945	374	40151	598	62206	295								
8785	470	9947	357	40161	599	62366	296								
8786	470	9952	374	40171	599	62376	296								
8787	470	9953	374	40181	599	62406	296								
8788	470	9954	374	40191	600	62416	296								
8789	471	9955	374	40201	600	62426	296								
8790	471	9956	357	40211	599	62436	296								
8791	463	9957	357	40221	600	63776	296								
8792	463	9969	300	40231	600	63796	296								
8793	463	9970	300	40241	601	64511	297								
8794	463	9981	356	40251	601	64521	297								
8795	472	9982	356	40261	601	71011	234								
8796	472	9983	356	40271	601	71031	234								
8797	451	9984	356	40281	602	71041	234								
8798	451	9985	356	40291	602	71071	235								
8799	465	9986	357	40301	602	71081	235								
8800	465	9989	300	40311	425	71091	235								
8801	471	9990	357	40321	425	71811	237								
8802	471	9997	300	40331	596	80981	419								
8803	472	9999	300	40341	595	83111	418								
8804	471	11077	528	40351	595	94006	283								
8805	471	11078	529	40361	595	94008	284								
8806	472	11079	527	40371	594	94010	284								
8807	469	11088	528	40381	596	94012	284								
8808	469	11109	526	40391	596	94026	284								
8809	472	11144	129	40401	597	94027	284								



**DIALux Partner**



**TUV**



**RoHS**



**CE / LVD**




**Certified and Tested**




**CE/EMC**



# V-TAC SMART LIGHT

works with  
 amazon alexa

works with the  
 Google Assistant



More than  
**3500**  
Products

**Head Offices**  
Sofia | London

Europe Office  
1, Iliansko Shaussee Blvd,  
Sofia 1220, Bulgaria  
[www.v-tac.eu](http://www.v-tac.eu)

**UK Office**  
Springheath House,  
Kelpatrick Road,  
Slough, Berkshire,  
SL1 6BW, UK.  
[www.v-tac.co.uk](http://www.v-tac.co.uk)

**Middle East Office**  
Unit# 407/8/9 Jumeirah  
Bay Towers,  
Plot# X3, JLT,  
P.O. Box 45244, Dubai.  
[www.vtacexports.com](http://www.vtacexports.com)



DECORATIVE PENDANTS LED STRIP LIGHTS LED STRIP LIGHTS LED TRACK LIGHTS  
TOWER FANS LED SPOT LIGHTS CAMERAS FIRE RATED LIGHTS  
TABLE LIGHTS SOCKETS LED LINEAR LIGHTS LED SOLAR LIGHTS