

V-TAC[®]
INNOVATIVE LED LIGHTING

evolution

Super BRIGHT

160

LUMENS / W



A new milestone in our ceaseless approach towards **innovation.**
















INTRODUCING THE NEW SERIES



Our bestselling fixtures with LED — now upgraded with a superior efficiency of **160 lm/W** through the latest in LED technology.

Super **BRIGHT**
160
LUMENS / W

Table Of Contents

	Super Lumen Lights	01
	CCT Changeable	08
	LED PRO Series	10
	Smart Lights	16
	Magnetic Track Lights	19
	LED Strip Light	24
	Sensors	29
	Electric Fan	31
	Electronic Insect Killer	36
	Wireless Speakers	37
	Cable Tie	38
	Designer Pendants	39
	Mirror Lamps	41
	Garden Lights	43
	Wall Lights	46



21
IN

RECESSED
OR
SURFACE

evolution

Super **BRIGHT**

160

LUMENS / W

LED Backlite Panel

THIS 25W LED PANEL DELIVERS 4000 LUMENS THROUGH ITS IMPRESSIVE 160 LM/W RATING. WITH THE FLEXIBILITY TO BE INSTALLED RECESSED OR SURFACE-MOUNTED, IT IS SURE TO BE ONE OF THE BEST PREFERRED PANELS IN THE MARKET.



**2 YEAR
WARRANTY**

VT-6125

**25
Watts**

**4000
Lumens**

SKU: 6600 – 3000K Warm White
SKU: 6601 – 4000K Day White
SKU: 6602 – 6400K White



evolution

Super**BRIGHT**

160

LUMENS / W

LED Floodlights

ONLY FROM V-TAC — THE FIRST AND ONLY LED GRILL FITTINGS WITH 160 LUMENS PER WATT RATING FROM THE SUPER BRIGHT SERIES OFFER SUPERIOR EFFICIENCY AND GREAT ENERGY SAVINGS. COMES WITH A FAST CONNECTOR FOR EASY WIRING AND INSTALLATION.



**5 YEAR
 WARRANTY**



**IP65
 RATING**

VT-4961

**50
 Watts**

**8000
 Lumens**

SKU: 5918- 4000K Day White
 SKU: 5919 - 6400K White

VT-49161

**100
 Watts**

**16000
 Lumens**

SKU: 5920- 4000K Day White
 SKU: 5921 - 6400K White

VT-49261

**200
 Watts**

**32000
 Lumens**

SKU: 5922- 4000K Day White
 SKU: 5923 - 6400K White



evolution

Super **BRIGHT**

160

LUMENS / W

LED Highbay

USING
SAMSUNG
 POWER SUPPLY

A NEW STRONG LED HIGHBAY WITH SAMSUNG DRIVER. WITH OUR LATEST INBRANDING PROGRAM WITH SAMSUNG, THESE HIGHBAYS BOASTS OF EFFICIENCY IN EVERY LUMEN WITH SAMSUNG'S CUTTING-EDGE DRIVERS. WITH STRONG, IP65-RATED DIECAST ALUMINUM ENCLOSING AND UNPARALLELED LIGHTING PERFORMANCE, THESE LED HIGHBAYS ARE SURE TO TAKE THE INDUSTRIAL LIGHTING MARKET BY STORM.



5 YEAR
WARRANTY



IP65
RATING

VT-9-113

100
Watts

16000
Lumens

SKU: 20024 - 4000K Day White
 SKU: 20025 - 6400K White



A++
ENERGY RATING



*Super***BRIGHT**

160

LUMENS / W

LED Tubes

TOGETHER WITH ITS IMPRESSIVE A++ ENERGY RATING, OUR LED TUBES OFFER A STAGGERING 160 LUMEN PER WATT OUTPUT AND FIVE YEARS WARRANTY — MAKING IT ONE OF THE MOST SUPERIOR IN THE COMPETITIVE LED MARKET.



5 YEAR WARRANTY

VT-1607

7 Watts

1120 Lumens

SKU: 6474 | 3000K Warm White
 SKU: 6475 | 4000K Day White
 SKU: 6476 | 6400K White

60 CM

VT-1612

12 Watts

1920 Lumens

SKU: 6477 | 3000K Warm White
 SKU: 6478 | 4000K Day White
 SKU: 6479 | 6400K White

120 CM

VT-1615

15 Watts

2400 Lumens

SKU: 6480 | 3000K Warm White
 SKU: 6481 | 4000K Day White
 SKU: 6482 | 6400K White

150 CM



evolution

Super**BRIGHT**

160

LUMENS / W

LED Waterproof Fittings X SERIES

LED WATERPROOF FITTINGS WITH SUPERIOR EFFICIENCY AT 160 LM/W AND HIGH-QUALITY CORROSION-RESISTANT FITTINGS — AN INDUSTRY-LEADING INNOVATION ONLY FROM V-TAC.



**5 YEAR
 WARRANTY**



**IP65
 RATING**

**QUICK
 CONNECTOR**

VT-1524

**24
 Watts**

**3840
 Lumens**

SKU: 6485 – 4500K Day White
 SKU: 6486 – 6400K White

120 CM

VT-1532

**32
 Watts**

**5120
 Lumens**

SKU: 6483 – 4500K Day White
 SKU: 6484 – 6400K White

150 CM





evolution

Super**BRIGHT**

160

LUMENS / W

LED Grill Fittings

ONLY FROM V-TAC — THE FIRST AND ONLY LED GRILL FITTINGS WITH 160 LUMENS PER WATT RATING FROM THE SUPER BRIGHT SERIES OFFER SUPERIOR EFFICIENCY AND GREAT ENERGY SAVINGS. COMES WITH A FAST CONNECTOR FOR EASY WIRING AND INSTALLATION.



**5 YEAR
 WARRANTY**

VT-8315

**15
 Watts**

**2400
 Lumens**

SKU: 6487 - 3000K Warm White
 SKU: 6488 - 4000K Day White
 SKU: 6489 - 6400K White

60 CM

VT-8330

**30
 Watts**

**4800
 Lumens**

SKU: 6490 - 3000K Warm White
 SKU: 6491 - 4000K Day White
 SKU: 6492 - 6400K White

120 CM

VT-8338

**38
 Watts**

**6080
 Lumens**

SKU: 6493 - 3000K Warm White
 SKU: 6494 - 4000K Day White
 SKU: 6495 - 6400K White

150 CM

LED ED120 FILAMENT



VT-2324

**24
Watts**

**3840
Lumens**

SKU: 2816 - 4000K Day White
 SKU: 2817 - 6400K White



**5 YEAR
WARRANTY**



Super**BRIGHT**

160

LUMENS / W

LED Plastic Bulb



Super**BRIGHT**

160

LUMENS / W



**A++
ENERGY
RATING**



**5 YEAR
WARRANTY**

A60

VT-2307

**6.5
Watts**

**1055
Lumens**

SKU: 2806 - 3000K Warm White
 SKU: 2807 - 4000K Day White
 SKU: 2808 - 6400K White

A60

VT-2310

**9.5
Watts**

**1521
Lumens**

SKU: 2809 - 3000K Warm White
 SKU: 2810 - 4000K Day White
 SKU: 2811 - 6400K White

A65

VT-2315

**15
Watts**

**2500
Lumens**

SKU: 2812 - 3000K Warm White
 SKU: 2813 - 4000K Day White
 SKU: 2814 - 6400K White



LED Backlite Panel

VT-6240 **40 Watts** **3200 Lumens**

SKU: 6605 | 3 in 1

31 IN **COLOR CHANGING**

Watts: 40w
 Voltage/Frequency: AC:200-240v
 Luminous Flux: 3200
 CRI: >80
 PF: >0.9
 Beam Angle: 110°
 Body Type: pp
 Dimension: 595 x 595 x 30



EASY ACCESS FOR COLOR CHANGING WITH BUTTON



CCT ADJUSTABLE



Stery Cover


LED Domelight



Milky Cover



EASY ACCESS FOR COLOR CHANGING WITH BUTTON



CCT ADJUSTABLE



COLOR CHANGING

VT-8412-S **12w Watts** **720 Lumens**

SKU: 7602 - 3IN1

VT-8418-S **18w Watts** **1080 Lumens**

SKU: 7604 - 3IN1

VT-8424-S **24w Watts** **1440 Lumens**

SKU: 7606 - 3IN1

VT-8436-S **36w Watts** **2160 Lumens**

SKU: 7608 - 3IN1

VT-8412-M **12w Watts** **720 Lumens**

SKU: 7603 - 3IN1

VT-8418-M **18w Watts** **1080 Lumens**

SKU: 7605 - 3IN1

VT-8424-M **24w Watts** **1440 Lumens**

SKU: 7607 - 3IN1

VT-8436-M **36w Watts** **2160 Lumens**

SKU: 7609 - 3IN1



120°
Beaming Angle



EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



IP66
RATING



31 COLOR
CHANGING

LED Step Light

VT-1173 | 3 Watts | 200 Lumens

SKU: 8919 - 3 in 1 CCT - White
SKU: 8920 - 3 in 1 CCT - Black
SKU: 8921 - 3 in 1 CCT - Grey

VT-1145 | 5 Watts | 240 Lumens

SKU: 8922 - 3 in 1 CCT - White
SKU: 8923 - 3 in 1 CCT - Black
SKU: 8924 - 3 in 1 CCT - Grey

BEAM ANGLE
CRI
PF
VOLTAGE /FREQUENCY
IP RATING
UNIT SIZE
CUT-OFF SIZE
BODY MATERIAL

120°
>80
>0.5
AC175~265V, 50/60Hz
IP66
105×81×50mm
87.5×53×55mm
Pure Aluminum housing
Clear / Woven White Glass Cover



38°
Beaming Angle



EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



IP66
RATING



31 COLOR
CHANGING

LED Step Light

VT-1183 | 3 Watts | 160 Lumens


SKU: 8925 - 3 in 1 CCT - White
SKU: 8926 - 3 in 1 CCT - Black
SKU: 8927 - 3 in 1 CCT - Grey

VT-1185 | 5 Watts | 200 Lumens

SKU: 8928 - 3 in 1 CCT - White
SKU: 8929 - 3 in 1 CCT - Black
SKU: 8930 - 3 in 1 CCT - Grey


BEAM ANGLE
CRI
PF
VOLTAGE /FREQUENCY
IP RATING
UNIT SIZE
CUT-OFF SIZE
BODY MATERIAL

38°
>80
>0.5
AC175~265V, 50/60Hz
IP66
105×81×50mm
87.5×53×55mm
Pure Aluminum housing
Clear / Woven White Glass Cover



31
IN

COLOR CHANGING




CCT ADJUSTABLE

LED Linear Hanging Lights

VT-7-44 **40** Watts **3200** Lumens


SKU: 20060 - 3 - 1 Black Body
 SKU: 20061 - 3 - 1 White Body



EASY ACCESS FOR COLOR CHANGING WITH BUTTON



5 YEAR WARRANTY



120 lm/w

**More bright, energy efficient
 50% better than normal LED**

LED Panel

VT-629 **29** Watts **3480** Lumens

SKU: 20047 - 4000K Day White
 SKU: 20048 - 6400K Day White

Watts:	29w
Voltage/Frequency	AC:200-240v
Luminous Flux:	3480
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	595 x 595



LED Spotlight

VT-3100 **6 Watts** **500 Lumens**

SKU: 331 | 3000K WARM WHITE
SKU: 332 | 4000K DAY WHITE
SKU: 333 | 6400K WHITE



5 YEAR WARRANTY

Input voltage: AC 220~240V, 50Hz
Lumens: 500Lm
Beam Angle: 10°
Power: 6W
Base: GU10
On/Off: >15000
Life span: 30,000 Hours
CRI: >80



LED HIGHBAY

VT-9-200 **200 Watts** **28000 Lumens**

SKU: 58011 | 4000K DAY WHITE
SKU: 58111 | 6000K WHITE



5 YEAR WARRANTY

Input voltage: AC:90-300V,50/60Hz
Lumens: 28000Lm
Beam Angle: 120°
Power: 200W
Instant start: 0-100% in <1s
On/Off: >25000
Life span: 30,000 Hours
CRI: >80
PF: >0.9



**140
lm/W**

More bright, energy efficient
50% better than normal LED



**IP65
RATING**

LED REFLECTOR COB DOWNLIGHT



**5 YEAR
 WARRANTY**

VT-2-13 **10
 Watts**

SKU: 20051 | 3000K WARM WHITE
 SKU: 20052 | 4000K DAY WHITE
 SKU: 20053 | 6400K WHITE

POWER: 10W
 VOLTAGE: AC:85-265V,50/60Hz
 LUMENS: 800LM
 LED TYPE: COB
 CRI: >80
 BEAM ANGLE: 120°
 PF: > 0.5
 BODY MATERIAL: Aluminum
 IP RATING: IP20
 UNIT SIZE: 95*45
 DIE-CUT: 85 MM

VT-2-23 **20
 Watts**

SKU: 20054 | 3000K WARM WHITE
 SKU: 20055 | 4000K DAY WHITE
 SKU: 20056 | 6400K WHITE

POWER: 20W
 VOLTAGE: AC:85-265V,50/60Hz
 LUMENS: 1600 LM
 LED TYPE: COB
 CRI: >80
 BEAM ANGLE: 120°
 PF: > 0.5
 BODY MATERIAL: Aluminum
 IP RATING: IP20
 UNIT SIZE: 160*70
 DIE-CUT: 150 MM

VT-2-33 **30
 Watts**

SKU: 20057 | 3000K WARM WHITE
 SKU: 20058 | 4000K DAY WHITE
 SKU: 20059 | 6400K WHITE

POWER: 30W
 VOLTAGE: AC:85-265V,50/60Hz
 LUMENS: 2400LM
 LED TYPE: COB
 CRI: >80
 BEAM ANGLE: 120°
 PF: > 0.9
 BODY MATERIAL: Aluminum
 IP RATING: IP20
 UNIT SIZE: 220*70
 DIE-CUT: 210MM



LED DOWNLIGHT

VT-419 **18**
Watts
 SKU: 20049 | 4000K Day White

WATTS	18
LUMENS	1170
BEAM ANGLE	24°
CRI	>90
PF	>0.5
VOLTAGE /FREQUENCY	220-240V, 50/60Hz
ON/OFF Time	15000
LIFE SPAN	20000hours
UNIT SIZE	100 × 100 × 112mm
CUT OUT SIZE	90 × 90mm
IP RATING	IP20
BODY TYPE	Aluminium
UNIT GW	0.52kg

VT-436 **36**
Watts
 SKU: 20050 | 4000K Day White

WATTS	36W
LUMENS	2340
BEAM ANGLE	24°
CRI	>90
PF	>0.5
VOLTAGE /FREQUENCY	220-240V, 50/60Hz
ON/OFF Time	15000
LIFE SPAN	20000hours
UNIT SIZE	184 × 100 × 112mm
CUT OUT SIZE	172 × 90mm
IP RATING	IP20
BODY TYPE	Aluminium
UNIT GW	1.05kg



LED FLOODLIGHT

LED FLOODLIGHT

VT-4932 **30**
Watts
 SKU: 5995

Watts	30w
Voltage/Frequency	200-240v
PF	0.9
Beam Angle	110
Color of Fixture	Black
Dimension	L185 x W163 x H26

VT-4952 **50**
Watts
 SKU: 5996

Watts	50w
Voltage/Frequency	200-240v
PF	>0.9
Beam Angle	110°
Color of Fixture	Black
Dimension	L245 x W192 x H28

LED GARDEN LIGHT
CLASS I,TYPEIII

VT-895 **50** Watts **6750** Lumens

SKU: 8679- 6500K Day White

- CRI: >70
- PF: > 0.9
- IK08 rating
- AC:100-277V,50HZ
- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan
- Beam Angle: TYPE III Lens



135
lm/w

More bright, energy efficient
50% better than normal LED



5 YEAR
WARRANTY



Basic Robot Vacuum Cleaner


VT-5512

SKU: 7930 Black
 SKU:79310 White

1. BLDC motor
2. Three stage cleaning system
3. Adapt to wood floor, carpet, marble etc.
4. Upgrade double side brushes
5. Anti-collision, anti-falling
6. Sution power up to 1000Pa
7. Big dust box
8. Super low noise
9. Long-lasting Battery life
10. water tank
11. Remote control



MOTOR SUCTION POWER
1800 PA



Smart Gyro Robot Vacuum

Digital Robot Cleaning Vacuum with WiFi App
 and Wireless Remote Control

SMART NAVIGATION GYROSCOPE

Robot learns the layout of your home and cleans in S path to more efficiently cover large areas on a single charge.

VT-5555

SKU: 8649 White EU Plug
 SKU: 8650 Black EU Plug

SKU: 7911 White BS Plug
 SKU: 7911 Black BS Plug



works with
 amazon alexa

works with the
 Google Assistant

Fan Coil Thermostat



Two Pipe Thermostat

VT-5888 SKU: 7908

- Power Supply: 95~240 VAC, 50/60Hz
- Fan Relay Amps Resistance: 5A; Inductive: 3A
- Valve Relay Amps Resistance: 3A; Inductive: 1A
- Sensor: NTC 3950, 10K
- Accuracy: +0.5°C
- Set Temp. Range: 5~35°C
- Display Temp. Range: 5~99°C
- Ambient Temp.: 0~45°C
- Ambient Humidity: 5~95%
- RH (Non Condensing)
- Storage Temp.: -5~ 45°C
- Power Consumption: <1.5W
- Timing Error: <1%
- Shell Material: PC + ABS(Fireproof)
- Wire Terminals: Wire 2 × 1.5mm² or 1 × 2.5mm²
- Protection Class: IP20



works with
amazon alexa

works with the
Google Assistant



LED Smart Strip Kit

VT-5050 54 SKU: 2628 EU Plug
SKU: 2629 BS Plug

RGB

3000K-6400K



16 Million COLORS, Various Lighting Modes, Dimmable.




IP65
RATING

21
IN



works with
amazon alexa

works with the
Google Assistant



App Remote Control



Voice Control.
Alexa/Google Home
Compatible



Remote
Controller



In-line
Controller



Smart Doorlock



VT-8888

SKU: 8657 Silver
SKU: 8658 Black

Bluetooth APP Access	WiFi APP Access
1 2 3 4 5 6 7 8 9 * 0 #	
PIN Code	Card Unlock
Fingerprint Unlock	Voice navigation

Smart Fingerprint Padlock




VT-6666

SKU: 8653 Gray
SKU: 8654 Blue
SKU: 8655 Black
SKU: 8656 Red

Safe and reliable
Touch once and open

Your finger is your password. Fingerprint ID function provides a safe and private way for unlock and identity verify. (Can support up to 40 fingerprints recording)





Smart Tower fan


VT-5566

SKU: 7927 EU Plug


SKU: 7928 BS Plug

Power(Watts):	55	Speed:	3(Low-Med-High)
Voltage/Freq:	AC:220-240V,50Hz	Wind Mode:	3 (Normal-Natural-Sleep)
Size(inches):	46	Timer:	1-15hrs(Max)
Material:	ABS	Power Cord Length:	1.8m
Unit Color:	White & Black Finish	Plug Type:	EU
		IP Rating:	IP20



works with
 amazon alexa

works with the
 Google Assistant



Magnetic Linear Spotlight

VT-4141 **1**
Watts

SKU: 7958 – 3000K Warm White
 SKU: 7959 – 4000K Day White

UGR<19

3 YEAR
WARRANTY



Voltage/Frequency: DC:24V,50Hz
 Luminous Flux: 35lm
 LED Type: SMD
 CRI: >90
 Color of Fixture: Black

Beam Angle: 30°
 Body Type: Aluminium
 Life span: 30,000 Hours
 Dimension: 45×35×59mm
 Box Qty: 40 PCS



Magnetic Linear Spotlight

VT-4143 **3**
Watts

SKU: 7960 – 3000K Warm White
 SKU: 7961 – 4000K Day White

UGR<19

3 YEAR
WARRANTY



Voltage/Frequency: DC:24V,50Hz
 Luminous Flux: 240lm
 LED Type: SMD
 CRI: >90
 Color of Fixture: Black

Beam Angle: 30°
 Body Type: Aluminium
 Life span: 30,000 Hours
 Dimension: 106×35×59mm
 Box Qty: 36 PCS



Magnetic Linear Spotlight

VT-4210 **10**
Watts

SKU: 7962 – 3000K Warm White
 SKU: 7963 – 4000K Day White

UGR<19

3 YEAR
WARRANTY



Voltage/Frequency: DC:24V,50Hz
 Luminous Flux: 700lm
 LED Type: SMD
 CRI: >90
 Color of Fixture: Black

Beam Angle: 30°
 Body Type: Aluminium
 Life span: 30,000 Hours
 Dimension: 137×35×180mm
 Box Qty: 16 PCS



Magnetic Linear Spotlight

VT-4220 **20**
Watts

SKU: 7964 – 3000K Warm White
 SKU: 7965 – 4000K Day White

UGR<19

3 YEAR
WARRANTY



Voltage/Frequency: DC:24V,50Hz
 Luminous Flux: 1200lm
 LED Type: SMD
 CRI: >90
 Color of Fixture: Black

Beam Angle: 30°
 Body Type: Aluminium
 Life span: 30,000 Hours
 Dimension: 270×35×180mm
 Box Qty: 8 PCS



Magnetic Linear Spotlight

VT-4215 **15**
Watts

SKU: 7966 – 3000K Warm White
 SKU: 7967 – 4000K Day White

Voltage/Frequency: DC:24V,50Hz
 Luminous Flux: 900lm
 LED Type: COB
 CRI: >90
 Color of Fixture: Black

UGR<19



Beam Angle: 36°
 Body Type: Aluminium
 Life span: 30,000 Hours
 Dimension: 166×100×55mm
 Box Qty: 16 PCS



Magnetic Linear Spotlight

VT-4315 **15**
Watts

SKU: 7968 – 3000K Warm White
 SKU: 7969 – 4000K Day White

Voltage/Frequency: DC:24V,50Hz
 Luminous Flux: 1000lm
 LED Type: COB
 CRI: >90
 Color of Fixture: Black

UGR<19



Beam Angle: 36°
 Body Type: Aluminium
 Life span: 30,000 Hours
 Dimension: 300×55mm
 Box Qty: 12 PCS



Magnetic Linear Spotlight

VT-4121 **20**
Watts
 SKU: 7954 - 3000K Warm White
 SKU: 7955 - 4000K Day White

UGR<19
 **3 YEAR**
WARRANTY



Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	100°
Luminous Flux:	1600lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	652×35×59mm
Color of Fixture:	Black	Box Qty:	12 PCS



Magnetic Linear Spotlight

VT-4131 **30**
Watts
 SKU: 7956 - 3000K Warm White
 SKU: 7957 - 4000K Day White

UGR<19
 **3 YEAR**
WARRANTY



Voltage/Frequency:	DC:24V,50Hz	Beam Angle:	100°
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	970×35×59mm
Color of Fixture:	Black	Box Qty:	12 PCS



Accessories



Track Rail

0.5 m
 SKU: 7950

1.0 m
 SKU: 7951

1.5 m
 SKU: 7952

2.0 m
 SKU: 7953



Recessed Kit for
 Magnetic Tracklight

SKU: 7970



Track Connector

SKU: 7971



90°D Corner Connector

SKU: 7972



Outer Corner
 Connector

SKU: 7973



Cross Connector

SKU: 7974



T Type Connector

SKU: 7975



Pendant Track
 Rail Accessory

SKU: 7977



Track Cover

SKU: 7978



Live End Connector

SKU: 7979



Transformer

100 w
 SKU: 11144



Transformer

200 w
 SKU: 11145



PU GLUE COATED



LED STRIP LIGHT
VT-5050 60

SKU: 2606 - 3000K Warm White
SKU: 2607 - 6000K White
SKU: 2605 - RGB




**IP65
RATING**

LED STRIP LIGHT
VT-5050 60

SKU: 2608 - 3000K Warm White
SKU: 2609 - 6000K White

**5M
ROLL**



**IP20
RATING**

LED STRIP LIGHT
VT-5050 60

SKU: 2591 - RGB

SKU: 2592 - RGB

**5M
ROLL**

**10M
ROLL**




**IP20
RATING**

LED STRIP LIGHT
**VT-2835 120
DOUBLE PCB**

SKU: 2625 - 3000K Warm White
SKU: 2626 - 4000K Day White
SKU: 2627 - 6000K White

**10M
ROLL**



**IP65
RATING**

LED STRIP LIGHT
**VT-2835 120
DOUBLE PCB**

SKU: 2622 - 3000K Warm White
SKU: 2623 - 4000K Day White
SKU: 2624 - 6000K White



**IP20
RATING**

**LED STRIP LIGHT
VT-2110 700**

SKU: 2602 – 3000K Warm White
SKU: 2603 – 4000K Day White
SKU: 2604 – 6000K White



24V



**LED STRIP LIGHT
VT-2835 126**

SKU: 2593 – 3000K Warm White
SKU: 2594 – 4000K Day White
SKU: 2595 – 6000K White





**LED STRIP LIGHT
VT-2835 168**

SKU: 2596 – 3000K Warm White
SKU: 2597 – 4000K Day White
SKU: 2598 – 6000K White



**LED STRIP LIGHT
VT-2835 238**

SKU: 2599 – 3000K Warm White
SKU: 2600 – 4000K Day White
SKU: 2601 – 6000K White




LED NEON FLEX
VT-554

SKU: 2612 - 3000K Warm White
SKU: 2613 - 4000K Day White
SKU: 2614 - 6000K White



IP68
RATING

Cutttable after every 5CM . *No End cap required.*




LED NEON FLEX
VT-554

SKU: 2618 - Red
SKU: 2615 - Blue
SKU: 2616 - Green
SKU: 2617 - Yellow




IP68
RATING



NEON FLEX
WITH SILICON COVER
VT-560

SKU: 2619 - 3000K Warm White
SKU: 2620 - 4000K Day White
SKU: 2621 - 6000K White



PLASTIC POWER SUPPLY 24V 3.25A




78
Watts

IP44
RATING

24V

VT-22078 SKU: 3272

SLIM POWER SUPPLY 24V 10A



250
Watts

IP20
RATING

24V

VT-22250 SKU: 3273

SLIM POWER SUPPLY 12V 30A



5 YEAR
WARRANTY


360
Watts

IP20
RATING

12V

VT-21360 SKU: 3274

SLIM POWER SUPPLY 24V 15A



5 YEAR
WARRANTY

360
Watts

IP20
RATING

24V

VT-21361 SKU: 3275

SURFACE ALUMINUM PROFILE
2000MM FOR NEON FLEX (Compatible VT-560)



VT-8117 SKU: 2610

CONCEALED ALUMINUM PROFILE
2000MM FOR NEON FLEX (Compatible VT-560)



VT-8120 SKU: 2611



CEILING SENSOR

VT-8091

SKU: 6606 White
SKU: 6607 Black



**3 YEAR
WARRANTY**

Detection Range: 360°
Power Source: 100-240V/AC
Rated Load: Max.100W LED (110-130V/AC)
200W LED (220-240V/AC)
Detection Distance: max.8m (<24°C)
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Ambient Light: <3-2000LUX



PIR CEILING SENSOR

VT-8092

SKU: 6608 White
SKU: 6609 Black



**5 YEAR
WARRANTY**

Detection Range: 360°
Power Source: 220-240V/AC
Rated Load: Max. 800W
Detection Distance: max.6m (<24°C)
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Ambient Light: <3-2000LUX (adjustable)



INFRARED MOTION SENSOR



**IP65
RATING**

VT-8093

SKU: 6611 White
SKU: 6610 Black



**5 YEAR
WARRANTY**

Detection Range: 180°/360°
Power Source: 220-240V/AC
Rated Load:Max. 1200W
Detection Distance: max.12m (<24°C)
Time Delay: 10sec to 15min(adjustable)
Ambient Light: <3-2000LUX(adjustable)



INFRARED MOTION SENSOR



**IP65
RATING**

VT-8094

SKU: 6613 White
SKU: 6612 Black



**5 YEAR
WARRANTY**

Detection Range: 240°
Power Source: 220-240V/AC
Rated Load:Max.1200W
Detection Distance: max.10m (<24°C)
Time Delay: 10sec±3secto 15min±2min(adjustable)
Ambient Light: <3-2000LUX (adjustable)



LED Rechargeable Desk Lamp

VT-7515 SKU: 8930 - 3000K Warm White

WATTS	4W	ADAPTER OUTPUT	5V 1000MA
LUMENS	210lm	UNIT SIZE	150*150*241MM
BEAM ANGLE	90°D	MATERIAL	lastic+METAL
CRI	> 80	CABLE LENGTH	1.2m



**TOUCH
DIMMING**



RECHARGEABLE



Ceiling Fan **60 Watts**
Pull Chain Control

VT-6042-4 SKU: 7914

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153*10mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 1xE27 light kit (light source NOT included)
- Power:220V,50HZ,60W (power of the motor)
- G.W.: 4.0KG / N.W.: 3.28KG



3 SPEEDS AND
LIGHT PULL CHAIN



3 SPEEDS AND
LIGHT PULL CHAIN



AC - POWER
MOTOR



Ceiling Fan **60 Watts**
Pull Chain Control

VT-6054-4 SKU: 7921

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153*11mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 4xE27 light kit (light source NOT included)
- 4 glass shade
- Power:220V,50HZ,60W (power of the motor)
- G.W.:4.5KG / N.W.:3.8KG



4 GLASS
SHADES



3 SPEEDS AND
LIGHT PULL CHAIN



AC - POWER
MOTOR



Ceiling Fan **60 Watts**
With Light Kit

VT-6054-4 SKU: 7917

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153*15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit
- Power:220V,50HZ,60W (power of the motor)
- G.W.: 7.6KG / N.W.: 6.8KG



LIGHT KIT



4 MDF BLADES



AC POWER
MOTOR



LED Ceiling Fan 60 Watts
 With Rf Control

VT-6043-4 SKU: 7915

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153*15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT
- Power:220V,50HZ,60W (power of the motor)
- G.W.: 6.8KG / N.W.: 6.1KG



LED LIGHT



4 MDF BLADES



AC-POWER MOTOR



Ceiling Fan 60 Watts
 With Rf Control

VT-6053-5 SKU: 7916

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades
- Powerful Motor:153*15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2x E27 light kit
- Power:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KG / N.W.:6.7KG



LIGHT KIT



5 MDF BLADES



AC-POWER MOTOR



LED Ceiling Fan 60 Watts
 With Rf Control

VT-6052-5 SKU: 7913

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades double color
- Powerful Motor:153*15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT
- Power:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KGS / N.W.: 6.5KGS



LED LIGHT



5 MDF BLADES
 DOUBLE COLOR



AC-POWER MOTOR



Ceiling Fan **35 Watts**
With Light Kit

VT-6054-4 SKU: 7918 DC Motor

- 52" (132CM) Decorative ceiling fan
- Reversible Double Color Blades
- With forward and reverse function
- 4 MDF blades
- DC powerful motor:153*15mm, 2.1kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 2xE27 light kit
- Power:220V,50HZ,35W (energy-saving)
- G.W.: 7.3KG / N.W.: 6.5KG



LIGHT KIT



DC POWER MOTOR



4 MDF BLADES



LED Ceiling Fan **35 Watts**
With Rf Control

VT-6055-3 SKU: 7919

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153*15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT
- Power:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG



LED LIGHT



DC -POWER MOTOR



3 ABS PLASTIC BLADES



LED Ceiling Fan **35 Watts**
With Rf Control

VT-6055-3 SKU: 7920

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153*15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT
- Power:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG



LED LIGHT



DC -POWER MOTOR



3 ABS PLASTIC BLADES



Stand Fan
 With Cross Base 4 Buttons

16
 INCHES

40
 Watts

VT-4016-3 SKU: 7922

- 16" STAND FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 600mm Cross Base
- GW:2.6KGS
- Size:600*600*120mm



Stand Fan
 With Round Base 4 Buttons

16
 INCHES

40
 Watts

VT-5016-5 SKU: 7923

- 16" STAND FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 410mm Round Base
- GW:4.3KGS
- Size:430*410*120mm-



Tower Fan
 With Oscillation &
 Timer Function

31
 INCHES

45
 Watts

VT-4538 SKU: 7926

- 31" TOWER FAN
- AC: 220-240V~50/60Hz 45W
- 3 speed control
- Oscillation function
- 60 minutes timer function
- GW:2.35KGS



Desk Fan With Kock-down Base 4 Buttons

VT-4012-3 SKU: 7924

40
Watts

12
INCHES

- 12" DESK FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS



Desk Fan With Kock-down Base 4 Buttons

VT-4017-3 SKU: 7925

40
Watts

16
INCHES

- 16" DESK FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS



Electronic Insect Killer

Perfect for home, Office, Garage, kitchens, Schools, Hospitals, Courtyard and Commercial Areas



CHEMICAL FREE
Eco friendly



- . Lamp life time up to 8000 hours
- . Coverage area up to 30m²
- . ON/OFF switch
- . Removable tray
- . Slim design
- . Housing made of special treated, aluminum, scratch-proof, corrosion-proof and easy to clean
- . Power supply: 220-240V 50/60Hz



2 YEAR
WARRANTY



VT-3216
 SKU: 11179



16w
Power



50m
 Coverage Area



VT-3220
 SKU: 11180



20w
Power



80m
 Coverage Area




VT-3230
 SKU: 11181



30w
Power



100m
 Coverage Area



VT-3240
 SKU: 11182



40w
Power



150m
 Coverage Area



30W
RMS Power


Dual 6.5 Inch woofer
with Handle


LED Lights


Wireless - USB
SD - Remote Control

SOUNDOR6_{x2}
Wireless Party Speaker



SKU-8680

AUDIO

Woofer: 2x6.5inch
Output: 30W

CONNECTIVITY

Wireless Connectivity
USB
FM Radio
Remote Control

BATTERY

Playtime: 2-4 hours
Charging time: 5-6hours
Rechargeable Battery
(7.4V 2600MAH)

MICROPHONE

One wired microphone
AUX input / MIC input

ACCESSOIRES

Remote control
Power adapter

DIMENSIONS

61 x 24 x 23CM

WEIGHT

5600g



KARAOKE

portable

Parties



Nylon Cable Tie 2.5mm Width



- | | | | |
|-----------------|-----------|-----------------|-----------|
| 2.5*100mm WHITE | SKU:11159 | 2.5*150mm WHITE | SKU:11161 |
| 2.5*100mm BLACK | SKU:11160 | 2.5*150mm BLACK | SKU:11162 |
| 2.5*200mm WHITE | SKU:11163 | | |
| 2.5*200mm BLACK | SKU:11164 | | |

Nylon Cable Tie 3.5mm Width



- | | | | |
|-----------------|-----------|-----------------|-----------|
| 3.5*150mm WHITE | SKU:11162 | 3.5*150mm WHITE | SKU:11167 |
| 3.5*150mm BLACK | SKU:11166 | 3.5*150mm BLACK | SKU:11168 |
| 3.5*250mm WHITE | SKU:11169 | | |
| 3.5*250mm BLACK | SKU:11170 | | |



Nylon Cable Tie 4.5mm Width



- | | | | |
|-----------------|-----------|-----------------|-----------|
| 4.5*150mm WHITE | SKU:11171 | 4.5*300mm WHITE | SKU:11173 |
| 4.5*150mm BLACK | SKU:11172 | 4.5*300mm BLACK | SKU:11174 |
| 4.5*350mm WHITE | SKU:11175 | | |
| 4.5*350mm BLACK | SKU:11176 | | |

Nylon Cable Tie **MINIMUM HOLD**



- | | | | |
|-----------------|-----------|----------------|-----------|
| 4.8*200mm BLACK | SKU:11177 | 7.6*30mm BLACK | SKU:11178 |
|-----------------|-----------|----------------|-----------|



Wooden Pendant

VT-3450 SKU: 40501

Canopy 100×20mm
 Lampshade: D350*H450mm
 Cable length: 1 meter



Wooden Pendant

VT-3350 SKU: 40511

Canopy 100×20mm
 Lampshade: D350*H310mm
 Cable length: 1 meter



Wooden Pendant

VT-2450 SKU: 40521

Canopy 100×20mm
 Lampshade: D250*H450mm
 Cable length: 1 meter



Wooden Pendant

VT-3200 SKU: 40531

Canopy 100×20mm
 Lampshade: D330*H220mm
 Cable length: 1 meter



Wooden Pendant

VT-4280 SKU: 40541

Canopy 100×20mm
 Lampshade: D440*H280mm
 Cable length: 1 meter



Wooden Pendant

VT-4453 SKU: 40551

Canopy 100×20mm
 Lampshade: D450*H450mm
 Cable length: 1 meter



Wooden Pendant

VT-4150 SKU: 40561

Lampshade: D450*H1500mm
 Cable length: 1.8 meter



Wooden Pendant

VT-3100 SKU: 40571

Lampshade: D300*H940mm
 Cable length: 1.8 meter



LED Mirror Light **17 Watts**

VT-8505 SKU: 40541 - 6400K WHITE

LUMENS	600LM
BEAM ANGLE	120 degrees
CRI	>80
VOLTAGE /FREQUENCY	AC:200-240V, 50/60Hz
UNIT SIZE	H500xW390xD35mm
IP RATING	IP44
DEMISTER PAD	330x160mm
BODY MATERIAL	Iron



LED Mirror Light **30 Watts**

VT-8700 SKU: 40451- 6400K WHITE

LUMENS	750LM
BEAM ANGLE	120 degrees
CRI	>80
VOLTAGE /FREQUENCY	AC:200-240V, 50/60Hz
UNIT SIZE	H700xW500xD35mm
IP RATING	IP44
DEMISTER PAD	450x250mm
BODY MATERIAL	Iron



LED Mirror Light **37 Watts**

WITH TOUCH SWITCH CCT CHANGEABLE

VT-8701 SKU: 40461- 3IN1

LUMENS	750LM
BEAM ANGLE	120 degrees
CRI	>80
VOLTAGE /FREQUENCY	AC:200-240V, 50/60Hz
UNIT SIZE	H700xW500xD35mm
IP RATING	IP44
DEMISTER PAD	450x250mm
BODY MATERIAL	Iron
MASTER CARTON SIZE	780x105x580mm



LED Mirror Light **38 Watts**

VT-8800 SKU: 40471 - 6400K WHITE


LUMENS	700LM
BEAM ANGLE	120 degrees
CRI	>80
VOLTAGE /FREQUENCY	AC:200-240V, 50/60Hz
UNIT SIZE	H800xW600xD35mm
IP RATING	IP44
DEMISTER PAD	560x330mm
BODY MATERIAL	Iron



LED Mirror Light **25 Watts**

VT-8601 SKU: 40481 - 6400K WHITE

LUMENS	750LM
BEAM ANGLE	120 degrees
CRI	>80
VOLTAGE /FREQUENCY	AC:200-240V, 50/60Hz
UNIT SIZE	Dia600xD35mm
IP RATING	IP44
DEMISTER PAD	Dia360mm
BODY MATERIAL	Iron



LED Mirror Light **25 Watts**

WITH TOUCH SWITCH CCT CHANGEABLE

VT-8602 SKU: 40491- 3IN1

LUMENS	750LM
BEAM ANGLE	120 degrees
CRI	>83
VOLTAGE /FREQUENCY	220-240V 50Hz
LIFE SPAN	30,000 hours
UNIT SIZE	Dia600xD35mm
IP RATING	IP44
DEMISTER PAD	Dia360mm
BODY MATERIAL	Iron



Solar Flame Spike Light

VT-724

SKU: 8689 - 2200K

Watts	1W
Color Of Led	2200K
Body Color	BLACK
Battery Voltage & Mah	1.2V 2/3AAA NI-MH
Charging Time	8 hrs
Working Time	6 hrs
Protection Rating (Ip)	IP44
Material	PP
Unit Size	7.5cmX7.5cmX50cm



GU10 Fitting

VT-897 SKU: 7980

UNIT SIZE	120 × 145mm
IP RATING	IP20
BODY TYPE	PC
UNIT GW	0.13kg



2xGU10 Fitting

VT-897 SKU: 7981

UNIT SIZE	120 × 145mm
IP RATING	IP20
BODY TYPE	PC
UNIT GW	0.2kg



3xGU10 Fitting

VT-897 SKU: 7982

UNIT SIZE	150 × 145mm
IP RATING	IP20
BODY TYPE	PC
UNIT GW	0.28kg



VT-742

SKU: 8950

- Stainless steel Body
- Diffuser: PC cover
- E27 MAX 40W
- AC 220-240V/50Hz
- IP44 with sensor



VT-817

SKU: 8952

- Stainless steel Body
- Diffuser: PC cover
- E27 MAX 40W
- AC 220-240V/50Hz
- IP44



VT-823

SKU: 8954

- Stainless steel Body
- Diffuser: PC cover
- E27 MAX 15W
- AC 220-240V/50Hz
- IP44



VT-824

SKU: 8953

- Stainless steel Body
- Diffuser: PC cover
- E27 MAX 15W
- AC 220-240V/50Hz
- IP44 with sensor



VT-732

SKU: 8951

- Stainless steel Body
- Diffuser: PC cover
- E27 MAX 40W
- AC 220-240V/50Hz
- IP44



Wall Lamp

**60
Watts**

VT-843 SKU: 8686

- Voltage /frqncy: AC:220-240V,50/60Hz
 Unit Size: 225*175*235 mm
 Protection Rating: IP44
 Color Of Fixture: Matt Black
 Material : Aluminium + Clear Glass
 Bulb Holder: E27



Pole Lamp

**60
Watts**

VT-845 SKU: 8687

- Voltage /frqncy: AC:220-240V,50/60Hz
 Unit Size: 175*175*950 mm
 Protection Rating: IP44
 Color Of Fixture: MATT BLACK
 Material : Aluminium + Clear Glass
 Bulb Holder: E27



Pole Lamp

**60
Watts**

VT-847 SKU: 8688

- Voltage /frqncy: AC:220-240V,50/60Hz
 Unit Size: 522*175*2280 mm
 Protection Rating: IP44
 Color Of Fixture: MATT BLACK
 Material : Aluminium + PC
 Bulb Holder: E27



IP65
RATING

String Lamp

VT-843 SKU: 8686

Lampshade	Natural ø250mm (Galvanized Iron)
Bulb Holder	Rose Gold ø49mm (Aluminum)
Cable	Black (H05RN-F-3×1mm ²)
L/s Wireguard	Rose Gold ø256mm (Galvanized Iron)
Catenary Length	3M Total Length (6 Luminaires at 50cm pacing)



IP65
RATING

String Lamp

VT-845 SKU: 8687

Globe	Clear ø150mm (PMMA)
Bulb Holder	Brushed Brown Bronze ø49mm (Aluminum)
Cable	Black (H05RN-F-3×1mm ²)
Catenary Length	3M Total Length (6 Luminaires at 50cm spacing)



IP65
RATING

Wall Lamp

VT-847 SKU: 8688

Lampshade	Natural ø250mm (Galvanized Iron)
Bulb Holder	Rose Gold ø49mm (Aluminum)
Cable	Black (H05RN-F-3×0.75mm ²)
Wall Lamp Arm	Natural ø14mm (Galvanized Iron)
Wall Mount	Rose Gold ø130mm (Galvanized Iron)
L/s Wire Guard	Rose Gold ø256mm (Galvanized Iron)



IP65
RATING

String Lamp

VT-843 SKU: 8686

Lampshade	Black ø250mm (Galvanized Iron)
Bulb Holder	Brushed Brown Bronze ø49mm (Aluminum)
Cable	Black (H05RN-F-3×1mm ²)
L/S Wireguard	Black ø256mm (Galvanized Iron)
Catenary Length	3M Total Length (6 Luminaires at 50cm spacing)



IP65
RATING

Wall Lamp

VT-845 SKU: 8687

Globe	Clear ø150mm (PMMA)
Bulb Holder	Brushed Brown Bronze ø49mm (Aluminum)
Cable	Black (H05RN-F-3×0.75mm ²)
Wall Lamp Arm	Black ø14mm (Galvanized Iron)
Wall Mount	Black ø130mm (Galvanized Iron)



IP65
RATING

Wall Lamp

VT-847 SKU: 8688

Lampshade	Black ø250mm (Galvanized Iron)
Bulb Holder	Brushed Brown Bronze (Aluminum)
Cable	Black (H05RN-F-3×0.75mm ²)
Wall Lamp Arm	Black ø14mm (Galvanized Iron)
Wall Mount	Black ø130mm (Galvanized Iron)
L/s Wire Guard	Black ø256mm (Galvanized Iron)

Wall Fitting

G9×1 Max 25W | Size: 150*130*130mm | Material: Concrete | IP Rating: IP20

VT-891

SKU: 8690- DARK GREY

SKU: 8691- LIGHT GREY



Wall Fitting

G9×1 Max 25W | Size: 120*120*100mm | Material: Concrete | IP Rating: IP20

VT-892

SKU: 8692- DARK GREY

SKU: 8693- LIGHT GREY



Wall Fitting

G9×2 Max 25W | Size: 240*120*100mm | Material: Concrete | IP Rating: IP20

VT-893

SKU: 8694- DARK GREY

SKU: 8695- LIGHT GREY



Wall Fitting

GU10x2 Max 35W | Size: 235*140*120mm | Material: Concrete | IP Rating: IP20

VT-894

SKU: 8696- DARK GREY

SKU: 8697 - LIGHT GREY



LAWN Lamp

8W | Size: 495*180*120mm | Material: Concrete | IP Rating: IP65

VT-898



SKU: 8698- DARK GREY

SKU: 8699 - LIGHT GREY





**EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON**



**COLOR
CHANGING**



CCT ADJUSTABLE

V-TAC[®] INNOVATIVE LED LIGHTING

Head Offices

Sofia | London

Europe Office
1, Iljansko Shaussee Blvd,
Sofia 1220, Bulgaria
www.v-tac.eu

UK Office
Springheath House,
Kelpatrick Road,
Slough, Berkshire,
SL1 6BW, UK.
www.v-tac.co.uk

Middle East Office
Unit# 407/8/9 Jumeirah
Bay Towers,
Plot# X3, JLT,
P.O. Box 45244, Dubai.
www.vtacexports.com