



ROADMAP 2022 CATALOG

You'll find all the information you need about the brand new item in our latest Roadmap catalogue 2022

www.vtacexports.com/

V-TAC[®]
INNOVATIVE LED LIGHTING

Welcome to our Roadmap 2022



Upcoming Categories



LED FLOODLIGHT

GU10 FITTINGS

LED STREETLIGHTS

LED STRIP LIGHTS

OUTDOOR LIGHTING

LED STRIP LIGHTS

LED HIGHBAYS

DESK LAMPS

LED PANELS

CEILING FANS

LED SOLAR LIGHTS

TROLLEY SPEAKERS




LED FLOODLIGHT with Light Sensor



- They will automatically function according to daylight levels.
- Floodlights will be off if natural light is above 140lux, and on if natural light is below 140lux.
- There is no need to turn the light on or off.
- Light Sensor does not work when motion is detected.

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-37</u>	20169 3000K WARM WHITE 20170 4000K DAY WHITE 20171 6500K WHITE	30W	3000	165×46×204.5mm
<u>VT-57</u>	20172 3000K WARM WHITE 20173 4000K DAY WHITE 20174 6500K WHITE	50W	5000	197.5×46×241.5mm
<u>VT-117</u>	20175 3000K WARM WHITE 20176 4000K DAY WHITE 20177 6500K WHITE	100W	10000	247.5×49.5×299mm
<u>VT-167</u>	20178 3000K WARM WHITE 20179 4000K DAY WHITE 20180 6500K WHITE	150W	15000	318.5×55×390mm
<u>VT-272</u>	20181 3000K WARM WHITE 20182 4000K DAY WHITE 20183 6500K WHITE	200W	20000	371×57×458.5mm

LED FLOODLIGHT with Direct Connection



- Instant Start in 1 second
- Operation in Outside Temperature (-20 to+40° C)
- Protection Rating IP65
- Only connect with waterproof cable hose
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-118</u>	20304 3000K WARM WHITE 20305 4000K DAY WHITE 20306 6500K WHITE	10W	735	133×55×88mm
<u>VT-128</u>	20307 3000K WARM WHITE 20308 4000K DAY WHITE 20309 6500K WHITE	20W	1510	157×56×101mm
<u>VT-138</u>	20310 3000K WARM WHITE 20311 4000K DAY WHITE 20312 6500K WHITE	30W	2340	177×56×117mm
<u>VT-158</u>	20313 3000K WARM WHITE 20314 4000K DAY WHITE 20315 6500K WHITE	50W	4000	195×57×152mm

LED FLOODLIGHT Direct Connection with PIR Sensor



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-118S-B</u>	20256 3000K WARM WHITE 20257 4000K DAY WHITE 20258 6500K WHITE	10W	735	133×60×113mm
<u>VT-128S-B</u>	20259 3000K WARM WHITE 20260 4000K DAY WHITE 20261 6500K WHITE	20W	1510	157×60×128mm
<u>VT-138S-B</u>	20262 3000K WARM WHITE 20263 4000K DAY WHITE 20264 6500K WHITE	30W	2340	177×60×143mm
<u>VT-158S-B</u>	20265 3000K WARM WHITE 20266 4000K DAY WHITE 20267 6500K WHITE	50W	4000	195×60×178mm

LED FLOODLIGHTS Direct Connection with PIR Sensor



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
VT-118S-W	20268 3000K WARM WHITE	10W	735	133×60×113mm
	20269 4000K DAY WHITE			
	20270 6500K WHITE			
VT-128S-W	20271 3000K WARM WHITE	20W	1510	157×60×128mm
	20272 4000K DAY WHITE			
	20273 6500K WHITE			
VT-138S-W	20274 3000K WARM WHITE	30W	2340	177×60×143mm
	20275 4000K DAY WHITE			
	20276 6500K WHITE			
VT-158S-W	20277 3000K WARM WHITE	50W	4000	195×60×178mm
	20278 4000K DAY WHITE			
	20279 6500K WHITE			

LED FLOODLIGHTS PIR Sensor



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-118S-1-B</u>	20280 3000K WARM WHITE 20281 4000K DAY WHITE 20282 6500K WHITE	10W	735	133×60×113mm
<u>VT-128S-1-B</u>	20283 3000K WARM WHITE 20284 4000K DAY WHITE 20285 6500K WHITE	20W	1510	157×60×128mm
<u>VT-138S-1-B</u>	20286 3000K WARM WHITE 20287 4000K DAY WHITE 20288 6500K WHITE	30W	2340	177×60×143mm
<u>VT-158S-1-B</u>	20289 3000K WARM WHITE 20290 4000K DAY WHITE 20291 6500K WHITE	50W	4000	195×60×178mm

LED FLOODLIGHTS PIR Sensor



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-118S-1-W</u>	20292 3000K WARM WHITE 20293 4000K DAY WHITE 20294 6500K WHITE	10W	735	133×60×113mm
<u>VT-128S-1-W</u>	20295 3000K WARM WHITE 20296 4000K DAY WHITE 20297 6500K WHITE	20W	1510	157×60×128mm
<u>VT-138S-1-W</u>	20298 3000K WARM WHITE 20299 4000K DAY WHITE 20300 6500K WHITE	30W	2340	177×60×143mm
<u>VT-158S-1-W</u>	20301 3000K WARM WHITE 20302 4000K DAY WHITE 20303 6500K WHITE	50W	4000	195×60×178mm

LED FLOODLIGHTS 137lm Black Slimline Pro



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000



Model	SKU	Watts	Lumen	Dimension
<u>VT-32</u>	20402 4000K DAY WHITE 20403 6500K WHITE	30W	4100	165×204.5×46mm
<u>VT-52</u>	20404 4000K DAY WHITE 20405 6500K WHITE	50W	6850	197.5×241.5×46mm
<u>VT-132</u>	20406 4000K DAY WHITE 20407 6500K WHITE	100W	13700	247.5×299×49.5mm
<u>VT-162</u>	20408 4000K DAY WHITE 20409 6500K WHITE	150W	20500	318.5×390×55mm
<u>VT-302</u>	20410 4000K DAY WHITE 20411 6500K WHITE	200W	27350	371×458.5×57mm

LED FLOODLIGHTS 185lm Black Slimline Pro



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000



Model	SKU	Watts	Lumen	Dimension
<u>VT-30185</u>	20449 4000K DAY WHITE 20450 6400K WHITE	30W	5550	165×204.5×46mm
<u>VT-50185</u>	20451 4000K DAY WHITE 20452 6400K WHITE	50W	9250	197.5×241.5×46mm
<u>VT-100185</u>	20453 4000K DAY WHITE 20454 6400K WHITE	100W	18500	247.5×299×49.5mm
<u>VT-150185</u>	20455 4000K DAY WHITE 20456 6400K WHITE	150W	28750	318.5×390×55mm
<u>VT-200185</u>	20457 4000K DAY WHITE 20458 6400K WHITE	200W	37000	371×458.5×57mm

LED STREETLIGHTS



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan



Model	SKU	Watts	Lumen	Dimension
<u>VT-39ST</u>	20422 4000K DAY WHITE 20423 6500K WHITE	30W	3600	416×138×99mm
<u>VT-59ST</u>	20424 4000K DAY WHITE 20425 6500K WHITE	50W	6000	470×149×99mm
<u>VT-79ST</u>	20438 4000K DAY WHITE 20439 6500K WHITE	70W	8400	470×149×99mm
<u>VT-139ST</u>	20426 4000K DAY WHITE 20427 6500K WHITE	100W	12000	567×179×99mm
<u>VT-169ST</u>	20428 4000K DAY WHITE 20429 6500K WHITE	150W	18000	628×203×99mm

LED STREETLIGHTS Light Sensor Pro



- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan



Model	SKU	Watts	Lumen	Dimension
VT-39ST-S	20430 4000K DAY WHITE	30W	3600	416×138×99mm
	20431 6500K WHITE			
VT-59ST-S	20432 4000K DAY WHITE	50W	6000	470×149×99mm
	20433 6500K WHITE			
VT-139ST-S	20434 4000K DAY WHITE	100W	12000	567×179×99mm
	20435 6500K WHITE			
VT-169ST-S	20436 4000K DAY WHITE	150W	18000	628×203×99mm
	20437 6500K WHITE			

OUTDOOR LIGHTING Garden Spikes Lights



- IP65 Rating.
- COB-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >80
- PF>0.5
- 20,000-hour lifespan
- On/Off Cycle >15000



Model	SKU	Watts	Lumen	Dimension
VT-907	20316 3000K WARM WHITE	7W	420	200×714mm
	20317 4000K DAY WHITE			
	20318 6400K WHITE			



LED HIGHBAYS PRO UFO Series 90°



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Body Type: Die Cast Aluminium
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000




Model	SKU	Watts	Lumen	Dimension
<u>VT-9-116S</u>	20319 4000K DAY WHITE 20320 6500K WHITE	100W	11500	250×94mm
<u>VT-9-156S</u>	20321 4000K DAY WHITE 20322 6500K WHITE	150W	17300	295×94mm
<u>VT-9-206S</u>	20323 4000K DAY WHITE 20324 6500K WHITE	200W	23000	320×94mm

LED PANELS PRO 60×60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000

 **120**
lm/W

 **5 YEAR**
WARRANTY



Model	SKU	Watts	Lumen	Box Qty
<u>VT-629-1</u>	20419 4000K DAY WHITE	29W	3480	6 pcs



LED PANELS PRO 60×60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000

 **5 YEAR**
WARRANTY



Model	SKU	Watts	Lumen	Box Qty
<u>VT-645-1</u>	20421 4000K DAY WHITE 20420 6400K WHITE	45W	4830	6 pcs



LED SOLAR STREETLIGHT

Solar Streetlight



5 YEAR WARRANTY



SOLAR LIGHTS

- DC:9V, 50W Solar Panel
- CRI: >80
- Lumens: 3000lm
- 6.4V 30000mAh Battery
- Beam Angle: 120°
- IP65 Rating
- Warranty: 5 Years
- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours




IP65 RATING

Model	SKU	Watts	Lumen	Bo x Qty
VT-ST303	20341 6400K WHITE	300W	3000	1 pc



LINEAR LIGHTS

Linear Surfaced Lights



Model	SKU	Watts	Lumen	Bo x Qty
VT-7-46	20462 3000K WARM WHITE 20463 4000K DAY WHITE 20464 6400K WHITE	40W		



Recessed Fitting GU10



Model No: VT-920-W
 SKU: 6632
 Base: GU10
 Material: PC
 Color: White
 Dimension: 88x40mm
 Cutting Size: 80mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-920-B
 SKU: 6633
 Base: GU10
 Material: PC
 Color: Black
 Dimension: 88x40mm
 Cutting Size: 80mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-925-W
 SKU: 6636
 Base: GU10
 Material: PC
 Color: White
 Dimension: 93x55mm
 Cutting Size: 83mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-925-B
 SKU: 6637
 Base: GU10
 Material: PC
 Color: Black
 Dimension: 93x55mm
 Cutting Size: 83mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-929-W
 SKU: 6640
 Base: GU10
 Material: PC
 Color: White
 Dimension: 81x40mm
 Cutting Size: 63mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-929-B
 SKU: 6641
 Base: GU10
 Material: PC
 Color: Black
 Dimension: 81x40mm
 Cutting Size: 63mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-921-W
 SKU: 6634
 Base: GU10
 Material: PC
 Color: White
 Dimension: 88x88x40mm
 Cutting Size: 80mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-921-B
 SKU: 6635
 Base: GU10
 Material: PC
 Color: Black
 Dimension: 88x88x40mm
 Cutting Size: 80mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-927-W
 SKU: 6638
 Base: GU10
 Material: PC
 Color: White
 Dimension: 93x93x55mm
 Cutting Size: 83x83mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-927-B
 SKU: 6639
 Base: GU10
 Material: PC
 Color: Black
 Dimension: 93x93x55mm
 Cutting Size: 83x83mm
 Box Qty: 50

Recessed Fitting GU10



Model No: VT-930-W
SKU: **6642**
Base: GU10
Material: PC
Color: White
Dimension: 81×81×40mm
Cutting Size: 63mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-930-B
SKU: **6643**
Base: GU10
Material: PC
Color: Black
Dimension: 81×81×40mm
Cutting Size: 63mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-931-W
SKU: **6644**
Base: GU10
Material: PC
Color: White+White
Dimension: 85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-931-WB
SKU: **6645**
Base: GU10
Material: PC
Color: White+Black
Dimension: 85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-931-B
SKU: **6646**
Base: GU10
Material: PC
Color: Black+Black
Dimension: 85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-931-WC
SKU: **6647**
Base: GU10
Material: PC
Color: White+Chrome
Dimension: 85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-931-WG
SKU: **6648**
Base: GU10
Material: PC
Color: White+Gold
Dimension: 85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-931-WRG
SKU: **6649**
Base: GU10
Material: PC
Color: White+Rose Gold
Dimension: 85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-932-W
SKU: **6650**
Base: GU10
Material: PC
Color: White+White
Dimension: 85×85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-932-WB
SKU: **6651**
Base: GU10
Material: PC
Color: White+Black
Dimension: 85×85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-932-B
SKU: **6652**
Base: GU10
Material: PC
Color: Black+Black
Dimension: 85×85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-932-WC
SKU: **6653**
Base: GU10
Material: PC
Color: White+Chrome
Dimension: 85×85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-932-WG
SKU: **6654**
Base: GU10
Material: PC
Color: White+Gold
Dimension: 85×85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-932-WRG
SKU: **6655**
Base: GU10
Material: PC
Color: White+Rose Gold
Dimension: 85×85×40mm
Cutting Size: 72mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-933-W
SKU: **6656**
Base: GU10
Material: PC
Color: White
Dimension: 102×102×42mm
Cutting Size: 95×95mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-933-B
SKU: **6657**
Base: GU10
Material: PC
Color: Black
Dimension: 102×102×42mm
Cutting Size: 95×95mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-934-W
SKU: **6658**
Base: GU10
Material: PC
Color: White
Dimension: 102×42mm
Cutting Size: 85mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-934-B
SKU: **6659**
Base: GU10
Material: PC
Color: Black
Dimension: 102×42mm
Cutting Size: 85mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-974-W
SKU: **6682**
Base: GU10
Material: Aluminum
Color: White
Dimension: 42.5×17.5×35mm
Cutting Size: 61mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-974-B
SKU: **6683**
Base: GU10
Material: Aluminum
Color: Black
Dimension: 42.5×17.5×35mm
Cutting Size: 61mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-980-WB
SKU: **6694**
Base: GU10
Material: Aluminum
Color: White+black
Dimension: 32.5×23.5×50mm
Cutting Size: 61mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-980-BW
SKU: **6695**
Base: GU10
Material: Aluminum
Color: Black+white
Dimension: 32.5×23.5×50mm
Cutting Size: 61mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-980-B
SKU: **6696**
Base: GU10
Material: Aluminum
Color: Black+black
Dimension: 32.5×23.5×50mm
Cutting Size: 61mm
Box Qty: 50

Recessed Fitting GU10



Model No: VT-980-GB
SKU: **6697**
Base: GU10
Material: Aluminum
Color: Golden+Black
Dimension: 32.5×23.5×50mm
Cutting Size: 61mm
Box Qty: 50

Surface Fittings GU10



Model No: VT-978-W
SKU: **6690**
Base: GU10
Material: Iron
Color: White
Dimension: 26.5×22.5×55mm
Cutting Size: N/A
Box Qty: 20

Surface Fittings GU10



Model No: VT-978-B
SKU: **6691**
Base: GU10
Material: Iron
Color: Black
Dimension: 26.5×22.5×55mm
Cutting Size: N/A
Box Qty: 20

Surface Fittings GU10



Model No: VT-979-W
SKU: **6692**
Base: GU10
Material: Iron
Color: White
Dimension: 27.5×22.5×55mm
Cutting Size: N/A
Box Qty: 20

Surface Fittings GU10



Model No: VT-979-B
SKU: **6693**
Base: GU10
Material: Iron
Color: Black
Dimension: 27.5×22.5×55mm
Cutting Size: N/A
Box Qty: 20

Model No: VT-981-W
SKU: **6698**
Base: GU10
Material:
Color:
Dimension:
Cutting Size:
Box Qty:

Model No: VT-981-B
SKU: **6699**
Base: GU10
Material:
Color:
Dimension:
Cutting Size:
Box Qty:

Model No: [VT-981-SN](#)
SKU: **6700**
Base: GU10
Material:
Color:
Dimension:
Cutting Size:
Box Qty:



Pendant Black-GU10

Model No: [VT-975-20CM](#)
SKU: **6684**
Base: GU10
Material: Aluminum
Color: Black
Dimension: 35.5×25.5×42mm
Cutting Size: NA
Box Qty: 20

Pendant Black-GU10

Model No: [VT-975-30CM](#)
SKU: **6685**
Base: GU10
Material: Aluminum
Color: Black
Dimension: 35.5×35.5×43mm
Cutting Size: NA
Box Qty: 20



Pendant Black-GU10

Model No: [VT-976-30CM](#)
SKU: **6686**
Base: GU10
Material: Aluminum
Color: Black
Dimension: 35.5×35.5×43mm
Cutting Size: NA
Box Qty: 20



Pendant Black-GU10

Model No: [VT-976-50CM](#)
SKU: **6687**
Base: GU10
Material: Aluminum
Color: Black
Dimension: 42×35×54.5mm
Cutting Size: NA
Box Qty: 20



Pendant Black-GU10

Model No: [VT-977-30CM](#)
SKU: **6688**
Base: GU10
Material: Aluminum
Color: Black + Gold
Dimension: 35.5×35.5×43mm
Cutting Size: NA
Box Qty: 20




Pendant Black-GU10

Model No: [VT-977-50CM](#)
SKU: **6689**
Base: GU10
Material:
Color:
Dimension:
Cutting Size:
Box Qty:



Clear Glass-Filament-Candle-E14-Dimmable

- E14 Base
- Candle Shape
- AC:220-240V, 50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2304D	2870 - 3000K WARM WHITE	4W	35w	400	200



LED Strip Lights **Strip Sets-5050 60 LEDs**

VT-5050 60 IP20-24W

2895 - 5IN1

Watt/M: 24w
Voltage: DC:12V,50Hz
LED Qty/M: 90
LED Type: SMD

Beam Angle: 120°
IP Rating: IP20



LED Strip Lights **Strip Sets-5050 60 LEDs**

VT-5050 60 IP20-RGB Set-24W

2896 -5IN1

Watt/M: 24w
Voltage: DC:12V,50Hz
LED Qty/M: 90
LED Type: SMD

Beam Angle: 120°
IP Rating: IP20



LED Strip Lights **Striplights 2835 120 Double PCB**

VT-2835 120-IP65-24W

2898 - 3IN1



Watt/M: 14W
Voltage: DC:24V
LED Qty/M: 120
LED Type: SMD

Beam Angle: 120°
IP Rating: IP65
Width: 10mm
Box Qty: 400 Meters



LED Strip Lights **Striplights 2835 120 Double PCB**

VT-2835 120-IP20-24W

2897 -3IN1



Watt/M: 14W
Voltage: DC:24V
LED Qty/M: 120
LED Type: SMD

Beam Angle: 120°
IP Rating: IP20
Width: 10mm
Box Qty: 400 Meters



LED Strip Lights Striplights 2835 90-High Lumen

VT-2835 90

- 2698 – 6400K WHITE
- 2696 – 3000K WARM WHITE
- 2697 – 4000K DAY WHITE



Watt/M: 4w
Voltage: DC:24V
LED Qty/M: 800
LED Type: SMD

Beam Angle: 120°
IP Rating: IP20
Width: 10mm
Box Qty: 400 Meters



LED Strip Lights LED COB Striplights IP20


VT-COB 421

- 2669 – 6400K WHITE
- 2667 – 3000K WARM WHITE
- 2668 – 4000K DAY WHITE



Watt/M: 10w
Voltage: DC:24V
LED Qty/M: 420
LED Type:

Beam Angle: 120°
IP Rating: IP20
Width: 10mm
Box Qty: 400 Meters



LED Strip Lights LED COB Striplights IP20

VT-COB 422

- 2880 – RGB



Watt/M: 13w
Voltage: DC:24V
LED Qty/M: 420
LED Type: COB

Beam Angle: 120°
IP Rating: IP20
Width: 10mm
Box Qty: 400 Meters



QUICK CONNECT WIRE FOR LED STRIP LIGHT



SKU: [11341](#)

QUICK MIDDLE CONNECTOR FOR LED STRIP LIGHT



SKU: [11342](#)

QUICK MIDDLE CONNECTOR WITH WIRE FOR LED STRIP LIGHT



SKU: [11343](#)

Strip-Controller-Infrared



Model: [VT-2428](#)
SKU: [2899](#)
Input voltage: DC:12V/24V

Strip-Controller-Infrared



Model: [VT-2425](#)
SKU: [2901](#)
Input voltage: DC:12V/24V

Strip-Controller-Wi-Fi RGB

[2900](#)[2900](#)

Strip-Controller-Wi-Fi RGB

SKU: [2902](#)[2902](#)
Input voltage:

Mounting Kit White



Model: [VT-8126](#)
SKU: [2871](#)
Dimension: 2000x50x35mm
Unit Color: White

Mounting Kit White



Model: [VT-8127](#)
SKU: [2872](#)
Dimension: 2000x50x75mm
Unit Color: White

Mounting Kit Black



Model: [VT-8113](#)
SKU: [2873](#)
Dimension: 2000x17.4x7mm
Unit Color: Black

Mounting Kit Black



Model: [VT-8109](#)
SKU: [2874](#)
Dimension: 2000x15.8x15.8mm
Unit Color: Black

Mounting Kit Black



Model: [VT-8106](#)
SKU: [2875](#)
Dimension: 2000x24.7x7mm
Unit Color: Black

Mounting Kit Black



Model: [VT-8108](#)
SKU: [2876](#)
Dimension: 2000x23.5x10mm
Unit Color: Black

Mounting Kit Black



Model: [VT-8114](#)
SKU: [2877](#)
Dimension: 2000x19x19mm
Unit Color: Black

Mounting Kit Black



Model: [VT-8110](#)
SKU: [2878](#)
Dimension: 2000x17.2x14.4mm
Unit Color: Black



Power Supply – Plastic

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-23032	2671	30w	2.5A	AC:100-240V,50/60Hz	DC:12V	100
VT-23044	2672	42w	3.5A	AC:100-240V,50/60Hz	DC:12V	100



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21061	2682	60w	5A	AC:100-240V,50/60Hz	DC:12V	100
VT-21062	2683	60w	2.5A	AC:100-240V,50/60Hz	DC:24V	100
VT-21071	2684	75w	6.25A	AC:176-264V,50/60Hz	DC:12V	100
VT-21072	2685	75w	3.15A	AC:176-264V,50/60Hz	DC:24V	100



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21121	2686	120w	10A	AC:176-264V,50/60Hz	DC:12V	50
VT-21122	2687	120w	5A	AC:176-264V,50/60Hz	DC:24V	50
VT-21152	2688	150w	12.5A	AC:176-264V,50/60Hz	DC:12V	50
VT-21153	2689	150w	6.25A	AC:176-264V,50/60Hz	DC:24V	50



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21252	2690	250w	20.8A	AC:176-264V,50/60Hz	DC:12V	20
VT-21253	2691	250w	10.41A	AC:176-264V,50/60Hz	DC:24V	20
VT-21301	2692	300w	25A	AC:176-264V,50/60Hz	DC:12V	20
VT-21302	2693	300w	12.5A	AC:176-264V,50/60Hz	DC:24V	20



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21501	2694	500w	42A	AC:200-240V,50/60HZ	DC:12V	20
VT-21502	2695	500w	21A	AC:200-240V,50/60HZ	DC:24V	20

LED BIG PANELS

Big Panels-UGR<19

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :595×595×9mm

LG7 Compliant 
UGR < 19



Model	SKU	Watts	Lumen	Size	Box Qty
<u>VT-6068-1</u>	6676 - 4000K DAY WHITE	45w	4830	595×595×9mm	6
<u>VT-6069-1</u>	6674 - 4000K DAY WHITE	45w	4830	620×620×9mm	6

LED BIG PANELS

Big Panels-60×60

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :595×595×9mm



Model	SKU	Watts	Lumen	Size	Box Qty
<u>VT-6237-1</u>	6673 - 4000K DAY WHITE	36w	3820	595×595×9mm	6

LED BIG PANELS

Big Panels-60×60

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >15000
- Life span:25,000 Hours
- Body Type: Aluminium
- Dimension :595×595×8.5mm



Model	SKU	Watts	Lumen	Size	Box Qty
<u>VT-6340</u>	6671 - 4500K DAY WHITE 6672 - 6400K WHITE	40w	4950	595×595×8.5mm	6

LED BIG PANELS

Big Panels-High Lumen

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :620×620×9mm



120
lm/W



Model	SKU	Watts	Lumen	Size	Box Qty
<u>VT-6262-1</u>	6675 - 4000K DAY WHITE	29w	3480	620×620×9mm	6

LED BIG PANELS

Big Panels-120×30

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- On/Off: >10000
- Life span:20,000 Hours
- Body Type: FE+PP
- Dimension :1195×295×29mm



Model	SKU	Watts	Lumen	Size	Box Qty
<u>VT-6147</u>	6624 - 3000K WARM WHITE 6625 - 4000K DAY WHITE 6626 - 6500K WHITE	40w	4000	1195×295×29mm	6



Surface Mounting-60×60 New

SKU: [6627](#)
 Box Qty 25



Can for Fire Rated Downlight



SKU: 11281
Dimension: 90×120mm
Cutting Size: 80mm
Unit Color: Black
Body Type: Iron
IP Rating: IP20

Can for Fire Rated Downlight



SKU: 11286
Dimension:
Cutting Size:
Unit Color:
Body Type:
IP Rating:

White Bezel-IP20 Push and Lock



IP20 RATING

5 pcs Pack

SKU: 11277
Dimension: 90mm
Unit Color: White
Body Type: Iron
IP Rating: IP20

Black Bezel-IP20 Push and Lock



IP20 RATING

5 pcs Pack

SKU: 11278
Dimension: 90mm
Unit Color: Black
Body Type: Iron
IP Rating: IP20

Satin Nickel Bezel-IP20 Push and Lock



IP20 RATING

5 pcs Pack

SKU: 11279
Dimension: 90mm
Unit Color: Satin Nickel
Body Type: Iron
IP Rating: IP20

Chrome Bezel-IP20 Push and Lock



IP20 RATING

5 pcs Pack

SKU: 11280
Dimension: 90mm
Unit Color: Chrome
Body Type: Iron
IP Rating: IP20

White Bezel-IP65 Push and Lock



IP65 RATING

5 pcs Pack

SKU: 11282
Dimension: 90mm
Unit Color: White
Body Type: Iron
IP Rating: IP65

Black Bezel-IP65 Push and Lock



IP65 RATING

5 pcs Pack

SKU: 11283
Dimension: 90mm
Unit Color: Black
Body Type: Iron
IP Rating: IP65

Satin Nickel Bezel-IP65 Push and Lock



IP65 RATING

5 pcs Pack

SKU: 11284
Dimension: 90mm
Unit Color: Satin Nickel
Body Type: Iron
IP Rating: IP65

Chrome Bezel-IP65 Push and Lock



IP65 RATING

5 pcs Pack

SKU: 11285
Dimension: 90mm
Unit Color: Chrome
Body Type: Iron
IP Rating: IP65

Solar Wall Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:20x15.5x25.5

Model	SKU	Watts
<u>VT-982-S</u>	2889 - 3IN1	



Solar Stand Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:15.5x15.5x27

Model	SKU	Watts
<u>VT-983-S</u>	2890 - 3IN1	



Solar Wall Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:22x17.5x25

Model	SKU	Watts
<u>VT-982</u>	2892 - 3000K+6000K WARM WHITE+WHITE	



Solar Stand Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:17.5x17.5x27

Model	SKU	Watts
<u>VT-983</u>	2893 - 3000K+6000K WARM WHITE+WHITE	



Solar Lawn Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33

Model	SKU	Watts
<u>VT-984</u>	2894 - 3000K+6000K WARM WHITE+WHITE	



Solar Lawn Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33

Model	SKU	Watts
<u>VT-984-S</u>	2891 - 3IN1	



Solar Bollard Lights

- 3.7V, 2000mAh Battery
- Charging Time:
- Working Time: 12 Hours
- Body Type: ABS+PC
- Size:705.7×155mm
- Lumen: 400


Model	SKU	Watts
<u>VT-945</u>	6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	5w



2IN1 Garden Light

- 3.7V, 1000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC
- Size:148×800mm
- Lumen: 260

Model	SKU	Watts
<u>VT-943</u>	6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE	3w



Adjustable Garden Light

- 7.4V, 2000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC+Metal
- Size:264x1290.55mm
- Lumen: 500

Model	SKU	Watts
<u>VT-948</u>	6670 - 3000K WARM WHITE 6669 - 4000K DAY WHITE	8w



Solar Spike Light

- 3.7V Li-on 1200mAh Battery
- Charging Time: 6-8 Hours
- Working Time: 10-12 Hours
- Body Type: ABS
- Size:140x150x280mm
- Lumen: 40

Model	SKU	Watts
<u>VT-952</u>	6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	2w




Solar Tri-Proof Light with Sensor

- Battery
- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours
- Body Type: PC
- Size:1185x80x65mm



Model	SKU	Watts	Lumen
<u>VT-120018</u>	6500 - 3IN1		



Solar Bulb with Sensor

- 3.7V, 2200mAh Battery
- Charging Time: 8 Hours
- Working Time: 6 Hours
- Body Type: Plastic
- Size:72x158mm



Model	SKU	Watts	Lumen
<u>VT-2417</u>	2857 - 3IN1	7w	500



Table Mirror Lights

- DC:5V
- CRI: >80
- 150° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30


Model	SKU	Watts
<u>VT-7572</u>	6629	3w



Wall Mirror Lights

- DC:5V
- CRI: >80
- 150° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

Model	SKU	Watts
<u>VT-7571</u>	6628	3w



Suction Mirror Lights

- DC:4.5V
- CRI: >80
- 120° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

Model	SKU	Watts
<u>VT-7573</u>	6630	3.2w



Rechargeable Desk Lamps

- CRI:
- Beam Angle
- Body Type:



RECHARGEABLE

Model	SKU	Watts	Lumen
<u>VT-7703-G</u>	2881 - 3000K WARM WHITE 2882 - 4000K DAY WHITE	3w	



Rechargeable Desk Lamps

- CRI:
- Beam Angle
- Body Type:



RECHARGEABLE

Model	SKU	Watts	Lumen
<u>VT-7703-GD</u>	2883 - 3000K WARM WHITE 2884 - 4000K DAY WHITE	3w	



Rechargeable Desk Lamps

- CRI:
- Beam Angle
- Body Type:



RECHARGEABLE

Model	SKU	Watts	Lumen
<u>VT-7703-W</u>	2885 - 3000K WARM WHITE 2886 - 4000K DAY WHITE	3w	



Rechargeable Desk Lamps

- CRI:
- Beam Angle
- Body Type:



RECHARGEABLE

Model	SKU	Watts	Lumen
<u>VT-7703-B</u>	2887 - 3000K WARM WHITE 2888 - 4000K DAY WHITE	3w	




Ceiling Fan AC Motor

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-W	2866

65W




Ceiling Fan AC Motor

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-BR	2867

65W



Ceiling Fan AC Motor

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-BL	2868

65W



Mist Fan with Wheels

- 16" (40.6CM) Mist fan
- With 430mm diameter radial grill
- 3PP blade with a speed of Max 55.96m³/Min
- Remote type selection with oscillation
- Designed with 3 variants of speed: Low, Medium, and High
- Adjustable Mist
- Timer (with Remote)7.5H
- Water Tank Capacity 3.2 Litre
- 6 Wheels for easy moving

Model	SKU
VT-8217-3	7936

80W



Trolley Speaker

2X10W

Model	SKU
<u>VT-6204-2</u>	6663

- P.M.P.O 150W
- Rechargeable Trolley speaker 2x4 inch woofer.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:185.3x177x410.5mm
- Includes one USB cable.



Trolley Speaker

2X10W

Model	SKU
<u>VT-6203-2</u>	6664

- P.M.P.O 150W
- Rechargeable Trolley speaker 2x3 inch woofer with handle.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:153.7x143.7x341.5mm
- Includes one USB cable.



Trolley Speaker

40W

Model	SKU
<u>VT-6282-2</u>	8990

- P.M.P.O 150W
- Rechargeable Trolley speaker 8 inch woofer with handle and RF Control.
- AC:100-240V, 50/60Hz input power.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 7.4V/5000mAh.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- FM Radio-Frequency 87.5-1080MHz.
- AUX, Guitar and MIC input.
- Working distance up to 15 meters in open space
- Remote Control distance upto 5m in open space
- Dimensions:320x310x685mm
- Includes one Wireless microphone, Remote Control and Power adaptor.





LED Smart Striplight Kit

LED Type: SMD
Watt/M: 13W
Current/M: 1.08A
lm/M: 1200
Beam Angle: 120°
IP Rating: IP20
Width: 10mm



Model	SKU
VT-5050 90	2699



App Remote Control



Voice Control. Alexa/Google Home Compatible



Remote Controller



In-line Controller

Charging Adapters

USB-A Output:5V- 3A, 9V-2A, 12V-1.5A(Max). USB-C (PD)
 Output:5V- 3A, 9V-2.22A, 12V-1.67A(Max).

VT-5320-B
6677



Watts: 20W
Unit Color: Black
Input Power: AC:100-240V,50/60Hz
Output Voltage: DC:5V, 3A
USB Port: USB-A + USB-C (PD)



Charging Adapters

USB-A Output:5V- 3A, 9V-2A, 12V-1.5A(Max). USB-C (PD)
 Output:5V- 3A, 9V-2.22A, 12V-1.67A(Max).

VT-5320-W
6678



Watts: 20W
Unit Color: White
Input Power: AC:100-240V,50/60Hz
Output Voltage: DC:5V, 3A
USB Port: USB-A + USB-C (PD)



Charging Adapters

USB-A Output:5V- 3A, 9V-3A, 12V-2.25A(Max). USB-C (PD)
 Output:5V- 3A, 9V-3A, 15V-2.0A, 20V-1.5A(Max).

VT-5330-B
6679



Watts: 30W
Unit Color: Black
Input Power: AC:100-240V,50/60Hz
Output Voltage: DC:5V, 3A
USB Port: USB-A + USB-C (PD)



Charging Adapters

USB-A Output:5V- 3A, 9V-3A, 12V-2.25A(Max). USB-C (PD)
 Output:5V- 3A, 9V-3A, 15V-2.0A, 20V-1.5A(Max).

VT-5330-W
6680



Watts: 30W
Unit Color: White
Input Power: AC:100-240V,50/60Hz
Output Voltage: DC:5V, 3A
USB Port: USB-A + USB-C (PD)



OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU
101	- 21101	531	- 21531	791	- 21791	2042	- 212042	2738	- 212738	6620	- 216620	8246	- 218246	8619	- 218619
103	- 21103	535	- 21535	792	- 21792	2043	- 212043	2739	- 212739	6671	- 216671	8280	- 218280	8620	- 218620
104	- 21104	536	- 21536	793	- 21793	2044	- 212044	2740	- 212740	6672	- 216672	8282	- 218282	8681	- 218681
108	- 21108	537	- 21537	796	- 21796	2118	- 212118	2741	- 212741	7078	- 217078	8284	- 218284	8682	- 218682
115	- 21115	538	- 21538	797	- 21797	2122	- 212122	2766	- 212766	7079	- 217079	8285	- 218285	8683	- 218683
131	- 21131	539	- 21539	798	- 21798	2124	- 212124	2775	- 212775	7080	- 217080	8286	- 218286	8684	- 218684
132	- 21132	540	- 21540	799	- 21799	2126	- 212126	2778	- 212778	7081	- 217081	8287	- 218287	13889	- 2113889
135	- 21135	600	- 21600	808	- 21808	2128	- 212128	2792	- 212792	7082	- 217082	8288	- 218288	13899	- 2113899
140	- 21140	602	- 21602	809	- 21809	2133	- 212133	2793	- 212793	7087	- 217087	8289	- 218289	13909	- 2113909
141	- 21141	650	- 21650	853	- 21853	2137	- 212137	2794	- 212794	7088	- 217088	8291	- 218291	13949	- 2113949
146	- 21146	651	- 21651	855	- 21855	2138	- 212138	4122	- 214122	7089	- 217089	8292	- 218292	14601	- 2114601
149	- 21149	652	- 21652	861	- 21861	2143	- 212143	4123	- 214123	7090	- 217090	8296	- 218296	14611	- 2114611
151	- 21151	654	- 21654	867	- 21867	2148	- 212148	4124	- 214124	7091	- 217091	8297	- 218297	14741	- 2114741
189	- 21189	657	- 21657	868	- 21868	2149	- 212149	4160	- 214160	7121	- 217121	8298	- 218298	14751	- 2114751
195	- 21195	658	- 21658	874	- 21874	2150	- 212150	4162	- 214162	7229	- 217229	8299	- 218299	14761	- 2114761
196	- 21196	659	- 20344	875	- 21875	2155	- 212155	4166	- 214166	7240	- 217240	8300	- 218300	14921	- 2114921
197	- 21197	660	- 20345	882	- 21882	2156	- 212156	4174	- 214174	7241	- 217241	8301	- 218301	14941	- 2114941
199	- 21199	662	- 20347	891	- 21891	2159	- 212159	4207	- 214207	7242	- 217242	8302	- 218302	14951	- 2114951
203	- 21203	663	- 20348	892	- 21892	2161	- 212161	4216	- 214216	7246	- 217246	8305	- 218305	20014	- 2120014
206	- 21206	664	- 20349	893	- 21893	2163	- 212163	4301	- 214301	7260	- 217260	8306	- 218306	20021	- 2120021
207	- 21207	665	- 20350	895	- 21895	2164	- 212164	5946	- 215946	7261	- 217261	8309	- 218309	20026	- 2120026
222	- 21222	666	- 20351	896	- 21896	2166	- 212166	5947	- 215947	7262	- 217262	8317	- 218317	20051	- 2120051
223	- 21223	667	- 20352	947	- 21947	2403	- 212403	5948	- 215948	7263	- 217263	8318	- 218318	20052	- 2120052
224	- 21224	668	- 20354	948	- 21948	2430	- 212430	5949	- 215949	7264	- 217264	8319	- 218319	20054	- 2120054
234	- 21234	669	- 20355	951	- 21951	2431	- 212431	5950	- 215950	7265	- 217265	8320	- 218320	20055	- 2120055
235	- 21235	672	- 21672	956	- 21956	2459	- 212459	5951	- 215951	7269	- 217269	8321	- 218321	20056	- 2120056
236	- 21236	673	- 21673	957	- 21957	2461	- 212461	5952	- 215952	7270	- 217270	8322	- 218322	20058	- 2120058
238	- 21238	674	- 21674	958	- 21958	2462	- 212462	5953	- 215953	7271	- 217271	8323	- 218323	20124	- 2120124
239	- 21239	675	- 21675	959	- 21959	2463	- 212463	5954	- 215954	7353	- 217353	8324	- 218324	20125	- 2120125
240	- 21240	676	- 21676	960	- 21960	2547	- 212547	5955	- 215955	7354	- 217354	8325	- 218325	20186	- 2120186
243	- 21243	677	- 21677	961	- 21961	2552	- 212552	5956	- 215956	7357	- 217357	8326	- 218326	20187	- 2120187
244	- 21244	678	- 21678	962	- 21962	2553	- 212553	5957	- 215957	7359	- 217359	8333	- 218333	42501	- 2142501
246	- 21246	679	- 21679	963	- 21963	2559	- 212559	5958	- 215958	7362	- 217362	8334	- 218334	43441	- 2143441
247	- 21247	686	- 21686	969	- 21969	2561	- 212561	5959	- 215959	7363	- 217363	8337	- 218337	55669	- 2155669
248	- 21248	687	- 21687	1208	- 211208	2562	- 212562	5960	- 215960	7402	- 217402	8338	- 218338	60246	- 2160246
269	- 21269	688	- 21688	1209	- 211209	2563	- 212563	5961	- 215961	7403	- 217403	8341	- 218341	60256	- 2160256
321	- 21321	689	- 21689	1210	- 211210	2564	- 212564	5962	- 215962	7407	- 217407	8527	- 218527	60286	- 2160286
324	- 21324	690	- 21690	1314	- 211314	2581	- 212581	5963	- 215963	7422	- 217422	8528	- 218528	62176	- 2162176
374	- 21374	691	- 21691	1316	- 211316	2591	- 212591	5964	- 215964	7436	- 217436	8529	- 218529	62406	- 2162406
375	- 21375	692	- 21692	1317	- 211317	2592	- 212592	5965	- 215965	7439	- 217439	8530	- 218530	62416	- 2162416
376	- 21376	695	- 21695	1319	- 211319	2593	- 212593	5966	- 215966	7440	- 217440	8531	- 218531	62426	- 2162426
380	- 21380	696	- 21696	1322	- 211322	2594	- 212594	5967	- 215967	7524	- 217524	8532	- 218532	63300	- 2163300
381	- 21381	697	- 21697	1323	- 211323	2595	- 212595	5968	- 215968	7527	- 217527	8533	- 218533	63411	- 2163411
383	- 21383	748	- 21748	1326	- 211326	2596	- 212596	5969	- 215969	7544	- 217544	8534	- 218534	80841	- 2180841
384	- 21384	749	- 21749	1328	- 211328	2597	- 212597	6025	- 216025	7545	- 217545	8535	- 218535	200471	- 21200471
404	- 21404	760	- 21760	1329	- 211329	2598	- 212598	6237	- 216237	7547	- 217547	8536	- 218536		
407	- 21407	761	- 21761	1331	- 211331	2599	- 212599	6256	- 216256	7548	- 217548	8537	- 218537		
410	- 21410	762	- 21762	1463	- 211463	2600	- 212600	6257	- 216257	7550	- 217550	8538	- 218538		
412	- 21412	764	- 21764	1466	- 211466	2601	- 212601	6258	- 216258	7551	- 217551	8539	- 218539		
413	- 21413	765	- 21765	1469	- 211469	2622	- 212622	6284	- 216284	7602	- 217602	8540	- 218540		
415	- 21415	766	- 21766	1470	- 211470	2623	- 212623	6285	- 216285	7604	- 217604	8544	- 218544		
416	- 21416	767	- 21767	2002	- 212002	2624	- 212624	6286	- 216286	7608	- 217608	8553	- 218553		
417	- 21417	768	- 21768	2005	- 212005	2625	- 212625	6287	- 216287	8211	- 218211	8554	- 218554		
419	- 21419	770	- 21770	2011	- 212011	2626	- 212626	6332	- 216332	8215	- 218215	8560	- 218560		
422	- 21422	771	- 21771	2013	- 212013	2627	- 212627	6333	- 216333	8233	- 218233	8561	- 218561		
442	- 21442	772	- 21772	2015	- 212015	2649	- 212649	6487	- 20359	8234	- 218234	8562	- 218562		
464	- 21464	773	- 21773	2016	- 212016	2650	- 212650	6488	- 20360	8235	- 218235	8563	- 218563		
473	- 21473	778	- 21778	2025	- 212025	2651	- 212651	6489	- 20361	8237	- 218237	8609	- 218609		
511	- 21511	779	- 21779	2032	- 212032	2654	- 212654	6490	- 20362	8238	- 218238	8610	- 218610		
525	- 21525	784	- 21784	2035	- 212035	2667	- 212667	6491	- 20363	8239	- 218239	8613	- 218613		
527	- 21527	785	- 21785	2036	- 212036	2728	- 212728	6492	- 20364	8241	- 218241	8614	- 218614		
528	- 21528	787	- 21787	2037	- 212037	2730	- 212730	6493	- 20365	8242	- 218242	8615	- 218615		
529	- 21529	789	- 21789	2038	- 212038	2733	- 212733	6494	- 20366	8243	- 218243	8617	- 218617		
530	- 21530	790	- 21790	2041	- 212041	2734	- 212734	6495	- 20367	8245	- 218245	8618	- 218618		

**Sofia Office**

V-TAC EUROPE Ltd41, bul.Rozhen,
1271 Sofia, Bulgaria
www.v-tac.eu

UK Office

V-TAC House, Kelpatrick Road,
Slough, Berkshire, SL1 6BW, UK.
www.v-tac.co.uk

Middle East Office

Unit# 407/8/9 Jumeirah Bay Towers,
Plot# X3, JLT,P.O. Box 45244, Dubai.
www.vtacexports.comUK

ROADMAP 2022

V-TAC[®]
INNOVATIVE LED LIGHTING